

**AUREO350 RESP/BOV COCCI Cattle Feed**  
**TYPE B Medicated Feed**  
(chlortetracycline and lasalocid Type B medicated feed)

**Caution:** Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For the control of coccidiosis caused by *Eimeria bovis* and *Eimeria zuernii* and for control of bacterial pneumonia associated with shipping fever complex caused by *Pasteurella* spp. susceptible to chlortetracycline in beef cattle weighing up to 800 pounds.

**ACTIVE DRUG INGREDIENTS\***

Chlortetracycline<sup>a</sup> .....2800 to 80000 g/ton  
Lasalocid<sup>b</sup>(as lasalocid sodium).....181.8 to 3636.4 g/ton

**GUARANTEED ANALYSIS**

Crude protein, not less than .....<sup>1</sup> \_\_\_\_\_ %  
(This includes not more than \_\_\_\_\_% equivalent crude protein from non-protein nitrogen)  
Crude fat, not less than ..... \_\_\_\_\_ %  
Crude fiber, not more than ..... \_\_\_\_\_ %  
Calcium, not less than ..... \_\_\_\_\_ %  
Calcium, not more than ..... \_\_\_\_\_ %  
Phosphorus, not less than ..... \_\_\_\_\_ %  
Potassium, not less than ..... \_\_\_\_\_ %  
Salt<sup>1</sup>, not less than ..... \_\_\_\_\_ %  
Salt<sup>1</sup>, not more than ..... \_\_\_\_\_ %  
Sodium<sup>2</sup>, not less than ..... \_\_\_\_\_ %  
Sodium<sup>2</sup>, not more than ..... \_\_\_\_\_ %  
Vitamin A<sup>1</sup>, not less than ..... \_\_\_\_\_ IU/lb

<sup>1</sup>If added  
<sup>2</sup>Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

**INGREDIENTS**

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

**MIXING DIRECTIONS**

Mix the Type B medicated feed with non-medicated ingredients to manufacture one ton of complete cattle feed containing 25 to 2800 grams chlortetracycline per ton and 30 to 181.8 grams lasalocid per ton. The following table provides examples of mixing rates and amounts:

Type B Concentration, g/ton		Type B per ton of Type C lbs	Lbs Non-medicated feed per ton of Type C feed	Type C Concentration, g/ton	
				CTC	Lasalocid
CTC	Lasalocid				
11666.67	3030	120	1880	700	181.8
11666.67	3030	60	1940	350	90.9
11666.67	3030	30	1970	175	45.5
11666.67	3030	20	1980	116.7	30.3
7000	1818	200	1800	700	181.8
7000	1818	100	1900	350	90.9
7000	1818	50	1950	175	45.5
7000	1818	33.3	1966.7	116.7	30.3

**Caution**

Safety of lasalocid in unapproved species has not been established. Feeding undiluted or mixing errors may result in an excess lasalocid concentration which could be fatal to cattle. Do not allow horses or other equines access to Type B feeds containing lasalocid as ingestion may be fatal.

**Warning:** No withdrawal period is required. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Lot Number (if applicable): \_\_\_\_\_

**MANUFACTURED BY**

Blue Bird Feed Company  
Robin, Indiana 11111

**NET WEIGHT ON BAG OR BULK**

\*Final printed label on formulated Type B Medicated Feed must bear a single concentration for each drug.

<sup>a</sup>BOVATEC is the proprietary name of lasalocid sodium Type A medicated article (NADA 096-298).

<sup>b</sup>Aureomycin® is the proprietary name of chlortetracycline Type A medicated article (NADA 048-761).

Zoetis Inc. [14 September 2016]