

DEPARTMENT OF HEALTH AND HUMAN SERVICES
FOOD AND DRUG ADMINISTRATION

DISTRICT OFFICE ADDRESS AND PHONE NUMBER 1431 Harbor Bay Parkway Alameda, CA 94502-7096 (510) 337-6700 Industry Information: www.fda.gov/oc/industry	DATE(S) OF INSPECTION 12/23, 24, & 29/2014 & 01/06/2015
	FEI NUMBER 3010540230

NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT IS ISSUED
TO: Leonard A. Bidart, President

FIRM NAME Bidart Bros.	STREET ADDRESS 5055 East Lerdo Hwy
CITY, STATE AND ZIP CODE Shafter, CA 93263	TYPE OF ESTABLISHMENT INSPECTED Packer

THIS DOCUMENT LISTS OBSERVATIONS MADE BY THE FDA REPRESENTATIVE(S) DURING THE INSPECTION OF YOUR FACILITY. THEY ARE INSPECTIONAL OBSERVATIONS; AND DO NOT REPRESENT A FINAL AGENCY DETERMINATION REGARDING YOUR COMPLIANCE. IF YOU HAVE AN OBJECTION REGARDING AN OBSERVATION, OR HAVE IMPLEMENTED, OR PLAN TO IMPLEMENT CORRECTIVE ACTION IN RESPONSE TO AN OBSERVATION, YOU MAY DISCUSS THE OBJECTION OR ACTION WITH THE FDA REPRESENTATIVE(S) DURING THE INSPECTION OR SUBMIT THIS INFORMATION TO FDA AT THE ADDRESS ABOVE. IF YOU HAVE ANY QUESTIONS, PLEASE CONTACT FDA AT THE PHONE NUMBER AND ADDRESS ABOVE.

DURING AN INSPECTION OF YOUR FIRM (I) (WE) OBSERVED:

Food that has been prepared, packed, or held under insanitary conditions whereby it may have been contaminated with filth, or whereby it may have been rendered injurious to health.

Specifically:


1) On 12/23/14, we collected sample INV 870215, consisting of 110 environmental swabs collected from food and non-food contact surfaces in the packaging area, common cold storage South, and bins stored outside. The following seven subs were confirmed positive for *Listeria monocytogenes*:

- Sub 3, Black polishing brush
- Sub 39, 41, 44, Red drying brushes
- Sub 63, Auto line (b) (4) ; Lane^{(b) (4)}
- Sub 100, Main packing line drain between the north and south flumes
- Sub 106, Inside area of non-painted Bidart wooden bin

Six of these sites (Sub 3, 39, 41, 44, 63, and 106) are direct food contact surfaces.

2) On 12/23/14, we observed direct food contact areas of packaging equipment, used during the 2014 apple season, constructed and/or maintained in a manner so that they cannot be properly cleaned and sanitized:

- A) Damaged conveyor belt and chipping/peeling paint on the (b) (4) transfer chute on the Granny's Best packaging line.
- B) Frayed edges and exposed foam-like material on the green vinyl coated padding, lining the transfer chute to the peeler on the Granny's Best packaging line.

SEE REVERSE OF THIS PAGE	EMPLOYEE(S) SIGNATURE 	EMPLOYEE(S) NAME AND TITLE (Print or Type) Estefania Fernandez, Investigator Joanne M. Fukuda, Investigator Steven M. Galvez, Investigator	DATE ISSUED 01/06/2015
--------------------------	--	---	---------------------------

**DEPARTMENT OF HEALTH AND HUMAN SERVICES
FOOD AND DRUG ADMINISTRATION**

DISTRICT OFFICE ADDRESS AND PHONE NUMBER

1431 Harbor Bay Parkway
Alameda, CA 94502-7096
(510) 337-6700

DATE(S) OF INSPECTION

12/23, 24, & 29/2014 & 01/06/2015

FBI NUMBER

3010540230

Industry Information: www.fda.gov/oc/industry

NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT IS ISSUED

TO: Leonard A. Bidart, President

FIRM NAME

Bidart Bros.

STREET ADDRESS

5055 East Lerdo Hwy

CITY, STATE AND ZIP CODE

Shafter, CA 93263

TYPE OF ESTABLISHMENT INSPECTED

Packer

C) Green vinyl coating is separating away from the padding, exposing foam-like material on the entrance to packaging (b) (4) Candy Apple (b)(4)

D) Torn and cracked padded flap located on the end of packaging (b) (4) Candy Apple (b)(4)

E) Cracked vinyl coating and exposed foam-like material on bump pad at the end of Lane (b)(6), leading to packaging on (b) (4) Candy Apple (b)(4)

F) Bucket conveyer on (b) (4) Candy Apple (b)(4) made of canvas material has frayed edges and metal staples. The padded flap on the end of packaging (b) (4) Candy Apple (b)(4) was torn and cracked.

SEE
REVERSE
OF THIS
PAGE

EMPLOYEE(S) SIGNATURE

Estefania Fernandez
Joanne M. Fukuda

EMPLOYEE(S) NAME AND TITLE (Print or Type)

Estefania Fernandez, Investigator
Joanne M. Fukuda, Investigator
Steven M. Galvez, Investigator

DATE ISSUED

01/06/2015