

**AUREO350 ANA/BOV ROG— CATTLE FEED**  
**TYPE C Medicated Feed**  
(chlortetracycline and lasalocid Type C medicated feed)

**Caution:** Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For increased rate of weight gain and for control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline in pasture cattle under 700 pounds (slaughter, stocker, feeder cattle, beef replacement heifers).

**ACTIVE DRUG INGREDIENTS\***

Chlortetracycline<sup>a</sup> .....25 to 700 g/ton  
Lasalocid<sup>b</sup> (as lasalocid sodium).....30 to 600 g/ton

**GUARANTEED ANALYSIS**

Crude protein, not less than .....%  
(This includes not more than \_\_\_\_\_% equivalent crude protein from non-protein nitrogen)<sup>1</sup>  
Crude fat, not less than .....%  
Crude fiber, not more than .....%  
Calcium, not less than .....%  
Calcium, not more than .....%  
Phosphorus, not less than .....%  
Potassium, not less than .....%  
Salt<sup>1</sup>, not less than .....%  
Salt<sup>1</sup>, not more than .....%  
Sodium<sup>2</sup>, not less than .....%  
Sodium<sup>2</sup>, not more than .....%  
Vitamin A<sup>1</sup>, not less than ..... IU/lb

<sup>1</sup>If added

<sup>2</sup>Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

**INGREDIENTS**

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

**FEEDING DIRECTIONS**

Feed continuously on a hand-fed basis at a rate of 350 mg chlortetracycline and not less than 60 mg or more than 300 mg lasalocid per head daily in at least 1 pound of feed for pasture cattle (slaughter, stocker, feeder cattle, and beef replacement heifers). Daily lasalocid intakes in excess of 200 mg/head/day in pasture cattle have not been shown to be more effective than 200 mg lasalocid/head/day. The following table provides examples of feeding rates and amounts:

Body Wt. Lb.	Feed Consumption		Chlortetracycline		Lasalocid	
	% Body Wt.	lb/head/day	Amount mg/head/day	Feeding Rate g/ton	Amount mg/head/day	Feeding Rate g/ton
200	0.5	1	350	700	300	600
	2	4	350	175	200	100
	3	6	350	116.7	90	30
	3	6	350	116.7	195	65
500	2	10	350	70	150	30
	2	10	350	70	200	40

**Caution**

Safety of lasalocid in unapproved species has not been established. Do not allow horses or other equines access to feeds containing lasalocid.



**Warning:** No withdrawal period is required. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.



Lot Number (if applicable): \_\_\_\_\_

**MANUFACTURED BY**

Blue Bird Feed Company  
Robin, Indiana 11111

**NET WEIGHT ON BAG OR BULK**

\*Final printed label on formulated Type C medicated feed must bear a single concentration for each drug.

<sup>a</sup>Aureomycin® is the proprietary name of chlortetracycline Type A medicated article (NADA 048-761).

<sup>b</sup>BOVATEC is the proprietary name of lasalocid sodium Type A medicated article (NADA 096-298).

Zoetis Inc. [15 September 2016]