

Bibliography  
For FDA's Advisory Panel Presentation  
February 26, 2016

**1. Reclassification of Urogynecologic Surgical Mesh Instrumentation**

513(e) Proposed Order. Reclassification of Surgical Mesh for Transvaginal Pelvic Organ Prolapse Repair and Surgical Instrumentation for Urogynecologic Surgical Mesh Procedures; Designation of Special Controls for Urogynecologic Surgical Mesh Instrumentation. Docket No. FDA-2014-N-0297. May 1 2014.

Abdel-Fattah, M., et al. (2006). "Lower urinary tract injuries after transobturator tape insertion by different routes: a large retrospective study." *BJOG* 113(12): 1377-1381.

Abdel-fattah, M., et al. (2010). "Evaluation of transobturator tapes (E-TOT) study: randomised prospective single-blinded study comparing inside-out vs. outside-in transobturator tapes in management of urodynamic stress incontinence: Short term outcomes." *European Journal of Obstetrics Gynecology and Reproductive Biology* 149(1): 106-111.

Agarwala, N., et al. (2007). "Laparoscopic sacral colpopexy with Gynemesh as graft material- Experience and results." *Journal of Minimally Invasive Gynecology* 14(5): 577-583.

Aigmuller, T., et al. (2014). "Retropubic vs. transobturator tension-free vaginal tape for female stress urinary incontinence: 3-month results of a randomized controlled trial." *Int Urogynecol J* 25(8): 1023-1030.

Allahdin, S., et al. (2004). "Tension-free vaginal tape: 162 cases in a district general hospital." *J Obstet Gynaecol* 24(5): 539-541. (A)

Allahdin, S., et al. (2004). "Tension free vaginal tape: a procedure for all ages." *Acta Obstet Gynecol Scand* 83(10): 937-940. (B)

Alperin, M., et al. (2008). "Perioperative outcomes of the Prolift® pelvic floor repair systems following introduction to a urogynecology teaching service." *International Urogynecology Journal and Pelvic Floor Dysfunction* 19(12): 1617-1622.

Andonian, S., et al. (2005). "Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): one-year results." *Eur Urol* 47(4): 537-541.

Araco, F., et al. (2011). "Sedation with local versus general anesthesia for the tension-free vaginal tape Secur hammock procedure." *Int J Gynaecol Obstet* 113(2): 108-111.

Argirović, A., et al. (2014). "Surgical treatment of female stress urinary incontinence: Retropubictransvaginal tape vs. transvaginal tape obturator." *Medicinski Glasnik* 11(2): 320-325.

Argirovic, R. B., et al. (2010). "Transvaginal repair of genital prolapse with polypropylene mesh using a tension-free technique." *European Journal of Obstetrics Gynecology and Reproductive Biology* 153(1): 104-107.

Ark, C., et al. (2010). "Results of TOT operations alone and combined with other vaginal surgical procedures." *Aust N Z J Obstet Gynaecol* 50(6): 550-555.A

Arrabal-Polo, M. Á., et al. (2012). Complications from the placement of a tension-free suburethral sling using the transobturator and retropubic methods for treatment of female urinary incontinence. *Urologia Internationalis*. 89: 97-102.

Aungst, M. J., et al. (2009). "De novo stress incontinence and pelvic muscle symptoms after transvaginal mesh repair." *American Journal of Obstetrics and Gynecology* 201(1): 73.e71-73.e77.

Azais, H., et al. (2012). "Prolapse repair using the Elevate kit: prospective study on 70 patients." *Int Urogynecol J* 23(10): 1421-1428.

Barber, M. D., et al. (2006). "Perioperative complications and adverse events of the MONARC transobturator tape, compared with the tension-free vaginal tape." *Am J Obstet Gynecol* 195(6): 1820-1825.

Barber, M. D., et al. (2008). "Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial." *Obstet Gynecol* 111(3): 611-621.

Barry, C., et al. (2008). "A multi-centre, randomised clinical control trial comparing the retropubic (RP) approach versus the transobturator approach (TO) for tension-free, suburethral sling treatment of urodynamic stress incontinence: The TORP study." *International Urogynecology Journal and Pelvic Floor Dysfunction* 19(2): 171-178.

Bjelic-Radisic, V., et al. (2014). "Vaginal prolapse surgery with transvaginal mesh: Results of the Austrian registry." *International Urogynecology Journal and Pelvic Floor Dysfunction* 25(8): 1047-1052.

Botros, C., et al. (2014). "A prospective study of a single-incision sling at the time of robotic sacrocolpopexy." *International Urogynecology Journal and Pelvic Floor Dysfunction* 25(11): 1541-1546.

Bozkurt, M., et al. (2015). "Assessment of perioperative, early, and late postoperative complications of the inside-out transobturator tape procedure in the treatment of stress urinary incontinence." *Clin Exp Obstet Gynecol* 42(1): 82-89.

Brito, L. G., et al. (2013). "Comparison of the efficacy and safety of surgical procedures utilizing autologous fascial and transobturator slings in patients with stress urinary incontinence." *J Reprod Med* 58(1-2): 19-24.

Buchsbaum, G. M., et al. (2004). "True occult bladder perforation during placement of tension-free vaginal tape." *Int Urogynecol J Pelvic Floor Dysfunct* 15(6): 432-433.

But, I. (2005). "Vaginal wall erosion after transobturator tape procedure." *Int Urogynecol J Pelvic Floor Dysfunct* 16(6): 506-508.

But, I. and M. Faganelj (2008). "Complications and short-term results of two different transobturator techniques for surgical treatment of women with urinary incontinence: a randomized study." *Int Urogynecol J Pelvic Floor Dysfunct* 19(6): 857-861.

Campeau, L., et al. (2007). "A multicenter, prospective, randomized clinical trial comparing tension-free vaginal tape surgery and no treatment for the management of stress urinary incontinence in elderly women." *Neurourol Urodyn* 26(7): 990-994.

Canel, V., et al. (2015). "Postoperative groin pain and success rates following transobturator midurethral sling placement: TVT ABBREVO® system versus TVT™ obturator system." *International Urogynecology Journal and Pelvic Floor Dysfunction* 26(10): 1509-1516.

Castillo-Pino, E., et al. (2010). "Comparison of retropubic and transobturator tension-free vaginal implants for the treatment of stress urinary incontinence." *International Journal of Gynecology and Obstetrics* 110(1): 23-26.

Celebi, I., et al. (2009). "Results of the tension-free vaginal tape procedure for treatment of female stress urinary incontinence: a 5-year follow-up study." *Arch Gynecol Obstet* 279(4): 463-467.

Cetinel, B., et al. (2004). "Are there any factors predicting the cure and complication rates of tension-free vaginal tape?" *Int Urogynecol J Pelvic Floor Dysfunct* 15(3): 188-193.

Chen, Y. S., et al. (2012). "Midterm prospective comparison of vaginal repair with mesh vs Prolift system devices for prolapse." *Eur J Obstet Gynecol Reprod Biol* 164(2): 221-226.

Cho, M. K., et al. (2012). "Anatomic and Functional Outcomes with the Prolift Procedure in Elderly Women with Advanced Pelvic Organ Prolapse Who Desire Uterine Preservation." *Journal of Minimally Invasive Gynecology* 19(3): 307-312.

Cindolo, L., et al. (2004). "Tension-free transobturator approach for female stress urinary incontinence." *Minerva Urol Nefrol* 56(1): 89-98.

Collinet, P., et al. (2008). "The safety of the inside-out transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women." *International Urogynecology Journal and Pelvic Floor Dysfunction* 19(5): 711-715.

Cornu, J. N., et al. (2012). "Ajust single incision transobturator sling procedure for stress urinary incontinence: Results after 1-year follow-up." *International Urogynecology Journal and Pelvic Floor Dysfunction* 23(9): 1265-1270.

Costa, P., et al. (2004). "Surgical treatment of female stress urinary incontinence with a trans-obturator-tape (T.O.T.) Uratape: short term results of a prospective multicentric study." *Eur Urol* 46(1): 102-106; discussion 106-107.

Dalpia, O., et al. (2006). "SPARC sling system for treatment of female stress urinary incontinence in the elderly." *Eur Urol* 50(4): 826-830; discussion 830-821.

Davila, G. W., et al. (2006). "Multicenter experience with the Monarc transobturator sling system to treat stress urinary incontinence." *International Urogynecology Journal and Pelvic Floor Dysfunction* 17(5): 460-465.

de Leval, J., et al. (2011). "The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial." *Int Urogynecol J* 22(2): 145-156.

Deffieux, X., et al. (2010). "Transobturator TVT-O versus retropubic TVT: results of a multicenter randomized controlled trial at 24 months follow-up." *Int Urogynecol J* 21(11): 1337-1345.

Delorme, E., et al. (2004). "Transobturator tape (Uratape): a new minimally-invasive procedure to treat female urinary incontinence." *Eur Urol* 45(2): 203-207.

Demirci, F., et al. (2014). "Perioperative complications in abdominal sacrocolpopexy, sacrospinous ligament fixation and prolift procedures." *Balkan Medical Journal* 31(2): 158-163.

Deole, N., et al. (2011). "Evaluation of safety and efficacy of single-incision mid-urethral short tape procedure (MiniArc™ tape) for stress urinary incontinence under local anaesthesia." *International Urogynecology Journal and Pelvic Floor Dysfunction* 22(3): 335-339.

El-Barky, E., et al. (2005). "Tension free vaginal tape versus Burch colposuspension for treatment of female stress urinary incontinence." *Int Urol Nephrol* 37(2): 277-281.

El-Hefnawy, A. S., et al. (2010). "TOT for treatment of stress urinary incontinence: how should we assess its equivalence with TVT?" *Int Urogynecol J* 21(8): 947-953.

Fatton, B., et al. (2007). "Transvaginal repair of genital prolapse: Preliminary results of a new tension-free vaginal mesh (Prolift™ technique) - A case series multicentric study." *International Urogynecology Journal and Pelvic Floor Dysfunction* 18(7): 743-752.

Feiner, B., et al. (2012). "A prospective comparison of two commercial mesh kits in the management of anterior vaginal prolapse." *International Urogynecology Journal and Pelvic Floor Dysfunction* 23(3): 279-283.

- Feng, C. L., et al. (2008). "Transobturator vaginal tape inside out procedure for stress urinary incontinence: results of 102 patients." *Int Urogynecol J Pelvic Floor Dysfunct* 19(10): 1423-1427.
- Fischer, A., et al. (2005). "Comparison of retropubic and outside-in transoburator sling systems for the cure of female genuine stress urinary incontinence." *European Urology* 48(5): 799-804.
- Foot, A. (2015). "Randomized prospective study comparing Monarc and Miniarc suburethral slings." *J Obstet Gynaecol Res* 41(1): 127-131.
- Gabriel, B., et al. (2010). "Prolapse surgery in women of 80 years and older using the Prolift™ technique." *International Urogynecology Journal and Pelvic Floor Dysfunction* 21(12): 1463-1470.
- Ganj, F. A., et al. (2009). "Complications of transvaginal monofilament polypropylene mesh in pelvic organ prolapse repair." *International Urogynecology Journal and Pelvic Floor Dysfunction* 20(8): 919-925.
- Ghezzi, F., et al. (2005). "Influence of the type of anesthesia and hydrodissection on the complication rate after tension-free vaginal tape procedure." *Eur J Obstet Gynecol Reprod Biol* 118(1): 96-100.
- Gold, R. S., et al. (2007). "Bladder perforation during tension-free vaginal tape surgery: does it matter?" *J Reprod Med* 52(7): 616-618.
- Gordon, D., et al. (2005). "Tension-free vaginal tape in the elderly: is it a safe procedure?" *Urology* 65(3): 479-482.
- Gorlero, F., et al. (2008). "A new technique for surgical treatment of stress urinary incontinence: the TVT-secur." *Minerva Ginecol* 60(6): 459-468.
- Grigoriadis, C., et al. (2013). "Tension-free vaginal tape obturator versus Ajust adjustable single incision sling procedure in women with urodynamic stress urinary incontinence." *Eur J Obstet Gynecol Reprod Biol* 170(2): 563-566.
- Groutz, A., et al. (2011). "Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence." *J Minim Invasive Gynecol* 18(6): 726-729.
- Guerrero, K. L., et al. (2010). "A randomised controlled trial comparing TVT, Pelvicol and autologous fascial slings for the treatment of stress urinary incontinence in women." *BJOG* 117(12): 1493-1502.
- Gungorduk, K., et al. (2009). "Which type of mid-urethral sling procedure should be chosen for treatment of stress urinary incontinence with intrinsic sphincter deficiency? Tension-free vaginal tape or transobturator tape." *Acta Obstet Gynecol Scand* 88(8): 920-926.

Hamer, M. A., et al. (2011). "Short-term results of a prospective randomized evaluator blinded multicenter study comparing TVT and TVT-Secur." *International Urogynecology Journal and Pelvic Floor Dysfunction* 22(7): 781-787.

Hassonah, S., et al. (2013). "Outcome of the laparoscopic two-team sling procedure, tension-free vaginal tape insertion, and transobturator tape insertion in women with recurrent stress urinary incontinence." *J Obstet Gynaecol Can* 35(11): 1004-1009.

Hodroff, M. A., et al. (2005). "Treatment of stress incontinence with the SPARC sling: intraoperative and early complications of 445 patients." *Urology* 66(4): 760-762.

Hodzic, D., et al. (2014). "Efficacy of sling procedures for treatment of female stress urinary incontinence." *Coll Antropol* 38(3): 1063-1069.

Houwert, R. M., et al. (2010). "Outcome and complications of retropubic and transobturator midurethral slings translated into surgical therapeutic indices." *Am J Obstet Gynecol* 202(1): 75 e71-77.

Huang, K. H., et al. (2003). "Concomitant surgery with tension-free vaginal tape." *Acta Obstet Gynecol Scand* 82(10): 948-953.

Ito, H., et al. (2011). "Efficacy of tension-free vaginal tape compared with transobturator tape in the treatment of stress urinary incontinence in women: analysis of learning curve, perioperative changes of voiding function." *BMC Urol* 11: 13.

Jeffery, S. T. and K. Brouard (2014). "High risk of complications with a single incision pelvic floor repair kit: Results of a retrospective case series." *International Urogynecology Journal and Pelvic Floor Dysfunction* 25(1): 109-116.

Jiang, T., et al. (2015). "Short-term outcomes of adjustable single-incision sling (Ajust™) procedure for stress urinary incontinence: A prospective single-center study." *European Journal of Obstetrics Gynecology and Reproductive Biology* 186: 59-62.

Jomaa, M. (2001). "Combined tension-free vaginal tape and prolapse repair under local anaesthesia in patients with symptoms of both urinary incontinence and prolapse." *Gynecol Obstet Invest* 51(3): 184-186.

Juma, S. and C. G. Brito (2007). "Transobturator tape (TOT): Two years follow-up." *Neurourol Urodyn* 26(1): 37-41.

Kang, M. B., et al. (2011). "Intraoperative maximal urethral closing pressure measurement: a new technique of tape tension adjustment in transobturator sling surgery?" *Int Braz J Urol* 37(6): 751-757.

- Karram, M. M., et al. (2003). "Complications and untoward effects of the tension-free vaginal tape procedure." *Obstet Gynecol* 101(5 Pt 1): 929-932.
- Kato, K., et al. (2009). "Clinical pathway for tension-free vaginal mesh procedure: Evaluation in 300 patients with pelvic organ prolapse." *International Journal of Urology* 16(3): 314-317.
- Kdous, M. and F. Zhioua (2014). "3-year results of transvaginal cystocele repair with transobturator four-arm mesh: A prospective study of 105 patients." *Arab J Urol* 12(4): 275-284.
- Kennelly, M. J., et al. (2010). "Prospective evaluation of a single incision sling for stress urinary incontinence." *Journal of Urology* 184(2): 604-609.
- Khan, Z. A., et al. (2014). "Outcomes and complications of trans-vaginal mesh repair using the Prolift kit for pelvic organ prolapse at 4 years median follow-up in a tertiary referral centre." *Arch Gynecol Obstet* 290(6): 1151-1157.
- Khandwala, S. (2013). "Transvaginal mesh surgery for pelvic organ prolapse: one-year outcome analysis." *Female Pelvic Med Reconstr Surg* 19(2): 84-89.
- Kobashi, K. C. and F. E. Govier (2003). "Perioperative complications: The first 140 polypropylene pubovaginal slings." *Journal of Urology* 170(5): 1918-1921.
- Kokturk, B., et al. (2015). "Evaluation of indication-specific genuine stress urinary incontinence procedures in a pelvic floor center." *Arch Gynecol Obstet* 291(4): 855-863.
- Kristensen, I., et al. (2010). "Complications of the tension-free vaginal tape procedure for stress urinary incontinence." *Int Urogynecol J* 21(11): 1353-1357.
- Kuuva, N. and C. G. Nilsson (2002). "A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure." *Acta Obstet Gynecol Scand* 81(1): 72-77.
- LaSala, C. A., et al. (2006). "Outcome of tension-free vaginal tape procedure when complicated by intraoperative cystotomy." *American Journal of Obstetrics and Gynecology* 195(6): 1857-1861.
- Laurikainen, E., et al. (2007). "Retropubic compared with transobturator tape placement in treatment of urinary incontinence: a randomized controlled trial." *Obstet Gynecol* 109(1): 4-11.
- Leboeuf, L., et al. (2003). "Complication of bowel perforation during insertion of tension-free vaginal tape." *Journal of Urology* 170(4 I): 1310.
- Lee, J. K. S., et al. (2015). "Randomized trial of a single incision versus an outside-in transobturator midurethral sling in women with stress urinary incontinence: 12 month results." *American Journal of Obstetrics and Gynecology* 213(1): 35.e31-35.e39.

- Lee, K. S., et al. (2010). "A Prospective Multicenter Randomized Comparative Study Between the U- and H-type Methods of the TVT SECUR Procedure for the Treatment of Female Stress Urinary Incontinence: 1-Year Follow-Up." *European Urology* 57(6): 973-979.
- Liang, C. C. and Y. K. Soong (2002). "Tension-free vaginal tape versus laparoscopic bladder neck suspension for stress urinary incontinence." *Chang Gung Med J* 25(6): 360-366.
- Liapis, A., et al. (2001). "Management of stress urinary incontinence in women with the use of tension-free vaginal tape." *Eur Urol* 40(5): 548-551.
- Lim, J. L., et al. (2010). "Short-term clinical and quality-of-life outcomes in women treated by the TVT-Secur procedure." *Australian and New Zealand Journal of Obstetrics and Gynaecology* 50(2): 168-172.
- Lim, J. L. and D. J. Quinlan (2006). "Safety of a new transobturator suburethral synthetic sling (TVT-O) procedure during the training phase." *J Obstet Gynaecol Can* 28(3): 214-217.
- Lo, T. S. (2010). "One-year outcome of concurrent anterior and posterior transvaginal mesh surgery for treatment of advanced urogenital prolapse: case series." *J Minim Invasive Gynecol* 17(4): 473-479.
- Lord, H. E., et al. (2006). "A randomized controlled equivalence trial of short-term complications and efficacy of tension-free vaginal tape and suprapubic urethral support sling for treating stress incontinence." *BJU International* 98(2): 367-376.
- Luo, D. Y., et al. (2014). "Different sling procedures for stress urinary incontinence: A lesson from 453 patients." *Kaohsiung Journal of Medical Sciences* 30(3): 139-145.
- Mahdy, A., et al. (2013). "The outcome of transobturator anterior vaginal wall prolapse repair using porcine dermis graft: intermediate term follow-up." *Int Braz J Urol* 39(4): 506-512.
- Martan, A., et al. (2009). "Initial experience with a short, tension-free vaginal tape (the tension-free vaginal tape secur system)." *European Journal of Obstetrics Gynecology and Reproductive Biology* 143(2): 121-125.
- Martinez Franco, E. and L. Amat Tardiu (2015). "Contasure-Needleless(R) single incision sling compared with transobturator TVT-O(R) for the treatment of stress urinary incontinence: long-term results." *Int Urogynecol J* 26(2): 213-218.
- Masata, J., et al. (2008). "Severe bleeding from internal obturator muscle following tension-free vaginal tape Secur hammock approach procedure." *International Urogynecology Journal and Pelvic Floor Dysfunction* 19(11): 1581-1583.
- McDermott, C. D., et al. (2013). "Sacral colpopexy versus transvaginal mesh colpopexy in obese patients." *J Obstet Gynaecol Can* 35(5): 461-467.



McDermott, C. D., et al. (2011). "Surgical outcomes following total Prolift: Colpopexy versus hysteropexy." *Australian and New Zealand Journal of Obstetrics and Gynaecology* 51(1): 61-66.

McLennan, M. T., et al. (2012). "Bladder perforation during tension-free vaginal tape procedures: abdominal versus vaginal approach." *Female Pelvic Med Reconstr Surg* 18(1): 25-29; discussion 29-31.

Meltomaa, S., et al. (2004). "Concomitant vaginal surgery did not affect outcome of the tension-free vaginal tape operation during a prospective 3-year followup study." *J Urol* 172(1): 222-226.

Menahem, N. (2008). "Tension-free vaginal tape obturator: midterm data on an operative procedure for the cure of female stress urinary incontinence performed on 100 patients." *J Minim Invasive Gynecol* 15(1): 92-96.

Meschia, M., et al. (2007). "Peri-operative morbidity and early results of a randomised trial comparing TVT and TVT-O." *Int Urogynecol J Pelvic Floor Dysfunct* 18(11): 1257-1261.

Meschia, M., et al. (2002). "Bowel perforation during insertion of tension-free vaginal tape (TVT)." *Int Urogynecol J Pelvic Floor Dysfunct* 13(4): 263-265; discussion 265.

Meschia, M., et al. (2006). "Tension-free vaginal tape (TVT) and intravaginal slingplasty (IVS) for stress urinary incontinence: a multicenter randomized trial." *Am J Obstet Gynecol* 195(5): 1338-1342.

Meschia, M., et al. (2005). "Tension-free vaginal tape (TVT) for treatment of stress urinary incontinence in women with low-pressure urethra." *Eur J Obstet Gynecol Reprod Biol* 122(1): 118-121.

Minassian, V. A., et al. (2005). "Tension-free vaginal tape: do patients who fail to follow-up have the same results as those who do?" *Neurourol Urodyn* 24(1): 35-38.

Moore, R. D., et al. (2013). "Two-year evaluation of the MiniArc in obese versus non-obese patients for treatment of stress urinary incontinence." *Int J Urol* 20(4): 434-440.

Moore, R. D., et al. (2009). "Single-center retrospective study of the technique, safety, and 12-month efficacy of the MiniArc single-incision sling: a new minimally invasive procedure for treatment of female SUI." *Surg Technol Int* 18: 175-181.

Mostafa, A., et al. (2012). "A multicentre prospective randomised study of single-incision mini-sling (Ajust®) versus tension-free vaginal tape-obturator (TVT-O™) in the management of female stress urinary incontinence: Pain profile and short-term outcomes." *European Journal of Obstetrics Gynecology and Reproductive Biology* 165(1): 115-121.

Naidu, A., et al. (2005). "Transobturator tape for stress incontinence: the North Queensland experience." *Aust N Z J Obstet Gynaecol* 45(5): 446-449.

Natale, F., et al. (2014). "Single incision sling (Ajust™) for the treatment of female stress urinary incontinence: 2-year follow-up." *European Journal of Obstetrics Gynecology and Reproductive Biology* 182: 48-52.

Neuman, M. (2008). "Perioperative Complications and Early Follow-up with 100 TVT-SECUR Procedures." *Journal of Minimally Invasive Gynecology* 15(4): 480-484.

Neuman, M. (2007). "TVT-obturator: short-term data on an operative procedure for the cure of female stress urinary incontinence performed on 300 patients." *Eur Urol* 51(4): 1083-1087; discussion 1088.

Neuman, M. (2007). "TVT and TVT-Obturator: comparison of two operative procedures." *Eur J Obstet Gynecol Reprod Biol* 131(1): 89-92.

Nguyen, J. N., et al. (2012). "Perioperative complications and reoperations after incontinence and prolapse surgeries using prosthetic implants." *Obstetrics and Gynecology* 119(3): 539-546.

Niemczyk, P., et al. (2001). "United States experience with tension-free vaginal tape procedure for urinary stress incontinence: assessment of safety and tolerability." *Tech Urol* 7(4): 261-265.

O'Connor, R. C., et al. (2006). "Early outcomes of mid-urethral slings for female stress urinary incontinence stratified by valsalva leak point pressure." *Neurourol Urodyn* 25(7): 685-688.

Palomba, S., et al. (2014). "Single-incision Mini-slings Versus Retropubic Tension-free Vaginal Tapes: A Multicenter Clinical Trial." *Journal of Minimally Invasive Gynecology* 21(2): 303-310.

Paraiso, M. F., et al. (2004). "Laparoscopic Burch colposuspension versus tension-free vaginal tape: a randomized trial." *Obstet Gynecol* 104(6): 1249-1258.

Potic, M., et al. (2014). "Tension free vaginal tape (TVT) vs Transobturator tape (TOT) complications and outcomes." *Acta Chir Iugosl* 61(1): 81-84.

Poza, J. L., et al. (2008). "Trans-obturator suburethral tape for female stress incontinence: a cohort of 254 women with 1-year to 2-year follow-up." *Acta Obstet Gynecol Scand* 87(2): 232-239.

Presthus, J. B., et al. (2012). "MiniArc single-incision sling in the office setting." *J Minim Invasive Gynecol* 19(3): 331-338.

Pushkar, D. Y., et al. (2011). "Complications of mid-urethral slings for treatment of stress urinary incontinence." *Int J Gynaecol Obstet* 113(1): 54-57.

Riachi, L., et al. (2002). "Repeat tension-free transvaginal tape (TVT) sling for the treatment of recurrent stress urinary incontinence." *Int Urogynecol J Pelvic Floor Dysfunct* 13(2): 133-135; discussion 135.

Samour, H., et al. (2015). "Minimally invasive cystocele repair technique using a polypropylene mesh introduced with the transobturator route." *Archives of Gynecology and Obstetrics* 291(1): 79-84.

Sanses, T. V., et al. (2010). "Outcomes of Retropubic Synthetic Midurethral Gynecare TVT Slings When Performed by Urogynecologists, Urologists, and General Gynecologists in a Private Community Hospital." *Female Pelvic Med Reconstr Surg* 16(4): 238-241.

Sekiguchi, Y., et al. (2014). "Reinforcement of suspensory ligaments under local anesthesia cures pelvic organ prolapse: 12-month results." *Int Urogynecol J* 25(6): 783-789.

Shveiky, D., et al. (2011). "Vaginal mesh colpopexy for the treatment of concomitant full thickness rectal and pelvic organ prolapse: A case series." *European Journal of Obstetrics Gynecology and Reproductive Biology* 157(1): 113-115.

Siddiqui, K., et al. (2008). "Minimally invasive treatment of female stress urinary incontinence: 100 cases using SPARC sling." *Ir J Med Sci* 177(1): 39-42.

Sivaslioglu, A. A., et al. (2007). "Residents performance in transobturator tape procedures for stress urinary incontinence." *Eur J Obstet Gynecol Reprod Biol* 134(2): 259-261.

Skriapas, K., et al. (2006). "Tension-free vaginal tape (TVT) in morbidly obese patients with severe urodynamic stress incontinence as last option treatment." *Eur Urol* 49(3): 544-550.

Sola, V., et al. (2006). "Tension free monofilament macropore polypropylene mesh (Gynemesh PS) in female genital prolapse repair." *International Braz J Urol* 32(4): 410-415.

Sola, V., et al. (2007). "TVT versus TVT-O for minimally invasive surgical correction of stress urinary incontinence." *Int Braz J Urol* 33(2): 246-252; discussion 253.

Song, C., et al. (2008). "Identification of the optimal time to treat urgency after a midurethral sling procedure for stress urinary incontinence." *International Urogynecology Journal and Pelvic Floor Dysfunction* 19(4): 573-576.

Stanford, E. J., et al. (2015). "Elevate and uterine preservation: Two-year results." *Female Pelvic Medicine and Reconstructive Surgery* 21(4): 205-210.

Stavros, C., et al. (2012). "Comparison of TVT, TVT-O/TOT and mini slings for the treatment of female stress urinary incontinence: 30 months follow up in 531 patients." *Arch Ital Urol Androl* 84(3): 129-136.

Sun, M. J., et al. (2008). "Comparison of suprapubic versus transobturator surgical treatments of female stress urinary incontinence." *Taiwan J Obstet Gynecol* 47(2): 175-179.

Sun, M. J. and H. D. Tsai (2011). "Is transobturator suburethral sling effective for treating female urodynamic stress incontinence with low maximal urethral closure pressure?" *Taiwanese Journal of Obstetrics and Gynecology* 50(1): 20-24.

Tahseen, S., et al. (2007). "Short-term complications of the trans-obturator foramen procedure for urinary stress incontinence." *J Obstet Gynaecol* 27(5): 500-502.

Takahashi, S., et al. (2010). "Transvaginal mesh (TVM) reconstruction with TVT/TOT sling for vaginal prolapse concurrent with stress urinary incontinence." *Aktuelle Urol* 41 Suppl 1: S20-23.

Tanaka, T., et al. (2006). "Bladder perforation of the tension-free vaginal tape detected with a flexible cystoscope." *Hinyokika Kyo* 52(10): 805-806; discussion 807.

Tang, X., et al. (2014). "Outcome and sexual function after transobturator tape procedure versus tension-free vaginal tape SECUR: a randomized controlled trial." *Menopause* 21(6): 641-645.

Tincello, D. G., et al. (2011). "The TVT worldwide observational registry for long-term data: Safety and efficacy of suburethral sling insertion approaches for stress urinary incontinence in women." *Journal of Urology* 186(6): 2310-2315.

Tommaselli, G. A., et al. (2012). "TVT-Secur for the treatment of female stress urinary incontinence: A 24-month follow-up retrospective study." *Archives of Gynecology and Obstetrics* 286(2): 415-421.

Tommaselli, G. A., et al. (2013). "Tension-free vaginal tape-O and -Secur for the treatment of stress urinary incontinence: a thirty-six-month follow-up single-blind, double-arm, randomized study." *J Minim Invasive Gynecol* 20(2): 198-204.

Tommaselli, G. A., et al. (2010). "Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-Year follow-up." *International Urogynecology Journal and Pelvic Floor Dysfunction* 21(10): 1211-1217.

Tsivian, A., et al. (2004). "Tension-free vaginal tape procedure for the treatment of female stress urinary incontinence: long-term results." *J Urol* 172(3): 998-1000.

Ugurlucan, F. G., et al. (2013). "Randomized trial of graft materials in transobturator tape operation: Biological versus synthetic." *International Urogynecology Journal and Pelvic Floor Dysfunction* 24(8): 1315-1323.

Unger, C. A. and M. D. Walters (2014). "Gluteal and posterior thigh pain in the postoperative period and the need for intervention after sacrospinous ligament colpopexy." *Female Pelvic Medicine and Reconstructive Surgery* 20(4): 208-211.

Ustun, Y., et al. (2003). "Tension-free vaginal tape compared with laparoscopic Burch urethropexy." *J Am Assoc Gynecol Laparosc* 10(3): 386-389.

Vaiyapuri, G. R., et al. (2012). "Retrospective study of transobturator polypropylene mesh kit for the management of pelvic organ prolapse." *Singapore Med J* 53(10): 664-670.

Waltregny, D., et al. (2006). "Inside out transobturator vaginal tape for the treatment of female stress urinary incontinence: interim results of a prospective study after a 1-year minimum followup." *J Urol* 175(6): 2191-2195.

Wang, A. C. (2004). "The techniques of trocar insertion and intraoperative urethroscopy in tension-free vaginal taping: an experience of 600 cases." *Acta Obstet Gynecol Scand* 83(3): 293-298.

Wang, F. M., et al. (2013). "Prospective study of transobturator mesh kit (Prolift) in pelvic reconstructive surgery with vaginal hysterectomy after 3 years' follow-up." *Arch Gynecol Obstet* 288(2): 355-359.

Yoon, C. J. and H. C. Jung (2007). "Three-year outcomes of the innovative replacement of incontinence surgery procedure for treatment of female stress urinary incontinence: comparison with tension-free vaginal tape procedure." *J Korean Med Sci* 22(3): 497-501.

Zugor, V., et al. (2010). "TVT vs. TOT: a comparison in terms of continence results, complications and quality of life after a median follow-up of 48 months." *Int Urol Nephrol* 42(4): 915-920.

Zullo, M. A., et al. (2007). "One-year follow-up of tension-free vaginal tape (TVT) and trans-obturator suburethral tape from inside to outside (TVT-O) for surgical treatment of female stress urinary incontinence: a prospective randomised trial." *Eur Urol* 51(5): 1376-1382; discussion 1383-1374.

## **2. Classification of Centrifuge-Type Therapeutic Apheresis Devices LKN**

Triantafyllou, N.I., et al., Periodic therapeutic plasma exchange in patients with moderate to severe chronic myasthenia gravis non-responsive to immunosuppressive agents: an eight year follow-up. *Ther Apher Dial*, 2009. 13(3): p. 174-8.

Guptill, J.T., et al., A retrospective study of complications of therapeutic plasma exchange in myasthenia. *Muscle Nerve*, 2013. 47(2): p. 170-6.

Kaynar, L., et al., Therapeutic plasma exchange in patients with neurologic diseases: retrospective multicenter study. *Transfus Apher Sci*, 2008. 38(2): p. 109-15.

Collard, C.D., et al., Cumulative reduction in serum cholinesterase following repeated therapeutic plasma exchange. *J Clin Anesth*, 1996. 8(1): p. 44-8.

Blaha, M., et al., The importance of rheological parameters in the therapy of the dry form of age-related macular degeneration with rheohaemapheresis. *Clin Hemorheol Microcirc*, 2012. 50(4): p. 245-55.

Blaha, M., et al., Rheohaemapheresis in the treatment of nonvascular age-related macular degeneration. *Atheroscler Suppl*, 2013. 14(1): p. 179-84.

Stefanutti, C., et al., Therapeutic plasma exchange in patients with severe hypertriglyceridemia: a multicenter study. *Artif Organs*, 2009. 33(12): p. 1096-102.

Witt, V., et al., Performance of a new separator system for routine autologous hematopoietic progenitor cell collection in small children. *J Clin Apher*, 2007. 22(6): p. 306-13.

Larghero, J., et al., ABO-mismatched marrow processing for transplantation: results of 114 procedures and analysis of immediate adverse events and hematopoietic recovery. *Transfusion*, 2006. 46(3): p. 398-402.

Sivakumaran, P., et al., Therapeutic plasma exchange for desensitization prior to transplantation in ABO-incompatible renal allografts. *J Clin Apher*, 2009. 24(4): p. 155-60.

Tobian, A.A., et al., Therapeutic plasma exchange reduces ABO titers to permit ABOincompatible renal transplantation. *Transfusion*, 2009. 49(6): p. 1248-54.

Tobian, A.A., et al., The critical role of plasmapheresis in ABO-incompatible renal transplantation. *Transfusion*, 2008. 48(11): p. 2453-60.

Yilmaz, M., et al., Effectiveness of therapeutic plasma exchange in patients with intermediate syndrome due to organophosphate intoxication. *Am J Emerg Med*, 2013. 31(6): p. 953-7.

Qu, L., et al., Outcomes of previously healthy pediatric patients with fulminant sepsis-induced multisystem organ failure receiving therapeutic plasma exchange. *J Clin Apher*, 2011. 26(4): p. 208-13.

Jodele, S., et al., Does early initiation of therapeutic plasma exchange improve outcome in pediatric stem cell transplant-associated thrombotic microangiopathy? *Transfusion*, 2013. 53(3): p. 661-7.

Kim, J.M., et al., ABO-incompatible living donor liver transplantation is suitable in patients without ABO-matched donor. *J Hepatol*, 2013. 59(6): p. 1215-22.

Singh, N., et al., Therapeutic plasma exchange rapidly improves cardiac allograft function in patients with presumed antibody-mediated rejection. *J Clin Apher*, 2014.

Del Fante, C., et al., Clinical impact of a new automated system employed for peripheral blood stem cell collection. *J Clin Apher*, 2006. 21(4): p. 227-32.

Erkurt, M.A., et al., Therapeutic plasma-exchange in hematologic disease: results from a single center in Eastern Anatolia. *Transfus Apher Sci*, 2013. 48(3): p. 335-9.

Ezer, A., et al., Preoperative therapeutic plasma exchange in patients with thyrotoxicosis. *J Clin Apher*, 2009. 24(3): p. 111-4.

Grapsa, E., et al., Therapeutic plasma exchange combined with immunomodulating agents in secondary progressive multiple sclerosis patients. *Ther Apher Dial*, 2008. 12(2): p. 105-8.

O'Brien, K.L., et al., The use of 50% albumin/plasma replacement fluid in therapeutic plasma exchange for thrombotic thrombocytopenic purpura. *J Clin Apher*, 2013. 28(6): p. 416-21.

Kiprov, D.D., et al., Adverse reactions associated with mobile therapeutic apheresis: analysis of 17,940 procedures. *J Clin Apher*, 2001. 16(3): p. 130-3.

Abdel-Rahman, E.M., J. Hayes, and R.A. Balogun, Therapeutic plasma exchange in the elderly: experience at a tertiary center. *J Clin Apher*, 2012. 27(3): p. 108-11.

Hayes, J.S., et al., Therapeutic plasma exchange for renal-related conditions in the elderly: ten years experience in one center. *Semin Dial*, 2012. 25(2): p. 159-64.

Blaha, M., et al., The importance of rheological parameters in the therapy of microcirculatory disorders. *Clin Hemorheol Microcirc*, 2009. 42(1): p. 37-46.

Shemin, D., D. Briggs, and M. Greenan, Complications of therapeutic plasma exchange: a prospective study of 1,727 procedures. *J Clin Apher*, 2007. 22(5): p. 270-6.

Burgstaler, E.A. and A.A. Pineda, Therapeutic plasma exchange: a paired comparison of Fresenius AS104 vs. COBE Spectra. *J Clin Apher*, 2001. 16(2): p. 61-6.

Hequet, O., et al., Comparison of plasma exchange performances between Spectra Optia and COBE Spectra apheresis systems in repeated procedures considering variability and using specific statistical models. *Transfus Apher Sci*, 2014. 51(1): p. 47-53.

Tormey, C.A., et al., Improved plasma removal efficiency for therapeutic plasma exchange using a new apheresis platform. *Transfusion*, 2010. 50(2): p. 471-7.

Winters, J.L., et al., A multicenter evaluation of a new therapeutic plasma exchange procedure. *Transfusion*, 2013. 53(12): p. 3269-78.

Bachier, C., et al., High white blood cell concentration in the peripheral blood stem cell product can induce seizures during infusion of autologous peripheral blood stem cells. *Biol Blood Marrow Transplant*, 2012. 18(7): p. 1055-60.

### **3. Classification of Hemorrhoid Devices – Hemorrhoid heating and cooling devices (LXX)**

Balta AZ, Ozdemir Y, Sucullu I, Filiz AI, Yucel E, Akin ML. The effect of early warm plastic bag application on postoperative pain after hemorrhoidectomy: a prospective randomized controlled trial. *Am Surg*. 2015 Feb;81(2):182-6.

Guindic LC. Treatment of uncomplicated hemorrhoids with a Hemor-Rite® cryotherapy device: a randomized, prospective, comparative study. *J Pain Res*. 2014 Jan 16;7:57-63.

Lam TJ, Felt-Bersma RJ. A novel device reduces anal pain after rubber band ligation: a randomized controlled trial. *Tech Coloproctol*. 2012 Jun;16(3):221-6.

Thomas IL, Erian M, Sarson D, Yan L, White S, Battistutta D. Postpartum haemorrhoids--evaluation of a cooling device (Anurex) for relief of symptoms. *Med J Aust*. 1993 Oct 4;159(7):459-60