Pharmacology, FDA Update

FDA Update: New pediatric information available for 52 products

by from the Food and Drug Administration's Office of Pediatric Therapeutics and the Division of Pediatric & Maternal Health

In 2015, new pediatric information was added to labeling of 43 drugs, two vaccines and seven blood products. The spectrum of approved agents to treat pediatric patients continues to expand (see table).

The new pediatric labeling includes the following conditions:

- · opiate overdose,
- pain,
- · migraines,
- · nausea and vomiting,
- · attention-deficit/hyperactivity disorder,
- · asthma,
- · anemia,
- · seizures.
- · ulcerative colitis,
- · hemophilia A and
- a therapeutic vaccine.

The seven drugs for which studies did *not* establish the effectiveness for use in children include Velcade for relapsed acute lymphoblastic leukemia and lymphoblastic lymphoma; Tarceva for recurrent or refractory ependymoma; Asacol for maintenance of remission of ulcerative colitis; Lamictal for maintenance treatment of bipolar disorder; Xopenex HFA Inhalation Aerosol and Xopenex Inhalation Solution for asthma or reactive airway disease; and Saphris for adjunctive therapy in the treatment of bipolar I disorder.

In addition, important safety information was added to the labeling of four products. For example, information on pediatric depression was added to the Warnings section for Edurant, which is used to treat HIV.

Examples of products with pediatric labeling changes

Trade nameIndication and labeling change (generic name)	Pediatric labeling date
Drugs	
E m e n d O r a l Prevention of chemotherapy-induced nausea and S u s p e n s i o n vomiting in patients ages 6 months of age and (aprepitant) older	
QuilliChew ER Attention-deficit/hyperactivity disorder in pediatric extended-release patients 6-17 years chewable tablets (methylphenidate hydrochloride)	2015
N u c a I aTreatment of severe asthma in patients 12 years	Novembe

Pharmacology, FDA Update

(monolizumoh)	·	2015
(mepolizumab)	and older with an eosinophilic phenotype	2015
·	Management of mild to moderate pain and	
(ibuprofen)	management of moderate to severe pain as an	
	adjunct to opioid analgesics, and for the reduction	
Narcan Nasal	of fever in pediatric patients 6 months and older Emergency treatment of known or suspected	November
l	opioid overdose in adults and pediatric patients of	
1	all ages	
,		
l .	Treatment of mildly to moderately active ulcerative	
(mesalamine)	colitis in patients 5 years of age and older	2015
Aranesp	Initial correction of anemias in pediatric patients	July 2015
(darbepoetin alfa)	panerno panerno	
_		
	Treatment of primary generalized tonic-clonic	
(perampanel)	seizures in patients with epilepsy 12 years of age	
	and older	
Treximet	Acute treatment of migraine with or without aura in	May 2015
l	pediatric patients 12-17 years	
naproxen)		
Dan Air Dan i Oliala	To store at an array time of boson because and	Manah 0045
	Treatment or prevention of bronchospasm and	
(albuterol sulfate)	prevention of exercise-induced bronchospasm in	
Blood products	pediatric patients 12-17 years	
· •	Adult and adolescent patients (12 years and	November
	older) with hemophilia A (congenital factor VIII	
l, '	deficiency) for 1) on-demand treatment and	
l	control of bleeding episodes and 2) routine	
PEGylated)	prophylaxis to reduce the frequency of bleeding	
,	episodes	
Vaccines		
Bexsero	Active immunization to prevent invasive disease	January 2015
	caused by Neisseria meningitidis serogroup B in	
Group B Vaccine)	patients 10 through 25 years of age	

Related Content



Pharmacology, FDA Update

- Full information on pediatric labeling changes since 1998
- Follow AAP News on Twitter
- Follow AAP News on Facebook