Food and Drug Administration
Center for Food Safety and Applied Nutrition
Office of Special Nutritionals

ARMS#

13266

2 - LABEL SAMPLE

Retail Sample

AOR 13266

Product Labeling
Hydroxycut

Sample 4952
8/25/99 JLBussey

left panel:

Recommended use:
As a dietary supplement, take 4 capsules 30-60 minutes before breakfast and take another 4 capsules 30-60 minutes before an afternoon meal. Do not exceed 12 capsules per day. Begin use with half the recommended dose (2 capsules, twice a day) to assess your tolerance. Hydroxycut is manufactured under stringent quality control, assuring correct potencies and maximum effectiveness. Using more than the recommended dose will not improve results and may cause an adverse reaction listed in the warning below. Note: Guarana extract contains caffeine.

WARNING: Do not use if you are pregnant or nursing, or if you have been treated for or if you have been diagnosed again with high blood pressure, heart, liver, thyroid or psychiatric disease, diabetes anemia, nervousness, anxiety, depression, seizure disorder, stroke or difficulty in urination due to prostate enlargement. Consult your doctor if you are taking any prescription drugs. Discontinue use and consult your health care professional if sleeplessness, tremors, dizziness, nervousness, headache, heart palpitations or tingling sensations occur. Not intended for use by persons under the age of 18.
KEEP OUT OF REACH OF CHILDREN.

Verified as true.
8-25-99

center panel:

Advanced Thermogenic Formula
HYDROXYCUT
With 2000mg Hydroxagen
Chromium Picolinate
& L-Carnitine

Pharmaceutical Quality
MUSCLETECH
Research And Development

160 Capsules

RECEIVED
CLINICAL RESE...
& REVIEW/OSN...
'99 AUG 27 A9:49

FDA P.03

Product Labeling
Hydroxycut

Sample 4952
8/25/99 JLBussey

right panel:

Four capsules provide:

Hydroxygen™.....2000 mg
(supplying 1000mg of hydroxycitric acid)
Guarana Extract.....910 mg
(standardized for 22% caffeine)
Ma Huang Extract.....334 mg
(standardized for 6% ephedra)
Salicin Complex.....15 mg
(source: purple and white willow bark extract)
L-Carnitine.....100 mg
Chromium Picolinate.....300 mcg

[bar code symbol]

Developed by and manufactured exclusively for:
MUSCLETECH
Research and Development

Customer Inquiries: 1-800-246-3261
6-295 Queen St. East, Suite 410,
Brampton, ON CANADA L6W 4S6

Verified as true.
8-25-99

000003

Product Labeling
Hydroxycut

Sample 4952
8/25/99 JLBussey

Recommended use:
As a dietary supplement, take 4 capsules 30-60 minutes before breakfast and take another 4 capsules 30-60 minutes before an afternoon meal. Do not exceed 12 capsules per day. Begin use with half the recommended dose (2 capsules, twice a day) to assess your tolerance. Hydroxycut is manufactured under stringent quality control, assuring correct potencies and maximum effectiveness. Using more than the recommended dose will not improve results and may cause an adverse reaction listed in the warning below.
Note: Guarana extract contains caffeine.

WARNING: Do not use if you are pregnant or nursing, or if you have been treated for or if you have been diagnosed with high blood pressure, heart, liver, thyroid or psychiatric disease, diabetes, anemia, nervousness, anxiety, depression, seizure disorder, stroke or difficulty in urination due to prostate enlargement. Consult your doctor if you are taking any prescription drugs. Discontinue use and consult your health care professional if sleeplessness, tremors, dizziness, nervousness, headache, heart palpitations or tingling sensations occur. Not intended for use by persons under the age of 18.
KEEP OUT OF REACH OF CHILDREN

Advanced Thermogenic Formula

HYDROXYCUT™

With 2000mg of Hydroxagen
Chromium Picolinate
& L-Carnitine

Pharmaceutical Quality

SCLET
...arch And Devel...

160 Capsules

Four capsules provide:

Hydroxagen™ (supplying 1000mg of hydroxycitric acid)	2000 mg
Guarana Extract (standardized for 22% caffeine)	910 mg
Ma Huang Extract (standardized for 8% ephedra)	334 mg
Salicin Complex (source: purple and white willow bark extract)	15 mg
L-Carnitine	100 mg
Chromium Picolinate	300 mcg

6 31656 62824 5

Developed by and manufactured exclusively for:

Customer Inquiries: 1-800-246-3261
6-295 Queen St. East, Suite 410,
Brampton, ON CANADA L6W 4S6

RECEIVED
CLINICAL RESEARCH
& REVIEW/OSN HFS-...
'99 AGO 27 A9:50

000004

FDA P.02

1 dietary
morning,
sq, take 4
afternoon
day, Begin
d dose (2
our toler-
k. Taking
nt will not
rse reac-

ffeine.
abolan™

regnant or
treated for
d or psy-
rvousness,
oke or dif-
argement.
any pre-
nsult your
, tremors,
t palpita-
ended for

Advanced Thermogenic Formula

HYDROXYCIT™

[redacted]

37772 I 05/00

MUSCLETECH
Research And Development

160 Capsules

Four Capsules provide:

Hydroxagen™ (supplying 1000mg of hydroxycitric acid)	2000mg
MaHuang Extract (standardized for 6% ephedra)	334mg
Guarana Extract (standardized for 22% caffeine)	910mg
Willow Bark Extract (standardized for 15% salicin)	100mg
L-Carnitine	100mg
Chromium Picolinate	300mcg

6 31656 82824 5

MUSCLETECH
Research and Development Inc.™
Manufactured in the USA
Customer Inquries: 1-905-678-3114

RECOMMENDED USE: As a dietary supplement, take 4 capsules in the morning, 30-60 minutes before breakfast. Also, take 4 capsules, 30-60 minutes before afternoon meal. Do not exceed 8 capsules a day. Begin use with one half the recommended dose (2 capsules, 2 times a day) to assess your tolerance. Use only 5 days per week. Taking more than the recommended amount will not improve results and may cause adverse reactions listed in the warning below.
Note: Guarana extract contains caffeine.
Best used in conjunction with Acetabolan™ and Creatine 6000ES™.

WARNING: Do not use if you are pregnant or nursing, or if you are at risk or being treated for high blood pressure, heart, liver, thyroid or psychiatric disease, diabetes, anemia, nervousness, anxiety, depression, seizure disorder, stroke or difficulty in urination due to prostate enlargement. Consult your doctor if you are taking any prescription drugs. Discontinue use and consult your health care professional if sleeplessness, tremors, dizziness nervousness, headache, heart palpitations or tingling sensations occur. Not intended for use by persons under the age of 18.
Keep out of reach of children.

Advanced Ther

HYDR

160 C

Attachment 2 Page 1 of 1
CFSAN ARMS PROJECT 13266
3/5/99 GJH

000005