13B
37A

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALFALFA, EXTRACT FEMA 2013A	01	BAKED GOODS(R)	*	0-5 MO.	1.138521	1.506866	1.581479
				6-11 MO.	8.505423	17.345704	11.814577
				12-23 MO.	18.249824	30.070352	25.350176
				2-65+ YR.	45.942676	68.244296	63.817324
ALFALFA, EXTRACT FEMA 2013A	07	FROZN DAIRY(R)	*	0-5 MO.	.065141	.267077	.111761
				6-11 MO.	.618838	1.719718	1.061725
				12-23 MO.	.938028	2.201761	1.609352
				2-65+ YR.	1.667606	4.019190	2.861070
ALFALFA, EXTRACT FEMA 2013A	10	MEAT PRODS(R)	*	0-5 MO.	.451000	1.189000	.550000
				6-11 MO.	8.487000	22.878000	10.350000
				12-23 MO.	12.382000	21.279000	15.100000
				2-65+ YR.	32.144000	53.341000	39.200000
ALFALFA, EXTRACT FEMA 2013A	16	SOFT CANDY(R)	*	0-5 MO.	.032577	.325775	.046549
				6-11 MO.	.358352	1.107634	.512042
				12-23 MO.	.570106	1.514852	.814613
				2-65+ YR.	.944746	2.866817	1.349930
ALFALFA, EXTRACT FEMA 2013A	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.006000
				6-11 MO.	.012800	.038800	.038400
				12-23 MO.	.013800	.033600	.041400
				2-65+ YR.	.020400	.052500	.061200
ALFALFA, EXTRACT FEMA 2013A	23	BEV TYPE I(R)	4	0-5 MO.	.056942	.085412	.086778
				6-11 MO.	.538573	1.843484	.820773
				12-23 MO.	1.285931	3.855420	1.959731
				2-65+ YR.	2.467469	6.588617	3.760370
ALFALFA, EXTRACT FEMA 2013A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.051680	**********
				12-23 MO.	**********	.103359	**********
				2-65+ YR.	16.795874	48.785553	23.743932
ALFALFA, EXTRACT FEMA 2013A	99	ALL CATEGORIES	4	0-5 MO.	1.746181	3.376831	2.382567

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALFALFA, EXTRACT FEMA 2013A	59	ALL CATEGORIES	4	6-11 MO.	18.520985	44.985020	24.597518
				12-23 MO.	33.439689	59.058344	44.875272
				2-65+ YR.	99.982771	183.897973	134.793826
ALLSPICE FEMA 2017A	01	BAKED GOODS(R)	16	0-5 MO.	2.319712	3.070207	8.256808
				6-11 MO.	17.329610	35.341489	61.683210
				12-23 MO.	37.183613	61.267677	132.351769
				2-65+ YR.	93.607186	139.046243	333.186471
ALLSPICE FEMA 2017A	04	FATS OILS(R)	*	0-5 MO.	.068500	.068500	.117500
				6-11 MO.	.383600	1.027500	.658000
				12-23 MO.	.863100	1.644000	1.480500
				2-65+ YR.	2.397500	4.329200	4.112500
ALLSPICE FEMA 2017A	06	CHEESE(R)	*	0-5 MO.	**********	.004900	**********
				6-11 MO.	.132300	.475300	.132300
				12-23 MO.	.382200	1.087800	.382200
				2-65+ YR.	.460600	1.156400	.460600
ALLSPICE FEMA 2017A	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.003000
				6-11 MO.	.009500	.026400	.028500
				12-23 MO.	.014400	.033800	.043200
				2-65+ YR.	.025600	.061700	.076800
ALLSPICE FEMA 2017A	08	PROCSD FRUT(R)	*	0-5 MO.	3.101900	8.315731	5.639715
				6-11 MO.	34.186895	85.137248	62.156854
				12-23 MO.	66.393854	131.797740	120.713891
				2-65+ YR.	78.075476	165.390654	141.952816
ALLSPICE FEMA 2017A	10	MEAT PRODS(R)	21	0-5 MO.	.487901	1.286285	1.862218
				6-11 MO.	9.181410	24.749888	35.043565
				12-23 MO.	13.395101	23.020057	51.126360
				2-65+ YR.	34.774037	57.705365	132.725385
ALLSPICE FEMA 2017A	13	FISH PRODS(R)	*	0-5 MO.	.130000	.390000	.140000
				6-11 MO.	1.690000	6.370000	1.820000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLSPICE FEMA 2017A	13	FISH PRODS(R)	*	12-23 MO.	7.020000	17.550000	7.560000
				2-65+ YR.	16.120000	40.170000	17.360000
ALLSPICE FEMA 2017A	14	PROCSD VEGS(R)	*	0-5 MO.	.056000	.168000	.056000
				6-11 MO.	.960000	2.240000	.960000
				12-23 MO.	1.560000	2.612000	1.560000
				2-65+ YR.	3.400000	5.728000	3.400000
ALLSPICE FEMA 2017A	15	CONDM RELSH(R)	12	0-5 MO.	**********	.082284	**********
				6-11 MO.	.658271	1.810244	.976982
				12-23 MO.	2.303947	6.253571	3.419435
				2-65+ YR.	7.240977	17.444171	10.746797
ALLSPICE FEMA 2017A	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000600
				6-11 MO.	.002200	.006800	.006600
				12-23 MO.	.003500	.009300	.010500
				2-65+ YR.	.005800	.017600	.017400
ALLSPICE FEMA 2017A	20	GELATIN PUD(R)	*	0-5 MO.	1.560000	2.106000	3.120000
				6-11 MO.	9.984000	30.264000	19.968000
				12-23 MO.	10.764000	26.208000	21.528000
				2-65+ YR.	15.912000	40.950000	31.824000
ALLSPICE FEMA 2017A	21	SOUPS(R)	*	0-5 MO.	.738372	5.537788	.740000
				6-11 MO.	86.020302	268.398110	86.210000
				12-23 MO.	128.476674	354.787597	128.760000
				2-65+ YR.	117.031913	311.962039	117.290000
ALLSPICE FEMA 2017A	23	BEV TYPE I(R)	4	0-5 MO.	.073782	.110673	.175436
				6-11 MO.	.697856	2.388696	1.659330
				12-23 MO.	1.666246	4.995665	3.961925
				2-65+ YR.	3.197226	8.537207	7.602218
ALLSPICE FEMA 2017A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.012000	**********
				12-23 MO.	**********	.024000	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO. OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLSPICE FEMA 2017A	24	BEV TYPE II(R)	*	2-65+ YR.	3.900000	11.328000	4.875000
ALLSPICE FEMA 2017A	27	GRAVIES(R)	6	0-5 MO.	.014985	.044956	.038404
				6-11 MO.	.209797	.584434	.537662
				12-23 MO.	.539478	1.528520	1.382558
				2-65+ YR.	1.243796	3.191909	3.187565
ALLSPICE FEMA 2017A	99	ALL CATEGORIES	46	0-5 MO.	8.552352	21.191423	20.149681
				6-11 MO.	161.445741	458.832109	271.841002
				12-23 MO.	270.566113	632.819728	474.280338
				2-65+ YR.	377.392110	807.018509	808.817551
ALLSPICE, GIL FEMA 2018A	01	BAKED GOODS(R)	15	0-5 MO.	.068932	.091234	.107274
				6-11 MO.	.514965	1.050204	.801399
				12-23 MO.	1.104944	1.820624	1.719538
				2-65+ YR.	2.781622	4.131884	4.328818
ALLSPICE, GIL FEMA 2018A	07	FROZN DAIRY(R)	*	0-5 MO.	.006446	.026428	.009243
				6-11 MO.	.061236	.170173	.087811
				12-23 MO.	.092822	.217873	.133103
				2-65+ YR.	.165016	.397715	.236627
ALLSPICE, GIL FEMA 2018A	10	MEAT PRCDS(R)	11	0-5 MO.	.106064	.279623	.142058
				6-11 MO.	1.995928	5.380328	2.673269
				12-23 MO.	2.911934	5.004284	3.900131
				2-65+ YR.	7.559457	12.544457	10.124844
ALLSPICE, GIL FEMA 2018A	14	PRCSD VEGS(R)	*	0-5 MO.	.000006	.000017	.008753
				6-11 MO.	.000096	.000224	.150048
				12-23 MO.	.000156	.000261	.243828
				2-65+ YR.	.000340	.000573	.531420
ALLSPICE, GIL FEMA 2018A	15	CONDM RELSH(R)	11	0-5 MO.	**********	.018640	**********
				6-11 MO.	.149121	.410083	.174116
				12-23 MO.	.521923	1.416649	.609407
				2-65+ YR.	1.640331	3.951706	1.915279

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLSPICE, OIL FEMA 2018A	16	SOFT CANDY(R)	7	0-5 MO.	.012957	.129571	.049794
				6-11 MO.	.142528	.440542	.547738
				12-23 MO.	.226750	.602506	.871401
				2-65+ YR.	.375757	1.140227	1.444035
ALLSPICE, OIL FEMA 2018A	20	GELATIN PUD(R)	*	0-5 MO.	.018000	.024300	.030000
				6-11 MO.	.115200	.349200	.192000
				12-23 MO.	.124200	.302400	.207000
				2-65+ YR.	.183600	.472500	.306000
ALLSPICE, OIL FEMA 2018A	23	BEV TYPE I(R)	10	0-5 MO.	.060053	.090080	.072474
				6-11 MO.	.568002	1.944217	.685481
				12-23 MO.	1.356198	4.066092	1.636698
				2-65+ YR.	2.602299	6.948638	3.140528
ALLSPICE, OIL FEMA 2018A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.013708	**********
				12-23 MO.	**********	.027415	**********
				2-65+ YR.	4.454955	12.939930	4.965353
ALLSPICE, OIL FEMA 2018A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000801	.002403	.000801
				12-23 MO.	.002403	.007209	.002403
				2-65+ YR.	.004806	.013617	.004806
ALLSPICE, OIL FEMA 2018A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.126910	.126910	.126910
				12-23 MO.	.126910	.380730	.126910
				2-65+ YR.	.253820	.507640	.253820
ALLSPICE, OIL FEMA 2018A	99	ALL CATEGORIES	32	0-5 MO.	.272458	.659893	.419596
				6-11 MO.	3.674788	9.887992	5.439573
				12-23 MO.	6.468240	13.846043	9.450419
				2-65+ YR.	20.022002	43.048886	27.251532
ALLSPICE, OLEORESIN FEMA 2019A	01	BAKED GOODS(R)	7	0-5 MO.	1.045242	1.383409	1.400116

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLSPICE, OLEORESIN FEMA 2019A	01	BAKED GOODS(R)	7	6-11 MO.	7.808574	15.924572	10.459688
				12-23 MO.	16.754618	27.606691	22.443031
				2-65+ YR.	42.178597	62.653047	56.498786
ALLSPICE, OLEORESIN FEMA 2019A	10	MEAT PRODS(R)	12	0-5 MO.	.170372	.449164	.453560
				6-11 MO.	3.206100	8.642532	8.535171
				12-23 MO.	4.677499	8.038484	12.452278
				2-65+ YR.	12.142912	20.150419	32.326445
ALLSPICE, OLEORESIN FEMA 2019A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.020303	**********
				6-11 MO.	.162425	.446670	.266168
				12-23 MO.	.568489	1.543041	.931587
				2-65+ YR.	1.786680	4.304274	2.927846
ALLSPICE, OLEORESIN FEMA 2019A	21	SOUPS(R)	*	0-5 MO.	.000800	.006000	.021600
				6-11 MO.	.093200	.290800	2.516400
				12-23 MO.	.139200	.384400	3.758400
				2-65+ YR.	.126800	.338000	3.423600
ALLSPICE, OLEORESIN FEMA 2019A	27	GRAVIES(R)	*	0-5 MO.	.005000	.015000	.005000
				6-11 MO.	.070000	.195000	.070000
				12-23 MO.	.180000	.510000	.180000
				2-65+ YR.	.415000	1.065000	.415000
ALLSPICE, OLEORESIN FEMA 2019A	99	ALL CATEGORIES	15	0-5 MO.	1.221415	1.873876	1.880276
				6-11 MO.	11.340300	25.499574	21.847427
				12-23 MO.	22.319806	38.082616	39.765297
				2-65+ YR.	56.649988	88.510739	95.591678
ALMOND OIL, BITTER, FFPA FEMA 2046A	01	BAKED GOODS(R)	34	0-5 MO.	.168736	.223328	.261455
				6-11 MO.	1.260560	2.570749	1.953225
				12-23 MO.	2.704745	4.456626	4.190974
				2-65+ YR.	6.809011	10.114259	10.550490
ALMOND OIL, BITTER, FFPA FEMA 2046A	05	MILK PRODS(R)	*	0-5 MO.	.153254	.113522	.192052
				6-11 MO.	1.770939	8.516969	2.219270

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALMOND OIL, BITTER, FFPA FEMA 2046A	05	MILK PRODS(R)	*	12-23 MO.	1.546734	4.949548	1.938304
				2-65+ YR.	1.121027	3.422680	1.404826
ALMOND OIL, BITTER, FFPA FEMA 2046A	07	FROZN DAIRY(R)	32	0-5 MO.	.040842	.167450	.048649
				6-11 MO.	.387994	1.078216	.462163
				12-23 MO.	.588118	1.380443	.700542
				2-65+ YR.	1.045542	2.519921	1.245408
ALMOND OIL, BITTER, FFPA FEMA 2046A	08	PROCSD FRUT(R)	*	0-5 MO.	.266725	.715050	.737900
				6-11 MO.	2.939650	7.320750	8.132600
				12-23 MO.	5.709050	11.332975	15.794200
				2-65+ YR.	6.713525	14.221550	18.573100
ALMOND OIL, BITTER, FFPA FEMA 2046A	16	SOFT CANDY(R)	27	0-5 MO.	.014423	.144225	.026116
				6-11 MO.	.158648	.490366	.287272
				12-23 MO.	.252394	.670648	.457024
				2-65+ YR.	.418253	1.269182	.757354
ALMOND OIL, BITTER, FFPA FEMA 2046A	19	SWEET SAUCE(R)	*	0-5 MO.	.172500	.230000	.172500
				6-11 MO.	.517500	1.782500	.517500
				12-23 MO.	1.495000	4.370000	1.495000
				2-65+ YR.	3.910000	10.292500	3.910000
ALMOND OIL, BITTER, FFPA FEMA 2046A	20	GELATIN PUD(R)	17	0-5 MO.	.067905	.091672	.103292
				6-11 MO.	.434592	1.317356	.661070
				12-23 MO.	.468544	1.140803	.712716
				2-65+ YR.	.692630	1.782504	1.053580
ALMOND OIL, BITTER, FFPA FEMA 2046A	23	BEV TYPE I(R)	38	0-5 MO.	.060856	.091284	.120836
				6-11 MO.	.575596	1.970213	1.142908
				12-23 MO.	1.374332	4.120459	2.728882
				2-65+ YR.	2.637094	7.041548	5.236231
ALMOND OIL, BITTER, FFPA FEMA 2046A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.007087	**********
				12-23 MO.	**********	.014174	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALMOND OIL, BITTER, FFPA FEMA 2046A	24	BEV TYPE III(R)	6	2-65+ YR.	2.303271	6.690117	5.221260
ALMOND OIL, BITTER, FFPA FEMA 2046A	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002568	.007704	.020102
				12-23 MO.	.007704	.023112	.060306
				2-65+ YR.	.015408	.043656	.120612
ALMOND OIL, BITTER, FFPA FEMA 2046A	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.016187	.016187	.060509
				12-23 MO.	.016187	.048561	.060509
				2-65+ YR.	.032374	.064748	.121018
ALMOND OIL, BITTER, FFPA FEMA 2046A	99	ALL CATEGORIES	71	0-5 MO.	.945241	1.776530	1.662800
				6-11 MO.	8.064234	25.078096	15.456618
				12-23 MO.	14.162808	32.507348	28.138457
				2-65+ YR.	25.698136	57.462665	48.193878
AMBERGRIS, TINCTURE FEMA 2049A	07	FROZEN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
AMBERGRIS, TINCTURE FEMA 2049A	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000800
				6-11 MO.	.002200	.006600	.008800
				12-23 MO.	.003500	.009300	.014000
				2-65+ YR.	.005800	.017600	.023200
AMBERGRIS, TINCTURE FEMA 2049A	23	BEV TYPE I(R)	*	0-5 MO.	.003456	.005184	.006096
				6-11 MO.	.032688	.111888	.057658
				12-23 MO.	.078048	.234000	.137668
				2-65+ YR.	.149760	.399888	.264160
AMBERGRIS, TINCTURE FEMA 2049A	99	ALL CATEGORIES	*	0-5 MO.	.004656	.011284	.008896
				6-11 MO.	.044388	.145088	.085458
				12-23 MO.	.095948	.277100	.180468
				2-65+ YR.	.181160	.479188	.338560

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMBRETTE, ABSOLUTE, OIL FEMA 2050A	01	BAKED GOODS(R)	5	0-5 MO.	.004771	.006314	.007461
				6-11 MO.	.035640	.072683	.055735
				12-23 MO.	.076471	.126002	.119589
				2-65+ YR.	.192511	.285961	.301056
AMBRETTE, ABSOLUTE, OIL FEMA 2050A	07	FROZN DAIRY(R)	4	0-5 MO.	.000900	.003691	.001942
				6-11 MO.	.008552	.023765	.018449
				12-23 MO.	.012963	.030427	.027965
				2-65+ YR.	.023045	.055542	.049715
AMBRETTE, ABSOLUTE, OIL FEMA 2050A	16	SOFT CANDY(R)	5	0-5 MO.	.000338	.003377	.000496
				6-11 MO.	.003715	.011483	.005451
				12-23 MO.	.005910	.015704	.008672
				2-65+ YR.	.009794	.029720	.014372
AMBRETTE, ABSOLUTE, OIL FEMA 2050A	20	GELATIN PUD(R)	*	0-5 MO.	.002734	.003691	.005673
				6-11 MO.	.017498	.053040	.036309
				12-23 MO.	.018865	.045931	.039146
				2-65+ YR.	.027887	.071768	.057868
AMBRETTE, ABSOLUTE, OIL FEMA 2050A	23	BEV TYPE I(R)	*	0-5 MO.	.001926	.002889	.003612
				6-11 MO.	.018217	.062354	.034164
				12-23 MO.	.043496	.130406	.081571
				2-65+ YR.	.083460	.222854	.156520
AMBRETTE, ABSOLUTE, OIL FEMA 2050A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.227500
AMBRETTE, ABSOLUTE, OIL FEMA 2050A	99	ALL CATEGORIES	5	0-5 MO.	.010669	.019962	.019183
				6-11 MO.	.083621	.223825	.150108
				12-23 MO.	.157705	.349471	.276943
				2-65+ YR.	.499197	1.137845	.807031
AMBRETTE SEED, OIL FEMA 2051A	01	BAKED GOODS(R)	4	0-5 MO.	.000765	.001013	.002125

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMBRETTE SEED, OIL FEMA 2051A	01	BAKED GOODS(R)	4	6-11 MO.	.005715	.011655	.015875
				12-23 MO.	.012263	.020205	.034063
				2-65+ YR.	.030870	.045855	.085750
AMBRETTE SEED, OIL FEMA 2051A	07	FROZN DAIRY(R)	5	0-5 MO.	.000283	.001162	.001067
				6-11 MO.	.002692	.007480	.010133
				12-23 MO.	.004080	.009577	.015360
				2-65+ YR.	.007253	.017482	.027307
AMBRETTE SEED, OIL FEMA 2051A	16	SOFT CANDY(R)	5	0-5 MO.	.000123	.001233	.000280
				6-11 MO.	.001357	.004193	.003080
				12-23 MO.	.002158	.005735	.004900
				2-65+ YR.	.003577	.010853	.008120
AMBRETTE SEED, OIL FEMA 2051A	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.001000
				6-11 MO.	.001280	.003880	.006400
				12-23 MO.	.001380	.003360	.006900
				2-65+ YR.	.002040	.005250	.010200
AMBRETTE SEED, OIL FEMA 2051A	23	BEV TYPE I(R)	5	0-5 MO.	.000765	.001148	.002880
				6-11 MO.	.007236	.024767	.027240
				12-23 MO.	.017276	.051797	.065040
				2-65+ YR.	.033150	.088517	.124800
AMBRETTE SEED, OIL FEMA 2051A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000153	**********
				12-23 MO.	**********	.000307	**********
				2-65+ YR.	.049833	.144747	.100750
AMBRETTE SEED, OIL FEMA 2051A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000000	.000000	.000375
				12-23 MO.	.000000	.000000	.000375
				2-65+ YR.	.000000	.000000	.000750
AMBRETTE SEED, OIL FEMA 2051A	99	ALL CATEGORIES	9	0-5 MO.	.002137	.004825	.007352
				6-11 MO.	.018279	.052129	.063103

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE -- SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMBRETTE SEED, OIL FEMA 2051A	99	ALL CATEGORIES	9	12-23 MO.	.037157	.090980	.126638
				2-65+ YR.	.126723	.312703	.357677
AMBRETTE, TINCTURE FEMA 2052A	01	BAKED GOODS(R)	*	0-5 MO.	.085000	.112500	.153000
				6-11 MO.	.635000	1.295000	1.143000
				12-23 MO.	1.362500	2.245000	2.452500
				2-65+ YR.	3.430000	5.095000	6.174000
AMBRETTE, TINCTURE FEMA 2052A	07	FROZN DAIRY(R)	*	0-5 MO.	.009200	.037720	.026400
				6-11 MO.	.087400	.242880	.250800
				12-23 MO.	.132480	.310960	.380160
				2-65+ YR.	.235520	.567640	.675840
AMBRETTE, TINCTURE FEMA 2052A	16	SOFT CANDY(R)	*	0-5 MO.	.005600	.056000	.008160
				6-11 MO.	.061600	.190400	.089760
				12-23 MO.	.098000	.260400	.142800
				2-65+ YR.	.162400	.492800	.236640
AMBRETTE, TINCTURE FEMA 2052A	20	GELATIN PUD(R)	*	0-5 MO.	.030000	.040500	.090000
				6-11 MO.	.192000	.582000	.576000
				12-23 MO.	.207000	.504000	.621000
				2-65+ YR.	.306000	.787500	.918000
AMBRETTE, TINCTURE FEMA 2052A	23	BEV TYPE I(R)	*	0-5 MO.	.019200	.028800	.029760
				6-11 MO.	.181600	.621600	.281480
				12-23 MO.	.433600	1.300000	.672080
				2-65+ YR.	.832000	2.221600	1.289600
AMBRETTE, TINCTURE FEMA 2052A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001775	**********
				12-23 MO.	**********	.003550	**********
				2-65+ YR.	.576875	1.675600	.861250
AMBRETTE, TINCTURE FEMA 2052A	99	ALL CATEGORIES	*	0-5 MO.	.149000	.275520	.307320
				6-11 MO.	1.157600	2.933655	2.341040
				12-23 MO.	2.233580	4.623910	4.268540

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMBRETTE, TINCTURE FEMA 2052A	99	ALL CATEGORIES	*	2-65+ YR.	5.542795	10.840140	10.155330
ANGELICA ROOT, EXTRACT FEMA 2087A	01	BAKED GOODS(R)	*	0-5 MO.	.139270	.184329	.191210
				6-11 MO.	1.040432	2.121827	1.428448
				12-23 MO.	2.232424	3.678379	3.064976
				2-65+ YR.	5.619973	8.348036	7.715867
ANGELICA ROOT, EXTRACT FEMA 2087A	07	FROZN DAIRY(R)	*	0-5 MO.	.050795	.208259	.060821
				6-11 MO.	.482551	1.340985	.577795
				12-23 MO.	.731446	1.716867	.875815
				2-65+ YR.	1.300349	3.134044	1.557005
ANGELICA ROOT, EXTRACT FEMA 2087A	16	SOFT CANDY(R)	*	0-5 MO.	.010405	.104051	.012087
				6-11 MO.	.114456	.353774	.132959
				12-23 MO.	.182090	.483838	.211526
				2-65+ YR.	.301749	.915651	.350528
ANGELICA ROOT, EXTRACT FEMA 2087A	20	GELATIN PUD(R)	*	0-5 MO.	.146000	.197100	.182000
				6-11 MO.	.934400	2.832400	1.164800
				12-23 MO.	1.007400	2.452600	1.255800
				2-65+ YR.	1.489200	3.832500	1.856400
ANGELICA ROOT, EXTRACT FEMA 2087A	23	BEV TYPE I(R)	*	0-5 MO.	.064046	.096069	.131429
				6-11 MO.	.805766	2.073480	1.243095
				12-23 MO.	1.446366	4.336429	2.968095
				2-65+ YR.	2.775314	7.410623	5.695238
ANGELICA ROOT, EXTRACT FEMA 2087A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001579	**********
				12-23 MO.	**********	.003158	**********
				2-65+ YR.	.513249	1.490790	.513249
ANGELICA ROOT, EXTRACT FEMA 2087A	99	ALL CATEGORIES	5	0-5 MO.	.410516	.789807	.577546
				6-11 MO.	3.177606	8.724045	4.547097
				12-23 MO.	5.599725	12.671471	8.376212
				2-65+ YR.	11.999834	25.131644	17.688287

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANGELICA ROOT, OIL FEMA 2088A	01	BAKED GOODS(R)	6	0-5 MO.	.093472	.123713	.131509
				6-11 MO.	.698291	1.424073	.982450
				12-23 MO.	1.498301	2.468760	2.108012
				2-65+ YR.	3.771869	5.602820	5.306775
ANGELICA ROOT, OIL FEMA 2088A	07	FROZN DAIRY(R)	6	0-5 MO.	.020401	.083645	.026824
				6-11 MO.	.193813	.538595	.254832
				12-23 MO.	.293779	.689565	.386271
				2-65+ YR.	.522274	1.258761	.686705
ANGELICA ROOT, OIL FEMA 2088A	16	SOFT CANDY(R)	7	0-5 MO.	.005365	.053651	.007484
				6-11 MO.	.059016	.182414	.082327
				12-23 MO.	.093889	.249477	.130975
				2-65+ YR.	.155588	.472129	.217044
ANGELICA ROOT, OIL FEMA 2088A	20	GELATIN PUD(R)	4	0-5 MO.	.026935	.036363	.071613
				6-11 MO.	.172387	.522548	.458323
				12-23 MO.	.185855	.452516	.494129
				2-65+ YR.	.274742	.707056	.730452
ANGELICA ROOT, OIL FEMA 2088A	23	BEV TYPE I(R)	12	0-5 MO.	.022307	.033460	.031938
				6-11 MO.	.210986	.722185	.302080
				12-23 MO.	.503764	1.510361	.721266
				2-65+ YR.	.966631	2.581091	1.383979
ANGELICA ROOT, OIL FEMA 2088A	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002902	**********
				12-23 MO.	**********	.005803	**********
				2-65+ YR.	.942993	2.739032	1.341786
ANGELICA ROOT, OIL FEMA 2088A	99	ALL CATEGORIES	16	0-5 MO.	.168481	.330833	.269369
				6-11 MO.	1.334492	3.392716	2.080011
				12-23 MO.	2.575588	5.376482	3.840653
				2-65+ YR.	6.634097	13.360890	9.666740
ANGELICA SEED, EXTRACT FEMA 2089A	01	BAKED GOODS(R)	*	0-5 MO.	.171700	.227250	.215900

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANGELICA SEED, EXTRACT FEMA 2089A	01	BAKED GOODS(R)	*	6-11 MO.	1.282700	2.615900	1.612900
				12-23 MO.	2.752250	4.534900	3.460750
				2-65+ YR.	6.928600	10.291900	8.712200
ANGELICA SEED, EXTRACT FEMA 2089A	07	FROZN DAIRY(R)	*	0-5 MO.	.048000	.196800	.060000
				6-11 MO.	.456000	1.267200	.570000
				12-23 MO.	.691200	1.622400	.864000
				2-65+ YR.	1.228800	2.961600	1.536000
ANGELICA SEED, EXTRACT FEMA 2089A	16	SOFT CANDY(R)	*	0-5 MO.	.003740	.037400	.005360
				6-11 MO.	.041140	.127160	.058960
				12-23 MO.	.065450	.173910	.093800
				2-65+ YR.	.108460	.329120	.155440
ANGELICA SEED, EXTRACT FEMA 2089A	20	GELATIN PUD(R)	*	0-5 MO.	.230000	.310500	.260000
				6-11 MO.	1.472000	4.462000	1.664000
				12-23 MO.	1.587000	3.864000	1.794000
				2-65+ YR.	2.346000	6.037500	2.652000
ANGELICA SEED, EXTRACT FEMA 2089A	23	BEV TYPE I(R)	*	0-5 MO.	2.400000	3.600000	2.880000
				6-11 MO.	22.700000	77.700000	27.240000
				12-23 MO.	54.200000	162.500000	65.040000
				2-65+ YR.	104.000000	277.700000	124.800000
ANGELICA SEED, EXTRACT FEMA 2089A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.180000	**********
				12-23 MO.	**********	.360000	**********
				2-65+ YR.	58.500000	169.920000	65.000000
ANGELICA SEED, EXTRACT FEMA 2089A	99	ALL CATEGORIES	*	0-5 MO.	2.853440	4.371950	3.421260
				6-11 MO.	25.951840	86.352260	31.145860
				12-23 MO.	59.295900	173.055210	71.252550
				2-65+ YR.	173.111860	467.240120	202.855640
ANGELICA SEED, OIL FEMA 2090A	01	BAKED GOODS(R)	*	0-5 MO.	.175851	.232744	.233691
				6-11 MO.	1.313712	2.679144	1.745807

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANGELICA SEED, OIL FEMA 2090A	01	BAKED GOODS(R)	*	12-23 MO.	2.818791	4.644540	3.745924
				2-65+ YR.	7.096112	10.540726	9.430107
ANGELICA SEED, OIL FEMA 2090A	07	FROZN DAIRY(R)	*	0-5 MO.	.045355	.185957	.059079
				6-11 MO.	.430875	1.197379	.561250
				12-23 MO.	.653116	1.533008	.850737
				2-65+ YR.	1.161095	2.798420	1.512421
ANGELICA SEED, OIL FEMA 2090A	16	SOFT CANDY(R)	*	0-5 MO.	.010801	.108012	.014051
				6-11 MO.	.118813	.367240	.154563
				12-23 MO.	.189020	.502254	.245895
				2-65+ YR.	.313234	.950502	.407484
ANGELICA SEED, OIL FEMA 2090A	20	GELATIN PUD(R)	*	0-5 MO.	.056895	.076808	.109395
				6-11 MO.	.364126	1.103758	.700126
				12-23 MO.	.392574	.955832	.754824
				2-65+ YR.	.580326	1.493487	1.115826
ANGELICA SEED, OIL FEMA 2090A	23	BEV TYPE I(R)	4	0-5 MO.	.057283	.085925	.079200
				6-11 MO.	.541802	1.854538	.749100
				12-23 MO.	1.293642	3.678538	1.788600
				2-65+ YR.	2.482264	6.628123	3.432000
ANGELICA SEED, OIL FEMA 2090A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.005572	**********
				12-23 MO.	**********	.011144	**********
				2-65+ YR.	1.810930	5.260056	2.457171
ANGELICA SEED, OIL FEMA 2090A	99	ALL CATEGORIES	6	0-5 MO.	.346185	.689445	.495416
				6-11 MO.	2.769328	7.207630	3.910846
				12-23 MO.	5.347142	11.525315	7.385980
				2-65+ YR.	13.443961	27.671313	18.355009
ANGELICA STEM, OIL FEMA 2091A	01	BAKED GOODS(R)	*	0-5 MO.	.396458	.524724	.440658
				6-11 MO.	2.961774	6.040153	3.291974
				12-23 MO.	6.354987	10.471153	7.063487

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANGELICA STEM, OIL FEMA 2091A	01	BAKED GOODS(R)	*	2-65+ YR.	15.998242	23.764153	17.781842
ANGELICA STEM, OIL FEMA 2091A	07	FROZN DAIRY(R)	*	0-5 MO.	.072526	.297338	.088421
				6-11 MO.	.689000	1.914695	.840000
				12-23 MO.	1.044379	2.451389	1.273263
				2-65+ YR.	1.856674	4.474874	2.263579
ANGELICA STEM, OIL FEMA 2091A	16	SOFT CANDY(R)	*	0-5 MO.	.022974	.229737	.026442
				6-11 MO.	.252711	.781105	.290863
				12-23 MO.	.402039	1.068276	.462737
				2-65+ YR.	.666237	2.021684	.766821
ANGELICA STEM, OIL FEMA 2091A	20	GELATIN PUDI(R)	*	0-5 MO.	.024447	.033004	.035000
				6-11 MO.	.156463	.474279	.224000
				12-23 MO.	.168687	.410716	.241500
				2-65+ YR.	.249363	.641743	.357000
ANGELICA STEM, OIL FEMA 2091A	23	BEV TYPE I(R)	*	0-5 MO.	.027411	.041116	.031895
				6-11 MO.	.259258	.887416	.301671
				12-23 MO.	.619021	1.855921	.720289
				2-65+ YR.	1.187790	3.171626	1.382105
ANGELICA STEM, OIL FEMA 2091A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.006400	**********
				12-23 MO.	**********	.012800	**********
				2-65+ YR.	2.080000	6.041600	2.502500
ANGELICA STEM, OIL FEMA 2091A	99	ALL CATEGORIES	*	0-5 MO.	.543816	1.125938	.622416
				6-11 MO.	4.319205	10.104047	4.948508
				12-23 MO.	8.589113	16.270255	9.761276
				2-65+ YR.	22.038305	40.115680	25.053847
ANGOSTURA, EXTRACT FEMA 2092A	01	BAKED GOODS(R)	*	0-5 MO.	.197200	.261000	.234600
				6-11 MO.	1.473200	3.004400	1.752600
				12-23 MO.	3.161000	5.208400	3.760500
				2-65+ YR.	7.957600	11.820400	9.466800

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANGOSTURA, EXTRACT FEMA 2092A	07	FROZEN DAIRY(R)	*	0-5 MO.	.032000	.131200	.050000
				6-11 MO.	.304000	.844800	.475000
				12-23 MO.	.460800	1.081600	.720000
				2-65+ YR.	.819200	1.974400	1.280000
ANGOSTURA, EXTRACT FEMA 2092A	16	SOFT CANDY(R)	*	0-5 MO.	.010400	.104000	.014600
				6-11 MO.	.114400	.353600	.160600
				12-23 MO.	.182000	.483600	.255500
				2-65+ YR.	.301600	.915200	.423400
ANGOSTURA, EXTRACT FEMA 2092A	20	GELATIN PUD(R)	*	0-5 MO.	.066000	.089100	.100000
				6-11 MO.	.422400	1.280400	.640000
				12-23 MO.	.455400	1.108800	.690000
				2-65+ YR.	.673200	1.732500	1.020000
ANGOSTURA, EXTRACT FEMA 2092A	23	BEV TYPE I(R)	*	0-5 MO.	.691544	1.037316	.791912
				6-11 MO.	6.540855	22.388741	7.490165
				12-23 MO.	15.617371	46.823300	17.884007
				2-65+ YR.	29.966912	80.017417	34.316176
ANGOSTURA, EXTRACT FEMA 2092A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.194301	**********
				12-23 MO.	**********	.388601	**********
				2-65+ YR.	63.147684	183.419735	98.477573
ANGOSTURA, EXTRACT FEMA 2092A	27	GRAVIES(R)	*	0-5 MO.	.001000	.003000	.004000
				6-11 MO.	.014000	.039000	.056000
				12-23 MO.	.036000	.102000	.144000
				2-65+ YR.	.083000	.213000	.332000
ANGOSTURA, EXTRACT FEMA 2092A	99	ALL CATEGORIES	5	0-5 MO.	.998144	1.625616	1.195112
				6-11 MO.	8.868855	28.105241	10.574365
				12-23 MO.	19.912571	55.196301	23.454007
				2-65+ YR.	102.949196	280.092653	145.315949
ANISE FEMA 2093A	01	BAKED GOODS(R)	4	0-5 MO.	3.267582	4.324741	25.777853

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANISE FEMA 2093A	01	BAKED GOODS(R)	4	6-11 MO.	24.410762	49.782578	192.575727
				12-23 MO.	52.377422	86.302615	413.203824
				2-65+ YR.	131.856557	195.862728	1040.212196
ANISE FEMA 2093A	04	FATS OILS(R)	*	0-5 MO.	1.000000	1.000000	2.000000
				6-11 MO.	5.600000	15.000000	11.200000
				12-23 MO.	12.600000	24.000000	25.200000
				2-65+ YR.	35.000000	63.200000	70.000000
ANISE FEMA 2093A	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.005000
				6-11 MO.	.038000	.105600	.047500
				12-23 MO.	.057600	.135200	.072000
				2-65+ YR.	.102400	.246800	.128000
ANISE FEMA 2093A	10	MEAT PRODS(R)	10	0-5 MO.	2.146741	5.659590	2.534768
				6-11 MO.	40.397763	108.898316	47.699730
				12-23 MO.	58.937798	101.287144	69.590910
				2-65+ YR.	153.004086	253.900913	180.659846
ANISE FEMA 2093A	15	CONDM RELSH(R)	4	0-5 MO.	**********	.069192	**********
				6-11 MO.	.553538	1.522231	.860308
				12-23 MO.	1.937385	5.258615	3.011077
				2-65+ YR.	6.088923	14.668769	9.463385
ANISE FEMA 2093A	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001400
				6-11 MO.	.008800	.027200	.015400
				12-23 MO.	.014000	.037200	.024500
				2-65+ YR.	.023200	.070400	.040600
ANISE FEMA 2093A	23	BEV TYPE I(R)	*	0-5 MO.	.072000	.108000	.096000
				6-11 MO.	.681000	2.331000	.908000
				12-23 MO.	1.626000	4.875000	2.168000
				2-65+ YR.	3.120000	8.331000	4.160000
ANISE FEMA 2093A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000377	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANISE FEMA 2093A	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000753	**********
				2-65+ YR.	.122413	.355563	.122413
ANISE FEMA 2093A	27	GRAVIES(R)	*	0-5 MO.	.015191	.045573	.015191
				6-11 MO.	.212673	.592445	.212673
				12-23 MO.	.546873	1.549473	.546873
				2-65+ YR.	1.260845	3.235664	1.260845
ANISE FEMA 2093A	99	ALL CATEGORIES	16	0-5 MO.	6.506314	11.231496	30.430212
				6-11 MO.	71.902536	178.259747	253.519337
				12-23 MO.	128.097078	223.446000	513.817184
				2-65+ YR.	330.578425	539.871838	1306.047285
ANISE, OIL FEMA 2094A	01	BAKED GOODS(R)	23	0-5 MO.	.552169	.730812	.618733
				6-11 MO.	4.125028	8.412459	4.622298
				12-23 MO.	8.850946	14.583761	9.917923
				2-65+ YR.	22.281648	33.097666	24.967689
ANISE, OIL FEMA 2094A	07	FROZN DAIRY(R)	14	0-5 MO.	.046300	.189830	.061334
				6-11 MO.	.439850	1.222320	.582676
				12-23 MO.	.666720	1.564940	.883215
				2-65+ YR.	1.185280	2.856709	1.570159
ANISE, OIL FEMA 2094A	10	MEAT PRODS(R)	9	0-5 MO.	.011365	.029961	.029786
				6-11 MO.	.213862	.576497	.560519
				12-23 MO.	.312011	.536204	.817763
				2-65+ YR.	.809989	1.344127	2.122933
ANISE, OIL FEMA 2094A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.018000	**********
				6-11 MO.	.144000	.396000	.144000
				12-23 MO.	.504000	1.368000	.504000
				2-65+ YR.	1.584000	3.816000	1.584000
ANISE, OIL FEMA 2094A	16	SOFT CANDY(R)	27	0-5 MO.	.101905	1.019053	.136227
				6-11 MO.	1.120958	3.464779	1.498492
				12-23 MO.	1.783342	4.738594	2.383964

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANISE, OIL FEMA 2094A	16	SOFT CANDY(R)	27	2-65+ YR.	2.955252	8.967663	3.950569
ANISE, OIL FEMA 2094A	20	GELATIN PUD(R)	5	0-5 MO.	.078174	.105535	.092603
				6-11 MO.	.500314	1.516577	.592656
				12-23 MO.	.539401	1.313325	.638957
				2-65+ YR.	.797376	2.052070	.944546
ANISE, OIL FEMA 2094A	23	BEV TYPE I(R)	28	0-5 MO.	.058858	.088288	.075190
				6-11 MO.	.556703	1.905543	.711171
				12-23 MO.	1.329220	3.985209	1.698038
				2-65+ YR.	2.550534	6.810416	3.258228
ANISE, OIL FEMA 2094A	24	BEV TYPE II(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.042638	**********
				12-23 MO.	**********	.085275	**********
				2-65+ YR.	13.857242	40.249959	18.534561
ANISE, OIL FEMA 2094A	30	HARD CANDY(R)	18	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.049708	.149124	.125533
				12-23 MO.	.149124	.447372	.376599
				2-65+ YR.	.298248	.845036	.753198
ANISE, OIL FEMA 2094A	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.018155	.018155	.520840
				12-23 MO.	.018155	.054465	.520840
				2-65+ YR.	.036310	.072620	1.041680
ANISE, OIL FEMA 2094A	99	ALL CATEGORIES	77	0-5 MO.	.848772	2.181479	1.013872
				6-11 MO.	7.168578	17.704091	9.358186
				12-23 MO.	14.152919	28.677145	17.741299
				2-65+ YR.	46.355878	100.112265	58.727563
ANISE, STAR FEMA 2095A	01	BAKED GOODS(R)	*	0-5 MO.	.340000	.450000	.510000
				6-11 MO.	2.540000	5.180000	3.810000
				12-23 MO.	5.450000	8.980000	8.175000
				2-65+ YR.	13.720000	20.380000	20.580000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANISE, STAR FEMA 2095A	07	FROZN DAIRY(R)	*	0-5 MO.	.016000	.065600	.020000
				6-11 MO.	.152000	.422400	.190000
				12-23 MO.	.230400	.540800	.288000
				2-65+ YR.	.409600	.987200	.512000
ANISE, STAR FEMA 2095A	10	MEAT PRODS(R)	*	0-5 MO.	.495000	1.305000	1.100000
				6-11 MO.	9.315000	25.110000	20.700000
				12-23 MO.	13.590000	23.355000	30.200000
				2-65+ YR.	35.280000	58.545000	78.400000
ANISE, STAR FEMA 2095A	16	SOFT CANDY(R)	*	0-5 MO.	.015000	.150000	.018000
				6-11 MO.	.165000	.510000	.198000
				12-23 MO.	.262500	.697500	.315000
				2-65+ YR.	.435000	1.320000	.522000
ANISE, STAR FEMA 2095A	23	BEV TYPE I(R)	*	0-5 MO.	.028800	.043200	.036000
				6-11 MO.	.272400	.932400	.340500
				12-23 MO.	.650400	1.950000	.813000
				2-65+ YR.	1.248000	3.332400	1.560000
ANISE, STAR FEMA 2095A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004500	**********
				12-23 MO.	**********	.009000	**********
				2-65+ YR.	1.462500	4.248000	1.950000
ANISE, STAR FEMA 2095A	99	ALL CATEGORIES	*	0-5 MO.	.894800	2.013800	1.684000
				6-11 MO.	12.444400	32.159300	25.238500
				12-23 MO.	20.183300	35.532300	39.791000
				2-65+ YR.	52.555100	88.812600	103.524000
ANISE, STAR, OIL FEMA 2096A	01	BAKED GOODS(R)	6	0-5 MO.	.045557	.060296	.129356
				6-11 MO.	.340335	.694070	.966369
				12-23 MO.	.730247	1.203233	2.073507
				2-65+ YR.	1.838347	2.730722	5.219912
ANISE, STAR, OIL FEMA 2096A	07	FROZN DAIRY(R)	*	0-5 MO.	.003709	.015206	.004456

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANISE, STAR, OIL FEMA 2096A	07	FROZN DAIRY(R)	*	6-11 MO.	.035234	.097912	.042335
				12-23 MO.	.053407	.125358	.064170
				2-65+ YR.	.094945	.228833	.114081
ANISE, STAR, OIL FEMA 2096A	10	MEAT PRODS(R)	*	0-5 MO.	.000171	.000452	.000356
				6-11 MO.	.003223	.008689	.006707
				12-23 MO.	.004703	.008082	.009785
				2-65+ YR.	.012209	.020259	.025402
ANISE, STAR, OIL FEMA 2096A	16	SOFT CANDY(R)	5	0-5 MO.	.047242	.472419	.052195
				6-11 MO.	.519661	1.606225	.574149
				12-23 MO.	.826734	2.196749	.913418
				2-65+ YR.	1.370016	4.157288	1.513665
ANISE, STAR, OIL FEMA 2096A	20	GELATIN PUD(R)	*	0-5 MO.	.005671	.007656	.006169
				6-11 MO.	.036294	.110015	.039479
				12-23 MO.	.039129	.095271	.042564
				2-65+ YR.	.057843	.148860	.062920
ANISE, STAR, OIL FEMA 2096A	23	BEV TYPE I(R)	6	0-5 MO.	.025036	.037554	.036429
				6-11 MO.	.236800	.810546	.344557
				12-23 MO.	.565400	1.695157	.822686
				2-65+ YR.	1.084900	2.896893	1.578587
ANISE, STAR, OIL FEMA 2096A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008904	**********
				12-23 MO.	**********	.017808	**********
				2-65+ YR.	2.893844	8.405504	5.442243
ANISE, STAR, OIL FEMA 2096A	99	ALL CATEGORIES	8	0-5 MO.	.127386	.593582	.228962
				6-11 MO.	1.171547	3.336361	1.973595
				12-23 MO.	2.219619	5.341657	3.926131
				2-65+ YR.	7.352104	18.588360	13.956809
ASAFETIDA, FLUID EXTRACT FEMA 2106A	01	BAKED GOODS(R)	*	0-5 MO.	.071479	.094605	.099816
				6-11 MO.	.533991	1.089005	.745682

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ASAFETIDA, FLUID EXTRACT FEMA 2106A	01	BAKED GOODS(R)	*	12-23 MO.	1.145767	1.887888	1.599987
				2-65+ YR.	2.884391	4.284540	4.027857
ASAFETIDA, FLUID EXTRACT FEMA 2106A	04	FATS OILS(R)	*	0-5 MO.	.010000	.010000	.010000
				6-11 MO.	.056000	.150000	.056000
				12-23 MO.	.126000	.240000	.126000
				2-65+ YR.	.350000	.632000	.350000
ASAFETIDA, FLUID EXTRACT FEMA 2106A	07	FROZN DAIRY(R)	*	0-5 MO.	.015000	.061500	.020000
				6-11 MO.	.142500	.396000	.190000
				12-23 MO.	.216000	.507000	.288000
				2-65+ YR.	.384000	.925500	.512000
ASAFETIDA, FLUID EXTRACT FEMA 2106A	10	MEAT PRODS(R)	4	0-5 MO.	.041841	.110309	.048168
				6-11 MO.	.787378	2.122498	.906442
				12-23 MO.	1.148735	1.974151	1.322442
				2-65+ YR.	2.982147	4.948691	3.433095
ASAFETIDA, FLUID EXTRACT FEMA 2106A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.004440	**********
				6-11 MO.	.035516	.097670	.046505
				12-23 MO.	.124308	.337407	.162769
				2-65+ YR.	.390681	.941187	.511560
ASAFETIDA, FLUID EXTRACT FEMA 2106A	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.003200
				6-11 MO.	.022000	.068000	.035200
				12-23 MO.	.035000	.093000	.056000
				2-65+ YR.	.058000	.176000	.092800
ASAFETIDA, FLUID EXTRACT FEMA 2106A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.004000	.011000	.008000
				12-23 MO.	.011000	.031000	.022000
				2-65+ YR.	.013000	.037000	.026000
ASAFETIDA, FLUID EXTRACT FEMA 2106A	23	BEV TYPE I(R)	*	0-5 MO.	.019200	.028800	.036000
				6-11 MO.	.181600	.621600	.340500
				12-23 MO.	.433600	1.300000	.813000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ASAFETIDA, FLUID EXTRACT FEMA 2106A	23	BEV TYPE I(R)	*	2-65+ YR.	.832000	2.221600	1.560000
ASAFETIDA, FLUID EXTRACT FEMA 2106A	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000600
				6-11 MO.	.002800	.007800	.008400
				12-23 MO.	.007200	.020400	.021600
				2-65+ YR.	.016600	.042600	.049800
ASAFETIDA, FLUID EXTRACT FEMA 2106A	99	ALL CATEGORIES	7	0-5 MO.	.159720	.331253	.217784
				6-11 MO.	1.765785	4.563573	2.336730
				12-23 MO.	3.247610	6.390846	4.411798
				2-65+ YR.	7.910819	14.209117	10.563112
ASAFETIDA, GUM FEMA 2107A	01	BAKED GOODS(R)	*	0-5 MO.	.023069	.030532	.037606
				6-11 MO.	.172338	.351460	.280941
				12-23 MO.	.369780	.609289	.602807
				2-65+ YR.	.930895	1.382773	1.517525
ASAFETIDA, GUM FEMA 2107A	10	MEAT PRODS(R)	*	0-5 MO.	.001155	.003045	.002475
				6-11 MO.	.021735	.058590	.046575
				12-23 MO.	.031710	.054495	.067950
				2-65+ YR.	.082320	.136605	.176400
ASAFETIDA, GUM FEMA 2107A	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
ASAFETIDA, GUM FEMA 2107A	99	ALL CATEGORIES	4	0-5 MO.	.025224	.043577	.042081
				6-11 MO.	.205073	.444050	.349516
				12-23 MO.	.418990	.710284	.705757
				2-65+ YR.	1.042215	1.607378	1.751925
ASAFETIDA, OIL FEMA 2106A	01	BAKED GOODS(R)	5	0-5 MO.	.005011	.006632	.044022
				6-11 MO.	.037436	.076345	.328871
				12-23 MO.	.080325	.132351	.705649
				2-65+ YR.	.202212	.300370	1.776423

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ASAFETIDA, OIL FEMA 2108A	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.010000
				6-11 MO.	.028500	.079200	.095000
				12-23 MO.	.043200	.101400	.144000
				2-65+ YR.	.076800	.185100	.256000
ASAFETIDA, OIL FEMA 2108A	10	MEAT PRODS(R)	*	0-5 MO.	.004913	.012953	.054650
				6-11 MO.	.092460	.249240	1.028414
				12-23 MO.	.134893	.231820	1.500391
				2-65+ YR.	.350187	.581113	3.895055
ASAFETIDA, OIL FEMA 2108A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000174	**********
				6-11 MO.	.001392	.003827	.002413
				12-23 MO.	.004871	.013220	.008444
				2-65+ YR.	.015308	.036878	.026539
ASAFETIDA, OIL FEMA 2108A	16	SOFT CANDY(R)	*	0-5 MO.	.000086	.000863	.000283
				6-11 MO.	.000949	.002933	.003108
				12-23 MO.	.001510	.004012	.004945
				2-65+ YR.	.002502	.007593	.008194
ASAFETIDA, OIL FEMA 2108A	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.030000
				6-11 MO.	.064000	.194000	.192000
				12-23 MO.	.069000	.168000	.207000
				2-65+ YR.	.102000	.262500	.306000
ASAFETIDA, OIL FEMA 2108A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000040	.000110	.000400
				12-23 MO.	.000110	.000310	.001100
				2-65+ YR.	.000130	.000370	.001300
ASAFETIDA, OIL FEMA 2108A	23	BEV TYPE I(R)	*	0-5 MO.	.022800	.034200	.036000
				6-11 MO.	.215650	.738150	.340500
				12-23 MO.	.514900	1.543750	.813000
				2-65+ YR.	.988000	2.638150	1.560000
ASAFETIDA, OIL FEMA 2108A	99	ALL CATEGORIES	7	0-5 MO.	.045811	.080632	.174955

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ASAFETIDA, OIL FEMA 2100A	99	ALL CATEGORIES	7	6-11 MO.	.440426	1.343806	1.990706
				12-23 MO.	.848809	2.194864	3.384529
				2-65+ YR.	1.737138	4.012074	7.829511
ASH BARK, PRICKLY, EXT FEMA 2110A	01	BAKED GOODS(R)	*	0-5 MO.	.411258	.544312	.411258
				6-11 MO.	3.072342	6.265642	3.072342
				12-23 MO.	6.592229	10.862058	6.592229
				2-65+ YR.	16.595483	24.651308	16.595483
ASH BARK, PRICKLY, EXT FEMA 2110A	07	FROZN DAIRY(R)	*	0-5 MO.	.070000	.287000	.110000
				6-11 MO.	.665000	1.848000	1.045000
				12-23 MO.	1.008000	2.366000	1.584000
				2-65+ YR.	1.792000	4.319000	2.816000
ASH BARK, PRICKLY, EXT FEMA 2110A	16	SOFT CANDY(R)	*	0-5 MO.	.006032	.060322	.010460
				6-11 MO.	.066355	.205096	.115057
				12-23 MO.	.105564	.280499	.183045
				2-65+ YR.	.174935	.530837	.303331
ASH BARK, PRICKLY, EXT FEMA 2110A	20	GELATIN PUD(R)	*	0-5 MO.	.120000	.162000	.200000
				6-11 MO.	.768000	2.328000	1.280000
				12-23 MO.	.828000	2.016000	1.380000
				2-65+ YR.	1.224000	3.150000	2.040000
ASH BARK, PRICKLY, EXT FEMA 2110A	23	BEV TYPE I(R)	*	0-5 MO.	.053554	.080330	.109368
				6-11 MO.	.506528	1.733798	1.034439
				12-23 MO.	1.209419	3.626025	2.469894
				2-65+ YR.	2.320656	6.196598	4.739280
ASH BARK, PRICKLY, EXT FEMA 2110A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008000	**********
				12-23 MO.	**********	.016000	**********
				2-65+ YR.	2.600000	7.552000	3.250000
ASH BARK, PRICKLY, EXT FEMA 2110A	99	ALL CATEGORIES	4	0-5 MO.	.660844	1.133965	.841086
				6-11 MO.	5.078224	12.388536	6.546837

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ASH BARK, PRICKLY, EXT FEMA 2110A	99	ALL CATEGORIES	4	12-23 MO.	9.743212	19.166582	12.209168
				2-65+ YR.	24.707074	46.399743	29.744095
BALM LEAVES, EXTRACT FEMA 2112A	01	BAKED GOODS(R)	*	0-5 MO.	10.200000	13.500000	17.000000
				6-11 MO.	76.200000	155.400000	127.000000
				12-23 MO.	163.500000	269.400000	272.500000
				2-65+ YR.	411.600000	611.400000	686.000000
BALM LEAVES, EXTRACT FEMA 2112A	07	FROZN DAIRY(R)	*	0-5 MO.	.600000	2.460000	.800000
				6-11 MO.	5.700000	15.840000	7.600000
				12-23 MO.	8.640000	20.280000	11.520000
				2-65+ YR.	15.360000	37.020000	20.480000
BALM LEAVES, EXTRACT FEMA 2112A	16	SOFT CANDY(R)	*	0-5 MO.	.300000	3.000000	.600000
				6-11 MO.	3.300000	10.200000	6.600000
				12-23 MO.	5.250000	13.950000	10.500000
				2-65+ YR.	8.700000	26.400000	17.400000
BALM LEAVES, EXTRACT FEMA 2112A	20	GELATIN PUD(R)	*	0-5 MO.	3.000000	4.050000	6.000000
				6-11 MO.	19.200000	58.200000	38.400000
				12-23 MO.	20.700000	50.400000	41.400000
				2-65+ YR.	30.600000	78.750000	61.200000
BALM LEAVES, EXTRACT FEMA 2112A	23	BEV TYPE I(R)	*	0-5 MO.	4.800000	7.200000	7.200000
				6-11 MO.	45.400000	155.400000	68.100000
				12-23 MO.	108.400000	325.000000	162.600000
				2-65+ YR.	208.000000	555.400000	312.000000
BALM LEAVES, EXTRACT FEMA 2112A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.200000	**********
				12-23 MO.	**********	.400000	**********
				2-65+ YR.	65.000000	188.800000	97.500000
BALM LEAVES, EXTRACT FEMA 2112A	99	ALL CATEGORIES	*	0-5 MO.	18.900000	30.210000	31.600000
				6-11 MO.	149.800000	395.240000	247.700000
				12-23 MO.	306.490000	679.430000	498.520000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BALM LEAVES, EXTRACT FEMA 2112A	99	ALL CATEGORIES	*	2-65+ YR.	739.260000	1497.770000	1194.580000
BALM, OIL FEMA 2113A	01	BAKED GOODS(R)	*	0-5 MO.	.043488	.057558	.057405
				6-11 MO.	.324884	.662558	.428847
				12-23 MO.	.697093	1.148605	.920163
				2-65+ YR.	1.754884	2.606744	2.316447
BALM, OIL FEMA 2113A	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.005000
				6-11 MO.	.038000	.105600	.047500
				12-23 MO.	.057600	.135200	.072000
				2-65+ YR.	.102400	.246800	.128000
BALM, OIL FEMA 2113A	16	SOFT CANDY(R)	*	0-5 MO.	.002263	.022632	.022500
				6-11 MO.	.024895	.076947	.247500
				12-23 MO.	.039605	.105237	.393750
				2-65+ YR.	.065632	.199158	.652500
BALM, OIL FEMA 2113A	20	GELATIN PUD(R)	*	0-5 MO.	.022632	.030553	.225000
				6-11 MO.	.144842	.439053	1.440000
				12-23 MO.	.156158	.380211	1.552500
				2-65+ YR.	.230842	.594079	2.295000
BALM, OIL FEMA 2113A	23	BEV TYPE I(R)	*	0-5 MO.	.005242	.007863	.030789
				6-11 MO.	.049582	.169713	.291217
				12-23 MO.	.118384	.354934	.695329
				2-65+ YR.	.227158	.606555	1.334210
BALM, OIL FEMA 2113A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.487500
BALM, OIL FEMA 2113A	99	ALL CATEGORIES	*	0-5 MO.	.077625	.135006	.340694
				6-11 MO.	.582202	1.454871	2.455064
				12-23 MO.	1.068840	2.126186	3.633742
				2-65+ YR.	2.705915	5.197336	7.213657

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BALSAM, PERU FEMA 2116A	01	BAKED GOODS(R)	15	0-5 MO.	.013482	.017844	.051354
				6-11 MO.	.100717	.205399	.383647
				12-23 MO.	.216105	.356078	.823180
				2-65+ YR.	.544030	.808114	2.072299
BALSAM, PERU FEMA 2116A	07	FROZN DAIRY(R)	11	0-5 MO.	.002624	.010760	.009462
				6-11 MO.	.024933	.069286	.089892
				12-23 MO.	.037793	.088708	.136257
				2-65+ YR.	.067187	.161931	.242235
BALSAM, PERU FEMA 2116A	16	SOFT CANDY(R)	11	0-5 MO.	.001449	.014488	.003066
				6-11 MO.	.015937	.049260	.033729
				12-23 MO.	.025354	.067370	.053660
				2-65+ YR.	.042016	.127496	.088922
BALSAM, PERU FEMA 2116A	20	GELATIN PUD(R)	8	0-5 MO.	.003968	.005357	.017756
				6-11 MO.	.025395	.076978	.113637
				12-23 MO.	.027379	.066661	.122515
				2-65+ YR.	.040473	.104158	.181109
BALSAM, PERU FEMA 2116A	23	BEV TYPE I(R)	15	0-5 MO.	.004431	.006647	.014491
				6-11 MO.	.041912	.143461	.137061
				12-23 MO.	.100072	.300030	.327256
				2-65+ YR.	.192019	.512728	.627945
BALSAM, PERU FEMA 2116A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000170	**********
				12-23 MO.	**********	.000340	**********
				2-65+ YR.	.055314	.160665	.227044
BALSAM, PERU FEMA 2116A	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001406	.004218	.002663
				12-23 MO.	.004218	.012654	.007989
				2-65+ YR.	.008436	.023902	.015978
BALSAM, PERU FEMA 2116A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BALSAM, PERU FEMA 2116A	31	CHEWING GUM(R)	*	6-11 MO.	.017184	.017184	.017184
				12-23 MO.	.017184	.051552	.017184
				2-65+ YR.	.034368	.068736	.034368
BALSAM, PERU FEMA 2116A	99	ALL CATEGORIES	27	0-5 MO.	.025954	.055096	.096130
				6-11 MO.	.227483	.565956	.777814
				12-23 MO.	.428104	.943393	1.488041
				2-65+ YR.	.983842	1.967731	3.489901
BALSAM, PERU, OIL FEMA 2117A	01	BAKED GOODS(R)	14	0-5 MO.	.028321	.037484	.043797
				6-11 MO.	.211575	.431480	.327192
				12-23 MO.	.453970	.748010	.702045
				2-65+ YR.	1.142839	1.697599	1.767351
BALSAM, PERU, OIL FEMA 2117A	07	FROZN DAIRY(R)	12	0-5 MO.	.003803	.015594	.007243
				6-11 MO.	.036131	.100407	.068809
				12-23 MO.	.054768	.128552	.104301
				2-65+ YR.	.097365	.234664	.185423
BALSAM, PERU, OIL FEMA 2117A	16	SOFT CANDY(R)	12	0-5 MO.	.001753	.017529	.002339
				6-11 MO.	.019281	.059597	.025724
				12-23 MO.	.030675	.081508	.040924
				2-65+ YR.	.050833	.154252	.067817
BALSAM, PERU, OIL FEMA 2117A	17	CONF FROST(R)	*	0-5 MO.	**********	.000280	**********
				6-11 MO.	.000280	.000560	.000400
				12-23 MO.	.000560	.001960	.000800
				2-65+ YR.	.000840	.002240	.001200
BALSAM, PERU, OIL FEMA 2117A	20	GELATIN PUD(R)	8	0-5 MO.	.016225	.021904	.022284
				6-11 MO.	.103841	.314767	.142619
				12-23 MO.	.111953	.272582	.153761
				2-65+ YR.	.165496	.425909	.227300
BALSAM, PERU, OIL FEMA 2117A	23	BEV TYPE I(R)	14	0-5 MO.	.005146	.007719	.008816
				6-11 MO.	.048672	.166599	.083399

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BALSAM, PERU, OIL FEMA 2117A	23	BEV TYPE I(R)	14	12-23 MO.	.116212	.348422	.199130
				2-65+ YR.	.222990	.595426	.382094
BALSAM, PERU, OIL FEMA 2117A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000171	**********
				12-23 MO.	**********	.000343	**********
				2-65+ YR.	.055730	.161873	.101847
BALSAM, PERU, OIL FEMA 2117A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000055	.000165	.000128
				12-23 MO.	.000165	.000495	.000384
				2-65+ YR.	.000330	.000935	.000768
BALSAM, PERU, OIL FEMA 2117A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000837	.000837	.000960
				12-23 MO.	.000837	.002511	.000960
				2-65+ YR.	.001674	.003348	.001920
BALSAM, PERU, OIL FEMA 2117A	99	ALL CATEGORIES	23	0-5 MO.	.055248	.100509	.084481
				6-11 MO.	.420673	1.074585	.649232
				12-23 MO.	.769140	1.584382	1.202305
				2-65+ YR.	1.738097	3.276247	2.735719
BASIL FEMA 2118A	01	BAKED GOODS(R)	*	0-5 MO.	.240190	.317898	.581368
				6-11 MO.	1.794358	3.659361	4.343158
				12-23 MO.	3.850100	6.343834	9.318980
				2-65+ YR.	9.692361	14.397254	23.459891
BASIL FEMA 2118A	02	BREAK CERLS(R)	*	0-5 MO.	.084000	.238000	.084000
				6-11 MO.	3.122000	8.372000	3.122000
				12-23 MO.	3.654000	7.126000	3.654000
				2-65+ YR.	2.800000	7.252000	2.800000
BASIL FEMA 2118A	03	OTHER GRAIN(R)	*	0-5 MO.	.040850	.138890	.040850
				6-11 MO.	.792490	2.336620	.792490
				12-23 MO.	1.339880	3.096430	1.339880

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BASIL FEMA 2118A	03	LTHER GRAIN(R)	*	2-65+ YR.	2.271260	5.016380	2.271260
BASIL FEMA 2118A	04	FATS OILS(R)	4	0-5 MO.	.053559	.053559	.138909
				6-11 MO.	.299928	.803379	.777891
				12-23 MO.	.674838	1.285406	1.750254
				2-65+ YR.	1.874551	3.384903	4.861816
BASIL FEMA 2118A	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
BASIL FEMA 2118A	10	MEAT PRODS(R)	19	0-5 MO.	.263667	.695122	1.853172
				6-11 MO.	4.961734	13.375109	34.873319
				12-23 MO.	7.238858	12.440289	50.877983
				2-65+ YR.	18.792267	31.184617	132.080592
BASIL FEMA 2118A	14	PROC SD VEGS(R)	*	0-5 MO.	.124439	.373317	.225507
				6-11 MO.	2.133239	4.977557	3.865841
				12-23 MO.	3.466513	5.804186	6.281991
				2-65+ YR.	7.555220	12.728323	13.691520
BASIL FEMA 2118A	15	CONDM RELSH(R)	11	0-5 MO.	**********	.061446	**********
				6-11 MO.	.491572	1.351822	2.573366
				12-23 MO.	1.720500	4.669930	9.006782
				2-65+ YR.	5.407287	13.026646	28.307030
BASIL FEMA 2118A	16	SOFT CANDY(R)	*	0-5 MO.	.000600	.006000	.001000
				6-11 MO.	.006600	.020400	.011000
				12-23 MO.	.010500	.027900	.017500
				2-65+ YR.	.017400	.052800	.029000
BASIL FEMA 2118A	21	SOUPS(R)	*	0-5 MO.	.159807	1.196551	.319594
				6-11 MO.	18.617491	58.089767	37.232666
				12-23 MO.	27.806381	76.787161	55.609304
				2-65+ YR.	25.329376	67.518367	50.655602

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BASIL FEMA 2118A	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.007200
				6-11 MO.	.045400	.155400	.068100
				12-23 MO.	.108400	.325000	.162600
				2-65+ YR.	.208000	.555400	.312000
BASIL FEMA 2118A	27	GRAVIES(R)	5	0-5 MO.	.052722	.158166	.101001
				6-11 MO.	.738106	2.056152	1.414010
				12-23 MO.	1.897987	5.377629	3.636026
				2-65+ YR.	4.375914	11.229755	8.383059
BASIL FEMA 2118A	99	ALL CATEGORIES	33	0-5 MO.	1.027633	3.260449	3.357600
				6-11 MO.	33.031417	95.276766	89.121341
				12-23 MO.	51.811157	123.385166	141.727301
				2-65+ YR.	78.400436	166.531546	266.979769
BASIL, OIL FEMA 2119A	01	BAKED GOODS(R)	7	0-5 MO.	.061724	.081694	.106100
				6-11 MO.	.461118	.940389	.792629
				12-23 MO.	.989406	1.630250	1.700721
				2-65+ YR.	2.490761	3.699834	4.281447
BASIL, OIL FEMA 2119A	04	FATS OILS(R)	*	0-5 MO.	.053172	.053172	.106938
				6-11 MO.	.297763	.797578	.598850
				12-23 MO.	.669966	1.276125	1.347413
				2-65+ YR.	1.861016	3.360463	3.742813
BASIL, OIL FEMA 2119A	07	FROZN DAIRY(R)	5	0-5 MO.	.001179	.004835	.003062
				6-11 MO.	.011202	.031130	.029089
				12-23 MO.	.016980	.039856	.044093
				2-65+ YR.	.030186	.072754	.078388
BASIL, OIL FEMA 2119A	10	MEAT PRODS(R)	7	0-5 MO.	.018527	.048844	.030730
				6-11 MO.	.348648	.939834	.578289
				12-23 MO.	.508655	.874146	.843687
				2-65+ YR.	1.320483	2.191261	2.190235
BASIL, OIL FEMA 2119A	14	PROCSD VEGS(R)	*	0-5 MO.	.001400	.004200	.002800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BASIL, OIL FEMA 2119A	14	PROCSD VEGS(R)	*	6-11 MO.	.024000	.056000	.048000
				12-23 MO.	.039000	.065300	.078000
				2-65+ YR.	.085000	.143200	.170000
BASIL, OIL FEMA 2119A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.001189	**********
				6-11 MO.	.009515	.026166	.014143
				12-23 MO.	.033302	.090392	.049501
				2-65+ YR.	.104664	.252145	.155576
BASIL, OIL FEMA 2119A	16	SOFT CANDY(R)	6	0-5 MO.	.001266	.012661	.001733
				6-11 MO.	.013927	.043048	.019064
				12-23 MO.	.022157	.058874	.030329
				2-65+ YR.	.036717	.111417	.050260
BASIL, OIL FEMA 2119A	20	GELATIN PUD(R)	*	0-5 MO.	.014711	.019860	.018722
				6-11 MO.	.094153	.285401	.119818
				12-23 MO.	.101508	.247151	.129179
				2-65+ YR.	.150056	.386174	.190960
BASIL, OIL FEMA 2119A	21	SOUPS(R)	*	0-5 MO.	.028000	.210000	.036000
				6-11 MO.	3.262000	10.178000	4.194000
				12-23 MO.	4.872000	13.454000	6.264000
				2-65+ YR.	4.438000	11.830000	5.706000
BASIL, OIL FEMA 2119A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.003600	**********
				6-11 MO.	.014400	.039600	.020000
				12-23 MO.	.039600	.111600	.055000
				2-65+ YR.	.046800	.133200	.065000
BASIL, OIL FEMA 2119A	23	BEV TYPE I(R)	10	0-5 MO.	.005884	.008826	.009097
				6-11 MO.	.055651	.190488	.086041
				12-23 MO.	.132876	.398383	.205438
				2-65+ YR.	.254965	.680806	.394198
BASIL, OIL FEMA 2119A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000155	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BASIL, OIL FEMA 2119A	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000311	**********
				2-65+ YR.	.050463	.146576	.099888
BASIL, OIL FEMA 2119A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000117	.000351	.000117
				12-23 MO.	.000351	.001053	.000351
				2-65+ YR.	.000702	.001989	.000702
BASIL, OIL FEMA 2119A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.029422	.029422	.029422
				12-23 MO.	.029422	.088266	.029422
				2-65+ YR.	.058844	.117688	.058844
BASIL, OIL FEMA 2119A	99	ALL CATEGORIES	22	0-5 MO.	.185864	.448881	.315181
				6-11 MO.	4.621915	13.557562	6.529463
				12-23 MO.	7.455223	18.335706	10.777134
				2-65+ YR.	10.928658	23.127506	17.184310
BASIL, OLEORESIN FEMA 2120A	01	BAKED GOODS(R)	4	0-5 MO.	.094178	.124647	.139622
				6-11 MO.	.703563	1.434826	1.043060
				12-23 MO.	1.509614	2.487401	2.238062
				2-65+ YR.	3.800350	5.645127	5.634167
BASIL, OLEORESIN FEMA 2120A	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.007000
				6-11 MO.	.019000	.052800	.066500
				12-23 MO.	.028800	.067600	.100800
				2-65+ YR.	.051200	.123400	.179200
BASIL, OLEORESIN FEMA 2120A	10	MEAT PRODS(R)	4	0-5 MO.	.028968	.076370	.047168
				6-11 MO.	.545122	1.469460	.887613
				12-23 MO.	.795299	1.366756	1.294972
				2-65+ YR.	2.064618	3.426108	3.361782
BASIL, OLEORESIN FEMA 2120A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001500	**********
				6-11 MO.	.012000	.033000	.018667
				12-23 MO.	.042000	.114000	.065333

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BASIL, OLEORESIN FEMA 2120A	15	CONDM RELSH(R)	*	2-65+ YR.	.132000	.318000	.205333
BASIL, OLEORESIN FEMA 2120A	16	SOFT CANDY(R)	*	0-5 MO.	.002800	.028000	.004000
				6-11 MO.	.030800	.095200	.044000
				12-23 MO.	.049000	.130200	.070000
				2-65+ YR.	.081200	.246400	.116000
BASIL, OLEORESIN FEMA 2120A	20	GELATIN PUD(R)	*	0-5 MO.	.028000	.037800	.040000
				6-11 MO.	.179200	.543200	.256000
				12-23 MO.	.193200	.470400	.276000
				2-65+ YR.	.285600	.735000	.408000
BASIL, OLEORESIN FEMA 2120A	23	BEV TYPE I(R)	*	0-5 MO.	.011510	.017265	.019200
				6-11 MO.	.108863	.372629	.181600
				12-23 MO.	.259929	.779309	.433600
				2-65+ YR.	.498757	1.331778	.832000
BASIL, OLEORESIN FEMA 2120A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000600	**********
				12-23 MO.	**********	.001200	**********
				2-65+ YR.	.195000	.566400	.260000
BASIL, OLEORESIN FEMA 2120A	99	ALL CATEGORIES	7	0-5 MO.	.167455	.293782	.256990
				6-11 MO.	1.598549	4.001716	2.497440
				12-23 MO.	2.877843	5.416866	4.478767
				2-65+ YR.	7.108726	12.392213	10.996482
BAY LEAVES, W IND, EXT FEMA 2121A	10	MEAT PRODS(R)	*	0-5 MO.	.059400	.156600	.066000
				6-11 MO.	1.117800	3.013200	1.242000
				12-23 MO.	1.630800	2.802600	1.812000
				2-65+ YR.	4.233600	7.025400	4.704000
BAY LEAVES, W IND, EXT FEMA 2121A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.008000
				12-23 MO.	.028000	.076000	.028000
				2-65+ YR.	.088000	.212000	.088000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BAY LEAVES, W IND, EXT FEMA 2121A	16	SOFT CANDY(R)	*	0-5 MO.	.000060	.000600	.000320
				6-11 MO.	.000660	.002040	.003520
				12-23 MO.	.001050	.002790	.005600
				2-65+ YR.	.001740	.005280	.009280
BAY LEAVES, W IND, EXT FEMA 2121A	23	BEV TYPE I(R)	*	0-5 MO.	.000240	.000360	.002400
				6-11 MO.	.002270	.007770	.022700
				12-23 MO.	.005420	.016250	.054200
				2-65+ YR.	.010400	.027770	.104000
BAY LEAVES, W IND, EXT FEMA 2121A	99	ALL CATEGORIES	*	0-5 MO.	.059700	.158560	.068720
				6-11 MO.	1.128730	3.045010	1.276220
				12-23 MO.	1.665270	2.897640	1.899800
				2-65+ YR.	4.333740	7.270450	4.905280
BAY LEAVES, W IND, OIL FEMA 2122A	01	BAKED GOODS(R)	*	0-5 MO.	.012703	.016813	.018687
				6-11 MO.	.094900	.193537	.139600
				12-23 MO.	.203625	.335514	.299536
				2-65+ YR.	.512611	.761444	.754060
BAY LEAVES, W IND, OIL FEMA 2122A	07	FRGZN DAIRY(R)	4	0-5 MO.	.001496	.006134	.002499
				6-11 MO.	.014213	.039496	.023745
				12-23 MO.	.021543	.050567	.035992
				2-65+ YR.	.038299	.092308	.063986
BAY LEAVES, W IND, OIL FEMA 2122A	10	MEAT PRODS(R)	7	0-5 MO.	.020539	.054148	.034594
				6-11 MO.	.386502	1.041874	.651005
				12-23 MO.	.563882	.969055	.949775
				2-65+ YR.	1.463852	2.429173	2.465642
BAY LEAVES, W IND, OIL FEMA 2122A	14	PROCSD VEGS(R)	*	0-5 MO.	.001327	.003982	.001327
				6-11 MO.	.022753	.053090	.022753
				12-23 MO.	.036973	.061907	.036973
				2-65+ YR.	.080583	.135759	.080583
BAY LEAVES, W IND, OIL FEMA 2122A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.001882	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BAY LEAVES, W IND, OIL FEMA 2122A	15	CONDM RELSH(R)	6	6-11 MO.	.015056	.041404	.022164
				12-23 MO.	.052696	.143032	.077576
				2-65+ YR.	.165616	.398985	.243809
BAY LEAVES, W IND, OIL FEMA 2122A	16	SOFT CANDY(R)	5	0-5 MO.	.000599	.005987	.001265
				6-11 MO.	.006585	.020355	.013914
				12-23 MO.	.010477	.027838	.022136
				2-65+ YR.	.017361	.052683	.036683
BAY LEAVES, W IND, OIL FEMA 2122A	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
BAY LEAVES, W IND, OIL FEMA 2122A	23	BEV TYPE I(R)	4	0-5 MO.	.002362	.003543	.004719
				6-11 MO.	.022338	.076462	.044631
				12-23 MO.	.053337	.159912	.106565
				2-65+ YR.	.102343	.273277	.204478
BAY LEAVES, W IND, OIL FEMA 2122A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000133	**********
				12-23 MO.	**********	.000267	**********
				2-65+ YR.	.043333	.125867	.092083
BAY LEAVES, W IND, OIL FEMA 2122A	99	ALL CATEGORIES	12	0-5 MO.	.043026	.097888	.071091
				6-11 MO.	.587947	1.543952	.969013
				12-23 MO.	.970133	1.815291	1.583753
				2-65+ YR.	2.464800	4.374494	4.022925
BAY LEAVES, W IND, RESIN FEMA 2123A	01	BAKED GOODS(R)	*	0-5 MO.	.021482	.028432	.030909
				6-11 MO.	.160482	.327282	.230909
				12-23 MO.	.344341	.567373	.495455
				2-65+ YR.	.866855	1.287645	1.247273
BAY LEAVES, W IND, RESIN FEMA 2123A	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.004000
				6-11 MO.	.019000	.052800	.038000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BAY LEAVES, W IND, RESIN FEMA 2123A	07	FROZN DAIRY(R)	*	12-23 MO.	.028800	.067600	.057600
				2-65+ YR.	.051200	.123400	.102400
BAY LEAVES, W IND, RESIN FEMA 2123A	10	MEAT PRODS(R)	*	0-5 MO.	.001206	.003179	.016718
				6-11 MO.	.022691	.061167	.314598
				12-23 MO.	.033105	.056892	.458979
				2-65+ YR.	.085941	.142613	1.191522
BAY LEAVES, W IND, RESIN FEMA 2123A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.007000	**********
				6-11 MO.	.056000	.154000	.080000
				12-23 MO.	.196000	.532000	.280000
				2-65+ YR.	.616000	1.484000	.880000
BAY LEAVES, W IND, RESIN FEMA 2123A	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.001600
				6-11 MO.	.013200	.040800	.017600
				12-23 MO.	.021000	.055800	.028000
				2-65+ YR.	.034800	.105600	.046400
BAY LEAVES, W IND, RESIN FEMA 2123A	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.016000
				6-11 MO.	.076800	.232800	.102400
				12-23 MO.	.082800	.201600	.110400
				2-65+ YR.	.122400	.315000	.163200
BAY LEAVES, W IND, RESIN FEMA 2123A	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.012000
				6-11 MO.	.068100	.233100	.113500
				12-23 MO.	.162600	.487500	.271000
				2-65+ YR.	.312000	.833100	.520000
BAY LEAVES, W IND, RESIN FEMA 2123A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
BAY LEAVES, W IND, RESIN FEMA 2123A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.008416	.008416	.008416
				12-23 MO.	.008416	.025248	.008416

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BAY LEAVES, W IND, RESIN FEMA 2123A	31	CHEWING GUM(R)	*	2-65+ YR.	.016832	.033664	.016832
BAY LEAVES, W IND, RESIN FEMA 2123A	99	ALL CATEGORIES	5	0-5 MO.	.045088	.085811	.081227
				6-11 MO.	.424689	1.110665	.905423
				12-23 MO.	.877062	1.994613	1.709850
				2-65+ YR.	2.203527	4.608223	4.330127
BAY, SWEET FEMA 2124A	01	BAKED GOODS(R)	*	0-5 MO.	.166288	.220088	.298165
				6-11 MO.	1.242272	2.533453	2.227468
				12-23 MO.	2.665506	4.391971	4.779410
				2-65+ YR.	6.710227	9.967523	12.031835
BAY, SWEET FEMA 2124A	02	BREAK CERLS(R)	*	0-5 MO.	.017400	.049300	.017400
				6-11 MO.	.646700	1.734200	.646700
				12-23 MO.	.756900	1.476100	.756900
				2-65+ YR.	.580000	1.502200	.580000
BAY, SWEET FEMA 2124A	04	FATS OILS(R)	*	0-5 MO.	.046280	.046280	.106585
				6-11 MO.	.259171	.694207	.596878
				12-23 MO.	.583134	1.110732	1.342976
				2-65+ YR.	1.619817	2.924927	3.730488
BAY, SWEET FEMA 2124A	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
BAY, SWEET FEMA 2124A	08	PROCSD FRUT(R)	*	0-5 MO.	1.457000	3.906000	2.632000
				6-11 MO.	16.058000	39.990000	29.008000
				12-23 MO.	31.186000	61.907000	56.336000
				2-65+ YR.	36.673000	77.686000	66.248000
BAY, SWEET FEMA 2124A	10	MEAT PRODS(R)	15	0-5 MO.	.225744	.595144	.845831
				6-11 MO.	4.248095	11.451388	15.916993
				12-23 MO.	6.197704	10.651022	23.221893
				2-65+ YR.	16.089405	26.699382	60.284650

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BAY, SWEET FEMA 2124A	14	PRUCSO VEGS(R)	4	0-5 MO.	.433883	1.301649	.433883
				6-11 MO.	7.437994	17.355319	7.437994
				12-23 MO.	12.086740	20.237542	12.086740
				2-65+ YR.	26.342895	44.380031	26.342895
BAY, SWEET FEMA 2124A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.092516	**********
				6-11 MO.	.740124	2.035342	.856843
				12-23 MO.	2.590435	7.031181	2.998951
				2-65+ YR.	8.141368	19.613295	9.425275
BAY, SWEET FEMA 2124A	16	SOFT CANDY(R)	*	0-5 MO.	.000600	.006000	.001000
				6-11 MO.	.006600	.020400	.011000
				12-23 MO.	.010500	.027900	.017500
				2-65+ YR.	.017400	.052800	.029000
BAY, SWEET FEMA 2124A	21	SOUPS(R)	5	0-5 MO.	.006910	.051821	.008203
				6-11 MO.	.804959	2.511611	.955675
				12-23 MO.	1.202257	3.320026	1.427360
				2-65+ YR.	1.095159	2.919273	1.300210
BAY, SWEET FEMA 2124A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.022000	**********
				6-11 MO.	.088000	.242000	.088000
				12-23 MO.	.242000	.682000	.242000
				2-65+ YR.	.286000	.814000	.286000
BAY, SWEET FEMA 2124A	23	BEV TYPE II(R)	*	0-5 MO.	.004800	.007200	.007200
				6-11 MO.	.045400	.155400	.068100
				12-23 MO.	.108400	.325000	.162600
				2-65+ YR.	.208000	.555400	.312000
BAY, SWEET FEMA 2124A	27	GRAVIES(R)	5	0-5 MO.	.010206	.030617	.019877
				6-11 MO.	.142878	.398019	.278284
				12-23 MO.	.367402	1.040972	.715588
				2-65+ YR.	.847065	2.173794	1.649827
BAY, SWEET FEMA 2124A	99	ALL CATEGORIES	26	0-5 MO.	2.372111	6.340915	4.375145

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BAY, SWEET FEMA 2124A	59	ALL CATEGORIES	26	6-11 MO.	31.748695	79.200539	58.139435
				12-23 MO.	58.040178	112.302845	104.159917
				2-65+ YR.	98.687136	189.473726	182.348180
BAY, SWEET, OIL FEMA 2125A	01	BAKED GOODS(R)	4	0-5 MO.	.057365	.075924	.094538
				6-11 MO.	.428551	.873974	.706253
				12-23 MO.	.919529	1.515114	1.515385
				2-65+ YR.	2.314851	3.438533	3.814878
BAY, SWEET, OIL FEMA 2125A	07	FROZN DAIRY(R)	*	0-5 MO.	.006505	.026669	.009365
				6-11 MO.	.061794	.171721	.088972
				12-23 MO.	.093666	.219855	.134862
				2-65+ YR.	.166517	.401333	.239755
BAY, SWEET, OIL FEMA 2125A	10	MEAT PRODS(R)	7	0-5 MO.	.079504	.209602	.139049
				6-11 MO.	1.496125	4.033031	2.616640
				12-23 MO.	2.182752	3.751153	3.817514
				2-65+ YR.	5.666481	9.403179	9.910367
BAY, SWEET, OIL FEMA 2125A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.007362	**********
				6-11 MO.	.058899	.161972	.171973
				12-23 MO.	.206146	.559540	.601905
				2-65+ YR.	.647889	1.560823	1.891700
BAY, SWEET, OIL FEMA 2125A	16	SOFT CANDY(R)	5	0-5 MO.	.000596	.005961	.001422
				6-11 MO.	.006557	.020268	.015646
				12-23 MO.	.010432	.027719	.024891
				2-65+ YR.	.017287	.052457	.041248
BAY, SWEET, OIL FEMA 2125A	17	CONF FROST(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.000500	.001000	.005000
				12-23 MO.	.001000	.003500	.010000
				2-65+ YR.	.001500	.004000	.015000
BAY, SWEET, OIL FEMA 2125A	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.010000
				6-11 MO.	.038400	.116400	.064000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BAY, SWEET, OIL FEMA 2125A	20	GELATIN PUD(R)	*	12-23 MO.	.041400	.100800	.069000
				2-65+ YR.	.061200	.157500	.102000
BAY, SWEET, OIL FEMA 2125A	21	SOUPS(R)	*	0-5 MO.	.000080	.000600	.000080
				6-11 MO.	.009320	.029080	.009920
				12-23 MO.	.013920	.038440	.013920
				2-65+ YR.	.012680	.033800	.012680
BAY, SWEET, OIL FEMA 2125A	23	BEV TYPE I(R)	7	0-5 MO.	.006619	.009929	.011261
				6-11 MO.	.062608	.214302	.106507
				12-23 MO.	.149487	.448186	.254303
				2-65+ YR.	.286839	.765916	.487961
BAY, SWEET, OIL FEMA 2125A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000311	**********
				12-23 MO.	**********	.000621	**********
				2-65+ YR.	.100986	.293325	.240931
BAY, SWEET, OIL FEMA 2125A	27	GRAVIES(R)	*	0-5 MO.	.000504	.001512	.000548
				6-11 MO.	.007058	.019662	.007673
				12-23 MO.	.018149	.051424	.019732
				2-65+ YR.	.041845	.107384	.045492
BAY, SWEET, OIL FEMA 2125A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000111	.000111	.000144
				12-23 MO.	.000111	.000333	.000144
				2-65+ YR.	.000222	.000444	.000288
BAY, SWEET, OIL FEMA 2125A	99	ALL CATEGORIES	22	0-5 MO.	.157174	.346160	.266263
				6-11 MO.	2.169923	5.641832	3.792128
				12-23 MO.	3.636593	6.716685	6.461655
				2-65+ YR.	9.318297	16.218694	16.802300
BERGAMOT, OIL FEMA 2153A	01	BAKED GOODS(R)	13	0-5 MO.	.270494	.358007	.316092
				6-11 MO.	2.020753	4.121063	2.361394
				12-23 MO.	4.335867	7.144236	5.066771

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BERGAMOT, OIL FEMA 2153A	01	BAKED GOODS(R)	13	2-65+ YR.	10.915247	16.213756	12.755248
BERGAMOT, OIL FEMA 2153A	07	FROZN DAIRY(R)	15	0-5 MO.	.045119	.184988	.049467
				6-11 MO.	.428630	1.191141	.469933
				12-23 MO.	.649713	1.525022	.712320
				2-65+ YR.	1.155046	2.783841	1.266347
BERGAMOT, OIL FEMA 2153A	10	MEAT PRODS(R)	*	0-5 MO.	.000165	.000435	**********
				6-11 MO.	.003105	.008370	**********
				12-23 MO.	.004530	.007785	**********
				2-65+ YR.	.011760	.019515	**********
BERGAMOT, OIL FEMA 2153A	16	SOFT CANDY(R)	15	0-5 MO.	.017739	.177387	.019038
				6-11 MO.	.195126	.603116	.209420
				12-23 MO.	.310427	.824850	.333168
				2-65+ YR.	.514422	1.561006	.552108
BERGAMOT, OIL FEMA 2153A	20	GELATIN PUD(R)	11	0-5 MO.	.347016	.468471	.400041
				6-11 MO.	2.220901	6.732108	2.560264
				12-23 MO.	2.394409	5.829866	2.760285
				2-65+ YR.	3.539562	9.109166	4.080421
BERGAMOT, OIL FEMA 2153A	23	BEV TYPE I(R)	22	0-5 MO.	.140562	.210843	.164556
				6-11 MO.	1.329481	4.550690	1.556425
				12-23 MO.	3.174355	9.517208	3.716221
				2-65+ YR.	6.091013	16.264177	7.130756
BERGAMOT, OIL FEMA 2153A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008900	**********
				12-23 MO.	**********	.017800	**********
				2-65+ YR.	2.892420	8.401369	2.961626
BERGAMOT, OIL FEMA 2153A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000059	.000177	.000196
				12-23 MO.	.000177	.000531	.000588
				2-65+ YR.	.000354	.001003	.001176

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BERGAMOT, OIL FEMA 2153A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000294	.000294	.000557
				12-23 MO.	.000294	.000882	.000557
				2-65+ YR.	.000588	.001176	.001114
BERGAMOT, OIL FEMA 2153A	99	ALL CATEGORIES	30	0-5 MO.	.821095	1.400131	.949194
				6-11 MO.	6.198349	17.215858	7.158190
				12-23 MO.	10.869773	24.868179	12.589911
				2-65+ YR.	25.120413	54.355009	28.748796
CANANGA, OIL FEMA 2232A	01	BAKED GOODS(R)	*	0-5 MO.	.049740	.065832	.096943
				6-11 MO.	.371587	.757803	.724225
				12-23 MO.	.797302	1.313719	1.553947
				2-65+ YR.	2.007153	2.981470	3.911953
CANANGA, OIL FEMA 2232A	07	FROZN DAIRY(R)	*	0-5 MO.	.008565	.035116	.010297
				6-11 MO.	.081367	.226114	.097822
				12-23 MO.	.123335	.289495	.148278
				2-65+ YR.	.219262	.528456	.263605
CANANGA, OIL FEMA 2232A	16	SOFT CANDY(R)	*	0-5 MO.	.004334	.043338	.006247
				6-11 MO.	.047671	.147348	.068714
				12-23 MO.	.075841	.201520	.109318
				2-65+ YR.	.125679	.381371	.181156
CANANGA, OIL FEMA 2232A	20	GELATIN PUD(R)	*	0-5 MO.	.054832	.074023	.064626
				6-11 MO.	.350924	1.063739	.413607
				12-23 MO.	.378340	.921176	.445920
				2-65+ YR.	.559286	1.439338	.659186
CANANGA, OIL FEMA 2232A	23	BEV TYPE I(R)	*	0-5 MO.	.021957	.032935	.031909
				6-11 MO.	.207672	.710843	.301807
				12-23 MO.	.495852	1.486641	.720614
				2-65+ YR.	.951450	2.540556	1.382727
CANANGA, OIL FEMA 2232A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CANANGA, OIL FEMA 2232A	24	BEV TYPE II(R)	*	6-11 MO.	**********	.002200	**********
				12-23 MO.	**********	.004400	**********
				2-65+ YR.	.715000	2.076800	.910000
CANANGA, OIL FEMA 2232A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000036	.000036	.000036
				12-23 MO.	.000036	.000108	.000036
				2-65+ YR.	.000072	.000144	.000072
CANANGA, OIL FEMA 2232A	99	ALL CATEGORIES	6	0-5 MO.	.139427	.251244	.210022
				6-11 MO.	1.059258	2.908084	1.606211
				12-23 MO.	1.870706	4.217060	2.978112
				2-65+ YR.	4.577902	9.948136	7.308699
CAPSICUM, EXTRACT FEMA 2233A	01	BAKED GOODS(R)	*	0-5 MO.	.850000	1.125000	1.003000
				6-11 MO.	6.350000	12.950000	7.493000
				12-23 MO.	13.625000	22.450000	16.077500
				2-65+ YR.	34.300000	50.950000	40.474000
CAPSICUM, EXTRACT FEMA 2233A	07	FROZN DAIRY(R)	*	0-5 MO.	.270000	1.107000	.330000
				6-11 MO.	2.565000	7.128000	3.135000
				12-23 MO.	3.888000	9.126000	4.752000
				2-65+ YR.	6.912000	16.659000	8.448000
CAPSICUM, EXTRACT FEMA 2233A	10	MEAT PRODS(R)	*	0-5 MO.	.133571	.352143	.217643
				6-11 MO.	2.513571	6.775714	4.095643
				12-23 MO.	3.667143	6.302143	5.975286
				2-65+ YR.	9.520000	15.797857	15.512000
CAPSICUM, EXTRACT FEMA 2233A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.079500	**********
				6-11 MO.	.636000	1.749000	.696000
				12-23 MO.	2.226000	6.042000	2.436000
				2-65+ YR.	6.996000	16.854000	7.656000
CAPSICUM, EXTRACT FEMA 2233A	16	SOFT CANDY(R)	*	0-5 MO.	.076000	.760000	.090000
				6-11 MO.	.836000	2.584000	.990000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CAPSICUM, EXTRACT FEMA 2233A	16	SOFT CANDY(R)	*	12-23 MO.	1.330000	3.534000	1.575000
				2-65+ YR.	2.204000	6.688000	2.610000
CAPSICUM, EXTRACT FEMA 2233A	20	GELATIN PUD(R)	*	0-5 MO.	.160000	.216000	.230000
				6-11 MO.	1.024000	3.104000	1.472000
				12-23 MO.	1.104000	2.688000	1.587000
				2-65+ YR.	1.632000	4.200000	2.346000
CAPSICUM, EXTRACT FEMA 2233A	21	SOUPS(R)	*	0-5 MO.	.226800	1.701000	.253200
				6-11 MO.	26.422200	82.441800	29.497800
				12-23 MO.	39.463200	108.977400	44.056800
				2-65+ YR.	35.947800	95.823000	40.132200
CAPSICUM, EXTRACT FEMA 2233A	23	BEV TYPE II(R)	*	0-5 MO.	.218502	.327754	.401630
				6-11 MO.	2.066668	7.074014	3.798754
				12-23 MO.	4.934512	14.794431	9.070152
				2-65+ YR.	9.468436	25.282545	17.403981
CAPSICUM, EXTRACT FEMA 2233A	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.117500	**********
				12-23 MO.	**********	.235000	**********
				2-65+ YR.	38.187500	110.920000	39.000000
CAPSICUM, EXTRACT FEMA 2233A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000625	.001875	.000625
				12-23 MO.	.001875	.005625	.001875
				2-65+ YR.	.003750	.010625	.003750
CAPSICUM, EXTRACT FEMA 2233A	99	ALL CATEGORIES	6	0-5 MO.	1.934874	5.668396	2.525473
				6-11 MO.	42.414065	123.925903	51.178821
				12-23 MO.	70.239730	174.154599	85.531612
				2-65+ YR.	145.171486	343.185027	173.585931
CAPSICUM, OLEORESIN FEMA 2234A	01	BAKED GOODS(R)	10	0-5 MO.	.171225	.226621	.277360
				6-11 MO.	1.279149	2.608659	2.072043
				12-23 MO.	2.744631	4.522347	4.445919

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CAPSICUM, OLEORESIN FEMA 2234A	01	BAKED GOODS(R)	10	2-65+ YR.	6.909421	10.263411	11.192295
CAPSICUM, OLEORESIN FEMA 2234A	04	FATS OILS(R)	*	0-5 MO.	.029000	.029000	.029000
				6-11 MO.	.162400	.435000	.162400
				12-23 MO.	.365400	.696000	.365400
				2-65+ YR.	1.015000	1.832800	1.015000
CAPSICUM, OLEORESIN FEMA 2234A	07	FROZN DAIRY(R)	*	0-5 MO.	.024259	.099463	.027407
				6-11 MO.	.230463	.640444	.260370
				12-23 MO.	.349333	.819963	.394667
				2-65+ YR.	.621037	1.496796	.701630
CAPSICUM, OLEORESIN FEMA 2234A	10	MEAT PRODS(R)	23	0-5 MO.	.082009	.216205	.158034
				6-11 MO.	1.543254	4.160076	2.973905
				12-23 MO.	2.251511	3.869318	4.338740
				2-65+ YR.	5.844981	9.699388	11.263485
CAPSICUM, OLEORESIN FEMA 2234A	15	CONDM RELSH(R)	14	0-5 MO.	**********	.024679	**********
				6-11 MO.	.197433	.542940	.261632
				12-23 MO.	.691015	1.875612	.915713
				2-65+ YR.	2.171762	5.231971	2.877956
CAPSICUM, OLEORESIN FEMA 2234A	16	SOFT CANDY(R)	10	0-5 MO.	.004273	.042734	.004718
				6-11 MO.	.047008	.145297	.051898
				12-23 MO.	.074785	.198714	.082564
				2-65+ YR.	.123929	.376062	.136821
CAPSICUM, OLEORESIN FEMA 2234A	20	GELATIN PUD(R)	*	0-5 MO.	.036000	.048600	.040000
				6-11 MO.	.230400	.698400	.256000
				12-23 MO.	.248400	.604800	.276000
				2-65+ YR.	.367200	.945000	.408000
CAPSICUM, OLEORESIN FEMA 2234A	23	BEV TYPE I(R)	21	0-5 MO.	.219739	.329608	.243548
				6-11 MO.	2.078361	7.114037	2.303556
				12-23 MO.	4.962430	14.878135	5.500121
				2-65+ YR.	9.522006	25.425588	10.553737

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO. NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CAPSICUM, OLEORESIN FEMA 2234A	24 BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
			6-11 MO.	**********	.077000	**********
			12-23 MO.	**********	.154000	**********
			2-65+ YR.	25.025000	72.688000	29.250000
CAPSICUM, OLEORESIN FEMA 2234A	27 GRAVIES(R)	*	0-5 MO.	.004939	.014818	.004970
			6-11 MO.	.069153	.192639	.069583
			12-23 MO.	.177821	.503826	.178927
			2-65+ YR.	.409976	1.052108	.412526
CAPSICUM, OLEORESIN FEMA 2234A	30 HARD CANDY(R)	7	0-5 MO.	.000000	.000000	.000000
			6-11 MO.	.000956	.002868	.001889
			12-23 MO.	.002868	.008604	.005667
			2-65+ YR.	.005736	.016252	.011334
CAPSICUM, OLEORESIN FEMA 2234A	31 CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
			6-11 MO.	.009557	.009557	.015973
			12-23 MO.	.009557	.028671	.015973
			2-65+ YR.	.019114	.038228	.031946
CAPSICUM, OLEORESIN FEMA 2234A	59 ALL CATEGORIES	67	0-5 MO.	.571444	1.031728	.785037
			6-11 MO.	5.848133	16.626918	8.429249
			12-23 MO.	11.877752	28.159990	16.519691
			2-65+ YR.	52.035162	129.065604	67.854729
CARAWAY FEMA 2236A NAS 0421	01 BAKED GOODS(R)	16	0-5 MO.	14.140279	18.715076	28.409546
			6-11 MO.	105.636204	215.431314	212.236018
			12-23 MO.	226.660359	373.469730	455.388306
			2-65+ YR.	570.601859	847.584977	1146.408726
CARAWAY FEMA 2236A NAS 0421	04 FATS OILS(R)	*	0-5 MO.	.005500	.005500	.005500
			6-11 MO.	.030800	.082500	.030800
			12-23 MO.	.069300	.132000	.069300
			2-65+ YR.	.192500	.347600	.192500
CARAWAY FEMA 2236A NAS 0421	10 MEAT PRODS(R)	9	0-5 MO.	.738235	1.946256	1.586898

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARAWAY FEMA 2236A	NAS 0421	10	MEAT PRODS(R)	9	6-11 MO.	13.892238	37.448641	29.862533
					12-23 MO.	20.267903	34.831263	43.567560
					2-65+ YR.	52.616012	87.313051	113.102540
CARAWAY FEMA 2236A	NAS 0421	14	PROCSD VEGS(R)	*	0-5 MO.	1.400000	4.200000	5.600000
					6-11 MO.	24.000000	56.000000	96.000000
					12-23 MO.	39.000000	65.300000	156.000000
					2-65+ YR.	85.000000	143.200000	340.000000
CARAWAY FEMA 2236A	NAS 0421	15	CONDM RELSH(R)	*	0-5 MO.	**********	.043411	**********
					6-11 MO.	.347288	.955042	.348496
					12-23 MO.	1.215508	3.299236	1.219735
					2-65+ YR.	3.820168	9.203132	3.833453
CARAWAY FEMA 2236A	NAS 0421	21	SOUPS(R)	*	0-5 MO.	.094000	.705000	.106400
					6-11 MO.	10.951000	34.169000	12.395600
					12-23 MO.	16.356000	45.167000	18.513600
					2-65+ YR.	14.899000	39.715000	16.864400
CARAWAY FEMA 2236A	NAS 0421	22	SNACK FOODS(R)	*	0-5 MO.	**********	.011400	**********
					6-11 MO.	.045600	.125400	.055600
					12-23 MO.	.125400	.353400	.152900
					2-65+ YR.	.148200	.421800	.180700
CARAWAY FEMA 2236A	NAS 0421	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.016495	**********
					12-23 MO.	**********	.032990	**********
					2-65+ YR.	5.360825	15.571134	10.522294
CARAWAY FEMA 2236A	NAS 0421	27	GRAVIES(R)	*	0-5 MO.	.000820	.002460	.001350
					6-11 MO.	.011480	.031980	.018900
					12-23 MO.	.029520	.083640	.048600
					2-65+ YR.	.068060	.174660	.112050
CARAWAY FEMA 2236A	NAS 0421	99	ALL CATEGORIES	29	0-5 MO.	16.378834	25.629102	35.709694
					6-11 MO.	154.914610	344.260372	350.947946

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARAWAY							
FEMA 2236A NAS 0421	99	ALL CATEGORIES	29	12-23 MO.	303.723990	522.669259	674.960001
				2-65+ YR.	732.706624	1143.531354	1631.216663
CARAWAY, BLACK							
FEMA 2237A	10	MEAT PRODS(R)	*	0-5 MO.	.036300	.095700	.038500
				6-11 MO.	.683100	1.841400	.724500
				12-23 MO.	.996600	1.712700	1.057000
				2-65+ YR.	2.587200	4.293300	2.744000
CARAWAY, BLACK							
FEMA 2237A	99	ALL CATEGORIES	*	0-5 MO.	.036300	.095700	.038500
				6-11 MO.	.683100	1.841400	.724500
				12-23 MO.	.996600	1.712700	1.057000
				2-65+ YR.	2.587200	4.293300	2.744000
CARAWAY, OIL							
FEMA 2238A	01	BAKED GOODS(R)	19	0-5 MO.	.617735	.817590	.766399
				6-11 MO.	4.614842	9.411370	5.725448
				12-23 MO.	9.901924	16.315464	12.284917
				2-65+ YR.	24.927413	37.027746	30.926434
CARAWAY, OIL							
FEMA 2238A	06	CHEESE(R)	*	0-5 MO.	**********	.000005	**********
				6-11 MO.	.000135	.000485	.000311
				12-23 MO.	.000390	.001110	.000897
				2-65+ YR.	.000470	.001180	.001081
CARAWAY, OIL							
FEMA 2238A	07	FROZN DAIRY(R)	*	0-5 MO.	.034946	.143280	.043434
				6-11 MO.	.331990	.922582	.412626
				12-23 MO.	.503227	1.181184	.625454
				2-65+ YR.	.894625	2.156186	1.111918
CARAWAY, OIL							
FEMA 2238A	10	MEAT PRODS(R)	12	0-5 MO.	.122029	.321713	.160668
				6-11 MO.	2.296368	6.190209	3.023477
				12-23 MO.	3.350256	5.757560	4.411063
				2-65+ YR.	8.697354	14.432727	11.451237
CARAWAY, OIL							
FEMA 2238A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.003603	**********
				6-11 MO.	.028825	.079268	.033367
				12-23 MO.	.100886	.273833	.116785

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARAWAY, OIL FEMA 2238A	15	CONDM RELSH(R)	5	2-65+ YR.	.317070	.763851	.367040
CARAWAY, OIL FEMA 2238A	16	SOFT CANDY(R)	5	0-5 MO.	.014843	.148434	.017580
				6-11 MO.	.163277	.504676	.193378
				12-23 MO.	.259760	.690218	.307647
				2-65+ YR.	.430459	1.306220	.509815
CARAWAY, OIL FEMA 2238A	20	GELATIN PUD(R)	*	0-5 MO.	.200000	.270000	.256221
				6-11 MO.	1.280000	3.880000	1.639816
				12-23 MO.	1.380000	3.360000	1.767926
				2-65+ YR.	2.040000	5.250000	2.613456
CARAWAY, OIL FEMA 2238A	21	SOUPS(R)	*	0-5 MO.	.000120	.000900	**********
				6-11 MO.	.013980	.043620	**********
				12-23 MO.	.020880	.057660	**********
				2-65+ YR.	.019020	.050700	**********
CARAWAY, OIL FEMA 2238A	23	BEV TYPE I(R)	7	0-5 MO.	.065061	.097592	.084211
				6-11 MO.	.615369	2.106350	.796495
				12-23 MO.	1.469295	4.405173	1.901763
				2-65+ YR.	2.819311	7.528102	3.649140
CARAWAY, OIL FEMA 2238A	24	BEV TYPE II(R)	9	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.011484	**********
				12-23 MO.	**********	.022968	**********
				2-65+ YR.	3.732367	10.841092	4.631067
CARAWAY, OIL FEMA 2238A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005000	.015000	.005000
				12-23 MO.	.015000	.045000	.015000
				2-65+ YR.	.030000	.085000	.030000
CARAWAY, OIL FEMA 2238A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000031	.000031	.000045
				12-23 MO.	.000031	.000093	.000045
				2-65+ YR.	.000062	.000124	.000090

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARAWAY, OIL							
FEMA 2238A	99	ALL CATEGORIES	32	0-5 MO.	1.054735	1.803117	1.328513
				6-11 MO.	9.349816	23.165075	11.829962
				12-23 MO.	17.001648	32.110265	21.431498
				2-65+ YR.	43.908151	79.442927	55.291278
CARDAMOM							
FEMA 2240A	01	BAKED GOODS(R)	9	0-5 MO.	.357264	.472850	1.901278
				6-11 MO.	2.668975	5.443029	14.203663
				12-23 MO.	5.726739	9.435984	30.476364
				2-65+ YR.	14.416670	21.414850	76.722148
CARDAMOM							
FEMA 2240A	04	FATS OILS(R)	*	0-5 MO.	.005500	.005500	.005500
				6-11 MO.	.030800	.082500	.030800
				12-23 MO.	.069300	.132000	.069300
				2-65+ YR.	.192500	.347600	.192500
CARDAMOM							
FEMA 2240A	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
CARDAMOM							
FEMA 2240A	08	PROCSD FRUT(R)	*	0-5 MO.	.188000	.504000	.940000
				6-11 MO.	2.072000	5.160000	10.360000
				12-23 MO.	4.024000	7.988000	20.120000
				2-65+ YR.	4.732000	10.024000	23.660000
CARDAMOM							
FEMA 2240A	10	MEAT PRODS(R)	10	0-5 MO.	.104375	.275172	.510606
				6-11 MO.	1.964156	5.294683	9.608680
				12-23 MO.	2.865581	4.924624	14.018461
				2-65+ YR.	7.439124	12.344771	34.392296
CARDAMOM							
FEMA 2240A	14	PROCSD VEGS(R)	*	0-5 MO.	.053200	.159600	.099400
				6-11 MO.	.912000	2.128000	1.704000
				12-23 MO.	1.482000	2.481400	2.769000
				2-65+ YR.	3.230000	5.441600	6.035000
CARDAMOM							
FEMA 2240A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.020874	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARDAMOM FEMA 2240A	15	CONDM RELSH(R)	*	6-11 MO.	.166991	.459225	.400052
				12-23 MO.	.584468	1.586413	1.400182
				2-65+ YR.	1.836899	4.425257	4.400572
CARDAMOM FEMA 2240A	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000600
				6-11 MO.	.002200	.006800	.006600
				12-23 MO.	.003500	.009300	.010500
				2-65+ YR.	.005800	.017600	.017400
CARDAMOM FEMA 2240A	20	GELATIN PUD(R)	*	0-5 MO.	1.000000	1.350000	2.000000
				6-11 MO.	6.400000	19.400000	12.800000
				12-23 MO.	6.900000	16.800000	13.800000
				2-65+ YR.	10.200000	26.250000	20.400000
CARDAMOM FEMA 2240A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.150000	**********
				6-11 MO.	.600000	1.650000	1.000000
				12-23 MO.	1.650000	4.650000	2.750000
				2-65+ YR.	1.950000	5.550000	3.250000
CARDAMOM FEMA 2240A	23	BEV TYPE I(R)	4	0-5 MO.	.095339	.143009	.287221
				6-11 MO.	.901752	3.086615	2.716629
				12-23 MO.	2.153083	6.455276	6.486400
				2-65+ YR.	4.131377	11.031571	12.446228
CARDAMOM FEMA 2240A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.019951	**********
				12-23 MO.	**********	.039902	**********
				2-65+ YR.	6.484021	18.833588	25.936048
CARDAMOM FEMA 2240A	27	GRAVIES(R)	*	0-5 MO.	.004250	.012750	.504583
				6-11 MO.	.059500	.165750	7.064167
				12-23 MO.	.153000	.433500	18.165000
				2-65+ YR.	.352750	.905250	41.880417
CARDAMOM FEMA 2240A	99	ALL CATEGORIES	23	0-5 MO.	1.809129	3.099855	6.251188
				6-11 MO.	15.787875	42.922952	59.913591

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARDAMON FEMA 2240A	99	ALL CATEGORIES	23	12-23 MO.	25.626070	54.970199	110.094006
				2-65+ YR.	54.996741	116.647786	251.363810
CARDAMON SEED, OIL FEMA 2241A	01	BAKED GOODS(R)	19	0-5 MO.	.175106	.231758	.227422
				6-11 MO.	1.308146	2.667793	1.698977
				12-23 MO.	2.806848	4.624862	3.645442
				2-65+ YR.	7.066047	10.496067	9.177149
CARDAMON SEED, OIL FEMA 2241A	07	FROZN DAIRY(R)	5	0-5 MO.	.005620	.023043	.006606
				6-11 MO.	.053391	.148372	.062757
				12-23 MO.	.080930	.189961	.095127
				2-65+ YR.	.143876	.346763	.169114
CARDAMON SEED, OIL FEMA 2241A	10	MEAT PRODS(R)	14	0-5 MO.	.039799	.104925	.059388
				6-11 MO.	.748948	2.018904	1.117575
				12-23 MO.	1.092669	1.877798	1.630472
				2-65+ YR.	2.836597	4.707159	4.232748
CARDAMON SEED, OIL FEMA 2241A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.006184	**********
				6-11 MO.	.049472	.136048	.053448
				12-23 MO.	.173152	.469985	.187066
				2-65+ YR.	.544193	1.311011	.587923
CARDAMON SEED, OIL FEMA 2241A	16	SOFT CANDY(R)	6	0-5 MO.	.001348	.013476	.001606
				6-11 MO.	.014824	.045020	.017670
				12-23 MO.	.023584	.062665	.028112
				2-65+ YR.	.039082	.118592	.046585
CARDAMON SEED, OIL FEMA 2241A	20	GELATIN PUD(R)	*	0-5 MO.	.025824	.034863	.029803
				6-11 MO.	.165275	.500988	.190741
				12-23 MO.	.176187	.433846	.205643
				2-65+ YR.	.263406	.677884	.303993
CARDAMON SEED, OIL FEMA 2241A	23	BEV TYPE I(R)	13	0-5 MO.	.005492	.008238	.009694
				6-11 MO.	.051943	.177797	.091688
				12-23 MO.	.124023	.371841	.218920

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARDAMOM SEED, OIL FEMA 2241A	23	BEV TYPE I(R)	13	2-65+ YR.	.237978	.635447	.420069
CARDAMOM SEED, OIL FEMA 2241A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.011114	**********
				12-23 MO.	**********	.022229	**********
				2-65+ YR.	3.612194	10.492036	3.812611
CARDAMOM SEED, OIL FEMA 2241A	27	GRAVIES(R)	*	0-5 MO.	.000500	.001500	.001000
				6-11 MO.	.007000	.019500	.014000
				12-23 MO.	.018000	.051000	.036000
				2-65+ YR.	.041500	.106500	.083000
CARDAMOM SEED, OIL FEMA 2241A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000002	.000006	.000002
				12-23 MO.	.000006	.000018	.000006
				2-65+ YR.	.000012	.000034	.000012
CARDAMOM SEED, OIL FEMA 2241A	59	ALL CATEGORIES	28	0-5 MO.	.253689	.423987	.335520
				6-11 MO.	2.399001	5.726343	3.246858
				12-23 MO.	4.497399	8.104204	6.046787
				2-65+ YR.	14.784885	28.891492	18.833204
CARROT, OIL FEMA 2244A	01	BAKED GOODS(R)	10	0-5 MO.	.035244	.046647	.067946
				6-11 MO.	.263296	.536957	.507599
				12-23 MO.	.564945	.930864	1.089139
				2-65+ YR.	1.422211	2.112584	2.741834
CARROT, OIL FEMA 2244A	07	FROZN DAIRY(R)	6	0-5 MO.	.005763	.023626	.008011
				6-11 MO.	.054744	.152131	.076104
				12-23 MO.	.082980	.194773	.115357
				2-65+ YR.	.147521	.355548	.205079
CARROT, OIL FEMA 2244A	10	MEAT PRODS(R)	*	0-5 MO.	.022460	.059214	.032233
				6-11 MO.	.422665	1.139358	.606558
				12-23 MO.	.616642	1.059726	.884930
				2-65+ YR.	1.600819	2.656461	2.297302

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARROT, OIL FEMA 2244A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.001703	**********
				6-11 MO.	.013626	.037470	.017932
				12-23 MO.	.047689	.129443	.062764
				2-65+ YR.	.149881	.361077	.197257
CARROT, OIL FEMA 2244A	16	SOFT CANDY(R)	8	0-5 MO.	.001414	.014138	.002648
				6-11 MO.	.015552	.048069	.029133
				12-23 MO.	.024741	.065741	.046348
				2-65+ YR.	.041000	.124413	.076805
CARROT, OIL FEMA 2244A	20	GELATIN PUD(R)	8	0-5 MO.	.007029	.009489	.012516
				6-11 MO.	.044987	.136367	.080100
				12-23 MO.	.048502	.118091	.086358
				2-65+ YR.	.071698	.184517	.127660
CARROT, OIL FEMA 2244A	21	SOUPS(R)	*	0-5 MO.	.000020	.000150	.000200
				6-11 MO.	.002330	.007270	.023300
				12-23 MO.	.003480	.009610	.034800
				2-65+ YR.	.003170	.008450	.031700
CARROT, OIL FEMA 2244A	23	BEV TYPE I(R)	12	0-5 MO.	.005158	.007737	.010487
				6-11 MO.	.048786	.166990	.099191
				12-23 MO.	.116485	.349240	.236834
				2-65+ YR.	.223513	.596824	.454443
CARROT, OIL FEMA 2244A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001242	**********
				12-23 MO.	**********	.002484	**********
				2-65+ YR.	.403684	1.172547	.472961
CARROT, OIL FEMA 2244A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000008	.000024	.000008
				12-23 MO.	.000024	.000072	.000024
				2-65+ YR.	.000048	.000136	.000048
CARROT, OIL FEMA 2244A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARROT, OIL FEMA 2244A	31	CHEWING GUM(R)	*	6-11 MO.	.000300	.000300	.000300
				12-23 MO.	.000300	.000900	.000300
				2-65+ YR.	.000600	.001200	.000600
CARROT, OIL FEMA 2244A	99	ALL CATEGORIES	19	0-5 MO.	.077088	.162705	.134041
				6-11 MO.	.866293	2.226178	1.440225
				12-23 MO.	1.505788	2.860943	2.556855
				2-65+ YR.	4.064144	7.573756	6.605688
CASCARILLA BARK, EXT FEMA 2254A	23	BEV TYPE I(R)	*	0-5 MO.	.796667	1.195000	1.860000
				6-11 MO.	7.535139	25.792083	17.592500
				12-23 MO.	17.991389	53.940972	42.005000
				2-65+ YR.	34.522222	92.180972	80.600000
CASCARILLA BARK, EXT FEMA 2254A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.005000	**********
				12-23 MO.	**********	.010000	**********
				2-65+ YR.	1.625000	4.720000	3.250000
CASCARILLA BARK, EXT FEMA 2254A	99	ALL CATEGORIES	*	0-5 MO.	.796667	1.195000	1.860000
				6-11 MO.	7.535139	25.797083	17.592500
				12-23 MO.	17.991389	53.950972	42.005000
				2-65+ YR.	36.147222	96.900972	83.850000
CASCARILLA BARK, OIL FEMA 2255A	01	BAKED GOODS(R)	4	0-5 MO.	.027402	.036267	.031675
				6-11 MO.	.204706	.417471	.236632
				12-23 MO.	.439231	.723724	.507733
				2-65+ YR.	1.105734	1.642483	1.278183
CASCARILLA BARK, OIL FEMA 2255A	07	FROZN DAIRY(R)	*	0-5 MO.	.006835	.028025	.008835
				6-11 MO.	.064936	.180454	.083936
				12-23 MO.	.098430	.231036	.127230
				2-65+ YR.	.174986	.421744	.226186
CASCARILLA BARK, OIL FEMA 2255A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.006726	**********
				6-11 MO.	.053807	.147970	.057699

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CASCARILLA BARK, OIL FEMA 2255A	15	CONDM RELSH(R)	*	12-23 MO.	.188326	.511170	.201946
				2-65+ YR.	.591881	1.425696	.634686
CASCARILLA BARK, OIL FEMA 2255A	16	SOFT CANDY(R)	*	0-5 MO.	.005334	.053339	.005934
				6-11 MO.	.058673	.181352	.065273
				12-23 MO.	.093343	.248025	.103843
				2-65+ YR.	.154682	.469381	.172082
CASCARILLA BARK, OIL FEMA 2255A	23	BEV TYPE I(R)	7	0-5 MO.	.015133	.022699	.018016
				6-11 MO.	.143129	.489916	.170401
				12-23 MO.	.341743	1.024599	.406861
				2-65+ YR.	.655743	1.750961	.780692
CASCARILLA BARK, OIL FEMA 2255A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001283	**********
				12-23 MO.	**********	.002566	**********
				2-65+ YR.	.417038	1.211334	.515903
CASCARILLA BARK, OIL FEMA 2255A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000004	.000012	.000004
				12-23 MO.	.000012	.000036	.000012
				2-65+ YR.	.000024	.000068	.000024
CASCARILLA BARK, OIL FEMA 2255A	99	ALL CATEGORIES	9	0-5 MO.	.054703	.147055	.064460
				6-11 MO.	.525255	1.418459	.613944
				12-23 MO.	1.161085	2.741157	1.347624
				2-65+ YR.	3.100089	6.921867	3.607758
CASSIA FEMA 2256A	01	BAKED GOODS(R)	7	0-5 MO.	13.955755	18.470852	47.620963
				6-11 MO.	104.257698	212.620029	355.756610
				12-23 MO.	223.702540	368.596112	763.336032
				2-65+ YR.	563.155753	836.524361	1921.645938
CASSIA FEMA 2256A	07	FROZN DAIRY(R)	*	0-5 MO.	.445019	1.824579	1.940879
				6-11 MO.	4.227683	11.748508	18.438349
				12-23 MO.	6.408277	15.041650	27.948655

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CASSIA FEMA 2256A	C7	FRGZN DAIRY(A)	*	2-65+ YR.	11.392492	27.457687	49.686498
CASSIA FEMA 2256A	10	MEAT PRODS(R)	4	0-5 MO.	1.265948	3.337498	4.423396
				6-11 MO.	23.822833	64.218072	83.240274
				12-23 MO.	34.756018	59.729713	121.442332
				2-65+ YR.	90.227543	149.727083	315.267512
CASSIA FEMA 2256A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.056425	**********
				6-11 MO.	.451400	1.241350	.958600
				12-23 MO.	1.579900	4.288300	3.355100
				2-65+ YR.	4.965400	11.962100	10.544600
CASSIA FEMA 2256A	16	SOFT CANDY(R)	*	0-5 MO.	.025000	.250000	.028000
				6-11 MO.	.275000	.850000	.308000
				12-23 MO.	.437500	1.162500	.490000
				2-65+ YR.	.725000	2.200000	.812000
CASSIA FEMA 2256A	19	SWEET SAUCE(R)	*	0-5 MO.	2.100000	2.800000	4.200000
				6-11 MO.	6.300000	21.700000	12.600000
				12-23 MO.	18.200000	53.200000	36.400000
				2-65+ YR.	47.600000	125.300000	95.200000
CASSIA FEMA 2256A	20	GELATIN PUD(R)	*	0-5 MO.	1.600000	2.160000	8.000000
				6-11 MO.	10.240000	31.040000	51.200000
				12-23 MO.	11.040000	26.880000	55.200000
				2-65+ YR.	16.320000	42.000000	81.600000
CASSIA FEMA 2256A	21	SOUPS(R)	*	0-5 MO.	.008000	.060000	.040000
				6-11 MO.	.932000	2.908000	4.660000
				12-23 MO.	1.392000	3.844000	6.960000
				2-65+ YR.	1.268000	3.380000	6.340000
CASSIA FEMA 2256A	23	BEV TYPE I(R)	9	0-5 MO.	2.337197	3.505796	4.673852
				6-11 MO.	22.105991	75.666761	44.206850
				12-23 MO.	52.781705	158.247731	105.551158
				2-65+ YR.	101.278548	270.433199	202.533586

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CASSIA FEMA 2256A	24	BEV TYPE (I)(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000099	**********
				12-23 MO.	**********	.000199	**********
				2-65+ YR.	.032273	.093739	.065000
CASSIA FEMA 2256A	27	GRAVIES(R)	*	0-5 MO.	.000225	.000675	.000235
				6-11 MO.	.003149	.008774	.003289
				12-23 MO.	.008099	.022946	.008458
				2-65+ YR.	.018672	.047917	.019501
CASSIA FEMA 2256A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000234	.000702	.000234
				12-23 MO.	.000702	.002106	.000702
				2-65+ YR.	.001404	.003978	.001404
CASSIA FEMA 2256A	59	ALL CATEGORIES	19	0-5 MO.	21.737144	32.465825	70.927325
				6-11 MO.	172.615988	422.002295	571.372206
				12-23 MO.	350.306740	691.015257	1120.692438
				2-65+ YR.	836.985084	1469.130065	2683.716039
CASSIA BARK, EXTRACT FEMA 2257A	01	BAKED GOODS(R)	*	0-5 MO.	.580261	.767993	1.112417
				6-11 MO.	4.334895	8.840454	8.310412
				12-23 MO.	9.301250	15.325730	17.831397
				2-65+ YR.	23.415257	34.781556	44.889314
CASSIA BARK, EXTRACT FEMA 2257A	07	FROZN DAIRY(R)	*	0-5 MO.	.243500	.998350	.284000
				6-11 MO.	2.313250	6.428400	2.698000
				12-23 MO.	3.506400	8.230300	4.089600
				2-65+ YR.	6.233600	15.023950	7.270400
CASSIA BARK, EXTRACT FEMA 2257A	10	MEAT PRODS(R)	*	0-5 MO.	.055000	.145000	.110000
				6-11 MO.	1.035000	2.790000	2.070000
				12-23 MO.	1.510000	2.595000	3.020000
				2-65+ YR.	3.920000	6.505000	7.840000
CASSIA BARK, EXTRACT FEMA 2257A	16	SOFT CANDY(R)	*	0-5 MO.	.055000	.550000	.062475

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CASSIA BARK, EXTRACT FEMA 2257A	16	SOFT CANDY(R)	*	6-11 MO.	.605000	1.870000	.687225
				12-23 MO.	.962500	2.557500	1.093313
				2-65+ YR.	1.595000	4.840000	1.811775
CASSIA BARK, EXTRACT FEMA 2257A	20	GELATIN PUD(R)	*	0-5 MO.	.750000	1.012500	.800000
				6-11 MO.	4.800000	14.550000	5.120000
				12-23 MO.	5.175000	12.600000	5.520000
				2-65+ YR.	7.650000	19.687500	8.160000
CASSIA BARK, EXTRACT FEMA 2257A	23	BEV TYPE I(R)	5	0-5 MO.	.617134	.925701	1.536209
				6-11 MO.	5.837058	19.979710	14.529974
				12-23 MO.	13.936941	41.785109	34.692713
				2-65+ YR.	26.742470	71.407536	66.569044
CASSIA BARK, EXTRACT FEMA 2257A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.068364	**********
				12-23 MO.	**********	.136727	**********
				2-65+ YR.	22.218182	64.535273	23.340909
CASSIA BARK, EXTRACT FEMA 2257A	99	ALL CATEGORIES	6	0-5 MO.	2.300895	4.399544	3.905101
				6-11 MO.	18.925203	54.526928	33.415611
				12-23 MO.	34.392091	83.230365	66.247022
				2-65+ YR.	91.774509	216.780815	159.881442
CASSIA BARK, OIL FEMA 2258A	01	BAKED GOODS(R)	26	0-5 MO.	.580365	.768130	1.596137
				6-11 MO.	4.335668	8.842033	11.924079
				12-23 MO.	9.302911	15.328466	25.585131
				2-65+ YR.	23.419438	34.787765	64.408807
CASSIA BARK, OIL FEMA 2258A	04	FATS OILS(R)	*	0-5 MO.	.007500	.007500	**********
				6-11 MO.	.042000	.112500	**********
				12-23 MO.	.094500	.160000	**********
				2-65+ YR.	.262500	.474000	**********
CASSIA BARK, OIL FEMA 2258A	07	FROZN DAIRY(R)	15	0-5 MO.	.097704	.400587	.122532
				6-11 MO.	.928190	2.579392	1.164056

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CASSIA BARK, OIL FEMA 2258A	07	FROZN DAIRY(R)	15	12-23 MO.	1.406941	3.302403	1.764465
				2-65+ YR.	2.501228	6.028351	3.136826
CASSIA BARK, OIL FEMA 2258A	08	PROCSD FRUT(R)	*	0-5 MO.	.009400	.025200	.018800
				6-11 MO.	.103600	.258000	.207200
				12-23 MO.	.201200	.399400	.402400
				2-65+ YR.	.236600	.501200	.473200
CASSIA BARK, OIL FEMA 2258A	10	MEAT PRODS(R)	14	0-5 MO.	.193673	.510592	.260708
				6-11 MO.	3.644572	9.824498	4.906056
				12-23 MO.	5.317201	9.137839	7.157627
				2-65+ YR.	13.803595	22.906221	18.581390
CASSIA BARK, OIL FEMA 2258A	15	CONDM RELSH(R)	9	0-5 MO.	**********	.015685	**********
				6-11 MO.	.125481	.345072	.211124
				12-23 MO.	.439182	1.192065	.738933
				2-65+ YR.	1.380286	3.325235	2.322361
CASSIA BARK, OIL FEMA 2258A	16	SOFT CANDY(R)	16	0-5 MO.	.067393	.673925	.075059
				6-11 MO.	.741318	2.291345	.825644
				12-23 MO.	1.179369	3.133752	1.313524
				2-65+ YR.	1.954383	5.930541	2.176697
CASSIA BARK, OIL FEMA 2258A	20	GELATIN PUD(R)	5	0-5 MO.	.183569	.247818	.199675
				6-11 MO.	1.174840	3.561233	1.277920
				12-23 MO.	1.266624	3.083954	1.377757
				2-65+ YR.	1.872401	4.818679	2.036684
CASSIA BARK, OIL FEMA 2258A	23	BEV TYPE II(R)	26	0-5 MO.	.088946	.133418	.116610
				6-11 MO.	.841277	2.879612	1.102934
				12-23 MO.	2.008687	6.022354	2.633437
				2-65+ YR.	3.854307	10.291741	5.053090
CASSIA BARK, OIL FEMA 2258A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.020336	**********
				12-23 MO.	**********	.040671	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CASSIA BARK, OIL FEMA 2258A	24	BEV TYPE II(R)	4	2-65+ YR.	6.609088	19.196858	7.414960
CASSIA BARK, OIL FEMA 2258A	27	GRAVIES(R)	*	0-5 MO.	.001327	.003982	.001945
				6-11 MO.	.018583	.051768	.027225
				12-23 MO.	.047786	.135393	.070007
				2-65+ YR.	.110173	.282732	.161405
CASSIA BARK, OIL FEMA 2258A	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006383	.019149	.063675
				12-23 MO.	.019149	.057447	.191025
				2-65+ YR.	.038298	.108511	.382050
CASSIA BARK, OIL FEMA 2258A	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.022123	.022123	.080340
				12-23 MO.	.022123	.066369	.080340
				2-65+ YR.	.044246	.088492	.160680
CASSIA BARK, OIL FEMA 2258A	99	ALL CATEGORIES	70	0-5 MO.	1.229876	2.786838	2.391465
				6-11 MO.	11.984034	30.807059	21.790253
				12-23 MO.	21.305673	42.080114	41.314647
				2-65+ YR.	56.086543	108.740326	106.308151
CASTOREUM, EXTRACT FEMA 2261A	01	BAKED GOODS(R)	11	0-5 MO.	.211757	.280266	.232811
				6-11 MO.	1.581949	3.226179	1.739235
				12-23 MO.	3.394339	5.592873	3.731824
				2-65+ YR.	8.545014	12.692958	9.394610
CASTOREUM, EXTRACT FEMA 2261A	07	FROZN DAIRY(R)	10	0-5 MO.	.024390	.100001	.026263
				6-11 MO.	.231709	.643908	.249500
				12-23 MO.	.351223	.824398	.378189
				2-65+ YR.	.624396	1.504892	.672337
CASTOREUM, EXTRACT FEMA 2261A	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CASTOREUM, EXTRACT FEMA 2261A	16	SOFT CANDY(R)	9	0-5 MO.	.007476	.074761	.008820
				6-11 MO.	.082237	.254186	.097025
				12-23 MO.	.130831	.347637	.154358
				2-65+ YR.	.216806	.657893	.255793
CASTOREUM, EXTRACT FEMA 2261A	20	GELATIN PUD(R)	6	0-5 MO.	.087163	.117670	.094676
				6-11 MO.	.557845	1.690967	.605927
				12-23 MO.	.601426	1.464342	.653266
				2-65+ YR.	.889065	2.288035	.965697
CASTOREUM, EXTRACT FEMA 2261A	23	BEV TYPE I(R)	14	0-5 MO.	.058109	.087164	.071436
				6-11 MO.	.549617	1.881289	.675668
				12-23 MO.	1.312302	3.934485	1.613268
				2-65+ YR.	2.518071	6.723733	3.095570
CASTOREUM, EXTRACT FEMA 2261A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.007959	**********
				12-23 MO.	**********	.015918	**********
				2-65+ YR.	2.586670	7.513282	3.044805
CASTOREUM, EXTRACT FEMA 2261A	27	GRAVIES(R)	*	0-5 MO.	.000030	.000090	.000060
				6-11 MO.	.000420	.001170	.000840
				12-23 MO.	.001080	.003060	.002160
				2-65+ YR.	.002490	.006390	.004980
CASTOREUM, EXTRACT FEMA 2261A	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002417	.007251	.002417
				12-23 MO.	.007251	.021753	.007251
				2-65+ YR.	.014502	.041089	.014502
CASTOREUM, EXTRACT FEMA 2261A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001860	.001860	.004209
				12-23 MO.	.001860	.005580	.004209
				2-65+ YR.	.003720	.007440	.008418
CASTOREUM, EXTRACT FEMA 2261A	99	ALL CATEGORIES	24	0-5 MO.	.390026	.662852	.436267

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD NO.	CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CASTOREUM, EXTRACT FEMA 2261A	99	ALL CATEGORIES	24	6-11 MO.	3.028754	7.770569	3.416221
				12-23 MO.	5.830512	12.261947	6.604924
				2-65+ YR.	15.479133	31.565812	17.613511
CASTOREUM, LIQUID FEMA 2262A	01	BAKED GOODS(R)	*	0-5 MO.	.016547	.021900	.016547
				6-11 MO.	.123613	.252093	.123613
				12-23 MO.	.265233	.437027	.265233
				2-65+ YR.	.667707	.991827	.667707
CASTOREUM, LIQUID FEMA 2262A	07	FROZN DAIRY(R)	4	0-5 MO.	.000703	.002881	.001461
				6-11 MO.	.006675	.018551	.013877
				12-23 MO.	.010119	.023751	.021035
				2-65+ YR.	.017989	.043355	.037396
CASTOREUM, LIQUID FEMA 2262A	16	SOFT CANDY(R)	4	0-5 MO.	.000585	.005846	.000585
				6-11 MO.	.006431	.019878	.006431
				12-23 MO.	.010231	.027186	.010231
				2-65+ YR.	.016955	.051449	.016955
CASTOREUM, LIQUID FEMA 2262A	20	GELATIN PUD(R)	*	0-5 MO.	.001910	.002579	.002509
				6-11 MO.	.012226	.037059	.016059
				12-23 MO.	.013181	.032092	.017313
				2-65+ YR.	.019485	.050144	.025593
CASTOREUM, LIQUID FEMA 2262A	23	BEV TYPE I(R)	6	0-5 MO.	.002900	.004351	.004127
				6-11 MO.	.027433	.093901	.039032
				12-23 MO.	.065501	.196383	.093195
				2-65+ YR.	.125685	.335604	.178825
CASTOREUM, LIQUID FEMA 2262A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000909	.002727	.000909
				12-23 MO.	.002727	.008181	.002727
				2-65+ YR.	.005454	.015453	.005454
CASTOREUM, LIQUID FEMA 2262A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000001	.000001	.000001

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CASTOREUM, LIQUID FEMA 2262A	31	CHEWING GUM(R)	*	12-23 MO.	.000001	.000003	.000001
				2-65+ YR.	.000002	.000004	.000002
CASTOREUM, LIQUID FEMA 2262A	99	ALL CATEGORIES	9	0-5 MO.	.022645	.037557	.025228
				6-11 MO.	.177289	.424210	.199923
				12-23 MO.	.366993	.724622	.409737
				2-65+ YR.	.853276	1.487835	.931932
CAYENNE FEMA 2266A	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.197200
				6-11 MO.	.254000	.518000	1.473200
				12-23 MO.	.545000	.898000	3.161000
				2-65+ YR.	1.372000	2.038000	7.957600
CAYENNE FEMA 2266A	02	BREAK CERLS(R)	*	0-5 MO.	.055200	.156400	.055200
				6-11 MO.	2.051600	5.501600	2.051600
				12-23 MO.	2.401200	4.682800	2.401200
				2-65+ YR.	1.840000	4.765600	1.840000
CAYENNE FEMA 2266A	03	OTHER GRAIN(R)	*	0-5 MO.	.008594	.029219	.008594
				6-11 MO.	.166719	.491563	.166719
				12-23 MO.	.281875	.651406	.281875
				2-65+ YR.	.477813	1.055313	.477813
CAYENNE FEMA 2266A	04	FATS OILS(R)	*	0-5 MO.	.032000	.032000	.032000
				6-11 MO.	.179200	.480000	.179200
				12-23 MO.	.403200	.768000	.403200
				2-65+ YR.	1.120000	2.022400	1.120000
CAYENNE FEMA 2266A	05	MILK PRODS(R)	*	0-5 MO.	2.700000	2.000000	2.700000
				6-11 MO.	31.200000	150.050000	31.200000
				12-23 MO.	27.250000	87.200000	27.250000
				2-65+ YR.	19.750000	60.300000	19.750000
CAYENNE FEMA 2266A	06	CHEESE(R)	*	0-5 MO.	**********	.070000	**********
				6-11 MO.	1.890000	6.790000	1.890000
				12-23 MO.	5.460000	15.540000	5.460000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CAYENNE FEMA 2266A	06	CHEESE(R)	*	2-65+ YR.	6.580000	16.520000	6.580000
CAYENNE FEMA 2266A	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.002900
				6-11 MO.	.014250	.039600	.027550
				12-23 MO.	.021600	.050700	.041760
				2-65+ YR.	.038400	.092550	.074240
CAYENNE FEMA 2266A	10	MEAT PRODS(R)	16	0-5 MO.	.416301	1.097521	2.249137
				6-11 MO.	7.834028	21.117814	42.324663
				12-23 MO.	11.429355	19.641838	61.749025
				2-65+ YR.	29.670908	49.237055	160.302105
CAYENNE FEMA 2266A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.018774	**********
				6-11 MO.	.150194	.413033	.257257
				12-23 MO.	.525678	1.426841	.900399
				2-65+ YR.	1.652132	3.980136	2.829827
CAYENNE FEMA 2266A	16	SOFT CANDY(R)	*	0-5 MO.	.000300	.003000	.000580
				6-11 MO.	.003300	.010200	.006380
				12-23 MO.	.005250	.013950	.010150
				2-65+ YR.	.008700	.026400	.016820
CAYENNE FEMA 2266A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.060000	**********
				6-11 MO.	.240000	.660000	.328000
				12-23 MO.	.660000	1.860000	.902000
				2-65+ YR.	.780000	2.220000	1.066000
CAYENNE FEMA 2266A	23	BEV TYPE I(R)	*	0-5 MO.	.001200	.001800	.002400
				6-11 MO.	.011350	.038850	.022700
				12-23 MO.	.027100	.081250	.054200
				2-65+ YR.	.052000	.138850	.104000
CAYENNE FEMA 2266A	27	GRAVIES(R)	4	0-5 MO.	.067563	.202690	.071861
				6-11 MO.	.945887	2.634972	1.006048
				12-23 MO.	2.432282	6.891465	2.586981
				2-65+ YR.	5.607761	14.391000	5.964429

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CAYENNE							
FEMA 2266A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001000	.003000	.001000
				12-23 MO.	.003000	.009000	.003000
				2-65+ YR.	.006000	.017000	.006000
CAYENNE							
FEMA 2266A	99	ALL CATEGORIES	30	0-5 MO.	3.316658	3.722554	5.319871
				6-11 MO.	44.941528	188.748632	80.934317
				12-23 MO.	51.445540	139.715251	105.204791
				2-65+ YR.	68.955713	156.804304	208.088833
CELERY SEED							
FEMA 2268A	01	BAKED GOODS(R)	5	0-5 MO.	.930256	1.231221	1.609646
				6-11 MO.	6.949561	14.172727	12.025005
				12-23 MO.	14.911460	24.569709	25.801684
				2-65+ YR.	37.538575	55.760653	64.953964
CELERY SEED							
FEMA 2268A	04	FATS OILS(R)	7	0-5 MO.	.501402	.501402	.595818
				6-11 MO.	2.807850	7.521026	3.336578
				12-23 MO.	6.317661	12.033641	7.507301
				2-65+ YR.	17.549060	31.688588	20.853615
CELERY SEED							
FEMA 2268A	06	CHEESE(R)	*	0-5 MO.	**********	.002900	**********
				6-11 MO.	.078300	.281300	.078300
				12-23 MO.	.226200	.643800	.226200
				2-65+ YR.	.272600	.684400	.272600
CELERY SEED							
FEMA 2268A	10	MEAT PRODS(R)	23	0-5 MO.	.752336	1.983432	2.508631
				6-11 MO.	14.157599	38.163963	47.207874
				12-23 MO.	20.655048	35.496589	68.873324
				2-65+ YR.	53.621051	88.980852	178.796972
CELERY SEED							
FEMA 2268A	14	PROCSD VEGS(R)	5	0-5 MO.	2.827149	8.481447	5.658939
				6-11 MO.	48.465412	113.085961	97.010377
				12-23 MO.	78.756294	131.866308	157.641862
				2-65+ YR.	171.648333	289.176956	343.578417
CELERY SEED							
FEMA 2268A	15	CONDM RELSH(R)	16	0-5 MO.	**********	.225439	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CELERY SEED FEMA 2268A	15	CONDM RELSH(R)	16	6-11 MO.	1.803509	4.959649	4.971663
				12-23 MO.	6.312280	17.133332	17.400822
				2-65+ YR.	19.838595	47.792979	54.686297
CELERY SEED FEMA 2268A	21	SOUPS(R)	5	0-5 MO.	.366494	2.748702	.511962
				6-11 MO.	42.696499	133.220405	59.643586
				12-23 MO.	63.769878	176.100151	89.081407
				2-65+ YR.	58.089228	154.843525	81.145995
CELERY SEED FEMA 2268A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.062500	**********
				6-11 MO.	.250000	.687500	.260200
				12-23 MO.	.687500	1.937500	.715550
				2-65+ YR.	.812500	2.312500	.845650
CELERY SEED FEMA 2268A	23	BEV TYPE I(R)	*	0-5 MO.	1.943878	2.915816	2.627449
				6-11 MO.	18.385842	62.933036	24.851268
				12-23 MO.	43.899235	131.616709	59.336556
				2-65+ YR.	84.234694	224.922832	113.856122
CELERY SEED FEMA 2268A	25	NUT PRODS(R)	*	0-5 MO.	**********	.155200	**********
				6-11 MO.	2.871200	10.398400	3.700000
				12-23 MO.	2.095200	6.984000	2.700000
				2-65+ YR.	4.035200	12.028000	5.200000
CELERY SEED FEMA 2268A	27	GRAVIES(R)	5	0-5 MO.	.049076	.147228	.286816
				6-11 MO.	.687063	1.913960	4.015426
				12-23 MO.	1.766732	5.005741	10.325382
				2-65+ YR.	4.073299	10.453165	23.805742
CELERY SEED FEMA 2268A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.033090	**********
				12-23 MO.	**********	.066180	**********
				2-65+ YR.	.033090	.165450	.033090
CELERY SEED FEMA 2268A	99	ALL CATEGORIES	47	0-5 MO.	7.370590	18.455286	13.799261
				6-11 MO.	139.152833	387.371016	257.100298

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CELERY SEED FEMA 2268A	99	ALL CATEGORIES	47	12-23 MO.	239.397488	543.453659	439.610088
				2-65+ YR.	451.746225	918.809900	888.030465
CELERY SEED, EXTRACT FEMA 2269A	01	BAKED GOODS(R)	4	0-5 MO.	4.649256	6.153427	5.092739
				6-11 MO.	34.732677	70.832783	38.045755
				12-23 MO.	74.524839	122.795056	81.633608
				2-65+ YR.	187.611154	278.681874	205.506992
CELERY SEED, EXTRACT FEMA 2269A	04	FATS OILS(R)	*	0-5 MO.	.100000	.100000	.100000
				6-11 MO.	.560000	1.500000	.560000
				12-23 MO.	1.260000	2.400000	1.260000
				2-65+ YR.	3.500000	6.320000	3.500000
CELERY SEED, EXTRACT FEMA 2269A	07	FROZN DAIRY(R)	*	0-5 MO.	.036826	.150986	.039820
				6-11 MO.	.349845	.972202	.378289
				12-23 MO.	.530292	1.244713	.573407
				2-65+ YR.	.942741	2.272153	1.019390
CELERY SEED, EXTRACT FEMA 2269A	10	MEAT PRODS(R)	10	0-5 MO.	.305624	.805735	.428752
				6-11 MO.	5.751281	15.503454	8.068330
				12-23 MO.	8.390758	14.419879	11.771187
				2-65+ YR.	21.782631	36.146942	30.558314
CELERY SEED, EXTRACT FEMA 2269A	13	FISH PRODS(R)	*	0-5 MO.	.050000	.150000	.100000
				6-11 MO.	.650000	2.450000	1.300000
				12-23 MO.	2.700000	6.750000	5.400000
				2-65+ YR.	6.200000	15.450000	12.400000
CELERY SEED, EXTRACT FEMA 2269A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.019302	**********
				6-11 MO.	.154417	.424648	.204049
				12-23 MO.	.540461	1.466965	.714172
				2-65+ YR.	1.698591	4.092059	2.244539
CELERY SEED, EXTRACT FEMA 2269A	16	SOFT CANDY(R)	*	0-5 MO.	.023469	.234687	.024864
				6-11 MO.	.258155	.797935	.273508
				12-23 MO.	.410702	1.091293	.435126

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CELERY SEED, EXTRACT FEMA 2269A	16	SOFT CANDY(R)	*	2-65+ YR.	.680591	2.065243	.721066
CELERY SEED, EXTRACT FEMA 2269A	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.000200
				6-11 MO.	.001280	.003860	.001280
				12-23 MO.	.001380	.003360	.001380
				2-65+ YR.	.002040	.005250	.002040
CELERY SEED, EXTRACT FEMA 2269A	21	SOUPS(R)	6	0-5 MO.	.008315	.062364	.088110
				6-11 MO.	.968714	3.022553	10.264832
				12-23 MO.	1.446834	3.995424	15.331166
				2-65+ YR.	1.317949	3.513146	13.965458
CELERY SEED, EXTRACT FEMA 2269A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000400	.001100	.400000
				12-23 MO.	.001100	.003100	1.100000
				2-65+ YR.	.001300	.003700	1.300000
CELERY SEED, EXTRACT FEMA 2269A	23	BEV TYPE I(R)	4	0-5 MO.	2.628019	3.942028	2.778010
				6-11 MO.	24.856678	85.082108	26.275341
				12-23 MO.	59.349424	177.938772	62.736717
				2-65+ YR.	113.880814	304.083674	120.380417
CELERY SEED, EXTRACT FEMA 2269A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.047000	**********
				12-23 MO.	**********	.094000	**********
				2-65+ YR.	15.275000	44.368000	19.500000
CELERY SEED, EXTRACT FEMA 2269A	27	GRAVIES(R)	*	0-5 MO.	.000950	.002850	.061833
				6-11 MO.	.013300	.037050	.865667
				12-23 MO.	.034200	.096900	2.226000
				2-65+ YR.	.078850	.202350	5.132167
CELERY SEED, EXTRACT FEMA 2269A	99	ALL CATEGORIES	18	0-5 MO.	7.802658	11.621749	8.714328
				6-11 MO.	68.298748	180.674711	86.637051
				12-23 MO.	149.189989	332.299461	183.182763
				2-65+ YR.	352.971661	697.204391	416.230382

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CELERY SEED, EXT SOLID							
FEMA 2270A	01	BAKED GOODS(R)	7	0-5 MO.	.481178	.636854	.684217
				6-11 MO.	3.594685	7.330892	5.111506
				12-23 MO.	7.713004	12.708767	10.967602
				2-65+ YR.	19.416958	28.842391	27.610184
CELERY SEED, EXT SOLID							
FEMA 2270A	04	FATS OILS(R)	*	0-5 MO.	.011000	.011000	.025000
				6-11 MO.	.061600	.165000	.140000
				12-23 MO.	.138600	.264000	.315000
				2-65+ YR.	.385000	.695200	.875000
CELERY SEED, EXT SOLID							
FEMA 2270A	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.010000
				6-11 MO.	.076000	.211200	.095000
				12-23 MO.	.115200	.270400	.144000
				2-65+ YR.	.204800	.493600	.256000
CELERY SEED, EXT SOLID							
FEMA 2270A	10	MEAT PRODS(R)	11	0-5 MO.	1.077413	2.840453	2.613793
				6-11 MO.	20.274955	54.654226	49.186825
				12-23 MO.	29.579886	50.834307	71.760489
				2-65+ YR.	76.790167	127.428581	186.292131
CELERY SEED, EXT SOLID							
FEMA 2270A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001251	**********
				6-11 MO.	.010010	.027528	.018626
				12-23 MO.	.035036	.095097	.065190
				2-65+ YR.	.110113	.265272	.204882
CELERY SEED, EXT SOLID							
FEMA 2270A	16	SOFT CANDY(R)	4	0-5 MO.	.001832	.018321	.002886
				6-11 MO.	.020153	.062291	.031751
				12-23 MO.	.032062	.085193	.050512
				2-65+ YR.	.053131	.161225	.083706
CELERY SEED, EXT SOLID							
FEMA 2270A	20	GELATIN PUD(R)	*	0-5 MO.	.032000	.043200	.096000
				6-11 MO.	.204800	.620800	.614400
				12-23 MO.	.220800	.537600	.662400
				2-65+ YR.	.326400	.840000	.979200
CELERY SEED, EXT SOLID							
FEMA 2270A	23	BEV TYPE (I(R)	4	0-5 MO.	.292356	.438533	.357244

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CELERY SEED, EXT SOLID FEMA 2270A	23	BEV TYPE I(R)	4	6-11 MO.	2.765196	9.465011	3.378937
				12-23 MO.	6.602363	19.794907	8.067770
				2-65+ YR.	12.668741	33.827974	15.480593
CELERY SEED, EXT SOLID FEMA 2270A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.032667	**********
				12-23 MO.	**********	.065333	**********
				2-65+ YR.	10.616667	30.837333	13.812500
CELERY SEED, EXT SOLID FEMA 2270A	99	ALL CATEGORIES	14	0-5 MO.	1.903779	4.022412	3.789141
				6-11 MO.	27.007399	72.569616	58.577045
				12-23 MO.	44.436951	84.655605	92.032964
				2-65+ YR.	120.571976	223.391576	245.594196
CELERY SEED, OIL FEMA 2271A	01	BAKED GOODS(R)	13	0-5 MO.	.019058	.025224	.026677
				6-11 MO.	.142375	.290356	.199289
				12-23 MO.	.305490	.503359	.427609
				2-65+ YR.	.769051	1.142366	1.076477
CELERY SEED, OIL FEMA 2271A	04	FATS OILS(R)	*	0-5 MO.	.002000	.002000	**********
				6-11 MO.	.011200	.030000	**********
				12-23 MO.	.025200	.048000	**********
				2-65+ YR.	.070000	.126400	**********
CELERY SEED, OIL FEMA 2271A	07	FROZN DAIRY(R)	8	0-5 MO.	.007775	.031878	.009177
				6-11 MO.	.073864	.205265	.087183
				12-23 MO.	.111963	.262801	.132152
				2-65+ YR.	.199045	.479729	.234936
CELERY SEED, OIL FEMA 2271A	10	MEAT PRODS(R)	17	0-5 MO.	.032319	.085204	.045269
				6-11 MO.	.608181	1.639444	.851886
				12-23 MO.	.887298	1.524860	1.242849
				2-65+ YR.	2.303449	3.822432	3.226468
CELERY SEED, OIL FEMA 2271A	15	CONDM RELSH(R)	13	0-5 MO.	**********	.002186	**********
				6-11 MO.	.017487	.048090	.037277

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CELERY SEED, OIL FEMA 2271A	15	CONDM RELSH(R)	13	12-23 MO.	.061206	.166130	.130469
				2-65+ YR.	.192362	.463417	.410046
CELERY SEED, OIL FEMA 2271A	16	SOFT CANDY(R)	9	0-5 MO.	.002481	.024806	.002861
				6-11 MO.	.027287	.084341	.031469
				12-23 MO.	.043411	.115348	.050064
				2-65+ YR.	.071938	.218294	.082964
CELERY SEED, OIL FEMA 2271A	20	GELATIN PUD(R)	5	0-5 MO.	.000127	.000171	.000285
				6-11 MO.	.000811	.002457	.001825
				12-23 MO.	.000874	.002128	.001968
				2-65+ YR.	.001292	.003325	.002909
CELERY SEED, OIL FEMA 2271A	21	SOUPS(R)	*	0-5 MO.	.000768	.005762	.001060
				6-11 MO.	.089501	.279257	.123449
				12-23 MO.	.133675	.369142	.184379
				2-65+ YR.	.121767	.324584	.167954
CELERY SEED, OIL FEMA 2271A	23	BEV TYPE I(R)	18	0-5 MO.	.021603	.032404	.025784
				6-11 MO.	.204327	.699392	.243875
				12-23 MO.	.487864	1.462693	.582292
				2-65+ YR.	.936124	2.499630	1.117313
CELERY SEED, OIL FEMA 2271A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001796	**********
				12-23 MO.	**********	.003592	**********
				2-65+ YR.	.583762	1.695606	.810723
CELERY SEED, OIL FEMA 2271A	27	GRAVIES(R)	*	0-5 MO.	.001300	.003900	.001400
				6-11 MO.	.018200	.050700	.019600
				12-23 MO.	.046800	.132600	.050400
				2-65+ YR.	.107900	.276900	.116200
CELERY SEED, OIL FEMA 2271A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000006	.000018	.000006
				12-23 MO.	.000018	.000054	.000018

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP I(I)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CELERY SEED, OIL FEMA 2271A	30	HARD CANDY(R)	*	2-65+ YR.	.000036	.000102	.000036
CELERY SEED, OIL FEMA 2271A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000006	.000006	.000006
				12-23 MO.	.000006	.000018	.000006
				2-65+ YR.	.000012	.000024	.000012
CELERY SEED, OIL FEMA 2271A	99	ALL CATEGORIES	41	0-5 MO.	.087430	.213535	.112513
				6-11 MO.	1.193245	3.331123	1.595867
				12-23 MO.	2.103805	4.590726	2.802206
				2-65+ YR.	5.356737	11.052808	7.246038
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	01	BAKED GOODS(R)	*	0-5 MO.	.012143	.016071	.026229
				6-11 MO.	.090714	.185000	.195943
				12-23 MO.	.194643	.320714	.420429
				2-65+ YR.	.490000	.727857	1.058400
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	07	FROZN DAIRY(R)	*	0-5 MO.	.003020	.012382	.003540
				6-11 MO.	.028690	.079728	.033630
				12-23 MO.	.043488	.102076	.050976
				2-65+ YR.	.077312	.186334	.090624
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	10	MEAT PRODS(R)	*	0-5 MO.	.000011	.000029	.000088
				6-11 MO.	.000207	.000558	.001656
				12-23 MO.	.000302	.000519	.002416
				2-65+ YR.	.000784	.001301	.006272
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	16	SOFT CANDY(R)	*	0-5 MO.	.000675	.006753	.001402
				6-11 MO.	.007428	.022959	.015422
				12-23 MO.	.011817	.031399	.024535
				2-65+ YR.	.019582	.059422	.040658
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	20	GELATIN PUD(R)	*	0-5 MO.	.013010	.017564	.015080
				6-11 MO.	.083264	.252394	.096512
				12-23 MO.	.089769	.218568	.104052
				2-65+ YR.	.132702	.341513	.153816

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	23	BEV TYPE I(R)	*	0-5 MO.	.006603	.009905	.009444
				6-11 MO.	.062453	.213772	.089325
				12-23 MO.	.149118	.447078	.213277
				2-65+ YR.	.286130	.764022	.409240
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000210	**********
				12-23 MO.	**********	.000420	**********
				2-65+ YR.	.068250	.198240	.089375
CHAMOMILE FLOWER OIL, ENG FEMA 2272A	99	ALL CATEGORIES	4	0-5 MO.	.035462	.062703	.055783
				6-11 MO.	.272756	.754621	.432487
				12-23 MO.	.489137	1.120775	.815685
				2-65+ YR.	1.074760	2.278689	1.848385
CHAMOMILE FLOWER OIL, HUN FEMA 2273A	01	BAKED GOODS(R)	8	0-5 MO.	.039242	.051939	.055702
				6-11 MO.	.293164	.597870	.416125
				12-23 MO.	.629034	1.036463	.892866
				2-65+ YR.	1.583549	2.352239	2.247730
CHAMOMILE FLOWER OIL, HUN FEMA 2273A	07	FROZN DAIRY(R)	9	0-5 MO.	.004343	.017805	.006026
				6-11 MO.	.041256	.114647	.057248
				12-23 MO.	.062535	.146783	.086776
				2-65+ YR.	.111173	.267944	.154268
CHAMOMILE FLOWER OIL, HUN FEMA 2273A	16	SOFT CANDY(R)	8	0-5 MO.	.001949	.019493	.002870
				6-11 MO.	.021442	.066276	.031570
				12-23 MO.	.034113	.090642	.050225
				2-65+ YR.	.056530	.171538	.083230
CHAMOMILE FLOWER OIL, HUN FEMA 2273A	20	GELATIN PUD(R)	7	0-5 MO.	.015275	.020622	.028661
				6-11 MO.	.097761	.296339	.183433
				12-23 MO.	.105399	.256624	.197764
				2-65+ YR.	.155807	.400975	.292347
CHAMOMILE FLOWER OIL, HUN FEMA 2273A	23	BEV TYPE I(R)	11	0-5 MO.	.005026	.007539	.008386

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CHAMOMILE FLOWER OIL, NUN FEMA 2273A	23	BEV TYPE I(R)	11	6-11 MO.	.047540	.162724	.079317
				12-23 MO.	.113509	.340316	.189383
				2-65+ YR.	.217802	.581574	.363391
CHAMOMILE FLOWER OIL, NUN FEMA 2273A	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000440	**********
				12-23 MO.	**********	.000879	**********
				2-65+ YR.	.142902	.415076	.177922
CHAMOMILE FLOWER OIL, NUN FEMA 2273A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000004	.000004	.000004
				12-23 MO.	.000004	.000012	.000004
				2-65+ YR.	.000008	.000016	.000008
CHAMOMILE FLOWER OIL, NUN FEMA 2273A	99	ALL CATEGORIES	14	0-5 MO.	.065836	.117397	.101645
				6-11 MO.	.501167	1.238300	.767697
				12-23 MO.	.944593	1.871719	1.417018
				2-65+ YR.	2.267771	4.189362	3.318896
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	01	BAKED GOODS(R)	*	0-5 MO.	.068680	.090900	.145520
				6-11 MO.	.513080	1.046360	1.087120
				12-23 MO.	1.100900	1.813960	2.332600
				2-65+ YR.	2.771440	4.116760	5.872160
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	07	FROZN DAIRY(R)	*	0-5 MO.	.011800	.048380	.017800
				6-11 MO.	.112100	.311520	.169100
				12-23 MO.	.169920	.398840	.256320
				2-65+ YR.	.302080	.728060	.455680
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	16	SOFT CANDY(R)	*	0-5 MO.	.004240	.042400	.006360
				6-11 MO.	.046640	.144160	.069960
				12-23 MO.	.074200	.197160	.111300
				2-65+ YR.	.122960	.373120	.184440
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	20	GELATIN PUD(R)	*	0-5 MO.	.054000	.072900	.099000
				6-11 MO.	.345600	1.047600	.633600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	20	GELATIN PUD(R)	*	12-23 MO.	.372600	.907200	.683100
				2-65+ YR.	.550800	1.417500	1.009800
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	23	BEV TYPE I(R)	*	0-5 MO.	.025920	.038880	.037440
				6-11 MO.	.245160	.839160	.354120
				12-23 MO.	.585360	1.755000	.845520
				2-65+ YR.	1.123200	2.999160	1.622400
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002000	**********
				12-23 MO.	**********	.004000	**********
				2-65+ YR.	.650000	1.888000	.780000
CHAMOMILE FLOWER EXT, ROM FEMA 2274A	99	ALL CATEGORIES	*	0-5 MO.	.164640	.293460	.306120
				6-11 MO.	1.262580	3.390800	2.313900
				12-23 MO.	2.302980	5.076160	4.228840
				2-65+ YR.	5.520480	11.522600	9.924480
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	01	BAKED GOODS(R)	5	0-5 MO.	.033830	.044775	.054764
				6-11 MO.	.252730	.515410	.409121
				12-23 MO.	.542275	.893510	.877839
				2-65+ YR.	1.365140	2.027810	2.209900
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	07	FROZN DAIRY(R)	6	0-5 MO.	.006227	.025529	.010250
				6-11 MO.	.059153	.164384	.097375
				12-23 MO.	.089664	.210461	.147600
				2-65+ YR.	.159403	.384185	.262400
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	16	SOFT CANDY(R)	5	0-5 MO.	.002023	.020228	.003678
				6-11 MO.	.022251	.068776	.040462
				12-23 MO.	.035400	.094062	.064371
				2-65+ YR.	.058662	.178009	.106672
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	20	GELATIN PUD(R)	*	0-5 MO.	.016640	.022464	.027600
				6-11 MO.	.106496	.322816	.176640
				12-23 MO.	.114816	.279552	.190440

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	20	GELATIN PUD(R)	*	2-65+ YR.	.169728	.436800	.281520
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	23	BEV TYPE I(R)	8	0-5 MO.	.010642	.015963	.015620
				6-11 MO.	.100654	.344531	.147737
				12-23 MO.	.240329	.720544	.352746
				2-65+ YR.	.461148	1.231355	.676856
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000961	**********
				12-23 MO.	**********	.001922	**********
				2-65+ YR.	.312361	.907289	.560625
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000011	.000033	.000011
				12-23 MO.	.000033	.000099	.000033
				2-65+ YR.	.000066	.000187	.000066
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000006	.000006	.000006
				12-23 MO.	.000006	.000018	.000006
				2-65+ YR.	.000012	.000024	.000012
CHAMOMILE FLOWER OIL, ROM FEMA 2275A	99	ALL CATEGORIES	11	0-5 MO.	.069361	.128959	.111912
				6-11 MO.	.541302	1.416917	.871352
				12-23 MO.	1.022523	2.200168	1.633035
				2-65+ YR.	2.526520	5.165659	4.098051
CHERRY BARK, WILD, EXT FEMA 2276A	01	BAKED GOODS(R)	8	0-5 MO.	.267940	.354627	.346808
				6-11 MO.	2.001672	4.082149	2.590860
				12-23 MO.	4.294925	7.076776	5.559128
				2-65+ YR.	10.812179	16.060657	13.994722
CHERRY BARK, WILD, EXT FEMA 2276A	07	FROZN DAIRY(R)	11	0-5 MO.	.141871	.581672	.256694
				6-11 MO.	1.347776	3.745397	2.438593
				12-23 MO.	2.042944	4.795244	3.696393
				2-65+ YR.	3.631901	8.753448	6.571366

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CHERRY BARK, WILD, EXT							
FEMA 2276A	08	PROCSD FRUT(R)	*	0-5 MO.	1.645000	4.410000	2.350000
				6-11 MO.	18.130000	45.150000	25.900000
				12-23 MO.	35.210000	69.895000	50.300000
				2-65+ YR.	41.405000	87.710000	59.150000
CHERRY BARK, WILD, EXT							
FEMA 2276A	16	SOFT CANDY(R)	6	0-5 MO.	.038059	.380591	.047955
				6-11 MO.	.418650	1.294008	.527509
				12-23 MO.	.666033	1.769746	.839220
				2-65+ YR.	1.103713	3.349197	1.390707
CHERRY BARK, WILD, EXT							
FEMA 2276A	17	CONF FROST(R)	*	0-5 MO.	**********	.005000	**********
				6-11 MO.	.005000	.010000	.010000
				12-23 MO.	.010000	.035000	.020000
				2-65+ YR.	.015000	.040000	.030000
CHERRY BARK, WILD, EXT							
FEMA 2276A	20	GELATIN PUD(R)	4	0-5 MO.	.024761	.033427	.030221
				6-11 MO.	.158467	.480354	.193414
				12-23 MO.	.170848	.415977	.208524
				2-65+ YR.	.252557	.649964	.308254
CHERRY BARK, WILD, EXT							
FEMA 2276A	23	BEV TYPE I(R)	16	0-5 MO.	.469613	.704420	.752475
				6-11 MO.	4.441760	15.203732	7.117155
				12-23 MO.	10.605435	31.796738	16.993383
				2-65+ YR.	20.349912	54.338179	32.607229
CHERRY BARK, WILD, EXT							
FEMA 2276A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.034139	**********
				12-23 MO.	**********	.068278	**********
				2-65+ YR.	11.095256	32.227450	19.529622
CHERRY BARK, WILD, EXT							
FEMA 2276A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007800	.023400	.007800
				12-23 MO.	.023400	.070200	.023400
				2-65+ YR.	.046800	.132600	.046800
CHERRY BARK, WILD, EXT							
FEMA 2276A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CHERRY BARK, WILD, EXT FEMA 2276A	31	CHEWING GUM(R)	*	6-11 MO.	.004770	.004770	.017969
				12-23 MO.	.004770	.014310	.017969
				2-65+ YR.	.009540	.019080	.035938
CHERRY BARK, WILD, EXT FEMA 2276A	99	ALL CATEGORIES	23	0-5 MO.	2.587244	6.469736	3.784153
				6-11 MO.	26.515894	70.027950	38.803300
				12-23 MO.	53.028355	115.937269	77.658017
				2-65+ YR.	88.721857	203.280574	133.664837
CHERVIL FEMA 2279A	01	BAKED GOODS(R)	*	0-5 MO.	.510000	.675000	.646000
				6-11 MO.	3.810000	7.770000	4.826000
				12-23 MO.	8.175000	13.470000	10.355000
				2-65+ YR.	20.580000	30.570000	26.068000
CHERVIL FEMA 2279A	07	FROZN DAIRY(R)	*	0-5 MO.	.050000	.205000	.070000
				6-11 MO.	.475000	1.320000	.665000
				12-23 MO.	.720000	1.690000	1.008000
				2-65+ YR.	1.280000	3.085000	1.792000
CHERVIL FEMA 2279A	10	MEAT PRODS(R)	*	0-5 MO.	.627000	1.653000	1.254000
				6-11 MO.	11.799000	31.806000	23.598000
				12-23 MO.	17.214000	29.583000	34.428000
				2-65+ YR.	44.688000	74.157000	89.376000
CHERVIL FEMA 2279A	15	CONDN RELSH(R)	*	0-5 MO.	**********	.006000	**********
				6-11 MO.	.048000	.132000	.064000
				12-23 MO.	.168000	.456000	.224000
				2-65+ YR.	.528000	1.272000	.704000
CHERVIL FEMA 2279A	16	SOFT CANDY(R)	*	0-5 MO.	.012000	.120000	.016000
				6-11 MO.	.132000	.408000	.176000
				12-23 MO.	.210000	.558000	.280000
				2-65+ YR.	.348000	1.056000	.464000
CHERVIL FEMA 2279A	23	BEV TYPE I(R)	*	0-5 MO.	.240000	.360000	.288000
				6-11 MO.	2.270000	7.770000	2.724000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CHERVIL FEMA 2279A	23	BEV TYPE I(R)	*	12-23 MO.	5.420000	16.250000	6.504000
				2-65+ YR.	10.400000	27.770000	12.480000
CHERVIL FEMA 2279A	99	ALL CATEGORIES	*	0-5 MO.	1.439000	3.019000	2.274000
				6-11 MO.	18.534000	49.206000	32.053000
				12-23 MO.	31.907000	62.007000	52.799000
				2-65+ YR.	77.824000	137.910000	130.884000
CHICORY, EXTRACT FEMA 2280A	01	BAKED GOODS(R)	11	0-5 MO.	.255399	.338029	.524910
				6-11 MO.	1.907984	3.891085	3.921386
				12-23 MO.	4.093902	6.745549	8.413997
				2-65+ YR.	10.306117	15.308940	21.181658
CHICORY, EXTRACT FEMA 2280A	07	FROZN DAIRY(R)	14	0-5 MO.	4.044562	16.582705	6.115922
				6-11 MO.	38.423341	106.776442	58.101258
				12-23 MO.	58.241695	136.706202	88.069275
				2-65+ YR.	103.540792	249.549487	156.567601
CHICORY, EXTRACT FEMA 2280A	16	SOFT CANDY(R)	11	0-5 MO.	.032952	.329522	.049525
				6-11 MO.	.362474	1.120375	.544774
				12-23 MO.	.576663	1.532277	.866686
				2-65+ YR.	.955614	2.899793	1.436222
CHICORY, EXTRACT FEMA 2280A	19	SWEET SAUCE(R)	*	0-5 MO.	.004050	.005400	.012150
				6-11 MO.	.012150	.041850	.036450
				12-23 MO.	.035100	.102600	.105300
				2-65+ YR.	.091800	.241650	.275400
CHICORY, EXTRACT FEMA 2280A	20	GELATIN PUD(R)	4	0-5 MO.	.038652	.052180	.055242
				6-11 MO.	.247370	.749839	.353552
				12-23 MO.	.266695	.649345	.381173
				2-65+ YR.	.394245	1.014602	.563473
CHICORY, EXTRACT FEMA 2280A	23	BEV TYPE I(R)	13	0-5 MO.	.238342	.357513	.289786
				6-11 MO.	2.254320	7.716327	2.740896
				12-23 MO.	5.382560	16.137750	6.544342

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CHICORY, EXTRACT FEMA 2280A	23	BEV TYPE I(R)	13	2-65+ YR.	10.328160	27.578173	12.557409
CHICORY, EXTRACT FEMA 2280A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.038454	**********
				12-23 MO.	**********	.076908	**********
				2-65+ YR.	12.497518	36.300482	93.926844
CHICORY, EXTRACT FEMA 2280A	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000894	.002682	.006065
				12-23 MO.	.002682	.008046	.018195
				2-65+ YR.	.005364	.015198	.036390
CHICORY, EXTRACT FEMA 2280A	99	ALL CATEGORIES	26	0-5 MO.	4.613957	17.665348	7.047535
				6-11 MO.	43.208532	120.337054	65.704380
				12-23 MO.	68.599299	161.958677	104.398967
				2-65+ YR.	136.119610	332.908326	286.544996
CINNAMON FEMA 2289A	01	BAKED GOODS(R)	27	0-5 MO.	18.866328	24.970140	44.087659
				6-11 MO.	140.942569	287.434058	329.360749
				12-23 MO.	302.416143	498.293020	706.699245
				2-65+ YR.	761.311831	1130.869906	1779.066724
CINNAMON FEMA 2289A	02	BREAK CERLS(R)	*	0-5 MO.	1.509278	4.276287	3.061538
				6-11 MO.	56.094819	150.424673	113.787152
				12-23 MO.	65.653578	128.037054	133.176891
				2-65+ YR.	50.309255	130.300971	102.051258
CINNAMON FEMA 2289A	04	FATS OILS(R)	*	0-5 MO.	.142917	.142917	.162083
				6-11 MO.	.800333	2.143750	.907667
				12-23 MO.	1.800750	3.430000	2.042250
				2-65+ YR.	5.002083	9.032333	5.672917
CINNAMON FEMA 2289A	05	MILK PRODS(R)	*	0-5 MO.	1.890000	1.400000	3.780000
				6-11 MO.	21.840000	105.035000	43.680000
				12-23 MO.	19.075000	61.040000	38.150000
				2-65+ YR.	13.825000	42.210000	27.650000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMON FEMA 2289A	06	CHEESE(R)	*	0-5 MO.	**********	.001500	**********
				6-11 MO.	.040500	.145500	.040500
				12-23 MO.	.117000	.333000	.117000
				2-65+ YR.	.141000	.354000	.141000
CINNAMON FEMA 2289A	07	FROZN DAIRY(R)	4	0-5 MO.	.356320	1.460913	.616101
				6-11 MO.	3.385042	9.406854	5.852961
				12-23 MO.	5.131011	12.043624	8.871856
				2-65+ YR.	9.121798	21.984958	15.772189
CINNAMON FEMA 2289A	08	PROCSD FRUT(R)	*	0-5 MO.	2.888979	7.744921	3.621380
				6-11 MO.	31.840232	79.293241	39.912228
				12-23 MO.	61.836434	122.750854	77.512936
				2-65+ YR.	72.716205	154.037877	91.150898
CINNAMON FEMA 2289A	10	MEAT PRODS(R)	8	0-5 MO.	.762951	2.011417	1.726725
				6-11 MO.	14.357356	38.702439	32.493826
				12-23 MO.	20.946481	35.997430	47.406452
				2-65+ YR.	54.377620	90.236332	123.068405
CINNAMON FEMA 2289A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.021400	**********
				6-11 MO.	.171204	.470811	.171204
				12-23 MO.	.599214	1.626437	.599215
				2-65+ YR.	1.883243	4.536903	1.883248
CINNAMON FEMA 2289A	16	SOFT CANDY(R)	*	0-5 MO.	.029976	.299756	.031046
				6-11 MO.	.329731	1.019169	.341504
				12-23 MO.	.524572	1.393863	.543301
				2-65+ YR.	.869291	2.637849	.900328
CINNAMON FEMA 2289A	17	CONF FROST(R)	*	0-5 MO.	**********	2.000000	**********
				6-11 MO.	2.000000	4.000000	2.000000
				12-23 MO.	4.000000	14.000000	4.000000
				2-65+ YR.	6.000000	16.000000	6.000000
CINNAMON FEMA 2289A	18	JAM JELLY(R)	*	0-5 MO.	**********	.285000	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMON FEMA 2289A	18	JAM JELLY(R)	*	6-11 MO.	6.365000	21.185000	7.035000
				12-23 MO.	2.850000	10.640000	3.150000
				2-65+ YR.	5.415000	16.815000	5.985000
CINNAMON FEMA 2289A	19	SWEET SAUCE(R)	*	0-5 MO.	1.500000	2.000000	1.500000
				6-11 MO.	4.500000	15.500000	4.500000
				12-23 MO.	13.000000	38.000000	13.000000
				2-65+ YR.	34.000000	89.500000	34.000000
CINNAMON FEMA 2289A	20	GELATIN PUD(R)	*	0-5 MO.	2.535714	3.423214	2.857143
				6-11 MO.	16.228571	49.192857	18.285714
				12-23 MO.	17.496429	42.600000	19.714286
				2-65+ YR.	25.864286	66.562500	29.142857
CINNAMON FEMA 2289A	21	SOUPS(R)	*	0-5 MO.	.062143	.466071	.074286
				6-11 MO.	7.239643	22.588929	8.654286
				12-23 MO.	10.812857	29.859643	12.925714
				2-65+ YR.	9.849643	26.255357	11.774286
CINNAMON FEMA 2289A	23	BEV TYPE I(R)	4	0-5 MO.	.048598	.072897	.136786
				6-11 MO.	.459657	1.573364	1.293769
				12-23 MO.	1.097508	3.290498	3.089087
				2-65+ YR.	2.105919	5.623209	5.927399
CINNAMON FEMA 2289A	27	GRAVIES(R)	*	0-5 MO.	.006005	.018014	.006005
				6-11 MO.	.084067	.234188	.084067
				12-23 MO.	.216173	.612492	.216173
				2-65+ YR.	.498400	1.279026	.498400
CINNAMON FEMA 2289A	99	ALL CATEGORIES	44	0-5 MO.	30.599208	50.594448	61.660752
				6-11 MO.	306.678726	788.349833	608.400627
				12-23 MO.	527.573150	1003.947915	1071.214408
				2-65+ YR.	1053.290573	1808.236220	2240.684908
CINNAMON BARK, EXT FEMA 2290A	01	BAKED GOODS(R)	4	0-5 MO.	3.582182	4.741124	4.438830
				6-11 MO.	26.761009	54.575602	33.160672

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMON BARK, EXT FEMA 2290A	01	BAKED GOODS(R)	4	12-23 MO.	57.420276	94.611758	71.151837
				2-65+ YR.	144.551594	214.720226	179.119853
CINNAMON BARK, EXT FEMA 2290A	07	FROZN DAIRY(R)	*	0-5 MO.	.770000	3.157000	.900000
				6-11 MO.	7.315000	20.328000	8.550000
				12-23 MO.	11.088000	26.026000	12.960000
				2-65+ YR.	19.712000	47.509000	23.040000
CINNAMON BARK, EXT FEMA 2290A	10	MEAT PRODS(R)	4	0-5 MO.	.007609	.020061	.011342
				6-11 MO.	.143191	.385993	.213429
				12-23 MO.	.208906	.359015	.311379
				2-65+ YR.	.542327	.899958	.808348
CINNAMON BARK, EXT FEMA 2290A	16	SOFT CANDY(R)	*	0-5 MO.	.133537	1.335372	.163673
				6-11 MO.	1.468910	4.540266	1.800403
				12-23 MO.	2.336902	6.209481	2.864278
				2-65+ YR.	3.872580	11.751276	4.746517
CINNAMON BARK, EXT FEMA 2290A	20	GELATIN PUD(R)	*	0-5 MO.	.380000	.513000	.540000
				6-11 MO.	2.432000	7.372000	3.456000
				12-23 MO.	2.622000	6.384000	3.726000
				2-65+ YR.	3.876000	9.975000	5.508000
CINNAMON BARK, EXT FEMA 2290A	21	SOUPS(R)	*	0-5 MO.	.004000	.030000	**********
				6-11 MO.	.466000	1.454000	**********
				12-23 MO.	.696000	1.922000	**********
				2-65+ YR.	.634000	1.690000	**********
CINNAMON BARK, EXT FEMA 2290A	23	BEV TYPE I(R)	4	0-5 MO.	.871955	1.307933	1.134010
				6-11 MO.	8.247241	28.229544	10.725846
				12-23 MO.	19.691651	59.038622	25.609729
				2-65+ YR.	37.784718	100.892464	49.140438
CINNAMON BARK, EXT FEMA 2290A	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.046897	**********
				12-23 MO.	**********	.093794	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMON BARK, EXT FEMA 2290A	24	BEV TYPE II(R)	*	2-65+ YR.	15.241539	44.270809	19.272204
CINNAMON BARK, EXT FEMA 2290A	99	ALL CATEGORIES	7	0-5 MO.	5.749284	11.104489	7.187855
				6-11 MO.	46.833351	116.932302	57.906350
				12-23 MO.	94.063735	194.644670	116.623222
				2-65+ YR.	226.214758	431.708732	281.635361
CINNAMON BARK, OIL FEMA 2291A	01	BAKED GOODS(R)	17	0-5 MO.	.331428	.438655	.982290
				6-11 MO.	2.475962	5.049403	7.338286
				12-23 MO.	5.312596	8.753599	15.745536
				2-65+ YR.	13.374096	19.866186	39.638302
CINNAMON BARK, OIL FEMA 2291A	07	FROZN DAIRY(R)	9	0-5 MO.	.205738	.843528	.232078
				6-11 MO.	1.954516	5.431496	2.204742
				12-23 MO.	2.962634	6.953961	3.341924
				2-65+ YR.	5.266905	12.694065	5.941199
CINNAMON BARK, OIL FEMA 2291A	10	MEAT PRODS(R)	8	0-5 MO.	.018340	.048350	.046555
				6-11 MO.	.345118	.930318	.876080
				12-23 MO.	.503506	.865296	1.278146
				2-65+ YR.	1.307114	2.169075	3.318101
CINNAMON BARK, OIL FEMA 2291A	15	CONDM RELSH(R)	4	0-5 MO.	**********	.010295	**********
				6-11 MO.	.082363	.226500	.103122
				12-23 MO.	.288272	.782453	.360928
				2-65+ YR.	.905998	2.182633	1.134345
CINNAMON BARK, OIL FEMA 2291A	16	SOFT CANDY(R)	12	0-5 MO.	.029860	.298600	.052437
				6-11 MO.	.328460	1.015241	.576802
				12-23 MO.	.522550	1.388491	.917640
				2-65+ YR.	.865941	2.627682	1.520660
CINNAMON BARK, OIL FEMA 2291A	18	JAM JELLY(R)	*	0-5 MO.	**********	.075210	**********
				6-11 MO.	1.679690	5.590610	1.679690
				12-23 MO.	.752100	2.807840	.752100
				2-65+ YR.	1.428990	4.437390	1.428990

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMON BARK, OIL FEMA 2291A	20	GELATIN PUD(R)	6	0-5 MO.	.342060	.461781	.429708
				6-11 MO.	2.189185	6.635966	2.750128
				12-23 MO.	2.360215	5.746610	2.964982
				2-65+ YR.	3.489013	8.979078	4.383017
CINNAMON BARK, OIL FEMA 2291A	21	SOUPS(R)	*	0-5 MO.	.005000	.037500	.005000
				6-11 MO.	.582500	1.817500	.582500
				12-23 MO.	.870000	2.402500	.870000
				2-65+ YR.	.792500	2.112500	.792500
CINNAMON BARK, OIL FEMA 2291A	23	BEV TYPE I(R)	20	0-5 MO.	.042102	.063154	.091770
				6-11 MO.	.398219	1.363067	.867992
				12-23 MO.	.950814	2.850686	2.072473
				2-65+ YR.	1.824439	4.871604	3.976702
CINNAMON BARK, OIL FEMA 2291A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.049141	**********
				12-23 MO.	**********	.098281	**********
				2-65+ YR.	15.970691	46.388715	18.609355
CINNAMON BARK, OIL FEMA 2291A	27	GRAVIES(R)	*	0-5 MO.	.001800	.005400	.009800
				6-11 MO.	.025200	.070200	.137200
				12-23 MO.	.064800	.183600	.352800
				2-65+ YR.	.149400	.383400	.813400
CINNAMON BARK, OIL FEMA 2291A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000763	.002289	.002501
				12-23 MO.	.002289	.006867	.007503
				2-65+ YR.	.004578	.012971	.015006
CINNAMON BARK, OIL FEMA 2291A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002398	.002398	.028136
				12-23 MO.	.002398	.007194	.028136
				2-65+ YR.	.004796	.009592	.056272
CINNAMON BARK, OIL FEMA 2291A	99	ALL CATEGORIES	40	0-5 MO.	.976329	2.282473	1.849637

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMON BARK, OIL FEMA 2291A	99	ALL CATEGORIES	40	6-11 MO.	10.064374	28.184129	17.147179
				12-23 MO.	14.592174	32.847379	28.692167
				2-65+ YR.	45.384462	106.734891	81.627848
CINNAMON LEAF, OIL FEMA 2292A	01	BAKED GOODS(R)	17	0-5 MO.	.359669	.476032	.599091
				6-11 MO.	2.686938	5.479861	4.475563
				12-23 MO.	5.765280	9.499489	9.603078
				2-65+ YR.	14.513697	21.558975	24.175089
CINNAMON LEAF, OIL FEMA 2292A	07	FROZN DAIRY(R)	5	0-5 MO.	.181111	.742554	.215899
				6-11 MO.	1.720552	4.781322	2.051036
				12-23 MO.	2.607994	6.121541	3.108939
				2-65+ YR.	4.636434	11.174530	5.527002
CINNAMON LEAF, OIL FEMA 2292A	10	MEAT PRODS(R)	6	0-5 MO.	.009103	.023998	.043666
				6-11 MO.	.171293	.461745	.821721
				12-23 MO.	.249905	.429473	1.198839
				2-65+ YR.	.648760	1.076578	3.112217
CINNAMON LEAF, OIL FEMA 2292A	14	PROCSD VEGS(R)	*	0-5 MO.	.002184	.006552	.002184
				6-11 MO.	.037440	.087360	.037440
				12-23 MO.	.060840	.101868	.060840
				2-65+ YR.	.132600	.223392	.132600
CINNAMON LEAF, OIL FEMA 2292A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.003995	**********
				6-11 MO.	.031959	.087887	.041863
				12-23 MO.	.111857	.303611	.146521
				2-65+ YR.	.351550	.846915	.460495
CINNAMON LEAF, OIL FEMA 2292A	16	SOFT CANDY(R)	15	0-5 MO.	.007111	.071111	.014304
				6-11 MO.	.078222	.241777	.157344
				12-23 MO.	.124444	.330665	.250320
				2-65+ YR.	.206221	.625775	.414816
CINNAMON LEAF, OIL FEMA 2292A	20	GELATIN PUD(R)	*	0-5 MO.	.235829	.318370	.277156
				6-11 MO.	1.509308	4.575090	1.773801

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMON LEAF, OIL FEMA 2292A	20	GELATIN PUD(R)	*	12-23 MO.	1.627223	3.961934	1.912379
				2-65+ YR.	2.405460	6.190521	2.826995
CINNAMON LEAF, OIL FEMA 2292A	23	BEV TYPE I(R)	11	0-5 MO.	.041352	.062028	.083101
				6-11 MO.	.391124	1.338781	.785993
				12-23 MO.	.933873	2.799896	1.876688
				2-65+ YR.	1.791933	4.784807	3.601025
CINNAMON LEAF, OIL FEMA 2292A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008733	**********
				12-23 MO.	**********	.017465	**********
				2-65+ YR.	2.638100	8.243588	3.482914
CINNAMON LEAF, OIL FEMA 2292A	27	GRAVIES(R)	*	0-5 MO.	.006500	.019500	.010000
				6-11 MO.	.091000	.253500	.140000
				12-23 MO.	.234000	.663000	.360000
				2-65+ YR.	.539500	1.384500	.830000
CINNAMON LEAF, OIL FEMA 2292A	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005564	.016692	.044480
				12-23 MO.	.016692	.050076	.133440
				2-65+ YR.	.033384	.094588	.266880
CINNAMON LEAF, OIL FEMA 2292A	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.029346	.029346	.116683
				12-23 MO.	.029346	.088038	.116683
				2-65+ YR.	.058692	.117384	.233366
CINNAMON LEAF, OIL FEMA 2292A	99	ALL CATEGORIES	38	0-5 MO.	.842859	1.724139	1.245401
				6-11 MO.	6.752745	17.361894	10.445923
				12-23 MO.	11.761454	24.367056	18.767727
				2-65+ YR.	28.156330	56.321552	45.063398
CITRONELLA, OIL FEMA 2308A	01	BAKED GOODS(R)	4	0-5 MO.	.118840	.157288	.161879
				6-11 MO.	.887804	1.810562	1.209332
				12-23 MO.	1.904934	3.138773	2.594827

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CITRONELLA, OIL FEMA 2308A	01	BAKED GOODS(R)	4	2-65+ YR.	4.795541	7.123406	6.532298
CITRONELLA, OIL FEMA 2308A	02	BREAK CERLS(R)	*	0-5 MO.	.010680	.030260	.017280
				6-11 MO.	.396940	1.064440	.642240
				12-23 MO.	.464580	.906020	.751680
				2-65+ YR.	.356000	.922040	.576000
CITRONELLA, OIL FEMA 2308A	07	FROZN DAIRY(R)	5	0-5 MO.	.031600	.129560	.042579
				6-11 MO.	.300200	.834241	.404497
				12-23 MO.	.455040	1.068081	.613132
				2-65+ YR.	.808961	1.949721	1.090013
CITRONELLA, OIL FEMA 2308A	16	SOFT CANDY(R)	6	0-5 MO.	.006648	.066480	.009175
				6-11 MO.	.073128	.226033	.100929
				12-23 MO.	.116340	.309133	.160568
				2-65+ YR.	.192793	.585026	.266085
CITRONELLA, OIL FEMA 2308A	20	GELATIN PUD(R)	*	0-5 MO.	.049893	.067356	.077842
				6-11 MO.	.319316	.967926	.498187
				12-23 MO.	.344262	.838204	.537108
				2-65+ YR.	.508910	1.309694	.793986
CITRONELLA, OIL FEMA 2308A	23	BEV TYPE I(R)	7	0-5 MO.	.039841	.059762	.062956
				6-11 MO.	.376833	1.289866	.595462
				12-23 MO.	.899752	2.697596	1.421765
				2-65+ YR.	1.726461	4.609984	2.728110
CITRONELLA, OIL FEMA 2308A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.003296	**********
				12-23 MO.	**********	.006591	**********
				2-65+ YR.	1.071040	3.110960	1.300000
CITRONELLA, OIL FEMA 2308A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000328	.000984	.001298
				12-23 MO.	.000984	.002952	.003894
				2-65+ YR.	.001968	.005576	.007788

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CITRONELLA, OIL FEMA 2308A	99	ALL CATEGORIES	10	0-5 MO.	.257503	.510706	.371711
				6-11 MO.	2.354550	6.197347	3.451945
				12-23 MO.	4.185894	8.967350	6.082974
				2-65+ YR.	9.461674	19.616409	13.294279
CIVET, ABSOLUTE FEMA 2319A	01	BAKED GOODS(R)	6	0-5 MO.	.038594	.051080	.044556
				6-11 MO.	.288320	.587992	.332861
				12-23 MO.	.618640	1.019337	.714210
				2-65+ YR.	1.557383	2.313373	1.797973
CIVET, ABSOLUTE FEMA 2319A	07	FROZN DAIRY(R)	4	0-5 MO.	.004742	.019441	.006009
				6-11 MO.	.045046	.125182	.057085
				12-23 MO.	.068281	.160270	.086528
				2-65+ YR.	.121388	.292565	.153828
CIVET, ABSOLUTE FEMA 2319A	16	SOFT CANDY(R)	6	0-5 MO.	.002256	.022555	.002833
				6-11 MO.	.024811	.076688	.031160
				12-23 MO.	.039472	.104883	.049573
				2-65+ YR.	.065411	.198488	.082150
CIVET, ABSOLUTE FEMA 2319A	20	GELATIN PUD(R)	*	0-5 MO.	.013237	.017870	.020497
				6-11 MO.	.084718	.256800	.131184
				12-23 MO.	.091336	.222384	.141432
				2-65+ YR.	.135019	.347474	.209074
CIVET, ABSOLUTE FEMA 2319A	23	BEV TYPE I(R)	6	0-5 MO.	.003173	.004760	.005075
				6-11 MO.	.030013	.102733	.048005
				12-23 MO.	.071662	.214852	.114620
				2-65+ YR.	.137506	.367166	.219935
CIVET, ABSOLUTE FEMA 2319A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000379	**********
				12-23 MO.	**********	.000758	**********
				2-65+ YR.	.123185	.357806	.185728
CIVET, ABSOLUTE FEMA 2319A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CIVET, ABSOLUTE FEMA 2319A	30	HARD CANDY(R)	*	6-11 MO.	.000025	.000075	.000025
				12-23 MO.	.000075	.000225	.000075
				2-65+ YR.	.000150	.000425	.000150
CIVET, ABSOLUTE FEMA 2319A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000110	.000110	.000110
				12-23 MO.	.000110	.000330	.000110
				2-65+ YR.	.000220	.000440	.000220
CIVET, ABSOLUTE FEMA 2319A	99	ALL CATEGORIES	10	0-5 MO.	.062002	.115707	.078971
				6-11 MO.	.473043	1.149958	.600430
				12-23 MO.	.889575	1.723039	1.106548
				2-65+ YR.	2.140262	3.877737	2.649058
CLARY FEMA 2320A	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.021600
				6-11 MO.	.113500	.388500	.204300
				12-23 MO.	.271000	.812500	.487800
				2-65+ YR.	.520000	1.388500	.936000
CLARY FEMA 2320A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.011369	**********
				12-23 MO.	**********	.022739	**********
				2-65+ YR.	3.695006	10.732572	4.704375
CLARY FEMA 2320A	99	ALL CATEGORIES	*	0-5 MO.	.012000	.018000	.021600
				6-11 MO.	.113500	.399869	.204300
				12-23 MO.	.271000	.835239	.487800
				2-65+ YR.	4.215006	12.121072	5.640375
CLARY, OIL FEMA 2321A	01	BAKED GOODS(R)	9	0-5 MO.	.033360	.044153	.047884
				6-11 MO.	.249221	.508254	.357725
				12-23 MO.	.534746	.881104	.767558
				2-65+ YR.	1.346186	1.999656	1.932276
CLARY, OIL FEMA 2321A	07	FROZN DAIRY(R)	8	0-5 MO.	.007689	.031523	.010160
				6-11 MO.	.073041	.202978	.096517

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CLARY, OIL FEMA 2321A	07	FROZN DAIRY(R)	8	12-23 MO.	.110715	.259873	.146300
				2-65+ YR.	.196827	.474383	.260089
CLARY, OIL FEMA 2321A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000006	**********
				6-11 MO.	.000048	.000132	.000480
				12-23 MO.	.000168	.000456	.001680
				2-65+ YR.	.000528	.001272	.005280
CLARY, OIL FEMA 2321A	16	SOFT CANDY(R)	11	0-5 MO.	.001669	.016690	.002375
				6-11 MO.	.018359	.056745	.026122
				12-23 MO.	.029207	.077607	.041558
				2-65+ YR.	.048400	.146868	.068868
CLARY, OIL FEMA 2321A	20	GELATIN PUD(R)	*	0-5 MO.	.020576	.027778	.026000
				6-11 MO.	.131687	.399175	.166400
				12-23 MO.	.141975	.345678	.179400
				2-65+ YR.	.209876	.540121	.265200
CLARY, OIL FEMA 2321A	23	BEV TYPE I(R)	11	0-5 MO.	.018289	.027434	.023589
				6-11 MO.	.172984	.592107	.223109
				12-23 MO.	.413027	1.238320	.532710
				2-65+ YR.	.792525	2.116194	1.022174
CLARY, OIL FEMA 2321A	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.013743	**********
				12-23 MO.	**********	.027486	**********
				2-65+ YR.	4.466484	12.973418	5.052702
CLARY, OIL FEMA 2321A	99	ALL CATEGORIES	14	0-5 MO.	.081583	.147583	.110007
				6-11 MO.	.645339	1.773134	.870353
				12-23 MO.	1.229838	2.830524	1.669206
				2-65+ YR.	7.060825	18.251912	8.606588
CLOVE BUD, EXTRACT FEMA 2322A	01	BAKED GOODS(R)	*	0-5 MO.	.367200	.486000	.431800
				6-11 MO.	2.743200	5.594400	3.225800
				12-23 MO.	5.886000	9.698400	6.921500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CLOVE BUD, EXTRACT FEMA 2322A	01	BAKED GOODS(R)	*	2-65+ YR.	14.817600	22.010400	17.424400
CLOVE BUD, EXTRACT FEMA 2322A	07	FROZN DAIRY(R)	*	0-5 MO.	.026000	.106600	.039750
				6-11 MO.	.247000	.686400	.377625
				12-23 MO.	.374400	.878800	.572400
				2-65+ YR.	.665600	1.604200	1.017600
CLOVE BUD, EXTRACT FEMA 2322A	10	MEAT PRODS(R)	*	0-5 MO.	.181896	.479544	.243056
				6-11 MO.	3.422952	9.227088	4.573872
				12-23 MO.	4.993872	8.582184	6.672992
				2-65+ YR.	12.964224	21.513336	17.323264
CLOVE BUD, EXTRACT FEMA 2322A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.013000	**********
				6-11 MO.	.104000	.286000	.144000
				12-23 MO.	.364000	.988000	.504000
				2-65+ YR.	1.144000	2.756000	1.584000
CLOVE BUD, EXTRACT FEMA 2322A	16	SOFT CANDY(R)	*	0-5 MO.	.015750	.157500	.020500
				6-11 MO.	.173250	.535500	.225500
				12-23 MO.	.275625	.732375	.358750
				2-65+ YR.	.456750	1.386000	.594500
CLOVE BUD, EXTRACT FEMA 2322A	20	GELATIN PUD(R)	*	0-5 MO.	.630000	.850500	.700000
				6-11 MO.	4.032000	12.222000	4.480000
				12-23 MO.	4.347000	10.584000	4.830000
				2-65+ YR.	6.426000	16.537500	7.140000
CLOVE BUD, EXTRACT FEMA 2322A	23	BEV TYPE I(R)	*	0-5 MO.	.027917	.041875	.034999
				6-11 MO.	.264048	.903812	.331035
				12-23 MO.	.630458	1.890212	.790400
				2-65+ YR.	1.209736	3.230227	1.516634
CLOVE BUD, EXTRACT FEMA 2322A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.012500	**********
				12-23 MO.	**********	.025000	**********
				2-65+ YR.	4.062500	11.800000	4.875000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CLOVE BUD, EXTRACT FEMA 2322A	99	ALL CATEGORIES	4	0-5 MO.	1.248763	2.135019	1.470105
				6-11 MO.	10.986450	29.467700	13.357832
				12-23 MO.	16.871355	33.378971	20.650042
				2-65+ YR.	41.746410	80.837663	51.475398
CLOVE BUD, OIL FEMA 2323A	01	BAKED GOODS(R)	23	0-5 MO.	.126398	.167291	.294553
				6-11 MO.	.944265	1.925705	2.200481
				12-23 MO.	2.026080	3.338385	4.721505
				2-65+ YR.	5.100516	7.576423	11.886063
CLOVE BUD, OIL FEMA 2323A	04	FATS OILS(R)	*	0-5 MO.	.010500	.010500	.042500
				6-11 MO.	.058800	.157500	.238000
				12-23 MO.	.132300	.252000	.535500
				2-65+ YR.	.367500	.663600	1.487500
CLOVE BUD, OIL FEMA 2323A	07	FROZN DAIRY(R)	17	0-5 MO.	.035627	.146072	.040781
				6-11 MO.	.338458	.940558	.387423
				12-23 MO.	.513032	1.204199	.587251
				2-65+ YR.	.912056	2.198198	1.044002
CLOVE BUD, OIL FEMA 2323A	10	MEAT PRODS(R)	16	0-5 MO.	.139786	.368526	.177911
				6-11 MO.	2.630510	7.090940	3.347959
				12-23 MO.	3.837749	6.595337	4.884462
				2-65+ YR.	9.962898	16.532819	12.680193
CLOVE BUD, OIL FEMA 2323A	14	PROCSD VEGS(R)	*	0-5 MO.	.016500	.049500	.024500
				6-11 MO.	.282857	.660000	.420000
				12-23 MO.	.459643	.769607	.682500
				2-65+ YR.	1.001786	1.687714	1.487500
CLOVE BUD, OIL FEMA 2323A	15	CONDM RELSH(R)	13	0-5 MO.	**********	.005952	**********
				6-11 MO.	.047614	.130938	.072950
				12-23 MO.	.166648	.452330	.255325
				2-65+ YR.	.523751	1.261764	.802451
CLOVE BUD, OIL FEMA 2323A	16	SOFT CANDY(R)	19	0-5 MO.	.019371	.193709	.027630

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVE BUD, OIL FEMA 2323A	16	SOFT CANDY(R)	19	6-11 MO.	.213079	.658609	.303928
				12-23 MO.	.338990	.900745	.483523
				2-65+ YR.	.561755	1.704636	.801266
CLOVE BUD, OIL FEMA 2323A	20	GELATIN PUD(R)	10	0-5 MO.	.046241	.062425	.056298
				6-11 MO.	.295942	.897073	.360305
				12-23 MO.	.319062	.776847	.388454
				2-65+ YR.	.471657	1.213823	.574237
CLOVE BUD, OIL FEMA 2323A	21	SOUPS(R)	*	0-5 MO.	.000282	.002114	.001973
				6-11 MO.	.032832	.102441	.229823
				12-23 MO.	.049036	.139414	.343255
				2-65+ YR.	.044668	.119068	.312677
CLOVE BUD, OIL FEMA 2323A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.016000	**********
				6-11 MO.	.064000	.176000	.128000
				12-23 MO.	.176000	.496000	.352000
				2-65+ YR.	.208000	.592000	.416000
CLOVE BUD, OIL FEMA 2323A	23	BEV TYPE I(R)	30	0-5 MO.	.027818	.041728	.034797
				6-11 MO.	.263115	.900619	.329117
				12-23 MO.	.628231	1.883534	.785822
				2-65+ YR.	1.205462	3.218814	1.507851
CLOVE BUD, OIL FEMA 2323A	24	BEV TYPE II(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.015251	**********
				12-23 MO.	**********	.030503	**********
				2-65+ YR.	4.956706	14.397323	6.441103
CLOVE BUD, OIL FEMA 2323A	27	GRAVIES(R)	*	0-5 MO.	.000844	.002531	.025813
				6-11 MO.	.011813	.032906	.361375
				12-23 MO.	.030375	.086063	.929250
				2-65+ YR.	.070031	.179719	2.142438
CLOVE BUD, OIL FEMA 2323A	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001922	.005766	.016179

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVE BUD, OIL FEMA 2323A	30	HARD CANDY(R)	11	12-23 MO.	.005766	.017298	.048537
				2-65+ YR.	.011532	.032674	.097074
CLOVE BUD, OIL FEMA 2323A	31	CHEWING GUM(R)	11	0-5 MO.	**********	**********	**********
				6-11 MO.	.019164	.019164	.284762
				12-23 MO.	.019164	.057492	.284762
				2-65+ YR.	.038328	.076656	.569524
CLOVE BUD, OIL FEMA 2323A	99	ALL CATEGORIES	81	0-5 MO.	.423366	1.066346	.726754
				6-11 MO.	5.204371	13.713471	8.680303
				12-23 MO.	8.702076	16.995753	15.282146
				2-65+ YR.	25.436646	51.455231	42.249880
CLOVE BUD, OLEORESIN FEMA 2324A	01	BAKED GOODS(R)	6	0-5 MO.	.822436	1.088518	.943775
				6-11 MO.	6.144082	12.530057	7.050556
				12-23 MO.	13.183168	21.721990	15.128161
				2-65+ YR.	33.187718	49.297791	38.084104
CLOVE BUD, OLEORESIN FEMA 2324A	07	FROZN DAIRY(R)	*	0-5 MO.	.160000	.656000	.175000
				6-11 MO.	1.520000	4.224000	1.662500
				12-23 MO.	2.304000	5.408000	2.520000
				2-65+ YR.	4.096000	9.872000	4.480000
CLOVE BUD, OLEORESIN FEMA 2324A	10	MEAT PRODS(R)	9	0-5 MO.	.264128	.696337	.337090
				6-11 MO.	4.970407	13.398490	6.343425
				12-23 MO.	7.251512	12.462036	9.254659
				2-65+ YR.	18.825118	31.239131	24.025340
CLOVE BUD, OLEORESIN FEMA 2324A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.012682	**********
				6-11 MO.	.101455	.279000	.120000
				12-23 MO.	.355091	.963818	.420000
				2-65+ YR.	1.116000	2.688545	1.320000
CLOVE BUD, OLEORESIN FEMA 2324A	16	SOFT CANDY(R)	*	0-5 MO.	.125000	1.250000	.130000
				6-11 MO.	1.375000	4.250000	1.430000
				12-23 MO.	2.187500	5.812500	2.275000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVE BUD, OLEORESIN FEMA 2324A	16	SOFT CANDY(R)	*	2-65+ YR.	3.625000	11.000000	3.770000
CLOVE BUD, OLEORESIN FEMA 2324A	20	GELATIN PUD(R)	*	0-5 MO.	.245168	.330977	.297899
				6-11 MO.	1.569076	4.756261	1.906555
				12-23 MO.	1.691660	4.118824	2.055504
				2-65+ YR.	2.500714	6.435662	3.038571
CLOVE BUD, OLEORESIN FEMA 2324A	23	BEV TYPE I(R)	*	0-5 MO.	.305647	.458471	.352689
				6-11 MO.	2.890912	9.895324	3.335851
				12-23 MO.	6.902529	20.694853	7.964895
				2-65+ YR.	13.244706	35.365912	15.283193
CLOVE BUD, OLEORESIN FEMA 2324A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.072500	**********
				12-23 MO.	**********	.145000	**********
				2-65+ YR.	23.562500	68.440000	25.187500
CLOVE BUD, OLEORESIN FEMA 2324A	27	GRAVIES(R)	*	0-5 MO.	.026574	.079722	.052463
				6-11 MO.	.372037	1.036389	.734481
				12-23 MO.	.956667	2.710556	1.888667
				2-65+ YR.	2.205648	5.660278	4.354426
CLOVE BUD, OLEORESIN FEMA 2324A	59	ALL CATEGORIES	10	0-5 MO.	1.948953	4.572707	2.288917
				6-11 MO.	18.942968	50.442019	22.583368
				12-23 MO.	34.832127	74.037576	41.506886
				2-65+ YR.	102.363404	219.999318	119.543135
CLOVE LEAF, OIL FEMA 2325A	01	BAKED GOODS(R)	10	0-5 MO.	.134844	.178470	.338391
				6-11 MO.	1.007364	2.054389	2.527977
				12-23 MO.	2.161471	3.561469	5.424203
				2-65+ YR.	5.441354	8.082710	13.655057
CLOVE LEAF, OIL FEMA 2325A	07	FROZN DAIRY(R)	6	0-5 MO.	.017672	.072454	.024207
				6-11 MO.	.167882	.466536	.229962
				12-23 MO.	.254474	.597308	.348575
				2-65+ YR.	.452399	1.090351	.619688

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVE LEAF, OIL FEMA 2325A	10	MEAT PRODS(R)	13	0-5 MO.	.350711	.924603	.502957
				6-11 MO.	6.599752	17.790636	9.464731
				12-23 MO.	9.628624	16.547204	13.808448
				2-65+ YR.	24.996162	41.479601	35.847098
CLOVE LEAF, OIL FEMA 2325A	14	PROCSD VEGS(R)	*	0-5 MO.	.016352	.049056	.016632
				6-11 MO.	.280320	.654080	.285120
				12-23 MO.	.455520	.762704	.463320
				2-65+ YR.	.992800	1.672576	1.009800
CLOVE LEAF, OIL FEMA 2325A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.002188	**********
				6-11 MO.	.017500	.048125	.036250
				12-23 MO.	.061250	.166250	.126875
				2-65+ YR.	.192500	.463750	.398750
CLOVE LEAF, OIL FEMA 2325A	16	SOFT CANDY(R)	8	0-5 MO.	.011995	.119947	.020190
				6-11 MO.	.131942	.407820	.222092
				12-23 MO.	.209907	.557754	.353328
				2-65+ YR.	.347847	1.055534	.585515
CLOVE LEAF, OIL FEMA 2325A	20	GELATIN PUD(R)	6	0-5 MO.	.010120	.013662	.019609
				6-11 MO.	.064766	.196321	.125495
				12-23 MO.	.069826	.170010	.135299
				2-65+ YR.	.103221	.265641	.200008
CLOVE LEAF, OIL FEMA 2325A	23	BEV TYPE I(R)	11	0-5 MO.	.022515	.033772	.029062
				6-11 MO.	.212951	.728913	.274876
				12-23 MO.	.508457	1.524432	.656313
				2-65+ YR.	.975636	2.605137	1.259345
CLOVE LEAF, OIL FEMA 2325A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008498	**********
				12-23 MO.	**********	.016996	**********
				2-65+ YR.	2.761787	8.021929	3.411670
CLOVE LEAF, OIL FEMA 2325A	27	GRAVIES(R)	*	0-5 MO.	.026000	.078000	.027000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVE LEAF, OIL FEMA 2325A	27	GRAVIES(R)	*	6-11 MO.	.364000	1.014000	.378000
				12-23 MO.	.936000	2.652000	.972000
				2-65+ YR.	2.158000	5.538000	2.241000
CLOVE LEAF, OIL FEMA 2325A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006552	.019656	.006552
				12-23 MO.	.019656	.058968	.019656
				2-65+ YR.	.039312	.111384	.039312
CLOVE LEAF, OIL FEMA 2325A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.028491	.028491	.085437
				12-23 MO.	.028491	.085473	.085437
				2-65+ YR.	.056982	.113964	.170874
CLOVE LEAF, OIL FEMA 2325A	99	ALL CATEGORIES	24	0-5 MO.	.590208	1.472152	.978047
				6-11 MO.	8.881521	23.417465	13.636493
				12-23 MO.	14.333675	26.700568	22.393454
				2-65+ YR.	38.517999	70.500578	59.438118
CLOVER TOP RED, EXT SOLID FEMA 2326A	01	BAKED GOODS(R)	4	0-5 MO.	.031805	.042094	.043477
				6-11 MO.	.237600	.484554	.324800
				12-23 MO.	.509811	.840019	.696913
				2-65+ YR.	1.283414	1.906413	1.754432
CLOVER TOP RED, EXT SOLID FEMA 2326A	06	CHEESE(R)	*	0-5 MO.	**********	.009775	**********
				6-11 MO.	.263925	.948175	.263925
				12-23 MO.	.762450	2.170050	.762450
				2-65+ YR.	.918850	2.306900	.918850
CLOVER TOP RED, EXT SOLID FEMA 2326A	07	FROZN DAIRY(R)	*	0-5 MO.	.001726	.007079	.003085
				6-11 MO.	.016402	.045579	.029312
				12-23 MO.	.024862	.058356	.044431
				2-65+ YR.	.044198	.106525	.078988
CLOVER TOP RED, EXT SOLID FEMA 2326A	16	SOFT CANDY(R)	*	0-5 MO.	.002934	.029339	.004670
				6-11 MO.	.032273	.099754	.051366

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVER TOP RED, EXT SOLID FEMA 2326A	16	SOFT CANDY(R)	*	12-23 MO.	.051344	.136428	.081719
				2-65+ YR.	.085084	.258186	.135420
CLOVER TOP RED, EXT SOLID FEMA 2326A	18	JAM JELLY(R)	*	0-5 MO.	**********	.120000	**********
				6-11 MO.	2.680000	8.920000	3.517500
				12-23 MO.	1.200000	4.480000	1.575000
				2-65+ YR.	2.280000	7.080000	2.992500
CLOVER TOP RED, EXT SOLID FEMA 2326A	23	BEV TYPE I(R)	4	0-5 MO.	.003995	.005993	.006639
				6-11 MO.	.037790	.129351	.062797
				12-23 MO.	.090230	.270523	.149939
				2-65+ YR.	.173134	.462302	.287705
CLOVER TOP RED, EXT SOLID FEMA 2326A	27	GRAVIES(R)	*	0-5 MO.	.000125	.000375	.000125
				6-11 MO.	.001750	.004875	.001750
				12-23 MO.	.004500	.012750	.004500
				2-65+ YR.	.010375	.026625	.010375
CLOVER TOP RED, EXT SOLID FEMA 2326A	99	ALL CATEGORIES	5	0-5 MO.	.040586	.214656	.057997
				6-11 MO.	3.269740	10.632289	4.251450
				12-23 MO.	2.643196	7.968125	3.314951
				2-65+ YR.	4.795056	12.146950	6.178269
CLOVES FEMA 2327A	01	BAKED GOODS(R)	16	0-5 MO.	1.309258	1.732842	4.211481
				6-11 MO.	9.780931	19.946938	31.462238
				12-23 MO.	20.986643	34.579826	67.507558
				2-65+ YR.	52.832429	78.478492	169.945632
CLOVES FEMA 2327A	04	FATS OILS(R)	*	0-5 MO.	.092022	.092022	.169272
				6-11 MO.	.515321	1.380323	.947925
				12-23 MO.	1.159472	2.208518	2.132830
				2-65+ YR.	3.220755	5.815763	5.924528
CLOVES FEMA 2327A	06	CHEESE(R)	*	0-5 MO.	**********	.001500	**********
				6-11 MO.	.040500	.145500	.040500
				12-23 MO.	.117000	.333000	.117000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVES FEMA 2327A	06	CHEESE(R)	*	2-65+ YR.	.141000	.354000	.141000
CLOVES FEMA 2327A	07	FROZN DAIRY(R)	*	0-5 MO.	.020000	.082000	.040000
				6-11 MO.	.190000	.528000	.380000
				12-23 MO.	.288000	.676000	.576000
				2-65+ YR.	.512000	1.234000	1.024000
CLOVES FEMA 2327A	08	PROCSD FRUT(R)	*	0-5 MO.	.879884	2.358837	1.560779
				6-11 MO.	9.697442	24.150000	17.201773
				12-23 MO.	18.833256	37.385698	33.407305
				2-65+ YR.	22.146860	46.914651	39.285131
CLOVES FEMA 2327A	10	MEAT PRODS(R)	19	0-5 MO.	.335428	.884310	1.066314
				6-11 MO.	6.312140	17.015335	20.066096
				12-23 MO.	9.209017	15.826091	29.275174
				2-65+ YR.	23.906851	39.671955	75.999126
CLOVES FEMA 2327A	14	PROCSD VEGS(R)	4	0-5 MO.	.678195	2.034584	.678195
				6-11 MO.	11.626193	27.127783	11.626193
				12-23 MO.	18.892563	31.632933	18.892563
				2-65+ YR.	41.176100	69.369617	41.176100
CLOVES FEMA 2327A	15	CONDM RELSH(R)	11	0-5 MO.	**********	.101552	**********
				6-11 MO.	.812415	2.234142	1.887723
				12-23 MO.	2.843454	7.717947	6.607031
				2-65+ YR.	8.936570	21.529010	20.764953
CLOVES FEMA 2327A	16	SOFT CANDY(R)	*	0-5 MO.	.043897	.438974	.045056
				6-11 MO.	.482872	1.492513	.495618
				12-23 MO.	.768205	2.041231	.788483
				2-65+ YR.	1.273026	3.862974	1.306629
CLOVES FEMA 2327A	21	SOUPS(R)	4	0-5 MO.	.030693	.230201	.159111
				6-11 MO.	3.575784	11.157059	18.536444
				12-23 MO.	5.340655	14.748189	27.685333
				2-65+ YR.	4.864907	12.967970	25.219111

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CLOVES							
FEMA 2327A	23	BEV TYPE I(R)	6	0-5 MO.	.309735	.464603	.338776
				6-11 MO.	2.929581	10.027686	3.204259
				12-23 MO.	6.994860	20.971673	7.650698
				2-65+ YR.	13.421871	35.838977	14.680306
CLOVES							
FEMA 2327A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000159	**********
				12-23 MO.	**********	.000318	**********
				2-65+ YR.	.051675	.150096	.097500
CLOVES							
FEMA 2327A	27	GRAVIES(R)	5	0-5 MO.	.003234	.009703	.013193
				6-11 MO.	.045279	.126134	.184698
				12-23 MO.	.116431	.329889	.474937
				2-65+ YR.	.268439	.686885	1.094994
CLOVES							
FEMA 2327A	99	ALL CATEGORIES	52	0-5 MO.	3.702347	6.431127	8.282177
				6-11 MO.	46.008458	115.331572	106.033467
				12-23 MO.	85.549556	168.451312	195.114912
				2-65+ YR.	172.752482	316.876390	396.659010
CLOVE STEM, OIL							
FEMA 2328A	01	BAKED GOODS(R)	4	0-5 MO.	.109589	.145044	.139024
				6-11 MO.	.818693	1.669618	1.038594
				12-23 MO.	1.756644	2.894434	2.228479
				2-65+ YR.	4.422231	6.568883	5.610044
CLOVE STEM, OIL							
FEMA 2328A	07	FROZN DAIRY(R)	5	0-5 MO.	.107177	.439426	.129484
				6-11 MO.	1.018182	2.829474	1.230095
				12-23 MO.	1.543349	3.622584	1.864566
				2-65+ YR.	2.743732	6.612823	3.314784
CLOVE STEM, OIL							
FEMA 2328A	10	MEAT PRODS(R)	*	0-5 MO.	.475363	1.253230	.577056
				6-11 MO.	8.945468	24.113870	10.859141
				12-23 MO.	13.050876	22.428492	15.842804
				2-65+ YR.	33.880420	56.222482	41.128340
CLOVE STEM, OIL							
FEMA 2328A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001619	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CLOVE STEM, OIL FEMA 2328A	15	CONDM RELSH(R)	*	6-11 MO.	.012954	.035623	.048200
				12-23 MO.	.045338	.123061	.168701
				2-65+ YR.	.142491	.343274	.530203
CLOVE STEM, OIL FEMA 2328A	16	SOFT CANDY(R)	4	0-5 MO.	.078243	.782432	.082890
				6-11 MO.	.860675	2.660267	.911795
				12-23 MO.	1.369255	3.638307	1.450582
				2-65+ YR.	2.269051	6.885397	2.403822
CLOVE STEM, OIL FEMA 2328A	20	GELATIN PUD(R)	*	0-5 MO.	.199667	.269551	.249584
				6-11 MO.	1.277871	3.873547	1.597339
				12-23 MO.	1.377705	3.354412	1.722131
				2-65+ YR.	2.036607	5.241268	2.545759
CLOVE STEM, OIL FEMA 2328A	23	BEV TYPE I(R)	8	0-5 MO.	.110055	.165082	.126253
				6-11 MO.	1.040933	3.563019	1.194147
				12-23 MO.	2.485400	7.451616	2.851222
				2-65+ YR.	4.769034	12.734238	5.470980
CLOVE STEM, OIL FEMA 2328A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.050000	**********
				12-23 MO.	**********	.100000	**********
				2-65+ YR.	16.250000	47.200000	19.500000
CLOVE STEM, OIL FEMA 2328A	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.020364	.061091	.107104
				12-23 MO.	.061091	.183272	.321312
				2-65+ YR.	.122181	.346180	.642624
CLOVE STEM, OIL FEMA 2328A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.013907	.013907	.018660
				12-23 MO.	.013907	.041721	.018660
				2-65+ YR.	.027814	.055628	.037320
CLOVE STEM, OIL FEMA 2328A	99	ALL CATEGORIES	23	0-5 MO.	1.080094	3.056383	1.304292
				6-11 MO.	14.009046	38.870415	17.005075

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CLOVE STEM, OIL FEMA 2328A	99	ALL CATEGORIES	23	12-23 MO.	21.703566	43.837897	26.468458
				2-65+ YR.	66.663562	142.210174	81.183875
COCA LEAF, EXTRACT FEMA 2329A	07	FROZN DAIRY(R)	*	0-5 MO.	.397500	1.629750	.550000
				6-11 MO.	3.776250	10.494000	5.225000
				12-23 MO.	5.724000	13.435500	7.920000
				2-65+ YR.	10.176000	24.525750	14.080000
COCA LEAF, EXTRACT FEMA 2329A	16	SOFT CANDY(R)	*	0-5 MO.	.062750	.627500	.082500
				6-11 MO.	.690250	2.133500	.907500
				12-23 MO.	1.098125	2.917875	1.443750
				2-65+ YR.	1.819750	5.522000	2.392500
COCA LEAF, EXTRACT FEMA 2329A	23	BEV TYPE I(R)	*	0-5 MO.	.339000	.508500	.483000
				6-11 MO.	3.206375	10.975125	4.568375
				12-23 MO.	7.655750	22.953125	10.907750
				2-65+ YR.	14.690000	39.225125	20.930000
COCA LEAF, EXTRACT FEMA 2329A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004000	**********
				12-23 MO.	**********	.008000	**********
				2-65+ YR.	1.300000	3.776000	4.225000
COCA LEAF, EXTRACT FEMA 2329A	99	ALL CATEGORIES	*	0-5 MO.	.799250	2.765750	1.115500
				6-11 MO.	7.672875	23.606625	10.700875
				12-23 MO.	14.477875	39.314500	20.271500
				2-65+ YR.	27.985750	73.048875	41.627500
COGNAC, GREEN, OIL FEMA 2331A	01	BAKED GOODS(R)	15	0-5 MO.	.133446	.176619	.189209
				6-11 MO.	.996917	2.033082	1.413500
				12-23 MO.	2.139053	3.524532	3.032904
				2-65+ YR.	5.384919	7.998882	7.635127
COGNAC, GREEN, OIL FEMA 2331A	07	FROZN DAIRY(R)	16	0-5 MO.	.034486	.141394	.047262
				6-11 MO.	.327619	.910437	.448984
				12-23 MO.	.496602	1.165635	.680566

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
COGNAC, GREEN, OIL FEMA 2331A	07	FROZN DAIRY(R)	16	2-65+ YR.	.882848	2.127801	1.209895
COGNAC, GREEN, OIL FEMA 2331A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000079	**********
				6-11 MO.	.000629	.001730	.001345
				12-23 MO.	.002202	.005976	.004709
				2-65+ YR.	.006920	.016671	.014800
COGNAC, GREEN, OIL FEMA 2331A	16	SOFT CANDY(R)	17	0-5 MO.	.006635	.066346	.009232
				6-11 MO.	.072980	.225575	.101556
				12-23 MO.	.116105	.308507	.161567
				2-65+ YR.	.192402	.583841	.267740
COGNAC, GREEN, OIL FEMA 2331A	20	GELATIN PUD(R)	9	0-5 MO.	.051413	.069408	.084116
				6-11 MO.	.329043	.997413	.538344
				12-23 MO.	.354750	.863739	.580402
				2-65+ YR.	.524413	1.349592	.857985
COGNAC, GREEN, OIL FEMA 2331A	23	BEV TYPE I(R)	25	0-5 MO.	.014488	.021732	.093228
				6-11 MO.	.137032	.469048	.881786
				12-23 MO.	.327187	.980956	2.105409
				2-65+ YR.	.627812	1.676378	4.039900
COGNAC, GREEN, OIL FEMA 2331A	24	BEV TYPE II(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.021546	**********
				12-23 MO.	**********	.043092	**********
				2-65+ YR.	7.002504	20.339580	7.817586
COGNAC, GREEN, OIL FEMA 2331A	27	GRAVIES(R)	*	0-5 MO.	.000035	.000105	.000075
				6-11 MO.	.000490	.001365	.001050
				12-23 MO.	.001260	.003570	.002700
				2-65+ YR.	.002905	.007455	.006225
COGNAC, GREEN, OIL FEMA 2331A	30	HARD CANDY(R)	14	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000673	.002019	.000841
				12-23 MO.	.002019	.006057	.002523
				2-65+ YR.	.004038	.011441	.005046

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
COGNAC, GREEN, OIL FEMA 2331A	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.000367	.000367	.004531
				12-23 MO.	.000367	.001101	.004531
				2-65+ YR.	.000734	.001468	.009062
COGNAC, GREEN, OIL FEMA 2331A	99	ALL CATEGORIES	48	0-5 MO.	.240502	.475681	.423122
				6-11 MO.	1.865750	4.662581	3.391938
				12-23 MO.	3.439544	6.903165	6.575311
				2-65+ YR.	14.629494	34.113108	21.863366
COGNAC, WHITE, OIL FEMA 2332A	01	BAKED GOODS(R)	8	0-5 MO.	.068914	.091209	.126855
				6-11 MO.	.514826	1.049921	.947683
				12-23 MO.	1.104647	1.820134	2.033414
				2-65+ YR.	2.780873	4.130771	5.118979
COGNAC, WHITE, OIL FEMA 2332A	04	FATS OILS(R)	*	0-5 MO.	.000375	.000375	.000575
				6-11 MO.	.002100	.005625	.003220
				12-23 MO.	.004725	.009000	.007245
				2-65+ YR.	.013125	.023700	.020125
COGNAC, WHITE, OIL FEMA 2332A	07	FROZN DAIRY(R)	6	0-5 MO.	.005928	.024304	.015906
				6-11 MO.	.056313	.156491	.151106
				12-23 MO.	.085359	.200356	.229045
				2-65+ YR.	.151749	.365738	.407191
COGNAC, WHITE, OIL FEMA 2332A	16	SOFT CANDY(R)	8	0-5 MO.	.001242	.012418	.003491
				6-11 MO.	.013660	.042221	.038402
				12-23 MO.	.021731	.057743	.061094
				2-65+ YR.	.036012	.109277	.101241
COGNAC, WHITE, OIL FEMA 2332A	20	GELATIN PUD(R)	5	0-5 MO.	.011866	.016019	.048691
				6-11 MO.	.075940	.230193	.311620
				12-23 MO.	.081873	.199343	.335965
				2-65+ YR.	.121029	.311473	.496644
COGNAC, WHITE, OIL FEMA 2332A	23	BEV TYPE I(R)	16	0-5 MO.	.008515	.012772	.019462

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
COGNAC, WHITE, OIL FEMA 2332A	23	BEV TYPE I(R)	16	6-11 MO.	.080534	.275662	.184078
				12-23 MO.	.192289	.576513	.439517
				2-65+ YR.	.368968	.985217	.843354
COGNAC, WHITE, OIL FEMA 2332A	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000429	**********
				12-23 MO.	**********	.000858	**********
				2-65+ YR.	.139448	.405042	.400432
COGNAC, WHITE, OIL FEMA 2332A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000104	.000312	.000165
				12-23 MO.	.000312	.000936	.000495
				2-65+ YR.	.000624	.001768	.000990
COGNAC, WHITE, OIL FEMA 2332A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002201	.002201	.063777
				12-23 MO.	.002201	.006603	.063777
				2-65+ YR.	.004402	.008804	.127554
COGNAC, WHITE, OIL FEMA 2332A	99	ALL CATEGORIES	22	0-5 MO.	.096839	.157096	.214980
				6-11 MO.	.745678	1.763055	1.700051
				12-23 MO.	1.493137	2.871485	3.170553
				2-65+ YR.	3.616230	6.341790	7.516512
CORIANDER FEMA 2333A	01	BAKED GOODS(R)	6	0-5 MO.	1.746966	2.312161	5.070907
				6-11 MO.	13.050863	26.615539	37.882661
				12-23 MO.	28.002835	46.140451	81.283662
				2-65+ YR.	70.495210	104.715188	204.626027
CORIANDER FEMA 2333A	03	OTHER GRAIN(R)	*	0-5 MO.	.061500	.209100	.061500
				6-11 MO.	1.193100	3.517800	1.193100
				12-23 MO.	2.017200	4.661700	2.017200
				2-65+ YR.	3.419400	7.552200	3.419400
CORIANDER FEMA 2333A	04	FATS OILS(R)	*	0-5 MO.	1.254263	1.254263	1.581335
				6-11 MO.	7.023873	18.813944	8.855478

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CORIANDER FEMA 2333A	04	FATS OILS(R)	*	12-23 MO.	15.803713	30.102311	19.924825
				2-65+ YR.	43.899204	79.269419	55.346737
CORIANDER FEMA 2333A	06	CHEESE(R)	*	0-5 MO.	**********	.030300	**********
				6-11 MO.	.818100	2.939100	.818100
				12-23 MO.	2.363400	6.726600	2.363400
				2-65+ YR.	2.848200	7.150800	2.848200
CORIANDER FEMA 2333A	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
CORIANDER FEMA 2333A	10	MEAT PRODS(R)	23	0-5 MO.	1.822667	4.805212	5.726412
				6-11 MO.	34.299270	92.458902	107.760663
				12-23 MO.	50.040481	85.996721	157.216040
				2-65+ YR.	129.906414	215.571741	408.137005
CORIANDER FEMA 2333A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.059145	**********
				6-11 MO.	.473157	1.301181	2.015144
				12-23 MO.	1.656048	4.494988	7.053004
				2-65+ YR.	5.204723	12.538650	22.166585
CORIANDER FEMA 2333A	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.009997
				6-11 MO.	.022000	.068000	.109969
				12-23 MO.	.035000	.093000	.174950
				2-65+ YR.	.058000	.176000	.289917
CORIANDER FEMA 2333A	20	GELATIN PUD(R)	*	0-5 MO.	2.000000	2.700000	**********
				6-11 MO.	12.800000	38.800000	**********
				12-23 MO.	13.800000	33.600000	**********
				2-65+ YR.	20.400000	52.500000	**********
CORIANDER FEMA 2333A	21	SOUPS(R)	*	0-5 MO.	.162874	1.221557	1.000000
				6-11 MO.	18.974850	59.204790	116.500000
				12-23 MO.	28.340120	78.261078	174.000000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CORIANDER FEMA 2333A	21	SOUPS(R)	*	2-65+ YR.	25.815569	68.814371	158.500000
CORIANDER FEMA 2333A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.090000	**********
				6-11 MO.	.360000	.990000	.360000
				12-23 MO.	.990000	2.790000	.990000
				2-65+ YR.	1.170000	3.330000	1.170000
CORIANDER FEMA 2333A	23	BEV TYPE I(R)	5	0-5 MO.	.959507	1.439260	.959507
				6-11 MO.	9.075337	31.064038	9.075337
				12-23 MO.	21.668865	64.966617	21.668865
				2-65+ YR.	41.578635	111.022951	41.578635
CORIANDER FEMA 2333A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.025909	**********
				12-23 MO.	**********	.051818	**********
				2-65+ YR.	8.420455	24.458182	33.977273
CORIANDER FEMA 2333A	27	GRAVIES(R)	4	0-5 MO.	.035761	.107282	.142940
				6-11 MO.	.500650	1.394668	2.001166
				12-23 MO.	1.287386	3.647593	5.145856
				2-65+ YR.	2.968139	7.617032	11.864057
CORIANDER FEMA 2333A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	**********	**********
				12-23 MO.	**********	**********	**********
				2-65+ YR.	**********	**********	.300000
CORIANDER FEMA 2333A	99	ALL CATEGORIES	35	0-5 MO.	8.046537	14.252379	14.554599
				6-11 MO.	98.600699	277.220271	286.590618
				12-23 MO.	166.019448	361.566676	471.866604
				2-65+ YR.	356.209548	694.778234	944.275036
CORIANDER, OIL FEMA 2334A	01	BAKED GOODS(R)	23	0-5 MO.	.182253	.241217	.210999
				6-11 MO.	1.361534	2.776671	1.576288
				12-23 MO.	2.921401	4.813611	3.382194
				2-65+ YR.	7.354425	10.924430	8.514440

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CORIANDER, OIL FEMA 2334A	07	FROZN DAIRY(R)	10	0-5 MO.	.039153	.160529	.047350
				6-11 MO.	.371958	1.033651	.449823
				12-23 MO.	.563809	1.323386	.681838
				2-65+ YR.	1.002328	2.415767	1.212156
CORIANDER, OIL FEMA 2334A	10	MEAT PRODS(R)	19	0-5 MO.	.047300	.124699	.075312
				6-11 MO.	.890095	2.399388	1.417236
				12-23 MO.	1.298593	2.231688	2.067658
				2-65+ YR.	3.371183	5.594271	5.367696
CORIANDER, OIL FEMA 2334A	15	CONDM RELSH(R)	7	0-5 MO.	**********	.004602	**********
				6-11 MO.	.036814	.101237	.087833
				12-23 MO.	.128847	.349728	.307415
				2-65+ YR.	.404949	.975558	.966160
CORIANDER, OIL FEMA 2334A	16	SOFT CANDY(R)	12	0-5 MO.	.008428	.084276	.009381
				6-11 MO.	.092703	.286537	.103196
				12-23 MO.	.147482	.391882	.164176
				2-65+ YR.	.244399	.741626	.272062
CORIANDER, OIL FEMA 2334A	17	CONF FROST(R)	*	0-5 MO.	**********	.000890	**********
				6-11 MO.	.000890	.001780	.001380
				12-23 MO.	.001780	.006230	.002760
				2-65+ YR.	.002670	.007120	.004140
CORIANDER, OIL FEMA 2334A	20	GELATIN PUD(R)	6	0-5 MO.	.052359	.070685	.065711
				6-11 MO.	.335097	1.015763	.420548
				12-23 MO.	.361276	.879630	.453403
				2-65+ YR.	.534061	1.374421	.670248
CORIANDER, OIL FEMA 2334A	23	BEV TYPE I(R)	22	0-5 MO.	.006652	.009978	.021467
				6-11 MO.	.062919	.215366	.203039
				12-23 MO.	.150229	.450411	.484788
				2-65+ YR.	.288263	.769717	.930221
CORIANDER, OIL FEMA 2334A	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CORIANDER, OIL FEMA 2334A	24	BEV TYPE II(R)	8	6-11 MO.	**********	.010575	**********
				12-23 MO.	**********	.021150	**********
				2-65+ YR.	3.436850	9.982727	3.939793
CORIANDER, OIL FEMA 2334A	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000751	.002253	.000751
				12-23 MO.	.002253	.006759	.002253
				2-65+ YR.	.004506	.012767	.004506
CORIANDER, OIL FEMA 2334A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000009	.000009	.000662
				12-23 MO.	.000009	.000027	.000662
				2-65+ YR.	.000018	.000036	.001324
CORIANDER, OIL FEMA 2334A	99	ALL CATEGORIES	52	0-5 MO.	.336144	.696875	.430220
				6-11 MO.	3.152769	7.843228	4.260756
				12-23 MO.	5.575681	10.474501	7.547146
				2-65+ YR.	16.643651	32.798439	21.882745
CORN SILK FEMA 2335A	01	BAKED GOODS(R)	4	0-5 MO.	.060941	.080657	.089837
				6-11 MO.	.455262	.928449	.671137
				12-23 MO.	.976843	1.609550	1.440039
				2-65+ YR.	2.459134	3.652854	3.625199
CORN SILK FEMA 2335A	07	FROZN DAIRY(R)	*	0-5 MO.	.004905	.020111	.010884
				6-11 MO.	.046599	.129497	.103395
				12-23 MO.	.070635	.165795	.156725
				2-65+ YR.	.125573	.302650	.278623
CORN SILK FEMA 2335A	16	SOFT CANDY(R)	4	0-5 MO.	.002112	.021122	.003333
				6-11 MO.	.023234	.071816	.036664
				12-23 MO.	.036964	.098218	.058328
				2-65+ YR.	.061254	.185875	.096658
CORN SILK FEMA 2335A	20	GELATIN PUD(R)	*	0-5 MO.	.002665	.003597	.005419
				6-11 MO.	.017054	.051695	.034683

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CORN SILK FEMA 2335A	20	GELATIN PUD(R)	*	12-23 MO.	.018386	.044766	.037392
				2-65+ YR.	.027180	.069948	.055275
CORN SILK FEMA 2335A	23	BEV TYPE I(R)	4	0-5 MO.	.026634	.039950	.051714
				6-11 MO.	.251909	.862261	.489128
				12-23 MO.	.601474	1.803313	1.167874
				2-65+ YR.	1.154120	3.081724	2.240939
CORN SILK FEMA 2335A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000015	**********
				12-23 MO.	**********	.000030	**********
				2-65+ YR.	.004875	.014160	.006500
CORN SILK FEMA 2335A	99	ALL CATEGORIES	5	0-5 MO.	.097256	.165438	.161187
				6-11 MO.	.794059	2.043732	1.335007
				12-23 MO.	1.704302	3.721673	2.860359
				2-65+ YR.	3.832137	7.307211	6.303194
CUMIN FEMA 2340A	01	BAKED GOODS(R)	4	0-5 MO.	6.353925	8.409606	6.364483
				6-11 MO.	47.467555	96.803910	47.546434
				12-23 MO.	101.849674	167.818362	102.018924
				2-65+ YR.	256.399547	380.861717	256.825622
CUMIN FEMA 2340A	03	OTHER GRAIN(R)	*	0-5 MO.	.650000	2.210000	20.000000
				6-11 MO.	12.610000	37.180000	388.000000
				12-23 MO.	21.320000	49.270000	656.000000
				2-65+ YR.	36.140000	79.820000	1112.000000
CUMIN FEMA 2340A	04	FATS OILS(R)	*	0-5 MO.	.030000	.030000	.050000
				6-11 MO.	.168000	.450000	.280000
				12-23 MO.	.378000	.720000	.630000
				2-65+ YR.	1.050000	1.896000	1.750000
CUMIN FEMA 2340A	10	MEAT PRODS(R)	19	0-5 MO.	1.083242	2.855819	3.085458
				6-11 MO.	20.384636	54.949889	58.062717
				12-23 MO.	29.739904	51.109305	84.709857

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CUMIN FEMA 2340A	10	MEAT PRODS(R)	19	2-65+ YR.	77.205578	128.117930	219.909033
CUMIN FEMA 2340A	14	PROCSD VEGS(R)	*	0-5 MO.	1.009964	3.029891	1.669604
				6-11 MO.	17.313663	40.398548	28.621782
				12-23 MO.	28.134703	47.107592	46.510396
				2-65+ YR.	61.319224	103.304858	101.368812
CUMIN FEMA 2340A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.020539	**********
				6-11 MO.	.164315	.451867	.200377
				12-23 MO.	.575103	1.560995	.701319
				2-65+ YR.	1.807467	4.354353	2.204146
CUMIN FEMA 2340A	21	SOUPS(R)	*	0-5 MO.	.521965	3.914736	.861572
				6-11 MO.	60.808906	189.734225	100.373125
				12-23 MO.	90.821885	250.804113	149.913508
				2-65+ YR.	82.731430	220.530152	136.559144
CUMIN FEMA 2340A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.044561	**********
				6-11 MO.	.178245	.490174	.244297
				12-23 MO.	.490174	1.381398	.671817
				2-65+ YR.	.579296	1.648765	.793965
CUMIN FEMA 2340A	27	GRAVIES(R)	5	0-5 MO.	.074097	.222290	.277784
				6-11 MO.	1.037353	2.889769	3.888978
				12-23 MO.	2.667479	7.557857	10.000229
				2-65+ YR.	6.150021	15.782583	23.056083
CUMIN FEMA 2340A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.020000	**********
				12-23 MO.	**********	.040000	**********
				2-65+ YR.	.020000	.100000	.320000
CUMIN FEMA 2340A	99	ALL CATEGORIES	33	0-5 MO.	9.723191	20.737443	32.308902
				6-11 MO.	160.132673	423.368381	627.217709
				12-23 MO.	275.976922	577.369622	1051.156050
				2-65+ YR.	523.402563	936.416359	1854.786804

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CUMIN, BLACK FEMA 2342A	10	MEAT PRODS(R)	*	0-5 MO.	.367781	.969603	.616975
				6-11 MO.	6.920962	18.656506	11.610342
				12-23 MO.	10.097249	17.352557	16.938759
				2-65+ YR.	26.212726	43.498414	43.973468
CUMIN, BLACK FEMA 2342A	99	ALL CATEGORIES	*	0-5 MO.	.367781	.969603	.616975
				6-11 MO.	6.920962	18.656506	11.610342
				12-23 MO.	10.097249	17.352557	16.938759
				2-65+ YR.	26.212726	43.498414	43.973468
CUMIN, OIL FEMA 2343A	01	BAKED GOODS(R)	9	0-5 MO.	.112389	.146750	.142779
				6-11 MO.	.839608	1.712272	1.066640
				12-23 MO.	1.801522	2.968380	2.288656
				2-65+ YR.	4.535208	6.736701	5.761534
CUMIN, OIL FEMA 2343A	07	FROZN DAIRY(R)	4	0-5 MO.	.012672	.051957	.014634
				6-11 MO.	.120388	.334551	.139024
				12-23 MO.	.182483	.428327	.210731
				2-65+ YR.	.324414	.781887	.374633
CUMIN, OIL FEMA 2343A	10	MEAT PRODS(R)	14	0-5 MO.	.102113	.269206	.141395
				6-11 MO.	1.921576	5.179902	2.660802
				12-23 MO.	2.803459	4.817865	3.881943
				2-65+ YR.	7.277855	12.077154	10.077628
CUMIN, OIL FEMA 2343A	15	CONDM RELSH(R)	7	0-5 MO.	**********	.020940	**********
				6-11 MO.	.167524	.460690	.197848
				12-23 MO.	.586333	1.591474	.692467
				2-65+ YR.	1.842760	4.439375	2.176324
CUMIN, OIL FEMA 2343A	16	SOFT CANDY(R)	8	0-5 MO.	.001304	.013042	.001915
				6-11 MO.	.014346	.044343	.021064
				12-23 MO.	.022824	.060846	.033510
				2-65+ YR.	.037822	.114771	.055531
CUMIN, OIL FEMA 2343A	20	GELATIN PUD(R)	*	0-5 MO.	.001968	.002657	.003754

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CUMIN, OIL FEMA 2343A	20	GELATIN PUD(R)	*	6-11 MO.	.012594	.038176	.024023
				12-23 MO.	.013578	.033060	.025900
				2-65+ YR.	.020072	.051656	.038286
CUMIN, OIL FEMA 2343A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000200	.000550	.001200
				12-23 MO.	.000550	.001550	.003300
				2-65+ YR.	.000650	.001850	.003900
CUMIN, OIL FEMA 2343A	23	BEV TYPE I(R)	8	0-5 MO.	.010722	.016083	.017246
				6-11 MO.	.101415	.347135	.163115
				12-23 MO.	.242146	.725990	.389463
				2-65+ YR.	.464634	1.240661	.747310
CUMIN, OIL FEMA 2343A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001492	**********
				12-23 MO.	**********	.002984	**********
				2-65+ YR.	.484917	1.408498	.583493
CUMIN, OIL FEMA 2343A	27	GRAVIES(R)	*	0-5 MO.	.010000	.030000	.020000
				6-11 MO.	.140000	.390000	.280000
				12-23 MO.	.360000	1.020000	.720000
				2-65+ YR.	.830000	2.130000	1.660000
CUMIN, OIL FEMA 2343A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000008	.000024	.000008
				12-23 MO.	.000024	.000072	.000024
				2-65+ YR.	.000048	.000136	.000048
CUMIN, OIL FEMA 2343A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000039	.000039	.000039
				12-23 MO.	.000039	.000117	.000039
				2-65+ YR.	.000078	.000156	.000078
CUMIN, OIL FEMA 2343A	99	ALL CATEGORIES	26	0-5 MO.	.251168	.552685	.341722
				6-11 MO.	3.317699	8.509175	4.553762

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CUMIN, OIL FEMA 2343A	99	ALL CATEGORIES	26	12-23 MO.	6.012957	11.650466	8.246033
				2-65+ YR.	15.818457	28.982846	21.478765
CURACO PEEL, EXT FEMA 2344A	01	BAKED GOODS(R)	*	0-5 MO.	3.910000	5.175000	4.080000
				6-11 MO.	29.210000	59.570000	30.480000
				12-23 MO.	62.675000	103.270000	65.400000
				2-65+ YR.	157.780000	234.370000	164.640000
CURACO PEEL, EXT FEMA 2344A	07	FROZN DAIRY(R)	*	0-5 MO.	1.150000	4.715000	1.200000
				6-11 MO.	10.925000	30.360000	11.400000
				12-23 MO.	16.560000	38.870000	17.280000
				2-65+ YR.	29.440000	70.955000	30.720000
CURACO PEEL, EXT FEMA 2344A	16	SOFT CANDY(R)	*	0-5 MO.	.250000	2.500000	.260000
				6-11 MO.	2.750000	8.500000	2.860000
				12-23 MO.	4.375000	11.625000	4.550000
				2-65+ YR.	7.250000	22.000000	7.540000
CURACO PEEL, EXT FEMA 2344A	20	GELATIN PUD(R)	*	0-5 MO.	1.500000	2.025000	1.600000
				6-11 MO.	9.600000	29.100000	10.240000
				12-23 MO.	10.350000	25.200000	11.040000
				2-65+ YR.	15.300000	39.375000	16.320000
CURACO PEEL, EXT FEMA 2344A	23	BEV TYPE I(R)	4	0-5 MO.	.931376	1.397064	1.028571
				6-11 MO.	8.809266	30.153303	9.728571
				12-23 MO.	21.033578	63.061927	23.228571
				2-65+ YR.	40.359633	107.767982	44.571429
CURACO PEEL, EXT FEMA 2344A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.156002	**********
				12-23 MO.	**********	.312004	**********
				2-65+ YR.	50.700655	147.265901	67.355263
CURACO PEEL, EXT FEMA 2344A	99	ALL CATEGORIES	5	0-5 MO.	7.741376	15.812064	8.168571
				6-11 MO.	61.294266	157.839305	64.708571
				12-23 MO.	114.993578	242.338931	121.498571

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CURACO PEEL, EXT FEMA 2344A	99	ALL CATEGORIES	5	2-65+ YR.	300.830288	621.733883	331.146692
CURACAO PEEL, OIL FEMA 2345A	01	BAKED GOODS(R)	*	0-5 MO.	.307378	.406824	.489748
				6-11 MO.	2.296296	4.682998	3.658708
				12-23 MO.	4.927093	8.118402	7.850378
				2-65+ YR.	12.403617	18.424614	19.762785
CURACAO PEEL, OIL FEMA 2345A	07	FROZN DAIRY(R)	*	0-5 MO.	.112550	.461455	.135150
				6-11 MO.	1.069225	2.971320	1.283925
				12-23 MO.	1.620720	3.804190	1.946160
				2-65+ YR.	2.881280	6.944335	3.459840
CURACAO PEEL, OIL FEMA 2345A	16	SOFT CANDY(R)	*	0-5 MO.	.216800	2.168000	.226060
				6-11 MO.	2.384800	7.371200	2.486660
				12-23 MO.	3.794000	10.081200	3.956050
				2-65+ YR.	6.287200	19.078400	6.555740
CURACAO PEEL, OIL FEMA 2345A	20	GELATIN PUD(R)	*	0-5 MO.	.450000	.607500	.500000
				6-11 MO.	2.880000	8.730000	3.200000
				12-23 MO.	3.105000	7.560000	3.450000
				2-65+ YR.	4.590000	11.812500	5.100000
CURACAO PEEL, OIL FEMA 2345A	23	BEV TYPE I(R)	4	0-5 MO.	.288536	.432804	.333736
				6-11 MO.	2.729070	9.341353	3.156586
				12-23 MO.	6.516105	19.536292	7.536871
				2-65+ YR.	12.503227	33.386020	14.461893
CURACAO PEEL, OIL FEMA 2345A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.020486	**********
				12-23 MO.	**********	.040971	**********
				2-65+ YR.	6.657810	19.338378	8.019231
CURACAO PEEL, OIL FEMA 2345A	99	ALL CATEGORIES	5	0-5 MO.	1.375264	4.076583	1.684694
				6-11 MO.	11.359391	33.117357	13.785879
				12-23 MO.	19.962917	49.141055	24.739459
				2-65+ YR.	45.323134	108.984247	57.359489

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DANDELION, FLUID EXT FEMA 2357A	01	BAKED GOODS(R)	*	0-5 MO.	.171563	.227068	.242205
				6-11 MO.	1.281675	2.613810	1.809413
				12-23 MO.	2.750051	4.531277	3.882402
				2-65+ YR.	6.923065	10.283679	9.773679
DANDELION, FLUID EXT FEMA 2357A	06	CHEESE(R)	*	0-5 MO.	**********	.007150	**********
				6-11 MO.	.193050	.693550	.386100
				12-23 MO.	.557700	1.587300	1.115400
				2-65+ YR.	.672100	1.687400	1.344200
DANDELION, FLUID EXT FEMA 2357A	07	FROZN DAIRY(R)	*	0-5 MO.	.006000	.024600	.009000
				6-11 MO.	.057000	.158400	.085500
				12-23 MO.	.086400	.202800	.129600
				2-65+ YR.	.153600	.370200	.230400
DANDELION, FLUID EXT FEMA 2357A	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.002000
				6-11 MO.	.008800	.027200	.022000
				12-23 MO.	.014000	.037200	.035000
				2-65+ YR.	.023200	.070400	.058000
DANDELION, FLUID EXT FEMA 2357A	20	GELATIN PUD(R)	*	0-5 MO.	.063200	.085320	.063200
				6-11 MO.	.404480	1.226080	.404480
				12-23 MO.	.436080	1.061760	.436080
				2-65+ YR.	.644640	1.659000	.644640
DANDELION, FLUID EXT FEMA 2357A	23	BEV TYPE I(R)	*	0-5 MO.	.083531	.125297	.115336
				6-11 MO.	.790065	2.704319	1.090888
				12-23 MO.	1.886411	5.655751	2.604674
				2-65+ YR.	3.619681	9.665244	4.997899
DANDELION, FLUID EXT FEMA 2357A	99	ALL CATEGORIES	*	0-5 MO.	.325094	.477435	.431741
				6-11 MO.	2.735070	7.423360	3.798381
				12-23 MO.	5.730642	13.076089	8.203156
				2-65+ YR.	12.036286	23.735922	17.048819
DANDELION ROOT, EXT SOLID FEMA 2358A	01	BAKED GOODS(R)	*	0-5 MO.	.045333	.060000	.113333

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DANDELION ROOT, EXT SOLID FEMA 2358A	01	BAKED GOODS(R)	*	6-11 MO.	.338667	.690667	.846667
				12-23 MO.	.726667	1.197333	1.816667
				2-65+ YR.	1.829333	2.717333	4.573333
DANDELION ROOT, EXT SOLID FEMA 2358A	07	FROZN DAIRY(R)	*	0-5 MO.	.002933	.012027	.014167
				6-11 MO.	.027867	.077440	.134583
				12-23 MO.	.042240	.099147	.204000
				2-65+ YR.	.075093	.180987	.362667
DANDELION ROOT, EXT SOLID FEMA 2358A	16	SOFT CANDY(R)	*	0-5 MO.	.001733	.017333	.005867
				6-11 MO.	.019067	.058933	.064533
				12-23 MO.	.030333	.080600	.102667
				2-65+ YR.	.050267	.152533	.170133
DANDELION ROOT, EXT SOLID FEMA 2358A	23	BEV TYPE I(R)	*	0-5 MO.	.014033	.021050	.020264
				6-11 MO.	.132734	.454335	.191664
				12-23 MO.	.316923	.950185	.457630
				2-65+ YR.	.608118	1.623793	.878108
DANDELION ROOT, EXT SOLID FEMA 2358A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001300	**********
				12-23 MO.	**********	.002600	**********
				2-65+ YR.	.422500	1.227200	.845000
DANDELION ROOT, EXT SOLID FEMA 2358A	99	ALL CATEGORIES	*	0-5 MO.	.064033	.110410	.153631
				6-11 MO.	.518333	1.282674	1.237447
				12-23 MO.	1.116163	2.329865	2.580963
				2-65+ YR.	2.985312	5.901846	6.829242
DILL FEMA 2382A	01	BAKED GOODS(R)	*	0-5 MO.	11.099111	14.690000	11.227556
				6-11 MO.	82.916889	169.096222	83.876444
				12-23 MO.	177.912222	293.147111	179.971111
				2-65+ YR.	447.881778	665.293778	453.064889
DILL FEMA 2382A	04	FATS OILS(R)	*	0-5 MO.	.137267	.137267	.137267
				6-11 MO.	.768697	2.059009	.768697

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DILL FEMA 2382A	04	FATS OILS(R)	*	12-23 MO.	1.729567	3.294414	1.729567
				2-65+ YR.	4.804353	8.675290	4.804353
DILL FEMA 2382A	06	CHEESE(R)	*	0-5 MO.	**********	.074400	**********
				6-11 MO.	2.008800	7.216800	16.070400
				12-23 MO.	5.803200	16.516800	46.425600
				2-65+ YR.	6.993600	17.558400	55.948800
DILL FEMA 2382A	10	MEAT PRODS(R)	6	0-5 MO.	.322958	.851435	.711745
				6-11 MO.	6.077485	16.382787	13.393741
				12-23 MO.	8.866669	15.237753	15.540627
				2-65+ YR.	23.018109	38.197142	50.727985
DILL FEMA 2382A	14	PROCSD VEGS(R)	*	0-5 MO.	.438253	1.314758	.438253
				6-11 MO.	7.512906	17.530113	7.512906
				12-23 MO.	12.208472	20.441364	12.208472
				2-65+ YR.	26.608208	44.827004	26.608208
DILL FEMA 2382A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.049181	**********
				6-11 MO.	.393446	1.081976	.865579
				12-23 MO.	1.377061	3.737736	3.029527
				2-65+ YR.	4.327905	10.426316	9.521369
DILL FEMA 2382A	27	GRAVIES(R)	*	0-5 MO.	.080000	.240000	.400000
				6-11 MO.	1.120000	3.120000	5.600000
				12-23 MO.	2.880000	8.160000	14.400000
				2-65+ YR.	6.640000	17.040000	33.200000
DILL FEMA 2382A	99	ALL CATEGORIES	13	0-5 MO.	12.077589	17.357042	12.914820
				6-11 MO.	100.798222	216.488907	128.087767
				12-23 MO.	210.777191	360.535178	277.304903
				2-65+ YR.	520.273952	802.017930	633.875604
DILL, OIL FEMA 2383A	01	BAKED GOODS(R)	8	0-5 MO.	.157498	.208453	.189002
				6-11 MO.	1.176603	2.399528	1.411958
				12-23 MO.	2.524600	4.159800	3.029595

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DILL, OIL FEMA 2383A	01	BAKED GOODS(R)	8	2-65+ YR.	6.355507	9.440614	7.626797
DILL, OIL FEMA 2383A	04	FATS OILS(R)	*	0-5 MO.	.028228	.028228	.028228
				6-11 MO.	.158078	.423423	.158078
				12-23 MO.	.355675	.677477	.355675
				2-65+ YR.	.987987	1.784021	.987987
DILL, OIL FEMA 2383A	06	CHEESE(R)	*	0-5 MO.	**********	.040000	**********
				6-11 MO.	1.080000	3.880000	1.080000
				12-23 MO.	3.120000	8.880000	3.120000
				2-65+ YR.	3.760000	9.440000	3.760000
DILL, OIL FEMA 2383A	07	FROZN DAIRY(R)	4	0-5 MO.	.010767	.044146	.012848
				6-11 MO.	.102290	.284257	.122056
				12-23 MO.	.155049	.363936	.165011
				2-65+ YR.	.275643	.664344	.328909
DILL, OIL FEMA 2383A	10	MEAT PRODS(R)	13	0-5 MO.	.048569	.128047	.068418
				6-11 MO.	.913988	2.463793	1.287504
				12-23 MO.	1.333451	2.291592	1.878388
				2-65+ YR.	3.461673	5.744435	4.876345
DILL, OIL FEMA 2383A	15	CONDM RELSH(R)	17	0-5 MO.	**********	.025152	**********
				6-11 MO.	.201217	.553346	.548036
				12-23 MO.	.704259	1.911560	1.918127
				2-65+ YR.	2.213385	5.332246	6.028400
DILL, OIL FEMA 2383A	16	SOFT CANDY(R)	4	0-5 MO.	.003533	.035329	.004149
				6-11 MO.	.038862	.120118	.045643
				12-23 MO.	.061826	.164279	.072614
				2-65+ YR.	.102454	.310894	.120331
DILL, OIL FEMA 2383A	20	GELATIN PUDI(R)	*	0-5 MO.	.094324	.127337	.123800
				6-11 MO.	.603673	1.829885	.792318
				12-23 MO.	.650835	1.584643	.854218
				2-65+ YR.	.962104	2.476004	1.262757

TABLE 13, PART 6 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DILL, OIL							
FEMA 2383A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.050000	**********
				6-11 MO.	.200000	.550000	.300000
				12-23 MO.	.550000	1.550000	.825000
				2-65+ YR.	.650000	1.850000	.975000
DILL, OIL							
FEMA 2383A	23	BEV TYPE I(R)	7	0-5 MO.	.011250	.016875	.018063
				6-11 MO.	.106408	.364226	.170848
				12-23 MO.	.254067	.761733	.407928
				2-65+ YR.	.487509	1.301743	.782741
DILL, OIL							
FEMA 2383A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010576	**********
				12-23 MO.	**********	.021151	**********
				2-65+ YR.	3.437100	9.983454	3.994086
DILL, OIL							
FEMA 2383A	27	GRAVIES(R)	*	0-5 MO.	.016800	.050400	.016800
				6-11 MO.	.235200	.655200	.235200
				12-23 MO.	.604800	1.713600	.604800
				2-65+ YR.	1.394400	3.578400	1.394400
DILL, OIL							
FEMA 2383A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000086	.000258	.000332
				12-23 MO.	.000258	.000774	.000996
				2-65+ YR.	.000516	.001462	.001992
DILL, OIL							
FEMA 2383A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000013	.000013	.000024
				12-23 MO.	.000013	.000039	.000024
				2-65+ YR.	.000026	.000052	.000048
DILL, OIL							
FEMA 2383A	99	ALL CATEGORIES	36	0-5 MO.	.370970	.753968	.461309
				6-11 MO.	4.816417	13.534623	6.151998
				12-23 MO.	10.314833	24.080583	13.252377
				2-65+ YR.	24.088305	51.907670	32.139793
DOGGRASS, EXTRACT							
FEMA 2403A	01	BAKED GOODS(R)	*	0-5 MO.	.088045	.116530	.110227

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DOGGRASS, EXTRACT FEMA 2403A	01	BAKED GOODS(R)	*	6-11 MO.	.657748	1.341392	.823458
				12-23 MO.	1.411310	2.325425	1.766868
				2-65+ YR.	3.552876	5.277523	4.447969
DOGGRASS, EXTRACT FEMA 2403A	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
DOGGRASS, EXTRACT FEMA 2403A	16	SOFT CANDY(R)	*	0-5 MO.	.000600	.006000	.001000
				6-11 MO.	.006600	.020400	.011000
				12-23 MO.	.010500	.027900	.017500
				2-65+ YR.	.017400	.052800	.029000
DOGGRASS, EXTRACT FEMA 2403A	20	GELATIN PUD(R)	*	0-5 MO.	.000500	.000675	.001800
				6-11 MO.	.003200	.009700	.011520
				12-23 MO.	.003450	.008400	.012420
				2-65+ YR.	.005100	.013125	.018360
DOGGRASS, EXTRACT FEMA 2403A	23	BEV TYPE I(R)	*	0-5 MO.	.016289	.024434	.023000
				6-11 MO.	.154069	.527365	.217539
				12-23 MO.	.367866	1.102920	.519409
				2-65+ YR.	.705669	1.884805	.996653
DOGGRASS, EXTRACT FEMA 2403A	99	ALL CATEGORIES	*	0-5 MO.	.108434	.159939	.141026
				6-11 MO.	.850118	1.978058	1.111016
				12-23 MO.	1.836326	3.566045	2.388198
				2-65+ YR.	4.358045	7.413354	5.619982
ELDER FLOWERS FEMA 2406A	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.102000
				6-11 MO.	.254000	.518000	.762000
				12-23 MO.	.545000	.898000	1.635000
				2-65+ YR.	1.372000	2.038000	4.116000
ELDER FLOWERS FEMA 2406A	07	FROZN DAIRY(R)	*	0-5 MO.	.015000	.061500	.044000
				6-11 MO.	.142500	.396000	.418000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ELDER FLOWERS FEMA 2406A	07	FROZN DAIRY(R)	*	12-23 MO.	.216000	.507000	.633600
				2-65+ YR.	.384000	.925500	1.126400
ELDER FLOWERS FEMA 2406A	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.006000
				6-11 MO.	.022000	.068000	.066000
				12-23 MO.	.035000	.093000	.105000
				2-65+ YR.	.058000	.176000	.174000
ELDER FLOWERS FEMA 2406A	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.060000
				6-11 MO.	.128000	.388000	.384000
				12-23 MO.	.138000	.336000	.414000
				2-65+ YR.	.204000	.525000	.612000
ELDER FLOWERS FEMA 2406A	23	BEV TYPE I(R)	*	0-5 MO.	1.174992	1.762487	1.174992
				6-11 MO.	11.113462	38.040353	11.113462
				12-23 MO.	26.535227	79.556723	26.535227
				2-65+ YR.	50.916303	135.956319	50.916303
ELDER FLOWERS FEMA 2406A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001450	**********
				12-23 MO.	**********	.002900	**********
				2-65+ YR.	.471250	1.368800	.471250
ELDER FLOWERS FEMA 2406A	99	ALL CATEGORIES	*	0-5 MO.	1.245992	1.915987	1.386992
				6-11 MO.	11.659962	39.411803	12.743462
				12-23 MO.	27.469227	81.393623	29.322827
				2-65+ YR.	53.405553	140.989619	57.415953
ESTRAGON, OIL FEMA 2412A	01	BAKED GOODS(R)	6	0-5 MO.	1.288801	1.705766	1.408263
				6-11 MO.	9.628102	19.635262	10.520554
				12-23 MO.	20.658722	34.039509	22.573629
				2-65+ YR.	52.006911	77.252248	56.827559
ESTRAGON, OIL FEMA 2412A	04	FATS OILS(R)	*	0-5 MO.	.020700	.020700	.020700
				6-11 MO.	.115920	.310500	.115920
				12-23 MO.	.260820	.496800	.260820

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ESTRAGON, OIL FEMA 2412A	04	FATS OILS(R)	*	2-65+ YR.	.724500	1.308240	.724500
ESTRAGON, OIL FEMA 2412A	07	FROZN DAIRY(R)	*	0-5 MO.	.128793	.528050	.146639
				6-11 MO.	1.223531	3.400129	1.393073
				12-23 MO.	1.854616	4.353196	2.111606
				2-65+ YR.	3.297095	7.946515	3.753966
ESTRAGON, OIL FEMA 2412A	10	MEAT PRODS(R)	4	0-5 MO.	.107816	.284241	.114795
				6-11 MO.	2.028894	5.469193	2.160242
				12-23 MO.	2.960029	5.086938	3.151658
				2-65+ YR.	7.684314	12.751649	8.181787
ESTRAGON, OIL FEMA 2412A	13	FISH PRODS(R)	*	0-5 MO.	.000010	.000030	.000015
				6-11 MO.	.000130	.000490	.000195
				12-23 MO.	.000540	.001350	.000810
				2-65+ YR.	.001240	.003090	.001860
ESTRAGON, OIL FEMA 2412A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.008907	**********
				6-11 MO.	.071256	.195955	.076260
				12-23 MO.	.249397	.676934	.266911
				2-65+ YR.	.783819	1.888290	.838863
ESTRAGON, OIL FEMA 2412A	16	SOFT CANDY(R)	4	0-5 MO.	.059710	.597105	.071181
				6-11 MO.	.656815	2.030157	.782988
				12-23 MO.	1.044934	2.776538	1.245663
				2-65+ YR.	1.731604	5.254524	2.064242
ESTRAGON, OIL FEMA 2412A	20	GELATIN PUD(R)	*	0-5 MO.	.285388	.385274	.313329
				6-11 MO.	1.826486	5.536534	2.005305
				12-23 MO.	1.969180	4.794525	2.161970
				2-65+ YR.	2.910961	7.491445	3.195955
ESTRAGON, OIL FEMA 2412A	23	BEV TYPE II(R)	8	0-5 MO.	.307966	.461950	.319453
				6-11 MO.	2.912849	9.970413	3.021495
				12-23 MO.	6.954909	20.851894	7.214318
				2-65+ YR.	13.345212	35.634283	13.842972

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ESTRAGON, OIL FEMA 2412A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.014670	**********
				12-23 MO.	**********	.029340	**********
				2-65+ YR.	4.767700	13.848335	5.027561
ESTRAGON, OIL FEMA 2412A	27	GRAVIES(R)	*	0-5 MO.	.001000	.003000	.002000
				6-11 MO.	.014000	.039000	.028000
				12-23 MO.	.036000	.102000	.072000
				2-65+ YR.	.083000	.213000	.166000
ESTRAGON, OIL FEMA 2412A	99	ALL CATEGORIES	16	0-5 MO.	2.200185	3.995024	2.396376
				6-11 MO.	18.477984	46.602304	20.104033
				12-23 MO.	35.989146	73.209024	39.059365
				2-65+ YR.	87.336357	163.591619	94.625264
FENNEL, COMMON FEMA 2481A	01	BAKED GOODS(R)	*	0-5 MO.	.272000	.360000	.442000
				6-11 MO.	2.032000	4.144000	3.302000
				12-23 MO.	4.360000	7.184000	7.085000
				2-65+ YR.	10.976000	16.304000	17.836000
FENNEL, COMMON FEMA 2481A	04	FATS OILS(R)	*	0-5 MO.	.128250	.128250	.128250
				6-11 MO.	.718200	1.923750	.718200
				12-23 MO.	1.615950	3.078000	1.615950
				2-65+ YR.	4.488750	8.105400	4.488750
FENNEL, COMMON FEMA 2481A	10	MEAT PRODS(R)	6	0-5 MO.	.573822	1.512805	1.304730
				6-11 MO.	10.798296	29.108450	24.552650
				12-23 MO.	15.754036	27.073988	35.820774
				2-65+ YR.	40.897894	67.867550	92.991678
FENNEL, COMMON FEMA 2481A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.066700	**********
				6-11 MO.	.266800	.733700	.284800
				12-23 MO.	.733700	2.067700	.783200
				2-65+ YR.	.867100	2.467900	.925600
FENNEL, COMMON FEMA 2481A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FENNEL, COMMON FEMA 2481A	24	BEV TYPE II(R)	*	6-11 MO.	**********	.030000	**********
				12-23 MO.	**********	.060000	**********
				2-65+ YR.	9.750000	28.320000	**********
FENNEL, COMMON FEMA 2481A	27	GRAVIES(R)	*	0-5 MO.	.012500	.037500	.018700
				6-11 MO.	.175000	.487500	.261800
				12-23 MO.	.450000	1.275000	.673200
				2-65+ YR.	1.037500	2.662500	1.552100
FENNEL, COMMON FEMA 2481A	99	ALL CATEGORIES	9	0-5 MO.	.986572	2.105255	1.893680
				6-11 MO.	13.990296	36.427400	29.119450
				12-23 MO.	22.913686	40.738688	45.978124
				2-65+ YR.	68.017244	125.727350	117.794128
FENNEL, SWEET FEMA 2482A	01	BAKED GOODS(R)	*	0-5 MO.	.210732	.278910	.373879
				6-11 MO.	1.574290	3.210559	2.793093
				12-23 MO.	3.377905	5.565796	5.993053
				2-65+ YR.	8.503643	12.631505	15.087099
FENNEL, SWEET FEMA 2482A	10	MEAT PRODS(R)	5	0-5 MO.	.719855	1.897799	3.354421
				6-11 MO.	13.546359	36.516273	63.124111
				12-23 MO.	19.763288	33.964061	92.094114
				2-65+ YR.	51.306019	85.139197	239.078760
FENNEL, SWEET FEMA 2482A	14	PROCSD VEGS(R)	*	0-5 MO.	.294000	.882000	.777000
				6-11 MO.	5.040000	11.760000	13.320000
				12-23 MO.	8.190000	13.713000	21.645000
				2-65+ YR.	17.850000	30.072000	47.175000
FENNEL, SWEET FEMA 2482A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.008800	**********
				6-11 MO.	.070400	.193600	.140800
				12-23 MO.	.246400	.668800	.492800
				2-65+ YR.	.774400	1.865600	1.548800
FENNEL, SWEET FEMA 2482A	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000720
				6-11 MO.	.002200	.006600	.007920

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FENNEL, SWEET FEMA 2482A	16	SOFT CANDY(R)	*	12-23 MO.	.003500	.009300	.012600
				2-65+ YR.	.005800	.017600	.020880
FENNEL, SWEET FEMA 2482A	23	BEV TYPE I(R)	*	0-5 MO.	.001200	.001800	.007200
				6-11 MO.	.011350	.038850	.068100
				12-23 MO.	.027100	.081250	.162600
				2-65+ YR.	.052000	.138850	.312000
FENNEL, SWEET FEMA 2482A	27	GRAVIES(R)	*	0-5 MO.	.005900	.017700	.008800
				6-11 MO.	.082600	.230100	.123200
				12-23 MO.	.212400	.601800	.316800
				2-65+ YR.	.489700	1.256700	.730400
FENNEL, SWEET FEMA 2482A	99	ALL CATEGORIES	6	0-5 MO.	1.231887	3.089009	4.522020
				6-11 MO.	20.327199	51.956183	79.577224
				12-23 MO.	31.820593	54.604006	120.716967
				2-65+ YR.	78.981562	131.121452	303.952939
FENNEL, SWEET, OIL FEMA 2483A	01	BAKED GOODS(R)	12	0-5 MO.	.222485	.294465	.285457
				6-11 MO.	1.662092	3.389620	2.132529
				12-23 MO.	3.566299	5.876214	4.575702
				2-65+ YR.	8.977913	13.335996	11.519016
FENNEL, SWEET, OIL FEMA 2483A	07	FROZN DAIRY(R)	6	0-5 MO.	.061998	.254191	.070017
				6-11 MO.	.588979	1.636743	.665163
				12-23 MO.	.892769	2.095527	1.008247
				2-65+ YR.	1.587144	3.825266	1.792440
FENNEL, SWEET, OIL FEMA 2483A	10	MEAT PRODS(R)	8	0-5 MO.	.125446	.330721	.203867
				6-11 MO.	2.360665	6.363591	3.836411
				12-23 MO.	3.444061	5.918768	5.597083
				2-65+ YR.	8.940875	14.836834	14.530176
FENNEL, SWEET, OIL FEMA 2483A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.005363	**********
				6-11 MO.	.042904	.117987	.076480
				12-23 MO.	.150165	.407592	.267681

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FENNEL, SWEET, OIL FEMA 2483A	15	CONDM RELSH(R)	*	2-65+ YR.	.471948	1.136967	.841285
FENNEL, SWEET, OIL FEMA 2483A	16	SOFT CANDY(R)	13	0-5 MO.	.010831	.108307	.013584
				6-11 MO.	.119138	.368244	.149422
				12-23 MO.	.189538	.503628	.237717
				2-65+ YR.	.314091	.953103	.393930
FENNEL, SWEET, OIL FEMA 2483A	20	GELATIN PUD(R)	6	0-5 MO.	.103415	.139611	.123891
				6-11 MO.	.661858	2.006259	.792903
				12-23 MO.	.713566	1.737379	.854848
				2-65+ YR.	1.054837	2.714654	1.263689
FENNEL, SWEET, OIL FEMA 2483A	23	BEV TYPE I(R)	14	0-5 MO.	.116726	.175089	.132973
				6-11 MO.	1.104035	3.779009	1.257706
				12-23 MO.	2.636066	7.903333	3.002981
				2-65+ YR.	5.058133	13.506189	5.762177
FENNEL, SWEET, OIL FEMA 2483A	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.022288	**********
				12-23 MO.	**********	.044577	**********
				2-65+ YR.	7.243710	21.040191	7.616851
FENNEL, SWEET, OIL FEMA 2483A	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000038	.000114	.000158
				12-23 MO.	.000114	.000342	.000474
				2-65+ YR.	.000228	.000646	.000948
FENNEL, SWEET, OIL FEMA 2483A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000003	.000003	.000331
				12-23 MO.	.000003	.000009	.000331
				2-65+ YR.	.000006	.000012	.000662
FENNEL, SWEET, OIL FEMA 2483A	99	ALL CATEGORIES	30	0-5 MO.	.640901	1.307748	.829789
				6-11 MO.	6.539712	17.683798	8.911103
				12-23 MO.	11.592581	24.487368	15.545065
				2-65+ YR.	33.648885	71.349857	43.721173

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FENUGREEK FEMA 2484A	01	BAKED GOODS(R)	4	0-5 MO.	.294100	.389250	.605124
				6-11 MO.	2.197100	4.480700	4.520636
				12-23 MO.	4.714250	7.767700	9.699789
				2-65+ YR.	11.867800	17.628700	24.418551
FENUGREEK FEMA 2484A	04	FATS OILS(R)	*	0-5 MO.	.001000	.001000	.001400
				6-11 MO.	.005600	.015000	.007840
				12-23 MO.	.012600	.024000	.017640
				2-65+ YR.	.035000	.063200	.049000
FENUGREEK FEMA 2484A	07	FROZN DAIRY(R)	4	0-5 MO.	.075682	.310297	.114262
				6-11 MO.	.718981	1.998011	1.085492
				12-23 MO.	1.089824	2.558059	1.645377
				2-65+ YR.	1.937465	4.669593	2.925115
FENUGREEK FEMA 2484A	10	MEAT PRODS(R)	4	0-5 MO.	.044043	.116112	.094049
				6-11 MO.	.828802	2.234161	1.769832
				12-23 MO.	1.209170	2.078010	2.582074
				2-65+ YR.	3.139036	5.209038	6.703132
FENUGREEK FEMA 2484A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.119806	**********
				6-11 MO.	.958449	2.635735	3.306968
				12-23 MO.	3.354572	9.105266	11.574387
				2-65+ YR.	10.542939	25.398899	36.376644
FENUGREEK FEMA 2484A	16	SOFT CANDY(R)	*	0-5 MO.	.007856	.078560	.015696
				6-11 MO.	.086416	.267104	.172656
				12-23 MO.	.137480	.365304	.274680
				2-65+ YR.	.227824	.691328	.455184
FENUGREEK FEMA 2484A	19	SWEET SAUCE(R)	*	0-5 MO.	.007500	.010000	.015000
				6-11 MO.	.022500	.077500	.045000
				12-23 MO.	.065000	.190000	.130000
				2-65+ YR.	.170000	.447500	.340000
FENUGREEK FEMA 2484A	20	GELATIN PUD(R)	*	0-5 MO.	.026324	.035537	.069657

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FENUGREEK FEMA 2484A	20	GELATIN PUD(R)	*	6-11 MO.	.168472	.510682	.445806
				12-23 MO.	.181634	.442240	.480634
				2-65+ YR.	.268503	.691000	.710503
FENUGREEK FEMA 2484A	23	BEV TYPE I(R)	*	0-5 MO.	.248086	.372129	.410068
				6-11 MO.	2.346482	8.031789	3.878557
				12-23 MO.	5.602612	16.797500	9.260695
				2-65+ YR.	10.750400	28.705635	17.769600
FENUGREEK FEMA 2484A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008180	**********
				12-23 MO.	**********	.016360	**********
				2-65+ YR.	2.658500	7.721920	2.658500
FENUGREEK FEMA 2484A	27	GRAVIES(R)	*	0-5 MO.	.034500	.103500	.035000
				6-11 MO.	.483000	1.345500	.490000
				12-23 MO.	1.242000	3.519000	1.260000
				2-65+ YR.	2.863500	7.348500	2.905000
FENUGREEK FEMA 2484A	99	ALL CATEGORIES	15	0-5 MO.	.739091	1.536192	1.360257
				6-11 MO.	7.815802	21.604361	15.722786
				12-23 MO.	17.609142	42.863439	36.925276
				2-65+ YR.	44.460967	98.575314	95.311229
FENUGREEK, EXTRACT FEMA 2485A	01	BAKED GOODS(R)	22	0-5 MO.	.193783	.256478	.728713
				6-11 MO.	1.447676	2.952347	5.443915
				12-23 MO.	3.106233	5.118161	11.680840
				2-65+ YR.	7.819729	11.615603	29.405712
FENUGREEK, EXTRACT FEMA 2485A	07	FROZN DAIRY(R)	21	0-5 MO.	.031265	.128187	.046511
				6-11 MO.	.297018	.825398	.441850
				12-23 MO.	.450217	1.056760	.669752
				2-65+ YR.	.800386	1.929055	1.190670
FENUGREEK, EXTRACT FEMA 2485A	10	MEAT PRODS(R)	5	0-5 MO.	.056924	.150072	.063892
				6-11 MO.	1.071206	2.887598	1.202325

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FENUGREEK, EXTRACT FEMA 2485A	10	MEAT PRODS(R)	5	12-23 MO.	1.562822	2.685776	1.754117
				2-65+ YR.	4.057126	6.732553	4.553733
FENUGREEK, EXTRACT FEMA 2485A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.042364	**********
				6-11 MO.	.338909	.932000	.389091
				12-23 MO.	1.186182	3.219636	1.361818
				2-65+ YR.	3.728000	8.981091	4.280000
FENUGREEK, EXTRACT FEMA 2485A	16	SOFT CANDY(R)	22	0-5 MO.	.005734	.057342	.009690
				6-11 MO.	.063076	.194963	.106591
				12-23 MO.	.100348	.266640	.169577
				2-65+ YR.	.166292	.504609	.281013
FENUGREEK, EXTRACT FEMA 2485A	19	SWEET SAUCE(R)	8	0-5 MO.	.061974	.082632	.083532
				6-11 MO.	.185923	.640400	.250597
				12-23 MO.	.537110	1.570013	.723946
				2-65+ YR.	1.404748	3.697794	1.893398
FENUGREEK, EXTRACT FEMA 2485A	20	GELATIN PUD(R)	14	0-5 MO.	.011644	.015719	.022602
				6-11 MO.	.074519	.225886	.144651
				12-23 MO.	.080341	.195613	.155952
				2-65+ YR.	.118765	.305645	.230538
FENUGREEK, EXTRACT FEMA 2485A	23	BEV TYPE I(R)	12	0-5 MO.	.021080	.031621	.048190
				6-11 MO.	.199386	.682480	.455794
				12-23 MO.	.476067	1.427323	1.088283
				2-65+ YR.	.913486	2.439185	2.088218
FENUGREEK, EXTRACT FEMA 2485A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001878	**********
				12-23 MO.	**********	.003757	**********
				2-65+ YR.	.610508	1.773290	.782054
FENUGREEK, EXTRACT FEMA 2485A	27	GRAVIES(R)	*	0-5 MO.	.001000	.003000	.002000
				6-11 MO.	.014000	.039000	.028000
				12-23 MO.	.036000	.102000	.072000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FENUGREEK, EXTRACT FEMA 2485A	27	GRAVIES(R)	*	2-65+ YR.	.083000	.213000	.166000
FENUGREEK, EXTRACT FEMA 2485A	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.008580	.025740	.008580
				12-23 MO.	.025740	.077220	.025740
				2-65+ YR.	.051480	.145860	.051480
FENUGREEK, EXTRACT FEMA 2485A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000115	.000115	.000396
				12-23 MO.	.000115	.000345	.000396
				2-65+ YR.	.000230	.000460	.000792
FENUGREEK, EXTRACT FEMA 2485A	99	ALL CATEGORIES	44	0-5 MO.	.383405	.767414	1.005129
				6-11 MO.	3.700407	9.407804	8.471790
				12-23 MO.	7.561175	15.723243	17.702421
				2-65+ YR.	19.753750	38.338144	44.923608
FENUGREEK, OLEORESIN FEMA 2486A	01	BAKED GOODS(R)	7	0-5 MO.	.389941	.516098	.775632
				6-11 MO.	2.913089	5.940867	5.794427
				12-23 MO.	6.250526	10.299031	12.432923
				2-65+ YR.	15.735268	23.373525	31.299029
FENUGREEK, OLEORESIN FEMA 2486A	07	FROZN DAIRY(R)	7	0-5 MO.	.058453	.239658	.115670
				6-11 MO.	.555304	1.543161	1.098864
				12-23 MO.	.841724	1.975713	1.665646
				2-65+ YR.	1.496398	3.606554	2.961149
FENUGREEK, OLEORESIN FEMA 2486A	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	.165000
				6-11 MO.	2.070000	5.580000	3.105000
				12-23 MO.	3.020000	5.190000	4.530000
				2-65+ YR.	7.840000	13.010000	11.760000
FENUGREEK, OLEORESIN FEMA 2486A	16	SOFT CANDY(R)	5	0-5 MO.	.023345	.233446	.046369
				6-11 MO.	.256791	.793718	.510055
				12-23 MO.	.408531	1.085526	.811451
				2-65+ YR.	.676995	2.054329	1.344691

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FENUGREEK, OLEORESIN FEMA 2486A	20	GELATIN PUD(R)	*	0-5 MO.	.238065	.321388	.487933
				6-11 MO.	1.523617	4.618465	3.122770
				12-23 MO.	1.642650	3.999496	3.366737
				2-65+ YR.	2.428265	6.249212	4.976915
FENUGREEK, OLEORESIN FEMA 2486A	23	BEV TYPE I(R)	6	0-5 MO.	.144860	.217290	.294249
				6-11 MO.	1.370134	4.689841	2.783103
				12-23 MO.	3.271420	9.808225	6.645117
				2-65+ YR.	6.277264	16.761502	12.750779
FENUGREEK, OLEORESIN FEMA 2486A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.650000
FENUGREEK, OLEORESIN FEMA 2486A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.015495	.046485	.015495
				12-23 MO.	.046485	.139455	.046485
				2-65+ YR.	.092970	.263415	.092970
FENUGREEK, OLEORESIN FEMA 2486A	99	ALL CATEGORIES	12	0-5 MO.	.964664	1.817880	1.684852
				6-11 MO.	8.704430	23.212546	16.429714
				12-23 MO.	15.481336	32.497467	29.498360
				2-65+ YR.	34.550411	65.327978	65.835533
GALANGAL ROOT FEMA 2498A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.015000	**********
				12-23 MO.	**********	.030000	**********
				2-65+ YR.	4.875000	14.160000	8.125000
GALANGAL ROOT FEMA 2498A	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.015000	**********
				12-23 MO.	**********	.030000	**********
				2-65+ YR.	4.875000	14.160000	8.125000
GALANGAL ROOT, EXTRCT FEMA 2499A	01	BAKED GOODS(R)	*	0-5 MO.	.000340	.000450	.001020

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GALANGAL ROOT, EXTRCT FEMA 2499A	01	BAKED GOODS(R)	*	6-11 MO.	.002540	.005180	.007620
				12-23 MO.	.005450	.008980	.016350
				2-65+ YR.	.013720	.020380	.041160
GALANGAL ROOT, EXTRCT FEMA 2499A	07	FROZN DAIRY(R)	*	0-5 MO.	.000100	.000410	.000300
				6-11 MO.	.000950	.002640	.002850
				12-23 MO.	.001440	.003380	.004320
				2-65+ YR.	.002560	.006170	.007680
GALANGAL ROOT, EXTRCT FEMA 2499A	16	SOFT CANDY(R)	*	0-5 MO.	.000020	.000200	.000060
				6-11 MO.	.000220	.000680	.000660
				12-23 MO.	.000350	.000930	.001050
				2-65+ YR.	.000580	.001760	.001740
GALANGAL ROOT, EXTRCT FEMA 2499A	23	BEV TYPE I(R)	*	0-5 MO.	1.240800	1.861200	1.406400
				6-11 MO.	11.735900	40.170900	13.302200
				12-23 MO.	28.021400	84.012500	31.761200
				2-65+ YR.	53.768000	143.570900	60.944000
GALANGAL ROOT, EXTRCT FEMA 2499A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.067578	**********
				12-23 MO.	**********	.135155	**********
				2-65+ YR.	21.962688	63.793160	23.987438
GALANGAL ROOT, EXTRCT FEMA 2499A	99	ALL CATEGORIES	*	0-5 MO.	1.241260	1.862260	1.407780
				6-11 MO.	11.739610	40.246978	13.313330
				12-23 MO.	28.028640	84.160945	31.782920
				2-65+ YR.	75.747548	207.392370	84.982018
GALANGAL ROOT, OIL FEMA 2500A	01	BAKED GOODS(R)	*	0-5 MO.	.039950	.052875	.059500
				6-11 MO.	.298450	.608650	.444500
				12-23 MO.	.640375	1.055150	.953750
				2-65+ YR.	1.612100	2.394650	2.401000
GALANGAL ROOT, OIL FEMA 2500A	07	FROZN DAIRY(R)	*	0-5 MO.	.009875	.040488	.013000
				6-11 MO.	.093813	.260700	.123500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GALANGAL ROOT, OIL FEMA 2500A	07	FROZN DAIRY(R)	*	12-23 MO.	.142200	.333775	.187200
				2-65+ YR.	.252800	.609288	.332800
GALANGAL ROOT, OIL FEMA 2500A	16	SOFT CANDY(R)	*	0-5 MO.	.001575	.015750	.003000
				6-11 MO.	.017325	.053550	.033000
				12-23 MO.	.027563	.073238	.052500
				2-65+ YR.	.045675	.138600	.087000
GALANGAL ROOT, OIL FEMA 2500A	20	GELATIN PUD(R)	*	0-5 MO.	.034000	.045900	.040000
				6-11 MO.	.217600	.659600	.256000
				12-23 MO.	.234600	.571200	.276000
				2-65+ YR.	.346800	.892500	.408000
GALANGAL ROOT, OIL FEMA 2500A	23	BEV TYPE I(R)	4	0-5 MO.	.008564	.012846	.011280
				6-11 MO.	.081001	.277259	.106690
				12-23 MO.	.193404	.579854	.254740
				2-65+ YR.	.371107	.990926	.488800
GALANGAL ROOT, OIL FEMA 2500A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
GALANGAL ROOT, OIL FEMA 2500A	99	ALL CATEGORIES	4	0-5 MO.	.093964	.167858	.126780
				6-11 MO.	.708189	1.859859	.963690
				12-23 MO.	1.238141	2.613417	1.724190
				2-65+ YR.	2.660982	5.120364	3.782600
GARLIC, OIL FEMA 2503A	01	BAKED GOODS(R)	7	0-5 MO.	.026233	.034720	.032931
				6-11 MO.	.195976	.399668	.246014
				12-23 MO.	.420500	.692860	.527865
				2-65+ YR.	1.058579	1.572437	1.328864
GARLIC, OIL FEMA 2503A	04	FATS OILS(R)	4	0-5 MO.	.011422	.011422	.011480
				6-11 MO.	.063963	.171329	.064288
				12-23 MO.	.143916	.274126	.144647

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GARLIC, OIL FEMA 2503A	04	FATS OILS(R)	4	2-65+ YR.	.399767	.721864	.401797
GARLIC, OIL FEMA 2503A	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
GARLIC, OIL FEMA 2503A	10	MEAT PRODS(R)	14	0-5 MO.	.025583	.067446	.037403
				6-11 MO.	.481426	1.297757	.703865
				12-23 MO.	.702370	1.207054	1.026894
				2-65+ YR.	1.823372	3.025774	2.665845
GARLIC, OIL FEMA 2503A	15	CONDM RELSH(R)	14	0-5 MO.	**********	.003448	**********
				6-11 MO.	.027587	.075863	.027587
				12-23 MO.	.096553	.262073	.096553
				2-65+ YR.	.303453	.731045	.303453
GARLIC, OIL FEMA 2503A	16	SOFT CANDY(R)	*	0-5 MO.	.000592	.005922	.000987
				6-11 MO.	.006515	.020136	.010858
				12-23 MO.	.010364	.027539	.017273
				2-65+ YR.	.017175	.052118	.028625
GARLIC, OIL FEMA 2503A	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
GARLIC, OIL FEMA 2503A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.002000	.005500	.004000
				12-23 MO.	.005500	.015500	.011000
				2-65+ YR.	.006500	.018500	.013000
GARLIC, OIL FEMA 2503A	23	BEV TYPE I(R)	*	0-5 MO.	.007107	.010660	.011645
				6-11 MO.	.067220	.230087	.112030
				12-23 MO.	.160498	.481198	.267491
				2-65+ YR.	.307967	.822330	.513267

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GARLIC, OIL FEMA 2503A	27	GRAVIES(R)	*	0-5 MO.	.001000	.003000	.001516
				6-11 MO.	.014000	.039000	.021226
				12-23 MO.	.036000	.102000	.054581
				2-65+ YR.	.083000	.213000	.125839
GARLIC, OIL FEMA 2503A	99	ALL CATEGORIES	30	0-5 MO.	.074937	.143919	.102162
				6-11 MO.	.880986	2.304540	1.234467
				12-23 MO.	1.603902	3.129750	2.202705
				2-65+ YR.	4.045812	7.271269	5.472689
GERANIUM, ROSE, OIL FEMA 2508A	01	BAKED GOODS(R)	10	0-5 MO.	.030873	.040861	.044194
				6-11 MO.	.230639	.470358	.330154
				12-23 MO.	.494875	.815409	.708400
				2-65+ YR.	1.245814	1.850560	1.783349
GERANIUM, ROSE, OIL FEMA 2508A	07	FROZN DAIRY(R)	7	0-5 MO.	.004703	.019283	.007107
				6-11 MO.	.044680	.124163	.067514
				12-23 MO.	.067725	.158966	.102337
				2-65+ YR.	.120401	.290184	.181932
GERANIUM, ROSE, OIL FEMA 2508A	16	SOFT CANDY(R)	12	0-5 MO.	.001691	.016905	.002278
				6-11 MO.	.018596	.057478	.025061
				12-23 MO.	.029584	.078610	.039870
				2-65+ YR.	.049026	.148767	.066070
GERANIUM, ROSE, OIL FEMA 2508A	20	GELATIN PUD(R)	6	0-5 MO.	.006168	.008326	.010821
				6-11 MO.	.039472	.119651	.069255
				12-23 MO.	.042556	.103615	.074665
				2-65+ YR.	.062909	.161899	.110375
GERANIUM, ROSE, OIL FEMA 2508A	23	BEV TYPE I(R)	17	0-5 MO.	.004840	.007260	.008333
				6-11 MO.	.045780	.156700	.078814
				12-23 MO.	.109307	.327719	.188181
				2-65+ YR.	.209740	.560046	.361085
GERANIUM, ROSE, OIL FEMA 2508A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GERANIUM, ROSE, OIL FEMA 2508A	24	BEV TYPE II(R)	5	6-11 MO.	**********	.000076	**********
				12-23 MO.	**********	.000153	**********
				2-65+ YR.	.024812	.072069	.067473
GERANIUM, ROSE, OIL FEMA 2508A	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001210	.003630	.029528
				12-23 MO.	.003630	.010890	.088584
				2-65+ YR.	.007260	.020570	.177168
GERANIUM, ROSE, OIL FEMA 2508A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.004547	.004547	.030842
				12-23 MO.	.004547	.013641	.030842
				2-65+ YR.	.009094	.018188	.061684
GERANIUM, ROSE, OIL FEMA 2508A	99	ALL CATEGORIES	25	0-5 MO.	.048274	.092636	.072733
				6-11 MO.	.384924	.936604	.631167
				12-23 MO.	.752225	1.509003	1.232879
				2-65+ YR.	1.729055	3.122283	2.809136
GINGER FEMA 2520A	01	BAKED GOODS(R)	16	0-5 MO.	10.281584	13.607979	17.843482
				6-11 MO.	76.809483	156.642961	133.301304
				12-23 MO.	164.807748	271.554785	286.020515
				2-65+ YR.	414.892166	616.290258	720.036967
GINGER FEMA 2520A	02	BREAK CERLS(R)	*	0-5 MO.	.055200	.156400	.055200
				6-11 MO.	2.051600	5.501600	2.051600
				12-23 MO.	2.401200	4.682800	2.401200
				2-65+ YR.	1.840000	4.765600	1.840000
GINGER FEMA 2520A	04	FATS OILS(R)	*	0-5 MO.	.282000	.282000	.418000
				6-11 MO.	1.579200	4.230000	2.340800
				12-23 MO.	3.553200	6.768000	5.266800
				2-65+ YR.	9.870000	17.822400	14.630000
GINGER FEMA 2520A	06	CHEESE(R)	*	0-5 MO.	**********	.011300	**********
				6-11 MO.	.305100	1.096100	.305100

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GINGER FEMA 2520A	06	CHEESE(R)	*	12-23 MO.	.881400	2.508600	.881400
				2-65+ YR.	1.062200	2.666800	1.062200
GINGER FEMA 2520A	08	PROCSD FRUT(R)	*	0-5 MO.	2.726000	7.308000	10.490400
				6-11 MO.	30.044000	74.820000	115.617600
				12-23 MO.	58.348000	115.826000	224.539200
				2-65+ YR.	68.614000	145.348000	264.045600
GINGER FEMA 2520A	10	MEAT PRODS(R)	21	0-5 MO.	.592554	1.562189	2.737498
				6-11 MO.	11.150794	30.058662	51.514729
				12-23 MO.	16.268308	27.957788	75.156754
				2-65+ YR.	42.232959	70.083009	195.108925
GINGER FEMA 2520A	14	PROCSD VEGS(R)	*	0-5 MO.	.426989	1.280966	3.634826
				6-11 MO.	7.319807	17.079550	62.311302
				12-23 MO.	11.894687	19.915975	101.255865
				2-65+ YR.	25.924317	43.674850	220.685860
GINGER FEMA 2520A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.080823	**********
				6-11 MO.	.646582	1.778099	1.691387
				12-23 MO.	2.263035	6.142524	5.919854
				2-65+ YR.	7.112397	17.134410	18.605254
GINGER FEMA 2520A	20	GELATIN PUD(R)	4	0-5 MO.	.600460	.810621	2.271341
				6-11 MO.	3.842943	11.648920	14.536582
				12-23 MO.	4.143172	10.087724	15.672253
				2-65+ YR.	6.124690	15.762069	23.167678
GINGER FEMA 2520A	23	BEV TYPE I(R)	*	0-5 MO.	.013409	.020114	.013409
				6-11 MO.	.126828	.434119	.126828
				12-23 MO.	.302822	.907907	.302822
				2-65+ YR.	.581061	1.551544	.581061
GINGER FEMA 2520A	27	GRAVIES(R)	5	0-5 MO.	.026408	.079223	.112444
				6-11 MO.	.369705	1.029894	1.574213
				12-23 MO.	.950671	2.693568	4.047975

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GINGER FEMA 2520A	27	GRAVIES(R)	5	2-65+ YR.	2.191825	5.624803	9.332832
GINGER FEMA 2520A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.250000	.750000	.250000
				12-23 MO.	.750000	2.250000	.750000
				2-65+ YR.	1.500000	4.250000	1.500000
GINGER FEMA 2520A	99	ALL CATEGORIES	46	0-5 MO.	15.004604	25.199614	37.576599
				6-11 MO.	134.496041	305.069904	385.621444
				12-23 MO.	266.564243	471.295671	722.214638
				2-65+ YR.	581.945613	944.973742	1470.596377
GINGER, EXTRACT FEMA 2521A	01	BAKED GOODS(R)	*	0-5 MO.	.685150	.906816	.793576
				6-11 MO.	5.118475	10.438464	5.928483
				12-23 MO.	10.982554	18.096024	12.720563
				2-65+ YR.	27.647823	41.068705	32.023142
GINGER, EXTRACT FEMA 2521A	07	FROZN DAIRY(R)	*	0-5 MO.	.064584	.264796	.084531
				6-11 MO.	.613552	1.705029	.803043
				12-23 MO.	.930016	2.182954	1.217244
				2-65+ YR.	1.653362	3.984861	2.163989
GINGER, EXTRACT FEMA 2521A	10	MEAT PRODS(R)	*	0-5 MO.	.170049	.448311	.192500
				6-11 MO.	3.200016	8.626131	3.622500
				12-23 MO.	4.668623	8.023230	5.285000
				2-65+ YR.	12.119869	20.112180	13.720000
GINGER, EXTRACT FEMA 2521A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.006443	**********
				6-11 MO.	.051547	.141753	.068761
				12-23 MO.	.180413	.489692	.240664
				2-65+ YR.	.567012	1.365964	.756372
GINGER, EXTRACT FEMA 2521A	16	SOFT CANDY(R)	*	0-5 MO.	.019869	.198689	.023857
				6-11 MO.	.218557	.675541	.262426
				12-23 MO.	.347705	.923902	.417496
				2-65+ YR.	.576197	1.748459	.691851

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO. NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GINGER, EXTRACT						
FEMA 2521A	20 GELATIN PUD(R)	*	0-5 MO.	.139136	.187833	.179016
			6-11 MO.	.890468	2.699231	1.145705
			12-23 MO.	.960036	2.337478	1.235213
			2-65+ YR.	1.419183	3.652310	1.825967
GINGER, EXTRACT						
FEMA 2521A	23 BEV TYPE I(R)	5	0-5 MO.	.140365	.210548	.184826
			6-11 MO.	1.327620	4.544319	1.748142
			12-23 MO.	3.169911	9.503886	4.173977
			2-65+ YR.	6.082487	16.241409	8.009108
GINGER, EXTRACT						
FEMA 2521A	24 BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
			6-11 MO.	**********	.005650	**********
			12-23 MO.	**********	.011301	**********
			2-65+ YR.	1.836373	5.333959	2.296506
GINGER, EXTRACT						
FEMA 2521A	99 ALL CATEGORIES	6	0-5 MO.	1.219153	2.223437	1.458306
			6-11 MO.	11.420235	28.836119	13.579060
			12-23 MO.	21.239258	41.568467	25.290158
			2-65+ YR.	51.902306	93.507867	61.486936
GINGER, OIL						
FEMA 2522A	01 BAKED GOODS(R)	15	0-5 MO.	.074059	.098019	.125379
			6-11 MO.	.553263	1.128308	.936657
			12-23 MO.	1.187119	1.956024	2.009755
			2-65+ YR.	2.988491	4.439172	5.059421
GINGER, OIL						
FEMA 2522A	07 FROZN DAIRY(R)	9	0-5 MO.	.022370	.091719	.029474
			6-11 MO.	.212519	.590580	.280007
			12-23 MO.	.322134	.756121	.424432
			2-65+ YR.	.572683	1.380257	.754546
GINGER, OIL						
FEMA 2522A	10 MEAT PRODS(R)	6	0-5 MO.	.012612	.033250	.021639
			6-11 MO.	.237337	.639778	.407215
			12-23 MO.	.346260	.595062	.594101
			2-65+ YR.	.898900	1.491669	1.542303
GINGER, OIL						
FEMA 2522A	15 CONDM RELSH(R)	*	0-5 MO.	**********	.001290	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GINGER, OIL FEMA 2522A	15	CONDM RELSH(R)	*	6-11 MO.	.010323	.028387	.016946
				12-23 MO.	.036129	.098065	.059310
				2-65+ YR.	.113548	.273548	.186404
GINGER, OIL FEMA 2522A	16	SOFT CANDY(R)	10	0-5 MO.	.003273	.032726	.005522
				6-11 MO.	.035999	.111269	.060738
				12-23 MO.	.057271	.152176	.096628
				2-65+ YR.	.094906	.287990	.160126
GINGER, OIL FEMA 2522A	20	GELATIN PUD(R)	4	0-5 MO.	.049199	.066419	.075750
				6-11 MO.	.314876	.954468	.484800
				12-23 MO.	.339476	.826550	.522675
				2-65+ YR.	.501834	1.291484	.772650
GINGER, OIL FEMA 2522A	23	BEV TYPE I(R)	30	0-5 MO.	.013811	.020716	.025466
				6-11 MO.	.130628	.447129	.240867
				12-23 MO.	.311897	.935115	.575110
				2-65+ YR.	.598474	1.598039	1.103532
GINGER, OIL FEMA 2522A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001133	**********
				12-23 MO.	**********	.002265	**********
				2-65+ YR.	.368063	1.069080	.485727
GINGER, OIL FEMA 2522A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001777	.005331	.004614
				12-23 MO.	.005331	.015993	.013842
				2-65+ YR.	.010662	.030209	.027684
GINGER, OIL FEMA 2522A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003200	.003200	.003200
				12-23 MO.	.003200	.009600	.003200
				2-65+ YR.	.006400	.012800	.006400
GINGER, OIL FEMA 2522A	99	ALL CATEGORIES	39	0-5 MO.	.175324	.344140	.283231
				6-11 MO.	1.499922	3.909582	2.435044

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GINGER, OIL FEMA 2522A	99	ALL CATEGORIES	39	12-23 MO.	2.608817	5.346971	4.299054
				2-65+ YR.	6.153960	11.874248	10.098793
GINGER, OLEORESIN FEMA 2523A	01	BAKED GOODS(R)	12	0-5 MO.	.276030	.365334	.352431
				6-11 MO.	2.062106	4.205398	2.632867
				12-23 MO.	4.424598	7.290439	5.649262
				2-65+ YR.	11.138622	16.545563	14.221627
GINGER, OLEORESIN FEMA 2523A	07	FROZN DAIRY(R)	4	0-5 MO.	.032806	.134506	.036808
				6-11 MO.	.311661	.866090	.349673
				12-23 MO.	.472413	1.108858	.530031
				2-65+ YR.	.839845	2.024158	.942277
GINGER, OLEORESIN FEMA 2523A	08	PROCSD FRUT(R)	*	0-5 MO.	.249100	.667800	.954100
				6-11 MO.	2.745400	6.837000	10.515400
				12-23 MO.	5.331800	10.584100	20.421800
				2-65+ YR.	6.269900	13.281800	24.014900
GINGER, OLEORESIN FEMA 2523A	10	MEAT PRODS(R)	14	0-5 MO.	.034244	.090278	.068593
				6-11 MO.	.644401	1.737080	1.290800
				12-23 MO.	.940140	1.615671	1.883197
				2-65+ YR.	2.440628	4.050073	4.888829
GINGER, OLEORESIN FEMA 2523A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.008253	**********
				6-11 MO.	.066027	.181574	.086082
				12-23 MO.	.231094	.627256	.301288
				2-65+ YR.	.726297	1.749715	.946905
GINGER, OLEORESIN FEMA 2523A	16	SOFT CANDY(R)	8	0-5 MO.	.009010	.090097	.012317
				6-11 MO.	.099107	.306331	.135482
				12-23 MO.	.157671	.418953	.215539
				2-65+ YR.	.261283	.792858	.357179
GINGER, OLEORESIN FEMA 2523A	20	GELATIN PUD(R)	*	0-5 MO.	.080199	.108269	.090746
				6-11 MO.	.513274	1.555861	.580776
				12-23 MO.	.553373	1.347343	.626149

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GINGER, OLEORESIN FEMA 2523A	20	GELATIN PUD(R)	*	2-65+ YR.	.818030	2.105224	.925612
GINGER, OLEORESIN FEMA 2523A	23	BEV TYPE I(R)	29	0-5 MO.	.081731	.122596	.153378
				6-11 MO.	.773036	2.646030	1.450697
				12-23 MO.	1.845751	5.533847	3.463779
				2-65+ YR.	3.541662	9.456919	6.646366
GINGER, OLEORESIN FEMA 2523A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.007975	**********
				12-23 MO.	**********	.015950	**********
				2-65+ YR.	2.591855	7.528342	3.244546
GINGER, OLEORESIN FEMA 2523A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004023	.012069	.005000
				12-23 MO.	.012069	.036207	.015000
				2-65+ YR.	.024138	.068391	.030000
GINGER, OLEORESIN FEMA 2523A	99	ALL CATEGORIES	44	0-5 MO.	.763119	1.587134	1.668372
				6-11 MO.	7.219035	18.355409	17.046778
				12-23 MO.	13.968909	28.578625	33.106045
				2-65+ YR.	28.652260	57.603042	56.218242
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	01	BAKED GOODS(R)	6	0-5 MO.	.207645	.274825	.207645
				6-11 MO.	1.551234	3.163539	1.551234
				12-23 MO.	3.328434	5.484282	3.328434
				2-65+ YR.	8.379104	12.446512	8.379104
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	07	FROZN DAIRY(R)	6	0-5 MO.	.050139	.205572	.091037
				6-11 MO.	.476325	1.323682	.865046
				12-23 MO.	.722008	1.694714	1.311227
				2-65+ YR.	1.283571	3.093606	2.531070
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	16	SOFT CANDY(R)	7	0-5 MO.	.152529	1.525291	.302307
				6-11 MO.	1.677821	5.185991	3.325374
				12-23 MO.	2.669260	7.092605	5.290367
				2-65+ YR.	4.423345	13.422565	8.766894

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	17	CONF FROST(R)	*	0-5 MO.	**********	.062500	**********
				6-11 MO.	.062500	.125000	.062500
				12-23 MO.	.125000	.437500	.125000
				2-65+ YR.	.187500	.500000	.187500
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	20	GELATIN PUD(R)	*	0-5 MO.	.104031	.140442	.158140
				6-11 MO.	.665798	2.018202	1.012093
				12-23 MO.	.717814	1.747721	1.091163
				2-65+ YR.	1.061116	2.730814	1.613023
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	23	BEV TYPE I(R)	17	0-5 MO.	.058972	.088458	.123028
				6-11 MO.	.557780	1.909229	1.163636
				12-23 MO.	1.331791	3.992917	2.778373
				2-65+ YR.	2.555467	6.823588	5.331195
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002780	**********
				12-23 MO.	**********	.005561	**********
				2-65+ YR.	.903635	2.624712	1.914318
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.040052	.120156	.067632
				12-23 MO.	.120156	.360468	.202896
				2-65+ YR.	.240312	.680884	.405792
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.072069	.072069	.227800
				12-23 MO.	.072069	.216207	.227800
				2-65+ YR.	.144138	.288276	.455600
GLYCYRRHIZIN, AMMONIATED FEMA 2528A	99	ALL CATEGORIES	24	0-5 MO.	.573317	2.297088	.882177
				6-11 MO.	5.103578	13.920648	8.275314
				12-23 MO.	9.086533	21.031976	14.355260
				2-65+ YR.	19.178188	42.610956	29.384497
GRAINS OF PARADISE FEMA 2529A	04	FATS OILS(R)	*	0-5 MO.	.001500	.001500	**********

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GRAINS OF PARADISE FEMA 2529A	04	FATS OILS(R)	*	6-11 MO.	.008400	.022500	**********
				12-23 MO.	.018900	.036000	**********
				2-65+ YR.	.052500	.094800	**********
GRAINS OF PARADISE FEMA 2529A	23	BEV TYPE 1(R)	*	0-5 MO.	.004800	.007200	.240000
				6-11 MO.	.045400	.155400	2.270000
				12-23 MO.	.108400	.325000	5.420000
				2-65+ YR.	.208000	.555400	10.400000
GRAINS OF PARADISE FEMA 2529A	99	ALL CATEGORIES	*	0-5 MO.	.006300	.008700	.240000
				6-11 MO.	.053800	.177900	2.270000
				12-23 MO.	.127300	.361000	5.420000
				2-65+ YR.	.260500	.650200	10.400000
GRAPEFRUIT, OIL FEMA 2530A	01	BAKED GOODS(R)	11	0-5 MO.	1.354773	1.793081	2.926466
				6-11 MO.	10.120948	20.640358	21.862421
				12-23 MO.	21.716206	35.781933	46.909524
				2-65+ YR.	54.669055	81.206658	118.091500
GRAPEFRUIT, OIL FEMA 2530A	05	MILK PRODS(R)	*	0-5 MO.	.324000	.240000	.486000
				6-11 MO.	3.744000	18.006000	5.616000
				12-23 MO.	3.270000	10.464000	4.905000
				2-65+ YR.	2.370000	7.236000	3.555000
GRAPEFRUIT, OIL FEMA 2530A	07	FROZN DAIRY(R)	14	0-5 MO.	.108957	.446724	.145454
				6-11 MO.	1.035092	2.876465	1.381809
				12-23 MO.	1.568981	3.682747	2.094532
				2-65+ YR.	2.789299	6.722647	3.723612
GRAPEFRUIT, OIL FEMA 2530A	16	SOFT CANDY(R)	16	0-5 MO.	.124889	1.248891	.216753
				6-11 MO.	1.373780	4.246230	2.384287
				12-23 MO.	2.185560	5.807344	3.793184
				2-65+ YR.	3.621784	10.990242	6.285847
GRAPEFRUIT, OIL FEMA 2530A	20	GELATIN PUD(R)	11	0-5 MO.	.772919	1.043441	1.766664
				6-11 MO.	4.946683	14.994634	11.306586

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GRAPEFRUIT, OIL FEMA 2530A	20	GELATIN PUDIR)	11	12-23 MO.	5.333143	12.985044	12.189913
				2-65+ YR.	7.883777	20.289131	18.019871
GRAPEFRUIT, OIL FEMA 2530A	23	BEV TYPE I(R)	35	0-5 MO.	.394813	.592220	.663532
				6-11 MO.	3.734274	12.782075	6.275905
				12-23 MO.	8.916196	26.732138	14.984759
				2-65+ YR.	17.108569	45.683168	28.753043
GRAPEFRUIT, OIL FEMA 2530A	24	BEV TYPE III(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.011166	**********
				12-23 MO.	**********	.022332	**********
				2-65+ YR.	3.628882	10.540505	4.316591
GRAPEFRUIT, OIL FEMA 2530A	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.014342	.043026	.197727
				12-23 MO.	.043026	.129078	.593181
				2-65+ YR.	.086052	.243814	1.186362
GRAPEFRUIT, OIL FEMA 2530A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.108740	.108740	.160813
				12-23 MO.	.108740	.326220	.160813
				2-65+ YR.	.217480	.434960	.321626
GRAPEFRUIT, OIL FEMA 2530A	99	ALL CATEGORIES	46	0-5 MO.	3.080351	5.364357	6.204858
				6-11 MO.	25.077859	73.708693	49.185547
				12-23 MO.	43.141852	95.930835	85.630905
				2-65+ YR.	92.374898	183.347126	184.253452
HICKORY BARK, EXTRCT FEMA 2577A	07	FROZN DAIRY(R)	*	0-5 MO.	.000125	.000513	.000125
				6-11 MO.	.001188	.003300	.001188
				12-23 MO.	.001800	.004225	.001800
				2-65+ YR.	.003200	.007713	.003200
HICKORY BARK, EXTRCT FEMA 2577A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000217	.000651	.000325
				12-23 MO.	.000651	.001953	.000975

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HICKORY BARK, EXTRCT FEMA 2577A	30	HARD CANDY(R)	*	2-65+ YR.	.001302	.003689	.001950
HICKORY BARK, EXTRCT FEMA 2577A	99	ALL CATEGORIES	*	0-5 MO.	.000125	.000513	.000125
				6-11 MO.	.001405	.003951	.001513
				12-23 MO.	.002451	.006178	.002775
				2-65+ YR.	.004502	.011402	.005150
HOPS, EXTRACT FEMA 2578A	01	BAKED GOODS(R)	*	0-5 MO.	2.040000	2.700000	2.448000
				6-11 MO.	15.240000	31.080000	18.288000
				12-23 MO.	32.700000	53.880000	39.240000
				2-65+ YR.	82.320000	122.280000	98.784000
HOPS, EXTRACT FEMA 2578A	07	FROZN DAIRY(R)	*	0-5 MO.	.167345	.686115	.185937
				6-11 MO.	1.589778	4.417910	1.766398
				12-23 MO.	2.409769	5.656263	2.677487
				2-65+ YR.	4.284034	10.325191	4.759977
HOPS, EXTRACT FEMA 2578A	16	SOFT CANDY(R)	*	0-5 MO.	.056000	.560000	.080000
				6-11 MO.	.616000	1.904000	.880000
				12-23 MO.	.980000	2.604000	1.400000
				2-65+ YR.	1.624000	4.928000	2.320000
HOPS, EXTRACT FEMA 2578A	20	GELATIN PUD(R)	*	0-5 MO.	.360000	.486000	.400000
				6-11 MO.	2.304000	6.984000	2.560000
				12-23 MO.	2.484000	6.048000	2.760000
				2-65+ YR.	3.672000	9.450000	4.080000
HOPS, EXTRACT FEMA 2578A	23	BEV TYPE I(R)	*	0-5 MO.	.432000	.648000	.480000
				6-11 MO.	4.086000	13.986000	4.540000
				12-23 MO.	9.756000	29.250000	10.840000
				2-65+ YR.	18.720000	49.986000	20.800000
HOPS, EXTRACT FEMA 2578A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.015126	**********
				12-23 MO.	**********	.030252	**********
				2-65+ YR.	4.916019	14.279146	11.169903

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HOPS, EXTRACT FEMA 2578A	99	ALL CATEGORIES	*	0-5 MO.	3.055345	5.080115	3.593937
				6-11 MO.	23.835778	58.387036	28.034398
				12-23 MO.	48.329769	97.468516	56.917487
				2-65+ YR.	115.536053	211.248336	141.913880
HOPS, EXTRACT SOLID FEMA 2579A	01	BAKED GOODS(R)	*	0-5 MO.	.252213	.333811	.303213
				6-11 MO.	1.884180	3.842541	2.265180
				12-23 MO.	4.042828	6.661393	4.860328
				2-65+ YR.	10.177541	15.117951	12.235541
HOPS, EXTRACT SOLID FEMA 2579A	07	FROZN DAIRY(R)	*	0-5 MO.	.020000	.082000	.030000
				6-11 MO.	.190000	.528000	.285000
				12-23 MO.	.288000	.676000	.432000
				2-65+ YR.	.512000	1.234000	.768000
HOPS, EXTRACT SOLID FEMA 2579A	16	SOFT CANDY(R)	*	0-5 MO.	.008295	.082951	.011869
				6-11 MO.	.091246	.282033	.130557
				12-23 MO.	.145164	.385721	.207705
				2-65+ YR.	.240557	.729967	.344197
HOPS, EXTRACT SOLID FEMA 2579A	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.060000
				6-11 MO.	.256000	.776000	.384000
				12-23 MO.	.276000	.672000	.414000
				2-65+ YR.	.408000	1.050000	.612000
HOPS, EXTRACT SOLID FEMA 2579A	23	BEV TYPE I(R)	4	0-5 MO.	.023339	.035008	.030681
				6-11 MO.	.220743	.755584	.290189
				12-23 MO.	.527061	1.580212	.692874
				2-65+ YR.	1.011335	2.700460	1.329500
HOPS, EXTRACT SOLID FEMA 2579A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001488	**********
				12-23 MO.	**********	.002975	**********
				2-65+ YR.	.483504	1.404393	.964344
HOPS, EXTRACT SOLID FEMA 2579A	99	ALL CATEGORIES	8	0-5 MO.	.343847	.587770	.435763

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HOPS, EXTRACT SOLID FEMA 2579A	99	ALL CATEGORIES	8	6-11 MO.	2.642170	6.185646	3.354927
				12-23 MO.	5.279053	9.978302	6.606907
				2-65+ YR.	12.832938	22.236772	16.253582
HOPS, OIL FEMA 2580A	01	BAKED GOODS(R)	4	0-5 MO.	.020539	.027184	.033306
				6-11 MO.	.153437	.312914	.248816
				12-23 MO.	.329224	.542465	.533878
				2-65+ YR.	.828800	1.231118	1.344000
HOPS, OIL FEMA 2580A	07	FROZN DAIRY(R)	4	0-5 MO.	.004328	.017745	.012037
				6-11 MO.	.041117	.114263	.114352
				12-23 MO.	.062325	.146291	.173333
				2-65+ YR.	.110800	.267045	.308148
HOPS, OIL FEMA 2580A	16	SOFT CANDY(R)	6	0-5 MO.	.000774	.007741	.001731
				6-11 MO.	.008515	.026319	.019046
				12-23 MO.	.013546	.035994	.030301
				2-65+ YR.	.022448	.068119	.050213
HOPS, OIL FEMA 2580A	20	GELATIN PUD(R)	*	0-5 MO.	.030431	.041082	.060510
				6-11 MO.	.194761	.590369	.387263
				12-23 MO.	.209976	.511247	.417518
				2-65+ YR.	.310400	.798824	.617200
HOPS, OIL FEMA 2580A	23	BEV TYPE I(R)	9	0-5 MO.	.002691	.004036	.003959
				6-11 MO.	.025448	.087106	.037446
				12-23 MO.	.060762	.182172	.089408
				2-65+ YR.	.116590	.311319	.171559
HOPS, OIL FEMA 2580A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000166	**********
				12-23 MO.	**********	.000333	**********
				2-65+ YR.	.054074	.157066	.118199
HOPS, OIL FEMA 2580A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000036	.000108	.000050

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCDD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HOPS, OIL FEMA 2580A	30	HARD CANDY(R)	*	12-23 MO.	.000108	.000324	.000150
				2-65+ YR.	.000216	.000612	.000300
HOPS, OIL FEMA 2580A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000126	.000126	.000146
				12-23 MO.	.000126	.000378	.000146
				2-65+ YR.	.000252	.000504	.000292
HOPS, OIL FEMA 2580A	99	ALL CATEGORIES	15	0-5 MO.	.058763	.097788	.111543
				6-11 MO.	.423440	1.131371	.807119
				12-23 MO.	.676068	1.419205	1.244734
				2-65+ YR.	1.443581	2.834606	2.609911
HOREHOUND, EXTRACT FEMA 2581A	01	BAKED GOODS(R)	*	0-5 MO.	.408224	.540296	.551158
				6-11 MO.	3.049671	6.219408	4.117474
				12-23 MO.	6.543586	10.781908	8.834737
				2-65+ YR.	16.473026	24.469408	22.240842
HOREHOUND, EXTRACT FEMA 2581A	07	FROZN DAIRY(R)	*	0-5 MO.	.006382	.026164	.009342
				6-11 MO.	.060625	.168474	.088750
				12-23 MO.	.091895	.215697	.134526
				2-65+ YR.	.163368	.393743	.239158
HOREHOUND, EXTRACT FEMA 2581A	16	SOFT CANDY(R)	8	0-5 MO.	.103613	1.036132	.146011
				6-11 MO.	1.139745	3.522850	1.606125
				12-23 MO.	1.813231	4.818015	2.555198
				2-65+ YR.	3.004784	9.117964	4.234328
HOREHOUND, EXTRACT FEMA 2581A	20	GELATIN PUD(R)	*	0-5 MO.	.045250	.061088	.057500
				6-11 MO.	.289600	.877850	.368000
				12-23 MO.	.312225	.760200	.396750
				2-65+ YR.	.461550	1.187813	.586500
HOREHOUND, EXTRACT FEMA 2581A	23	BEV TYPE I(R)	6	0-5 MO.	.024525	.036787	.031536
				6-11 MO.	.231964	.798991	.298279
				12-23 MO.	.553852	1.660534	.712191

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HOREHOUND, EXTRACT FEMA 2581A	23	BEV TYPE I(R)	6	2-65+ YR.	1.062742	2.837725	1.366565
HOREHOUND, EXTRACT FEMA 2581A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.016429	**********
				12-23 MO.	**********	.032858	**********
				2-65+ YR.	5.339398	15.508896	8.283584
HOREHOUND, EXTRACT FEMA 2581A	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.621891	1.865674	.623166
				12-23 MO.	1.865674	5.597021	1.869499
				2-65+ YR.	3.731347	10.572151	3.738998
HOREHOUND, EXTRACT FEMA 2581A	99	ALL CATEGORIES	14	0-5 MO.	.587993	1.700468	.795547
				6-11 MO.	5.393497	13.464675	7.101794
				12-23 MO.	11.180462	23.866234	14.502901
				2-65+ YR.	30.236215	64.087701	40.689976
HYSSOP FEMA 2589A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	19.500000
HYSSOP FEMA 2589A	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	19.500000
HYSSOP, EXTRACT FEMA 2590A	16	SOFT CANDY(R)	*	0-5 MO.	.020000	.200000	.060000
				6-11 MO.	.220000	.680000	.660000
				12-23 MO.	.350000	.930000	1.050000
				2-65+ YR.	.580000	1.760000	1.740000
HYSSOP, EXTRACT FEMA 2590A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	9.750000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HYSSOP, EXTRACT							
FEMA 2590A	99	ALL CATEGORIES	*	0-5 MO.	.020000	.200000	.060000
				6-11 MO.	.220000	.690000	.660000
				12-23 MO.	.350000	.950000	1.050000
				2-65+ YR.	3.830000	11.200000	11.490000
HYSSOP, OIL							
FEMA 2591A	01	BAKED GOODS(R)	*	0-5 MO.	.017850	.023625	.056100
				6-11 MO.	.133350	.271950	.419100
				12-23 MO.	.286125	.471450	.899250
				2-65+ YR.	.720300	1.069950	2.263800
HYSSOP, OIL							
FEMA 2591A	16	SOFT CANDY(R)	*	0-5 MO.	.000767	.007667	.002533
				6-11 MO.	.008433	.026067	.027867
				12-23 MO.	.013417	.035650	.044333
				2-65+ YR.	.022233	.067467	.073467
HYSSOP, OIL							
FEMA 2591A	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.060000
				6-11 MO.	.128000	.388000	.384000
				12-23 MO.	.138000	.336000	.414000
				2-65+ YR.	.204000	.525000	.612000
HYSSOP, OIL							
FEMA 2591A	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310800	.181600
				12-23 MO.	.216800	.650000	.433600
				2-65+ YR.	.416000	1.110800	.832000
HYSSOP, OIL							
FEMA 2591A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001781	**********
				12-23 MO.	**********	.003563	**********
				2-65+ YR.	.578906	1.681500	1.198438
HYSSOP, OIL							
FEMA 2591A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000039	.000039	.000039
				12-23 MO.	.000039	.000117	.000039
				2-65+ YR.	.000078	.000156	.000078
HYSSOP, OIL							
FEMA 2591A	99	ALL CATEGORIES	7	0-5 MO.	.048217	.072692	.137833

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HYSSOP, OIL FEMA 2591A	99	ALL CATEGORIES	7	6-11 MO.	.360622	.998637	1.012606
				12-23 MO.	.654381	1.496779	1.791222
				2-65+ YR.	1.941518	4.454873	4.979782
INNORTELLE, EXTRACT FEMA 2592A	01	BAKED GOODS(R)	6	0-5 MO.	.042045	.055648	.075492
				6-11 MO.	.314103	.640573	.563969
				12-23 MO.	.673962	1.110492	1.210090
				2-65+ YR.	1.696653	2.520248	3.046319
INNORTELLE, EXTRACT FEMA 2592A	07	FROZN DAIRY(R)	6	0-5 MO.	.007453	.030559	.013721
				6-11 MO.	.070808	.196772	.130349
				12-23 MO.	.107330	.251928	.197581
				2-65+ YR.	.190809	.459880	.351256
INNORTELLE, EXTRACT FEMA 2592A	16	SOFT CANDY(R)	7	0-5 MO.	.002123	.021225	.004823
				6-11 MO.	.023348	.072166	.053054
				12-23 MO.	.037144	.098698	.084404
				2-65+ YR.	.061553	.186782	.139869
INNORTELLE, EXTRACT FEMA 2592A	20	GELATIN PUD(R)	4	0-5 MO.	.014039	.018953	.026316
				6-11 MO.	.089853	.272366	.168421
				12-23 MO.	.096872	.235863	.181579
				2-65+ YR.	.143203	.368536	.268421
INNORTELLE, EXTRACT FEMA 2592A	23	BEV TYPE I(R)	7	0-5 MO.	.007234	.010851	.011011
				6-11 MO.	.068424	.234210	.104146
				12-23 MO.	.163374	.489821	.248665
				2-65+ YR.	.313486	.837067	.477143
INNORTELLE, EXTRACT FEMA 2592A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000584	**********
				12-23 MO.	**********	.001167	**********
				2-65+ YR.	.189709	.551033	.260000
INNORTELLE, EXTRACT FEMA 2592A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000280	.000840	.000280

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
IMMORTELLE, EXTRACT FEMA 2592A	30	HARD CANDY(R)	*	12-23 MO.	.000840	.002520	.000840
				2-65+ YR.	.001680	.004760	.001680
IMMORTELLE, EXTRACT FEMA 2592A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001287	.001287	.001287
				12-23 MO.	.001287	.003861	.001287
				2-65+ YR.	.002574	.005148	.002574
IMMORTELLE, EXTRACT FEMA 2592A	99	ALL CATEGORIES	11	0-5 MO.	.072895	.137238	.131363
				6-11 MO.	.568103	1.418798	1.021505
				12-23 MO.	1.080810	2.194350	1.924446
				2-65+ YR.	2.599668	4.933454	4.547262
JASMINE, ABSOLUTE FEMA 2598A	01	BAKED GOODS(R)	8	0-5 MO.	.014839	.019640	.019075
				6-11 MO.	.110857	.226078	.142502
				12-23 MO.	.237862	.391926	.305762
				2-65+ YR.	.598800	.889471	.769734
JASMINE, ABSOLUTE FEMA 2598A	07	FROZN DAIRY(R)	9	0-5 MO.	.001307	.005360	.001926
				6-11 MO.	.012420	.034516	.018293
				12-23 MO.	.018827	.044191	.027728
				2-65+ YR.	.033470	.080668	.049295
JASMINE, ABSOLUTE FEMA 2598A	16	SOFT CANDY(R)	8	0-5 MO.	.000277	.002771	.000421
				6-11 MO.	.003048	.009421	.004626
				12-23 MO.	.004849	.012884	.007359
				2-65+ YR.	.008035	.024383	.012195
JASMINE, ABSOLUTE FEMA 2598A	20	GELATIN PUD(R)	7	0-5 MO.	.001027	.001387	.002601
				6-11 MO.	.006573	.019926	.016647
				12-23 MO.	.007087	.017255	.017947
				2-65+ YR.	.010477	.026962	.026531
JASMINE, ABSOLUTE FEMA 2598A	23	BEV TYPE I(R)	14	0-5 MO.	.001476	.002213	.003757
				6-11 MO.	.013957	.047773	.035532
				12-23 MO.	.033325	.099912	.084838

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
JASMINE, ABSOLUTE FEMA 2598A	23	BEV TYPE II(R)	14	2-65+ YR.	.063944	.170742	.162789
JASMINE, ABSOLUTE FEMA 2598A	24	BEV TYPE III(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000181	**********
				12-23 MO.	**********	.000362	**********
				2-65+ YR.	.058861	.170969	.092444
JASMINE, ABSOLUTE FEMA 2598A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000552	.001656	.000552
				12-23 MO.	.001656	.004968	.001656
				2-65+ YR.	.003312	.009384	.003312
JASMINE, ABSOLUTE FEMA 2598A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000320	.000320	.004345
				12-23 MO.	.000320	.000960	.004345
				2-65+ YR.	.000640	.001280	.008690
JASMINE, ABSOLUTE FEMA 2598A	99	ALL CATEGORIES	19	0-5 MO.	.018926	.031371	.027779
				6-11 MO.	.147727	.339871	.222496
				12-23 MO.	.303925	.572459	.449635
				2-65+ YR.	.777539	1.373859	1.124990
JASMINE, CONCRETE FEMA 2599A	01	BAKED GOODS(R)	*	0-5 MO.	.035408	.046863	.042915
				6-11 MO.	.264516	.539445	.320599
				12-23 MO.	.567563	.935177	.687899
				2-65+ YR.	1.428801	2.122373	1.731738
JASMINE, CONCRETE FEMA 2599A	07	FROZN DAIRY(R)	*	0-5 MO.	.002006	.008225	.003010
				6-11 MO.	.019057	.052958	.028595
				12-23 MO.	.028886	.067803	.043344
				2-65+ YR.	.051354	.123770	.077056
JASMINE, CONCRETE FEMA 2599A	16	SOFT CANDY(R)	*	0-5 MO.	.000523	.005228	.000844
				6-11 MO.	.005751	.017775	.009280
				12-23 MO.	.009149	.024310	.014763
				2-65+ YR.	.015161	.046006	.024464

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
JASMINE, CONCRETE FEMA 2599A	20	GELATIN PUD(R)	*	0-5 MO.	.004525	.006109	.006040
				6-11 MO.	.028960	.087785	.038656
				12-23 MO.	.031223	.076020	.041676
				2-65+ YR.	.046155	.118761	.061608
JASMINE, CONCRETE FEMA 2599A	23	BEV TYPE I(R)	4	0-5 MO.	.001648	.002472	.003704
				6-11 MO.	.015587	.053354	.035034
				12-23 MO.	.037217	.111583	.083649
				2-65+ YR.	.071413	.190687	.160507
JASMINE, CONCRETE FEMA 2599A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
JASMINE, CONCRETE FEMA 2599A	99	ALL CATEGORIES	4	0-5 MO.	.044109	.068896	.056512
				6-11 MO.	.333871	.751418	.432163
				12-23 MO.	.674038	1.215094	.871331
				2-65+ YR.	1.645384	2.696018	2.120373
JASMINE, OIL FEMA 2600A	01	BAKED GOODS(R)	6	0-5 MO.	.017171	.022726	.022819
				6-11 MO.	.128276	.261601	.170474
				12-23 MO.	.275237	.453510	.365780
				2-65+ YR.	.692890	1.029235	.920825
JASMINE, OIL FEMA 2600A	07	FROZN DAIRY(R)	6	0-5 MO.	.001035	.004241	.001632
				6-11 MO.	.009828	.027311	.015499
				12-23 MO.	.014897	.034966	.023494
				2-65+ YR.	.026483	.063829	.041766
JASMINE, OIL FEMA 2600A	16	SOFT CANDY(R)	6	0-5 MO.	.000277	.002767	.000476
				6-11 MO.	.003044	.009408	.005241
				12-23 MO.	.004842	.012867	.008338
				2-65+ YR.	.008025	.024351	.013817
JASMINE, OIL FEMA 2600A	20	GELATIN PUD(R)	4	0-5 MO.	.002171	.002930	.003341

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
JASMINE, OIL FEMA 2600A	20	GELATIN PUD(R)	4	6-11 MO.	.013892	.042111	.021385
				12-23 MO.	.014978	.036467	.023055
				2-65+ YR.	.022141	.056980	.034082
JASMINE, OIL FEMA 2600A	23	BEV TYPE I(R)	9	0-5 MO.	.001185	.001777	.001532
				6-11 MO.	.011203	.038348	.014487
				12-23 MO.	.026750	.080201	.034589
				2-65+ YR.	.051329	.137057	.066371
JASMINE, OIL FEMA 2600A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000110	**********
				12-23 MO.	**********	.000220	**********
				2-65+ YR.	.035750	.103840	.045500
JASMINE, OIL FEMA 2600A	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000315	.000945	.000315
				12-23 MO.	.000945	.002835	.000945
				2-65+ YR.	.001890	.005355	.001890
JASMINE, OIL FEMA 2600A	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.001035	.001035	.010669
				12-23 MO.	.001035	.003105	.010669
				2-65+ YR.	.002070	.004140	.021338
JASMINE, OIL FEMA 2600A	99	ALL CATEGORIES	20	0-5 MO.	.021837	.034442	.029800
				6-11 MO.	.167593	.380870	.238069
				12-23 MO.	.338684	.624171	.466870
				2-65+ YR.	.840578	1.424787	1.145589
JASMINE, SPIRITUS FEMA 2601A	01	BAKED GOODS(R)	*	0-5 MO.	.004080	.005400	.013600
				6-11 MO.	.030480	.062160	.101600
				12-23 MO.	.065400	.107760	.218000
				2-65+ YR.	.164640	.244560	.548800
JASMINE, SPIRITUS FEMA 2601A	07	FROZN DAIRY(R)	*	0-5 MO.	.000250	.001025	.000750
				6-11 MO.	.002375	.006600	.007125

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
JASMINE, SPIRITUS FEMA 2601A	07	FROZN DAIRY(R)	*	12-23 MO.	.003600	.008450	.010800
				2-65+ YR.	.006400	.015425	.019200
JASMINE, SPIRITUS FEMA 2601A	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000600
				6-11 MO.	.002200	.006800	.006600
				12-23 MO.	.003500	.009300	.010500
				2-65+ YR.	.005800	.017600	.017400
JASMINE, SPIRITUS FEMA 2601A	23	BEV TYPE I(R)	*	0-5 MO.	.001200	.001800	.002400
				6-11 MO.	.011350	.038850	.022700
				12-23 MO.	.027100	.081250	.054200
				2-65+ YR.	.052000	.138850	.104000
JASMINE, SPIRITUS FEMA 2601A	99	ALL CATEGORIES	*	0-5 MO.	.005730	.010225	.017350
				6-11 MO.	.046405	.114410	.138025
				12-23 MO.	.099600	.206760	.293500
				2-65+ YR.	.228840	.416435	.689400
JUNIPER, EXTRACT FEMA 2603A	01	BAKED GOODS(R)	*	0-5 MO.	.153000	.202500	.204000
				6-11 MO.	1.143000	2.331000	1.524000
				12-23 MO.	2.452500	4.041000	3.270000
				2-65+ YR.	6.174000	9.171000	8.232000
JUNIPER, EXTRACT FEMA 2603A	07	FROZN DAIRY(R)	*	0-5 MO.	.015000	.061500	.020000
				6-11 MO.	.142500	.396000	.190000
				12-23 MO.	.216000	.507000	.288000
				2-65+ YR.	.384000	.925500	.512000
JUNIPER, EXTRACT FEMA 2603A	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.001100
				6-11 MO.	.010350	.027900	.020700
				12-23 MO.	.015100	.025950	.030200
				2-65+ YR.	.039200	.065050	.078400
JUNIPER, EXTRACT FEMA 2603A	16	SOFT CANDY(R)	*	0-5 MO.	.004000	.040000	.006000
				6-11 MO.	.044000	.136000	.066000
				12-23 MO.	.070000	.186000	.105000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
JUNIPER, EXTRACT FEMA 2603A	16	SOFT CANDY(R)	*	2-65+ YR.	.116000	.352000	.174000
JUNIPER, EXTRACT FEMA 2603A	20	GELATIN PUD(R)	*	0-5 MO.	.030000	.040500	.040000
				6-11 MO.	.192000	.582000	.256000
				12-23 MO.	.207000	.504000	.276000
				2-65+ YR.	.306000	.787500	.408000
JUNIPER, EXTRACT FEMA 2603A	23	BEV TYPE I(R)	*	0-5 MO.	.192000	.288000	.240000
				6-11 MO.	1.816000	6.216000	2.270000
				12-23 MO.	4.336000	13.000000	5.420000
				2-65+ YR.	8.320000	22.216000	10.400000
JUNIPER, EXTRACT FEMA 2603A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008000	**********
				12-23 MO.	**********	.016000	**********
				2-65+ YR.	2.600000	7.552000	3.250000
JUNIPER, EXTRACT FEMA 2603A	99	ALL CATEGORIES	*	0-5 MO.	.394550	.633950	.511100
				6-11 MO.	3.347850	9.696900	4.326700
				12-23 MO.	7.296600	18.279950	9.389200
				2-65+ YR.	17.939200	41.069050	23.054400
JUNIPER, OIL FEMA 2604A	01	BAKED GOODS(R)	7	0-5 MO.	.029919	.039599	.047858
				6-11 MO.	.223515	.455830	.357527
				12-23 MO.	.479589	.790223	.767135
				2-65+ YR.	1.207333	1.793400	1.931211
JUNIPER, OIL FEMA 2604A	07	FROZN DAIRY(R)	4	0-5 MO.	.002907	.011918	.004000
				6-11 MO.	.027615	.076741	.037998
				12-23 MO.	.041859	.098252	.057597
				2-65+ YR.	.074416	.179354	.102395
JUNIPER, OIL FEMA 2604A	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.005500
				6-11 MO.	.020700	.055800	.103500
				12-23 MO.	.030200	.051900	.151000
				2-65+ YR.	.078400	.130100	.392000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
JUNIPER, OIL							
FEMA 2604A	16	SOFT CANDY(R)	7	0-5 MO.	.000911	.009106	.001792
				6-11 MO.	.010017	.030961	.019714
				12-23 MO.	.015936	.042344	.031363
				2-65+ YR.	.026408	.080135	.051973
JUNIPER, OIL							
FEMA 2604A	20	GELATIN PUD(R)	5	0-5 MO.	.006599	.008908	.012378
				6-11 MO.	.042232	.128016	.079217
				12-23 MO.	.045531	.110859	.085406
				2-65+ YR.	.067307	.173217	.126253
JUNIPER, OIL							
FEMA 2604A	23	BEV TYPE I(R)	9	0-5 MO.	.096781	.145171	.108432
				6-11 MO.	.915386	3.133283	1.025591
				12-23 MO.	2.185636	6.552877	2.448767
				2-65+ YR.	4.193841	11.198362	4.698741
JUNIPER, OIL							
FEMA 2604A	24	BEV TYPE II(R)	12	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002722	**********
				12-23 MO.	**********	.005444	**********
				2-65+ YR.	.884647	2.569560	1.951156
JUNIPER, OIL							
FEMA 2604A	99	ALL CATEGORIES	17	0-5 MO.	.138217	.217603	.179960
				6-11 MO.	1.239466	3.883353	1.623547
				12-23 MO.	2.798752	7.651898	3.541269
				2-65+ YR.	6.532353	16.124129	9.253728
KOLA NUT, EXTRACT							
FEMA 2607A	01	BAKED GOODS(R)	4	0-5 MO.	.537576	.711497	1.284821
				6-11 MO.	4.016006	8.190122	9.598367
				12-23 MO.	8.617020	14.198320	20.594922
				2-65+ YR.	21.692756	32.222913	51.846299
KOLA NUT, EXTRACT							
FEMA 2607A	07	FROZN DAIRY(R)	4	0-5 MO.	.054131	.221937	.445882
				6-11 MO.	.514244	1.429057	4.235878
				12-23 MO.	.779486	1.829626	6.420699
				2-65+ YR.	1.385752	3.339880	11.414576
KOLA NUT, EXTRACT							
FEMA 2607A	16	SOFT CANDY(R)	*	0-5 MO.	.028800	.288000	.074000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
KOLA NUT, EXTRACT FEMA 2607A	16	SOFT CANDY(R)	*	6-11 MO.	.316800	.979200	.814000
				12-23 MO.	.504000	1.339200	1.295000
				2-65+ YR.	.835200	2.534400	2.146000
KOLA NUT, EXTRACT FEMA 2607A	20	GELATIN PUD(R)	*	0-5 MO.	.296000	.399600	.740000
				6-11 MO.	1.894400	5.742400	4.736000
				12-23 MO.	2.042400	4.972800	5.106000
				2-65+ YR.	3.019200	7.770000	7.548000
KOLA NUT, EXTRACT FEMA 2607A	23	BEV TYPE I(R)	27	0-5 MO.	.165547	.248320	.250857
				6-11 MO.	1.565794	5.359568	2.372691
				12-23 MO.	3.738592	11.208878	5.665191
				2-65+ YR.	7.173682	19.155110	10.870478
KOLA NUT, EXTRACT FEMA 2607A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.007190	**********
				12-23 MO.	**********	.014381	**********
				2-65+ YR.	2.336898	6.787789	4.349227
KOLA NUT, EXTRACT FEMA 2607A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.008052	.024156	.011788
				12-23 MO.	.024156	.072468	.035364
				2-65+ YR.	.048312	.136884	.070728
KOLA NUT, EXTRACT FEMA 2607A	99	ALL CATEGORIES	30	0-5 MO.	1.082053	1.869354	2.795560
				6-11 MO.	8.315296	21.731694	21.768724
				12-23 MO.	15.705654	33.635672	39.117176
				2-65+ YR.	36.491799	71.946975	88.245308
LAUREL LEAVES, EXTRCT FEMA 2613A	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.022000
				6-11 MO.	.207000	.558000	.414000
				12-23 MO.	.302000	.519000	.604000
				2-65+ YR.	.784000	1.301000	1.568000
LAUREL LEAVES, EXTRCT FEMA 2613A	14	PROCSD VEGS(R)	*	0-5 MO.	.014000	.042000	.028000
				6-11 MO.	.240000	.560000	.480000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LAUREL LEAVES, EXTRCT FEMA 2613A	14	FRGCSD VEGS(R)	*	12-23 MO.	.390000	.653000	.780000
				2-65+ YR.	.850000	1.432000	1.700000
LAUREL LEAVES, EXTRCT FEMA 2613A	99	ALL CATEGORIES	*	0-5 MO.	.025000	.071000	.050000
				6-11 MO.	.447000	1.118000	.894000
				12-23 MO.	.692000	1.172000	1.384000
				2-65+ YR.	1.634000	2.733000	3.268000
LAVANDIN, OIL FEMA 2618A	01	BAKED GOODS(R)	*	0-5 MO.	.040752	.053936	.057061
				6-11 MO.	.304439	.620864	.426280
				12-23 MO.	.653226	1.076324	.914656
				2-65+ YR.	1.644451	2.442705	2.302582
LAVANDIN, OIL FEMA 2618A	07	FROZN DAIRY(R)	*	0-5 MO.	.008569	.035133	.012834
				6-11 MO.	.081406	.226222	.121927
				12-23 MO.	.123394	.289632	.184815
				2-65+ YR.	.219366	.528707	.328561
LAVANDIN, OIL FEMA 2618A	16	SOFT CANDY(R)	*	0-5 MO.	.001868	.018676	.002827
				6-11 MO.	.020544	.063499	.031097
				12-23 MO.	.032683	.086844	.049472
				2-65+ YR.	.054161	.164350	.081983
LAVANDIN, OIL FEMA 2618A	20	GELATIN PUD(R)	*	0-5 MO.	.013074	.017650	.020488
				6-11 MO.	.083676	.253642	.131125
				12-23 MO.	.090213	.219648	.141369
				2-65+ YR.	.133358	.343201	.208981
LAVANDIN, OIL FEMA 2618A	23	BEV TYPE I(R)	*	0-5 MO.	.006038	.009057	.013340
				6-11 MO.	.057111	.195487	.126175
				12-23 MO.	.136363	.408838	.301265
				2-65+ YR.	.261656	.698672	.578072
LAVANDIN, OIL FEMA 2618A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000252	**********
				12-23 MO.	**********	.000503	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LAVANDIN, OIL FEMA 2618A	24	BEV TYPE II(R)	*	2-65+ YR.	.081768	.237503	.180648
LAVANDIN, OIL FEMA 2618A	99	ALL CATEGORIES	*	0-5 MO.	.070301	.134453	.106351
				6-11 MO.	.547176	1.359965	.836604
				12-23 MO.	1.035879	2.081790	1.591577
				2-65+ YR.	2.394760	4.415138	3.680826
LAVENDER, ABSOLUTE FEMA 2620A	01	BAKED GOODS(R)	*	0-5 MO.	.059267	.078442	.078200
				6-11 MO.	.442762	.902956	.584200
				12-23 MO.	.950021	1.565356	1.253500
				2-65+ YR.	2.391613	3.552556	3.155600
LAVENDER, ABSOLUTE FEMA 2620A	07	FROZN DAIRY(R)	*	0-5 MO.	.013089	.053667	.018000
				6-11 MO.	.124350	.345562	.171000
				12-23 MO.	.188488	.442424	.259200
				2-65+ YR.	.335091	.807621	.460800
LAVENDER, ABSOLUTE FEMA 2620A	16	SOFT CANDY(R)	*	0-5 MO.	.002784	.027842	.003884
				6-11 MO.	.030626	.094663	.042726
				12-23 MO.	.048724	.129466	.067974
				2-65+ YR.	.080742	.245011	.112642
LAVENDER, ABSOLUTE FEMA 2620A	20	GELATIN PUD(R)	*	0-5 MO.	.026079	.035207	.031421
				6-11 MO.	.166905	.505932	.201095
				12-23 MO.	.179945	.438126	.216805
				2-65+ YR.	.266005	.684572	.320495
LAVENDER, ABSOLUTE FEMA 2620A	23	BEV TYPE I(R)	*	0-5 MO.	.008353	.012529	.016727
				6-11 MO.	.079002	.270416	.158213
				12-23 MO.	.188630	.565543	.377760
				2-65+ YR.	.361947	.966469	.724853
LAVENDER, ABSOLUTE FEMA 2620A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000800	**********
				2-65+ YR.	.130000	.377600	.260000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LAVENDER, ABSOLUTE							
FEMA 2620A	99	ALL CATEGORIES	*	0-5 MO.	.109573	.207687	.148233
				6-11 MO.	.843646	2.119929	1.157234
				12-23 MO.	1.555808	3.141715	2.175239
				2-65+ YR.	3.565398	6.633628	5.034389
LAVENDER, CONCRETE							
FEMA 2621A	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	.078200
				6-11 MO.	.508000	1.036000	.584200
				12-23 MO.	1.090000	1.796000	1.253500
				2-65+ YR.	2.744000	4.076000	3.155600
LAVENDER, CONCRETE							
FEMA 2621A	07	FROZN DAIRY(R)	*	0-5 MO.	.014000	.057400	.018000
				6-11 MO.	.133000	.369600	.171000
				12-23 MO.	.201600	.473200	.259200
				2-65+ YR.	.358400	.863800	.460800
LAVENDER, CONCRETE							
FEMA 2621A	16	SOFT CANDY(R)	*	0-5 MO.	.003200	.032000	.004400
				6-11 MO.	.035200	.108800	.048400
				12-23 MO.	.056000	.148800	.077000
				2-65+ YR.	.092800	.281600	.127600
LAVENDER, CONCRETE							
FEMA 2621A	20	GELATIN PUD(R)	*	0-5 MO.	.030000	.040500	.036000
				6-11 MO.	.192000	.582000	.230400
				12-23 MO.	.207000	.504000	.248400
				2-65+ YR.	.306000	.787500	.367200
LAVENDER, CONCRETE							
FEMA 2621A	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310800	.181600
				12-23 MO.	.216800	.650000	.433600
				2-65+ YR.	.416000	1.110800	.832000
LAVENDER, CONCRETE							
FEMA 2621A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000800	**********
				2-65+ YR.	.130000	.377600	.260000
LAVENDER, CONCRETE							
FEMA 2621A	99	ALL CATEGORIES	*	0-5 MO.	.124800	.234300	.155800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LAVENDER, CONCRETE FEMA 2621A	99	ALL CATEGORIES	*	6-11 MO.	.959000	2.407600	1.215600
				12-23 MO.	1.771400	3.572800	2.271700
				2-65+ YR.	4.047200	7.497300	5.203200
LAVENDER, OIL FEMA 2622A	01	BAKED GOODS(R)	8	0-5 MO.	.025257	.033429	.038663
				6-11 MO.	.188686	.384800	.288838
				12-23 MO.	.404857	.667986	.619752
				2-65+ YR.	1.019200	1.513943	1.560182
LAVENDER, OIL FEMA 2622A	07	FROZN DAIRY(R)	6	0-5 MO.	.006232	.025553	.009206
				6-11 MO.	.059208	.164537	.087456
				12-23 MO.	.089747	.210657	.132565
				2-65+ YR.	.159551	.384543	.235671
LAVENDER, OIL FEMA 2622A	16	SOFT CANDY(R)	8	0-5 MO.	.001283	.012833	.002074
				6-11 MO.	.014117	.043633	.022817
				12-23 MO.	.022458	.059674	.036299
				2-65+ YR.	.037216	.112932	.060153
LAVENDER, OIL FEMA 2622A	20	GELATIN PUD(R)	6	0-5 MO.	.010036	.013549	.015350
				6-11 MO.	.064231	.194700	.098238
				12-23 MO.	.069249	.168606	.105913
				2-65+ YR.	.102368	.263447	.156567
LAVENDER, OIL FEMA 2622A	23	BEV TYPE I(R)	11	0-5 MO.	.004004	.006007	.010115
				6-11 MO.	.037875	.129644	.095672
				12-23 MO.	.090434	.271135	.228433
				2-65+ YR.	.173526	.463349	.438323
LAVENDER, OIL FEMA 2622A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000169	**********
				12-23 MO.	**********	.000338	**********
				2-65+ YR.	.054959	.159634	.140209
LAVENDER, OIL FEMA 2622A	99	ALL CATEGORIES	11	0-5 MO.	.046813	.091370	.075408
				6-11 MO.	.364117	.917483	.593022

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LAVENDER, OIL FEMA 2622A	99	ALL CATEGORIES	11	12-23 MO.	.676746	1.377497	1.122962
				2-65+ YR.	1.546821	2.897848	2.591105
LEMON, EXTRACT FEMA 2623A	01	BAKED GOODS(R)	*	0-5 MO.	32.728400	43.317000	41.072000
				6-11 MO.	244.500400	498.626800	306.832000
				12-23 MO.	524.617000	864.414800	658.360000
				2-65+ YR.	1320.687200	1961.778800	1657.376000
LEMON, EXTRACT FEMA 2623A	04	FATS OILS(R)	*	0-5 MO.	.273000	.273000	.744000
				6-11 MO.	1.528800	4.095000	4.166400
				12-23 MO.	3.439800	6.552000	9.374400
				2-65+ YR.	9.555000	17.253600	26.040000
LEMON, EXTRACT FEMA 2623A	07	FROZN DAIRY(R)	*	0-5 MO.	2.836000	11.627600	3.308000
				6-11 MO.	26.942000	74.870400	31.426000
				12-23 MO.	40.838400	95.856800	47.635200
				2-65+ YR.	72.601600	174.981200	84.684800
LEMON, EXTRACT FEMA 2623A	16	SOFT CANDY(R)	*	0-5 MO.	1.605200	16.052000	1.936000
				6-11 MO.	17.657200	54.576800	21.296000
				12-23 MO.	28.091000	74.641800	33.880000
				2-65+ YR.	46.550800	141.257600	56.144000
LEMON, EXTRACT FEMA 2623A	20	GELATIN PUD(R)	4	0-5 MO.	3.937085	5.315065	5.418216
				6-11 MO.	25.197345	76.379451	34.676583
				12-23 MO.	27.165887	66.143030	37.385691
				2-65+ YR.	40.158268	103.348464	55.265805
LEMON, EXTRACT FEMA 2623A	23	BEV TYPE I(R)	4	0-5 MO.	.298969	.448453	.347850
				6-11 MO.	2.827747	9.679118	3.290077
				12-23 MO.	6.751714	20.242685	7.855601
				2-65+ YR.	12.955318	34.593191	15.073479
LEMON, EXTRACT FEMA 2623A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.072800	**********
				12-23 MO.	**********	.145600	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LEMON, EXTRACT FEMA 2623A	24	BEV TYPE III(R)	*	2-65+ YR.	23.660000	68.723200	26.877500
LEMON, EXTRACT FEMA 2623A	99	ALL CATEGORIES	7	0-5 MO.	41.678654	77.033118	52.826066
				6-11 MO.	318.653492	718.300369	401.687060
				12-23 MO.	630.903801	1127.996715	794.490893
				2-65+ YR.	1526.168186	2501.936075	1921.461583
LEMON-GRASS, OIL FEMA 2624A	01	BAKED GOODS(R)	7	0-5 MO.	.092715	.122711	.123498
				6-11 MO.	.692634	1.412537	.922604
				12-23 MO.	1.486163	2.448761	1.979604
				2-65+ YR.	3.741314	5.557433	4.983517
LEMON-GRASS, OIL FEMA 2624A	04	FATS OILS(R)	*	0-5 MO.	.002725	.002725	.002725
				6-11 MO.	.015260	.040875	.015260
				12-23 MO.	.034335	.065400	.034335
				2-65+ YR.	.095375	.172220	.095375
LEMON-GRASS, OIL FEMA 2624A	07	FROZN DAIRY(R)	6	0-5 MO.	.009416	.038606	.014112
				6-11 MO.	.089452	.248583	.134064
				12-23 MO.	.135591	.318261	.203212
				2-65+ YR.	.241050	.580968	.361266
LEMON-GRASS, OIL FEMA 2624A	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.001760
				6-11 MO.	.020700	.055800	.033120
				12-23 MO.	.030200	.051900	.048320
				2-65+ YR.	.078400	.130100	.125440
LEMON-GRASS, OIL FEMA 2624A	16	SOFT CANDY(R)	9	0-5 MO.	.004228	.042284	.006652
				6-11 MO.	.046513	.143766	.073168
				12-23 MO.	.073997	.196621	.116404
				2-65+ YR.	.122624	.372100	.192897
LEMON-GRASS, OIL FEMA 2624A	20	GELATIN PUD(R)	6	0-5 MO.	.025124	.033917	.038213
				6-11 MO.	.160792	.487401	.244562
				12-23 MO.	.173354	.422079	.263668
				2-65+ YR.	.256262	.659499	.389770

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LEMON-GRASS, OIL FEMA 2624A	23	BEV TYPE I(R)	11	0-5 MO.	.014031	.021046	.021579
				6-11 MO.	.132707	.454245	.204100
				12-23 MO.	.316860	.949997	.487321
				2-65+ YR.	.607998	1.623471	.935082
LEMON-GRASS, OIL FEMA 2624A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000655	**********
				12-23 MO.	**********	.001310	**********
				2-65+ YR.	.212817	.618152	.290404
LEMON-GRASS, OIL FEMA 2624A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000001	.000003	.000001
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000017	.000006
LEMON-GRASS, OIL FEMA 2624A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.013888	.013888	.019700
				12-23 MO.	.013888	.041664	.019700
				2-65+ YR.	.027776	.055552	.039400
LEMON-GRASS, OIL FEMA 2624A	99	ALL CATEGORIES	15	0-5 MO.	.149339	.264189	.208538
				6-11 MO.	1.171947	2.857752	1.646578
				12-23 MO.	2.264392	4.496002	3.152567
				2-65+ YR.	5.383622	9.769512	7.413158
LEMON, OIL FEMA 2625A	01	BAKED GOODS(R)	44	0-5 MO.	.723565	.957659	1.403865
				6-11 MO.	5.405453	11.023720	10.487699
				12-23 MO.	11.598315	19.110619	22.503134
				2-65+ YR.	29.197961	43.371315	56.650091
LEMON, OIL FEMA 2625A	02	BREAK CERLS(R)	*	0-5 MO.	.120000	.340000	.240000
				6-11 MO.	4.460000	11.960000	8.920000
				12-23 MO.	5.220000	10.180000	10.440000
				2-65+ YR.	4.000000	10.360000	8.000000
LEMON, OIL FEMA 2625A	04	FATS OILS(R)	*	0-5 MO.	.010000	.010000	.010000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LEMON, OIL FEMA 2625A	04	FATS OILS(R)	*	6-11 MO.	.056000	.150000	.056000
				12-23 MO.	.126000	.240000	.126000
				2-65+ YR.	.350000	.632000	.350000
LEMON, OIL FEMA 2625A	07	FROZN DAIRY(R)	32	0-5 MO.	.126165	.517277	.254458
				6-11 MO.	1.198569	3.330759	2.417348
				12-23 MO.	1.816778	4.264381	3.664191
				2-65+ YR.	3.229827	7.784388	6.514117
LEMON, OIL FEMA 2625A	10	MEAT PRODS(R)	10	0-5 MO.	.020545	.054165	.022018
				6-11 MO.	.386623	1.042202	.414330
				12-23 MO.	.564059	.969360	.604481
				2-65+ YR.	1.464312	2.429936	1.569249
LEMON, OIL FEMA 2625A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.015138	**********
				6-11 MO.	.121102	.333032	.245206
				12-23 MO.	.423859	1.150473	.858222
				2-65+ YR.	1.332127	3.209215	2.697269
LEMON, OIL FEMA 2625A	16	SOFT CANDY(R)	30	0-5 MO.	.046411	.464106	.091333
				6-11 MO.	.510517	1.577961	1.004668
				12-23 MO.	.812186	2.158093	1.598335
				2-65+ YR.	1.345908	4.084133	2.648669
LEMON, OIL FEMA 2625A	18	JAM JELLY(R)	*	0-5 MO.	**********	.037500	**********
				6-11 MO.	.837500	2.787500	.837500
				12-23 MO.	.375000	1.400000	.375000
				2-65+ YR.	.712500	2.212500	.712500
LEMON, OIL FEMA 2625A	20	GELATIN PUD(R)	27	0-5 MO.	.217074	.293049	.530468
				6-11 MO.	1.389271	4.211229	3.394992
				12-23 MO.	1.497808	3.646837	3.660226
				2-65+ YR.	2.214151	5.698183	5.410769
LEMON, OIL FEMA 2625A	21	SOUPS(R)	*	0-5 MO.	.001106	.008295	.001400
				6-11 MO.	.128849	.402031	.163100

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LEMON, OIL FEMA 2625A	21	SOUPS(R)	*	12-23 MO.	.192444	.531433	.243600
				2-65+ YR.	.175301	.467285	.221900
LEMON, OIL FEMA 2625A	23	BEV TYPE I(R)	50	0-5 MO.	.121675	.182513	.260888
				6-11 MO.	1.150845	3.939236	2.467561
				12-23 MO.	2.747833	8.238429	5.891710
				2-65+ YR.	5.272594	14.078841	11.305127
LEMON, OIL FEMA 2625A	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.012289	**********
				12-23 MO.	**********	.024578	**********
				2-65+ YR.	3.993890	11.600715	5.648614
LEMON, OIL FEMA 2625A	27	GRAVIES(R)	*	0-5 MO.	.004137	.012410	.010688
				6-11 MO.	.057912	.161327	.149629
				12-23 MO.	.148917	.421932	.384761
				2-65+ YR.	.343337	.881093	.887088
LEMON, OIL FEMA 2625A	30	HARD CANDY(R)	27	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.043147	.129441	.201737
				12-23 MO.	.129441	.388323	.605211
				2-65+ YR.	.258882	.733499	1.210422
LEMON, OIL FEMA 2625A	31	CHEWING GUM(R)	9	0-5 MO.	**********	**********	**********
				6-11 MO.	.037612	.037612	.169215
				12-23 MO.	.037612	.112836	.169215
				2-65+ YR.	.075224	.150448	.338430
LEMON, OIL FEMA 2625A	99	ALL CATEGORIES	124	0-5 MO.	1.390677	2.892112	2.825117
				6-11 MO.	15.783401	41.098338	30.928986
				12-23 MO.	25.690251	52.837293	51.124086
				2-65+ YR.	53.966014	107.693550	104.164245
LEMON OIL, TERP/LESS FEMA 2626A	01	BAKED GOODS(R)	12	0-5 MO.	.078386	.103746	.219935
				6-11 MO.	.585588	1.194231	1.638561
				12-23 MO.	1.256479	2.070308	3.515809

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LEMON OIL, TERP/LESS FEMA 2626A	01	BAKED GOODS(R)	12	2-65+ YR.	3.163098	4.698538	8.850808
LEMON OIL, TERP/LESS FEMA 2626A	02	BREAK CERLS(R)	*	0-5 MO.	.024000	.068000	.024000
				6-11 MO.	.892000	2.392000	.892000
				12-23 MO.	1.044000	2.036000	1.044000
				2-65+ YR.	.800000	2.072000	.800000
LEMON OIL, TERP/LESS FEMA 2626A	04	FATS OILS(R)	*	0-5 MO.	.005000	.005000	.010000
				6-11 MO.	.028000	.075000	.056000
				12-23 MO.	.063000	.120000	.126000
				2-65+ YR.	.175000	.316000	.350000
LEMON OIL, TERP/LESS FEMA 2626A	07	FROZN DAIRY(R)	15	0-5 MO.	.013489	.055305	.038547
				6-11 MO.	.128146	.356111	.366193
				12-23 MO.	.194243	.455930	.555071
				2-65+ YR.	.345320	.832275	.986793
LEMON OIL, TERP/LESS FEMA 2626A	10	MEAT PRODS(R)	*	0-5 MO.	.003771	.009943	.006286
				6-11 MO.	.070971	.191314	.118286
				12-23 MO.	.103543	.177943	.172571
				2-65+ YR.	.268800	.446057	.448000
LEMON OIL, TERP/LESS FEMA 2626A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000900	**********
				6-11 MO.	.007200	.019800	.008000
				12-23 MO.	.025200	.068400	.028000
				2-65+ YR.	.079200	.190800	.088000
LEMON OIL, TERP/LESS FEMA 2626A	16	SOFT CANDY(R)	12	0-5 MO.	.002731	.027307	.006380
				6-11 MO.	.030038	.092845	.070183
				12-23 MO.	.047788	.126979	.111655
				2-65+ YR.	.079191	.240305	.185028
LEMON OIL, TERP/LESS FEMA 2626A	17	CONF FROST(R)	*	0-5 MO.	**********	.002500	**********
				6-11 MO.	.002500	.005000	.007500
				12-23 MO.	.005000	.017500	.015000
				2-65+ YR.	.007500	.020000	.022500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LEMON OIL, TERP/LESS							
FEMA 2626A	20	GELATIN PUD(R)	13	0-5 MO.	.027017	.036473	.096037
				6-11 MO.	.172908	.524128	.614637
				12-23 MO.	.186417	.453884	.662655
				2-65+ YR.	.275572	.709194	.979577
LEMON OIL, TERP/LESS							
FEMA 2626A	23	BEV TYPE I(R)	31	0-5 MO.	.031047	.046571	.035663
				6-11 MO.	.293654	1.005149	.337313
				12-23 MO.	.701146	2.102145	.805391
				2-65+ YR.	1.345373	3.592404	1.545400
LEMON OIL, TERP/LESS							
FEMA 2626A	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001539	**********
				12-23 MO.	**********	.003078	**********
				2-65+ YR.	.500130	1.452686	1.666146
LEMON OIL, TERP/LESS							
FEMA 2626A	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001265	.003795	.001925
				12-23 MO.	.003795	.011385	.005775
				2-65+ YR.	.007590	.021505	.011550
LEMON OIL, TERP/LESS							
FEMA 2626A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000153	.000153	.001485
				12-23 MO.	.000153	.000459	.001485
				2-65+ YR.	.000306	.000612	.002970
LEMON OIL, TERP/LESS							
FEMA 2626A	99	ALL CATEGORIES	45	0-5 MO.	.185441	.355745	.436248
				6-11 MO.	2.212424	5.861065	4.112082
				12-23 MO.	3.630763	7.644011	7.043413
				2-65+ YR.	7.047081	14.592377	15.936773
LICORICE, EXTRACT							
FEMA 2628A	01	BAKED GOODS(R)	9	0-5 MO.	1.939231	2.566629	2.144394
				6-11 MO.	14.487195	29.544752	16.019885
				12-23 MO.	31.084729	51.218508	34.373376
				2-65+ YR.	78.253667	116.239777	86.532609
LICORICE, EXTRACT							
FEMA 2628A	07	FROZN DAIRY(R)	11	0-5 MO.	.468204	1.919635	.553288

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LICORICE, EXTRACT FEMA 2628A	07	FROZN DAIRY(R)	11	6-11 MO.	4.447935	12.360578	5.256239
				12-23 MO.	6.742134	15.825286	7.967352
				2-65+ YR.	11.986015	28.888170	14.164182
LICORICE, EXTRACT FEMA 2628A	10	MEAT PRODS(R)	*	0-5 MO.	.660000	1.740000	.880000
				6-11 MO.	12.420000	33.480000	16.560000
				12-23 MO.	18.120000	31.140000	24.160000
				2-65+ YR.	47.040000	78.060000	62.720000
LICORICE, EXTRACT FEMA 2628A	16	SOFT CANDY(R)	12	0-5 MO.	2.428341	24.283406	5.018550
				6-11 MO.	26.711747	82.563582	55.204055
				12-23 MO.	42.495961	112.917840	87.824632
				2-65+ YR.	70.421879	213.693977	145.537962
LICORICE, EXTRACT FEMA 2628A	19	SWEET SAUCE(R)	*	0-5 MO.	.003275	.004367	.004664
				6-11 MO.	.009826	.033846	.013991
				12-23 MO.	.028387	.082978	.040418
				2-65+ YR.	.074244	.195435	.105709
LICORICE, EXTRACT FEMA 2628A	20	GELATIN PUD(R)	5	0-5 MO.	.385927	.521001	.419720
				6-11 MO.	2.469930	7.486975	2.686206
				12-23 MO.	2.662893	6.483566	2.896065
				2-65+ YR.	3.936451	10.130572	4.281140
LICORICE, EXTRACT FEMA 2628A	23	BEV TYPE I(R)	11	0-5 MO.	.406378	.609567	.472248
				6-11 MO.	3.843661	13.156497	4.466680
				12-23 MO.	9.177376	27.515196	10.664937
				2-65+ YR.	17.609726	47.021954	20.464085
LICORICE, EXTRACT FEMA 2628A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.139385	**********
				12-23 MO.	**********	.278770	**********
				2-65+ YR.	45.300079	131.579306	46.309937
LICORICE, EXTRACT FEMA 2628A	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.446495	1.339485	8.020000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LICORICE, EXTRACT FEMA 2628A	30	HARD CANDY(R)	5	12-23 MO.	1.339485	4.018455	24.060000
				2-65+ YR.	2.678970	7.590415	48.120000
LICORICE, EXTRACT FEMA 2628A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	2.880000	2.880000	2.880000
				12-23 MO.	2.880000	8.640000	2.880000
				2-65+ YR.	5.760000	11.520000	5.760000
LICORICE, EXTRACT FEMA 2628A	99	ALL CATEGORIES	24	0-5 MO.	6.291356	31.644606	9.492864
				6-11 MO.	67.716790	182.985101	111.107056
				12-23 MO.	114.530966	258.120600	194.866781
				2-65+ YR.	283.061031	644.919007	433.995625
LICORICE, EXT POWDER FEMA 2629A	01	BAKED GOODS(R)	*	0-5 MO.	5.667382	7.500946	6.490032
				6-11 MO.	42.338675	86.344227	48.484353
				12-23 MO.	90.844795	149.685552	104.031388
				2-65+ YR.	228.695521	339.709527	261.891861
LICORICE, EXT POWDER FEMA 2629A	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.400000
				6-11 MO.	1.900000	5.280000	3.800000
				12-23 MO.	2.880000	6.760000	5.760000
				2-65+ YR.	5.120000	12.340000	10.240000
LICORICE, EXT POWDER FEMA 2629A	10	MEAT PRODS(R)	*	0-5 MO.	2.420000	6.380000	2.750000
				6-11 MO.	45.540000	122.760000	51.750000
				12-23 MO.	66.440000	114.180000	75.500000
				2-65+ YR.	172.480000	286.220000	196.000000
LICORICE, EXT POWDER FEMA 2629A	16	SOFT CANDY(R)	4	0-5 MO.	2.445930	24.459303	6.558346
				6-11 MO.	26.905234	83.161631	72.141801
				12-23 MO.	42.803781	113.739760	114.771046
				2-65+ YR.	70.931979	215.241868	190.192020
LICORICE, EXT POWDER FEMA 2629A	23	BEV TYPE I(R)	6	0-5 MO.	.059009	.088513	.085675
				6-11 MO.	.558124	1.910406	.810339
				12-23 MO.	1.332613	3.995380	1.934818

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LICORICE, EXT POWDER FEMA 2629A	23	BEV TYPE I(R)	6	2-65+ YR.	2.557043	6.827796	3.712565
LICORICE, EXT POWDER FEMA 2629A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.180000	**********
				12-23 MO.	**********	.360000	**********
				2-65+ YR.	58.500000	169.920000	65.000000
LICORICE, EXT POWDER FEMA 2629A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.401016	1.203048	.534625
				12-23 MO.	1.203048	3.609144	1.403875
				2-65+ YR.	2.406096	6.817272	3.207750
LICORICE, EXT POWDER FEMA 2629A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.582500	.582500	.582500
				12-23 MO.	.582500	1.747500	.582500
				2-65+ YR.	1.165000	2.330000	1.165000
LICORICE, EXT POWDER FEMA 2629A	99	ALL CATEGORIES	14	0-5 MO.	10.792321	39.248763	16.284052
				6-11 MO.	118.225548	301.421812	178.103618
				12-23 MO.	206.086736	394.073336	304.183627
				2-65+ YR.	541.855639	1039.406463	731.409197
LICORICE RCOT FEMA 2630A NAS 0564	01	BAKED GOODS(R)	*	0-5 MO.	.386974	.512171	.496579
				6-11 MO.	2.890921	5.895658	3.709737
				12-23 MO.	6.202961	10.220658	7.959868
				2-65+ YR.	15.615526	23.195658	20.038421
LICORICE RCOT FEMA 2630A NAS 0564	07	FROZN DAIRY(R)	*	0-5 MO.	.518381	2.125360	.638259
				6-11 MO.	4.924615	13.685247	6.063462
				12-23 MO.	7.464680	17.521263	9.190931
				2-65+ YR.	13.270543	31.984081	16.339433
LICORICE RCOT FEMA 2630A NAS 0564	10	MEAT PRODS(R)	*	0-5 MO.	2.310000	6.090000	2.640000
				6-11 MO.	43.470000	117.180000	49.680000
				12-23 MO.	63.420000	108.990000	72.480000
				2-65+ YR.	164.640000	273.210000	188.160000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LICORICE ROOT								
FEMA 2630A	NAS 0564	16	SOFT CANDY(R)	5	0-5 MO.	.372742	3.727424	.407008
					6-11 MO.	4.100167	12.673242	4.477086
					12-23 MO.	6.522992	17.332522	7.122637
					2-65+ YR.	10.809530	32.801332	11.803226
LICORICE ROOT								
FEMA 2630A	NAS 0564	23	BEV TYPE I(R)	*	0-5 MO.	.423975	.635962	.480000
					6-11 MO.	4.010095	13.726183	4.540000
					12-23 MO.	9.574763	28.706625	10.840000
					2-65+ YR.	18.372240	49.057413	20.800000
LICORICE ROOT								
FEMA 2630A	NAS 0564	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.001007	**********
					12-23 MO.	**********	.002014	**********
					2-65+ YR.	.327333	.950776	.394351
LICORICE ROOT								
FEMA 2630A	NAS 0564	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	24.400000	73.200000	24.400000
					12-23 MO.	73.200000	219.600000	73.200000
					2-65+ YR.	146.400000	414.800000	146.400000
LICORICE ROOT								
FEMA 2630A	NAS 0564	99	ALL CATEGORIES	10	0-5 MO.	4.012071	13.090918	4.661846
					6-11 MO.	83.795798	236.361337	92.870284
					12-23 MO.	166.385396	402.373082	180.793436
					2-65+ YR.	369.435171	825.999260	403.935432
LIME, OIL								
FEMA 2631A		01	BAKED GOODS(R)	20	0-5 MO.	1.212917	1.605331	1.895456
					6-11 MO.	9.061200	18.479140	14.160175
					12-23 MO.	19.442339	32.035266	30.383052
					2-65+ YR.	48.944750	72.703644	76.487243
LIME, OIL								
FEMA 2631A		02	BREAK CERLS(R)	*	0-5 MO.	.073470	.208165	.119850
					6-11 MO.	2.730635	7.322510	4.454425
					12-23 MO.	3.195945	6.232705	5.213475
					2-65+ YR.	2.449000	6.342910	3.995000
LIME, OIL								
FEMA 2631A		07	FROZN DAIRY(R)	25	0-5 MO.	.362585	1.486598	.472755

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LIME, OIL FEMA 2631A	07	FROZN DAIRY(R)	25	6-11 MO.	3.444556	9.572241	4.491176
				12-23 MO.	5.221222	12.255369	6.807677
				2-65+ YR.	9.282173	22.371487	12.102538
LIME, OIL FEMA 2631A	10	MEAT PRODS(R)	*	0-5 MO.	.076100	.200627	.092411
				6-11 MO.	1.432064	3.860345	1.739005
				12-23 MO.	2.089291	3.590536	2.537098
				2-65+ YR.	5.423855	9.000555	6.586375
LIME, OIL FEMA 2631A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.009015	**********
				6-11 MO.	.072117	.198320	.080000
				12-23 MO.	.252408	.685107	.280000
				2-65+ YR.	.793282	1.911087	.880000
LIME, OIL FEMA 2631A	16	SOFT CANDY(R)	24	0-5 MO.	.111785	1.117851	.156593
				6-11 MO.	1.229636	3.800694	1.722528
				12-23 MO.	1.956240	5.198008	2.740385
				2-65+ YR.	3.241768	9.837091	4.541209
LIME, OIL FEMA 2631A	20	GELATIN PUD(R)	17	0-5 MO.	.674535	.910622	.954670
				6-11 MO.	4.317023	13.085975	6.109886
				12-23 MO.	4.654290	11.332185	6.587220
				2-65+ YR.	6.880255	17.706539	9.737630
LIME, OIL FEMA 2631A	23	BEV TYPE I(R)	40	0-5 MO.	.101199	.151799	.181298
				6-11 MO.	.957176	3.276324	1.714774
				12-23 MO.	2.285415	6.852029	4.094305
				2-65+ YR.	4.385299	11.709591	7.856232
LIME, OIL FEMA 2631A	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.039411	**********
				12-23 MO.	**********	.078821	**********
				2-65+ YR.	12.808451	37.203624	14.694280
LIME, OIL FEMA 2631A	27	GRAVIES(R)	*	0-5 MO.	.000075	.000225	.000138
				6-11 MO.	.001050	.002925	.001925

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LIME, OIL FEMA 2631A	27	GRAVIES(R)	*	12-23 MO.	.002700	.007650	.004950
				2-65+ YR.	.006225	.015975	.011413
LIME, OIL FEMA 2631A	30	HARD CANDY(R)	21	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.033818	.101454	.094824
				12-23 MO.	.101454	.304362	.284472
				2-65+ YR.	.202908	.574906	.568944
LIME, OIL FEMA 2631A	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.187869	.187869	.232225
				12-23 MO.	.187869	.563607	.232225
				2-65+ YR.	.375738	.751476	.464450
LIME, OIL FEMA 2631A	99	ALL CATEGORIES	81	0-5 MO.	2.612666	5.690233	3.873171
				6-11 MO.	23.467144	59.927209	34.800941
				12-23 MO.	39.389173	79.135646	59.164861
				2-65+ YR.	94.793703	190.128885	137.925313
LIME OIL, TERPENELESS FEMA 2632A	01	BAKED GOODS(R)	8	0-5 MO.	.257362	.340626	.340605
				6-11 MO.	1.922646	3.920986	2.544522
				12-23 MO.	4.125362	6.797386	5.459702
				2-65+ YR.	10.385315	15.426584	13.744425
LIME OIL, TERPENELESS FEMA 2632A	07	FROZN DAIRY(R)	16	0-5 MO.	.066016	.270667	.083801
				6-11 MO.	.627156	1.742834	.796110
				12-23 MO.	.950637	2.231356	1.206735
				2-65+ YR.	1.690021	4.073215	2.145307
LIME OIL, TERPENELESS FEMA 2632A	10	MEAT PRODS(R)	*	0-5 MO.	.009862	.026000	.010995
				6-11 MO.	.185589	.500284	.206903
				12-23 MO.	.270763	.465318	.301859
				2-65+ YR.	.702908	1.166432	.783634
LIME OIL, TERPENELESS FEMA 2632A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000900	**********
				6-11 MO.	.007200	.019800	.008000
				12-23 MO.	.025200	.068400	.028000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LIME OIL, TERPENELESS FEMA 2632A	15	CONDM RELSH(R)	*	2-65+ YR.	.079200	.190800	.088000
LIME OIL, TERPENELESS FEMA 2632A	16	SOFT CANDY(R)	10	0-5 MO.	.015095	.150949	.017541
				6-11 MO.	.166044	.513226	.192955
				12-23 MO.	.264161	.701912	.306974
				2-65+ YR.	.437752	1.328350	.508699
LIME OIL, TERPENELESS FEMA 2632A	20	GELATIN PUD(R)	10	0-5 MO.	.153827	.207666	.183948
				6-11 MO.	.984492	2.984240	1.177264
				12-23 MO.	1.061405	2.584291	1.269238
				2-65+ YR.	1.569034	4.037954	1.876265
LIME OIL, TERPENELESS FEMA 2632A	23	BEV TYPE I(R)	30	0-5 MO.	.067506	.101259	.108241
				6-11 MO.	.638494	2.185506	1.023782
				12-23 MO.	1.524510	4.570718	2.444448
				2-65+ YR.	2.925259	7.811005	4.690454
LIME OIL, TERPENELESS FEMA 2632A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.009765	**********
				12-23 MO.	**********	.019530	**********
				2-65+ YR.	3.173569	9.217997	3.976656
LIME OIL, TERPENELESS FEMA 2632A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005264	.015792	.005264
				12-23 MO.	.015792	.047376	.015792
				2-65+ YR.	.031584	.089488	.031584
LIME OIL, TERPENELESS FEMA 2632A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000046	.000046	.000377
				12-23 MO.	.000046	.000138	.000377
				2-65+ YR.	.000092	.000184	.000754
LIME OIL, TERPENELESS FEMA 2632A	99	ALL CATEGORIES	39	0-5 MO.	.569668	1.098068	.745131
				6-11 MO.	4.536931	11.892480	5.955177
				12-23 MO.	8.237876	17.486424	11.033125
				2-65+ YR.	20.994734	43.342009	27.845779

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MACE FEMA 2652A	01	BAKED GOODS(R)	12	0-5 MO.	2.509449	3.321329	4.947511
				6-11 MO.	18.747059	38.232191	36.960820
				12-23 MO.	40.224989	66.278972	79.305696
				2-65+ YR.	101.263641	150.419316	199.646632
MACE FEMA 2652A	10	MEAT PRODS(R)	14	0-5 MO.	.231462	.610219	.521161
				6-11 MO.	4.355698	11.741447	9.807312
				12-23 MO.	6.354690	10.920808	14.308252
				2-65+ YR.	16.496944	27.375668	37.144601
MACE FEMA 2652A	14	PROCSD VEGS(R)	*	0-5 MO.	.161000	.483000	.504000
				6-11 MO.	2.760000	6.440000	8.640000
				12-23 MO.	4.485000	7.509500	14.040000
				2-65+ YR.	9.775000	16.468000	30.600000
MACE FEMA 2652A	15	CONDM RELSH(R)	4	0-5 MO.	**********	.009906	**********
				6-11 MO.	.079246	.217926	.502538
				12-23 MO.	.277360	.752834	1.758881
				2-65+ YR.	.871702	2.100010	5.527913
MACE FEMA 2652A	21	SOUPS(R)	*	0-5 MO.	.008800	.066000	.042000
				6-11 MO.	1.025200	3.198800	4.893000
				12-23 MO.	1.531200	4.228400	7.308000
				2-65+ YR.	1.394800	3.718000	6.657000
MACE FEMA 2652A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.050000	**********
				6-11 MO.	.200000	.550000	.200000
				12-23 MO.	.550000	1.550000	.550000
				2-65+ YR.	.650000	1.850000	.850000
MACE FEMA 2652A	23	BEV TYPE 1(R)	*	0-5 MO.	.058004	.087007	2.400000
				6-11 MO.	.548625	1.877894	22.700000
				12-23 MO.	1.309934	3.927384	54.200000
				2-65+ YR.	2.513526	6.711598	104.000000
MACE FEMA 2652A	27	GRAVIES(R)	4	0-5 MO.	.002135	.006404	.004177

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MACE FEMA 2652A	27	GRAVIES(R)	4	6-11 MO.	.029886	.083253	.058478
				12-23 MO.	.076849	.217738	.150372
				2-65+ YR.	.177179	.454687	.346690
MACE FEMA 2652A	99	ALL CATEGORIES	30	0-5 MO.	2.970850	4.633864	8.418850
				6-11 MO.	27.745714	62.341510	83.762147
				12-23 MO.	54.810021	95.385636	171.621200
				2-65+ YR.	133.142792	209.097278	384.572836
MACE, OIL FEMA 2653A	01	BAKED GOODS(R)	13	0-5 MO.	.186649	.247035	.261633
				6-11 MO.	1.394377	2.843651	1.954552
				12-23 MO.	2.991872	4.929727	4.193822
				2-65+ YR.	7.531833	11.187955	10.557659
MACE, OIL FEMA 2653A	07	FROZN DAIRY(R)	4	0-5 MO.	.070715	.289933	.079415
				6-11 MO.	.671796	1.866886	.754446
				12-23 MO.	1.018302	2.390180	1.143582
				2-65+ YR.	1.810314	4.363139	2.033034
MACE, OIL FEMA 2653A	10	MEAT PRODS(R)	7	0-5 MO.	.073520	.193825	.087685
				6-11 MO.	1.383507	3.729455	1.650068
				12-23 MO.	2.018450	3.468794	2.407345
				2-65+ YR.	5.239951	8.695378	6.249532
MACE, OIL FEMA 2653A	14	PROCSD VEGS(R)	*	0-5 MO.	.003528	.010583	.004465
				6-11 MO.	.060471	.141100	.076543
				12-23 MO.	.098266	.164533	.124382
				2-65+ YR.	.214170	.360813	.271089
MACE, OIL FEMA 2653A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.006229	**********
				6-11 MO.	.049828	.137027	.057914
				12-23 MO.	.174399	.473368	.202699
				2-65+ YR.	.548110	1.320446	.637052
MACE, OIL FEMA 2653A	16	SOFT CANDY(R)	6	0-5 MO.	.040773	.407729	.051384
				6-11 MO.	.448502	1.386279	.565222

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MACE, OIL							
FEMA 2653A	16	SOFT CANDY(R)	6	12-23 MO.	.713526	1.895941	.899217
				2-65+ YR.	1.182415	3.588018	1.490131
MACE, OIL							
FEMA 2653A	20	GELATIN PUD(R)	4	0-5 MO.	.138667	.187201	.178622
				6-11 MO.	.887470	2.690143	1.143182
				12-23 MO.	.956803	2.329608	1.232493
				2-65+ YR.	1.414405	3.640013	1.821947
MACE, OIL							
FEMA 2653A	23	BEV TYPE I(R)	7	0-5 MO.	.085479	.128219	.104491
				6-11 MO.	.808492	2.767392	.988307
				12-23 MO.	1.930407	5.787661	2.359746
				2-65+ YR.	3.704103	9.890667	4.527926
MACE, OIL							
FEMA 2653A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.043057	**********
				12-23 MO.	**********	.086114	**********
				2-65+ YR.	13.993571	40.645943	17.605714
MACE, OIL							
FEMA 2653A	27	GRAVIES(R)	*	0-5 MO.	.000225	.000675	.000300
				6-11 MO.	.003150	.008775	.004200
				12-23 MO.	.008100	.022950	.010800
				2-65+ YR.	.018675	.047925	.024900
MACE, OIL							
FEMA 2653A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003249	.003249	.003900
				12-23 MO.	.003249	.009747	.003900
				2-65+ YR.	.006498	.012996	.007800
MACE, OIL							
FEMA 2653A	99	ALL CATEGORIES	25	0-5 MO.	.599556	1.471428	.767995
				6-11 MO.	5.710843	15.617015	7.198334
				12-23 MO.	9.913375	21.558623	12.577986
				2-65+ YR.	35.664044	83.753293	45.226784
MACE, OLEORESIN							
FEMA 2654A	01	BAKED GOODS(R)	5	0-5 MO.	.133926	.177255	.731920
				6-11 MO.	1.000505	2.040399	5.467875
				12-23 MO.	2.146752	3.537217	11.732251

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MACE, OLEORESIN FEMA 2654A	01	BAKED GOODS(R)	5	2-65+ YR.	5.404301	8.027671	29.535134
MACE, OLEORESIN FEMA 2654A	07	FROZN DAIRY(R)	*	0-5 MO.	.160000	.656000	.175000
				6-11 MO.	1.520000	4.224000	1.662500
				12-23 MO.	2.304000	5.408000	2.520000
				2-65+ YR.	4.096000	9.872000	4.480000
MACE, OLEORESIN FEMA 2654A	10	MEAT PRODS(R)	9	0-5 MO.	.053390	.140756	.093456
				6-11 MO.	1.004704	2.708333	1.758664
				12-23 MO.	1.465800	2.519041	2.565781
				2-65+ YR.	3.805257	6.314590	6.660834
MACE, OLEORESIN FEMA 2654A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.012500	**********
				6-11 MO.	.100000	.275000	.120000
				12-23 MO.	.350000	.950000	.420000
				2-65+ YR.	1.100000	2.650000	1.320000
MACE, OLEORESIN FEMA 2654A	16	SOFT CANDY(R)	*	0-5 MO.	.125000	1.250000	.130000
				6-11 MO.	1.375000	4.250000	1.430000
				12-23 MO.	2.187500	5.812500	2.275000
				2-65+ YR.	3.625000	11.000000	3.770000
MACE, OLEORESIN FEMA 2654A	20	GELATIN PUD(R)	*	0-5 MO.	.250000	.337500	.300000
				6-11 MO.	1.600000	4.850000	1.920000
				12-23 MO.	1.725000	4.200000	2.070000
				2-65+ YR.	2.550000	6.562500	3.060000
MACE, OLEORESIN FEMA 2654A	23	BEV TYPE I(R)	*	0-5 MO.	.312000	.468000	.360000
				6-11 MO.	2.951000	10.101000	3.405000
				12-23 MO.	7.046000	21.125000	8.130000
				2-65+ YR.	13.520000	36.101000	15.600000
MACE, OLEORESIN FEMA 2654A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.072500	**********
				12-23 MO.	**********	.145000	**********
				2-65+ YR.	23.562500	68.440000	25.187500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MACE, OLEORESIN FEMA 2654A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000272	.000816	.000536
				12-23 MO.	.000816	.002448	.001608
				2-65+ YR.	.001632	.004624	.003216
MACE, OLEORESIN FEMA 2654A	99	ALL CATEGORIES	14	0-5 MO.	1.034316	3.042010	1.790376
				6-11 MO.	9.551481	28.522048	15.764575
				12-23 MO.	17.225868	43.699206	29.714639
				2-65+ YR.	57.664689	148.972385	89.616684
MANDARIN, OIL FEMA 2657A	01	BAKED GOODS(R)	12	0-5 MO.	1.574466	2.083852	2.534024
				6-11 MO.	11.762187	23.987452	18.930650
				12-23 MO.	25.237763	41.584425	40.618915
				2-65+ YR.	63.534333	94.375343	102.255323
MANDARIN, OIL FEMA 2657A	07	FROZN DAIRY(R)	18	0-5 MO.	.157518	.645824	.251089
				6-11 MO.	1.496423	4.158479	2.385347
				12-23 MO.	2.268261	5.324114	3.615683
				2-65+ YR.	4.032465	9.718870	6.427802
MANDARIN, OIL FEMA 2657A	16	SOFT CANDY(R)	14	0-5 MO.	.125932	1.259324	.250112
				6-11 MO.	1.385256	4.281702	2.751236
				12-23 MO.	2.203817	5.855857	4.376966
				2-65+ YR.	3.652040	11.082052	7.253258
MANDARIN, OIL FEMA 2657A	20	GELATIN PUD(R)	14	0-5 MO.	.393667	.531450	.800043
				6-11 MO.	2.519466	7.637131	5.120274
				12-23 MO.	2.716299	8.613598	5.520295
				2-65+ YR.	4.015399	10.333747	8.160436
MANDARIN, OIL FEMA 2657A	23	BEV TYPE I(R)	24	0-5 MO.	.113903	.170854	.161357
				6-11 MO.	1.077332	3.687607	1.526170
				12-23 MO.	2.572308	7.712177	3.643982
				2-65+ YR.	4.935793	13.179516	6.992143
MANDARIN, OIL FEMA 2657A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MANDARIN, OIL FEMA 2657A	24	BEV TYPE II(R)	6	6-11 MO.	**********	.002017	**********
				12-23 MO.	**********	.004034	**********
				2-65+ YR.	.655468	1.903882	1.184574
MANDARIN, OIL FEMA 2657A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000586	.001758	.196410
				12-23 MO.	.001758	.005274	.589230
				2-65+ YR.	.003516	.009962	1.178460
MANDARIN, OIL FEMA 2657A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001937	.001937	.004292
				12-23 MO.	.001937	.005811	.004292
				2-65+ YR.	.003874	.007748	.008584
MANDARIN, OIL FEMA 2657A	99	ALL CATEGORIES	36	0-5 MO.	2.365486	4.691305	3.996625
				6-11 MO.	18.243187	43.758083	30.914378
				12-23 MO.	35.002144	67.105289	58.369363
				2-65+ YR.	80.832887	140.611121	133.460659
MARIGOLD, POT FEMA 2658A	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	.144500
				6-11 MO.	.508000	1.036000	1.079500
				12-23 MO.	1.090000	1.796000	2.316250
				2-65+ YR.	2.744000	4.076000	5.831000
MARIGOLD, POT FEMA 2658A	07	FROZN DAIRY(R)	*	0-5 MO.	.025000	.102500	.045000
				6-11 MO.	.237500	.660000	.427500
				12-23 MO.	.360000	.845000	.648000
				2-65+ YR.	.640000	1.542500	1.152000
MARIGOLD, POT FEMA 2658A	16	SOFT CANDY(R)	*	0-5 MO.	.004000	.040000	.008000
				6-11 MO.	.044000	.136000	.088000
				12-23 MO.	.070000	.186000	.140000
				2-65+ YR.	.116000	.352000	.232000
MARIGOLD, POT FEMA 2658A	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.080000
				6-11 MO.	.128000	.388000	.512000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MARIGOLD, POT FEMA 2658A	20	GELATIN PUD(R)	*	12-23 MO.	.138000	.336000	.552000
				2-65+ YR.	.204000	.525000	.816000
MARIGOLD, POT FEMA 2658A	23	BEV TYPE I(R)	*	0-5 MO.	.015600	.023400	.031200
				6-11 MO.	.147550	.505050	.295100
				12-23 MO.	.352300	1.056250	.704600
				2-65+ YR.	.676000	1.805050	1.352000
MARIGOLD, POT FEMA 2658A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000750	**********
				12-23 MO.	**********	.001500	**********
				2-65+ YR.	.243750	.708000	.422500
MARIGOLD, POT FEMA 2658A	99	ALL CATEGORIES	*	0-5 MO.	.132600	.282900	.308700
				6-11 MO.	1.065050	2.725800	2.402100
				12-23 MO.	2.010300	4.220750	4.360850
				2-65+ YR.	4.623750	9.008550	9.805500
MARJORAM, OLEORESIN FEMA 2659A	01	BAKED GOODS(R)	*	0-5 MO.	.070600	.093441	.120063
				6-11 MO.	.527424	1.075612	.896938
				12-23 MO.	1.131676	1.864671	1.924531
				2-65+ YR.	2.848918	4.231847	4.844875
MARJORAM, OLEORESIN FEMA 2659A	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.010000
				6-11 MO.	.076000	.211200	.095000
				12-23 MO.	.115200	.270400	.144000
				2-65+ YR.	.204800	.493600	.256000
MARJORAM, OLEORESIN FEMA 2659A	10	MEAT PRODS(R)	*	0-5 MO.	.031386	.082744	.039160
				6-11 MO.	.590622	1.592112	.736920
				12-23 MO.	.861681	1.480835	1.075120
				2-65+ YR.	2.236945	3.712074	2.791040
MARJORAM, OLEORESIN FEMA 2659A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.007000	**********
				6-11 MO.	.056000	.154000	.064000
				12-23 MO.	.196000	.532000	.224000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MARJORAM, OLEORESIN FEMA 2659A	15	CONDM RELSH(R)	*	2-65+ YR.	.616000	1.484000	.704000
MARJORAM, OLEORESIN FEMA 2659A	16	SOFT CANDY(R)	*	0-5 MO.	.003200	.032000	.004000
				6-11 MO.	.035200	.108800	.044000
				12-23 MO.	.056000	.148800	.070000
				2-65+ YR.	.092800	.281600	.116000
MARJORAM, OLEORESIN FEMA 2659A	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
MARJORAM, OLEORESIN FEMA 2659A	21	SOUPS(R)	*	0-5 MO.	.000680	.005100	.001020
				6-11 MO.	.079220	.247180	.118830
				12-23 MO.	.118320	.326740	.177480
				2-65+ YR.	.107780	.287300	.161670
MARJORAM, OLEORESIN FEMA 2659A	23	BEV TYPE I(R)	*	0-5 MO.	.014400	.021600	.024000
				6-11 MO.	.136200	.466200	.227000
				12-23 MO.	.325200	.975000	.542000
				2-65+ YR.	.624000	1.666200	1.040000
MARJORAM, OLEORESIN FEMA 2659A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000600	**********
				12-23 MO.	**********	.001200	**********
				2-65+ YR.	.195000	.566400	.325000
MARJORAM, OLEORESIN FEMA 2659A	99	ALL CATEGORIES	5	0-5 MO.	.144266	.296285	.218243
				6-11 MO.	1.603066	4.166103	2.310688
				12-23 MO.	2.914477	5.868446	4.295131
				2-65+ YR.	7.089443	13.143021	10.442585
MARJORAM, POT FEMA 2660A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001880	**********
				6-11 MO.	.015040	.041360	.017600
				12-23 MO.	.052640	.142880	.061600
				2-65+ YR.	.165440	.398560	.193600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MARJORAM, PCT							
FEMA 2660A	21	SOUPS(R)	*	0-5 MO.	.016400	.123000	.016400
				6-11 MO.	1.910600	5.961400	1.910600
				12-23 MO.	2.853600	7.880200	2.853600
				2-65+ YR.	2.599400	6.929000	2.599400
MARJORAM, POT							
FEMA 2660A	27	GRAVIES(R)	*	0-5 MO.	.000683	.002049	.000926
				6-11 MO.	.009560	.026631	.012960
				12-23 MO.	.024583	.069651	.033326
				2-65+ YR.	.056677	.145449	.076834
MARJORAM, POT							
FEMA 2660A	99	ALL CATEGORIES	*	0-5 MO.	.017083	.126929	.017326
				6-11 MO.	1.935200	6.029391	1.941160
				12-23 MO.	2.930823	8.092731	2.948526
				2-65+ YR.	2.821517	7.473009	2.869834
MARJORAM SEED							
FEMA 2661A	10	MEAT PRODS(R)	*	0-5 MO.	.088000	.232000	.115500
				6-11 MO.	1.656000	4.464000	2.173500
				12-23 MO.	2.416000	4.152000	3.171000
				2-65+ YR.	6.272000	10.408000	8.232000
MARJORAM SEED							
FEMA 2661A	14	PROCSD VEGS(R)	*	0-5 MO.	.140000	.420000	.140000
				6-11 MO.	2.400000	5.600000	2.400000
				12-23 MO.	3.900000	6.530000	3.900000
				2-65+ YR.	8.500000	14.320000	8.500000
MARJORAM SEED							
FEMA 2661A	99	ALL CATEGORIES	*	0-5 MO.	.228000	.652000	.255500
				6-11 MO.	4.056000	10.064000	4.573500
				12-23 MO.	6.316000	10.682000	7.071000
				2-65+ YR.	14.772000	24.728000	16.732000
MARJORAM, SWEET							
FEMA 2662A	01	BAKED GOODS(R)	4	0-5 MO.	9.035189	11.958338	33.816113
				6-11 MO.	67.498176	137.653761	252.626258
				12-23 MO.	144.828764	238.635284	542.052403
				2-65+ YR.	364.596447	541.579854	1364.579629
MARJORAM, SWEET							
FEMA 2662A	03	OTHER GRAIN(R)	*	0-5 MO.	.011500	.039100	.011500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MARJORAM, SWEET FEMA 2662A	03	OTHER GRA(N)(R)	*	6-11 MO.	.223100	.657800	.223100
				12-23 MO.	.377200	.871700	.377200
				2-65+ YR.	.639400	1.412200	.639400
MARJORAM, SWEET FEMA 2662A	04	FATS OILS(R)	*	0-5 MO.	.098361	.098361	.098361
				6-11 MO.	.550820	1.475410	.550820
				12-23 MO.	1.239344	2.360656	1.239344
				2-65+ YR.	3.442623	6.216393	3.442623
MARJORAM, SWEET FEMA 2662A	10	MEAT PRODS(R)	20	0-5 MO.	.248412	.654905	1.115881
				6-11 MO.	4.674665	12.601272	20.998849
				12-23 MO.	6.820043	11.720538	30.636002
				2-65+ YR.	17.705013	29.380385	79.531874
MARJORAM, SWEET FEMA 2662A	14	PROCSD VEGS(R)	*	0-5 MO.	3.357872	10.073615	6.295980
				6-11 MO.	57.563514	134.314865	107.931088
				12-23 MO.	93.540710	156.620727	175.388018
				2-65+ YR.	203.870777	343.462298	382.255937
MARJORAM, SWEET FEMA 2662A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.082857	**********
				6-11 MO.	.662857	1.822857	1.394286
				12-23 MO.	2.320000	6.297143	4.880000
				2-65+ YR.	7.291429	17.565714	15.337143
MARJORAM, SWEET FEMA 2662A	21	SOUPS(R)	*	0-5 MO.	.016836	.126273	.040873
				6-11 MO.	1.961436	6.120018	4.761673
				12-23 MO.	2.929527	8.089873	7.111855
				2-65+ YR.	2.668564	7.113364	6.478327
MARJORAM, SWEET FEMA 2662A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.064000	**********
				6-11 MO.	.256000	.704000	.273200
				12-23 MO.	.704000	1.984000	.751300
				2-65+ YR.	.832000	2.368000	.887900
MARJORAM, SWEET FEMA 2662A	27	GRAVIES(R)	4	0-5 MO.	.011394	.034182	.030691
				6-11 MO.	.159514	.444360	.429668

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MARJORAM, SWEET FEMA 2662A	27	GRAVIES(R)	4	12-23 MO.	.410178	1.162171	1.104861
				2-65+ YR.	.945688	2.426887	2.547319
MARJORAM, SWEET FEMA 2662A	99	ALL CATEGORIES	26	0-5 MO.	12.779564	23.131630	41.409398
				6-11 MO.	133.550082	295.794342	389.188942
				12-23 MO.	253.169766	427.742091	763.540984
				2-65+ YR.	601.991941	951.525095	1855.700151
MARJORAM, SWEET, OIL FEMA 2663A	01	BAKED GOODS(R)	7	0-5 MO.	.045014	.059578	.059332
				6-11 MO.	.336283	.685806	.443243
				12-23 MO.	.721553	1.188907	.951053
				2-65+ YR.	1.816459	2.698209	2.394209
MARJORAM, SWEET, OIL FEMA 2663A	04	FATS OILS(R)	*	0-5 MO.	.100000	.100000	.150000
				6-11 MO.	.560000	1.500000	.840000
				12-23 MO.	1.260000	2.400000	1.890000
				2-65+ YR.	3.500000	6.320000	5.250000
MARJORAM, SWEET, OIL FEMA 2663A	07	FROZN DAIRY(R)	5	0-5 MO.	.001078	.004420	.003122
				6-11 MO.	.010242	.028463	.029656
				12-23 MO.	.015525	.036441	.044953
				2-65+ YR.	.027600	.066521	.079916
MARJORAM, SWEET, OIL FEMA 2663A	10	MEAT PRODS(R)	12	0-5 MO.	.017038	.044918	.040171
				6-11 MO.	.320622	.864285	.755950
				12-23 MO.	.467767	.803878	1.102884
				2-65+ YR.	1.214336	2.015117	2.863116
MARJORAM, SWEET, OIL FEMA 2663A	15	CONDM RELSH(R)	4	0-5 MO.	**********	.001266	**********
				6-11 MO.	.010126	.027847	.013623
				12-23 MO.	.035442	.096199	.047681
				2-65+ YR.	.111388	.268344	.149856
MARJORAM, SWEET, OIL FEMA 2663A	16	SOFT CANDY(R)	6	0-5 MO.	.000751	.007509	.001149
				6-11 MO.	.008260	.025531	.012644
				12-23 MO.	.013141	.034918	.020116

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MARJORAM, SWEET, OIL FEMA 2663A	16	SOFT CANDY(R)	6	2-65+ YR.	.021777	.066081	.033334
MARJORAM, SWEET, OIL FEMA 2663A	20	GELATIN PUD(R)	4	0-5 MO.	.002500	.003375	.006809
				6-11 MO.	.015998	.048493	.043576
				12-23 MO.	.017248	.041994	.046980
				2-65+ YR.	.025497	.065616	.069449
MARJORAM, SWEET, OIL FEMA 2663A	23	BEV TYPE I(R)	6	0-5 MO.	.006617	.009926	.011171
				6-11 MO.	.062587	.214230	.105657
				12-23 MO.	.149437	.448035	.252273
				2-65+ YR.	.286742	.765658	.484066
MARJORAM, SWEET, OIL FEMA 2663A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000244	**********
				12-23 MO.	**********	.000487	**********
				2-65+ YR.	.079171	.229960	.145249
MARJORAM, SWEET, OIL FEMA 2663A	27	GRAVIES(R)	*	0-5 MO.	.001800	.005400	.002400
				6-11 MO.	.025200	.070200	.033600
				12-23 MO.	.064800	.183600	.086400
				2-65+ YR.	.149400	.383400	.199200
MARJORAM, SWEET, OIL FEMA 2663A	99	ALL CATEGORIES	19	0-5 MO.	.174798	.236391	.274154
				6-11 MO.	1.349319	3.465099	2.277949
				12-23 MO.	2.744912	5.234459	4.442339
				2-65+ YR.	7.232370	12.878906	11.668396
MENTHOL FEMA 2665A	01	BAKED GOODS(R)	11	0-5 MO.	.223942	.296394	.316392
				6-11 MO.	1.672980	3.411825	2.363632
				12-23 MO.	3.589662	5.914709	5.071573
				2-65+ YR.	9.036726	13.423359	12.767335
MENTHOL FEMA 2665A	07	FROZN DAIRY(R)	14	0-5 MO.	.040442	.165813	.072268
				6-11 MO.	.384200	1.067673	.686543
				12-23 MO.	.582367	1.366945	1.040655
				2-65+ YR.	1.035319	2.495281	1.850053

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MENTHOL							
FEMA 2665A	16	SOFT CANDY(R)	20	0-5 MO.	.026005	.260053	.036381
				6-11 MO.	.286058	.884179	.400192
				12-23 MO.	.455092	1.209244	.636670
				2-65+ YR.	.754152	2.288462	1.055053
MENTHOL							
FEMA 2665A	20	GELATIN PUD(R)	5	0-5 MO.	.035317	.047678	.050014
				6-11 MO.	.226029	.685149	.320091
				12-23 MO.	.243687	.593325	.345098
				2-65+ YR.	.360233	.927070	.510145
MENTHOL							
FEMA 2665A	23	BEV TYPE I(R)	8	0-5 MO.	.016670	.025006	.022956
				6-11 MO.	.157674	.539705	.217125
				12-23 MO.	.376474	1.128727	.518421
				2-65+ YR.	.722385	1.928908	.994756
MENTHOL							
FEMA 2665A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001759	**********
				12-23 MO.	**********	.003519	**********
				2-65+ YR.	.571802	1.660865	1.960372
MENTHOL							
FEMA 2665A	30	HARD CANDY(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.140734	.422202	.208326
				12-23 MO.	.422202	1.266606	.624978
				2-65+ YR.	.844404	2.392478	1.249956
MENTHOL							
FEMA 2665A	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.046474	.046474	.227473
				12-23 MO.	.046474	.139422	.227473
				2-65+ YR.	.092948	.185896	.454946
MENTHOL							
FEMA 2665A	99	ALL CATEGORIES	36	0-5 MO.	.342377	.794943	.498011
				6-11 MO.	2.914149	7.058966	4.423382
				12-23 MO.	5.715958	11.622497	8.464867
				2-65+ YR.	13.417970	25.302319	20.842616
MENTHYL ACETATE							
FEMA 2668A	01	BAKED GOODS(R)	6	0-5 MO.	.120084	.158935	.175791

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MENTHYL ACETATE FEMA 2668A	01	BAKED GOODS(R)	6	6-11 MO.	.897098	1.829515	1.313266
				12-23 MO.	1.924876	3.171631	2.817834
				2-65+ YR.	4.845743	7.197977	7.093703
MENTHYL ACETATE FEMA 2668A	07	FROZN DAIRY(R)	6	0-5 MO.	.017292	.070897	.024882
				6-11 MO.	.164274	.456510	.236381
				12-23 MO.	.249006	.584471	.358303
				2-65+ YR.	.442677	1.066920	.636984
MENTHYL ACETATE FEMA 2668A	16	SOFT CANDY(R)	10	0-5 MO.	.006628	.066279	.010190
				6-11 MO.	.072907	.225348	.112088
				12-23 MO.	.115988	.308196	.178321
				2-65+ YR.	.192208	.583252	.295504
MENTHYL ACETATE FEMA 2668A	20	GELATIN PUD(R)	*	0-5 MO.	.060000	.081000	.080000
				6-11 MO.	.384000	1.164000	.512000
				12-23 MO.	.414000	1.008000	.552000
				2-65+ YR.	.612000	1.575000	.816000
MENTHYL ACETATE FEMA 2668A	23	BEV TYPE I(R)	5	0-5 MO.	.004871	.007307	.006225
				6-11 MO.	.046075	.157712	.058880
				12-23 MO.	.110013	.329835	.140586
				2-65+ YR.	.211094	.563662	.269759
MENTHYL ACETATE FEMA 2668A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000085	**********
				12-23 MO.	**********	.000170	**********
				2-65+ YR.	.027567	.080071	.068192
MENTHYL ACETATE FEMA 2668A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001000	.003000	.001000
				12-23 MO.	.003000	.009000	.003000
				2-65+ YR.	.006000	.017000	.006000
MENTHYL ACETATE FEMA 2668A	99	ALL CATEGORIES	13	0-5 MO.	.208875	.384418	.297089
				6-11 MO.	1.565355	3.836170	2.233614

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, NG. (AGE)	AVERAGE	HIGH A	HIGH B
MENTHYL ACETATE FEMA 2668A	99	ALL CATEGORIES	13	12-23 MO.	2.816882	5.411302	4.050045
				2-65+ YR.	6.337289	11.083883	9.186142
MUSK TONQUIN FEMA 2759A	01	BAKED GOODS(R)	4	0-5 MO.	.000856	.001133	.002380
				6-11 MO.	.006392	.013036	.017780
				12-23 MO.	.013716	.022600	.038150
				2-65+ YR.	.034529	.051290	.096040
MUSK TONQUIN FEMA 2759A	07	FROZN DAIRY(R)	*	0-5 MO.	.000145	.000596	.000518
				6-11 MO.	.001382	.003840	.004923
				12-23 MO.	.002095	.004916	.007462
				2-65+ YR.	.003724	.008975	.013265
MUSK TONQUIN FEMA 2759A	16	SOFT CANDY(R)	5	0-5 MO.	.000040	.000400	.000114
				6-11 MO.	.000440	.001360	.001252
				12-23 MO.	.000700	.001860	.001992
				2-65+ YR.	.001160	.003520	.003302
MUSK TONQUIN FEMA 2759A	20	GELATIN PUD(R)	*	0-5 MO.	.000307	.000415	.001015
				6-11 MO.	.001967	.005961	.006493
				12-23 MO.	.002120	.005162	.007000
				2-65+ YR.	.003134	.008066	.010348
MUSK TONQUIN FEMA 2759A	23	BEV TYPE I(R)	4	0-5 MO.	.000410	.000615	.001260
				6-11 MO.	.003878	.013274	.011918
				12-23 MO.	.009259	.027760	.028455
				2-65+ YR.	.017767	.047440	.054600
MUSK TONQUIN FEMA 2759A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
MUSK TONQUIN FEMA 2759A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000212	.000636	.000212
				12-23 MO.	.000636	.001908	.000636

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MUSK TONQUIN FEMA 2759A	30	HARD CANDY(R)	*	2-65+ YR.	.001272	.003604	.001272
MUSK TONQUIN FEMA 2759A	99	ALL CATEGORIES	6	0-5 MO.	.001758	.003159	.005287
				6-11 MO.	.014271	.038117	.042578
				12-23 MO.	.028526	.064227	.083695
				2-65+ YR.	.064835	.132335	.195077
MUSTARD, BROWN FEMA 2760A	01	BAKED GOODS(R)	*	0-5 MO.	10.200000	13.500000	10.200000
				6-11 MO.	76.200000	155.400000	76.200000
				12-23 MO.	163.500000	269.400000	163.500000
				2-65+ YR.	411.600000	611.400000	411.600000
MUSTARD, BROWN FEMA 2760A	04	FATS OILS(R)	*	0-5 MO.	4.919000	4.919000	9.172000
				6-11 MO.	27.546400	73.785000	51.363200
				12-23 MO.	61.979400	118.056000	115.567200
				2-65+ YR.	172.165000	310.880800	321.020000
MUSTARD, BROWN FEMA 2760A	10	MEAT PRODS(R)	*	0-5 MO.	.010318	.027202	**********
				6-11 MO.	.194166	.523404	**********
				12-23 MO.	.283276	.486822	**********
				2-65+ YR.	.735392	1.220338	**********
MUSTARD, BROWN FEMA 2760A	14	PROCSD VEGS(R)	*	0-5 MO.	.250600	.751800	.302400
				6-11 MO.	4.296000	10.024000	5.184000
				12-23 MO.	6.981000	11.688700	8.424000
				2-65+ YR.	15.215000	25.632800	18.360000
MUSTARD, BROWN FEMA 2760A	15	CONDM RELSH(R)	4	0-5 MO.	**********	8.207065	**********
				6-11 MO.	65.656516	180.555420	81.202741
				12-23 MO.	229.797807	623.736905	284.209594
				2-65+ YR.	722.221680	1739.897683	893.230151
MUSTARD, BROWN FEMA 2760A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.082000	**********
				6-11 MO.	.328000	.902000	.328000
				12-23 MO.	.902000	2.542000	.902000
				2-65+ YR.	1.066000	3.034000	1.066000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MUSTARD, BROWN							
FEMA 2760A	25	NUT PRODS(R)	*	0-5 MO.	**********	1.240000	**********
				6-11 MO.	22.940000	83.080000	37.000000
				12-23 MO.	16.740000	55.800000	27.000000
				2-65+ YR.	32.240000	96.100000	52.000000
MUSTARD, BROWN							
FEMA 2760A	27	GRAVIES(R)	*	0-5 MO.	.485908	1.457724	.517073
				6-11 MO.	6.802710	18.950407	7.239026
				12-23 MO.	17.492683	49.562602	18.614639
				2-65+ YR.	40.330353	103.498375	42.917084
MUSTARD, BROWN							
FEMA 2760A	99	ALL CATEGORIES	8	0-5 MO.	15.865826	30.184790	20.191473
				6-11 MO.	203.963792	523.220231	258.516967
				12-23 MO.	497.676166	1131.273029	618.217433
				2-65+ YR.	1395.573424	2891.663996	1740.193236
MUSTARD, YELLOW							
FEMA 2761A	01	BAKED GOODS(R)	*	0-5 MO.	2.006000	2.655000	4.080000
				6-11 MO.	14.986000	30.562000	30.480000
				12-23 MO.	32.155000	52.982000	65.400000
				2-65+ YR.	80.948000	120.242000	164.640000
MUSTARD, YELLOW							
FEMA 2761A	04	FATS OILS(R)	7	0-5 MO.	1.735121	1.735121	4.270452
				6-11 MO.	9.716678	26.026817	23.914531
				12-23 MO.	21.862526	41.642907	53.807694
				2-65+ YR.	60.729239	109.659654	149.465816
MUSTARD, YELLOW							
FEMA 2761A	10	MEAT PRODS(R)	30	0-5 MO.	11.179455	29.473108	11.812090
				6-11 MO.	210.377011	567.103246	222.282061
				12-23 MO.	306.926847	527.466998	324.295568
				2-65+ YR.	796.790224	1322.224594	841.879884
MUSTARD, YELLOW							
FEMA 2761A	13	FISH PRODS(R)	*	0-5 MO.	.100000	.300000	.200000
				6-11 MO.	1.300000	4.900000	2.600000
				12-23 MO.	5.400000	13.500000	10.800000
				2-65+ YR.	12.400000	30.900000	24.800000
MUSTARD, YELLOW							
FEMA 2761A	14	PROCSD VEGS(R)	4	0-5 MO.	1.883200	5.649601	2.817664

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MUSTARD, YELLOW FEMA 2761A	14	PROCSD VEGS(R)	4	6-11 MO.	32.283433	75.328010	48.302818
				12-23 MO.	52.460579	87.837840	78.492079
				2-65+ YR.	114.337158	192.624483	171.072479
MUSTARD, YELLOW FEMA 2761A	15	CONDM RELSH(R)	18	0-5 MO.	**********	6.099546	**********
				6-11 MO.	48.796365	134.190003	99.418913
				12-23 MO.	170.787277	463.565466	347.966197
				2-65+ YR.	536.760013	1293.103669	1093.608048
MUSTARD, YELLOW FEMA 2761A	21	SOUPS(R)	*	0-5 MO.	.006000	.045000	.006000
				6-11 MO.	.699000	2.181000	.699000
				12-23 MO.	1.044000	2.883000	1.044000
				2-65+ YR.	.951000	2.535000	.951000
MUSTARD, YELLOW FEMA 2761A	22	SNACK FOODS(R)	*	0-5 MO.	**********	1.350631	**********
				6-11 MO.	5.402525	14.856943	6.345226
				12-23 MO.	14.856943	41.869567	17.449372
				2-65+ YR.	17.558206	49.973354	20.621985
MUSTARD, YELLOW FEMA 2761A	27	GRAVIES(R)	8	0-5 MO.	.023521	.070563	.060955
				6-11 MO.	.329294	.917319	.853374
				12-23 MO.	.846756	2.399141	2.194391
				2-65+ YR.	1.952242	5.009971	5.059290
MUSTARD, YELLOW FEMA 2761A	99	ALL CATEGORIES	53	0-5 MO.	16.933297	47.378569	23.247162
				6-11 MO.	323.890305	856.065339	434.895923
				12-23 MO.	606.339927	1234.146920	901.449300
				2-65+ YR.	1622.426083	3126.272726	2472.098502
NEROLI BIGARDE, OIL FEMA 2771A	01	BAKED GOODS(R)	12	0-5 MO.	.025173	.033317	.038585
				6-11 MO.	.188056	.383516	.288250
				12-23 MO.	.403506	.664859	.618488
				2-65+ YR.	1.015798	1.508890	1.557002
NEROLI BIGARDE, OIL FEMA 2771A	07	FROZN DAIRY(R)	14	0-5 MO.	.002988	.012252	.005935
				6-11 MO.	.028388	.078889	.056385

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FLOD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NEROLI BIGARDE, OIL FEMA 2771A	07	FROZN DAIRY(R)	14	12-23 MO.	.043031	.101002	.085469
				2-65+ YR.	.076499	.184374	.151944
NEROLI BIGARDE, OIL FEMA 2771A	16	SOFT CANDY(R)	15	0-5 MO.	.001016	.010161	.001626
				6-11 MO.	.011178	.034549	.017888
				12-23 MO.	.017783	.047251	.028458
				2-65+ YR.	.029468	.089421	.047159
NEROLI BIGARDE, OIL FEMA 2771A	20	GELATIN PUD(R)	8	0-5 MO.	.008437	.011390	.014379
				6-11 MO.	.053996	.163677	.092027
				12-23 MO.	.058215	.141741	.099216
				2-65+ YR.	.086057	.221470	.146667
NEROLI BIGARDE, OIL FEMA 2771A	23	BEV TYPE I(R)	27	0-5 MO.	.003761	.005641	.006358
				6-11 MO.	.035569	.121749	.060139
				12-23 MO.	.084927	.254624	.143591
				2-65+ YR.	.162959	.435132	.275525
NEROLI BIGARDE, OIL FEMA 2771A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000840	**********
				12-23 MO.	**********	.001680	**********
				2-65+ YR.	.272945	.792800	.372097
NEROLI BIGARDE, OIL FEMA 2771A	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000188	.000564	.000188
				12-23 MO.	.000564	.001692	.000564
				2-65+ YR.	.001128	.003196	.001128
NEROLI BIGARDE, OIL FEMA 2771A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000528	.000528	.000964
				12-23 MO.	.000528	.001584	.000964
				2-65+ YR.	.001056	.002112	.001928
NEROLI BIGARDE, OIL FEMA 2771A	99	ALL CATEGORIES	39	0-5 MO.	.041375	.072761	.066884
				6-11 MO.	.317903	.784312	.515840
				12-23 MO.	.608553	1.214432	.976750

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NEROLI BIGARDE, OIL								
FEMA 2771A		99	ALL CATEGORIES	39	2-65+ YR.	1.645910	3.237395	2.553451
NUTMEG								
FEMA 2792A	NAS 0431	01	BAKED GOODS(R)	25	0-5 MO.	3.175613	4.203017	8.818051
					6-11 MO.	23.723696	48.381395	65.876031
					12-23 MO.	50.903205	83.873538	141.348177
					2-65+ YR.	128.145316	190.349966	355.834309
NUTMEG								
FEMA 2792A	NAS 0431	02	BREAK CERLS(R)	*	0-5 MO.	.334200	.946900	.373800
					6-11 MO.	12.421100	33.308600	13.892900
					12-23 MO.	14.537700	28.351300	16.260300
					2-65+ YR.	11.140000	28.852600	12.460000
NUTMEG								
FEMA 2792A	NAS 0431	04	FATS OILS(R)	*	0-5 MO.	.052409	.052409	.105000
					6-11 MO.	.293491	.786136	.588000
					12-23 MO.	.660355	1.257818	1.323000
					2-65+ YR.	1.834318	3.312255	3.675000
NUTMEG								
FEMA 2792A	NAS 0431	05	MILK PRODS(R)	*	0-5 MO.	4.883625	3.617500	6.108750
					6-11 MO.	56.433000	271.402938	70.590000
					12-23 MO.	49.288438	157.723000	61.653125
					2-65+ YR.	35.722813	109.067625	44.684375
NUTMEG								
FEMA 2792A	NAS 0431	07	FROZN DAIRY(R)	5	0-5 MO.	1.000954	4.103911	1.666061
					6-11 MO.	9.509062	26.425182	15.827579
					12-23 MO.	14.413735	33.832240	23.991278
					2-65+ YR.	25.624418	61.758852	42.651161
NUTMEG								
FEMA 2792A	NAS 0431	08	PROCSD FRUT(R)	*	0-5 MO.	.705000	1.890000	1.410000
					6-11 MO.	7.770000	19.350000	15.540000
					12-23 MO.	15.090000	29.955000	30.180000
					2-65+ YR.	17.745000	37.590000	35.490000
NUTMEG								
FEMA 2792A	NAS 0431	10	MEAT PRODS(R)	22	0-5 MO.	.482275	1.271452	1.358107
					6-11 MO.	9.075537	24.464490	25.557096
					12-23 MO.	13.240638	22.754606	37.286198
					2-65+ YR.	34.373047	57.039967	96.795958

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FCCD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NUTMEG								
FEMA 2792A	NAS 0431	14	PROCSD VEGS(R)	*	0-5 MO.	.278860	.836579	1.393451
					6-11 MO.	4.780454	11.154392	23.887724
					12-23 MO.	7.768237	13.006818	38.817551
					2-65+ YR.	16.930773	28.523373	84.602355
NUTMEG								
FEMA 2792A	NAS 0431	15	CONDM RELSH(R)	6	0-5 MO.	**********	.070558	**********
					6-11 MO.	.564462	1.552269	1.075679
					12-23 MO.	1.975615	5.362385	3.764875
					2-65+ YR.	6.209077	14.958231	11.832465
NUTMEG								
FEMA 2792A	NAS 0431	19	SWEET SAUCE(R)	*	0-5 MO.	.390000	.520000	.780000
					6-11 MO.	1.170000	4.030000	2.340000
					12-23 MO.	3.380000	9.880000	6.760000
					2-65+ YR.	8.840000	23.270000	17.680000
NUTMEG								
FEMA 2792A	NAS 0431	20	GELATIN PUD(R)	5	0-5 MO.	.797829	1.077070	6.249294
					6-11 MO.	5.106108	15.477888	39.995483
					12-23 MO.	5.505022	13.403532	43.120130
					2-65+ YR.	8.137859	20.943019	63.742802
NUTMEG								
FEMA 2792A	NAS 0431	21	SOUPS(R)	*	0-5 MO.	.010200	.076500	**********
					6-11 MO.	1.188300	3.707700	**********
					12-23 MO.	1.774800	4.901100	**********
					2-65+ YR.	1.616700	4.309500	**********
NUTMEG								
FEMA 2792A	NAS 0431	23	BEV TYPE I(R)	7	0-5 MO.	.915226	1.372840	.915226
					6-11 MO.	8.656516	29.630454	8.656516
					12-23 MO.	20.668863	61.968453	20.668863
					2-65+ YR.	39.659810	105.899320	39.659810
NUTMEG								
FEMA 2792A	NAS 0431	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.000031	**********
					12-23 MO.	**********	.000062	**********
					2-65+ YR.	.010075	.029264	.016250
NUTMEG								
FEMA 2792A	NAS 0431	27	GRAVIES(R)	*	0-5 MO.	.003600	.010800	.016000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NUTMEG FEMA 2792A NAS 0431	27	GRAVIES(R)	*	6-11 MO.	.050400	.140399	.223998
				12-23 MO.	.129599	.367198	.575996
				2-65+ YR.	.298798	.766795	1.327990
NUTMEG FEMA 2792A NAS 0431	99	ALL CATEGORIES	61	0-5 MO.	13.029791	20.049535	29.193740
				6-11 MO.	140.742123	489.811874	284.051007
				12-23 MO.	199.336207	466.637049	425.749493
				2-65+ YR.	336.288004	686.670767	810.452476
NUTMEG, OIL FEMA 2793A	01	BAKED GOODS(R)	28	0-5 MO.	.222738	.294801	.326031
				6-11 MO.	1.663986	3.393483	2.435642
				12-23 MO.	3.570363	5.882910	5.226081
				2-65+ YR.	8.988143	13.351193	13.156300
NUTMEG, OIL FEMA 2793A	07	FROZN DAIRY(R)	19	0-5 MO.	.019273	.079019	.024298
				6-11 MO.	.183093	.508806	.230834
				12-23 MO.	.277531	.651426	.349896
				2-65+ YR.	.493388	1.189142	.622038
NUTMEG, OIL FEMA 2793A	10	MEAT PRODS(R)	15	0-5 MO.	.112152	.295673	.234173
				6-11 MO.	2.110493	5.689155	4.406713
				12-23 MO.	3.079077	5.291526	6.429117
				2-65+ YR.	7.993364	13.264498	16.690158
NUTMEG, OIL FEMA 2793A	15	CONDN RELSH(R)	5	0-5 MO.	**********	.002841	**********
				6-11 MO.	.022729	.062504	.029636
				12-23 MO.	.079550	.215922	.103727
				2-65+ YR.	.250015	.602309	.326000
NUTMEG, OIL FEMA 2793A	16	SOFT CANDY(R)	12	0-5 MO.	.005858	.058579	.008089
				6-11 MO.	.064437	.199168	.088982
				12-23 MO.	.102513	.272392	.141562
				2-65+ YR.	.169879	.515494	.234588
NUTMEG, OIL FEMA 2793A	20	GELATIN PUD(R)	8	0-5 MO.	.049894	.067357	.066805
				6-11 MO.	.319321	.967942	.427553

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NUTMEG, OIL FEMA 2793A	20	GELATIN PUD(R)	8	12-23 MO.	.344268	.838218	.460955
				2-65+ YR.	.508918	1.309715	.681412
NUTMEG, OIL FEMA 2793A	23	BEV TYPE I(R)	33	0-5 MO.	.025661	.038492	.045615
				6-11 MO.	.242711	.830776	.431447
				12-23 MO.	.579512	1.737466	1.030150
				2-65+ YR.	1.111978	2.969196	1.976671
NUTMEG, OIL FEMA 2793A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001521	**********
				12-23 MO.	**********	.003042	**********
				2-65+ YR.	.494375	1.435969	.605938
NUTMEG, OIL FEMA 2793A	27	GRAVIES(R)	*	0-5 MO.	.030000	.090000	.060000
				6-11 MO.	.420000	1.170000	.840000
				12-23 MO.	1.080000	3.060000	2.160000
				2-65+ YR.	2.490000	6.390000	4.980000
NUTMEG, OIL FEMA 2793A	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000349	.001047	.002969
				12-23 MO.	.001047	.003141	.008907
				2-65+ YR.	.002094	.005933	.017814
NUTMEG, OIL FEMA 2793A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000135	.000135	.013836
				12-23 MO.	.000135	.000405	.013836
				2-65+ YR.	.000270	.000540	.027672
NUTMEG, OIL FEMA 2793A	99	ALL CATEGORIES	64	0-5 MO.	.465576	.926761	.765012
				6-11 MO.	5.027253	12.824537	8.907611
				12-23 MO.	9.113995	17.956448	15.924232
				2-65+ YR.	22.502425	41.033990	39.318591
ONION, OIL FEMA 2617A	01	BAKED GOODS(R)	12	0-5 MO.	.030334	.040148	.039420
				6-11 MO.	.226614	.462149	.294490
				12-23 MO.	.486238	.801178	.631878

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ONION, OIL FEMA 2817A	01	BAKED GOODS(R)	12	2-65+ YR.	1.224071	1.818263	1.590709
ONION, OIL FEMA 2817A	04	FATS OILS(R)	*	0-5 MO.	.413192	.413192	.413192
				6-11 MO.	2.313873	6.197873	2.313873
				12-23 MO.	5.206213	9.916597	5.206213
				2-65+ YR.	14.461703	26.113704	14.461703
ONION, OIL FEMA 2817A	07	FROZN DAIRY(R)	*	0-5 MO.	.000997	.004088	.001901
				6-11 MO.	.009471	.026320	.018061
				12-23 MO.	.014357	.033698	.027377
				2-65+ YR.	.025523	.061514	.048671
ONION, OIL FEMA 2817A	10	MEAT PRODS(R)	12	0-5 MO.	.005537	.014598	.007668
				6-11 MO.	.104198	.280882	.144292
				12-23 MO.	.152019	.261250	.210513
				2-65+ YR.	.394644	.654888	.546497
ONION, OIL FEMA 2817A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.005268	**********
				6-11 MO.	.042148	.115907	.042148
				12-23 MO.	.147518	.400405	.147518
				2-65+ YR.	.463626	1.116918	.463626
ONION, OIL FEMA 2817A	16	SOFT CANDY(R)	*	0-5 MO.	.000198	.001982	.000378
				6-11 MO.	.002180	.006739	.004158
				12-23 MO.	.003469	.009217	.006615
				2-65+ YR.	.005748	.017442	.010963
ONION, OIL FEMA 2817A	20	GELATIN PUD(R)	*	0-5 MO.	.002074	.002800	.003975
				6-11 MO.	.013273	.040232	.025441
				12-23 MO.	.014309	.034841	.027429
				2-65+ YR.	.021153	.054438	.040547
ONION, OIL FEMA 2817A	21	SOUPS(R)	*	0-5 MO.	.002000	.015000	.002000
				6-11 MO.	.233000	.727000	.233000
				12-23 MO.	.348000	.961000	.348000
				2-65+ YR.	.317000	.845000	.317000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ONION, OIL FEMA 2817A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.001700	**********
				6-11 MO.	.006800	.018700	.008000
				12-23 MO.	.018700	.052700	.022000
				2-65+ YR.	.022100	.062900	.026000
ONION, OIL FEMA 2817A	23	BEV TYPE I(R)	*	0-5 MO.	.002378	.003568	.004536
				6-11 MO.	.022496	.077003	.042906
				12-23 MO.	.053714	.161042	.102445
				2-65+ YR.	.103067	.275209	.196572
ONION, OIL FEMA 2817A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000098	**********
				12-23 MO.	**********	.000195	**********
				2-65+ YR.	.031688	.092040	.032094
ONION, OIL FEMA 2817A	27	GRAVIES(R)	*	0-5 MO.	.000168	.000505	.000336
				6-11 MO.	.002355	.006559	.004709
				12-23 MO.	.006055	.017155	.012109
				2-65+ YR.	.013959	.035823	.027918
ONION, OIL FEMA 2817A	99	ALL CATEGORIES	22	0-5 MO.	.456878	.502848	.473406
				6-11 MO.	2.976408	7.959462	3.131078
				12-23 MO.	6.450591	12.649277	6.742097
				2-65+ YR.	17.084283	31.148140	17.762301
ORANGE BLOSSOMS, ABS FEMA 2818A	01	BAKED GOODS(R)	6	0-5 MO.	.009120	.012071	.030759
				6-11 MO.	.068132	.138946	.229785
				12-23 MO.	.146188	.240875	.493043
				2-65+ YR.	.368019	.546664	1.241203
ORANGE BLOSSOMS, ABS FEMA 2818A	07	FROZN DAIRY(R)	5	0-5 MO.	.002868	.011760	.004456
				6-11 MO.	.027248	.075721	.042332
				12-23 MO.	.041303	.096946	.064166
				2-65+ YR.	.073427	.176970	.114074
ORANGE BLOSSOMS, ABS FEMA 2818A	16	SOFT CANDY(R)	6	0-5 MO.	.000335	.003354	.000656

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORANGE BLOSSOMS, ABS FEMA 2818A	16	SOFT CANDY(R)	6	6-11 MO.	.003690	.011405	.007216
				12-23 MO.	.005870	.015598	.011480
				2-65+ YR.	.009728	.029519	.019024
ORANGE BLOSSOMS, ABS FEMA 2818A	20	GELATIN PUD(R)	5	0-5 MO.	.000682	.000921	.001711
				6-11 MO.	.004365	.013231	.010951
				12-23 MO.	.004706	.011458	.011807
				2-65+ YR.	.006956	.017903	.017453
ORANGE BLOSSOMS, ABS FEMA 2818A	23	BEV TYPE I(R)	6	0-5 MO.	.001607	.002410	.003730
				6-11 MO.	.015196	.052016	.035282
				12-23 MO.	.036284	.108785	.084242
				2-65+ YR.	.069622	.185905	.161646
ORANGE BLOSSOMS, ABS FEMA 2818A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000164	**********
				12-23 MO.	**********	.000328	**********
				2-65+ YR.	.053277	.154749	.137777
ORANGE BLOSSOMS, ABS FEMA 2818A	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.003247	.009741	.003247
				12-23 MO.	.009741	.029223	.009741
				2-65+ YR.	.019482	.055199	.019482
ORANGE BLOSSOMS, ABS FEMA 2818A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000246	.000246	.000492
				12-23 MO.	.000246	.000738	.000492
				2-65+ YR.	.000492	.000984	.000984
ORANGE BLOSSOMS, ABS FEMA 2818A	99	ALL CATEGORIES	14	0-5 MO.	.014612	.030515	.041312
				6-11 MO.	.122124	.301470	.329306
				12-23 MO.	.244338	.503951	.674972
				2-65+ YR.	.601003	1.167891	1.711642
ORANGE FLOWERS FEMA 2819A	01	BAKED GOODS(R)	*	0-5 MO.	.000136	.000180	.000340
				6-11 MO.	.001016	.002072	.002540

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORANGE FLOWERS FEMA 2819A	01	BAKED GOODS(R)	*	12-23 MO.	.002180	.003592	.005450
				2-65+ YR.	.005488	.008152	.013720
ORANGE FLOWERS FEMA 2819A	07	FROZN DAIRY(R)	*	0-5 MO.	.000020	.000082	.000050
				6-11 MO.	.000190	.000528	.000475
				12-23 MO.	.000288	.000676	.000720
				2-65+ YR.	.000512	.001234	.001280
ORANGE FLOWERS FEMA 2819A	16	SOFT CANDY(R)	*	0-5 MO.	.000008	.000080	.000020
				6-11 MO.	.000088	.000272	.000220
				12-23 MO.	.000140	.000372	.000350
				2-65+ YR.	.000232	.000704	.000580
ORANGE FLOWERS FEMA 2819A	20	GELATIN PUD(R)	*	0-5 MO.	.000080	.000108	.000200
				6-11 MO.	.000512	.001552	.001280
				12-23 MO.	.000552	.001344	.001380
				2-65+ YR.	.000816	.002100	.002040
ORANGE FLOWERS FEMA 2819A	23	BEV TYPE I(R)	*	0-5 MO.	.000816	.001224	.001480
				6-11 MO.	.007718	.026418	.013998
				12-23 MO.	.018428	.055250	.033423
				2-65+ YR.	.035360	.094418	.064133
ORANGE FLOWERS FEMA 2819A	99	ALL CATEGORIES	*	0-5 MO.	.001060	.001674	.002090
				6-11 MO.	.009524	.030842	.018513
				12-23 MO.	.021588	.061234	.041323
				2-65+ YR.	.042408	.106608	.081753
ORANGE LEAF, ABSOLUTE FEMA 2820A	01	BAKED GOODS(R)	*	0-5 MO.	.002975	.003938	.004463
				6-11 MO.	.022225	.045325	.033338
				12-23 MO.	.047688	.078575	.071531
				2-65+ YR.	.120050	.178325	.180075
ORANGE LEAF, ABSOLUTE FEMA 2820A	07	FROZN DAIRY(R)	*	0-5 MO.	.000060	.000246	.000090
				6-11 MO.	.000570	.001584	.000855
				12-23 MO.	.000864	.002028	.001296

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORANGE LEAF, ABSOLUTE FEMA 2820A	07	FROZN DAIRY(R)	*	2-65+ YR.	.001536	.003702	.002304
ORANGE LEAF, ABSOLUTE FEMA 2820A	16	SOFT CANDY(R)	*	0-5 MO.	.000175	.001750	.000263
				6-11 MO.	.001925	.005950	.002888
				12-23 MO.	.003063	.008138	.004594
				2-65+ YR.	.005075	.015400	.007613
ORANGE LEAF, ABSOLUTE FEMA 2820A	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.000300
				6-11 MO.	.001280	.003880	.001920
				12-23 MO.	.001380	.003360	.002070
				2-65+ YR.	.002040	.005250	.003060
ORANGE LEAF, ABSOLUTE FEMA 2820A	23	BEV TYPE I(R)	*	0-5 MO.	.001187	.001780	.001989
				6-11 MO.	.011224	.038418	.018816
				12-23 MO.	.026799	.080347	.044926
				2-65+ YR.	.051422	.137307	.086204
ORANGE LEAF, ABSOLUTE FEMA 2820A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000089	**********
				12-23 MO.	**********	.000178	**********
				2-65+ YR.	.028889	.083911	.035931
ORANGE LEAF, ABSOLUTE FEMA 2820A	99	ALL CATEGORIES	4	0-5 MO.	.004597	.007983	.007104
				6-11 MO.	.037224	.095246	.057816
				12-23 MO.	.079793	.172625	.124417
				2-65+ YR.	.209012	.423895	.315187
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	01	BAKED GOODS(R)	16	0-5 MO.	1.682512	2.226855	3.027778
				6-11 MO.	12.569357	25.633571	22.619283
				12-23 MO.	26.969684	44.438121	48.533502
				2-65+ YR.	67.894323	100.851772	122.179752
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	07	FROZN DAIRY(R)	14	0-5 MO.	.083014	.340356	.156689
				6-11 MO.	.788629	2.191559	1.488543
				12-23 MO.	1.195396	2.805860	2.256318
				2-65+ YR.	2.125148	5.121940	4.011232

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	10	MEAT PRODS(R)	*	0-5 MO.	.020460	.053940	.026400
				6-11 MO.	.385020	1.037880	.496800
				12-23 MO.	.561720	.965340	.724800
				2-65+ YR.	1.458240	2.419860	1.881600
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	15	CONDM RELSH(R)	4	0-5 MO.	**********	.032323	**********
				6-11 MO.	.258581	.711097	.263484
				12-23 MO.	.905032	2.456516	.922194
				2-65+ YR.	2.844387	6.852387	2.898323
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	16	SOFT CANDY(R)	21	0-5 MO.	.233628	2.336283	.330777
				6-11 MO.	2.569912	7.943363	3.638542
				12-23 MO.	4.088496	10.863717	5.788589
				2-65+ YR.	6.775221	20.559292	9.592519
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	18	JAM JELLY(R)	*	0-5 MO.	**********	.037500	**********
				6-11 MO.	.837500	2.787500	.837500
				12-23 MO.	.375000	1.400000	.375000
				2-65+ YR.	.712500	2.212500	.712500
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	19	SWEET SAUCE(R)	*	0-5 MO.	2.190000	2.920000	2.250000
				6-11 MO.	6.570000	22.630000	6.750000
				12-23 MO.	18.980000	55.480000	19.500000
				2-65+ YR.	49.640000	130.670000	51.000000
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	20	GELATIN PUD(R)	11	0-5 MO.	.898222	1.212599	1.781968
				6-11 MO.	5.748618	17.425498	11.404593
				12-23 MO.	6.197729	15.090122	12.295577
				2-65+ YR.	9.161860	23.578316	18.176070
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	23	BEV TYPE I(R)	28	0-5 MO.	.146396	.219534	.256616
				6-11 MO.	1.384284	4.738278	2.427161
				12-23 MO.	3.305208	9.909525	5.795249
				2-65+ YR.	6.342096	16.934617	11.120034
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	24	BEV TYPE II(R)	7	6-11 MO.	**********	.002590	**********
				12-23 MO.	**********	.005180	**********
				2-65+ YR.	.841758	2.444983	1.470200
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	27	GRAVIES(R)	*	0-5 MO.	.020000	.060000	.020000
				6-11 MO.	.280000	.780000	.280000
				12-23 MO.	.720000	2.040000	.720000
				2-65+ YR.	1.660000	4.260000	1.660000
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	30	HARD CANDY(R)	18	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.246003	.738009	.246003
				12-23 MO.	.738009	2.214027	.738009
				2-65+ YR.	1.476018	4.182051	1.476018
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.198930	.198930	.198930
				12-23 MO.	.198930	.596790	.198930
				2-65+ YR.	.397860	.795720	.397860
ORANGE, OIL, DISTILL FEMA 2821A NAS 0493	99	ALL CATEGORIES	72	0-5 MO.	5.274192	9.439389	7.850227
				6-11 MO.	31.836834	86.818275	50.650839
				12-23 MO.	64.235203	148.265199	97.848167
				2-65+ YR.	151.329412	320.883438	226.576107
ORANGE, OIL, TERPENELESS FEMA 2822A	01	BAKED GOODS(R)	10	0-5 MO.	.073451	.097215	.138069
				6-11 MO.	.548723	1.119048	1.031454
				12-23 MO.	1.177377	1.939972	2.213160
				2-65+ YR.	2.963966	4.402742	5.571478
ORANGE, OIL, TERPENELESS FEMA 2822A	02	BREAK CERLS(R)	*	0-5 MO.	.060000	.170000	.060000
				6-11 MO.	2.230000	5.980000	2.230000
				12-23 MO.	2.610000	5.090000	2.610000
				2-65+ YR.	2.000000	5.180000	2.000000
ORANGE, OIL, TERPENELESS FEMA 2822A	07	FROZN DAIRY(R)	11	0-5 MO.	.014078	.057719	.057210
				6-11 MO.	.133739	.371654	.543499

TABLE 14, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE, OIL, TERPENELESS FEMA 2822A	07	FROZN DAIRY(R)	11	12-23 MO.	.202721	.475830	.823830
				2-65+ YR.	.360392	.868602	1.464587
ORANGE, OIL, TERPENELESS FEMA 2822A	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
ORANGE, OIL, TERPENELESS FEMA 2822A	14	PROCSD VEGS(R)	*	0-5 MO.	.030800	.092400	.035000
				6-11 MO.	.528000	1.232000	.600000
				12-23 MO.	.858000	1.436600	.975000
				2-65+ YR.	1.870000	3.150400	2.125000
ORANGE, OIL, TERPENELESS FEMA 2822A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002800	.007600	.005600
				2-65+ YR.	.008800	.021200	.017600
ORANGE, OIL, TERPENELESS FEMA 2822A	16	SOFT CANDY(R)	10	0-5 MO.	.004218	.042183	.008517
				6-11 MO.	.046401	.143423	.093690
				12-23 MO.	.073821	.196152	.149052
				2-65+ YR.	.122331	.371212	.247000
ORANGE, OIL, TERPENELESS FEMA 2822A	18	JAM JELLY(R)	*	0-5 MO.	**********	.010500	**********
				6-11 MO.	.234500	.780500	.268000
				12-23 MO.	.105000	.392000	.120000
				2-65+ YR.	.199500	.619500	.228000
ORANGE, OIL, TERPENELESS FEMA 2822A	20	GELATIN PUD(R)	9	0-5 MO.	.039497	.053321	.104066
				6-11 MO.	.252779	.766236	.666020
				12-23 MO.	.272527	.663544	.718053
				2-65+ YR.	.402866	1.036788	1.061470
ORANGE, OIL, TERPENELESS FEMA 2822A	23	BEV TYPE I(R)	20	0-5 MO.	.141017	.211525	.141017
				6-11 MO.	1.333786	4.565424	1.333786
				12-23 MO.	3.184633	9.548024	3.184633

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE, OIL, TERPENELESS FEMA 2822A	23	BEV TYPE II(R)	20	2-65+ YR.	6.110735	16.316839	6.110735
ORANGE, OIL, TERPENELESS FEMA 2822A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001888	**********
				12-23 MO.	**********	.003775	**********
				2-65+ YR.	.613454	1.781848	1.365577
ORANGE, OIL, TERPENELESS FEMA 2822A	30	HARD CANDY(R)	13	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.011296	.033888	.012290
				12-23 MO.	.033888	.101664	.036870
				2-65+ YR.	.067776	.192032	.073740
ORANGE, OIL, TERPENELESS FEMA 2822A	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000661	.000661	.038759
				12-23 MO.	.000661	.001983	.038759
				2-65+ YR.	.001322	.002644	.077518
ORANGE, OIL, TERPENELESS FEMA 2822A	99	ALL CATEGORIES	44	0-5 MO.	.364161	.737863	.546079
				6-11 MO.	5.341385	15.052722	6.860498
				12-23 MO.	8.551628	19.909044	10.935358
				2-65+ YR.	14.799543	34.073906	20.499506
ORANGE PEEL, BITTER, OIL FEMA 2823A	01	BAKED GOODS(R)	8	0-5 MO.	.910230	1.204716	1.441605
				6-11 MO.	6.799953	13.867620	10.769635
				12-23 MO.	14.590450	24.040778	23.108074
				2-65+ YR.	36.730453	54.560251	58.172987
ORANGE PEEL, BITTER, OIL FEMA 2823A	07	FROZN DAIRY(R)	13	0-5 MO.	.058685	.240610	.090257
				6-11 MO.	.557510	1.549292	.857440
				12-23 MO.	.845068	1.983563	1.299699
				2-65+ YR.	1.502343	3.620882	2.310576
ORANGE PEEL, BITTER, OIL FEMA 2823A	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	.025300
				6-11 MO.	.414000	1.116000	.476100
				12-23 MO.	.604000	1.038000	.694600
				2-65+ YR.	1.568000	2.602000	1.803200

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE PEEL, BITTER, OIL FEMA 2823A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.003500	**********
				6-11 MO.	.028000	.077000	.036000
				12-23 MO.	.098000	.266000	.126000
				2-65+ YR.	.308000	.742000	.396000
ORANGE PEEL, BITTER, OIL FEMA 2823A	16	SOFT CANDY(R)	11	0-5 MO.	.044172	.441719	.061194
				6-11 MO.	.485891	1.501845	.673132
				12-23 MO.	.773009	2.053994	1.070892
				2-65+ YR.	1.280986	3.887129	1.774622
ORANGE PEEL, BITTER, OIL FEMA 2823A	20	GELATIN PUD(R)	9	0-5 MO.	.174960	.236195	.275343
				6-11 MO.	1.119741	3.394216	1.762196
				12-23 MO.	1.207221	2.939321	1.899868
				2-65+ YR.	1.784588	4.592689	2.808500
ORANGE PEEL, BITTER, OIL FEMA 2823A	23	BEV TYPE I(R)	19	0-5 MO.	.621655	.932482	.621655
				6-11 MO.	5.879818	20.126074	5.879818
				12-23 MO.	14.039038	42.091210	14.039038
				2-65+ YR.	26.938375	71.930641	26.938375
ORANGE PEEL, BITTER, OIL FEMA 2823A	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.006838	**********
				12-23 MO.	**********	.013677	**********
				2-65+ YR.	2.222492	6.455486	3.412599
ORANGE PEEL, BITTER, OIL FEMA 2823A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000111	.000333	.000725
				12-23 MO.	.000333	.000999	.002175
				2-65+ YR.	.000666	.001887	.004350
ORANGE PEEL, BITTER, OIL FEMA 2823A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.427041	.427041	.427041
				12-23 MO.	.427041	1.281123	.427041
				2-65+ YR.	.854082	1.708164	.854082
ORANGE PEEL, BITTER, OIL FEMA 2823A	99	ALL CATEGORIES	26	0-5 MO.	1.831701	3.117223	2.515353

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE PEEL, BITTER, OIL FEMA 2823A	99	ALL CATEGORIES	26	6-11 MO.	15.712066	42.066260	20.882088
				12-23 MO.	32.584159	75.708665	42.667387
				2-65+ YR.	73.189985	150.101128	98.475291
ORANGE PEEL, SWEET, EXT FEMA 2824A	07	FROZN DAIRY(R)	*	0-5 MO.	.150000	.615000	.400000
				6-11 MO.	1.425000	3.960000	3.800000
				12-23 MO.	2.160000	5.070000	5.760000
				2-65+ YR.	3.840000	9.255000	10.240000
ORANGE PEEL, SWEET, EXT FEMA 2824A	16	SOFT CANDY(R)	*	0-5 MO.	.030200	.302000	.040500
				6-11 MO.	.332200	1.026800	.445500
				12-23 MO.	.528500	1.404300	.708750
				2-65+ YR.	.875800	2.657600	1.174500
ORANGE PEEL, SWEET, EXT FEMA 2824A	23	BEV TYPE I(R)	6	0-5 MO.	.262547	.393821	.337559
				6-11 MO.	2.483261	8.499974	3.192744
				12-23 MO.	5.929197	17.776651	7.623203
				2-65+ YR.	11.377057	30.378929	14.627548
ORANGE PEEL, SWEET, EXT FEMA 2824A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.006937	**********
				12-23 MO.	**********	.013875	**********
				2-65+ YR.	2.254630	6.548832	7.592593
ORANGE PEEL, SWEET, EXT FEMA 2824A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.012392	.037176	.039950
				12-23 MO.	.037176	.111528	.119850
				2-65+ YR.	.074352	.210664	.239700
ORANGE PEEL, SWEET, EXT FEMA 2824A	99	ALL CATEGORIES	8	0-5 MO.	.442747	1.310821	.778059
				6-11 MO.	4.252853	13.530887	7.478194
				12-23 MO.	8.654873	24.376354	14.211803
				2-65+ YR.	18.421838	49.051025	33.874341
ORANGE PEEL, SWEET, OIL FEMA 2825A	01	BAKED GOODS(R)	26	0-5 MO.	1.032410	1.366425	2.903407
				6-11 MO.	7.712712	15.729074	21.690158

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE PEEL, SWEET, OIL FEMA 2825A	01	BAKED GOODS(R)	26	12-23 MO.	16.548929	27.267777	46.539906
				2-65+ YR.	41.660791	61.883887	117.161010
ORANGE PEEL, SWEET, OIL FEMA 2825A	07	FROZN DAIRY(R)	20	0-5 MO.	.107138	.439264	.370738
				6-11 MO.	1.017807	2.828433	3.522011
				12-23 MO.	1.542781	3.621251	5.338627
				2-65+ YR.	2.742723	6.610390	9.490893
ORANGE PEEL, SWEET, OIL FEMA 2825A	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	.025300
				6-11 MO.	.414000	1.116000	.476100
				12-23 MO.	.604000	1.038000	.694600
				2-65+ YR.	1.568000	2.602000	1.803200
ORANGE PEEL, SWEET, OIL FEMA 2825A	15	CONDN RELSH(R)	*	0-5 MO.	**********	.003495	**********
				6-11 MO.	.027958	.076885	.035934
				12-23 MO.	.097853	.265602	.125770
				2-65+ YR.	.307539	.740890	.395276
ORANGE PEEL, SWEET, OIL FEMA 2825A	16	SOFT CANDY(R)	20	0-5 MO.	.058660	.586599	.143406
				6-11 MO.	.645259	1.994438	1.577466
				12-23 MO.	1.026549	2.727687	2.509604
				2-65+ YR.	1.701138	5.162075	4.158773
ORANGE PEEL, SWEET, OIL FEMA 2825A	20	GELATIN PUD(R)	13	0-5 MO.	.151959	.205145	.721145
				6-11 MO.	.972539	2.948010	4.615328
				12-23 MO.	1.048519	2.552916	4.975901
				2-65+ YR.	1.549984	3.988931	7.355679
ORANGE PEEL, SWEET, OIL FEMA 2825A	23	BEV TYPE I(R)	35	0-5 MO.	.169837	.254755	.400131
				6-11 MO.	1.606372	5.498461	3.784573
				12-23 MO.	3.835478	11.499356	9.036293
				2-65+ YR.	7.359588	19.651515	17.339013
ORANGE PEEL, SWEET, OIL FEMA 2825A	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004951	**********
				12-23 MO.	**********	.009901	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ORANGE PEEL, SWEET, OIL FEMA 2825A	24	BEV TYPE II(R)	7	2-65+ YR.	1.608949	4.673378	5.953551
ORANGE PEEL, SWEET, OIL FEMA 2825A	27	GRAVIES(R)	4	0-5 MO.	.001000	.003000	.002000
				6-11 MO.	.014000	.039000	.028000
				12-23 MO.	.036000	.102000	.072000
				2-65+ YR.	.083000	.213000	.166000
ORANGE PEEL, SWEET, OIL FEMA 2825A	30	HARD CANDY(R)	14	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.045182	.135546	.193000
				12-23 MO.	.135546	.406638	.579000
				2-65+ YR.	.271092	.768094	1.158000
ORANGE PEEL, SWEET, OIL FEMA 2825A	31	CHEWING GUM(R)	11	0-5 MO.	**********	**********	**********
				6-11 MO.	.088694	.088694	.381755
				12-23 MO.	.088694	.266082	.381755
				2-65+ YR.	.177388	.354776	.763510
ORANGE PEEL, SWEET, OIL FEMA 2825A	99	ALL CATEGORIES	67	0-5 MO.	1.543004	2.916684	4.566127
				6-11 MO.	12.544524	30.459492	36.304325
				12-23 MO.	24.964350	49.757211	70.253456
				2-65+ YR.	59.030193	106.648937	165.744905
ORNGPL OIL SWEET TERP/LES FEMA 2826A	01	BAKED GOODS(R)	8	0-5 MO.	.085424	.113061	.256477
				6-11 MO.	.638169	1.301462	1.916031
				12-23 MO.	1.369299	2.256203	4.111170
				2-65+ YR.	3.447116	5.120425	10.349587
ORNGPL OIL SWEET TERP/LES FEMA 2826A	07	FROZN DAIRY(R)	9	0-5 MO.	.012383	.050769	.048222
				6-11 MO.	.117636	.326904	.458106
				12-23 MO.	.178311	.418536	.694392
				2-65+ YR.	.316998	.764015	1.234475
ORNGPL OIL SWEET TERP/LES FEMA 2826A	10	MEAT PRODS(R)	4	0-5 MO.	.028050	.073950	.045100
				6-11 MO.	.527850	1.422900	.848700
				12-23 MO.	.770100	1.323450	1.238200
				2-65+ YR.	1.999200	3.317550	3.214400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORNGPL OIL SWEET TERP/LES FEMA 2826A	14	PROCSD VEGS(R)	*	0-5 MO.	.002800	.008400	.003220
				6-11 MO.	.048000	.112000	.055200
				12-23 MO.	.078000	.130600	.089700
				2-65+ YR.	.170000	.286400	.195500
ORNGPL OIL SWEET TERP/LES FEMA 2826A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002800	.007600	.005600
				2-65+ YR.	.008800	.021200	.017600
ORNGPL OIL SWEET TERP/LES FEMA 2826A	16	SOFT CANDY(R)	9	0-5 MO.	.002863	.028633	.005180
				6-11 MO.	.031496	.097352	.056976
				12-23 MO.	.050108	.133143	.090644
				2-65+ YR.	.083035	.251969	.150210
ORNGPL OIL SWEET TERP/LES FEMA 2826A	17	CONF FROST(R)	*	0-5 MO.	**********	.002500	**********
				6-11 MO.	.002500	.005000	.007500
				12-23 MO.	.005000	.017500	.015000
				2-65+ YR.	.007500	.020000	.022500
ORNGPL OIL SWEET TERP/LES FEMA 2826A	20	GELATIN PUD(R)	9	0-5 MO.	.024961	.033698	.097060
				6-11 MO.	.159752	.484249	.621187
				12-23 MO.	.172233	.419350	.669717
				2-65+ YR.	.254605	.655234	.990017
ORNGPL OIL SWEET TERP/LES FEMA 2826A	23	BEV TYPE I(R)	12	0-5 MO.	.011971	.017956	.029856
				6-11 MO.	.113224	.387557	.282392
				12-23 MO.	.270342	.810527	.674257
				2-65+ YR.	.518738	1.385129	1.293778
ORNGPL OIL SWEET TERP/LES FEMA 2826A	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001274	**********
				12-23 MO.	**********	.002548	**********
				2-65+ YR.	.414075	1.202729	1.599219
ORNGPL OIL SWEET TERP/LES FEMA 2826A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORNGPL OIL SWEET TERP/LES FEMA 2826A	30	HARD CANDY(R)	*	6-11 MO.	.035602	.106806	.035633
				12-23 MO.	.106806	.320418	.106899
				2-65+ YR.	.213612	.605234	.213798
ORNGPL OIL SWEET TERP/LES FEMA 2826A	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.148317	.148317	.148317
				12-23 MO.	.148317	.444951	.148317
				2-65+ YR.	.296634	.593268	.296634
ORNGPL OIL SWEET TERP/LES FEMA 2826A	99	ALL CATEGORIES	19	0-5 MO.	.168452	.329068	.485115
				6-11 MO.	1.823347	4.396021	4.431643
				12-23 MO.	3.151316	6.284827	7.843897
				2-65+ YR.	7.730314	14.223153	19.577719
OREGANO FEMA 2827A	01	BAKED GOODS(R)	5	0-5 MO.	1.683755	2.228499	2.478470
				6-11 MO.	12.578642	25.652505	18.515626
				12-23 MO.	26.989605	44.470945	39.728410
				2-65+ YR.	67.944473	100.926266	100.013538
OREGANO FEMA 2827A	03	OTHER GRAIN(R)	*	0-5 MO.	.052625	.178925	.096875
				6-11 MO.	1.020925	3.010150	1.879375
				12-23 MO.	1.726100	3.988975	3.177500
				2-65+ YR.	2.925950	6.462350	5.386250
OREGANO FEMA 2827A	04	FATS OILS(R)	4	0-5 MO.	.076805	.076805	.176060
				6-11 MO.	.430107	1.152072	.985934
				12-23 MO.	.967741	1.843316	2.218352
				2-65+ YR.	2.688169	4.854065	6.162089
OREGANO FEMA 2827A	05	MILK PRODS(R)	*	0-5 MO.	15.660000	11.600000	15.660000
				6-11 MO.	180.960000	870.290000	180.960000
				12-23 MO.	158.050000	505.760000	158.050000
				2-65+ YR.	114.550000	349.740000	114.550000
OREGANO FEMA 2827A	10	MEAT PRODS(R)	27	0-5 MO.	.767649	2.023801	2.277847
				6-11 MO.	14.445752	38.940722	42.864934

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OREGANO							
FEMA 2827A	10	MEAT PRODS(R)	27	12-23 MO.	21.075445	36.219859	62.537247
				2-65+ YR.	54.712412	90.791899	162.348351
OREGANO							
FEMA 2827A	14	PROCSD VEGS(R)	4	0-5 MO.	.916745	2.750234	2.918228
				6-11 MO.	15.715624	36.669790	50.026765
				12-23 MO.	25.537889	42.759594	81.293493
				2-65+ YR.	55.659502	93.769891	177.178125
OREGANO							
FEMA 2827A	15	CONDM RELSH(R)	12	0-5 MO.	**********	.123544	**********
				6-11 MO.	.988353	2.717970	2.534034
				12-23 MO.	3.459234	9.389350	8.869119
				2-65+ YR.	10.871879	26.191345	27.874375
OREGANO							
FEMA 2827A	21	SOUPS(R)	*	0-5 MO.	.028022	.210165	.030281
				6-11 MO.	3.264563	10.185996	3.527685
				12-23 MO.	4.875828	13.464570	5.268817
				2-65+ YR.	4.441487	11.839294	4.799468
OREGANO							
FEMA 2827A	22	SNACK FOODS(R)	4	0-5 MO.	**********	.091735	**********
				6-11 MO.	.366941	1.009088	.517737
				12-23 MO.	1.009088	2.843794	1.423778
				2-65+ YR.	1.192559	3.394205	1.682646
OREGANO							
FEMA 2827A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.027500	**********
				12-23 MO.	**********	.055000	**********
				2-65+ YR.	8.937500	25.960000	14.625000
OREGANO							
FEMA 2827A	27	GRAVIES(R)	11	0-5 MO.	.054538	.163615	.076416
				6-11 MO.	.763538	2.126998	1.069829
				12-23 MO.	1.963383	5.562917	2.750988
				2-65+ YR.	4.526687	11.616680	6.342555
OREGANO							
FEMA 2827A	99	ALL CATEGORIES	44	0-5 MO.	19.240139	19.447324	23.714176
				6-11 MO.	230.534444	991.782791	302.881919
				12-23 MO.	245.654312	666.357520	365.317703

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OREGANO							
FEMA 2827A	99	ALL CATEGORIES	44	2-65+ YR.	328.450619	725.545995	620.962397
ORIGANUM, OIL							
FEMA 2828A	01	BAKED GOODS(R)	11	0-5 MO.	.068098	.090130	.119874
				6-11 MO.	.508734	1.037496	.895530
				12-23 MO.	1.091574	1.798594	1.921511
				2-65+ YR.	2.747963	4.081887	4.837271
ORIGANUM, OIL							
FEMA 2828A	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
ORIGANUM, OIL							
FEMA 2828A	10	MEAT PRODS(R)	13	0-5 MO.	.035462	.093491	.045862
				6-11 MO.	.667331	1.798893	.863036
				12-23 MO.	.973594	1.673164	1.259115
				2-65+ YR.	2.527477	4.194193	3.268695
ORIGANUM, OIL							
FEMA 2828A	15	CONDM RELSH(R)	7	0-5 MO.	**********	.004541	**********
				6-11 MO.	.036327	.099900	.059460
				12-23 MO.	.127146	.345110	.208110
				2-65+ YR.	.399601	.962676	.654061
ORIGANUM, OIL							
FEMA 2828A	16	SOFT CANDY(R)	*	0-5 MO.	.000555	.005545	.000764
				6-11 MO.	.006100	.018855	.008400
				12-23 MO.	.009705	.025786	.013364
				2-65+ YR.	.016082	.048800	.022145
ORIGANUM, OIL							
FEMA 2828A	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
ORIGANUM, OIL							
FEMA 2828A	21	SOUPS(R)	*	0-5 MO.	.060000	.450000	.124000
				6-11 MO.	6.990000	21.810000	14.446000
				12-23 MO.	10.440000	28.830000	21.576000
				2-65+ YR.	9.510000	25.350000	19.654000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORIGANUM, OIL FEMA 2828A	23	BEV TYPE II(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
ORIGANUM, OIL FEMA 2828A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000175	**********
				12-23 MO.	**********	.000349	**********
				2-65+ YR.	.056752	.164842	.101540
ORIGANUM, OIL FEMA 2828A	27	GRAVIES(R)	*	0-5 MO.	.005584	.016751	.009902
				6-11 MO.	.078170	.217761	.138623
				12-23 MO.	.201010	.569528	.356459
				2-65+ YR.	.463439	1.189308	.821836
ORIGANUM, OIL FEMA 2828A	99	ALL CATEGORIES	22	0-5 MO.	.175098	.670858	.311201
				6-11 MO.	8.331663	25.125979	16.501048
				12-23 MO.	12.925429	33.472432	25.499358
				2-65+ YR.	15.871314	36.383606	29.659549
PALMAROSA, OIL FEMA 2831A	01	BAKED GOODS(R)	11	0-5 MO.	.047588	.062984	.069180
				6-11 MO.	.355511	.725018	.516812
				12-23 MO.	.762809	1.256885	1.108908
				2-65+ YR.	1.920319	2.852486	2.791598
PALMAROSA, OIL FEMA 2831A	07	FROZN DAIRY(R)	7	0-5 MO.	.005835	.023923	.009987
				6-11 MO.	.055432	.154043	.094877
				12-23 MO.	.084024	.197222	.143813
				2-65+ YR.	.149375	.360018	.255668
PALMAROSA, OIL FEMA 2831A	16	SOFT CANDY(R)	8	0-5 MO.	.002239	.022394	.003354
				6-11 MO.	.024634	.076140	.036895
				12-23 MO.	.039190	.104133	.058697
				2-65+ YR.	.064943	.197069	.097269
PALMAROSA, OIL FEMA 2831A	20	GELATIN PUD(R)	6	0-5 MO.	.011525	.015558	.018467

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PALMAROSA, OIL FEMA 2831A	20	GELATIN PUD(R)	6	6-11 MO.	.073758	.223578	.118187
				12-23 MO.	.079520	.193614	.127420
				2-65+ YR.	.117551	.302522	.188360
PALMAROSA, OIL FEMA 2831A	23	BEV TYPE I(R)	9	0-5 MO.	.007588	.011382	.013906
				6-11 MO.	.071772	.245670	.131527
				12-23 MO.	.171368	.513789	.314044
				2-65+ YR.	.328825	.878026	.602593
PALMAROSA, OIL FEMA 2831A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000354	**********
				12-23 MO.	**********	.000707	**********
				2-65+ YR.	.114944	.333869	.203743
PALMAROSA, OIL FEMA 2831A	99	ALL CATEGORIES	12	0-5 MO.	.074775	.136242	.114893
				6-11 MO.	.581107	1.424804	.898298
				12-23 MO.	1.136911	2.266351	1.752882
				2-65+ YR.	2.695958	4.923989	4.139232
PAPRIKA FEMA 2833A	01	BAKED GOODS(R)	8	0-5 MO.	1.606330	2.126024	2.181851
				6-11 MO.	12.000226	24.472903	16.299709
				12-23 MO.	25.748517	42.425997	34.973786
				2-65+ YR.	64.820121	96.285281	88.044099
PAPRIKA FEMA 2833A	02	BREAK CERLS(R)	*	0-5 MO.	.384600	1.089700	.384600
				6-11 MO.	14.294300	36.331800	14.294300
				12-23 MO.	16.730100	32.626900	16.730100
				2-65+ YR.	12.820000	33.203800	12.820000
PAPRIKA FEMA 2833A	03	OTHER GRAIN(R)	*	0-5 MO.	1.550000	5.270000	1.550000
				6-11 MO.	30.070000	88.660000	30.070000
				12-23 MO.	50.840000	117.490000	50.840000
				2-65+ YR.	86.180000	190.340000	86.180000
PAPRIKA FEMA 2833A	04	FATS OILS(R)	12	0-5 MO.	1.190954	1.190954	3.058840
				6-11 MO.	6.669342	17.864309	17.129507

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PAPRIKA FEMA 2833A	04	FATS OILS(R)	12	12-23 MO.	15.006020	28.582895	38.541390
				2-65+ YR.	41.683388	75.268289	107.059416
PAPRIKA FEMA 2833A	05	MILK PRODS(R)	*	0-5 MO.	1.771200	1.312000	2.035800
				6-11 MO.	20.467200	98.432800	23.524800
				12-23 MO.	17.876000	57.203200	20.546500
				2-65+ YR.	12.956000	39.556800	14.891500
PAPRIKA FEMA 2833A	06	CHEESE(R)	*	0-5 MO.	**********	.022000	**********
				6-11 MO.	.594000	2.134000	.693900
				12-23 MO.	1.716000	4.884000	2.004600
				2-65+ YR.	2.068000	5.192000	2.415800
PAPRIKA FEMA 2833A	10	MEAT PRODS(R)	31	0-5 MO.	.689549	1.817901	5.092132
				6-11 MO.	12.976055	34.978930	95.824670
				12-23 MO.	18.931249	32.534166	139.802176
				2-65+ YR.	49.146023	81.554817	362.930151
PAPRIKA FEMA 2833A	14	PROCSD VEGS(R)	7	0-5 MO.	6.517918	19.553753	12.928047
				6-11 MO.	111.735732	260.716708	221.623671
				12-23 MO.	181.570565	304.014304	360.138465
				2-65+ YR.	395.730718	666.689868	784.917168
PAPRIKA FEMA 2833A	15	CONDM RELSH(R)	11	0-5 MO.	**********	.334683	**********
				6-11 MO.	2.677463	7.363022	3.034565
				12-23 MO.	9.371119	25.435894	10.620979
				2-65+ YR.	29.452088	70.952757	33.380220
PAPRIKA FEMA 2833A	21	SOUPS(R)	*	0-5 MO.	.012524	.093932	.033892
				6-11 MO.	1.459078	4.552573	3.913495
				12-23 MO.	2.179223	6.017913	5.845049
				2-65+ YR.	1.985097	5.291505	5.324369
PAPRIKA FEMA 2833A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.231176	**********
				6-11 MO.	.924706	2.542941	2.094118
				12-23 MO.	2.542941	7.166471	5.758824

TABLE 13, PART 8 — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PAPRIKA FEMA 2833A	22	SNACK FOODS(R)	*	2-65+ YR.	3.005294	8.553529	6.805882
PAPRIKA FEMA 2833A	23	BEV TYPE I(R)	*	0-5 MO.	2.784000	4.176000	**********
				6-11 MO.	26.332000	90.132000	**********
				12-23 MO.	62.872000	188.500000	**********
				2-65+ YR.	120.640000	322.132000	**********
PAPRIKA FEMA 2833A	26	NUT PRODS(R)	*	0-5 MO.	**********	.600000	**********
				6-11 MO.	11.100000	40.200000	17.020000
				12-23 MO.	8.100000	27.000000	12.420000
				2-65+ YR.	15.600000	46.500000	23.920000
PAPRIKA FEMA 2833A	27	GRAVIES(R)	5	0-5 MO.	.022236	.066708	.046709
				6-11 MO.	.311303	.867200	.653932
				12-23 MO.	.800492	2.268062	1.681541
				2-65+ YR.	1.845580	4.736247	3.876885
PAPRIKA FEMA 2833A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.690000	**********
				12-23 MO.	**********	1.380000	**********
				2-65+ YR.	.690000	3.450000	.690000
PAPRIKA FEMA 2833A	99	ALL CATEGORIES	49	0-5 MO.	16.529310	37.884832	27.311573
				6-11 MO.	251.611404	711.939186	446.176667
				12-23 MO.	414.284226	877.529801	699.903408
				2-65+ YR.	838.622309	1649.706893	1533.255490
PAPRIKA, OLEORESIN FEMA 2834A	01	BAKED GOODS(R)	7	0-5 MO.	.214333	.283677	.218988
				6-11 MO.	1.601197	3.265432	1.635973
				12-23 MO.	3.435638	5.660923	3.510256
				2-65+ YR.	8.648983	12.847397	8.836829
PAPRIKA, OLEORESIN FEMA 2834A	03	OTHER GRAIN(R)	*	0-5 MO.	.089250	.303450	.100000
				6-11 MO.	1.731450	5.105100	1.940000
				12-23 MO.	2.927400	6.765150	3.280000
				2-65+ YR.	4.962300	10.959900	5.560000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PAPRIKA, OLEORESIN FEMA 2834A	04	FATS OILS(R)	*	0-5 MO.	.195755	.195755	.971698
				6-11 MO.	1.096226	2.936321	5.441509
				12-23 MO.	2.466509	4.698113	12.243396
				2-65+ YR.	6.851415	12.371698	34.009434
PAPRIKA, OLEORESIN FEMA 2834A	06	CHEESE(R)	*	0-5 MO.	**********	.015600	**********
				6-11 MO.	.421200	1.513200	1.701000
				12-23 MO.	1.216800	3.463200	4.914000
				2-65+ YR.	1.466400	3.681600	5.922000
PAPRIKA, OLEORESIN FEMA 2834A	07	FROZN DAIRY(R)	*	0-5 MO.	.002996	.012284	.004994
				6-11 MO.	.028463	.079098	.047445
				12-23 MO.	.043144	.101269	.071916
				2-65+ YR.	.076701	.184861	.127851
PAPRIKA, OLEORESIN FEMA 2834A	10	MEAT PRODS(R)	20	0-5 MO.	.175269	.462074	.250457
				6-11 MO.	3.298250	8.890935	4.713138
				12-23 MO.	4.811940	8.269525	6.876172
				2-65+ YR.	12.491923	20.729581	17.850725
PAPRIKA, OLEORESIN FEMA 2634A	13	FISH PRODS(R)	*	0-5 MO.	.050000	.150000	.100000
				6-11 MO.	.650000	2.450000	1.300000
				12-23 MO.	2.700000	6.750000	5.400000
				2-65+ YR.	6.200000	15.450000	12.400000
PAPRIKA, OLEORESIN FEMA 2834A	14	PROCSD VEGS(R)	*	0-5 MO.	.256478	.769433	.317637
				6-11 MO.	4.396759	10.259105	5.445212
				12-23 MO.	7.144734	11.962849	8.848470
				2-65+ YR.	15.571856	26.233997	19.285128
PAPRIKA, OLEORESIN FEMA 2834A	15	CONDM RELSH(R)	9	0-5 MO.	**********	.077202	**********
				6-11 MO.	.617615	1.698441	.672175
				12-23 MO.	2.161652	5.867342	2.352611
				2-65+ YR.	6.793764	16.366795	7.393921
PAPRIKA, OLEORESIN FEMA 2834A	16	SOFT CANDY(R)	*	0-5 MO.	.000799	.007986	.000999

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PAPRIKA, OLEORESIN FEMA 2834A	16	SOFT CANDY(R)	*	6-11 MO.	.008785	.027154	.010987
				12-23 MO.	.013976	.037137	.017480
				2-65+ YR.	.023161	.070281	.028966
PAPRIKA, OLEORESIN FEMA 2834A	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.010000
				6-11 MO.	.038400	.116400	.064000
				12-23 MO.	.041400	.100800	.069000
				2-65+ YR.	.061200	.157500	.102000
PAPRIKA, OLEORESIN FEMA 2834A	21	SOUPS(R)	4	0-5 MO.	2.777095	20.828215	2.777967
				6-11 MO.	323.531600	1009.474135	323.633120
				12-23 MO.	483.214579	1334.394283	483.366205
				2-65+ YR.	440.169602	1173.322757	440.307722
PAPRIKA, OLEORESIN FEMA 2834A	23	BEV TYPE I(R)	*	0-5 MO.	.052721	.079081	.071977
				6-11 MO.	.498652	1.706839	.680780
				12-23 MO.	1.190613	3.569643	1.625475
				2-65+ YR.	2.284572	6.100246	3.118992
PAPRIKA, OLEORESIN FEMA 2834A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.650000
PAPRIKA, OLEORESIN FEMA 2834A	25	NUT PRODS(R)	*	0-5 MO.	**********	.020000	**********
				6-11 MO.	.370000	1.340000	2.664000
				12-23 MO.	.270000	.900000	1.944000
				2-65+ YR.	.520000	1.550000	3.744000
PAPRIKA, OLEORESIN FEMA 2834A	27	GRAVIES(R)	*	0-5 MO.	.006889	.020667	.092222
				6-11 MO.	.096444	.268667	1.291111
				12-23 MO.	.248000	.702667	3.320000
				2-65+ YR.	.571778	1.467333	7.654444
PAPRIKA, OLEORESIN FEMA 2834A	99	ALL CATEGORIES	33	0-5 MO.	3.827585	23.233523	4.916939
				6-11 MO.	338.385042	1049.131326	351.240450

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PAPRIKA, OLEORESIN FEMA 2834A	99	ALL CATEGORIES	33	12-23 MO.	511.886386	1393.243902	537.838982
				2-65+ YR.	506.856154	1301.965944	566.992011
PARSLEY FEMA 2835A	01	BAKED GOODS(R)	4	0-5 MO.	12.828648	16.979092	25.539763
				6-11 MO.	95.837544	195.448219	190.797052
				12-23 MO.	205.635674	338.827221	409.387376
				2-65+ YR.	517.673660	768.964227	1030.604551
PARSLEY FEMA 2835A	03	OTHER GRAIN(R)	*	0-5 MO.	.213143	.724686	.243304
				6-11 MO.	4.134971	12.191771	4.720089
				12-23 MO.	6.991086	16.156229	7.980357
				2-65+ YR.	11.850743	26.173943	13.527679
PARSLEY FEMA 2835A	04	FATS OILS(R)	4	0-5 MO.	.332496	.332496	.795871
				6-11 MO.	1.861976	4.987435	4.456875
				12-23 MO.	4.189445	7.979896	10.027969
				2-65+ YR.	11.637348	21.013726	27.855468
PARSLEY FEMA 2835A	10	MEAT PRODS(R)	18	0-5 MO.	2.280082	6.011126	4.490951
				6-11 MO.	42.907000	115.662348	84.511527
				12-23 MO.	62.598618	107.578420	123.297010
				2-65+ YR.	162.507671	269.671531	320.082304
PARSLEY FEMA 2835A	14	PROCSD VEGS(R)	*	0-5 MO.	5.263802	15.791406	20.948049
				6-11 MO.	90.236608	210.552084	359.109409
				12-23 MO.	146.634487	245.518770	583.552789
				2-65+ YR.	319.587985	538.411758	1271.845822
PARSLEY FEMA 2835A	15	CONDM RELSH(R)	7	0-5 MO.	**********	.498745	**********
				6-11 MO.	3.989963	10.972400	4.053492
				12-23 MO.	13.964872	37.904653	14.187222
				2-65+ YR.	43.889598	105.734032	44.588412
PARSLEY FEMA 2835A	21	SOUPS(R)	5	0-5 MO.	.232528	1.743961	1.017109
				6-11 MO.	27.089529	84.523982	118.493186
				12-23 MO.	40.459898	111.729775	176.976947

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PARSLEY FEMA 2835A	21	SOUPS(R)	5	2-65+ YR.	36.855711	98.243143	161.211759
PARSLEY FEMA 2835A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.065078	**********
				6-11 MO.	.260312	.715859	.286156
				12-23 MO.	.715859	2.017420	.786929
				2-65+ YR.	.846015	2.407868	.930007
PARSLEY FEMA 2835A	27	GRAVIES(R)	5	0-5 MO.	.028342	.085027	.041906
				6-11 MO.	.396791	1.105347	.586689
				12-23 MO.	1.020320	2.890907	1.508628
				2-65+ YR.	2.352404	6.036893	3.478225
PARSLEY FEMA 2835A	99	ALL CATEGORIES	31	0-5 MO.	21.179041	42.231617	53.076952
				6-11 MO.	266.714694	636.159444	767.014474
				12-23 MO.	482.210259	870.603289	1327.705227
				2-65+ YR.	1107.201136	1836.657141	2874.124228
PARSLEY, OIL FEMA 2836A	01	BAKED GOODS(R)	8	0-5 MO.	.066246	.087679	.083062
				6-11 MO.	.494900	1.009284	.620521
				12-23 MO.	1.061892	1.749686	1.331432
				2-65+ YR.	2.673239	3.970891	3.351788
PARSLEY, OIL FEMA 2836A	07	FROZN DAIRY(R)	*	0-5 MO.	.000934	.003829	.001015
				6-11 MO.	.008871	.024653	.009645
				12-23 MO.	.013447	.031564	.014620
				2-65+ YR.	.023906	.057617	.025991
PARSLEY, OIL FEMA 2836A	10	MEAT PRODS(R)	8	0-5 MO.	.041657	.109824	.068952
				6-11 MO.	.783917	2.113168	1.297548
				12-23 MO.	1.143686	1.965474	1.893041
				2-65+ YR.	2.969039	4.926939	4.914384
PARSLEY, OIL FEMA 2836A	14	PROCSD VEGS(R)	*	0-5 MO.	.001120	.003360	.001400
				6-11 MO.	.019200	.044800	.024000
				12-23 MO.	.031200	.052240	.039000
				2-65+ YR.	.068000	.114560	.085000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PARSLEY, OIL FEMA 2836A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.004536	**********
				6-11 MO.	.036288	.099793	.051400
				12-23 MO.	.127010	.344740	.179899
				2-65+ YR.	.399173	.961644	.565398
PARSLEY, OIL FEMA 2836A	16	SOFT CANDY(R)	*	0-5 MO.	.000630	.006301	.001265
				6-11 MO.	.006931	.021423	.013920
				12-23 MO.	.011027	.029299	.022146
				2-65+ YR.	.018273	.055448	.036699
PARSLEY, OIL FEMA 2836A	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.020000
				6-11 MO.	.089600	.271600	.128000
				12-23 MO.	.096600	.235200	.138000
				2-65+ YR.	.142800	.367500	.204000
PARSLEY, OIL FEMA 2836A	21	SOUPS(R)	*	0-5 MO.	.006662	.049966	.013250
				6-11 MO.	.776132	2.421664	1.543589
				12-23 MO.	1.159201	3.201127	2.305446
				2-65+ YR.	1.055939	2.814727	2.100076
PARSLEY, OIL FEMA 2836A	23	BEV TYPE I(R)	*	0-5 MO.	.002368	.003552	.004853
				6-11 MO.	.022399	.076669	.045902
				12-23 MO.	.053481	.160343	.109599
				2-65+ YR.	.102620	.274014	.210301
PARSLEY, OIL FEMA 2836A	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000105	**********
				12-23 MO.	**********	.000211	**********
				2-65+ YR.	.034274	.099552	.072478
PARSLEY, OIL FEMA 2836A	27	GRAVIES(R)	*	0-5 MO.	.000205	.000615	.000615
				6-11 MO.	.002870	.007995	.008610
				12-23 MO.	.007380	.020910	.022140
				2-65+ YR.	.017015	.043665	.051045
PARSLEY, OIL FEMA 2836A	99	ALL CATEGORIES	19	0-5 MO.	.133823	.288562	.194412

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PARSLEY, OIL FEMA 2836A	99	ALL CATEGORIES	19	6-11 MO.	2.241108	6.091155	3.743135
				12-23 MO.	3.704923	7.790793	6.055323
				2-65+ YR.	7.504277	13.686556	11.617159
PARSLEY, OLEORESIN FEMA 2837A	01	BAKED GOODS(R)	*	0-5 MO.	.515075	.681717	.608440
				6-11 MO.	3.847913	7.847318	4.545401
				12-23 MO.	8.256348	13.604038	9.752928
				2-65+ YR.	20.784788	30.874197	24.552324
PARSLEY, OLEORESIN FEMA 2837A	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.010000
				6-11 MO.	.095000	.264000	.095000
				12-23 MO.	.144000	.338000	.144000
				2-65+ YR.	.256000	.617000	.256000
PARSLEY, OLEORESIN FEMA 2837A	10	MEAT PRODS(R)	6	0-5 MO.	.137401	.362238	.196658
				6-11 MO.	2.585633	6.969966	3.700749
				12-23 MO.	3.772275	6.482818	5.399160
				2-65+ YR.	9.792927	16.250763	14.016362
PARSLEY, OLEORESIN FEMA 2837A	15	CONDM RELSH(R)	4	0-5 MO.	**********	.031893	**********
				6-11 MO.	.255146	.701652	.313892
				12-23 MO.	.893011	2.423888	1.098621
				2-65+ YR.	2.806607	6.761371	3.452809
PARSLEY, OLEORESIN FEMA 2837A	16	SOFT CANDY(R)	*	0-5 MO.	.006000	.060000	.010000
				6-11 MO.	.066000	.204000	.110000
				12-23 MO.	.105000	.279000	.175000
				2-65+ YR.	.174000	.528000	.290000
PARSLEY, OLEORESIN FEMA 2837A	20	GELATIN PUD(R)	*	0-5 MO.	.120000	.162000	.200000
				6-11 MO.	.768000	2.328000	1.280000
				12-23 MO.	.828000	2.016000	1.380000
				2-65+ YR.	1.224000	3.150000	2.040000
PARSLEY, OLEORESIN FEMA 2837A	21	SOUPS(R)	*	0-5 MO.	.005600	.042000	.007400
				6-11 MO.	.652400	2.035600	.862100

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PARSLEY, OLEORESIN FEMA 2837A	21	SOUPS(R)	*	12-23 MO.	.974400	2.690800	1.287600
				2-65+ YR.	.887600	2.366000	1.172900
PARSLEY, OLEORESIN FEMA 2837A	23	BEV TYPE I(R)	*	0-5 MO.	.024000	.036000	.048000
				6-11 MO.	.227000	.777000	.454000
				12-23 MO.	.542000	1.625000	1.084000
				2-65+ YR.	1.040000	2.777000	2.080000
PARSLEY, OLEORESIN FEMA 2837A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000919	**********
				12-23 MO.	**********	.001837	**********
				2-65+ YR.	.298533	.867123	.600374
PARSLEY, OLEORESIN FEMA 2837A	99	ALL CATEGORIES	10	0-5 MO.	.818076	1.416848	1.080498
				6-11 MO.	8.497091	21.128454	11.361141
				12-23 MO.	15.515035	29.461380	20.321309
				2-65+ YR.	37.264455	64.191454	48.460770
PEPPER, BLACK FEMA 2844A	01	BAKED GOODS(R)	8	0-5 MO.	1.013871	1.341888	3.619764
				6-11 MO.	7.574212	15.446621	27.041767
				12-23 MO.	16.251754	26.778120	58.022689
				2-65+ YR.	40.912673	60.772615	146.068126
PEPPER, BLACK FEMA 2844A	02	BREAK CERLS(R)	*	0-5 MO.	.224400	.635800	.224400
				6-11 MO.	8.340200	22.365200	8.340200
				12-23 MO.	9.761400	19.036600	9.761400
				2-65+ YR.	7.480000	19.373200	7.480000
PEPPER, BLACK FEMA 2844A	04	FATS OILS(R)	7	0-5 MO.	.963514	.963514	1.933617
				6-11 MO.	5.395678	14.452710	10.828254
				12-23 MO.	12.140276	23.124336	24.363571
				2-65+ YR.	33.722990	60.894085	67.676586
PEPPER, BLACK FEMA 2844A	05	MILK PRODS(R)	*	0-5 MO.	1.738800	1.288000	2.813400
				6-11 MO.	20.092800	96.632200	32.510400
				12-23 MO.	17.549000	56.156800	28.394500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, BLACK FEMA 2844A	05	MILK PRODS(R)	*	2-65+ YR.	12.719000	38.833200	20.579500
PEPPER, BLACK FEMA 2844A	06	CHEESE(R)	*	0-5 MO.	**********	.026400	**********
				6-11 MO.	.712800	2.560800	1.798200
				12-23 MO.	2.059200	5.860800	5.194800
				2-65+ YR.	2.481600	6.230400	6.260400
PEPPER, BLACK FEMA 2844A	10	MEAT PRODS(R)	43	0-5 MO.	.689391	1.817486	3.311341
				6-11 MO.	12.973093	34.970946	62.313416
				12-23 MO.	18.926928	32.526740	90.911360
				2-65+ YR.	49.134806	81.536203	236.008299
PEPPER, BLACK FEMA 2844A	14	PROCSD VEGS(R)	7	0-5 MO.	.732697	2.198090	1.451852
				6-11 MO.	12.560514	29.307865	24.888893
				12-23 MO.	20.410835	34.175064	40.444452
				2-65+ YR.	44.485153	74.944398	88.148164
PEPPER, BLACK FEMA 2844A	15	CONDM RELSH(R)	13	0-5 MO.	**********	.062234	**********
				6-11 MO.	.497875	1.369155	1.064446
				12-23 MO.	1.742561	4.729808	3.725560
				2-65+ YR.	5.476620	13.193676	11.708902
PEPPER, BLACK FEMA 2844A	16	SOFT CANDY(R)	*	0-5 MO.	**********	**********	.117200
				6-11 MO.	**********	**********	1.289200
				12-23 MO.	**********	**********	2.051000
				2-65+ YR.	**********	**********	3.398800
PEPPER, BLACK FEMA 2844A	21	SOUPS(R)	*	0-5 MO.	.482595	3.619466	.500000
				6-11 MO.	56.222366	175.423435	58.250000
				12-23 MO.	83.971603	231.887099	87.000000
				2-65+ YR.	76.491374	203.896565	79.250000
PEPPER, BLACK FEMA 2844A	22	SNACK FOODS(R)	4	0-5 MO.	**********	.084138	**********
				6-11 MO.	.336552	.925519	.357938
				12-23 MO.	.925519	2.608281	.984329
				2-65+ YR.	1.093795	3.113110	1.163298

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, BLACK FEMA 2844A	23	BEV TYPE I(R)	*	0-5 MO.	.072000	.108000	**********
				6-11 MO.	.681000	2.331000	**********
				12-23 MO.	1.626000	4.875000	**********
				2-65+ YR.	3.120000	8.331000	**********
PEPPER, BLACK FEMA 2844A	27	GRAVIES(R)	6	0-5 MO.	.020570	.061711	.048691
				6-11 MO.	.287983	.802239	.681674
				12-23 MO.	.740528	2.098164	1.752875
				2-65+ YR.	1.707329	4.381459	4.041352
PEPPER, BLACK FEMA 2844A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	**********	**********
				12-23 MO.	**********	**********	**********
				2-65+ YR.	**********	**********	**********
PEPPER, BLACK FEMA 2844A	99	ALL CATEGORIES	63	0-5 MO.	5.937839	12.206727	14.020265
				6-11 MO.	125.675074	396.587691	229.364387
				12-23 MO.	186.105605	443.856813	352.606536
				2-65+ YR.	278.825341	575.499911	671.783428
PEPPER, BLACK, OIL FEMA 2845A	01	BAKED GOODS(R)	9	0-5 MO.	.065502	.086693	.083931
				6-11 MO.	.489335	.997935	.627012
				12-23 MO.	1.049951	1.730011	1.345361
				2-65+ YR.	2.643180	3.926239	3.386855
PEPPER, BLACK, OIL FEMA 2845A	07	FROZN DAIRY(R)	4	0-5 MO.	.028897	.118478	.033839
				6-11 MO.	.274523	.762884	.321466
				12-23 MO.	.416118	.976723	.487275
				2-65+ YR.	.739766	1.782952	.866266
PEPPER, BLACK, OIL FEMA 2845A	10	MEAT PRODS(R)	12	0-5 MO.	.187397	.494046	.227063
				6-11 MO.	3.526468	9.506132	4.272922
				12-23 MO.	5.144896	8.841725	6.233925
				2-65+ YR.	13.356286	22.163939	16.183433
PEPPER, BLACK, OIL FEMA 2845A	14	PROCSD VEGS(R)	*	0-5 MO.	.002800	.006400	.004200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, BLACK, OIL FEMA 2845A	14	PROCSD VEGS(R)	*	6-11 MO.	.048000	.112000	.072000
				12-23 MO.	.078000	.130600	.117000
				2-65+ YR.	.170000	.286400	.255000
PEPPER, BLACK, OIL FEMA 2845A	15	CONDM RELSH(R)	9	0-5 MO.	**********	.003404	**********
				6-11 MO.	.027232	.074888	.052130
				12-23 MO.	.095313	.258706	.182455
				2-65+ YR.	.299554	.721652	.573431
PEPPER, BLACK, OIL FEMA 2845A	16	SOFT CANDY(R)	4	0-5 MO.	.001965	.019653	.002398
				6-11 MO.	.021618	.066820	.026379
				12-23 MO.	.034393	.091386	.041967
				2-65+ YR.	.056994	.172946	.069545
PEPPER, BLACK, OIL FEMA 2845A	20	GELATIN PUDI(R)	4	0-5 MO.	.033646	.045422	.037787
				6-11 MO.	.215332	.652726	.241836
				12-23 MO.	.232155	.565247	.260730
				2-65+ YR.	.343186	.883199	.385426
PEPPER, BLACK, OIL FEMA 2845A	21	SOUPS(R)	*	0-5 MO.	.002000	.015000	.004000
				6-11 MO.	.233000	.727000	.466000
				12-23 MO.	.348000	.961000	.696000
				2-65+ YR.	.317000	.845000	.634000
PEPPER, BLACK, OIL FEMA 2845A	23	BEV TYPE I(R)	4	0-5 MO.	.023221	.034832	.028091
				6-11 MO.	.219632	.751781	.265694
				12-23 MO.	.524408	1.572258	.634389
				2-65+ YR.	1.006245	2.686867	1.217279
PEPPER, BLACK, OIL FEMA 2845A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001934	**********
				12-23 MO.	**********	.003868	**********
				2-65+ YR.	.628534	1.825651	.725538
PEPPER, BLACK, OIL FEMA 2845A	99	ALL CATEGORIES	21	0-5 MO.	.345428	.825928	.421309
				6-11 MO.	5.055141	13.654101	6.345440

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PEPPER, BLACK, OIL FEMA 2845A	99	ALL CATEGORIES	21	12-23 MO.	7.923234	15.131523	9.999102
				2-65+ YR.	19.560744	35.294845	24.296774
PEPPER, BLACK, OLEORES FEMA 2846A	01	BAKED GOODS(R)	7	0-5 MO.	6.377150	8.440345	6.544901
				6-11 MO.	47.641059	97.157750	48.894259
				12-23 MO.	102.221957	168.431775	104.910910
				2-65+ YR.	257.336743	382.253850	264.105998
PEPPER, BLACK, OLEORES FEMA 2846A	04	FATS OILS(R)	*	0-5 MO.	.148382	.148382	.405794
				6-11 MO.	.830940	2.225732	2.272444
				12-23 MO.	1.869615	3.561172	5.113000
				2-65+ YR.	5.193376	9.377753	14.202777
PEPPER, BLACK, OLEORES FEMA 2846A	07	FROZN DAIRY(R)	*	0-5 MO.	.037902	.155399	.041926
				6-11 MO.	.360071	1.000617	.398301
				12-23 MO.	.545791	1.281093	.603740
				2-65+ YR.	.970296	2.338564	1.073315
PEPPER, BLACK, OLEORES FEMA 2846A	10	MEAT PRODS(R)	25	0-5 MO.	.113535	.299319	.402495
				6-11 MO.	2.136520	5.759315	7.574228
				12-23 MO.	3.117049	5.356782	11.050323
				2-65+ YR.	8.091941	13.428080	28.686930
PEPPER, BLACK, OLEORES FEMA 2846A	14	PRUCSD VEGS(R)	*	0-5 MO.	.137192	.411575	.137487
				6-11 MO.	2.351859	5.487671	2.356913
				12-23 MO.	3.821771	6.399017	3.829983
				2-65+ YR.	8.329501	14.032760	8.347399
PEPPER, BLACK, OLEORES FEMA 2846A	15	CONDM RELSH(R)	9	0-5 MO.	**********	.039680	**********
				6-11 MO.	.317441	.872963	.342080
				12-23 MO.	1.111044	3.015690	1.197280
				2-65+ YR.	3.491852	8.412188	3.762881
PEPPER, BLACK, OLEORES FEMA 2846A	16	SOFT CANDY(R)	*	0-5 MO.	.005785	.057851	.006391
				6-11 MO.	.063636	.196693	.070302
				12-23 MO.	.101239	.269006	.111844

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PEPPER, BLACK, OLEORES FEMA 2846A	16	SOFT CANDY(R)	*	2-65+ YR.	.167767	.509087	.185342
PEPPER, BLACK, OLEORES FEMA 2846A	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.030000
				6-11 MO.	.089600	.271600	.192000
				12-23 MO.	.096600	.235200	.207000
				2-65+ YR.	.142800	.367500	.306000
PEPPER, BLACK, OLEORES FEMA 2846A	21	SOUPS(R)	*	0-5 MO.	.006583	.049375	.050333
				6-11 MO.	.766958	2.393042	5.863833
				12-23 MO.	1.145500	3.163292	8.758000
				2-65+ YR.	1.043458	2.781458	7.977833
PEPPER, BLACK, OLEORES FEMA 2846A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000400	.001100	.000800
				12-23 MO.	.001100	.003100	.002200
				2-65+ YR.	.001300	.003700	.002600
PEPPER, BLACK, OLEORES FEMA 2846A	23	BEV TYPE I(R)	*	0-5 MO.	.079056	.118584	.083872
				6-11 MO.	.747737	2.559434	.793291
				12-23 MO.	1.785345	5.352741	1.894113
				2-65+ YR.	3.425754	9.147423	3.634460
PEPPER, BLACK, OLEORES FEMA 2846A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001467	**********
				12-23 MO.	**********	.002933	**********
				2-65+ YR.	.476667	1.384533	.650000
PEPPER, BLACK, OLEORES FEMA 2846A	27	GRAVIES(R)	*	0-5 MO.	.008649	.025948	.019887
				6-11 MO.	.121090	.337323	.278423
				12-23 MO.	.311375	.882228	.715944
				2-65+ YR.	.717892	1.842300	1.650648
PEPPER, BLACK, OLEORES FEMA 2846A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001625	.004875	.001625
				12-23 MO.	.004875	.014625	.004875
				2-65+ YR.	.009750	.027625	.009750

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, BLACK, CLEORES							
FEMA 2846A	99	ALL CATEGORIES	37	0-5 MO.	6.928234	9.765458	7.723086
				6-11 MO.	55.428936	118.269581	69.038498
				12-23 MO.	116.133261	197.968655	138.399211
				2-65+ YR.	289.399096	445.906822	334.595933
PEPPERMINT LEAVES							
FEMA 2847A	18	JAM JELLY(R)	*	0-5 MO.	**********	.150420	**********
				6-11 MO.	3.359380	11.181220	3.359380
				12-23 MO.	1.504200	5.615680	1.504200
				2-65+ YR.	2.857980	8.874780	2.857980
PEPPERMINT LEAVES							
FEMA 2847A	99	ALL CATEGORIES	*	0-5 MO.	**********	.150420	**********
				6-11 MO.	3.359380	11.181220	3.359380
				12-23 MO.	1.504200	5.615680	1.504200
				2-65+ YR.	2.857980	8.874780	2.857980
PEPPERMINT, OIL							
FEMA 2848A	01	BAKED GOODS(R)	23	0-5 MO.	.771468	1.021061	1.111003
				6-11 MO.	5.763319	11.753541	8.299845
				12-23 MO.	12.366177	20.375830	17.808722
				2-65+ YR.	31.131000	46.242696	44.832233
PEPPERMINT, OIL							
FEMA 2848A	07	FROZN DAIRY(R)	28	0-5 MO.	.100754	.413090	.174520
				6-11 MO.	.957160	2.659898	1.657943
				12-23 MO.	1.450853	3.405475	2.513093
				2-65+ YR.	2.579295	6.216503	4.467721
PEPPERMINT, OIL							
FEMA 2848A	08	PROCSD FRUIT(R)	*	0-5 MO.	.658000	1.764000	.705000
				6-11 MO.	7.252000	18.060000	7.770000
				12-23 MO.	14.084000	27.958000	15.090000
				2-65+ YR.	16.562000	35.084000	17.745000
PEPPERMINT, OIL							
FEMA 2848A	10	MEAT PRODS(R)	*	0-5 MO.	.011848	.031235	.018792
				6-11 MO.	.222956	.601012	.353625
				12-23 MO.	.325279	.559006	.515917
				2-65+ YR.	.844433	1.401285	1.339333
PEPPERMINT, OIL							
FEMA 2848A	16	SOFT CANDY(R)	41	0-5 MO.	.174665	1.746651	.207917

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PEPPERMINT, OIL FEMA 2848A	16	SOFT CANDY(R)	41	6-11 MO.	1.921316	5.938612	2.287084
				12-23 MO.	3.056639	8.121925	3.638543
				2-65+ YR.	5.065287	15.370525	6.029586
PEPPERMINT, OIL FEMA 2848A	17	CONF FROST(R)	*	0-5 MO.	**********	.080000	**********
				6-11 MO.	.080000	.160000	.080000
				12-23 MO.	.160000	.560000	.160000
				2-65+ YR.	.240000	.640000	.240000
PEPPERMINT, OIL FEMA 2848A	18	JAM JELLY(R)	*	0-5 MO.	**********	.219000	**********
				6-11 MO.	4.891000	16.279000	4.891000
				12-23 MO.	2.190000	8.176000	2.190000
				2-65+ YR.	4.161000	12.921000	4.161000
PEPPERMINT, OIL FEMA 2848A	19	SWEET SAUCE(R)	*	0-5 MO.	.075000	.100000	.090000
				6-11 MO.	.225000	.775000	.270000
				12-23 MO.	.650000	1.900000	.780000
				2-65+ YR.	1.700000	4.475000	2.040000
PEPPERMINT, OIL FEMA 2848A	20	GELATIN PUD(R)	8	0-5 MO.	.212953	.287487	.289488
				6-11 MO.	1.362900	4.131291	1.852723
				12-23 MO.	1.469377	3.577613	1.997467
				2-65+ YR.	2.172122	5.590020	2.952778
PEPPERMINT, OIL FEMA 2848A	23	BEV TYPE I(R)	15	0-5 MO.	.072818	.109227	.113739
				6-11 MO.	.688734	2.357473	1.075779
				12-23 MO.	1.644466	4.930364	2.568600
				2-65+ YR.	3.155433	8.425613	4.928679
PEPPERMINT, OIL FEMA 2848A	24	BEV TYPE II(R)	13	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.018736	**********
				12-23 MO.	**********	.037472	**********
				2-65+ YR.	6.089179	17.686724	9.156172
PEPPERMINT, OIL FEMA 2848A	30	HARD CANDY(R)	25	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.093461	.280382	.165243

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPERMINT, OIL FEMA 2848A	30	HARD CANDY(R)	25	12-23 MO.	.280382	.841145	.495728
				2-65+ YR.	.560763	1.588829	.991457
PEPPERMINT, OIL FEMA 2848A	31	CHEWING GUM(R)	11	0-5 MO.	**********	**********	**********
				6-11 MO.	.528292	.528292	.899091
				12-23 MO.	.528292	1.584876	.899091
				2-65+ YR.	1.056584	2.113168	1.798182
PEPPERMINT, OIL FEMA 2848A	99	ALL CATEGORIES	101	0-5 MO.	2.077505	5.771750	2.710458
				6-11 MO.	23.986138	63.543236	29.602333
				12-23 MO.	38.205465	82.027706	48.657161
				2-65+ YR.	75.317097	157.755364	100.682140
PEPPER, RED FEMA 2849A	01	BAKED GOODS(R)	6	0-5 MO.	.545114	.721474	1.976382
				6-11 MO.	4.072320	8.304967	14.764739
				12-23 MO.	8.737851	14.397413	31.680247
				2-65+ YR.	21.996939	32.674753	79.752841
PEPPER, RED FEMA 2849A	04	FATS OILS(R)	*	0-5 MO.	.154901	.154901	.175559
				6-11 MO.	.867447	2.323520	.983132
				12-23 MO.	1.951757	3.717632	2.212046
				2-65+ YR.	5.421546	9.789763	6.144572
PEPPER, RED FEMA 2849A	05	MILK PRODS(R)	*	0-5 MO.	8.526600	6.316000	8.526600
				6-11 MO.	98.529600	473.857900	98.529600
				12-23 MO.	86.055500	275.377600	86.055500
				2-65+ YR.	62.370500	190.427400	62.370500
PEPPER, RED FEMA 2849A	10	MEAT PRODS(R)	26	0-5 MO.	.532930	1.404998	2.488316
				6-11 MO.	10.028776	27.034091	46.825585
				12-23 MO.	14.631354	25.144612	68.315588
				2-65+ YR.	37.983382	63.031098	177.349076
PEPPER, RED FEMA 2849A	14	PROCSD VEGS(R)	7	0-5 MO.	1.223470	3.670409	1.512620
				6-11 MO.	20.973765	48.938786	25.930621
				12-23 MO.	34.082369	57.066120	42.137259

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PEPPER, RED FEMA 2849A	14	PROCSD VEGS(R)	7	2-65+ YR.	74.282086	125.143467	91.837615
PEPPER, RED FEMA 2849A	15	CONDM RELSH(R)	9	0-5 MO.	**********	.048961	**********
				6-11 MO.	.391686	1.077136	1.003755
				12-23 MO.	1.370900	3.721015	3.513143
				2-65+ YR.	4.308543	10.379672	11.041308
PEPPER, RED FEMA 2849A	21	SOUPS(R)	*	0-5 MO.	.231884	1.739131	.236386
				6-11 MO.	27.014502	84.289884	27.538993
				12-23 MO.	40.347840	111.420328	41.131200
				2-65+ YR.	36.753636	97.971048	37.467214
PEPPER, RED FEMA 2849A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.003600	**********
				6-11 MO.	.014400	.039600	.043200
				12-23 MO.	.039600	.111600	.118800
				2-65+ YR.	.046800	.133200	.140400
PEPPER, RED FEMA 2849A	27	GRAVIES(R)	6	0-5 MO.	.017741	.053222	.086801
				6-11 MO.	.248367	.691880	1.215213
				12-23 MO.	.638659	1.809533	3.124834
				2-65+ YR.	1.472463	3.778731	7.204480
PEPPER, RED FEMA 2849A	99	ALL CATEGORIES	45	0-5 MO.	11.232639	14.112695	15.002664
				6-11 MO.	162.140863	646.557764	216.834838
				12-23 MO.	187.855829	492.765853	278.288617
				2-65+ YR.	244.635896	533.329133	473.308006
PEPPER, WHITE FEMA 2850A	01	BAKED GOODS(R)	8	0-5 MO.	.590948	.782138	.684726
				6-11 MO.	4.414732	9.003272	5.115305
				12-23 MO.	9.472554	15.607989	10.975753
				2-65+ YR.	23.846504	35.422139	27.630703
PEPPER, WHITE FEMA 2850A	03	OTHER GRAIN(R)	*	0-5 MO.	.000805	.002737	.000805
				6-11 MO.	.015617	.046046	.015617
				12-23 MO.	.026404	.061019	.026404
				2-65+ YR.	.044758	.098854	.044758

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, WHITE FEMA 2850A	04	FATS OILS(R)	5	0-5 MO.	.384765	.384765	.744566
				6-11 MO.	2.154682	5.771469	4.169571
				12-23 MO.	4.848034	9.234351	9.381535
				2-65+ YR.	13.466762	24.317124	26.059820
PEPPER, WHITE FEMA 2850A	06	CHEESE(R)	*	0-5 MO.	**********	.120000	**********
				6-11 MO.	3.240000	11.640000	5.670000
				12-23 MO.	9.360000	26.640000	16.380000
				2-65+ YR.	11.280000	28.320000	19.740000
PEPPER, WHITE FEMA 2850A	10	MEAT PRODS(R)	28	0-5 MO.	.733122	1.932776	4.046950
				6-11 MO.	13.796020	37.189272	76.156243
				12-23 MO.	20.127527	34.590021	111.107176
				2-65+ YR.	52.251593	86.708320	288.437172
PEPPER, WHITE FEMA 2850A	14	PROCSD VEGS(R)	6	0-5 MO.	.232453	.697359	.454386
				6-11 MO.	3.984911	9.298126	7.789480
				12-23 MO.	6.475481	10.842279	12.657905
				2-65+ YR.	14.113227	23.776637	27.587742
PEPPER, WHITE FEMA 2850A	15	CONDM RELSH(R)	8	0-5 MO.	**********	.036358	**********
				6-11 MO.	.290864	.799877	.333002
				12-23 MO.	1.018025	2.763211	1.165509
				2-65+ YR.	3.199508	7.707905	3.663027
PEPPER, WHITE FEMA 2850A	21	SOUPS(R)	4	0-5 MO.	.043595	.326966	.060480
				6-11 MO.	5.078869	15.846942	7.045942
				12-23 MO.	7.585606	20.947608	10.523553
				2-65+ YR.	6.909877	18.419073	9.586110
PEPPER, WHITE FEMA 2850A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.002400	**********
				6-11 MO.	.009600	.026400	.009600
				12-23 MO.	.026400	.074400	.026400
				2-65+ YR.	.031200	.088800	.031200
PEPPER, WHITE FEMA 2850A	23	BEV TYPE 1(R)	*	0-5 MO.	.120000	.180000	.240000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, WHITE FEMA 2850A	23	BEV TYPE I(R)	*	6-11 MO.	1.135000	3.885000	2.270000
				12-23 MO.	2.710000	8.125000	5.420000
				2-65+ YR.	5.200000	13.885000	10.400000
PEPPER, WHITE FEMA 2850A	25	NUT PRODS(R)	*	0-5 MO.	**********	.775400	**********
				6-11 MO.	14.344900	51.951800	15.540000
				12-23 MO.	10.467900	34.893000	11.340000
				2-65+ YR.	20.160400	60.093500	21.840000
PEPPER, WHITE FEMA 2850A	27	GRAVIES(R)	6	0-5 MO.	.020109	.060326	.020331
				6-11 MO.	.281523	.784243	.284640
				12-23 MO.	.723917	2.051097	.731932
				2-65+ YR.	1.669030	4.283173	1.687510
PEPPER, WHITE FEMA 2850A	99	ALL CATEGORIES	52	0-5 MO.	2.125797	5.301225	6.252245
				6-11 MO.	48.746718	146.242446	124.399402
				12-23 MO.	72.841848	165.829975	189.736168
				2-65+ YR.	152.172858	303.120524	436.708043
PEPPER, WHITE, OIL FEMA 2851A	01	BAKED GOODS(R)	4	0-5 MO.	.029924	.039605	.043596
				6-11 MO.	.223547	.455896	.325688
				12-23 MO.	.479659	.790337	.698819
				2-65+ YR.	1.207507	1.793659	1.759229
PEPPER, WHITE, OIL FEMA 2851A	04	FATS OILS(R)	*	0-5 MO.	.031625	.031625	.031625
				6-11 MO.	.177100	.474375	.177100
				12-23 MO.	.398475	.759000	.398475
				2-65+ YR.	1.106875	1.998700	1.106875
PEPPER, WHITE, OIL FEMA 2851A	07	FROZN DAIRY(R)	*	0-5 MO.	.026000	.106600	.030000
				6-11 MO.	.247000	.686400	.285000
				12-23 MO.	.374400	.878800	.432000
				2-65+ YR.	.665600	1.604200	.768000
PEPPER, WHITE, OIL FEMA 2851A	10	MEAT PRODS(R)	*	0-5 MO.	.005961	.015716	.011873
				6-11 MO.	.112180	.302398	.223429

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, WHITE, OIL FEMA 2851A	10	MEAT PRODS(R)	*	12-23 MO.	.163663	.281262	.325969
				2-65+ YR.	.424874	.705053	.846224
PEPPER, WHITE, OIL FEMA 2851A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.005300	**********
				6-11 MO.	.042400	.116600	.046400
				12-23 MO.	.148400	.402800	.162400
				2-65+ YR.	.466400	1.123600	.510400
PEPPER, WHITE, OIL FEMA 2851A	16	SOFT CANDY(R)	*	0-5 MO.	.001800	.018000	.002200
				6-11 MO.	.019600	.061200	.024200
				12-23 MO.	.031500	.083700	.038500
				2-65+ YR.	.052200	.158400	.063800
PEPPER, WHITE, OIL FEMA 2851A	20	GELATIN PUD(R)	*	0-5 MO.	.026000	.035100	.030000
				6-11 MO.	.166400	.504400	.192000
				12-23 MO.	.179400	.436800	.207000
				2-65+ YR.	.265200	.692500	.306000
PEPPER, WHITE, OIL FEMA 2851A	23	BEV TYPE I(R)	*	0-5 MO.	.016800	.025200	.021600
				6-11 MO.	.158900	.543900	.204300
				12-23 MO.	.379400	1.137500	.487800
				2-65+ YR.	.728000	1.943900	.936000
PEPPER, WHITE, OIL FEMA 2851A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001500	**********
				12-23 MO.	**********	.003000	**********
				2-65+ YR.	.487500	1.416000	.617500
PEPPER, WHITE, OIL FEMA 2851A	99	ALL CATEGORIES	6	0-5 MO.	.138110	.277146	.170894
				6-11 MO.	1.147327	3.146668	1.478117
				12-23 MO.	2.154897	4.773199	2.750963
				2-65+ YR.	5.404157	11.426012	6.914028
PEPPER, WHITE, OLEORES FEMA 2852A	01	BAKED GOODS(A)	*	0-5 MO.	5.066450	6.705596	6.755305
				6-11 MO.	37.849364	77.188861	50.466099
				12-23 MO.	81.212219	133.813894	108.283560

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PEPPER, WHITE, OLEORES FEMA 2852A	01	BAKED GOODS(R)	*	2-65+ YR.	204.446172	303.688993	272.596411
PEPPER, WHITE, OLEORES FEMA 2852A	07	FROZN DAIRY(R)	*	0-5 MO.	.035000	.143500	.039000
				6-11 MO.	.332500	.924000	.370500
				12-23 MO.	.504000	1.183000	.561600
				2-65+ YR.	.896000	2.159500	.998400
PEPPER, WHITE, OLEORES FEMA 2852A	10	MEAT PRODS(R)	*	0-5 MO.	.307773	.811402	.340212
				6-11 MO.	5.791729	15.612488	6.402178
				12-23 MO.	8.449769	14.521292	9.340376
				2-65+ YR.	21.935825	36.401159	24.247864
PEPPER, WHITE, OLEORES FEMA 2852A	13	FISH PRODS(R)	*	0-5 MO.	.050000	.150000	.100000
				6-11 MO.	.650000	2.450000	1.300000
				12-23 MO.	2.700000	6.750000	5.400000
				2-65+ YR.	6.200000	15.450000	12.400000
PEPPER, WHITE, OLEORES FEMA 2852A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.037500	**********
				6-11 MO.	.300000	.825000	.320000
				12-23 MO.	1.050000	2.850000	1.120000
				2-65+ YR.	3.300000	7.950000	3.520000
PEPPER, WHITE, OLEORES FEMA 2852A	16	SOFT CANDY(R)	*	0-5 MO.	.005200	.052000	.006000
				6-11 MO.	.057200	.176800	.066000
				12-23 MO.	.091000	.241800	.105000
				2-65+ YR.	.150800	.457600	.174000
PEPPER, WHITE, OLEORES FEMA 2852A	23	BEV TYPE I(R)	*	0-5 MO.	.072000	.108000	.079200
				6-11 MO.	.681000	2.331000	.749100
				12-23 MO.	1.626000	4.875000	1.788600
				2-65+ YR.	3.120000	8.331000	3.432000
PEPPER, WHITE, OLEORES FEMA 2852A	99	ALL CATEGORIES	4	0-5 MO.	5.536423	8.007998	7.319717
				6-11 MO.	45.661794	99.508149	59.673878
				12-23 MO.	95.632988	164.234986	126.399136
				2-65+ YR.	240.048797	374.438252	317.368675

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PETITGRAIN, LEMON, OIL							
FEMA 2853A	01	BAKED GOODS(R)	*	0-5 MO.	.189372	.250640	.227326
				6-11 MO.	1.414721	2.885140	1.698256
				12-23 MO.	3.035523	5.001651	3.643895
				2-65+ YR.	7.641721	11.351186	9.173256
PETITGRAIN, LEMON, OIL							
FEMA 2853A	07	FROZN DAIRY(R)	*	0-5 MO.	.017763	.072829	.023303
				6-11 MO.	.168750	.468947	.221375
				12-23 MO.	.255789	.600395	.335558
				2-65+ YR.	.454737	1.095987	.596547
PETITGRAIN, LEMON, OIL							
FEMA 2853A	16	SOFT CANDY(R)	*	0-5 MO.	.010367	.103674	.012060
				6-11 MO.	.114042	.352493	.132665
				12-23 MO.	.181430	.482086	.211058
				2-65+ YR.	.300656	.912335	.349753
PETITGRAIN, LEMON, OIL							
FEMA 2853A	20	GELATIN PUD(R)	*	0-5 MO.	.104684	.141324	.116421
				6-11 MO.	.669979	2.030874	.745095
				12-23 MO.	.722321	1.758695	.803305
				2-65+ YR.	1.067779	2.747961	1.187495
PETITGRAIN, LEMON, OIL							
FEMA 2853A	23	BEV TYPE I(R)	4	0-5 MO.	.025464	.038196	.030976
				6-11 MO.	.240847	.824397	.292981
				12-23 MO.	.575062	1.724125	.699541
				2-65+ YR.	1.103440	2.946397	1.342293
PETITGRAIN, LEMON, OIL							
FEMA 2853A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002200	**********
				12-23 MO.	**********	.004400	**********
				2-65+ YR.	.715000	2.076800	.812500
PETITGRAIN, LEMON, OIL							
FEMA 2853A	99	ALL CATEGORIES	4	0-5 MO.	.347651	.606663	.410086
				6-11 MO.	2.608339	6.564051	3.090372
				12-23 MO.	4.770126	9.571352	5.693358
				2-65+ YR.	11.283332	21.130665	13.461845
PETITGRAIN, MAND, OIL							
FEMA 2854A	01	BAKED GOODS(R)	5	0-5 MO.	.056858	.075254	.078174

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PETITGRAIN, MAND, OIL FEMA 2854A	01	BAKED GOODS(R)	5	6-11 MO.	.424766	.866255	.584005
				12-23 MO.	.911408	1.501732	1.253081
				2-65+ YR.	2.294406	3.408163	3.154545
PETITGRAIN, MAND, OIL FEMA 2854A	07	FROZN DAIRY(R)	5	0-5 MO.	.005319	.021809	.008123
				6-11 MO.	.050533	.140428	.077169
				12-23 MO.	.076597	.179790	.116972
				2-65+ YR.	.136172	.328197	.207951
PETITGRAIN, MAND, OIL FEMA 2854A	16	SOFT CANDY(R)	5	0-5 MO.	.002929	.029293	.003717
				6-11 MO.	.032222	.099596	.040889
				12-23 MO.	.051263	.136212	.065050
				2-65+ YR.	.084949	.257777	.107797
PETITGRAIN, MAND, OIL FEMA 2854A	20	GELATIN PUD(R)	5	0-5 MO.	.024320	.032832	.030040
				6-11 MO.	.155648	.471808	.192256
				12-23 MO.	.167808	.408576	.207276
				2-65+ YR.	.248064	.638400	.306408
PETITGRAIN, MAND, OIL FEMA 2854A	23	BEV TYPE I(R)	10	0-5 MO.	.008247	.012371	.009901
				6-11 MO.	.078004	.267000	.093642
				12-23 MO.	.186247	.558397	.223586
				2-65+ YR.	.357374	.954258	.429022
PETITGRAIN, MAND, OIL FEMA 2854A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000811	**********
				12-23 MO.	**********	.001623	**********
				2-65+ YR.	.263724	.766017	.301192
PETITGRAIN, MAND, OIL FEMA 2854A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000025	.000075	.000025
				12-23 MO.	.000075	.000225	.000075
				2-65+ YR.	.000150	.000425	.000150
PETITGRAIN, MAND, OIL FEMA 2854A	99	ALL CATEGORIES	12	0-5 MO.	.097674	.171558	.129955
				6-11 MO.	.741198	1.845973	.987986

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PETITGRAIN, MAND, OIL FEMA 2854A	99	ALL CATEGORIES	12	12-23 MO.	1.393397	2.786555	1.866040
				2-65+ YR.	3.384840	6.353236	4.507064
PETITGRAIN, OIL FEMA 2855A	01	BAKED GOODS(R)	14	0-5 MO.	.045430	.060128	.070485
				6-11 MO.	.339388	.692138	.526562
				12-23 MO.	.728215	1.199884	1.129828
				2-65+ YR.	1.833230	2.723122	2.844264
PETITGRAIN, OIL FEMA 2855A	07	FROZN DAIRY(R)	15	0-5 MO.	.005413	.022192	.009456
				6-11 MO.	.051420	.142892	.089833
				12-23 MO.	.077941	.182946	.136168
				2-65+ YR.	.138562	.333957	.242077
PETITGRAIN, OIL FEMA 2855A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.003267	**********
				6-11 MO.	.026137	.071876	.030126
				12-23 MO.	.091479	.248300	.105442
				2-65+ YR.	.287505	.692626	.331389
PETITGRAIN, OIL FEMA 2855A	16	SOFT CANDY(R)	15	0-5 MO.	.002090	.020903	.003357
				6-11 MO.	.022994	.071071	.036930
				12-23 MO.	.036581	.097200	.058753
				2-65+ YR.	.060620	.183949	.097361
PETITGRAIN, OIL FEMA 2855A	20	GELATIN PUD(R)	10	0-5 MO.	.015393	.020780	.022909
				6-11 MO.	.098514	.298620	.146618
				12-23 MO.	.106210	.258599	.158073
				2-65+ YR.	.157006	.404060	.233672
PETITGRAIN, OIL FEMA 2855A	23	BEV TYPE I(R)	22	0-5 MO.	.006732	.010098	.014871
				6-11 MO.	.063675	.217955	.140653
				12-23 MO.	.152036	.455827	.335832
				2-65+ YR.	.291729	.778973	.644401
PETITGRAIN, OIL FEMA 2855A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000515	**********
				12-23 MO.	**********	.001031	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PETITGRAIN, OIL FEMA 2855A	24	BEV TYPE II(R)	6	2-65+ YR.	.167458	.486400	.303690
PETITGRAIN, OIL FEMA 2855A	27	GRAVIES(R)	*	0-5 MO.	.000030	.000090	.000060
				6-11 MO.	.000420	.001170	.000840
				12-23 MO.	.001080	.003060	.002160
				2-65+ YR.	.002490	.006390	.004980
PETITGRAIN, OIL FEMA 2855A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000143	.000429	.000179
				12-23 MO.	.000429	.001287	.000537
				2-65+ YR.	.000858	.002431	.001074
PETITGRAIN, OIL FEMA 2855A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002504	.002504	.004129
				12-23 MO.	.002504	.007512	.004129
				2-65+ YR.	.005008	.010016	.008258
PETITGRAIN, OIL FEMA 2855A	99	ALL CATEGORIES	31	0-5 MO.	.075088	.137458	.121138
				6-11 MO.	.605194	1.499171	.975870
				12-23 MO.	1.196675	2.455645	1.930921
				2-65+ YR.	2.944467	5.621924	4.711167
PIMENTA LEAF, OIL FEMA 2901A	01	BAKED GOODS(R)	8	0-5 MO.	.167488	.221675	.201653
				6-11 MO.	1.251234	2.551729	1.506463
				12-23 MO.	2.684734	4.423654	3.232372
				2-65+ YR.	6.758634	10.039429	8.137274
PIMENTA LEAF, OIL FEMA 2901A	04	FATS OILS(R)	*	0-5 MO.	.045000	.045000	**********
				6-11 MO.	.252000	.675000	**********
				12-23 MO.	.567000	1.080000	**********
				2-65+ YR.	1.575000	2.844000	**********
PIMENTA LEAF, OIL FEMA 2901A	07	FROZN DAIRY(R)	5	0-5 MO.	.001994	.008177	.003013
				6-11 MO.	.018947	.052654	.028627
				12-23 MO.	.028720	.067413	.043392
				2-65+ YR.	.051058	.123058	.077141

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIMENTA LEAF, OIL FEMA 2901A	10	MEAT PRODS(R)	10	0-5 MO.	.083442	.219985	.099161
				6-11 MO.	1.570236	4.232809	1.866029
				12-23 MO.	2.290875	3.936968	2.722419
				2-65+ YR.	5.947173	9.868969	7.067471
PIMENTA LEAF, OIL FEMA 2901A	15	CONDM RELSH(R)	10	0-5 MO.	**********	.008607	**********
				6-11 MO.	.068856	.189355	.078345
				12-23 MO.	.240997	.654134	.274209
				2-65+ YR.	.757418	1.824689	.861800
PIMENTA LEAF, OIL FEMA 2901A	16	SOFT CANDY(R)	7	0-5 MO.	.006037	.060374	.008035
				6-11 MO.	.066412	.205272	.088387
				12-23 MO.	.105655	.280740	.140616
				2-65+ YR.	.175085	.531293	.233021
PIMENTA LEAF, OIL FEMA 2901A	20	GELATIN PUD(R)	*	0-5 MO.	.004015	.005420	.006031
				6-11 MO.	.025696	.077891	.038601
				12-23 MO.	.027703	.067452	.041617
				2-65+ YR.	.040953	.105393	.061521
PIMENTA LEAF, OIL FEMA 2901A	23	BEV TYPE I(R)	11	0-5 MO.	.007269	.010934	.009731
				6-11 MO.	.068945	.235994	.092040
				12-23 MO.	.164619	.493552	.219760
				2-65+ YR.	.315874	.843443	.421680
PIMENTA LEAF, OIL FEMA 2901A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000299	**********
				12-23 MO.	**********	.000598	**********
				2-65+ YR.	.097127	.282115	.130217
PIMENTA LEAF, OIL FEMA 2901A	27	GRAVIES(R)	*	0-5 MO.	.001000	.003000	.009400
				6-11 MO.	.014000	.039000	.131600
				12-23 MO.	.036000	.102000	.338400
				2-65+ YR.	.083000	.213000	.780200
PIMENTA LEAF, OIL FEMA 2901A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIMENTA LEAF, OIL FEMA 2901A	31	CHEWING GUM(R)	*	6-11 MO.	.083500	.083500	.083500
				12-23 MO.	.083500	.250500	.083500
				2-65+ YR.	.167000	.334000	.167000
PIMENTA LEAF, OIL FEMA 2901A	99	ALL CATEGORIES	32	0-5 MO.	.316267	.583173	.337025
				6-11 MO.	3.419826	8.343503	3.913593
				12-23 MO.	6.229804	11.357011	7.096286
				2-65+ YR.	15.968322	27.009391	17.937326
PIPSISSEWA LEAVES, EXT FEMA 2914A	01	BAKED GOODS(R)	*	0-5 MO.	.488598	.646674	.984509
				6-11 MO.	3.650113	7.443932	7.354860
				12-23 MO.	7.831936	12.904731	15.781098
				2-65+ YR.	19.716359	29.287129	39.727827
PIPSISSEWA LEAVES, EXT FEMA 2914A	07	FROZN DAIRY(R)	*	0-5 MO.	.100317	.411299	.168818
				6-11 MO.	.953010	2.648365	1.603771
				12-23 MO.	1.444563	3.390710	2.430979
				2-65+ YR.	2.568111	6.189550	4.321740
PIPSISSEWA LEAVES, EXT FEMA 2914A	16	SOFT CANDY(R)	*	0-5 MO.	.012557	.125575	.027138
				6-11 MO.	.138132	.426953	.298514
				12-23 MO.	.219755	.583922	.474908
				2-65+ YR.	.364166	1.105056	.786990
PIPSISSEWA LEAVES, EXT FEMA 2914A	19	SWEET SAUCE(R)	*	0-5 MO.	.096600	.128800	.109500
				6-11 MO.	.289800	.998200	.328500
				12-23 MO.	.837200	2.447200	.949000
				2-65+ YR.	2.189600	5.763800	2.482000
PIPSISSEWA LEAVES, EXT FEMA 2914A	20	GELATIN PUD(R)	*	0-5 MO.	.050000	.067500	.060000
				6-11 MO.	.320000	.970000	.384000
				12-23 MO.	.345000	.840000	.414000
				2-65+ YR.	.510000	1.312500	.612000
PIPSISSEWA LEAVES, EXT FEMA 2914A	23	BEV TYPE I(R)	5	0-5 MO.	.032494	.048741	.032494
				6-11 MO.	.307337	1.051986	.307337

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIPSISSEWA LEAVES, EXT FEMA 2914A	23	BEV TYPE I(R)	5	12-23 MO.	.733818	2.200100	.733818
				2-65+ YR.	1.408064	3.759801	1.408064
PIPSISSEWA LEAVES, EXT FEMA 2914A	99	ALL CATEGORIES	7	0-5 MO.	.780566	1.428588	1.382458
				6-11 MO.	5.658392	13.539436	10.276982
				12-23 MO.	11.412272	22.366662	20.783802
				2-65+ YR.	26.756301	47.417835	49.338622
POMEGRANATE BARK, EXT FEMA 2918A	23	BEV TYPE I(R)	*	0-5 MO.	.144000	.216000	.288000
				6-11 MO.	1.362000	4.662000	2.724000
				12-23 MO.	3.252000	9.750000	6.504000
				2-65+ YR.	6.240000	16.662000	12.480000
POMEGRANATE BARK, EXT FEMA 2918A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.080000	**********
				12-23 MO.	**********	.160000	**********
				2-65+ YR.	26.000000	75.520000	52.000000
POMEGRANATE BARK, EXT FEMA 2918A	99	ALL CATEGORIES	*	0-5 MO.	.144000	.216000	.288000
				6-11 MO.	1.362000	4.742000	2.724000
				12-23 MO.	3.252000	9.910000	6.504000
				2-65+ YR.	32.240000	92.182000	64.480000
POPPY SEED FEMA 2919A	01	BAKED GOODS(R)	8	0-5 MO.	121.102217	160.282346	152.904297
				6-11 MO.	904.704795	1845.027889	1142.285039
				12-23 MO.	1941.197296	3198.523252	2450.965931
				2-65+ YR.	4886.830625	7259.009340	6170.138086
POPPY SEED FEMA 2919A	03	OTHER GRAIN(R)	*	0-5 MO.	.170000	.578000	.339500
				6-11 MO.	3.298000	9.724000	6.586300
				12-23 MO.	5.576000	12.886000	11.135600
				2-65+ YR.	9.452000	20.876000	18.876200
POPPY SEED FEMA 2919A	04	FATS OILS(R)	*	0-5 MO.	.100000	.100000	70.000000
				6-11 MO.	.560000	1.500000	392.000000
				12-23 MO.	1.260000	2.400000	882.000000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
POPPY SEED FEMA 2919A	04	FATS OILS(R)	*	2-65+ YR.	3.500000	6.320000	2450.000000
POPPY SEED FEMA 2919A	14	PROCSD VEGS(R)	*	0-5 MO.	7.000000	21.000000	13.860000
				6-11 MO.	120.000000	280.000000	237.600000
				12-23 MO.	195.000000	326.500000	386.100000
				2-65+ YR.	425.000000	716.000000	841.500000
POPPY SEED FEMA 2919A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.164962	**********
				6-11 MO.	1.319692	3.629154	1.331692
				12-23 MO.	4.618923	12.537077	4.660923
				2-65+ YR.	14.516615	34.971846	14.648615
POPPY SEED FEMA 2919A	20	GELATIN PUD(R)	*	0-5 MO.	1.298000	1.752300	2.716000
				6-11 MO.	8.307200	25.181200	17.382400
				12-23 MO.	8.956200	21.806400	18.740400
				2-65+ YR.	13.239600	34.072500	27.703200
POPPY SEED FEMA 2919A	99	ALL CATEGORIES	10	0-5 MO.	129.670217	183.877607	239.819797
				6-11 MO.	1038.189687	2165.062243	1797.185432
				12-23 MO.	2156.608420	3574.652729	3753.602854
				2-65+ YR.	5352.538841	8071.249686	9522.866102
ROSE, ABSOLUTE FEMA 2988A	01	BAKED GOODS(R)	8	0-5 MO.	.003426	.004535	.006324
				6-11 MO.	.025595	.052198	.047244
				12-23 MO.	.054919	.090491	.101370
				2-65+ YR.	.138255	.205368	.255192
ROSE, ABSOLUTE FEMA 2988A	07	FROZN DAIRY(R)	7	0-5 MO.	.000781	.003203	.001667
				6-11 MO.	.007423	.020627	.015833
				12-23 MO.	.011251	.026409	.024000
				2-65+ YR.	.020002	.048208	.042667
ROSE, ABSOLUTE FEMA 2988A	16	SOFT CANDY(R)	8	0-5 MO.	.000167	.001669	.000312
				6-11 MO.	.001836	.005675	.003427
				12-23 MO.	.002921	.007762	.008452
				2-65+ YR.	.004841	.014689	.009035

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ROSE, ABSOLUTE							
FEMA 2988A	20	GELATIN PUD(R)	7	0-5 MO.	.000990	.001337	.002936
				6-11 MO.	.006336	.019206	.018790
				12-23 MO.	.006831	.016632	.020258
				2-65+ YR.	.010098	.025988	.029947
ROSE, ABSOLUTE							
FEMA 2988A	23	BEV TYPE I(R)	10	0-5 MO.	.001279	.001918	.001713
				6-11 MO.	.012095	.041400	.016198
				12-23 MO.	.028878	.086582	.038676
				2-65+ YR.	.055413	.147962	.074211
ROSE, ABSOLUTE							
FEMA 2988A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000057	**********
				12-23 MO.	**********	.000115	**********
				2-65+ YR.	.018643	.054151	.036695
ROSE, ABSOLUTE							
FEMA 2988A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000164	.000492	.000164
				12-23 MO.	.000492	.001476	.000492
				2-65+ YR.	.000984	.002788	.000984
ROSE, ABSOLUTE							
FEMA 2988A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.009671	.009671	.015774
				12-23 MO.	.009671	.029013	.015774
				2-65+ YR.	.019342	.038684	.031548
ROSE, ABSOLUTE							
FEMA 2988A	99	ALL CATEGORIES	13	0-5 MO.	.006643	.012662	.012951
				6-11 MO.	.063120	.149327	.117431
				12-23 MO.	.114964	.258480	.206022
				2-65+ YR.	.267578	.537838	.480279
ROSE BULG/TRUE OTTO, OIL							
FEMA 2989A	01	BAKED GOODS(R)	11	0-5 MO.	.001233	.001631	.003462
				6-11 MO.	.009208	.018779	.025860
				12-23 MO.	.019758	.032555	.055486
				2-65+ YR.	.049738	.073882	.139683
ROSE BULG/TRUE OTTO, OIL							
FEMA 2989A	07	FROZN DAIRY(R)	13	0-5 MO.	.000275	.001126	.000885

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	07	FROZN DAIRY(R)	13	6-11 MO.	.002609	.007252	.008410
				12-23 MO.	.003955	.009284	.012747
				2-65+ YR.	.007032	.016948	.022662
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	16	SOFT CANDY(R)	13	0-5 MO.	.000108	.001075	.000259
				6-11 MO.	.001183	.003656	.002847
				12-23 MO.	.001882	.005001	.004530
				2-65+ YR.	.003119	.009463	.007507
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	20	GELATIN PUD(R)	13	0-5 MO.	.000568	.000767	.001959
				6-11 MO.	.003634	.011016	.012535
				12-23 MO.	.003918	.009539	.013515
				2-65+ YR.	.005792	.014905	.019978
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	23	BEV TYPE I(R)	24	0-5 MO.	.000482	.000724	.000916
				6-11 MO.	.004563	.015620	.008665
				12-23 MO.	.010896	.032668	.020689
				2-65+ YR.	.020907	.055826	.039698
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000036	**********
				12-23 MO.	**********	.000072	**********
				2-65+ YR.	.011722	.034047	.034277
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001039	.003117	.008143
				12-23 MO.	.003117	.009351	.024429
				2-65+ YR.	.006234	.017663	.048858
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.000405	.000405	.000682
				12-23 MO.	.000405	.001215	.000682
				2-65+ YR.	.000810	.001620	.001364
ROSE BULG/TRUE OTTO, OIL FEMA 2989A	99	ALL CATEGORIES	35	0-5 MO.	.002665	.005323	.007480
				6-11 MO.	.022642	.059881	.067142

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ROSE BULG/TRUE OTTO, OIL							
FEMA 2989A	59	ALL CATEGORIES	35	12-23 MO.	.043931	.099685	.132078
				2-65+ YR.	.105353	.224355	.314026
ROSEMARY							
FEMA 2991A	01	BAKED GOODS(R)	*	0-5 MO.	5.750569	7.611047	13.932458
				6-11 MO.	42.960131	87.611605	104.083657
				12-23 MO.	92.178233	151.882667	223.329106
				2-65+ YR.	232.052359	344.695851	562.215658
ROSEMARY							
FEMA 2991A	03	OTHER GRAIN(R)	*	0-5 MO.	.015700	.053380	.015700
				6-11 MO.	.304580	.898040	.304580
				12-23 MO.	.514960	1.190060	.514960
				2-65+ YR.	.872920	1.927960	.872920
ROSEMARY							
FEMA 2991A	10	MEAT PRODS(R)	12	0-5 MO.	.344214	.907472	1.579503
				6-11 MO.	6.477476	17.461022	29.723370
				12-23 MO.	9.450230	16.240628	43.364531
				2-65+ YR.	24.533049	40.711092	112.575471
ROSEMARY							
FEMA 2991A	14	PROCSD VEGS(R)	*	0-5 MO.	1.326940	3.980819	2.793420
				6-11 MO.	22.747537	53.077587	47.887202
				12-23 MO.	36.964748	61.892257	77.816703
				2-65+ YR.	80.564194	135.726971	169.600507
ROSEMARY							
FEMA 2991A	15	CONDM RELSH(R)	4	0-5 MO.	**********	.043998	**********
				6-11 MO.	.351982	.967951	.597313
				12-23 MO.	1.231938	3.343831	2.090594
				2-65+ YR.	3.871805	9.327529	6.570439
ROSEMARY							
FEMA 2991A	21	SOUPS(R)	*	0-5 MO.	.002752	.020642	.003705
				6-11 MO.	.320634	1.000433	.431657
				12-23 MO.	.478887	1.322443	.644706
				2-65+ YR.	.436227	1.162814	.587276
ROSEMARY							
FEMA 2991A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.041700	**********
				6-11 MO.	.166800	.458700	.178000
				12-23 MO.	.458700	1.292700	.489500

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ROSEMARY FEMA 2991A	22	SNACK FOODS(R)	*	2-65+ YR.	.542100	1.542900	.578500
ROSEMARY FEMA 2991A	23	BEV TYPE I(R)	*	0-5 MO.	1.954736	2.932104	5.356800
				6-11 MO.	18.488544	63.284574	50.666400
				12-23 MO.	44.144452	132.351908	120.974400
				2-65+ YR.	84.705221	226.179230	232.128000
ROSEMARY FEMA 2991A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.003100	**********
				12-23 MO.	**********	.006200	**********
				2-65+ YR.	1.007500	2.926400	2.470000
ROSEMARY FEMA 2991A	27	GRAVIES(R)	*	0-5 MO.	.003299	.009896	.008185
				6-11 MO.	.046180	.128645	.114584
				12-23 MO.	.118749	.336456	.294644
				2-65+ YR.	.273782	.702598	.679318
ROSEMARY FEMA 2991A	99	ALL CATEGORIES	19	0-5 MO.	9.398209	15.601057	23.689771
				6-11 MO.	91.863864	224.891657	233.986762
				12-23 MO.	185.540897	369.859150	469.519144
				2-65+ YR.	428.859157	764.903347	1088.278087
ROSEMARY, CTL FEMA 2992A	01	BAKED GOODS(R)	5	0-5 MO.	.030480	.040342	.039092
				6-11 MO.	.227707	.464379	.292042
				12-23 MO.	.488584	.805043	.626626
				2-65+ YR.	1.229977	1.827036	1.577487
ROSEMARY, CTL FEMA 2992A	07	FROZN DAIRY(R)	*	0-5 MO.	.003339	.013690	.004792
				6-11 MO.	.031721	.088151	.045520
				12-23 MO.	.048082	.112860	.068998
				2-65+ YR.	.085480	.206019	.122664
ROSEMARY, CTL FEMA 2992A	10	MEAT PRODS(R)	7	0-5 MO.	.014642	.038603	.028785
				6-11 MO.	.275544	.742771	.541687
				12-23 MO.	.402002	.690857	.790288
				2-65+ YR.	1.043607	1.731802	2.051608

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ROSEMARY, OIL							
FEMA 2992A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.000998	**********
				6-11 MO.	.007984	.021955	.015471
				12-23 MO.	.027943	.075845	.054147
				2-65+ YR.	.087820	.211566	.170177
ROSEMARY, OIL							
FEMA 2992A	16	SOFT CANDY(R)	7	0-5 MO.	.001427	.014266	.001744
				6-11 MO.	.015692	.048504	.019188
				12-23 MO.	.024965	.066336	.030527
				2-65+ YR.	.041371	.125540	.050587
ROSEMARY, OIL							
FEMA 2992A	20	GELATIN PUD(R)	*	0-5 MO.	.008033	.010844	.010066
				6-11 MO.	.051410	.155836	.064420
				12-23 MO.	.055426	.134951	.069452
				2-65+ YR.	.081934	.210861	.102669
ROSEMARY, OIL							
FEMA 2992A	23	BEV TYPE I(R)	7	0-5 MO.	.006658	.009988	.009040
				6-11 MO.	.062977	.215565	.085508
				12-23 MO.	.150368	.450827	.204164
				2-65+ YR.	.288530	.770429	.391753
ROSEMARY, OIL							
FEMA 2992A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000315	**********
				12-23 MO.	**********	.000631	**********
				2-65+ YR.	.102527	.297803	.140749
ROSEMARY, OIL							
FEMA 2992A	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002383	.007149	.002383
				12-23 MO.	.007149	.021447	.007149
				2-65+ YR.	.014298	.040511	.014298
ROSEMARY, OIL							
FEMA 2992A	99	ALL CATEGORIES	20	0-5 MO.	.064580	.128730	.093520
				6-11 MO.	.675418	1.744626	1.066218
				12-23 MO.	1.204520	2.358798	1.851351
				2-65+ YR.	2.975544	5.421567	4.621992
ROSE WATER, STRONGER							
FEMA 2993A	01	BAKED GOODS(R)	*	0-5 MO.	.709805	.939448	.774107

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ROSE WATER, STRONGER FEMA 2993A	01	BAKED GOODS(R)	*	6-11 MO.	5.302662	10.814091	5.783036
				12-23 MO.	11.377760	18.747208	12.408482
				2-65+ YR.	28.642727	42.546558	31.237500
ROSE WATER, STRONGER FEMA 2993A	07	FROZN DAIRY(R)	*	0-5 MO.	.140000	.574000	.155000
				6-11 MO.	1.330000	3.696000	1.472500
				12-23 MO.	2.016000	4.732000	2.232000
				2-65+ YR.	3.584000	8.638000	3.968000
ROSE WATER, STRONGER FEMA 2993A	16	SOFT CANDY(R)	*	0-5 MO.	.039000	.390000	.044000
				6-11 MO.	.429000	1.326000	.484000
				12-23 MO.	.682500	1.813500	.770000
				2-65+ YR.	1.131000	3.432000	1.276000
ROSE WATER, STRONGER FEMA 2993A	20	GELATIN PUD(R)	*	0-5 MO.	.090000	.121500	.100000
				6-11 MO.	.576000	1.746000	.640000
				12-23 MO.	.621000	1.512000	.690000
				2-65+ YR.	.918000	2.362500	1.020000
ROSE WATER, STRONGER FEMA 2993A	23	BEV TYPE I(R)	*	0-5 MO.	.281383	.422074	.316099
				6-11 MO.	2.661412	9.109765	2.989767
				12-23 MO.	6.354560	19.051955	7.138564
				2-65+ YR.	12.193251	32.558325	13.697613
ROSE WATER, STRONGER FEMA 2993A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.018000	**********
				12-23 MO.	**********	.036000	**********
				2-65+ YR.	5.850000	16.992000	7.150000
ROSE WATER, STRONGER FEMA 2993A	99	ALL CATEGORIES	*	0-5 MO.	1.260188	2.447022	1.389206
				6-11 MO.	10.299074	26.709856	11.369303
				12-23 MO.	21.051819	45.892662	23.239046
				2-65+ YR.	52.318978	106.529383	58.349113
RUE FEMA 2994A	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.004080
				6-11 MO.	.025400	.051800	.030480

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
RUE FEMA 2994A	01	BAKED GOODS(R)	*	12-23 MO.	.054500	.089800	.065400
				2-65+ YR.	.137200	.203800	.164640
RUE FEMA 2994A	07	FROZN DAIRY(R)	*	0-5 MO.	.000600	.002460	.001900
				6-11 MO.	.005700	.015840	.018050
				12-23 MO.	.008640	.020280	.027360
				2-65+ YR.	.015360	.037020	.048640
RUE FEMA 2994A	16	SOFT CANDY(R)	*	0-5 MO.	.000240	.002400	.000280
				6-11 MO.	.002640	.008160	.003080
				12-23 MO.	.004200	.011160	.004900
				2-65+ YR.	.006960	.021120	.008120
RUE FEMA 2994A	23	BEV TYPE I(R)	*	0-5 MO.	.001440	.002160	.003120
				6-11 MO.	.013620	.046620	.029510
				12-23 MO.	.032520	.097500	.070460
				2-65+ YR.	.062400	.166620	.135200
RUE FEMA 2994A	99	ALL CATEGORIES	*	0-5 MO.	.005680	.011520	.009380
				6-11 MO.	.047360	.122420	.081120
				12-23 MO.	.099860	.218740	.168120
				2-65+ YR.	.221920	.428560	.356600
RUE, OIL FEMA 2995A	01	BAKED GOODS(R)	9	0-5 MO.	.019151	.025347	.029084
				6-11 MO.	.143067	.291767	.217278
				12-23 MO.	.306974	.505804	.466207
				2-65+ YR.	.772787	1.147915	1.173645
RUE, OIL FEMA 2995A	07	FROZN DAIRY(R)	8	0-5 MO.	.003590	.014720	.005411
				6-11 MO.	.034108	.094785	.051400
				12-23 MO.	.051701	.121354	.077912
				2-65+ YR.	.091913	.221525	.138509
RUE, OIL FEMA 2995A	15	CONDN RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	**********
				12-23 MO.	.002800	.007600	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
RUE, OIL FEMA 2995A	15	CONDM RELSH(R)	*	2-65+ YR.	.008800	.021200	**********
RUE, OIL FEMA 2995A	16	SOFT CANDY(R)	8	0-5 MO.	.001087	.010871	.001500
				6-11 MO.	.011958	.036961	.016500
				12-23 MO.	.019024	.050550	.026250
				2-65+ YR.	.031526	.095665	.043500
RUE, OIL FEMA 2995A	20	GELATIN PUD(R)	5	0-5 MO.	.001033	.001394	.003017
				6-11 MO.	.006610	.020036	.019310
				12-23 MO.	.007126	.017350	.020819
				2-65+ YR.	.010534	.027110	.030776
RUE, OIL FEMA 2995A	23	BEV TYPE I(R)	9	0-5 MO.	.005306	.007959	.009677
				6-11 MO.	.050186	.171783	.091532
				12-23 MO.	.119828	.359264	.218548
				2-65+ YR.	.229929	.613954	.419355
RUE, OIL FEMA 2995A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000161	**********
				12-23 MO.	**********	.000322	**********
				2-65+ YR.	.052394	.152184	.083466
RUE, OIL FEMA 2995A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000063	.000189	.000063
				12-23 MO.	.000189	.000567	.000189
				2-65+ YR.	.000378	.001071	.000378
RUE, OIL FEMA 2995A	99	ALL CATEGORIES	12	0-5 MO.	.030167	.060391	.048690
				6-11 MO.	.246792	.617882	.396084
				12-23 MO.	.507643	1.062811	.809925
				2-65+ YR.	1.198261	2.280623	1.889629
SAFFRON FEMA 2998A	01	BAKED GOODS(R)	4	0-5 MO.	.666594	.882256	3.295719
				6-11 MO.	4.979848	10.155753	24.620957
				12-23 MO.	10.685106	17.605919	52.828431
				2-65+ YR.	26.899020	39.956416	132.991939

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SAFFRON FEMA 2998A	03	OTHER GRAIN(R)	*	0-5 MO.	.056000	.190400	.056000
				6-11 MO.	1.086400	3.203200	1.086400
				12-23 MO.	1.836800	4.244800	1.836800
				2-65+ YR.	3.113600	6.876800	3.113600
SAFFRON FEMA 2998A	10	MEAT PRODS(R)	*	0-5 MO.	.045342	.119537	.219808
				6-11 MO.	.853246	2.300055	4.136393
				12-23 MO.	1.244832	2.139298	6.034738
				2-65+ YR.	3.231618	5.362672	15.666340
SAFFRON FEMA 2998A	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000800
				6-11 MO.	.004400	.013600	.008800
				12-23 MO.	.007000	.018600	.014000
				2-65+ YR.	.011600	.035200	.023200
SAFFRON FEMA 2998A	23	BEV TYPE I(R)	*	0-5 MO.	.000960	.001440	.000960
				6-11 MO.	.009080	.031080	.009080
				12-23 MO.	.021680	.065000	.021680
				2-65+ YR.	.041600	.111080	.041600
SAFFRON FEMA 2998A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.015000	**********
				12-23 MO.	**********	.030000	**********
				2-65+ YR.	4.875000	14.160000	**********
SAFFRON FEMA 2998A	99	ALL CATEGORIES	8	0-5 MO.	.769295	1.197633	3.573287
				6-11 MO.	6.932974	15.718687	29.861630
				12-23 MO.	13.795419	24.103617	60.735649
				2-65+ YR.	38.172438	66.502169	151.836680
SAFFRON, EXTRACT FEMA 2999A	01	BAKED GOODS(R)	*	0-5 MO.	.050393	.066696	.084493
				6-11 MO.	.376464	.767750	.631209
				12-23 MO.	.807768	1.330964	1.354366
				2-65+ YR.	2.033500	3.020607	3.409522
SAFFRON, EXTRACT FEMA 2999A	07	FROZN DAIRY(R)	*	0-5 MO.	.012064	.049463	.018866

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SAFFRON, EXTRACT FEMA 2999A	07	FROZN DAIRY(R)	*	6-11 MO.	.114610	.318494	.179224
				12-23 MO.	.173724	.407769	.271666
				2-65+ YR.	.308843	.744360	.482961
SAFFRON, EXTRACT FEMA 2999A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.006478	**********
				6-11 MO.	.051821	.142507	.067821
				12-23 MO.	.181373	.492299	.237373
				2-65+ YR.	.570030	1.373254	.746030
SAFFRON, EXTRACT FEMA 2999A	16	SOFT CANDY(R)	*	0-5 MO.	.003319	.033194	.003970
				6-11 MO.	.036513	.112860	.043672
				12-23 MO.	.058090	.154352	.069478
				2-65+ YR.	.096263	.292107	.115134
SAFFRON, EXTRACT FEMA 2999A	23	BEV TYPE I(R)	*	0-5 MO.	.013465	.020198	.027170
				6-11 MO.	.127357	.435932	.256984
				12-23 MO.	.304086	.911698	.613593
				2-65+ YR.	.583487	1.558021	1.177373
SAFFRON, EXTRACT FEMA 2999A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.260000
SAFFRON, EXTRACT FEMA 2999A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000693	.002079	.000800
				12-23 MO.	.002079	.006237	.002400
				2-65+ YR.	.004158	.011781	.004800
SAFFRON, EXTRACT FEMA 2999A	99	ALL CATEGORIES	4	0-5 MO.	.079242	.176029	.134499
				6-11 MO.	.707458	1.779822	1.179710
				12-23 MO.	1.527120	3.303719	2.548875
				2-65+ YR.	3.661280	7.188931	6.195821
SAGE, FEMA 3000A	01	BAKED GOODS(R)	*	0-5 MO.	16.218555	21.465735	16.218555
				6-11 MO.	121.162146	247.094456	121.162146

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SAGE FEMA 3000A	01	BAKED GOODS(R)	*	12-23 MO.	259.973897	428.360659	259.973897
				2-65+ YR.	654.466397	972.159270	654.466397
SAGE FEMA 3000A	04	FATS OILS(R)	*	0-5 MO.	.088416	.088416	.103619
				6-11 MO.	.495129	1.326237	.580267
				12-23 MO.	1.114039	2.121979	1.305600
				2-65+ YR.	3.094553	5.587879	3.626667
SAGE FEMA 3000A	10	MEAT PRODS(R)	22	0-5 MO.	.686447	1.809725	2.043567
				6-11 MO.	12.917691	34.821601	38.456208
				12-23 MO.	18.846099	32.387833	56.105192
				2-65+ YR.	48.924973	81.187998	145.650564
SAGE FEMA 3000A	14	PROCSD VEGS(R)	*	0-5 MO.	.518000	1.554000	.952000
				6-11 MO.	8.880000	20.720000	16.320000
				12-23 MO.	14.430000	24.161000	26.520000
				2-65+ YR.	31.450000	52.984000	57.800000
SAGE FEMA 3000A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.078940	**********
				6-11 MO.	.631522	1.736686	1.251150
				12-23 MO.	2.210328	5.999461	4.379026
				2-65+ YR.	6.946745	16.735340	13.762653
SAGE FEMA 3000A	21	SOUPS(R)	*	0-5 MO.	.073038	.547766	.134223
				6-11 MO.	8.508939	26.349350	15.636927
				12-23 MO.	12.708630	35.094808	23.354723
				2-65+ YR.	11.576539	30.858598	21.274274
SAGE FEMA 3000A	27	GRAVIES(R)	4	0-5 MO.	.012756	.038269	.018842
				6-11 MO.	.178586	.497491	.263784
				12-23 MO.	.459222	1.301130	.678301
				2-65+ YR.	1.058762	2.717065	1.563862
SAGE FEMA 3000A	99	ALL CATEGORIES	31	0-5 MO.	17.597212	25.582870	19.470805
				6-11 MO.	152.774013	332.745821	193.670482
				12-23 MO.	309.742215	529.426871	372.316739

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SAGE							
FEMA 3000A	99	ALL CATEGORIES	31	2-65+ YR.	757.517970	1162.230149	898.144417
SAGE, OIL							
FEMA 3001A	01	BAKED GOODS(R)	9	0-5 MO.	.068615	.090814	.116403
				6-11 MO.	.512594	1.045368	.869599
				12-23 MO.	1.099857	1.812241	1.865871
				2-65+ YR.	2.768814	4.112859	4.697203
SAGE, OIL							
FEMA 3001A	04	FATS OILS(R)	*	0-5 MO.	.002000	.002000	.004000
				6-11 MO.	.011200	.030000	.022400
				12-23 MO.	.025200	.048000	.050400
				2-65+ YR.	.070000	.126400	.140000
SAGE, OIL							
FEMA 3001A	07	FROZN DAIRY(R)	5	0-5 MO.	.010703	.043883	.014925
				6-11 MO.	.101681	.282566	.141790
				12-23 MO.	.154127	.361770	.214924
				2-65+ YR.	.274003	.660391	.382088
SAGE, OIL							
FEMA 3001A	10	MEAT PRODS(R)	14	0-5 MO.	.062745	.165418	.138598
				6-11 MO.	1.180742	3.182871	2.608158
				12-23 MO.	1.722629	2.960412	3.805138
				2-65+ YR.	4.471990	7.420994	9.878239
SAGE, OIL							
FEMA 3001A	15	CONDM RELSH(R)	7	0-5 MO.	**********	.001152	**********
				6-11 MO.	.009218	.025349	.014651
				12-23 MO.	.032262	.087568	.051277
				2-65+ YR.	.101394	.244269	.161157
SAGE, OIL							
FEMA 3001A	16	SOFT CANDY(R)	5	0-5 MO.	.002923	.029226	.004569
				6-11 MO.	.032146	.099367	.050260
				12-23 MO.	.051145	.135899	.079959
				2-65+ YR.	.084754	.257185	.132504
SAGE, OIL							
FEMA 3001A	20	GELATIN PUD(R)	*	0-5 MO.	.006230	.008410	.010918
				6-11 MO.	.039669	.120852	.069875
				12-23 MO.	.042984	.104656	.075334
				2-65+ YR.	.063541	.163525	.111364

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SAGE, OIL							
FEMA 3001A	23	BEV TYPE I(R)	7	0-5 MO.	.019720	.029581	.024504
				6-11 MO.	.186523	.638450	.231767
				12-23 MO.	.445354	1.335240	.553383
				2-65+ YR.	.854553	2.281822	1.061841
SAGE, OIL							
FEMA 3001A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000312	**********
				12-23 MO.	**********	.000625	**********
				2-65+ YR.	.101521	.294878	.172791
SAGE, OIL							
FEMA 3001A	27	GRAVIES(R)	*	0-5 MO.	.015000	.045000	.022500
				6-11 MO.	.210000	.585000	.315000
				12-23 MO.	.540000	1.530000	.810000
				2-65+ YR.	1.245000	3.195000	1.867500
SAGE, OIL							
FEMA 3001A	59	ALL CATEGORIES	23	0-5 MO.	.187935	.415484	.336417
				6-11 MO.	2.283974	6.010135	4.323500
				12-23 MO.	4.113557	8.376410	7.506288
				2-65+ YR.	10.035571	18.757322	18.604687
SAGE, OLEORESIN							
FEMA 3002A	01	BAKED GOODS(R)	*	0-5 MO.	.201920	.267247	.252517
				6-11 MO.	1.508459	3.076307	1.886451
				12-23 MO.	3.236655	5.333057	4.047701
				2-65+ YR.	8.148055	12.103307	10.189808
SAGE, OLEORESIN							
FEMA 3002A	10	MEAT PRODS(R)	13	0-5 MO.	.084982	.224043	.152357
				6-11 MO.	1.599201	4.310888	2.867074
				12-23 MO.	2.333133	4.009590	4.182881
				2-65+ YR.	6.056875	10.051014	10.858870
SAGE, OLEORESIN							
FEMA 3002A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.004000	**********
				6-11 MO.	.032000	.088000	.048000
				12-23 MO.	.112000	.304000	.168000
				2-65+ YR.	.352000	.848000	.528000
SAGE, OLEORESIN							
FEMA 3002A	99	ALL CATEGORIES	15	0-5 MO.	.286901	.495289	.404874

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SAGE, OLEORESIN FEMA 3002A	99	ALL CATEGORIES	15	6-11 MO.	3.139660	7.475195	4.801525
				12-23 MO.	5.681788	9.646646	8.398582
				2-65+ YR.	14.556931	23.002321	21.576678
SAGE, SPANISH, OIL FEMA 3003A	01	BAKED GOODS(R)	6	0-5 MO.	.037781	.050005	.071525
				6-11 MO.	.282249	.575610	.534331
				12-23 MO.	.605613	.997872	1.146498
				2-65+ YR.	1.524588	2.264658	2.886231
SAGE, SPANISH, OIL FEMA 3003A	07	FROZN DAIRY(R)	5	0-5 MO.	.006128	.025124	.011338
				6-11 MO.	.058214	.161772	.107715
				12-23 MO.	.088240	.207118	.163273
				2-65+ YR.	.156870	.378082	.290264
SAGE, SPANISH, OIL FEMA 3003A	10	MEAT PRODS(R)	9	0-5 MO.	.029116	.076761	.044496
				6-11 MO.	.547915	1.476989	.837324
				12-23 MO.	.799374	1.373759	1.221604
				2-65+ YR.	2.075196	3.443661	3.171316
SAGE, SPANISH, OIL FEMA 3003A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.000914	**********
				6-11 MO.	.007315	.020116	.013680
				12-23 MO.	.025603	.069493	.047880
				2-65+ YR.	.080465	.193848	.150479
SAGE, SPANISH, OIL FEMA 3003A	16	SOFT CANDY(R)	6	0-5 MO.	.002274	.022736	.004221
				6-11 MO.	.025009	.077302	.046433
				12-23 MO.	.039788	.105721	.073870
				2-65+ YR.	.065934	.200075	.122413
SAGE, SPANISH, OIL FEMA 3003A	20	GELATIN PUD(R)	*	0-5 MO.	.006030	.008140	.010120
				6-11 MO.	.038592	.116981	.064766
				12-23 MO.	.041607	.101303	.069826
				2-65+ YR.	.061505	.158286	.103222
SAGE, SPANISH, OIL FEMA 3003A	23	BEV TYPE I(R)	6	0-5 MO.	.011186	.016779	.016204
				6-11 MO.	.105802	.362151	.153261

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SAGE, SPANISH, OIL FEMA 3003A	23	BEV TYPE I(R)	6	12-23 MO.	.252620	.757394	.365936
				2-65+ YR.	.484732	1.294328	.702165
SAGE, SPANISH, OIL FEMA 3003A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097569	.283401	.165173
SAGE, SPANISH, OIL FEMA 3003A	27	GRAVIES(R)	*	0-5 MO.	.002000	.006000	.004000
				6-11 MO.	.028000	.078000	.056000
				12-23 MO.	.072000	.204000	.144000
				2-65+ YR.	.166000	.426000	.332000
SAGE, SPANISH, OIL FEMA 3003A	99	ALL CATEGORIES	14	0-5 MO.	.094515	.206459	.161903
				6-11 MO.	1.093096	2.869221	1.813511
				12-23 MO.	1.924843	3.817260	3.232887
				2-65+ YR.	4.712861	8.642339	7.923261
SAVORY, SUMMER FEMA 3012A	01	BAKED GOODS(R)	*	0-5 MO.	4.257246	5.634590	9.101410
				6-11 MO.	31.804131	64.860393	67.992885
				12-23 MO.	68.241148	112.441377	145.890246
				2-65+ YR.	171.792394	255.184328	367.268656
SAVORY, SUMMER FEMA 3012A	10	MEAT PRODS(R)	8	0-5 MO.	.377821	.996074	.800213
				6-11 MO.	7.109909	19.165841	15.058545
				12-23 MO.	10.372910	17.826293	21.969472
				2-65+ YR.	26.928350	44.685949	57.033332
SAVORY, SUMMER FEMA 3012A	14	PROCSD VEGS(R)	*	0-5 MO.	1.033608	3.100825	2.011165
				6-11 MO.	17.719003	41.344339	34.477107
				12-23 MO.	28.793379	48.210453	56.025299
				2-65+ YR.	62.754801	105.723382	122.106421
SAVORY, SUMMER FEMA 3012A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.519000	**********
				6-11 MO.	4.152000	11.418000	4.152000
				12-23 MO.	14.532000	39.444000	14.532000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SAVORY, SUMMER FEMA 3012A	15	CONDM RELSH(R)	*	2-65+ YR.	45.672000	110.028000	45.672000
SAVORY, SUMMER FEMA 3012A	21	SOUPS(R)	*	0-5 MO.	.035600	.267000	.074400
				6-11 MO.	4.147400	12.940600	8.667600
				12-23 MO.	6.194400	17.105800	12.945600
				2-65+ YR.	5.642600	15.041000	11.792400
SAVORY, SUMMER FEMA 3012A	27	GRAVIES(R)	*	0-5 MO.	.000764	.002292	.001122
				6-11 MO.	.010696	.029796	.015708
				12-23 MO.	.027504	.077928	.040392
				2-65+ YR.	.063412	.162732	.093126
SAVORY, SUMMER FEMA 3012A	99	ALL CATEGORIES	11	0-5 MO.	5.705040	10.519782	11.988309
				6-11 MO.	64.943138	149.758970	130.363846
				12-23 MO.	128.161341	235.105851	251.403009
				2-65+ YR.	312.853556	530.825390	603.965935
SAVORY, SUMMER, OIL FEMA 3013A	01	BAKED GOODS(R)	*	0-5 MO.	.598400	.792000	.893714
				6-11 MO.	4.470400	9.116800	6.676571
				12-23 MO.	9.592000	15.804800	14.325714
				2-65+ YR.	24.147200	35.868800	36.064000
SAVORY, SUMMER, OIL FEMA 3013A	10	MEAT PRODS(R)	*	0-5 MO.	.163773	.431765	.393631
				6-11 MO.	3.081912	8.307762	7.407415
				12-23 MO.	4.496315	7.727112	10.806954
				2-65+ YR.	11.672554	19.369888	28.055138
SAVORY, SUMMER, OIL FEMA 3013A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.016000	**********
				6-11 MO.	.128000	.352000	.298462
				12-23 MO.	.448000	1.216000	1.044615
				2-65+ YR.	1.408000	3.392000	3.283077
SAVORY, SUMMER, OIL FEMA 3013A	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.002000
				6-11 MO.	.015400	.047600	.022000
				12-23 MO.	.024500	.065100	.035000
				2-65+ YR.	.040600	.123200	.058000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SAVORY, SUMMER, OIL							
FEMA 3013A	99	ALL CATEGORIES	4	0-5 MO.	.763573	1.253765	1.289345
				6-11 MO.	7.695712	17.824162	14.404448
				12-23 MO.	14.560815	24.813012	26.212284
				2-65+ YR.	37.268354	58.753888	67.460215
SAVORY, SUMMER, OLEORE							
FEMA 3014A	01	BAKED GOODS(R)	*	0-5 MO.	.024650	.032625	.054400
				6-11 MO.	.184150	.375550	.406400
				12-23 MO.	.395125	.651050	.872000
				2-65+ YR.	.994700	1.477550	2.195200
SAVORY, SUMMER, OLEORE							
FEMA 3014A	10	MEAT PRODS(R)	*	0-5 MO.	.093500	.246500	.110000
				6-11 MO.	1.759500	4.743000	2.070000
				12-23 MO.	2.567000	4.411500	3.020000
				2-65+ YR.	6.664000	11.058500	7.840000
SAVORY, SUMMER, OLEORE							
FEMA 3014A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.005000	**********
				6-11 MO.	.040000	.110000	.080000
				12-23 MO.	.140000	.380000	.210000
				2-65+ YR.	.440000	1.060000	.660000
SAVORY, SUMMER, OLEORE							
FEMA 3014A	16	SOFT CANDY(R)	*	0-5 MO.	.002750	.027500	.003500
				6-11 MO.	.030250	.093500	.038500
				12-23 MO.	.048125	.127875	.061250
				2-65+ YR.	.079750	.242000	.101500
SAVORY, SUMMER, OLEORE							
FEMA 3014A	99	ALL CATEGORIES	*	0-5 MO.	.120900	.311625	.167900
				6-11 MO.	2.013900	5.322050	2.574900
				12-23 MO.	3.150250	5.570425	4.163250
				2-65+ YR.	8.178450	13.838050	10.796700
SAVORY, WINTER, OIL							
FEMA 3016A	01	BAKED GOODS(R)	*	0-5 MO.	.023324	.030870	.028832
				6-11 MO.	.174244	.355348	.215392
				12-23 MO.	.373870	.616028	.462160
				2-65+ YR.	.941192	1.398068	1.163456
SAVORY, WINTER, OIL							
FEMA 3016A	10	MEAT PRODS(R)	*	0-5 MO.	.055000	.145000	.066000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SAVORY, WINTER, OIL FEMA 3016A	10	MEAT PRODS(R)	*	6-11 MO.	1.035000	2.790000	1.242000
				12-23 MO.	1.510000	2.595000	1.812000
				2-65+ YR.	3.920000	6.505000	4.704000
SAVORY, WINTER, OIL FEMA 3016A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.008375	**********
				6-11 MO.	.067000	.184250	.084000
				12-23 MO.	.234500	.636500	.294000
				2-65+ YR.	.737000	1.775500	.924000
SAVORY, WINTER, OIL FEMA 3016A	16	SOFT CANDY(R)	*	0-5 MO.	.001550	.015500	.002000
				6-11 MO.	.017050	.052700	.022000
				12-23 MO.	.027125	.072075	.035000
				2-65+ YR.	.044950	.136400	.058000
SAVORY, WINTER, OIL FEMA 3016A	99	ALL CATEGORIES	*	0-5 MO.	.079874	.199745	.096832
				6-11 MO.	1.293294	3.382298	1.563392
				12-23 MO.	2.145495	3.919603	2.603160
				2-65+ YR.	5.643142	9.814968	6.849456
SAVORY, WINTER, OLEORE FEMA 3017A	01	BAKED GOODS(R)	*	0-5 MO.	.017737	.023476	.039571
				6-11 MO.	.132508	.270234	.295619
				12-23 MO.	.284319	.468475	.634301
				2-65+ YR.	.715754	1.063197	1.596810
SAVORY, WINTER, OLEORE FEMA 3017A	10	MEAT PRODS(R)	*	0-5 MO.	.096800	.255200	.110000
				6-11 MO.	1.821600	4.910400	2.070000
				12-23 MO.	2.657600	4.567200	3.020000
				2-65+ YR.	6.899200	11.448800	7.840000
SAVORY, WINTER, OLEORE FEMA 3017A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.007867	**********
				6-11 MO.	.062940	.173084	.101301
				12-23 MO.	.220289	.597928	.354554
				2-65+ YR.	.692337	1.667904	1.114313
SAVORY, WINTER, OLEORE FEMA 3017A	16	SOFT CANDY(R)	*	0-5 MO.	.001412	.014120	.002410
				6-11 MO.	.015533	.048010	.026506

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SAVORY, WINTER, OLEORE FEMA 3017A	16	SOFT CANDY(R)	*	12-23 MO.	.024711	.065660	.042169
				2-65+ YR.	.040949	.124260	.069880
SAVORY, WINTER, OLEORE FEMA 3017A	99	ALL CATEGORIES	*	0-5 MO.	.115949	.300664	.151981
				6-11 MO.	2.032581	5.401728	2.493427
				12-23 MO.	3.186919	5.699263	4.051024
				2-65+ YR.	8.348241	14.304161	10.621002
SCHINUS MOLLE, OIL FEMA 3018A	01	BAKED GOODS(R)	*	0-5 MO.	.039910	.052822	.063881
				6-11 MO.	.298150	.608039	.477232
				12-23 MO.	.639732	1.054091	1.023981
				2-65+ YR.	1.610481	2.392246	2.577802
SCHINUS MOLLE, OIL FEMA 3018A	07	FROZN DAIRY(R)	*	0-5 MO.	.028765	.117938	.034523
				6-11 MO.	.273272	.759408	.327965
				12-23 MO.	.414223	.972273	.497126
				2-65+ YR.	.736396	1.774830	.883779
SCHINUS MOLLE, OIL FEMA 3018A	10	MEAT PRODS(R)	*	0-5 MO.	.206566	.544584	.220959
				6-11 MO.	3.887202	10.478545	4.158055
				12-23 MO.	5.671184	9.746173	6.066341
				2-65+ YR.	14.722543	24.431159	15.748381
SCHINUS MOLLE, OIL FEMA 3018A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.003283	**********
				6-11 MO.	.026264	.072226	.044382
				12-23 MO.	.091925	.249509	.155337
				2-65+ YR.	.288906	.696000	.488200
SCHINUS MOLLE, OIL FEMA 3018A	16	SOFT CANDY(R)	*	0-5 MO.	.001937	.019369	.002876
				6-11 MO.	.021306	.065855	.031633
				12-23 MO.	.033896	.090067	.050325
				2-65+ YR.	.056171	.170449	.083396
SCHINUS MOLLE, OIL FEMA 3018A	20	GELATIN PUD(R)	*	0-5 MO.	.030683	.041422	.038362
				6-11 MO.	.196373	.595284	.245518
				12-23 MO.	.211714	.515478	.264699

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SCHINUS MOLLE, OIL							
FEMA 3018A	20	GELATIN PUD(R)	*	2-65+ YR.	.312969	.805434	.391294
SCHINUS MOLLE, OIL							
FEMA 3018A	23	BEV TYPE I(R)	*	0-5 MO.	.023012	.034519	.027625
				6-11 MO.	.217659	.745028	.261284
				12-23 MO.	.519698	1.558134	.623858
				2-65+ YR.	.997206	2.662732	1.197070
SCHINUS MOLLE, OIL							
FEMA 3018A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002000	**********
				12-23 MO.	**********	.004000	**********
				2-65+ YR.	.650000	1.888000	.812500
SCHINUS MOLLE, OIL							
FEMA 3018A	99	ALL CATEGORIES	7	0-5 MO.	.330874	.813937	.388226
				6-11 MO.	4.920227	13.326356	5.546067
				12-23 MO.	7.582371	14.189725	8.681665
				2-65+ YR.	19.374671	34.820849	22.182422
SLOE BERRIES							
FEMA 3020A	23	BEV TYPE I(R)	*	0-5 MO.	12.842160	19.263240	18.461520
				6-11 MO.	121.465430	415.764930	174.615210
				12-23 MO.	290.018780	869.521250	416.922660
				2-65+ YR.	556.493600	1485.944930	799.999200
SLOE BERRIES							
FEMA 3020A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.006000	**********
				12-23 MO.	**********	.012000	**********
				2-65+ YR.	1.950000	5.664000	**********
SLOE BERRIES							
FEMA 3020A	99	ALL CATEGORIES	*	0-5 MO.	12.842160	19.263240	18.461520
				6-11 MO.	121.465430	415.770930	174.615210
				12-23 MO.	290.018780	869.533250	416.922660
				2-65+ YR.	558.443600	1491.608930	799.999200
SLOE BERRIES, EXTRACT							
FEMA 3021A	01	BAKED GOODS(R)	*	0-5 MO.	.289000	.382500	.340000
				6-11 MO.	2.159000	4.403000	2.540000
				12-23 MO.	4.632500	7.633000	5.450000
				2-65+ YR.	11.662000	17.323000	13.720000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SLOE BERRIES, EXTRACT							
FEMA 3021A	07	FROZN DAIRY(R)	*	0-5 MO.	.175000	.717500	.200000
				6-11 MO.	1.662500	4.620000	1.900000
				12-23 MO.	2.520000	5.915000	2.880000
				2-65+ YR.	4.480000	10.797500	5.120000
SLOE BERRIES, EXTRACT							
FEMA 3021A	16	SOFT CANDY(R)	*	0-5 MO.	.018000	.180000	.020000
				6-11 MO.	.198000	.612000	.220000
				12-23 MO.	.315000	.837000	.350000
				2-65+ YR.	.522000	1.584000	.580000
SLOE BERRIES, EXTRACT							
FEMA 3021A	23	BEV TYPE I(R)	*	0-5 MO.	3.179182	4.768773	6.355586
				6-11 MO.	30.069763	102.926016	60.113251
				12-23 MO.	71.796526	215.257112	143.530318
				2-65+ YR.	137.764551	367.857846	275.408729
SLOE BERRIES, EXTRACT							
FEMA 3021A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.406327	**********
				12-23 MO.	**********	.812654	**********
				2-65+ YR.	132.056263	383.572654	261.645745
SLOE BERRIES, EXTRACT							
FEMA 3021A	99	ALL CATEGORIES	*	0-5 MO.	3.661182	6.048773	6.915586
				6-11 MO.	34.089263	112.967343	64.773251
				12-23 MO.	79.264026	230.454766	152.210318
				2-65+ YR.	286.484815	781.135000	556.474473
SLOE BERRIES, EXT SOLID							
FEMA 3022A	01	BAKED GOODS(R)	*	0-5 MO.	.204000	.270000	.272000
				6-11 MO.	1.524000	3.108000	2.032000
				12-23 MO.	3.270000	5.368000	4.360000
				2-65+ YR.	8.232000	12.228000	10.976000
SLOE BERRIES, EXT SOLID							
FEMA 3022A	07	FROZN DAIRY(R)	*	0-5 MO.	.130000	.533000	.175000
				6-11 MO.	1.235000	3.432000	1.662500
				12-23 MO.	1.872000	4.394000	2.520000
				2-65+ YR.	3.328000	8.021000	4.480000
SLOE BERRIES, EXT SOLID							
FEMA 3022A	16	SOFT CANDY(R)	*	0-5 MO.	.012000	.120000	.015000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SLOE BERRIES, EXT SOLID FEMA 3022A	16	SOFT CANDY(R)	*	6-11 MO.	.132000	.408000	.165000
				12-23 MO.	.210000	.558000	.262500
				2-65+ YR.	.348000	1.056000	.435000
SLOE BERRIES, EXT SOLID FEMA 3022A	23	BEV TYPE I(R)	*	0-5 MO.	.216000	.324000	.360000
				6-11 MO.	2.043000	6.993000	3.405000
				12-23 MO.	4.878000	14.625000	8.130000
				2-65+ YR.	9.360000	24.993000	15.600000
SLOE BERRIES, EXT SOLID FEMA 3022A	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.800000	**********
				12-23 MO.	**********	1.600000	**********
				2-65+ YR.	260.000000	755.200000	357.500000
SLOE BERRIES, EXT SOLID FEMA 3022A	59	ALL CATEGORIES	*	0-5 MO.	.562000	1.247000	.822000
				6-11 MO.	4.934000	14.741000	7.264500
				12-23 MO.	10.230000	26.565000	15.272500
				2-65+ YR.	281.268000	801.498000	388.991000
SPEARMINT FEMA 3030A	01	BAKED GOODS(R)	*	0-5 MO.	3.381336	4.475297	20.287807
				6-11 MO.	25.260565	51.515641	151.561849
				12-23 MO.	54.200819	89.307038	325.201606
				2-65+ YR.	136.446833	202.681228	818.672666
SPEARMINT FEMA 3030A	10	MEAT PRODS(R)	*	0-5 MO.	.440959	1.162529	.885307
				6-11 MO.	8.298053	22.368666	16.659865
				12-23 MO.	12.106339	20.805264	24.305697
				2-65+ YR.	31.428376	52.153466	63.098234
SPEARMINT FEMA 3030A	20	GELATIN PUD(R)	*	0-5 MO.	2.000000	2.700000	4.000000
				6-11 MO.	12.800000	38.800000	25.600000
				12-23 MO.	13.800000	33.600000	27.600000
				2-65+ YR.	20.400000	52.500000	40.800000
SPEARMINT FEMA 3030A	23	BEV TYPE I(R)	*	0-5 MO.	2.401537	3.602305	4.017600
				6-11 MO.	22.714535	77.749752	37.999800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SPEARMINT FEMA 3030A	23	BEV TYPE I(R)	*	12-23 MO.	54.234705	162.604050	90.730800
				2-65+ YR.	104.066592	277.877814	174.096000
SPEARMINT FEMA 3030A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.030000	**********
				12-23 MO.	**********	.060000	**********
				2-65+ YR.	9.750000	28.320000	16.250000
SPEARMINT FEMA 3030A	99	ALL CATEGORIES	*	0-5 MO.	8.223832	11.940131	29.190713
				6-11 MO.	69.073154	190.464059	231.821514
				12-23 MO.	134.341863	306.376353	467.838103
				2-65+ YR.	302.091801	613.532509	1112.916900
SPEARMINT, EXTRACT FEMA 3031A	23	BEV TYPE I(R)	*	0-5 MO.	4.320000	6.480000	4.800000
				6-11 MO.	40.860000	139.860000	45.400000
				12-23 MO.	97.560000	292.500000	108.400000
				2-65+ YR.	187.200000	499.860000	208.000000
SPEARMINT, EXTRACT FEMA 3031A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.180000	**********
				12-23 MO.	**********	.360000	**********
				2-65+ YR.	58.500000	169.920000	65.000000
SPEARMINT, EXTRACT FEMA 3031A	99	ALL CATEGORIES	*	0-5 MO.	4.320000	6.480000	4.800000
				6-11 MO.	40.860000	140.040000	45.400000
				12-23 MO.	97.560000	292.860000	108.400000
				2-65+ YR.	245.700000	669.780000	273.000000
SPEARMINT, OIL FEMA 3032A	01	BAKED GOODS(R)	12	0-5 MO.	3.583809	4.743276	4.482315
				6-11 MO.	26.773160	54.600382	33.485532
				12-23 MO.	57.446348	94.654716	71.840878
				2-65+ YR.	144.617228	214.817719	180.874606
SPEARMINT, OIL FEMA 3032A	07	FROZN DAIRY(R)	9	0-5 MO.	.047497	.194740	.130477
				6-11 MO.	.451226	1.253934	1.239534
				12-23 MO.	.683964	1.605415	1.878872

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SPEARMINT, OIL FEMA 3032A	07	FROZN DAIRY(R)	9	2-65+ YR.	1.215936	2.930595	3.340217
SPEARMINT, OIL FEMA 3032A	08	PROCSD FRUT(R)	*	0-5 MO.	2.350000	6.300000	2.585000
				6-11 MO.	25.900000	64.500000	28.490000
				12-23 MO.	50.300000	99.850000	55.330000
				2-65+ YR.	59.150000	125.300000	65.065000
SPEARMINT, OIL FEMA 3032A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.005000	**********
				6-11 MO.	.040000	.110000	.200000
				12-23 MO.	.140000	.380000	.700000
				2-65+ YR.	.440000	1.060000	2.200000
SPEARMINT, OIL FEMA 3032A	16	SOFT CANDY(R)	29	0-5 MO.	.092772	.927715	.111934
				6-11 MO.	1.020487	3.154233	1.231271
				12-23 MO.	1.623502	4.313877	1.958839
				2-65+ YR.	2.690375	8.163896	3.246077
SPEARMINT, OIL FEMA 3032A	18	JAM JELLY(R)	5	0-5 MO.	**********	.029084	**********
				6-11 MO.	.649552	2.161940	.661022
				12-23 MO.	.290844	1.085818	.295980
				2-65+ YR.	.552604	1.715980	.562362
SPEARMINT, OIL FEMA 3032A	19	SWEET SAUCE(R)	*	0-5 MO.	.011700	.015600	.027000
				6-11 MO.	.035100	.120900	.081000
				12-23 MO.	.101400	.296400	.234000
				2-65+ YR.	.265200	.698100	.612000
SPEARMINT, OIL FEMA 3032A	20	GELATIN PUD(R)	4	0-5 MO.	.177991	.240288	.190835
				6-11 MO.	1.139141	3.453022	1.221343
				12-23 MO.	1.228137	2.990246	1.316761
				2-65+ YR.	1.815506	4.672259	1.946516
SPEARMINT, OIL FEMA 3032A	23	BEV TYPE I(R)	13	0-5 MO.	.257297	.385946	.326546
				6-11 MO.	2.433603	8.329999	3.088585
				12-23 MO.	5.810630	17.421170	7.374506
				2-65+ YR.	11.149549	29.771439	14.150344

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SPEARMINT, OIL FEMA 3032A	24	BEV TYPE III(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.011636	**********
				12-23 MO.	**********	.023272	**********
				2-65+ YR.	3.781720	10.984441	5.015515
SPEARMINT, OIL FEMA 3032A	30	HARD CANDY(R)	13	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.147282	.441846	.160546
				12-23 MO.	.441846	1.325538	.481638
				2-65+ YR.	.883692	2.503794	.963276
SPEARMINT, OIL FEMA 3032A	31	CHEWING GUM(R)	12	0-5 MO.	**********	**********	**********
				6-11 MO.	.197766	.197766	.791392
				12-23 MO.	.197766	.593298	.791392
				2-65+ YR.	.395532	.791064	1.582784
SPEARMINT, OIL FEMA 3032A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.533335	**********
				12-23 MO.	**********	1.066671	**********
				2-65+ YR.	.533335	2.666677	.666687
SPEARMINT, OIL FEMA 3032A	99	ALL CATEGORIES	68	0-5 MO.	6.521066	12.841650	7.854107
				6-11 MO.	58.787318	138.868993	70.650224
				12-23 MO.	118.264436	225.606420	142.210866
				2-65+ YR.	227.490676	406.075963	280.225383
SPIKE LAVENDER, OIL FEMA 3033A	01	BAKED GOODS(R)	*	0-5 MO.	.122366	.161955	.147893
				6-11 MO.	.914146	1.864282	1.104849
				12-23 MO.	1.961455	3.231902	2.370641
				2-65+ YR.	4.937828	7.334762	5.967926
SPIKE LAVENDER, OIL FEMA 3033A	07	FROZN DAIRY(R)	*	0-5 MO.	.029150	.119515	.035607
				6-11 MO.	.276925	.769560	.338268
				12-23 MO.	.419760	.985270	.512743
				2-65+ YR.	.746240	1.798555	.911543
SPIKE LAVENDER, OIL FEMA 3033A	16	SOFT CANDY(R)	*	0-5 MO.	.006024	.060236	.007030

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SPIKE LAVENDER, OIL FEMA 3033A	16	SOFT CANDY(R)	*	6-11 MO.	.066260	.204802	.077334
				12-23 MO.	.105413	.280097	.123032
				2-65+ YR.	.174684	.530077	.203882
SPIKE LAVENDER, OIL FEMA 3033A	20	GELATIN PUD(R)	*	0-5 MO.	.060000	.081000	.070000
				6-11 MO.	.384000	1.164000	.448000
				12-23 MO.	.414000	1.008000	.483000
				2-65+ YR.	.612000	1.575000	.714000
SPIKE LAVENDER, OIL FEMA 3033A	23	BEV TYPE I(R)	*	0-5 MO.	.019491	.029237	.028858
				6-11 MO.	.184356	.631035	.272951
				12-23 MO.	.440181	1.319732	.651716
				2-65+ YR.	.844629	2.255321	1.250526
SPIKE LAVENDER, OIL FEMA 3033A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000815	**********
				12-23 MO.	**********	.001629	**********
				2-65+ YR.	.264736	.768955	.394736
SPIKE LAVENDER, OIL FEMA 3033A	99	ALL CATEGORIES	*	0-5 MO.	.237031	.451943	.289389
				6-11 MO.	1.825687	4.634494	2.241403
				12-23 MO.	3.340809	6.826631	4.141132
				2-65+ YR.	7.580117	14.262670	9.442612
TANGERINE, OIL FEMA 3041A	01	BAKED GOODS(R)	12	0-5 MO.	1.121731	1.484644	1.472952
				6-11 MO.	8.379991	17.089903	11.003819
				12-23 MO.	17.980690	29.626898	23.610557
				2-65+ YR.	45.265149	67.237881	59.437952
TANGERINE, OIL FEMA 3041A	07	FROZN DAIRY(R)	16	0-5 MO.	.244951	1.004299	.319264
				6-11 MO.	2.327034	6.466706	3.033004
				12-23 MO.	3.527294	8.279344	4.597395
				2-65+ YR.	6.270745	15.113476	8.173147
TANGERINE, OIL FEMA 3041A	16	SOFT CANDY(R)	13	0-5 MO.	.081324	.813237	.132703
				6-11 MO.	.894561	2.765005	1.459732

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TANGERINE, OIL FEMA 3041A	16	SOFT CANDY(R)	13	12-23 MO.	1.423165	3.781552	2.322301
				2-65+ YR.	2.358387	7.156485	3.848384
TANGERINE, OIL FEMA 3041A	20	GELATIN PUD(R)	13	0-5 MO.	.190288	.256889	.380487
				6-11 MO.	1.217845	3.691593	2.435115
				12-23 MO.	1.312989	3.196843	2.625358
				2-65+ YR.	1.940941	4.995068	3.880964
TANGERINE, OIL FEMA 3041A	23	BEV TYPE I(R)	29	0-5 MO.	.091962	.137944	.298762
				6-11 MO.	.869811	2.977282	2.825789
				12-23 MO.	2.076817	6.226619	6.747039
				2-65+ YR.	3.985036	10.640813	12.946348
TANGERINE, OIL FEMA 3041A	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004645	**********
				12-23 MO.	**********	.009291	**********
				2-65+ YR.	1.509715	4.385141	1.940152
TANGERINE, OIL FEMA 3041A	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.015245	.045735	.049904
				12-23 MO.	.045735	.137205	.149712
				2-65+ YR.	.091470	.259165	.299424
TANGERINE, OIL FEMA 3041A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.023022	.023022	.072337
				12-23 MO.	.023022	.069066	.072337
				2-65+ YR.	.046044	.092088	.144674
TANGERINE, OIL FEMA 3041A	99	ALL CATEGORIES	38	0-5 MO.	1.730256	3.697013	2.604167
				6-11 MO.	13.727509	33.063892	20.879700
				12-23 MO.	26.389712	51.326817	40.124698
				2-65+ YR.	61.467487	109.880117	90.671044
TARRAGON FEMA 3043A	04	FATS OILS(R)	5	0-5 MO.	.407765	.407765	.767714
				6-11 MO.	2.283486	6.116480	4.299200
				12-23 MO.	5.137843	9.786367	9.673200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TARRAGON FEMA 3043A	04	FATS OILS(R)	5	2-65+ YR.	14.271786	25.770767	26.870000
TARRAGON FEMA 3043A	10	MEAT PRODS(R)	9	0-5 MO.	.287312	.757459	.750650
				6-11 MO.	5.406689	14.574554	14.125873
				12-23 MO.	7.888020	13.555902	20.608762
				2-65+ YR.	20.477510	33.981173	53.500892
TARRAGON FEMA 3043A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.195640	**********
				6-11 MO.	1.565122	4.304087	2.184878
				12-23 MO.	5.477929	14.868663	7.647073
				2-65+ YR.	17.216347	41.475745	24.033659
TARRAGON FEMA 3043A	16	SOFT CANDY(R)	*	0-5 MO.	.000034	.000340	.000056
				6-11 MO.	.000374	.001156	.000616
				12-23 MO.	.000595	.001581	.000980
				2-65+ YR.	.000986	.002992	.001624
TARRAGON FEMA 3043A	21	SOUPS(R)	*	0-5 MO.	.223200	1.674000	.446400
				6-11 MO.	26.002800	81.133200	52.005600
				12-23 MO.	38.836800	107.247600	77.673600
				2-65+ YR.	35.377200	94.302000	70.754400
TARRAGON FEMA 3043A	23	BEV TYPE I(R)	*	0-5 MO.	.003120	.004680	.003120
				6-11 MO.	.029510	.101010	.029510
				12-23 MO.	.070460	.211250	.070460
				2-65+ YR.	.135200	.361010	.135200
TARRAGON FEMA 3043A	27	GRAVIES(R)	*	0-5 MO.	.050000	.150000	.050000
				6-11 MO.	.700000	1.950000	.700000
				12-23 MO.	1.800000	5.100000	1.800000
				2-65+ YR.	4.150000	10.650000	4.150000
TARRAGON FEMA 3043A	99	ALL CATEGORIES	18	0-5 MO.	.971431	3.189885	2.017941
				6-11 MO.	35.987982	108.180486	73.345677
				12-23 MO.	59.211647	150.771364	117.474075
				2-65+ YR.	91.629028	206.543688	179.445775

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
THYME							
FEMA 3063A	01	BAKED GOODS(R)	7	0-5 MO.	2.399179	3.175385	4.226984
				6-11 MO.	17.923282	36.552204	31.578058
				12-23 MO.	38.457435	63.366562	67.756068
				2-65+ YR.	96.813946	143.809637	170.571240
THYME							
FEMA 3063A	04	FATS OILS(R)	*	0-5 MO.	.122256	.122256	.123171
				6-11 MO.	.684634	1.833841	.689756
				12-23 MO.	1.540427	2.934146	1.551951
				2-65+ YR.	4.278963	7.726585	4.310976
THYME							
FEMA 3063A	10	MEAT PRODS(R)	21	0-5 MO.	.309682	.816434	1.887925
				6-11 MO.	5.827647	15.709309	35.527318
				12-23 MO.	8.502171	14.611347	51.832125
				2-65+ YR.	22.071861	36.626902	134.557570
THYME							
FEMA 3063A	14	PROCSD VEGS(R)	*	0-5 MO.	.111726	.335178	1.116492
				6-11 MO.	1.915303	4.469040	19.139859
				12-23 MO.	3.112367	5.211219	31.102271
				2-65+ YR.	6.783364	11.427973	67.787000
THYME							
FEMA 3063A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.050767	**********
				6-11 MO.	.406137	1.116878	.698494
				12-23 MO.	1.421481	3.858305	2.444728
				2-65+ YR.	4.467511	10.762641	7.683432
THYME							
FEMA 3063A	21	SOUPS(R)	7	0-5 MO.	.080337	.602527	.191348
				6-11 MO.	9.359251	29.202471	22.292064
				12-23 MO.	13.978624	38.601891	33.294584
				2-65+ YR.	12.733402	33.942349	30.328687
THYME							
FEMA 3063A	27	GRAVIES(R)	7	0-5 MO.	.014029	.042086	.020089
				6-11 MO.	.196400	.547113	.281248
				12-23 MO.	.505027	1.430911	.723210
				2-65+ YR.	1.164369	2.988079	1.667401
THYME							
FEMA 3063A	99	ALL CATEGORIES	36	0-5 MO.	3.037209	5.144632	7.566009

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
THYME FEMA 3063A	99	ALL CATEGORIES	36	6-11 MO.	36.312654	89.430856	110.206796
				12-23 MO.	67.517532	130.014381	188.704938
				2-65+ YR.	148.313416	247.284165	416.906307
THYME, OIL FEMA 3064A	01	BAKED GOODS(R)	5	0-5 MO.	.085880	.113664	.097153
				6-11 MO.	.641572	1.308403	.725786
				12-23 MO.	1.376601	2.268235	1.557297
				2-65+ YR.	3.465499	5.147731	3.920389
THYME, OIL FEMA 3064A	07	FROZN DAIRY(R)	*	0-5 MO.	.007960	.032636	.010009
				6-11 MO.	.075621	.210146	.095084
				12-23 MO.	.114625	.269050	.144128
				2-65+ YR.	.203778	.491136	.256227
THYME, OIL FEMA 3064A	10	MEAT PRODS(R)	11	0-5 MO.	.017059	.044973	.025215
				6-11 MO.	.321017	.865351	.474503
				12-23 MO.	.468344	.804869	.692271
				2-65+ YR.	1.215833	2.017601	1.797153
THYME, OIL FEMA 3064A	15	CONDM RELSH(R)	6	0-5 MO.	**********	.001584	**********
				6-11 MO.	.012668	.034838	.015798
				12-23 MO.	.044339	.120348	.055295
				2-65+ YR.	.139351	.335709	.173783
THYME, OIL FEMA 3064A	16	SOFT CANDY(R)	4	0-5 MO.	.004145	.041454	.004834
				6-11 MO.	.045599	.140942	.053172
				12-23 MO.	.072544	.192759	.084592
				2-65+ YR.	.120215	.364791	.140180
THYME, OIL FEMA 3064A	20	GELATIN PUD(R)	*	0-5 MO.	.015955	.021540	.020075
				6-11 MO.	.102114	.309533	.128477
				12-23 MO.	.110092	.268049	.138514
				2-65+ YR.	.162744	.418826	.204760
THYME, OIL FEMA 3064A	21	SOUPS(R)	*	0-5 MO.	.000470	.003527	.000590
				6-11 MO.	.054785	.170938	.068735

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
THYME, OIL FEMA 3064A	21	SOUPS(R)	*	12-23 MO.	.081825	.225958	.102660
				2-65+ YR.	.074536	.198683	.093515
THYME, OIL FEMA 3064A	23	BEV TYPE I(R)	4	0-5 MO.	.009237	.013855	.011932
				6-11 MO.	.087363	.299036	.112861
				12-23 MO.	.208594	.625396	.269473
				2-65+ YR.	.400254	1.068754	.517070
THYME, OIL FEMA 3064A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000390	**********
				12-23 MO.	**********	.000779	**********
				2-65+ YR.	.126635	.367825	.164067
THYME, OIL FEMA 3064A	99	ALL CATEGORIES	18	0-5 MO.	.140706	.273233	.169807
				6-11 MO.	1.340739	3.339575	1.674417
				12-23 MO.	2.476963	4.775444	3.044230
				2-65+ YR.	5.908844	10.411057	7.267146
THYME, WHITE, OIL FEMA 3065A	01	BAKED GOODS(R)	4	0-5 MO.	.091010	.120455	.101238
				6-11 MO.	.679901	1.386570	.756310
				12-23 MO.	1.458842	2.403744	1.622792
				2-65+ YR.	3.672535	5.455268	4.085267
THYME, WHITE, OIL FEMA 3065A	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.010000
				6-11 MO.	.076000	.211200	.095000
				12-23 MO.	.115200	.270400	.144000
				2-65+ YR.	.204800	.493600	.256000
THYME, WHITE, OIL FEMA 3065A	10	MEAT PRODS(R)	5	0-5 MO.	.034050	.089768	.037433
				6-11 MO.	.640756	1.727255	.704416
				12-23 MO.	.934822	1.606532	1.027698
				2-65+ YR.	2.426824	4.027165	2.667932
THYME, WHITE, OIL FEMA 3065A	15	CONDM RELSH(R)	5	0-5 MO.	**********	.002196	**********
				6-11 MO.	.017566	.048308	.020078
				12-23 MO.	.061483	.166881	.070274

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
THYME, WHITE, OIL FEMA 3065A	15	CONDM RELSH(R)	5	2-65+ YR.	.193231	.465511	.220861
THYME, WHITE, OIL FEMA 3065A	16	SOFT CANDY(R)	5	0-5 MO.	.004389	.043886	.004998
				6-11 MO.	.048274	.149211	.054973
				12-23 MO.	.076800	.204068	.087457
				2-65+ YR.	.127268	.366194	.144928
THYME, WHITE, OIL FEMA 3065A	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
THYME, WHITE, OIL FEMA 3065A	23	BEV TYPE I(R)	*	0-5 MO.	.009552	.014328	.011947
				6-11 MO.	.090343	.309236	.112997
				12-23 MO.	.215709	.646728	.269800
				2-65+ YR.	.413906	1.105209	.517697
THYME, WHITE, OIL FEMA 3065A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000801	**********
				2-65+ YR.	.130162	.378072	.163159
THYME, WHITE, OIL FEMA 3065A	99	ALL CATEGORIES	11	0-5 MO.	.163000	.325032	.185615
				6-11 MO.	1.655240	4.142579	1.871774
				12-23 MO.	2.973256	5.567956	3.360020
				2-65+ YR.	7.331927	12.731019	8.259843
TUBEROSE, OIL FEMA 3084A	01	BAKED GOODS(R)	6	0-5 MO.	.007321	.009690	.011356
				6-11 MO.	.054695	.111543	.084836
				12-23 MO.	.117357	.193369	.182030
				2-65+ YR.	.295437	.438849	.458248
TUBEROSE, OIL FEMA 3084A	07	FROZN DAIRY(R)	4	0-5 MO.	.000701	.002874	.001587
				6-11 MO.	.006658	.018503	.015081
				12-23 MO.	.010092	.023689	.022859
				2-65+ YR.	.017942	.043243	.040638

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TUBEROSE, OIL							
FEMA 3084A	16	SOFT CANDY(R)	5	0-5 MO.	.000327	.003268	.000630
				6-11 MO.	.003594	.011110	.006925
				12-23 MO.	.005718	.015194	.011016
				2-65+ YR.	.009476	.028754	.018256
TUBEROSE, OIL							
FEMA 3084A	20	GELATIN PUD(R)	5	0-5 MO.	.001688	.002278	.003445
				6-11 MO.	.010800	.032738	.022048
				12-23 MO.	.011644	.028350	.023771
				2-65+ YR.	.017213	.044297	.035139
TUBEROSE, OIL							
FEMA 3084A	23	BEV TYPE I(R)	5	0-5 MO.	.001033	.001550	.002906
				6-11 MO.	.009772	.033450	.027490
				12-23 MO.	.023333	.069956	.065636
				2-65+ YR.	.044772	.119550	.125944
TUBEROSE, OIL							
FEMA 3084A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000022	**********
				12-23 MO.	**********	.000044	**********
				2-65+ YR.	.007215	.020957	.024180
TUBEROSE, OIL							
FEMA 3084A	99	ALL CATEGORIES	6	0-5 MO.	.011070	.019659	.019924
				6-11 MO.	.085519	.207364	.156379
				12-23 MO.	.168144	.330603	.305312
				2-65+ YR.	.392054	.695650	.702405
TURMERIC							
FEMA 3085A	01	BAKED GOODS(R)	*	0-5 MO.	.130356	.172530	.224427
				6-11 MO.	.973834	1.986008	1.676601
				12-23 MO.	2.089526	3.442925	3.597431
				2-65+ YR.	5.260237	7.813676	9.056285
TURMERIC							
FEMA 3085A	03	OTHER GRAIN(R)	*	0-5 MO.	1.500000	5.100000	1.500000
				6-11 MO.	29.100000	85.800000	29.100000
				12-23 MO.	49.200000	113.700000	49.200000
				2-65+ YR.	83.400000	184.200000	83.400000
TURMERIC							
FEMA 3085A	04	FATS OILS(R)	*	0-5 MO.	.757832	.757832	1.319883

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TURMERIC FEMA 3085A	04	FATS OILS(R)	*	6-11 MO.	4.243859	11.367480	7.391344
				12-23 MO.	9.548684	18.187969	16.630523
				2-65+ YR.	26.524121	47.894984	46.195898
TURMERIC FEMA 3085A	10	MEAT PRODS(R)	15	0-5 MO.	.508969	1.341828	1.511092
				6-11 MO.	9.577875	25.818619	28.436008
				12-23 MO.	13.973518	24.014092	41.486349
				2-65+ YR.	36.275623	60.197175	107.699662
TURMERIC FEMA 3085A	12	EGG PRODS(R)	*	0-5 MO.	**********	.357000	**********
				6-11 MO.	.178500	.642600	1.131000
				12-23 MO.	.321300	1.392300	2.035800
				2-65+ YR.	.678300	2.463300	4.297800
TURMERIC FEMA 3085A	14	PROCSD VEGS(R)	4	0-5 MO.	.041010	.123030	.041454
				6-11 MO.	.703029	1.640401	.710644
				12-23 MO.	1.142422	1.912825	1.154797
				2-65+ YR.	2.489895	4.194741	2.516864
TURMERIC FEMA 3085A	15	CONDM RELSH(R)	13	0-5 MO.	**********	.423000	**********
				6-11 MO.	3.383998	9.305996	7.067458
				12-23 MO.	11.843994	32.147984	24.736104
				2-65+ YR.	37.223982	89.675957	77.742042
TURMERIC FEMA 3085A	20	GELATIN PUD(R)	*	0-5 MO.	.088385	.119319	.088385
				6-11 MO.	.565662	1.714662	.565662
				12-23 MO.	.609854	1.484862	.609854
				2-65+ YR.	.901523	2.320096	.901523
TURMERIC FEMA 3085A	21	SOUPS(R)	6	0-5 MO.	.095396	.715474	.209942
				6-11 MO.	11.113689	34.676618	24.458234
				12-23 MO.	16.598986	45.838005	36.529895
				2-65+ YR.	15.120341	40.305010	33.275795
TURMERIC FEMA 3085A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.012770	**********
				6-11 MO.	.051080	.140470	.051080

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TURMERIC FEMA 3085A	22	SNACK FOODS(R)	*	12-23 MO.	.140470	.395870	.140470
				2-65+ YR.	.166010	.472490	.166010
TURMERIC FEMA 3085A	25	NUT PRODS(R)	*	0-5 MO.	**********	.060000	**********
				6-11 MO.	1.110000	4.020000	1.202500
				12-23 MO.	.810000	2.700000	.877500
				2-65+ YR.	1.560000	4.650000	1.690000
TURMERIC FEMA 3085A	27	GRAVIES(R)	*	0-5 MO.	.003636	.010907	.013486
				6-11 MO.	.050900	.141791	.188807
				12-23 MO.	.130884	.370839	.485503
				2-65+ YR.	.301761	.774400	1.119353
TURMERIC FEMA 3085A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	2.200000	**********
				12-23 MO.	**********	4.400000	**********
				2-65+ YR.	2.200000	11.000000	2.200000
TURMERIC FEMA 3085A	99	ALL CATEGORIES	33	0-5 MO.	3.125584	9.193689	4.908669
				6-11 MO.	61.052426	179.454645	101.979337
				12-23 MO.	106.409638	249.987671	177.484226
				2-65+ YR.	212.101793	455.961828	370.261233
TURMERIC, EXTRACT FEMA 3086A	10	MEAT PRODS(R)	*	0-5 MO.	.544658	1.435916	.594262
				6-11 MO.	10.249471	27.629010	11.182932
				12-23 MO.	14.953335	25.697950	16.315195
				2-65+ YR.	38.819254	64.418175	42.354678
TURMERIC, EXTRACT FEMA 3086A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000081	**********
				6-11 MO.	.000646	.001770	.004138
				12-23 MO.	.002263	.006141	.014482
				2-65+ YR.	.007111	.017131	.045516
TURMERIC, EXTRACT FEMA 3086A	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.004800
				6-11 MO.	.045400	.155400	.045400
				12-23 MO.	.108400	.325000	.108400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TURMERIC, EXTRACT FEMA 3086A	23	BEV TYPE I(R)	*	2-65+ YR.	.208000	.555400	.208000
TURMERIC, EXTRACT FEMA 3086A	99	ALL CATEGORIES	5	0-5 MO.	.549458	1.443197	.599062
				6-11 MO.	10.295518	27.786187	11.232469
				12-23 MO.	15.063998	26.029091	16.438077
				2-65+ YR.	39.034365	64.990706	42.608194
TURMERIC, OLEORESIN FEMA 3087A	01	BAKED GOODS(R)	5	0-5 MO.	.020384	.026979	.033237
				6-11 MO.	.152281	.310558	.248303
				12-23 MO.	.326745	.538380	.532776
				2-65+ YR.	.822559	1.221848	1.341226
TURMERIC, OLEORESIN FEMA 3087A	04	FATS OILS(R)	*	0-5 MO.	.001432	.001432	.001432
				6-11 MO.	.008020	.021483	.008020
				12-23 MO.	.018045	.034372	.018045
				2-65+ YR.	.050126	.090514	.050126
TURMERIC, OLEORESIN FEMA 3087A	10	MEAT PRODS(R)	13	0-5 MO.	.094796	.249915	.117309
				6-11 MO.	1.783880	4.808719	2.207542
				12-23 MO.	2.602568	4.472625	3.220665
				2-65+ YR.	6.756336	11.211726	8.360933
TURMERIC, OLEORESIN FEMA 3087A	12	EGG PRODS(R)	*	0-5 MO.	**********	.357000	**********
				6-11 MO.	.178500	.642600	1.131000
				12-23 MO.	.321300	1.392300	2.035800
				2-65+ YR.	.678300	2.463300	4.297800
TURMERIC, OLEORESIN FEMA 3087A	15	CONDM RELSH(R)	11	0-5 MO.	**********	.032066	**********
				6-11 MO.	.256527	.705448	.373329
				12-23 MO.	.897843	2.437002	1.306653
				2-65+ YR.	2.821792	6.797954	4.106622
TURMERIC, OLEORESIN FEMA 3087A	21	SOUPS(R)	*	0-5 MO.	.255859	1.918943	.255980
				6-11 MO.	29.807575	93.004752	29.821708
				12-23 MO.	44.519469	122.940257	44.540577
				2-65+ YR.	40.553654	108.100434	40.572882

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TURMERIC, OLEORESIN								
FEMA 3087A		24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.000090	**********
					12-23 MO.	**********	.000180	**********
					2-65+ YR.	.029250	.084960	.130000
TURMERIC, OLEORESIN								
FEMA 3087A		27	GRAVIES(R)	*	0-5 MO.	.050300	.150900	.050800
					6-11 MO.	.704200	1.961700	.711200
					12-23 MO.	1.810800	5.130600	1.828800
					2-65+ YR.	4.174900	10.713900	4.216400
TURMERIC, OLEORESIN								
FEMA 3087A		59	ALL CATEGORIES	25	0-5 MO.	.422771	2.737235	.458759
					6-11 MO.	32.890983	101.455350	34.501103
					12-23 MO.	50.496771	136.945718	53.483316
					2-65+ YR.	55.886917	140.684636	63.075989
VANILLA								
FEMA 3104A	NAS 0433	01	BAKED GOODS(R)	9	0-5 MO.	7.583544	10.037044	32.784226
					6-11 MO.	56.653536	115.537526	244.917454
					12-23 MO.	121.559752	200.294784	525.511861
					2-65+ YR.	306.018311	454.566558	1322.939950
VANILLA								
FEMA 3104A	NAS 0433	02	BREAK CERLS(R)	*	0-5 MO.	.228000	.646000	.276000
					6-11 MO.	8.474000	22.724000	10.258000
					12-23 MO.	9.918000	19.342000	12.006000
					2-65+ YR.	7.600000	19.684000	9.200000
VANILLA								
FEMA 3104A	NAS 0433	07	FROZN DAIRY(R)	8	0-5 MO.	.527815	2.164042	.913634
					6-11 MO.	5.014244	13.934321	8.679520
					12-23 MO.	7.600539	17.840154	13.156325
					2-65+ YR.	13.512069	32.566198	23.389023
VANILLA								
FEMA 3104A	NAS 0433	16	SOFT CANDY(R)	5	0-5 MO.	.065998	.659982	.279004
					6-11 MO.	.725980	2.243938	3.069041
					12-23 MO.	1.154968	3.068915	4.882564
					2-65+ YR.	1.913947	5.807839	8.091107
VANILLA								
FEMA 3104A	NAS 0433	17	CONF FROST(R)	*	0-5 MO.	**********	.101136	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VANILLA FEMA 3104A	NAS 0433	17	CONF FROST(R)	*	6-11 MO.	.101136	.202273	.188636
					12-23 MO.	.202273	.707955	.377273
					2-65+ YR.	.303409	.809091	.565909
VANILLA FEMA 3104A	NAS 0433	20	GELATIN PUD(R)	5	0-5 MO.	.524077	.707504	.868436
					6-11 MO.	3.354095	10.167100	5.557988
					12-23 MO.	3.616133	8.804499	5.992205
					2-65+ YR.	5.345588	13.757029	8.858043
VANILLA FEMA 3104A	NAS 0433	23	BEV TYPE I(R)	*	0-5 MO.	.189462	.284194	.535488
					6-11 MO.	1.791999	6.133848	5.064821
					12-23 MO.	4.278695	12.828190	12.093098
					2-65+ YR.	8.210041	21.922389	23.204468
VANILLA FEMA 3104A	NAS 0433	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.122023	**********
					12-23 MO.	**********	.244047	**********
					2-65+ YR.	39.657583	115.190027	67.490583
VANILLA FEMA 3104A	NAS 0433	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.029300	.087900	.029300
					12-23 MO.	.087900	.263700	.087900
					2-65+ YR.	.175800	.498100	.175800
VANILLA FEMA 3104A	NAS 0433	99	ALL CATEGORIES	19	0-5 MO.	9.118897	14.599902	35.656787
					6-11 MO.	76.144291	171.152929	277.764760
					12-23 MO.	148.418259	263.394242	574.107226
					2-65+ YR.	382.736749	664.801231	1463.914882
VANILLA EXTRACT FEMA 3105A	NAS 0482	01	BAKED GOODS(R)	23	0-5 MO.	5.800333	7.676912	11.727970
					6-11 MO.	43.331902	88.369785	87.614834
					12-23 MO.	92.975932	153.197040	187.992459
					2-65+ YR.	234.060511	347.678805	473.258079
VANILLA EXTRACT FEMA 3105A	NAS 0482	07	FROZN DAIRY(R)	26	0-5 MO.	1.810090	7.421371	3.877247
					6-11 MO.	17.195859	47.786386	36.833843

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VANILLA EXTRACT FEMA 3105A NAS 0482	07	FROZN DAIRY(R)	26	12-23 MO.	26.065302	61.181055	55.832351
				2-65+ YR.	46.338314	111.682577	99.257513
VANILLA EXTRACT FEMA 3105A NAS 0482	08	PROCSD FRUT(R)	*	0-5 MO.	.037600	.100800	.056400
				6-11 MO.	.414400	1.032000	.621600
				12-23 MO.	.804800	1.597600	1.207200
				2-65+ YR.	.946400	2.004800	1.419600
VANILLA EXTRACT FEMA 3105A NAS 0482	16	SOFT CANDY(R)	23	0-5 MO.	.190100	1.901000	.471927
				6-11 MO.	2.091100	6.463401	5.191195
				12-23 MO.	3.326751	8.839652	8.258719
				2-65+ YR.	5.512901	16.728804	13.685878
VANILLA EXTRACT FEMA 3105A NAS 0482	17	CONF FROST(R)	*	0-5 MO.	**********	.020000	**********
				6-11 MO.	.020000	.040000	.400000
				12-23 MO.	.040000	.140000	.800000
				2-65+ YR.	.060000	.160000	1.200000
VANILLA EXTRACT FEMA 3105A NAS 0482	19	SWEET SAUCE(R)	*	0-5 MO.	.017850	.023800	.131100
				6-11 MO.	.053550	.184450	.393300
				12-23 MO.	.154700	.452200	1.136200
				2-65+ YR.	.404600	1.065050	2.971600
VANILLA EXTRACT FEMA 3105A NAS 0482	20	GELATIN PUD(R)	16	0-5 MO.	3.073472	4.149187	5.465553
				6-11 MO.	19.670219	59.625353	34.979540
				12-23 MO.	21.206955	51.634326	37.712317
				2-65+ YR.	31.349412	80.678634	55.748642
VANILLA EXTRACT FEMA 3105A NAS 0482	23	BEV TYPE I(R)	25	0-5 MO.	1.005707	1.508560	1.874850
				6-11 MO.	9.512311	32.559761	17.732954
				12-23 MO.	22.712214	68.094739	42.340356
				2-65+ YR.	43.580633	116.368671	81.243488
VANILLA EXTRACT FEMA 3105A NAS 0482	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.016512	**********
				12-23 MO.	**********	.033023	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VANILLA EXTRACT FEMA 3105A NAS 0482	24	BEV TYPE 1)(R)	4	2-65+ YR.	5.366315	15.587081	10.122821
VANILLA EXTRACT FEMA 3105A NAS 0482	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.280000	.460000	.560000
				12-23 MO.	.160000	.680000	.320000
				2-65+ YR.	.180000	.300000	.360000
VANILLA EXTRACT FEMA 3105A NAS 0482	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001658	.004974	.007189
				12-23 MO.	.004974	.014922	.021567
				2-65+ YR.	.009948	.028186	.043134
VANILLA EXTRACT FEMA 3105A NAS 0482	99	ALL CATEGORIES	61	0-5 MO.	11.935152	22.801630	23.605046
				6-11 MO.	92.571000	236.542622	184.334454
				12-23 MO.	167.451628	345.864558	335.621169
				2-65+ YR.	367.809034	692.282609	739.310755
VANILLA, OLEORESIN FEMA 3106A	01	BAKED GOODS(R)	10	0-5 MO.	1.195530	1.582319	1.543992
				6-11 MO.	8.931311	18.214248	11.534528
				12-23 MO.	19.163640	31.576052	24.749282
				2-65+ YR.	48.243144	71.661463	62.304614
VANILLA, OLEORESIN FEMA 3106A	07	FROZN DAIRY(R)	10	0-5 MO.	.320588	1.314410	.389222
				6-11 MO.	3.045583	8.463516	3.697612
				12-23 MO.	4.616463	10.835865	5.604801
				2-65+ YR.	8.207046	19.780262	9.964091
VANILLA, OLEORESIN FEMA 3106A	16	SOFT CANDY(R)	9	0-5 MO.	.054645	.546448	.070442
				6-11 MO.	.601092	1.857922	.774862
				12-23 MO.	.956284	2.540982	1.232736
				2-65+ YR.	1.584698	4.808740	2.042819
VANILLA, OLEORESIN FEMA 3106A	20	GELATIN PUD(R)	7	0-5 MO.	.595854	.804403	.778163
				6-11 MO.	3.813465	11.559566	4.980241
				12-23 MO.	4.111392	10.010345	5.369323
				2-65+ YR.	6.077710	15.641165	7.937260

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VANILLA, OLEORESIN							
FEMA 3106A	23	BEV TYPE I(R)	9	0-5 MO.	.493430	.740145	.575105
				6-11 MO.	4.667025	15.974794	5.439531
				12-23 MO.	11.143293	33.409318	12.987778
				2-65+ YR.	21.381964	57.093954	24.921197
VANILLA, OLEORESIN							
FEMA 3106A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.015767	**********
				12-23 MO.	**********	.031535	**********
				2-65+ YR.	5.124378	14.884346	6.256367
VANILLA, OLEORESIN							
FEMA 3106A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002593	.007779	.002593
				12-23 MO.	.007779	.023337	.007779
				2-65+ YR.	.015558	.044081	.015558
VANILLA, OLEORESIN							
FEMA 3106A	99	ALL CATEGORIES	15	0-5 MO.	2.660046	4.987724	3.356923
				6-11 MO.	21.061069	56.093592	26.429367
				12-23 MO.	39.998850	88.427434	49.951698
				2-65+ YR.	90.634497	183.914012	113.441906
VIOLET LEAVES, ABSOL							
FEMA 3110A	C1	BAKED GOODS(R)	6	0-5 MO.	.043656	.057780	.056576
				6-11 MO.	.326136	.665112	.422656
				12-23 MO.	.699780	1.153032	.906880
				2-65+ YR.	1.761648	2.616792	2.283008
VIOLET LEAVES, ABSOL							
FEMA 3110A	C7	FROZN DAIRY(R)	7	0-5 MO.	.005264	.021583	.007419
				6-11 MO.	.050009	.138972	.070479
				12-23 MO.	.075803	.177926	.106831
				2-65+ YR.	.134761	.324794	.189922
VIOLET LEAVES, ABSOL							
FEMA 3110A	I6	SOFT CANDY(R)	8	0-5 MO.	.001016	.010158	.001337
				6-11 MO.	.011174	.034538	.014703
				12-23 MO.	.017777	.047236	.023392
				2-65+ YR.	.029459	.089393	.038763
VIOLET LEAVES, ABSOL							
FEMA 3110A	20	GELATIN PUD(R)	5	0-5 MO.	.010518	.014200	.013600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VIOLET LEAVES, ABSOL FEMA 3110A	20	GELATIN PUD(R)	5	6-11 MO.	.067316	.204053	.087040
				12-23 MO.	.072575	.176705	.093840
				2-65+ YR.	.107285	.276102	.138720
VIOLET LEAVES, ABSOL FEMA 3110A	23	BEV TYPE I(R)	9	0-5 MO.	.003443	.005164	.006189
				6-11 MO.	.032563	.111461	.058534
				12-23 MO.	.077750	.233106	.139759
				2-65+ YR.	.149188	.398361	.268171
VIOLET LEAVES, ABSOL FEMA 3110A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000058	**********
				12-23 MO.	**********	.000116	**********
				2-65+ YR.	.018891	.054870	.027219
VIOLET LEAVES, ABSOL FEMA 3110A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000078	.000234	.000267
				12-23 MO.	.000234	.000702	.000801
				2-65+ YR.	.000468	.001326	.001602
VIOLET LEAVES, ABSOL FEMA 3110A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000750	.000750	.000750
				12-23 MO.	.000750	.002250	.000750
				2-65+ YR.	.001500	.003000	.001500
VIOLET LEAVES, ABSOL FEMA 3110A	99	ALL CATEGORIES	13	0-5 MO.	.063897	.108885	.085120
				6-11 MO.	.488027	1.155178	.654429
				12-23 MO.	.944669	1.791074	1.272252
				2-65+ YR.	2.203200	3.764639	2.948905
YLANG YLANG, OIL FEMA 3119A	01	BAKED GOODS(R)	11	0-5 MO.	.010308	.013643	.017093
				6-11 MO.	.077006	.157043	.127692
				12-23 MO.	.165229	.272248	.273984
				2-65+ YR.	.415952	.617864	.689736
YLANG YLANG, OIL FEMA 3119A	07	FROZN DAIRY(R)	9	0-5 MO.	.002924	.011987	.004889
				6-11 MO.	.027775	.077186	.046448

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
YLANG YLANG, OIL FEMA 3119A	07	FROZN DAIRY(R)	9	12-23 MO.	.042102	.098822	.070406
				2-65+ YR.	.074847	.180393	.125166
YLANG YLANG, OIL FEMA 3119A	16	SOFT CANDY(R)	12	0-5 MO.	.000600	.006003	.000996
				6-11 MO.	.006603	.020410	.010960
				12-23 MO.	.010505	.027913	.017436
				2-65+ YR.	.017408	.052825	.028894
YLANG YLANG, OIL FEMA 3119A	20	GELATIN PUD(R)	5	0-5 MO.	.002060	.002781	.005996
				6-11 MO.	.013186	.039969	.038376
				12-23 MO.	.014216	.034612	.041374
				2-65+ YR.	.021015	.054082	.061162
YLANG YLANG, OIL FEMA 3119A	23	BEV TYPE I(R)	12	0-5 MO.	.002340	.003510	.006850
				6-11 MO.	.022136	.075768	.064788
				12-23 MO.	.052852	.158459	.154692
				2-65+ YR.	.101414	.270795	.296825
YLANG YLANG, OIL FEMA 3119A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000099	**********
				12-23 MO.	**********	.000199	**********
				2-65+ YR.	.032290	.093790	.094505
YLANG YLANG, OIL FEMA 3119A	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000105	.000315	.000138
				12-23 MO.	.000315	.000945	.000414
				2-65+ YR.	.000630	.001785	.000828
YLANG YLANG, OIL FEMA 3119A	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001204	.001204	.005881
				12-23 MO.	.001204	.003612	.005881
				2-65+ YR.	.002408	.004816	.011762
YLANG YLANG, OIL FEMA 3119A	99	ALL CATEGORIES	21	0-5 MO.	.018232	.037925	.035824
				6-11 MO.	.148014	.371994	.294283
				12-23 MO.	.286422	.596810	.564187

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
YLANG, YLANG, OIL							
FEMA 3119A	99	ALL CATEGORIES	21	2-65+ YR.	.665964	1.276350	1.308879
ZEDOARY							
FEMA 3122A	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.014400
				6-11 MO.	.068100	.233100	.136200
				12-23 MO.	.162600	.487500	.325200
				2-65+ YR.	.312000	.833100	.624000
ZEDOARY							
FEMA 3122A	99	ALL CATEGORIES	*	0-5 MO.	.007200	.010800	.014400
				6-11 MO.	.068100	.233100	.136200
				12-23 MO.	.162600	.487500	.325200
				2-65+ YR.	.312000	.833100	.624000
ZEDOARYBARK, EXTRCT							
FEMA 3123A	23	BEV TYPE I(R)	*	0-5 MO.	4.320000	6.480000	4.800000
				6-11 MO.	40.860000	139.860000	45.400000
				12-23 MO.	97.560000	292.500000	108.400000
				2-65+ YR.	187.200000	499.860000	208.000000
ZEDOARYBARK, EXTRCT							
FEMA 3123A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.180000	**********
				12-23 MO.	**********	.360000	**********
				2-65+ YR.	58.500000	169.920000	65.000000
ZEDOARYBARK, EXTRCT							
FEMA 3123A	99	ALL CATEGORIES	*	0-5 MO.	4.320000	6.480000	4.800000
				6-11 MO.	40.860000	140.040000	45.400000
				12-23 MO.	97.560000	292.860000	108.400000
				2-65+ YR.	245.700000	669.780000	273.000000
CALENDULA							
FEMA 3264A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
CALENDULA							
FEMA 3264A	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
COCOA EXTRACT FEMA 3278A	01	BAKED FOODS(R)	5	0-5 MO.	64.445585	85.295627	97.123879
				6-11 MO.	481.446427	981.847437	725.572507
				12-23 MO.	1033.024813	1702.121619	1556.838647
				2-65+ YR.	2600.568887	3862.944164	3919.234172
COCOA EXTRACT FEMA 3278A	07	FROZN DAIRY(R)	8	0-5 MO.	19.691250	80.734126	29.422725
				6-11 MO.	187.066877	519.849006	279.515891
				12-23 MO.	283.554003	665.564257	423.687246
				2-65+ YR.	504.096006	1214.950139	753.221770
COCOA EXTRACT FEMA 3278A	16	SOFT CANDY(R)	4	0-5 MO.	2.876937	28.769368	3.863751
				6-11 MO.	31.646305	97.815853	42.501263
				12-23 MO.	50.346395	133.777563	67.615646
				2-65+ YR.	83.431168	253.170442	112.048785
COCOA EXTRACT FEMA 3278A	20	GELATIN PUD(R)	*	0-5 MO.	29.074298	39.250303	38.910939
				6-11 MO.	186.075508	564.041384	249.030010
				12-23 MO.	200.612657	488.448209	268.485479
				2-65+ YR.	296.557841	763.200327	396.891578
COCOA EXTRACT FEMA 3278A	23	BEV TYPE I(R)	8	0-5 MO.	20.257842	30.386763	33.802922
				6-11 MO.	191.605424	655.847642	319.719304
				12-23 MO.	457.489603	1371.624733	763.382656
				2-65+ YR.	877.839829	2344.001160	1464.793289
COCOA EXTRACT FEMA 3278A	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	1.617291	**********
				12-23 MO.	**********	3.234581	**********
				2-65+ YR.	525.619469	1526.722395	529.125482
COCOA EXTRACT FEMA 3278A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.198360	.595080	.198360
				12-23 MO.	.595080	1.785240	.595080
				2-65+ YR.	1.190160	3.372120	1.190160
COCOA EXTRACT FEMA 3278A	99	ALL CATEGORIES	11	0-5 MO.	136.345912	264.436187	203.124217

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
COCOA EXTRACT FEMA 3278A	99	ALL CATEGORIES	11	6-11 MO.	1078.038902	2821.613692	1616.537336
				12-23 MO.	2025.622552	4366.556203	3080.604754
				2-65+ YR.	4889.303361	9968.360746	7176.505235
COFFEE, EXTRACT FEMA 3279A	01	BAKED GOODS(R)	6	0-5 MO.	63.807838	84.451551	95.937250
				6-11 MO.	476.682085	972.131181	716.707689
				12-23 MO.	1022.802112	1685.277608	1537.817680
				2-65+ YR.	2574.833940	3624.716888	3871.350197
COFFEE, EXTRACT FEMA 3279A	05	MILK PRODS(R)	*	0-5 MO.	.108000	.080000	.135000
				6-11 MO.	1.248000	6.002000	1.560000
				12-23 MO.	1.090000	3.488000	1.362500
				2-65+ YR.	.790000	2.412000	.987500
COFFEE, EXTRACT FEMA 3279A	07	FROZN DAIRY(R)	11	0-5 MO.	15.626036	64.066746	23.838755
				6-11 MO.	148.447339	412.527342	226.468168
				12-23 MO.	225.014914	528.160006	343.278066
				2-65+ YR.	400.026513	964.126401	610.272117
COFFEE, EXTRACT FEMA 3279A	16	SOFT CANDY(R)	6	0-5 MO.	2.888530	28.885304	3.911296
				6-11 MO.	31.773834	98.210033	43.024260
				12-23 MO.	50.549282	134.316663	68.447687
				2-65+ YR.	83.767381	254.190674	113.427596
COFFEE, EXTRACT FEMA 3279A	19	SWEET SAUCE(R)	*	0-5 MO.	.060000	.080000	.084000
				6-11 MO.	.180000	.620000	.252000
				12-23 MO.	.520000	1.520000	.728000
				2-65+ YR.	1.360000	3.580000	1.904000
COFFEE, EXTRACT FEMA 3279A	20	GELATIN PUD(R)	4	0-5 MO.	29.226748	39.456110	39.068744
				6-11 MO.	187.051186	566.998908	250.039961
				12-23 MO.	201.664560	491.009363	269.574333
				2-65+ YR.	298.112628	767.202130	398.501188
COFFEE, EXTRACT FEMA 3279A	23	BEV TYPE I(R)	9	0-5 MO.	20.587277	30.880915	33.158537
				6-11 MO.	194.721328	666.513091	313.624492

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
COFFEE, EXTRACT FEMA 3279A	23	BEV TYPE II(R)	9	12-23 MO.	464.929338	1393.930210	748.830285
				2-65+ YR.	892.115335	2382.119504	1436.869919
COFFEE, EXTRACT FEMA 3279A	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.026944	**********
				12-23 MO.	**********	.053889	**********
				2-65+ YR.	8.756944	25.435556	66.625000
COFFEE, EXTRACT FEMA 3279A	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	1.335491	4.006473	3.136190
				12-23 MO.	4.006473	12.019419	9.408570
				2-65+ YR.	8.012946	22.703347	18.817140
COFFEE, EXTRACT FEMA 3279A	99	ALL CATEGORIES	20	0-5 MO.	132.304429	247.900626	196.133581
				6-11 MO.	1041.439263	2727.035973	1554.812761
				12-23 MO.	1970.576678	4249.775158	2979.447120
				2-65+ YR.	4267.775887	8246.486499	6518.754656
HICKORY, SMOKE, DIST FEMA 3320A	01	BAKED GOODS(R)	*	0-5 MO.	.335820	.444467	.345058
				6-11 MO.	2.508770	5.116311	2.577785
				12-23 MO.	5.382992	8.869590	5.531074
				2-65+ YR.	13.551312	20.129426	13.924099
HICKORY, SMOKE, DIST FEMA 3320A	04	FATS OILS(R)	*	0-5 MO.	.012500	.012500	.050000
				6-11 MO.	.070000	.187500	.280000
				12-23 MO.	.157500	.300000	.630000
				2-65+ YR.	.437500	.790000	1.750000
HICKORY, SMOKE, DIST FEMA 3320A	07	FROZN DAIRY(R)	*	0-5 MO.	.050000	.205000	.100000
				6-11 MO.	.475000	1.320000	.950000
				12-23 MO.	.720000	1.690000	1.440000
				2-65+ YR.	1.280000	3.085000	2.560000
HICKORY, SMOKE, DIST FEMA 3320A	10	MEAT PRODS(R)	11	0-5 MO.	1.583563	4.174849	3.088403
				6-11 MO.	29.799785	80.329856	58.118126
				12-23 MO.	43.476015	74.715404	84.790696

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HICKORY, SMOKE, DIST FEMA 3320A	10	MEAT PRODS(R)	11	2-65+ YR.	112.864887	187.292370	220.118892
HICKORY, SMOKE, DIST FEMA 3320A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.008135	**********
				6-11 MO.	.065076	.178960	4.426911
				12-23 MO.	.227768	.618226	15.494190
				2-65+ YR.	.715841	1.724526	48.696024
HICKORY, SMOKE, DIST FEMA 3320A	16	SOFT CANDY(R)	*	0-5 MO.	.010000	.100000	.020000
				6-11 MO.	.110000	.340000	.220000
				12-23 MO.	.175000	.465000	.350000
				2-65+ YR.	.290000	.880000	.580000
HICKORY, SMOKE, DIST FEMA 3320A	20	GELATIN PUD(R)	*	0-5 MO.	.100000	.135000	.200000
				6-11 MO.	.640000	1.940000	1.280000
				12-23 MO.	.690000	1.680000	1.380000
				2-65+ YR.	1.020000	2.625000	2.040000
HICKORY, SMOKE, DIST FEMA 3320A	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000900	**********
				6-11 MO.	.003600	.009900	.024000
				12-23 MO.	.009900	.027900	.066000
				2-65+ YR.	.011700	.033300	.078000
HICKORY, SMOKE, DIST FEMA 3320A	23	BEV TYPE I(R)	*	0-5 MO.	.120000	.180000	.240000
				6-11 MO.	1.135000	3.885000	2.270000
				12-23 MO.	2.710000	8.125000	5.420000
				2-65+ YR.	5.200000	13.885000	10.400000
HICKORY, SMOKE, DIST FEMA 3320A	27	GRAVIES(R)	*	0-5 MO.	.488764	1.466291	.509880
				6-11 MO.	6.842692	19.061785	7.138325
				12-23 MO.	17.595494	49.853898	18.355693
				2-65+ YR.	40.567388	104.106670	42.320070
HICKORY, SMOKE, DIST FEMA 3320A	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.235000	**********
				12-23 MO.	**********	.470000	**********
				2-65+ YR.	.235000	1.175000	.300000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HICKORY, SMOKE, DIST							
FEMA 3320A	99	ALL CATEGORIES	19	0-5 MO.	2.700647	6.727142	4.553341
				6-11 MO.	41.649924	112.604312	77.285147
				12-23 MO.	71.144668	146.815018	133.457653
				2-65+ YR.	176.173627	335.726292	342.767085
LUPULIN							
FEMA 3332A	01	BAKED GOODS(R)	*	0-5 MO.	.204000	.270000	.340000
				6-11 MO.	1.524000	3.108000	2.540000
				12-23 MO.	3.270000	5.388000	5.450000
				2-65+ YR.	8.232000	12.228000	13.720000
LUPULIN							
FEMA 3332A	07	FROZN DAIRY(R)	*	0-5 MO.	.030000	.123000	.060000
				6-11 MO.	.285000	.792000	.570000
				12-23 MO.	.432000	1.014000	.864000
				2-65+ YR.	.768000	1.851000	1.536000
LUPULIN							
FEMA 3332A	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	.165000
				6-11 MO.	2.070000	5.580000	3.105000
				12-23 MO.	3.020000	5.190000	4.530000
				2-65+ YR.	7.840000	13.010000	11.760000
LUPULIN							
FEMA 3332A	16	SOFT CANDY(R)	*	0-5 MO.	.012000	.120000	.020000
				6-11 MO.	.132000	.408000	.220000
				12-23 MO.	.210000	.558000	.350000
				2-65+ YR.	.348000	1.056000	.580000
LUPULIN							
FEMA 3332A	20	GELATIN PUD(R)	*	0-5 MO.	.060000	.081000	.120000
				6-11 MO.	.384000	1.164000	.768000
				12-23 MO.	.414000	1.008000	.828000
				2-65+ YR.	.612000	1.575000	1.224000
LUPULIN							
FEMA 3332A	23	BEV TYPE I(R)	*	0-5 MO.	.069482	.104223	.136411
				6-11 MO.	.657181	2.249470	1.290223
				12-23 MO.	1.569128	4.704489	3.080621
				2-65+ YR.	3.010873	8.039611	5.911155
LUPULIN							
FEMA 3332A	99	ALL CATEGORIES	*	0-5 MO.	.485482	.988223	.841411

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LUPULIN							
FEMA 3332A	99	ALL CATEGORIES	*	6-11 MO.	5.052181	13.301470	8.493223
				12-23 MO.	8.915128	17.862489	15.102621
				2-65+ YR.	20.810873	37.759611	34.731155
MALT, EXTRACT							
FEMA 3334A	01	BAKED GOODS(R)	4	0-5 MO.	64.004654	84.712043	128.009428
				6-11 MO.	478.152419	975.129736	956.305729
				12-23 MO.	1025.956961	1690.475874	2051.915837
				2-65+ YR.	2582.776056	3836.514288	5165.556933
MALT, EXTRACT							
FEMA 3334A	05	MILK PRODS(R)	*	0-5 MO.	2.179479	1.614629	2.739727
				6-11 MO.	25.185091	121.122529	31.659067
				12-23 MO.	21.996594	70.389100	27.650948
				2-65+ YR.	15.942485	48.675031	20.040595
MALT, EXTRACT							
FEMA 3334A	07	FROZN DAIRY(R)	7	0-5 MO.	4.855207	19.906348	4.883115
				6-11 MO.	46.124465	128.177459	46.389593
				12-23 MO.	69.914978	164.105990	70.316856
				2-65+ YR.	124.293294	299.566259	125.007745
MALT, EXTRACT							
FEMA 3334A	10	MEAT PRODS(R)	*	0-5 MO.	11.000000	29.000000	16.500000
				6-11 MO.	207.000000	558.000000	310.500000
				12-23 MO.	302.000000	519.000000	453.000000
				2-65+ YR.	784.000000	1301.000000	1176.000000
MALT, EXTRACT							
FEMA 3334A	16	SOFT CANDY(R)	6	0-5 MO.	1.656349	16.563490	1.656349
				6-11 MO.	18.219839	56.315865	18.219839
				12-23 MO.	28.986107	77.020227	28.986107
				2-65+ YR.	48.034120	145.758709	48.034120
MALT, EXTRACT							
FEMA 3334A	20	GELATIN PUD(R)	*	0-5 MO.	19.870199	26.824768	29.807947
				6-11 MO.	127.169272	385.481854	190.770861
				12-23 MO.	137.104371	333.819338	205.674834
				2-65+ YR.	202.676026	521.592715	304.041060
MALT, EXTRACT							
FEMA 3334A	23	BEV TYPE I(R)	5	0-5 MO.	.675824	1.013736	.715356
				6-11 MO.	6.392170	21.879806	6.766072

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MALT, EXTRACT FEMA 3334A	23	BEV TYPE I(R)	5	12-23 MO.	15.262361	45.758925	16.155114
				2-65+ YR.	29.285712	78.198483	30.998743
MALT, EXTRACT FEMA 3334A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.915422	**********
				12-23 MO.	**********	1.830843	**********
				2-65+ YR.	297.512048	864.158072	448.206325
MALT, EXTRACT FEMA 3334A	99	ALL CATEGORIES	13	0-5 MO.	104.241712	179.634813	184.311922
				6-11 MO.	908.243254	2247.022670	1560.611160
				12-23 MO.	1601.221372	2902.400296	2853.699697
				2-65+ YR.	4084.519742	7095.463557	7317.885520
MATE LEAVES FEMA 3336A	01	BAKED GOODS(R)	*	0-5 MO.	.442085	.585113	.850850
				6-11 MO.	3.302635	6.735295	6.356350
				12-23 MO.	7.086363	11.676245	13.638625
				2-65+ YR.	17.839430	26.499095	34.334300
MATE LEAVES FEMA 3336A	07	FROZN DAIRY(R)	*	0-5 MO.	.065025	.266603	.125250
				6-11 MO.	.617738	1.716660	1.189875
				12-23 MO.	.936360	2.197845	1.803600
				2-65+ YR.	1.664640	4.012043	3.206400
MATE LEAVES FEMA 3336A	16	SOFT CANDY(R)	*	0-5 MO.	.021005	.210050	.040050
				6-11 MO.	.231055	.714170	.440550
				12-23 MO.	.367588	.976733	.700875
				2-65+ YR.	.609145	1.848440	1.161450
MATE LEAVES FEMA 3336A	20	GELATIN PUD(R)	*	0-5 MO.	.130050	.175568	.250500
				6-11 MO.	.832320	2.522970	1.603200
				12-23 MO.	.897345	2.184840	1.728450
				2-65+ YR.	1.326510	3.413813	2.555100
MATE LEAVES FEMA 3336A	23	BEV TYPE I(R)	4	0-5 MO.	.238777	.358165	.240600
				6-11 MO.	2.258428	7.730590	2.275675
				12-23 MO.	5.392370	16.167162	5.433550

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MATE LEAVES FEMA 3336A	23	BEV TYPE I(R)	4	2-65+ YR.	10.346983	27.628435	10.426000
MATE LEAVES FEMA 3336A	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002531	**********
				12-23 MO.	**********	.005062	**********
				2-65+ YR.	.822601	2.389341	2.000068
MATE LEAVES FEMA 3336A	99	ALL CATEGORIES	5	0-5 MO.	.896942	1.595497	1.507250
				6-11 MO.	7.242176	19.422017	11.865650
				12-23 MO.	14.680025	33.207886	23.305100
				2-65+ YR.	32.609310	65.791166	53.683318
TAMARIND, EXTRACT FEMA 3395A	01	BAKED GOODS(R)	*	0-5 MO.	1.037000	1.372500	1.722667
				6-11 MO.	7.747000	15.799000	12.869333
				12-23 MO.	16.622500	27.389000	27.613333
				2-65+ YR.	41.846000	62.159000	69.514667
TAMARIND, EXTRACT FEMA 3395A	04	FATS OILS(R)	*	0-5 MO.	.099000	.099000	.099000
				6-11 MO.	.554400	1.485000	.554400
				12-23 MO.	1.247400	2.376000	1.247400
				2-65+ YR.	3.465000	6.256800	3.465000
TAMARIND, EXTRACT FEMA 3395A	07	FROZN DAIRY(R)	*	0-5 MO.	.150000	.615000	.300000
				6-11 MO.	1.425000	3.960000	2.850000
				12-23 MO.	2.160000	5.070000	4.320000
				2-65+ YR.	3.840000	9.255000	7.680000
TAMARIND, EXTRACT FEMA 3395A	15	CONDM RELSH(R)	*	0-5 MO.	**********	.064273	**********
				6-11 MO.	.514187	1.414015	.583305
				12-23 MO.	1.799655	4.884777	2.041566
				2-65+ YR.	5.656058	13.625958	6.416351
TAMARIND, EXTRACT FEMA 3395A	16	SOFT CANDY(R)	*	0-5 MO.	.070000	.700000	.120000
				6-11 MO.	.770000	2.380000	1.320000
				12-23 MO.	1.225000	3.250000	2.100000
				2-65+ YR.	2.030000	6.160000	3.480000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TAMARIND, EXTRACT							
FEMA 3395A	20	GELATIN PUD(R)	*	0-5 MO.	.600000	.810000	1.000000
				6-11 MO.	3.840000	11.640000	6.400000
				12-23 MO.	4.140000	10.080000	6.900000
				2-65+ YR.	6.120000	15.750000	10.200000
TAMARIND, EXTRACT							
FEMA 3395A	23	BEV TYPE I(R)	5	0-5 MO.	.338983	.508475	.518644
				6-11 MO.	3.206215	10.974576	4.905508
				12-23 MO.	7.655367	22.951977	11.712712
				2-65+ YR.	14.689266	39.223164	22.474576
TAMARIND, EXTRACT							
FEMA 3395A	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.006176	**********
				12-23 MO.	**********	.012353	**********
				2-65+ YR.	2.007353	5.830588	4.014706
TAMARIND, EXTRACT							
FEMA 3395A	27	GRAVIES(R)	*	0-5 MO.	.312500	.937500	.807200
				6-11 MO.	4.375000	12.187500	11.300800
				12-23 MO.	11.250000	31.875000	29.059200
				2-65+ YR.	25.937500	66.562500	66.997600
TAMARIND, EXTRACT							
FEMA 3395A	99	ALL CATEGORIES	9	0-5 MO.	2.607483	5.106748	4.567511
				6-11 MO.	22.431802	59.846267	40.783346
				12-23 MO.	46.099922	107.894108	84.994211
				2-65+ YR.	105.591177	224.823010	194.242900
TEA, EXTRACT							
FEMA 3397A	01	BAKED GOODS(R)	*	0-5 MO.	68.000000	90.000000	102.000000
				6-11 MO.	508.000000	1036.000000	762.000000
				12-23 MO.	1090.000000	1796.000000	1635.000000
				2-65+ YR.	2744.000000	4076.000000	4116.000000
TEA, EXTRACT							
FEMA 3397A	07	FROZN DAIRY(R)	*	0-5 MO.	10.000000	41.000000	15.000000
				6-11 MO.	95.000000	264.000000	142.500000
				12-23 MO.	144.000000	338.000000	216.000000
				2-65+ YR.	256.000000	617.000000	384.000000
TEA, EXTRACT							
FEMA 3397A	16	SOFT CANDY(R)	*	0-5 MO.	3.000000	30.000000	4.000000

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TEA, EXTRACT FEMA 3397A		16	SOFT CANDY(R)	*	6-11 MO.	33.000000	102.000000	44.000000
					12-23 MO.	52.500000	139.500000	70.000000
					2-65+ YR.	87.000000	264.000000	116.000000
TEA, EXTRACT FEMA 3397A		20	GELATIN PUD(R)	*	0-5 MO.	30.000000	40.500000	40.000000
					6-11 MO.	192.000000	582.000000	256.000000
					12-23 MO.	207.000000	504.000000	276.000000
					2-65+ YR.	306.000000	787.500000	408.000000
TEA, EXTRACT FEMA 3397A		23	BEV TYPE I(R)	*	0-5 MO.	20.905263	31.357895	31.421053
					6-11 MO.	197.728947	676.807895	297.190789
					12-23 MO.	472.110526	1415.460526	709.592105
					2-65+ YR.	905.894737	2418.913158	1361.578947
TEA, EXTRACT FEMA 3397A		24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.871053	**********
					12-23 MO.	**********	1.742105	**********
					2-65+ YR.	283.092105	822.273684	425.493421
TEA, EXTRACT FEMA 3397A		99	ALL CATEGORIES	*	0-5 MO.	131.905263	232.857895	192.421053
					6-11 MO.	1025.728947	2661.678947	1501.690789
					12-23 MO.	1965.610526	4194.702632	2906.592105
					2-65+ YR.	4581.986842	8985.686842	6811.072368
ACETALDEHYDE FEMA 2003B	NAS 0448	01	BAKED GOODS(R)	21	0-5 MO.	.018076	.023924	.065871
					6-11 MO.	.135037	.275390	.492098
					12-23 MO.	.289744	.477413	1.055880
					2-65+ YR.	.729410	1.083483	2.658105
ACETALDEHYDE FEMA 2003B	NAS 0448	04	FATS OILS(R)	*	0-5 MO.	.000100	.000100	.000200
					6-11 MO.	.000560	.001500	.001120
					12-23 MO.	.001260	.002400	.002520
					2-65+ YR.	.003500	.006320	.007000
ACETALDEHYDE FEMA 2003B	NAS 0448	07	FROZN DAIRY(R)	16	0-5 MO.	.006795	.027860	.017796
					6-11 MO.	.064554	.179393	.169058

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ACETALDEHYDE FEMA 2003B	NAS 0448	07	FROZN DAIRY(R)	16	12-23 MO.	.097851	.229677	.256256
					2-65+ YR.	.173957	.419262	.455567
ACETALDEHYDE FEMA 2003B	NAS 0448	10	MEAT PRODS(R)	4	0-5 MO.	.001839	.004848	.006081
					6-11 MO.	.034607	.093288	.114434
					12-23 MO.	.050489	.086768	.166951
					2-65+ YR.	.131071	.217504	.433410
ACETALDEHYDE FEMA 2003B	NAS 0448	16	SOFT CANDY(R)	20	0-5 MO.	.000651	.006513	.001693
					6-11 MO.	.007165	.022145	.018623
					12-23 MO.	.011398	.030287	.029628
					2-65+ YR.	.018889	.057317	.049098
ACETALDEHYDE FEMA 2003B	NAS 0448	20	GELATIN PUD(R)	15	0-5 MO.	.008346	.011267	.031195
					6-11 MO.	.053414	.161910	.199650
					12-23 MO.	.057586	.140210	.215248
					2-65+ YR.	.085128	.219079	.318193
ACETALDEHYDE FEMA 2003B	NAS 0448	23	BEV TYPE I(R)	24	0-5 MO.	.012130	.018195	.053716
					6-11 MO.	.114727	.392701	.508064
					12-23 MO.	.273931	.821287	1.213086
					2-65+ YR.	.525624	1.403516	2.327693
ACETALDEHYDE FEMA 2003B	NAS 0448	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.000561	**********
					12-23 MO.	**********	.001122	**********
					2-65+ YR.	.182270	.529423	.792629
ACETALDEHYDE FEMA 2003B	NAS 0448	27	GRAVIES(R)	*	0-5 MO.	.000010	.000030	.000020
					6-11 MO.	.000140	.000390	.000280
					12-23 MO.	.000360	.001020	.000720
					2-65+ YR.	.000830	.002130	.001660
ACETALDEHYDE FEMA 2003B	NAS 0448	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.000280	.000460	.000980
					12-23 MO.	.000160	.000680	.000560

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ACETALDEHYDE FEMA 2003B	NAS 0448	28	TMIT DAIRY(R)	*	2-65+ YR.	.000180	.000300	.000630
ACETALDEHYDE FEMA 2003B	NAS 0448	30	HARD CANDY(R)	14	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.000929	.002787	.002149
					12-23 MO.	.002787	.008361	.006447
					2-65+ YR.	.005574	.015793	.012894
ACETALDEHYDE FEMA 2003B	NAS 0448	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
					6-11 MO.	.000544	.000544	.004098
					12-23 MO.	.000544	.001632	.004098
					2-65+ YR.	.001088	.002176	.008196
ACETALDEHYDE FEMA 2003B	NAS 0448	99	ALL CATEGORIES	54	0-5 MO.	.047947	.092737	.176572
					6-11 MO.	.411956	1.131068	1.510554
					12-23 MO.	.786110	1.800856	2.951395
					2-65+ YR.	1.857519	3.956304	7.065075
ACETOIN FEMA 2008B	NAS 0363	01	BAKED GOODS(R)	24	0-5 MO.	.058922	.077985	.149006
					6-11 MO.	.440182	.897694	1.113159
					12-23 MO.	.944485	1.556235	2.388472
					2-65+ YR.	2.377677	3.531855	6.012814
ACETOIN FEMA 2008B	NAS 0363	04	FATS OILS(R)	6	0-5 MO.	.007513	.007513	.025746
					6-11 MO.	.042075	.112702	.144176
					12-23 MO.	.094670	.180323	.324396
					2-65+ YR.	.262971	.474851	.901100
ACETOIN FEMA 2008B	NAS 0363	05	MILK PRODS(R)	*	0-5 MO.	.594000	.440000	1.080000
					6-11 MO.	6.864000	33.011000	12.480000
					12-23 MO.	5.995000	19.184000	10.900000
					2-65+ YR.	4.345000	13.266000	7.900000
ACETOIN FEMA 2008B	NAS 0363	07	FROZN DAIRY(R)	15	0-5 MO.	.013321	.054617	.042711
					6-11 MO.	.126550	.351677	.405753
					12-23 MO.	.191824	.458253	.615036
					2-65+ YR.	.341020	.821912	1.093398

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ACETOIN								
FEMA 2008B	NAS 0363	10	MEAT PRODS(R)	*	0-5 MO.	.013520	.035643	.026693
					6-11 MO.	.254414	.685812	.502322
					12-23 MO.	.371174	.637879	.732856
					2-65+ YR.	.963578	1.598998	1.902513
ACETOIN								
FEMA 2008B	NAS 0363	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000200	**********
					6-11 MO.	.001600	.004400	.006400
					12-23 MO.	.005600	.015200	.022400
					2-65+ YR.	.017600	.042400	.070400
ACETOIN								
FEMA 2008B	NAS 0363	16	SOFT CANDY(R)	19	0-5 MO.	.002960	.029599	.006591
					6-11 MO.	.032559	.100638	.072504
					12-23 MO.	.051799	.137637	.115347
					2-65+ YR.	.085838	.260475	.191146
ACETOIN								
FEMA 2008B	NAS 0363	19	SWEET SAUCE(R)	*	0-5 MO.	.000900	.001200	.001602
					6-11 MO.	.002700	.009300	.004805
					12-23 MO.	.007800	.022800	.013882
					2-65+ YR.	.020400	.053700	.036307
ACETOIN								
FEMA 2008B	NAS 0363	20	GELATIN PUD(R)	12	0-5 MO.	.028485	.038454	.062637
					6-11 MO.	.182303	.552604	.400876
					12-23 MO.	.196545	.478544	.432194
					2-65+ YR.	.290545	.747725	.638896
ACETOIN								
FEMA 2008B	NAS 0363	23	BEV TYPE I(R)	13	0-5 MO.	.021396	.032095	.042027
					6-11 MO.	.202375	.692709	.397506
					12-23 MO.	.483203	1.448716	.949112
					2-65+ YR.	.927179	2.475745	1.821174
ACETOIN								
FEMA 2008B	NAS 0363	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.000295	**********
					12-23 MO.	**********	.000590	**********
					2-65+ YR.	.095836	.278348	.472646
ACETOIN								
FEMA 2008B	NAS 0363	27	GRAVIES(R)	*	0-5 MO.	.000500	.001500	.002000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ACETOIN FEMA 2008B	NAS 0363	27	GRAVIES(R)	*	6-11 MO.	.007000	.019500	.028000
					12-23 MO.	.018000	.051000	.072000
					2-65+ YR.	.041500	.106500	.166000
ACETOIN FEMA 2008B	NAS 0363	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.001820	.005460	.008489
					12-23 MO.	.005460	.016380	.025467
					2-65+ YR.	.010920	.030940	.050934
ACETOIN FEMA 2008B	NAS 0363	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
					6-11 MO.	.000218	.000218	.000903
					12-23 MO.	.000218	.000654	.000903
					2-65+ YR.	.000436	.000872	.001806
ACETOIN FEMA 2008B	NAS 0363	99	ALL CATEGORIES	40	0-5 MO.	.741517	.718806	1.439013
					6-11 MO.	8.157796	36.444010	15.564893
					12-23 MO.	8.365777	24.180211	16.592065
					2-65+ YR.	9.780500	23.690341	21.259135
ACONITIC ACID FEMA 2010B		01	BAKED GOODS(R)	4	0-5 MO.	.030411	.040250	.085718
					6-11 MO.	.227191	.463326	.640366
					12-23 MO.	.487477	.803218	1.374014
					2-65+ YR.	1.227189	1.822894	3.458986
ACONITIC ACID FEMA 2010B		07	FROZN DAIRY(R)	*	0-5 MO.	.005546	.022741	.008535
					6-11 MO.	.052692	.146427	.081065
					12-23 MO.	.079869	.187471	.122907
					2-65+ YR.	.141990	.342218	.218501
ACONITIC ACID FEMA 2010B		16	SOFT CANDY(R)	*	0-5 MO.	.004479	.044789	.006239
					6-11 MO.	.049268	.152282	.068634
					12-23 MO.	.078380	.208268	.109190
					2-65+ YR.	.129887	.394141	.180944
ACONITIC ACID FEMA 2010B		23	BEV TYPE I(R)	*	0-5 MO.	.003938	.005907	.008062
					6-11 MO.	.037247	.127494	.076253

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ACONITIC ACID FEMA 2010B	23	BEV TYPE I(R)	*	12-23 MO.	.088934	.266637	.182066
				2-65+ YR.	.170648	.455663	.349352
ACONITIC ACID FEMA 2010B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001500	**********
				12-23 MO.	**********	.003000	**********
				2-65+ YR.	.487500	1.416000	.650000
ACONITIC ACID FEMA 2010B	99	ALL CATEGORIES	4	0-5 MO.	.044375	.113687	.108555
				6-11 MO.	.366397	.891029	.866337
				12-23 MO.	.734660	1.468594	1.788177
				2-65+ YR.	2.157214	4.430916	4.857783
ANETHOLE FEMA 2086B	01	BAKED GOODS(R)	18	0-5 MO.	.898239	1.188845	1.682928
				6-11 MO.	6.710371	13.684929	12.572466
				12-23 MO.	14.398237	23.724067	26.976354
				2-65+ YR.	36.246570	53.841479	67.911115
ANETHOLE FEMA 2086B	07	FROZN DAIRY(R)	13	0-5 MO.	.041483	.170081	.053455
				6-11 MO.	.394091	1.095157	.507822
				12-23 MO.	.597358	1.402133	.769752
				2-65+ YR.	1.061971	2.559515	1.368448
ANETHOLE FEMA 2086B	10	MEAT PRODS(R)	*	0-5 MO.	.005506	.014515	.011006
				6-11 MO.	.103604	.279279	.207104
				12-23 MO.	.151151	.259760	.302151
				2-65+ YR.	.392392	.651151	.784392
ANETHOLE FEMA 2086B	16	SOFT CANDY(R)	21	0-5 MO.	.065481	.654807	.106127
				6-11 MO.	.720288	2.226345	1.167399
				12-23 MO.	1.145913	3.044854	1.857225
				2-65+ YR.	1.898941	5.762303	3.077687
ANETHOLE FEMA 2086B	19	SWEET SAUCE(R)	*	0-5 MO.	.012900	.017200	.025800
				6-11 MO.	.038700	.133300	.077400
				12-23 MO.	.111800	.326800	.223600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANETHOLE FEMA 2086B	19	SWEET SAUCE(R)	*	2-65+ YR.	.292400	.769700	.584800
ANETHOLE FEMA 2086B	20	GELATIN PUD(R)	5	0-5 MO.	.089039	.120203	.105595
				6-11 MO.	.569852	1.727364	.675806
				12-23 MO.	.614372	1.495861	.728603
				2-65+ YR.	.908201	2.337283	1.077066
ANETHOLE FEMA 2086B	23	BEV TYPE I(R)	27	0-5 MO.	.078940	.118411	.102089
				6-11 MO.	.746644	2.555695	.965588
				12-23 MO.	1.782737	5.344922	2.305501
				2-65+ YR.	3.420750	9.134060	4.423839
ANETHOLE FEMA 2086B	24	BEV TYPE II(R)	9	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.063484	**********
				12-23 MO.	**********	.126967	**********
				2-65+ YR.	20.632205	59.928619	23.482239
ANETHOLE FEMA 2086B	27	GRAVIES(R)	*	0-5 MO.	.000251	.000752	.000501
				6-11 MO.	.003507	.009770	.007007
				12-23 MO.	.009018	.025551	.018018
				2-65+ YR.	.020792	.053357	.041542
ANETHOLE FEMA 2086B	30	HARD CANDY(R)	14	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.037550	.112650	.049172
				12-23 MO.	.112650	.337950	.147516
				2-65+ YR.	.225300	.638350	.295032
ANETHOLE FEMA 2086B	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.026530	.026530	.256496
				12-23 MO.	.026530	.079590	.256496
				2-65+ YR.	.053060	.106120	.512992
ANETHOLE FEMA 2086B	99	ALL CATEGORIES	55	0-5 MO.	1.191838	2.284813	2.087500
				6-11 MO.	9.351136	21.914502	16.486259
				12-23 MO.	18.948765	36.168454	33.585216
				2-65+ YR.	65.152581	135.781937	103.559152

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZALDEHYDE								
FEMA 2127B	NAS 0367	01	BAKED GOODS(R)	28	0-5 MO.	.589806	.780626	.793812
					6-11 MO.	4.406201	8.985875	5.930242
					12-23 MO.	9.454251	15.577830	12.724338
					2-65+ YR.	23.800426	35.353694	32.032646
BENZALDEHYDE								
FEMA 2127B	NAS 0367	07	FROZN DAIRY(R)	30	0-5 MO.	.131070	.537386	.166815
					6-11 MO.	1.245163	3.460242	1.584745
					12-23 MO.	1.887405	4.430158	2.402139
					2-65+ YR.	3.355386	8.087005	4.270470
BENZALDEHYDE								
FEMA 2127B	NAS 0367	08	PROCSD FRUT(R)	4	0-5 MO.	.582800	1.362400	1.399257
					6-11 MO.	6.423200	15.996000	15.421600
					12-23 MO.	12.474400	24.762800	29.950057
					2-65+ YR.	14.669200	31.074400	35.219600
BENZALDEHYDE								
FEMA 2127B	NAS 0367	16	SOFT CANDY(R)	31	0-5 MO.	.017876	.178765	.034353
					6-11 MO.	.196641	.607801	.377878
					12-23 MO.	.312839	.831257	.601170
					2-65+ YR.	.518418	1.573131	.996224
BENZALDEHYDE								
FEMA 2127B	NAS 0367	20	GELATIN PUD(R)	18	0-5 MO.	.160825	.217114	.277025
					6-11 MO.	1.029279	3.120003	1.772961
					12-23 MO.	1.109692	2.701858	1.911474
					2-65+ YR.	1.640414	4.221653	2.825657
BENZALDEHYDE								
FEMA 2127B	NAS 0367	23	BEV TYPE I(R)	36	0-5 MO.	.070499	.105748	.138123
					6-11 MO.	.666803	2.202404	1.306416
					12-23 MO.	1.592102	4.773368	3.119285
					2-65+ YR.	3.054955	8.157319	5.985344
BENZALDEHYDE								
FEMA 2127B	NAS 0367	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.003244	**********
					12-23 MO.	**********	.006487	**********
					2-65+ YR.	1.054174	3.061970	1.580626
BENZALDEHYDE								
FEMA 2127B	NAS 0367	30	HARD CANDY(R)	16	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZALDEHYDE FEMA 2127B	NAS 0367	30	HARD CANDY(R)	16	6-11 MO.	.008755	.026265	.033547
					12-23 MO.	.026265	.078795	.100641
					2-65+ YR.	.052530	.148835	.201282
BENZALDEHYDE FEMA 2127B	NAS 0367	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********
					6-11 MO.	.009840	.009840	.135303
					12-23 MO.	.009840	.029520	.135303
					2-65+ YR.	.019680	.039360	.270606
BENZALDEHYDE FEMA 2127B	NAS 0367	99	ALL CATEGORIES	75	0-5 MO.	1.552877	3.382039	2.809385
					6-11 MO.	13.985883	34.491673	26.562693
					12-23 MO.	26.866793	53.192073	50.944408
					2-65+ YR.	48.165184	91.717367	83.382456
BUTYRIC ACID FEMA 2221B	NAS 0337	01	BAKED GOODS(R)	29	0-5 MO.	.149487	.197851	.358248
					6-11 MO.	1.116758	2.277482	2.676325
					12-23 MO.	2.396192	3.948222	5.742507
					2-65+ YR.	6.032250	8.960441	14.456367
BUTYRIC ACID FEMA 2221B	NAS 0337	04	FATS OILS(R)	4	0-5 MO.	.004501	.004501	.012769
					6-11 MO.	.025204	.067511	.071504
					12-23 MO.	.056709	.108018	.160885
					2-65+ YR.	.157526	.284447	.446903
BUTYRIC ACID FEMA 2221B	NAS 0337	05	MILK PRODS(R)	*	0-5 MO.	.081000	.060000	.081000
					6-11 MO.	.936000	4.501500	.936000
					12-23 MO.	.817500	2.616000	.817500
					2-65+ YR.	.592500	1.809000	.592500
BUTYRIC ACID FEMA 2221B	NAS 0337	07	FROZN DAIRY(R)	18	0-5 MO.	.009403	.038552	.013763
					6-11 MO.	.089329	.248240	.130747
					12-23 MO.	.135404	.317823	.198185
					2-65+ YR.	.240718	.580168	.352329
BUTYRIC ACID FEMA 2221B	NAS 0337	10	MEAT PRODS(R)	*	0-5 MO.	.007539	.019876	.007539
					6-11 MO.	.141873	.382440	.141873

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP II)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYRIC ACID FEMA 2221B	NAS 0337	10	MEAT PRODS(R)	*	12-23 MO.	.206984	.355711	.206984
					2-65+ YR.	.537336	.891676	.537336
BUTYRIC ACID FEMA 2221B	NAS 0337	15	CONDM RELSH(R)	*	0-5 MO.	**********	.012500	**********
					6-11 MO.	.100000	.275000	.160000
					12-23 MO.	.350000	.950000	.560000
					2-65+ YR.	1.100000	2.650000	1.760000
BUTYRIC ACID FEMA 2221B	NAS 0337	16	SOFT CANDY(R)	24	0-5 MO.	.006313	.063135	.008325
					6-11 MO.	.069448	.214658	.091570
					12-23 MO.	.110486	.293577	.145680
					2-65+ YR.	.183091	.555586	.241412
BUTYRIC ACID FEMA 2221B	NAS 0337	19	SWEET SAUCE(R)	*	0-5 MO.	.002567	.003422	.002567
					6-11 MO.	.007700	.026521	.007700
					12-23 MO.	.022243	.065018	.022243
					2-65+ YR.	.058174	.153135	.058174
BUTYRIC ACID FEMA 2221B	NAS 0337	20	GELATIN PUD(R)	17	0-5 MO.	.026021	.035128	.042295
					6-11 MO.	.166532	.504801	.270685
					12-23 MO.	.179543	.437148	.291832
					2-65+ YR.	.265411	.683043	.431404
BUTYRIC ACID FEMA 2221B	NAS 0337	22	SNACK FOODS(R)	*	0-5 MO.	**********	.002400	**********
					6-11 MO.	.009600	.026400	.019200
					12-23 MO.	.026400	.074400	.052800
					2-65+ YR.	.031200	.088800	.062400
BUTYRIC ACID FEMA 2221B	NAS 0337	23	BEV TYPE I(R)	17	0-5 MO.	.020585	.030878	.039583
					6-11 MO.	.194704	.666455	.374392
					12-23 MO.	.464889	1.393809	.893922
					2-65+ YR.	.892038	2.381913	1.715274
BUTYRIC ACID FEMA 2221B	NAS 0337	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.000210	**********
					12-23 MO.	**********	.000420	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYRIC ACID FEMA 2221B	NAS 0337	24	BEV TYPE II(R)	*	2-65+ YR.	.068248	.198234	.115092
BUTYRIC ACID FEMA 2221B	NAS 0337	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.140697	.231145	.256423
					12-23 MO.	.080398	.341693	.146528
					2-65+ YR.	.090448	.150747	.164844
BUTYRIC ACID FEMA 2221B	NAS 0337	30	HARD CANDY(R)	15	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.003907	.011721	.010309
					12-23 MO.	.011721	.035163	.030927
					2-65+ YR.	.023442	.066419	.061854
BUTYRIC ACID FEMA 2221B	NAS 0337	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
					6-11 MO.	.000200	.000200	.001081
					12-23 MO.	.000200	.000600	.001081
					2-65+ YR.	.000400	.000800	.002162
BUTYRIC ACID FEMA 2221B	NAS 0337	99	ALL CATEGORIES	60	0-5 MO.	.307416	.468243	.566088
					6-11 MO.	3.001952	9.434285	5.147809
					12-23 MO.	4.858669	10.937600	9.271074
					2-65+ YR.	10.272781	19.454407	20.998050
TRIBUTYRIN FEMA 2223B		01	BAKED GOODS(R)	6	0-5 MO.	2.606091	3.449238	3.252420
					6-11 MO.	19.469034	39.704564	24.297494
					12-23 MO.	41.774107	68.831465	52.134386
					2-65+ YR.	105.163441	156.212166	131.244730
TRIBUTYRIN FEMA 2223B		04	FATS OILS(R)	*	0-5 MO.	.010725	.010725	.016850
					6-11 MO.	.060060	.160875	.094360
					12-23 MO.	.135135	.257400	.212310
					2-65+ YR.	.375375	.677820	.589750
TRIBUTYRIN FEMA 2223B		07	FROZN DAIRY(R)	*	0-5 MO.	.006785	.027820	.008542
					6-11 MO.	.064461	.179134	.081147
					12-23 MO.	.097710	.229346	.123002
					2-65+ YR.	.173706	.418658	.218671

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TRIBUTYRIN							
FEMA 2223B	16	SOFT CANDY(R)	4	0-5 MO.	.084636	.846361	.154018
				6-11 MO.	.930997	2.877626	1.694200
				12-23 MO.	1.481131	3.935577	2.695319
				2-65+ YR.	2.454446	7.447974	4.466528
TRIBUTYRIN							
FEMA 2223B	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
TRIBUTYRIN							
FEMA 2223B	23	BEV TYPE I(R)	*	0-5 MO.	.006137	.009206	.010520
				6-11 MO.	.058046	.198686	.099502
				12-23 MO.	.138594	.415527	.237577
				2-65+ YR.	.265937	.710104	.455867
TRIBUTYRIN							
FEMA 2223B	99	ALL CATEGORIES	7	0-5 MO.	2.730375	4.364950	3.462350
				6-11 MO.	20.684997	43.431286	26.394703
				12-23 MO.	43.737077	73.938115	55.540594
				2-65+ YR.	108.596105	165.886723	137.179545
CARVONE							
FEMA 2249B	01	BAKED GOODS(R)	8	0-5 MO.	.318492	.421533	.392660
				6-11 MO.	2.379320	4.852314	2.933398
				12-23 MO.	5.105234	8.411927	6.294103
				2-65+ YR.	12.852076	19.090765	15.844971
CARVONE							
FEMA 2249B	06	CHEESE(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	**********	.000540
				12-23 MO.	**********	**********	.001560
				2-65+ YR.	**********	**********	.001880
CARVONE							
FEMA 2249B	07	FROZN DAIRY(R)	6	0-5 MO.	.150156	.615640	.197418
				6-11 MO.	1.426482	3.964119	1.875473
				12-23 MO.	2.162247	5.075274	2.842823
				2-65+ YR.	3.843995	9.264628	5.053907
CARVONE							
FEMA 2249B	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	**********

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARVONE FEMA 2249B	10	MEAT PRODS(R)	*	6-11 MO.	.002070	.005580	**********
				12-23 MO.	.003020	.005190	**********
				2-65+ YR.	.007840	.013010	**********
CARVONE FEMA 2249B	15	CONDM RELSH(R)	*	0-5 MO.	**********	.005000	**********
				6-11 MO.	.040000	.110000	.048000
				12-23 MO.	.140000	.380000	.168000
				2-65+ YR.	.440000	1.060000	.528000
CARVONE FEMA 2249B	16	SOFT CANDY(R)	9	0-5 MO.	.038763	.387628	.045131
				6-11 MO.	.426391	1.317935	.496443
				12-23 MO.	.678349	1.802470	.789795
				2-65+ YR.	1.124121	3.411126	1.308803
CARVONE FEMA 2249B	20	GELATIN PUD(R)	*	0-5 MO.	.174000	.234900	.180000
				6-11 MO.	1.113600	3.375600	1.152000
				12-23 MO.	1.200600	2.923200	1.242000
				2-65+ YR.	1.774800	4.567500	1.836000
CARVONE FEMA 2249B	23	BEV TYPE I(R)	8	0-5 MO.	.082509	.123763	.098397
				6-11 MO.	.780393	2.671214	.930669
				12-23 MO.	1.863318	5.586516	2.222125
				2-65+ YR.	3.575370	9.546926	4.263857
CARVONE FEMA 2249B	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.012597	**********
				12-23 MO.	**********	.025193	**********
				2-65+ YR.	4.093929	11.891289	4.702566
CARVONE FEMA 2249B	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.015581	.046743	.036949
				12-23 MO.	.046743	.140229	.110847
				2-65+ YR.	.093486	.264877	.221694
CARVONE FEMA 2249B	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.009216	.009216	.034954

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARVONE FEMA 22498	31	CHEWING GUM(R)	*	12-23 MO.	.009216	.027648	.034954
				2-65+ YR.	.018432	.036864	.069908
CARVONE FEMA 22498	99	ALL CATEGORIES	27	0-5 MO.	.764029	1.788754	.913606
				6-11 MO.	6.193054	16.365319	7.508426
				12-23 MO.	11.208727	24.377648	13.706207
				2-65+ YR.	27.824049	59.146985	33.831586
CINNAMALDEHYDE FEMA 22868	01	BAKED GOODS(R)	29	0-5 MO.	.931129	1.232377	1.249355
				6-11 MO.	6.956084	14.186031	9.333418
				12-23 MO.	14.925457	24.592771	20.026429
				2-65+ YR.	37.573811	55.812993	50.415156
CINNAMALDEHYDE FEMA 22868	07	FROZN DAIRY(R)	16	0-5 MO.	.072980	.299220	.077963
				6-11 MO.	.693314	1.926682	.740647
				12-23 MO.	1.050918	2.466737	1.122665
				2-65+ YR.	1.868298	4.502890	1.995849
CINNAMALDEHYDE FEMA 22868	10	MEAT PRODS(R)	9	0-5 MO.	.042996	.113354	.065215
				6-11 MO.	.809115	2.181094	1.227221
				12-23 MO.	1.180448	2.028652	1.790438
				2-65+ YR.	3.064476	5.085310	4.648026
CINNAMALDEHYDE FEMA 22868	15	CONDM RELSH(R)	4	0-5 MO.	**********	.001748	**********
				6-11 MO.	.013981	.038448	.025497
				12-23 MO.	.048933	.132819	.089238
				2-65+ YR.	.153790	.370495	.280463
CINNAMALDEHYDE FEMA 22868	16	SOFT CANDY(R)	18	0-5 MO.	.084134	.841339	.109939
				6-11 MO.	.925473	2.860553	1.209330
				12-23 MO.	1.472343	3.912227	1.923935
				2-65+ YR.	2.439883	7.403784	3.188235
CINNAMALDEHYDE FEMA 22868	20	GELATIN PUD(R)	8	0-5 MO.	.200674	.270910	.218941
				6-11 MO.	1.284313	3.893075	1.401219
				12-23 MO.	1.384650	3.371323	1.510690

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMALDEHYDE FEMA 2286B	20	GELATIN PUD(R)	8	2-65+ YR.	2.046875	5.267692	2.233193
CINNAMALDEHYDE FEMA 2286B	23	BEV TYPE I(R)	27	0-5 MO.	.126513	.189770	.162760
				6-11 MO.	1.196605	4.095869	1.539439
				12-23 MO.	2.857093	8.566007	3.675665
				2-65+ YR.	5.482244	14.638647	7.052936
CINNAMALDEHYDE FEMA 2286B	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.043561	**********
				12-23 MO.	**********	.087121	**********
				2-65+ YR.	14.157239	41.121334	16.212040
CINNAMALDEHYDE FEMA 2286B	27	GRAVIES(R)	*	0-5 MO.	.064000	.192000	.080000
				6-11 MO.	.896000	2.496000	1.120000
				12-23 MO.	2.304000	6.528000	2.880000
				2-65+ YR.	5.312000	13.632000	6.640000
CINNAMALDEHYDE FEMA 2286B	30	HARD CANDY(R)	13	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.079222	.237666	.100394
				12-23 MO.	.237666	.712998	.301182
				2-65+ YR.	.475332	1.346774	.602364
CINNAMALDEHYDE FEMA 2286B	31	CHEWING GUM(R)	12	0-5 MO.	**********	**********	**********
				6-11 MO.	.153333	.153333	.619193
				12-23 MO.	.153333	.459999	.619193
				2-65+ YR.	.306666	.613332	1.238386
CINNAMALDEHYDE FEMA 2286B	99	ALL CATEGORIES	64	0-5 MO.	1.522428	3.140718	1.964172
				6-11 MO.	13.007441	32.112311	17.316359
				12-23 MO.	25.614842	52.858654	33.939435
				2-65+ YR.	72.880614	149.795250	94.506649
CINNAMALDE ETHYLENE GLYOL FEMA 2287B	01	BAKED GOODS(R)	*	0-5 MO.	1.012520	1.340100	1.496000
				6-11 MO.	7.564120	15.426040	11.176000
				12-23 MO.	16.230100	26.742440	23.980000
				2-65+ YR.	40.858160	60.691640	60.368000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCDD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.270000
				6-11 MO.	1.900000	5.280000	2.565000
				12-23 MO.	2.860000	6.760000	3.888000
				2-65+ YR.	5.120000	12.340000	6.912000
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.006400
				12-23 MO.	.014000	.038000	.022400
				2-65+ YR.	.044000	.106000	.070400
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	16	SOFT CANDY(R)	*	0-5 MO.	.114000	1.140000	.136200
				6-11 MO.	1.254000	3.876000	1.498200
				12-23 MO.	1.995000	5.301000	2.383500
				2-65+ YR.	3.306000	10.032000	3.949800
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	20	GELATIN PUD(R)	*	0-5 MO.	.451625	.609694	.624000
				6-11 MO.	2.890400	8.761525	3.993600
				12-23 MO.	3.116213	7.587300	4.305600
				2-65+ YR.	4.606575	11.855156	6.364800
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	23	BEV TYPE II(R)	*	0-5 MO.	.600000	.900000	.672000
				6-11 MO.	5.675000	19.425000	6.356000
				12-23 MO.	13.550000	40.625000	15.176000
				2-65+ YR.	26.000000	69.425000	29.120000
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.062000	**********
				12-23 MO.	**********	.124000	**********
				2-65+ YR.	20.150000	58.528000	29.412500
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.011250	.033750	.011250
				12-23 MO.	.033750	.101250	.033750
				2-65+ YR.	.067500	.191250	.067500
CINNAMALDE ETHYLENE GLYOL							
FEMA 22878	99	ALL CATEGORIES	4	0-5 MO.	2.378145	4.810294	3.198200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCGO CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMALDE ETHYLENE GLYCL FEMA 2287B	99	ALL CATEGORIES	4	6-11 MO.	19.298770	52.875315	25.606450
				12-23 MO.	37.819063	87.278990	49.789250
				2-65+ YR.	100.152235	223.169046	136.265000
CITRAL FEMA 2303B	01	BAKED GOODS(R)	33	0-5 MO.	.451574	.597671	.603657
				6-11 MO.	3.373520	6.879856	4.509675
				12-23 MO.	7.238459	11.926855	9.676271
				2-65+ YR.	18.222322	27.067851	24.359347
CITRAL FEMA 2303B	06	CHEESE(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	**********	.000540
				12-23 MO.	**********	**********	.001560
				2-65+ YR.	**********	**********	.001880
CITRAL FEMA 2303B	07	FROZN DAIRY(R)	21	0-5 MO.	.022294	.091406	.033555
				6-11 MO.	.211794	.588566	.318768
				12-23 MO.	.321036	.753542	.483186
				2-65+ YR.	.570730	1.375549	.858997
CITRAL FEMA 2303B	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002475
				6-11 MO.	.020700	.055800	.046575
				12-23 MO.	.030200	.051900	.067950
				2-65+ YR.	.078400	.130100	.176400
CITRAL FEMA 2303B	15	CONDN RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.008000
				12-23 MO.	.028000	.076000	.028000
				2-65+ YR.	.088000	.212000	.088000
CITRAL FEMA 2303B	16	SOFT CANDY(R)	23	0-5 MO.	.028451	.284514	.036226
				6-11 MO.	.312965	.967347	.398482
				12-23 MO.	.497899	1.322990	.633948
				2-65+ YR.	.825090	2.503723	1.050543
CITRAL FEMA 2303B	20	GELATIN PWD(R)	15	0-5 MO.	.347552	.469196	.419401
				6-11 MO.	2.224335	6.742514	2.684168

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRAL FEMA 2303B	20	GELATIN PUD(R)	15	12-23 MO.	2.398111	5.838878	2.893869
				2-65+ YR.	3.545033	9.123248	4.277893
CITRAL FEMA 2303B	23	BEV TYPE I(R)	37	0-5 MO.	.041583	.062375	.066537
				6-11 MO.	.393307	1.346254	.629330
				12-23 MO.	.939086	2.815525	1.502630
				2-65+ YR.	1.801936	4.811516	2.883275
CITRAL FEMA 2303B	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000329	**********
				12-23 MO.	**********	.000657	**********
				2-65+ YR.	.106786	.310171	.191829
CITRAL FEMA 2303B	27	GRAVIES(R)	*	0-5 MO.	.000050	.000150	.000075
				6-11 MO.	.000700	.001950	.001050
				12-23 MO.	.001800	.005100	.002700
				2-65+ YR.	.004150	.010650	.006225
CITRAL FEMA 2303B	30	HARD CANDY(R)	14	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000768	.002304	.011451
				12-23 MO.	.002304	.006912	.034353
				2-65+ YR.	.004608	.013056	.068706
CITRAL FEMA 2303B	31	CHEWING GUM(R)	10	0-5 MO.	**********	**********	**********
				6-11 MO.	.014698	.014698	.042981
				12-23 MO.	.014698	.044094	.042981
				2-65+ YR.	.029396	.058792	.085962
CITRAL FEMA 2303B	99	ALL CATEGORIES	73	0-5 MO.	.892605	1.509211	1.161926
				6-11 MO.	6.560788	16.621618	8.651020
				12-23 MO.	11.471593	22.842454	15.367447
				2-65+ YR.	25.276452	45.616656	34.049056
DECANAL FEMA 2362B	01	BAKED GOODS(R)	16	0-5 MO.	.120255	.159162	.145468
				6-11 MO.	.898379	1.832127	1.086735
				12-23 MO.	1.927624	3.176159	2.331773

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DECANAL FEMA 2362B	01	BAKED GOODS(R)	16	2-65+ YR.	4.852662	7.208254	5.870079
DECANAL FEMA 2362B	C7	FROZN DAIRY(R)	16	0-5 MO.	.017412	.071389	.021755
				6-11 MO.	.165413	.459675	.206677
				12-23 MO.	.250732	.580523	.313278
				2-65+ YR.	.445745	1.074316	.556939
DECANAL FEMA 2362B	16	SOFT CANDY(R)	17	0-5 MO.	.003183	.031835	.004456
				6-11 MO.	.035018	.108238	.049014
				12-23 MO.	.055711	.148031	.077976
				2-65+ YR.	.092320	.280145	.129218
DECANAL FEMA 2362B	20	GELATIN PUD(R)	11	0-5 MO.	.024840	.033534	.040914
				6-11 MO.	.158974	.481891	.261846
				12-23 MO.	.171394	.417307	.282303
				2-65+ YR.	.253365	.652043	.417318
DECANAL FEMA 2362B	23	BEV TYPE I(R)	21	0-5 MO.	.022734	.034100	.031971
				6-11 MO.	.215022	.736001	.302390
				12-23 MO.	.513401	1.539256	.722006
				2-65+ YR.	.985124	2.630470	1.385399
DECANAL FEMA 2362B	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000171	.000513	.000368
				12-23 MO.	.000513	.001539	.001104
				2-65+ YR.	.001026	.002907	.002208
DECANAL FEMA 2362B	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.000543	.000543	.000543
				12-23 MO.	.000543	.001629	.000543
				2-65+ YR.	.001086	.002172	.001086
DECANAL FEMA 2362B	99	ALL CATEGORIES	41	0-5 MO.	.188424	.330019	.244564
				6-11 MO.	1.473521	3.618988	1.907573
				12-23 MO.	2.919918	5.872445	3.728984
				2-65+ YR.	6.631329	11.850307	8.362247

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIACETYL FEMA 2370B	01	BAKED GOODS(R)	32	0-5 MO.	.095775	.126762	.169801
				6-11 MO.	.715499	1.459167	1.268513
				12-23 MO.	1.535224	2.529598	2.721809
				2-65+ YR.	3.864820	5.740892	6.851968
DIACETYL FEMA 2370B	04	FATS OILS(R)	8	0-5 MO.	.003007	.003007	.031088
				6-11 MO.	.016838	.045102	.174090
				12-23 MO.	.037886	.072163	.391703
				2-65+ YR.	.105238	.190030	1.088064
DIACETYL FEMA 2370B	05	MILK PRODS(R)	*	0-5 MO.	.025380	.018800	.037800
				6-11 MO.	.293280	1.410470	.436800
				12-23 MO.	.256150	.819680	.381500
				2-65+ YR.	.185650	.566820	.276500
DIACETYL FEMA 2370B	06	CHEESE(R)	*	0-5 MO.	**********	.000368	**********
				6-11 MO.	.009933	.035684	.021475
				12-23 MO.	.028695	.081670	.062038
				2-65+ YR.	.034581	.086820	.074764
DIACETYL FEMA 2370B	07	FROZN DAIRY(R)	22	0-5 MO.	.011172	.045807	.035081
				6-11 MO.	.106137	.294950	.333273
				12-23 MO.	.160882	.377625	.505172
				2-65+ YR.	.286012	.689334	.898084
DIACETYL FEMA 2370B	10	MEAT PRODS(R)	*	0-5 MO.	.030590	.080647	.030590
				6-11 MO.	.575652	1.551759	.575652
				12-23 MO.	.839841	1.443302	.839841
				2-65+ YR.	2.180249	3.617989	2.180249
DIACETYL FEMA 2370B	16	SOFT CANDY(R)	26	0-5 MO.	.003425	.034251	.008664
				6-11 MO.	.037676	.116453	.095299
				12-23 MO.	.059939	.159266	.151613
				2-65+ YR.	.099327	.301407	.251244
DIACETYL FEMA 2370B	20	GELATIN PUD(R)	15	0-5 MO.	.026902	.036317	.053161

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIACETYL FEMA 2370B	20	GELATIN PUD(R)	15	6-11 MO.	.172170	.521891	.340230
				12-23 MO.	.185621	.451947	.366810
				2-65+ YR.	.274396	.706167	.542241
DIACETYL FEMA 2370B	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000038	**********
				6-11 MO.	.000152	.000419	.000305
				12-23 MO.	.000419	.001180	.000838
				2-65+ YR.	.000495	.001409	.000990
DIACETYL FEMA 2370B	23	BEV TYPE I(R)	24	0-5 MO.	.024843	.037265	.051442
				6-11 MO.	.234977	.804306	.486552
				12-23 MO.	.561047	1.682106	1.161723
				2-65+ YR.	1.076548	2.874590	2.229137
DIACETYL FEMA 2370B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000633	**********
				12-23 MO.	**********	.001265	**********
				2-65+ YR.	.205563	.597080	.496438
DIACETYL FEMA 2370B	27	GRAVIES(R)	*	0-5 MO.	.000719	.002157	.002504
				6-11 MO.	.010066	.028041	.035058
				12-23 MO.	.025884	.073339	.090149
				2-65+ YR.	.059678	.153149	.207843
DIACETYL FEMA 2370B	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.014700	.024150	.035700
				12-23 MO.	.008400	.035700	.020400
				2-65+ YR.	.009450	.015750	.022950
DIACETYL FEMA 2370B	30	HARD CANDY(R)	15	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001065	.003195	.003008
				12-23 MO.	.003195	.009585	.009024
				2-65+ YR.	.006390	.018105	.018048
DIACETYL FEMA 2370B	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.000069	.000069	.000920

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIACETYL FEMA 2370B		31	CHEWING GUM(R)	5	12-23 MO.	.000069	.000207	.000920
					2-65+ YR.	.000138	.000276	.001840
DIACETYL FEMA 2370B		59	ALL CATEGORIES	69	0-5 MO.	.221814	.385418	.420130
					6-11 MO.	2.188215	6.296288	3.806875
					12-23 MO.	3.703251	7.738635	6.703541
					2-65+ YR.	8.388535	15.559818	15.140360
ETHYL ACETATE FEMA 2414B	NAS 0449	01	BAKED GOODS(R)	21	0-5 MO.	.524681	.694430	.717130
					6-11 MO.	3.919673	7.993664	5.357381
					12-23 MO.	8.410322	13.857742	11.495167
					2-65+ YR.	21.172407	31.449975	28.938293
ETHYL ACETATE FEMA 2414B	NAS 0449	07	FROZN DAIRY(R)	26	0-5 MO.	.066167	.271285	.110332
					6-11 MO.	.628586	1.746808	1.048151
					12-23 MO.	.952804	2.236443	1.588776
					2-65+ YR.	1.693874	4.082501	2.824490
ETHYL ACETATE FEMA 2414B	NAS 0449	08	PROCSD FRUT(R)	*	0-5 MO.	.037600	.100800	.070500
					6-11 MO.	.414400	1.032000	.777000
					12-23 MO.	.804800	1.597600	1.509000
					2-65+ YR.	.946400	2.004800	1.774500
ETHYL ACETATE FEMA 2414B	NAS 0449	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
					6-11 MO.	.002070	.005580	.002070
					12-23 MO.	.003020	.005190	.003020
					2-65+ YR.	.007840	.013010	.007840
ETHYL ACETATE FEMA 2414B	NAS 0449	16	SOFT CANDY(R)	26	0-5 MO.	.022679	.226790	.030597
					6-11 MO.	.249469	.771087	.336564
					12-23 MO.	.396883	1.054575	.535443
					2-65+ YR.	.657692	1.995754	.887306
ETHYL ACETATE FEMA 2414B	NAS 0449	20	GELATIN PUD(R)	16	0-5 MO.	.146671	.198005	.245670
					6-11 MO.	.938692	2.845412	1.572290
					12-23 MO.	1.012028	2.464068	1.695125

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL ACETATE FEMA 24148	NAS 0449	20	GELATIN PUD(R)	16	2-65+ YR.	1.496041	3.850106	2.505837
ETHYL ACETATE FEMA 24148	NAS 0449	23	BEV TYPE I(R)	40	0-5 MO.	.101673	.152510	.146444
					6-11 MO.	.961659	3.291670	1.385113
					12-23 MO.	2.296120	6.884123	3.307186
					2-65+ YR.	4.405839	11.764437	6.345891
ETHYL ACETATE FEMA 24148	NAS 0449	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.000864	**********
					12-23 MO.	**********	.001729	**********
					2-65+ YR.	.280890	.815877	.560314
ETHYL ACETATE FEMA 24148	NAS 0449	27	GRAVIES(R)	*	0-5 MO.	.002000	.006000	.004000
					6-11 MO.	.028000	.078000	.056000
					12-23 MO.	.072000	.204000	.144000
					2-65+ YR.	.166000	.426000	.332000
ETHYL ACETATE FEMA 24148	NAS 0449	30	HARD CANDY(R)	18	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.014930	.044790	.041616
					12-23 MO.	.044790	.134370	.124848
					2-65+ YR.	.089580	.253810	.249696
ETHYL ACETATE FEMA 24148	NAS 0449	31	CHEWING GUM(R)	11	0-5 MO.	**********	**********	**********
					6-11 MO.	.119242	.119242	.230242
					12-23 MO.	.119242	.357726	.230242
					2-65+ YR.	.238484	.476968	.460484
ETHYL ACETATE FEMA 24148	NAS 0449	99	ALL CATEGORIES	82	0-5 MO.	.901581	1.650110	1.324782
					6-11 MO.	7.276722	17.929116	10.806426
					12-23 MO.	14.112009	28.797565	20.632807
					2-65+ YR.	31.155047	57.133239	44.886651
ETHYL BUTYRATE FEMA 24278		01	BAKED GOODS(R)	28	0-5 MO.	.325947	.431401	.464576
					6-11 MO.	2.435018	4.965904	3.470656
					12-23 MO.	5.224744	8.608845	7.446880
					2-65+ YR.	13.152934	19.537668	18.747007

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL BUTYRATE FEMA 2427B	04	FATS OILS(R)	*	0-5 MO.	.007837	.007837	.012505
				6-11 MO.	.043885	.117550	.070028
				12-23 MO.	.098742	.188080	.157563
				2-65+ YR.	.274283	.495277	.437675
ETHYL BUTYRATE FEMA 2427B	07	FROZN DAIRY(R)	29	0-5 MO.	.039677	.162674	.066625
				6-11 MO.	.376927	1.047461	.632942
				12-23 MO.	.571342	1.341067	.959407
				2-65+ YR.	1.015719	2.448042	1.705612
ETHYL BUTYRATE FEMA 2427B	10	MEAT PRODS(R)	*	0-5 MO.	.006472	.017062	.020460
				6-11 MO.	.121785	.328290	.385020
				12-23 MO.	.177677	.305345	.561720
				2-65+ YR.	.461253	.765422	1.458240
ETHYL BUTYRATE FEMA 2427B	16	SOFT CANDY(R)	27	0-5 MO.	.014304	.143044	.020822
				6-11 MO.	.157349	.486351	.229040
				12-23 MO.	.250328	.665157	.364382
				2-65+ YR.	.414829	1.258792	.603834
ETHYL BUTYRATE FEMA 2427B	20	GELATIN PUD(R)	20	0-5 MO.	.112742	.152201	.164291
				6-11 MO.	.721546	2.187187	1.051463
				12-23 MO.	.777917	1.894059	1.133609
				2-65+ YR.	1.149964	2.959467	1.675769
ETHYL BUTYRATE FEMA 2427B	23	BEV TYPE I(R)	39	0-5 MO.	.060560	.090840	.090905
				6-11 MO.	.572799	1.960637	.859809
				12-23 MO.	1.367652	4.100431	2.052936
				2-65+ YR.	2.624276	7.007322	3.939213
ETHYL BUTYRATE FEMA 2427B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001605	**********
				12-23 MO.	**********	.003209	**********
				2-65+ YR.	.521500	1.514757	.779000
ETHYL BUTYRATE FEMA 2427B	30	HARD CANDY(R)	19	0-5 MO.	.000000	.000000	.000000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL BUTYRATE FEMA 2427B	30	HARD CANDY(R)	19	6-11 MO.	.005974	.017922	.016808
				12-23 MO.	.017922	.053766	.050424
				2-65+ YR.	.035844	.101558	.100848
ETHYL BUTYRATE FEMA 2427B	31	CHEWING GUM(R)	12	0-5 MO.	**********	**********	**********
				6-11 MO.	.083194	.083194	.139334
				12-23 MO.	.083194	.249582	.139334
				2-65+ YR.	.166388	.332776	.278668
ETHYL BUTYRATE FEMA 2427B	99	ALL CATEGORIES	84	0-5 MO.	.567538	1.005059	.840184
				6-11 MO.	4.518478	11.196100	6.855100
				12-23 MO.	8.569517	17.409541	12.866254
				2-65+ YR.	19.816992	36.421080	29.725866
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	01	BAKED GOODS(R)	19	0-5 MO.	.220065	.291262	.277122
				6-11 MO.	1.644012	3.352749	2.070262
				12-23 MO.	3.527506	5.812295	4.442097
				2-65+ YR.	8.880254	13.190931	11.182673
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	07	FROZN DAIRY(R)	24	0-5 MO.	.033690	.138130	.047573
				6-11 MO.	.320058	.889425	.451947
				12-23 MO.	.485141	1.138734	.685057
				2-65+ YR.	.862473	2.078695	1.217878
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	15	CONDM RELSH(R)	*	0-5 MO.	**********	.091690	**********
				6-11 MO.	.733520	2.017180	1.434360
				12-23 MO.	2.567320	6.968440	5.020260
				2-65+ YR.	8.068720	19.438280	15.777960
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	16	SOFT CANDY(R)	19	0-5 MO.	.011089	.110891	.014217
				6-11 MO.	.121980	.377030	.156386
				12-23 MO.	.194060	.515644	.248796
				2-65+ YR.	.321585	.975843	.412290
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	20	GELATIN PUD(R)	19	0-5 MO.	.058597	.079106	.084828
				6-11 MO.	.375022	1.136786	.542902

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	20	GELATIN PUD(R)	19	12-23 MO.	.404321	.984433	.585316
				2-65+ YR.	.597692	1.538177	.865250
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	23	BEV TYPE I(R)	34	0-5 MO.	.084095	.126142	.102734
				6-11 MO.	.795396	2.722568	.971688
				12-23 MO.	1.899140	5.693916	2.320066
				2-65+ YR.	3.644106	9.730464	4.451788
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000505	**********
				12-23 MO.	**********	.001010	**********
				2-65+ YR.	.164125	.476720	.326625
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	30	HARD CANDY(R)	18	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000966	.002898	.002884
				12-23 MO.	.002898	.008694	.008652
				2-65+ YR.	.005796	.016422	.017304
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.010333	.010333	.029520
				12-23 MO.	.010333	.030999	.029520
				2-65+ YR.	.020666	.041332	.059040
ETHYL METHYLPHENYLGLYCIDA FEMA 2444B	99	ALL CATEGORIES	62	0-5 MO.	.407536	.837222	.526474
				6-11 MO.	4.001288	10.509474	5.659949
				12-23 MO.	9.090719	21.154165	13.339764
				2-65+ YR.	22.565416	47.486864	34.310808
ETHYL VANILLIN FEMA 2464B	01	BAKED GOODS(R)	40	0-5 MO.	.143058	.189342	.316115
				6-11 MO.	1.068729	2.179535	2.361563
				12-23 MO.	2.293140	3.778421	5.067134
				2-65+ YR.	5.772821	8.575080	12.756161
ETHYL VANILLIN FEMA 2464B	02	BREAK CERLS(R)	*	0-5 MO.	.162000	.459000	.198000
				6-11 MO.	6.021000	16.146000	7.359000
				12-23 MO.	7.047000	13.743000	8.613000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL VANILLIN FEMA 2464B	02	BREAK CERLS(R)	*	2-65+ YR.	5.400000	13.986000	6.600000
ETHYL VANILLIN FEMA 2464B	04	FATS OILS(R)	*	0-5 MO.	.000032	.000032	.000077
				6-11 MO.	.000177	.000474	.000429
				12-23 MO.	.000398	.000759	.000964
				2-65+ YR.	.001106	.001998	.002679
ETHYL VANILLIN FEMA 2464B	05	MILK PRODS(R)	*	0-5 MO.	7.549755	5.592411	7.576622
				6-11 MO.	87.241608	419.570620	87.552077
				12-23 MO.	76.196597	243.829111	76.467759
				2-65+ YR.	55.225057	168.611185	55.421587
ETHYL VANILLIN FEMA 2464B	07	FROZN DAIRY(R)	34	0-5 MO.	.012269	.050304	.026606
				6-11 MO.	.116558	.323910	.252758
				12-23 MO.	.176678	.414703	.383128
				2-65+ YR.	.314094	.757016	.681117
ETHYL VANILLIN FEMA 2464B	10	MEAT PRODS(R)	*	0-5 MO.	.004290	.011310	.004290
				6-11 MO.	.080730	.217620	.080730
				12-23 MO.	.117780	.202410	.117780
				2-65+ YR.	.305760	.507390	.305760
ETHYL VANILLIN FEMA 2464B	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001300	**********
				6-11 MO.	.010400	.028600	.010400
				12-23 MO.	.036400	.098800	.036400
				2-65+ YR.	.114400	.275600	.114400
ETHYL VANILLIN FEMA 2464B	16	SOFT CANDY(R)	37	0-5 MO.	.011301	.113008	.017928
				6-11 MO.	.124309	.384227	.197205
				12-23 MO.	.197764	.525487	.313735
				2-65+ YR.	.327723	.994470	.519904
ETHYL VANILLIN FEMA 2464B	17	CONF FROST(R)	5	0-5 MO.	**********	.009594	**********
				6-11 MO.	.009594	.019187	.027048
				12-23 MO.	.019187	.067155	.054097
				2-65+ YR.	.028781	.076748	.081145

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL VANILLIN							
FEMA 2464B	19	SWEET SAUCE(R)	*	0-5 MO.	.030625	.040833	.051750
				6-11 MO.	.091875	.316458	.155250
				12-23 MO.	.265417	.775833	.448500
				2-65+ YR.	.694167	1.827292	1.173000
ETHYL VANILLIN							
FEMA 2464B	20	GELATIN PUD(R)	22	0-5 MO.	.036160	.048816	.079866
				6-11 MO.	.231425	.701508	.511144
				12-23 MO.	.249506	.607492	.551078
				2-65+ YR.	.368834	.949206	.814637
ETHYL VANILLIN							
FEMA 2464B	23	BEV TYPE I(R)	40	0-5 MO.	.041835	.062753	.071327
				6-11 MO.	.395692	1.354418	.674635
				12-23 MO.	.944780	2.832598	1.610803
				2-65+ YR.	1.812863	4.840692	3.090839
ETHYL VANILLIN							
FEMA 2464B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000504	**********
				12-23 MO.	**********	.001008	**********
				2-65+ YR.	.163800	.475776	.326300
ETHYL VANILLIN							
FEMA 2464B	30	HARD CANDY(R)	16	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001585	.004755	.003026
				12-23 MO.	.004755	.014265	.009078
				2-65+ YR.	.009510	.026945	.018156
ETHYL VANILLIN							
FEMA 2464B	31	CHEWING GUM(R)	9	0-5 MO.	**********	**********	**********
				6-11 MO.	.003746	.003746	.003746
				12-23 MO.	.003746	.011238	.003746
				2-65+ YR.	.007492	.014984	.007492
ETHYL VANILLIN							
FEMA 2464B	99	ALL CATEGORIES	99	0-5 MO.	7.991325	6.578702	8.342581
				6-11 MO.	95.397429	441.251562	99.189012
				12-23 MO.	87.553148	266.902279	93.677202
				2-65+ YR.	70.544408	201.920383	81.913177
EUGENOL							
FEMA 2467B	01	BAKED GOODS(R)	23	0-5 MO.	.050911	.067382	.072453

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
EUGENOL FEMA 2467B	01	BAKED GOODS(R)	23	6-11 MO.	.380334	.775641	.541267
				12-23 MO.	.816070	1.344644	1.161381
				2-65+ YR.	2.054401	3.051654	2.923696
EUGENOL FEMA 2467B	07	FROZN DAIRY(R)	15	0-5 MO.	.001815	.007442	.003795
				6-11 MO.	.017243	.047917	.036051
				12-23 MO.	.026136	.061348	.054645
				2-65+ YR.	.046465	.111987	.097147
EUGENOL FEMA 2467B	10	MEAT PRODS(R)	4	0-5 MO.	.055873	.147300	.111878
				6-11 MO.	1.051420	2.834262	2.105334
				12-23 MO.	1.533956	2.636169	3.071550
				2-65+ YR.	3.982189	6.608199	7.973826
EUGENOL FEMA 2467B	15	CONDM RELSH(R)	*	0-5 MO.	**********	.004983	**********
				6-11 MO.	.039863	.109624	.080000
				12-23 MO.	.139522	.378703	.280000
				2-65+ YR.	.438498	1.056381	.880000
EUGENOL FEMA 2467B	16	SOFT CANDY(R)	18	0-5 MO.	.002057	.020570	.002974
				6-11 MO.	.022627	.069938	.032709
				12-23 MO.	.035998	.095651	.052038
				2-65+ YR.	.059653	.181017	.086234
EUGENOL FEMA 2467B	17	CONF FROST(R)	*	0-5 MO.	**********	.062500	**********
				6-11 MO.	.062500	.125000	.075000
				12-23 MO.	.125000	.437500	.150000
				2-65+ YR.	.187500	.500000	.225000
EUGENOL FEMA 2467B	20	GELATIN PUD(R)	13	0-5 MO.	.003096	.004179	.005501
				6-11 MO.	.019812	.060055	.035203
				12-23 MO.	.021360	.052006	.037954
				2-65+ YR.	.031575	.081260	.056106
EUGENOL FEMA 2467B	23	BEV TYPE I(R)	23	0-5 MO.	.003185	.004778	.005258
				6-11 MO.	.030126	.103117	.049734

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
EUGENOL FEMA 2467B	23	BEV TYPE I(R)	23	12-23 MO.	.071930	.215657	.118749
				2-65+ YR.	.138020	.368540	.227857
EUGENOL FEMA 2467B	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000049	**********
				12-23 MO.	**********	.000098	**********
				2-65+ YR.	.015993	.046453	.032588
EUGENOL FEMA 2467B	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002949	.008847	.004357
				12-23 MO.	.008847	.026541	.013071
				2-65+ YR.	.017694	.050133	.026142
EUGENOL FEMA 2467B	31	CHEWING GUM(R)	9	0-5 MO.	**********	**********	**********
				6-11 MO.	.009462	.009462	.022104
				12-23 MO.	.009462	.028386	.022104
				2-65+ YR.	.018924	.037848	.044208
EUGENOL FEMA 2467B	99	ALL CATEGORIES	51	0-5 MO.	.116936	.319134	.201858
				6-11 MO.	1.636335	4.143913	2.981761
				12-23 MO.	2.788280	5.276702	4.961492
				2-65+ YR.	6.990912	12.093472	12.572805
GERANIOL FEMA 2507B	01	BAKED GOODS(R)	19	0-5 MO.	.057801	.076502	.085273
				6-11 MO.	.431810	.880620	.637041
				12-23 MO.	.926521	1.526634	1.366879
				2-65+ YR.	2.332452	3.464678	3.441023
GERANIOL FEMA 2507B	07	FROZN DAIRY(R)	14	0-5 MO.	.008583	.035189	.011998
				6-11 MO.	.081534	.226580	.113984
				12-23 MO.	.123589	.290091	.172775
				2-65+ YR.	.219714	.529544	.307156
GERANIOL FEMA 2507B	10	MEAT PRODS(R)	*	0-5 MO.	.004384	.011557	.009790
				6-11 MO.	.082492	.222369	.184230
				12-23 MO.	.120350	.206827	.268780

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANIOL FEMA 2507B	10	MEAT PRODS(R)	*	2-65+ YR.	.312432	.518462	.697760
GERANIOL FEMA 2507B	16	SOFT CANDY(R)	17	0-5 MO.	.003184	.031841	.004888
				6-11 MO.	.035025	.108259	.053765
				12-23 MO.	.055722	.148060	.085536
				2-65+ YR.	.092339	.260200	.141745
GERANIOL FEMA 2507B	20	GELATIN PUD(R)	16	0-5 MO.	.004227	.005706	.009700
				6-11 MO.	.027051	.081998	.062080
				12-23 MO.	.029164	.071009	.066930
				2-65+ YR.	.043113	.110951	.098940
GERANIOL FEMA 2507B	23	BEV TYPE I(R)	28	0-5 MO.	.008384	.012576	.014059
				6-11 MO.	.079299	.271432	.132975
				12-23 MO.	.189339	.567667	.317500
				2-65+ YR.	.363307	.970099	.609225
GERANIOL FEMA 2507B	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000093	**********
				12-23 MO.	**********	.000186	**********
				2-65+ YR.	.030159	.087601	.089705
GERANIOL FEMA 2507B	27	GRAVIES(R)	*	0-5 MO.	.000150	.000450	.000300
				6-11 MO.	.002100	.005850	.004200
				12-23 MO.	.005400	.015300	.010800
				2-65+ YR.	.012450	.031950	.024900
GERANIOL FEMA 2507B	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001260	.003780	.004224
				12-23 MO.	.003780	.011340	.012672
				2-65+ YR.	.007560	.021420	.025344
GERANIOL FEMA 2507B	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.003302	.003302	.004315
				12-23 MO.	.003302	.009906	.004315
				2-65+ YR.	.006604	.013208	.008630

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANIOL FEMA 2507B	99	ALL CATEGORIES	50	0-5 MO.	.086712	.173820	.136008
				6-11 MO.	.743872	1.804283	1.196814
				12-23 MO.	1.457167	2.847019	2.306186
				2-65+ YR.	3.420129	6.028113	5.444427
GERANYL ACETATE FEMA 2509B	01	BAKED GOODS(R)	18	0-5 MO.	.055706	.073729	.101808
				6-11 MO.	.416160	.848704	.760563
				12-23 MO.	.892942	1.471305	1.631917
				2-65+ YR.	2.247919	3.339110	4.108239
GERANYL ACETATE FEMA 2509B	07	FROZN DAIRY(R)	16	0-5 MO.	.007840	.032143	.013597
				6-11 MO.	.074479	.206972	.129176
				12-23 MO.	.112894	.264987	.195803
				2-65+ YR.	.200700	.483719	.348094
GERANYL ACETATE FEMA 2509B	10	MEAT PRODS(R)	*	0-5 MO.	.000162	.000428	.000220
				6-11 MO.	.003056	.008237	.004140
				12-23 MO.	.004458	.007661	.006040
				2-65+ YR.	.011573	.019205	.015680
GERANYL ACETATE FEMA 2509B	16	SOFT CANDY(R)	19	0-5 MO.	.003330	.033302	.004703
				6-11 MO.	.036632	.113227	.051735
				12-23 MO.	.058278	.154854	.082306
				2-65+ YR.	.096576	.293057	.136393
GERANYL ACETATE FEMA 2509B	20	GELATIN PUD(R)	15	0-5 MO.	.015546	.020986	.022825
				6-11 MO.	.099491	.301583	.146081
				12-23 MO.	.107264	.261164	.157493
				2-65+ YR.	.158564	.408069	.232816
GERANYL ACETATE FEMA 2509B	23	BEV TYPE I(R)	23	0-5 MO.	.008098	.012147	.013636
				6-11 MO.	.076591	.262165	.128977
				12-23 MO.	.182875	.548286	.307954
				2-65+ YR.	.350903	.936979	.590908
GERANYL ACETATE FEMA 2509B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GERANYL ACETATE FEMA 2509B	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000070	**********
				12-23 MO.	**********	.000140	**********
				2-65+ YR.	.022750	.066080	.066083
GERANYL ACETATE FEMA 2509B	27	GRAVIES(R)	*	0-5 MO.	.000005	.000015	.000010
				6-11 MO.	.000070	.000195	.000140
				12-23 MO.	.000180	.000510	.000360
				2-65+ YR.	.000415	.001065	.000830
GERANYL ACETATE FEMA 2509B	30	HARD CANDY(R)	9	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000132	.000396	.001786
				12-23 MO.	.000396	.001188	.005358
				2-65+ YR.	.000792	.002244	.010716
GERANYL ACETATE FEMA 2509B	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.000220	.000220	.003275
				12-23 MO.	.000220	.000660	.003275
				2-65+ YR.	.000440	.000880	.006550
GERANYL ACETATE FEMA 2509B	99	ALL CATEGORIES	44	0-5 MO.	.090687	.172751	.156800
				6-11 MO.	.706831	1.741769	1.225872
				12-23 MO.	1.359506	2.710757	2.390506
				2-65+ YR.	3.090632	5.550409	5.516309
/&/-LIMONENE FEMA 2633B	01	BAKED GOODS(R)	14	0-5 MO.	1.164450	1.541184	1.701683
				6-11 MO.	8.699129	17.740743	12.712576
				12-23 MO.	18.665453	30.755188	27.276984
				2-65+ YR.	46.988995	69.798521	68.667930
/&/-LIMONENE FEMA 2633B	07	FROZN DAIRY(R)	12	0-5 MO.	.339258	1.390958	.436809
				6-11 MO.	3.222951	8.956410	4.149690
				12-23 MO.	4.885314	11.466919	6.290057
				2-65+ YR.	8.685003	20.932215	11.182323
/&/-LIMONENE FEMA 2633B	10	MEAT PRODS(R)	*	0-5 MO.	.077698	.204839	.087717
				6-11 MO.	1.462127	3.941386	1.650669

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
/&/-LIMONENE FEMA 2633B	10	MEAT PRODS(R)	*	12-23 MO.	2.133152	3.665913	2.408223
				2-65+ YR.	5.537718	9.189504	6.251811
/&/-LIMONENE FEMA 2633B	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.016000
				12-23 MO.	.028000	.076000	.056000
				2-65+ YR.	.088000	.212000	.176000
/&/-LIMONENE FEMA 2633B	16	SOFT CANDY(R)	12	0-5 MO.	.077758	.777576	.102374
				6-11 MO.	.855334	2.643760	1.126118
				12-23 MO.	1.360759	3.615730	1.791551
				2-65+ YR.	2.254971	6.842672	2.968856
/&/-LIMONENE FEMA 2633B	20	GELATIN PUD(R)	13	0-5 MO.	.693590	.936346	.903775
				6-11 MO.	4.438973	13.455638	5.784160
				12-23 MO.	4.785768	11.652305	6.236048
				2-65+ YR.	7.074614	18.206727	9.218505
/&/-LIMONENE FEMA 2633B	23	BEV TYPE I(R)	19	0-5 MO.	.428677	.643015	.477198
				6-11 MO.	4.054567	13.878407	4.513500
				12-23 MO.	9.680948	29.024982	10.776726
				2-65+ YR.	18.575988	49.601462	20.678589
/&/-LIMONENE FEMA 2633B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.079274	**********
				12-23 MO.	**********	.158548	**********
				2-65+ YR.	25.764113	74.834839	26.401532
/&/-LIMONENE FEMA 2633B	27	GRAVIES(R)	*	0-5 MO.	.000150	.000450	.000300
				6-11 MO.	.002100	.005850	.004200
				12-23 MO.	.005400	.015300	.010800
				2-65+ YR.	.012450	.031950	.024900
/&/-LIMONENE FEMA 2633B	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.104377	.313131	.139078
				12-23 MO.	.313131	.939393	.417234

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
/6/-LIMONENE FEMA 26338	30	HARD CANDY(R)	10	2-65+ YR.	.626262	1.774409	.834468
/6/-LIMONENE FEMA 26338	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.034306	.034306	.302401
				12-23 MO.	.034306	.102918	.302401
				2-65+ YR.	.068612	.137224	.604802
/6/-LIMONENE FEMA 26338	99	ALL CATEGORIES	40	0-5 MO.	2.781580	5.495368	3.709857
				6-11 MO.	22.881864	61.070905	30.398392
				12-23 MO.	41.892231	91.473196	55.566023
				2-65+ YR.	115.676727	251.561524	147.009716
LINALOOL FEMA 26358	01	BAKED GOODS(R)	17	0-5 MO.	.040467	.053559	.059986
				6-11 MO.	.302309	.616521	.448132
				12-23 MO.	.648656	1.068795	.961542
				2-65+ YR.	1.632947	2.425616	2.420616
LINALOOL FEMA 26358	07	FROZN DAIRY(R)	17	0-5 MO.	.006470	.026525	.009568
				6-11 MO.	.061460	.170795	.090891
				12-23 MO.	.093161	.218669	.137772
				2-65+ YR.	.165619	.399168	.244929
LINALOOL FEMA 26358	10	MEAT PRODS(R)	5	0-5 MO.	.020589	.054279	.050220
				6-11 MO.	.387439	1.044400	.945052
				12-23 MO.	.565249	.971404	1.378772
				2-65+ YR.	1.467400	2.435061	3.579329
LINALOOL FEMA 26358	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.032000
				12-23 MO.	.014000	.038000	.112000
				2-65+ YR.	.044000	.106000	.352000
LINALOOL FEMA 26358	16	SOFT CANDY(R)	19	0-5 MO.	.001275	.012751	.002083
				6-11 MO.	.014026	.043353	.022915
				12-23 MO.	.022314	.059292	.036456
				2-65+ YR.	.036978	.112208	.060413

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALOOL							
FEMA 2635B	20	GELATIN PUD(R)	17	0-5 MO.	.014614	.019729	.019524
				6-11 MO.	.093532	.283520	.124954
				12-23 MO.	.100839	.245522	.134716
				2-65+ YR.	.149067	.383628	.199145
LINALOOL							
FEMA 2635B	23	BEV TYPE I(R)	27	0-5 MO.	.008556	.012834	.016476
				6-11 MO.	.080926	.277002	.155836
				12-23 MO.	.193224	.579317	.372085
				2-65+ YR.	.370763	.990007	.713963
LINALOOL							
FEMA 2635B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000024	**********
				12-23 MO.	**********	.000048	**********
				2-65+ YR.	.007851	.022804	.013722
LINALOOL							
FEMA 2635B	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000313	.000939	.001489
				12-23 MO.	.000939	.002817	.004467
				2-65+ YR.	.001878	.005321	.008934
LINALOOL							
FEMA 2635B	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********
				6-11 MO.	.004074	.004074	.006100
				12-23 MO.	.004074	.012222	.006100
				2-65+ YR.	.008148	.016296	.012200
LINALOOL							
FEMA 2635B	99	ALL CATEGORIES	51	0-5 MO.	.091970	.180177	.157857
				6-11 MO.	.948080	2.451628	1.827370
				12-23 MO.	1.642456	3.196086	3.143910
				2-65+ YR.	3.884651	6.896111	7.605252
LINALYL ACETATE							
FEMA 2636B	01	BAKED GOODS(R)	20	0-5 MO.	.053262	.070494	.079355
				6-11 MO.	.397899	.811464	.592828
				12-23 MO.	.853760	1.406747	1.272014
				2-65+ YR.	2.149283	3.192594	3.202207
LINALYL ACETATE							
FEMA 2636B	07	FROZN DAIRY(R)	14	0-5 MO.	.008669	.035541	.012413

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALYL ACETATE FEMA 2636B	07	FROZN DAIRY(R)	14	6-11 MO.	.082352	.228852	.117920
				12-23 MO.	.124829	.293000	.178743
				2-65+ YR.	.221917	.534856	.317764
LINALYL ACETATE FEMA 2636B	10	MEAT PRODS(R)	*	0-5 MO.	.000249	.000655	.000497
				6-11 MO.	.004677	.012607	.009353
				12-23 MO.	.006823	.011726	.013646
				2-65+ YR.	.017713	.029393	.035425
LINALYL ACETATE FEMA 2636B	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.032000
				12-23 MO.	.014000	.038000	.112000
				2-65+ YR.	.044000	.106000	.352000
LINALYL ACETATE FEMA 2636B	16	SOFT CANDY(R)	19	0-5 MO.	.001837	.018375	.003056
				6-11 MO.	.020212	.062474	.033611
				12-23 MO.	.032156	.085442	.053473
				2-65+ YR.	.053286	.161696	.088612
LINALYL ACETATE FEMA 2636B	20	GELATIN PUD(R)	14	0-5 MO.	.022993	.031040	.036135
				6-11 MO.	.147154	.446060	.231264
				12-23 MO.	.158650	.386279	.249332
				2-65+ YR.	.234527	.603561	.368577
LINALYL ACETATE FEMA 2636B	23	BEV TYPE I(R)	26	0-5 MO.	.013276	.019914	.020303
				6-11 MO.	.125566	.429802	.192030
				12-23 MO.	.299810	.698878	.458503
				2-65+ YR.	.575282	1.536113	.879785
LINALYL ACETATE FEMA 2636B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000055	**********
				12-23 MO.	**********	.000110	**********
				2-65+ YR.	.017875	.051920	.050375
LINALYL ACETATE FEMA 2636B	27	GRAVIES(R)	*	0-5 MO.	.000005	.000015	.000010
				6-11 MO.	.000070	.000195	.000140

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALYL ACETATE FEMA 2636B	27	GRAVIES(R)	*	12-23 MO.	.000180	.000510	.000360
				2-65+ YR.	.000415	.001065	.000830
LINALYL ACETATE FEMA 2636B	30	HARD CANDY(R)	12	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000404	.001212	.002343
				12-23 MO.	.001212	.003636	.007029
				2-65+ YR.	.002424	.006868	.014058
LINALYL ACETATE FEMA 2636B	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.000191	.000191	.002582
				12-23 MO.	.000191	.000573	.002582
				2-65+ YR.	.000382	.000764	.005164
LINALYL ACETATE FEMA 2636B	99	ALL CATEGORIES	49	0-5 MO.	.100290	.176534	.151768
				6-11 MO.	.782525	2.003912	1.214073
				12-23 MO.	1.491611	3.124900	2.347681
				2-65+ YR.	3.317104	6.224830	5.314798
METHYL ANTHRANILATE FEMA 2682B NAS 0563	01	BAKED GOODS(R)	14	0-5 MO.	.092027	.121800	.129695
				6-11 MO.	.687494	1.402054	.968896
				12-23 MO.	1.475134	2.430588	2.078931
				2-65+ YR.	3.713549	5.516190	5.233565
METHYL ANTHRANILATE FEMA 2682B NAS 0563	07	FROZN DAIRY(R)	20	0-5 MO.	.011388	.046690	.019592
				6-11 MO.	.108184	.300636	.186126
				12-23 MO.	.163983	.384906	.282128
				2-65+ YR.	.291526	.702624	.501561
METHYL ANTHRANILATE FEMA 2682B NAS 0563	16	SOFT CANDY(R)	21	0-5 MO.	.004059	.040585	.007440
				6-11 MO.	.044644	.137989	.081839
				12-23 MO.	.071024	.188721	.130198
				2-65+ YR.	.117697	.357149	.215757
METHYL ANTHRANILATE FEMA 2682B NAS 0563	20	GELATIN PUD(R)	16	0-5 MO.	.021765	.029383	.040015
				6-11 MO.	.139296	.422242	.256094
				12-23 MO.	.150179	.365653	.276102

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL ANTHRANILATE FEMA 2682B NAS 0563	20	GELATIN PUD(R)	16	2-65+ YR.	.222003	.571332	.408151
METHYL ANTHRANILATE FEMA 2682B NAS 0563	23	BEV TYPE I(R)	39	0-5 MO.	.020076	.030118	.037833
				6-11 MO.	.189908	.650037	.357838
				12-23 MO.	.453437	1.359473	.854398
				2-65+ YR.	.870063	2.323235	1.639436
METHYL ANTHRANILATE FEMA 2682B NAS 0563	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000204	**********
				12-23 MO.	**********	.000408	**********
				2-65+ YR.	.066375	.192794	.078591
METHYL ANTHRANILATE FEMA 2682B NAS 0563	30	HARD CANDY(R)	14	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002999	.008997	.016125
				12-23 MO.	.008997	.026991	.048375
				2-65+ YR.	.017994	.050983	.096750
METHYL ANTHRANILATE FEMA 2682B NAS 0563	31	CHEWING GUM(R)	9	0-5 MO.	**********	**********	**********
				6-11 MO.	.038736	.038736	.158312
				12-23 MO.	.038736	.116208	.158312
				2-65+ YR.	.077472	.154944	.316624
METHYL ANTHRANILATE FEMA 2682B NAS 0563	99	ALL CATEGORIES	66	0-5 MO.	.149316	.268575	.234575
				6-11 MO.	1.211260	2.960896	2.025231
				12-23 MO.	2.361490	4.872948	3.828444
				2-65+ YR.	5.376679	9.869251	8.490435
PIPERONAL FEMA 2911B	01	BAKED GOODS(R)	27	0-5 MO.	.044348	.058696	.095465
				6-11 MO.	.331304	.675651	.713177
				12-23 MO.	.710868	1.171302	1.530242
				2-65+ YR.	1.789561	2.658254	3.852278
PIPERONAL FEMA 2911B	07	FROZN DAIRY(R)	26	0-5 MO.	.008891	.036455	.016936
				6-11 MO.	.084468	.234733	.160896
				12-23 MO.	.128036	.300529	.243885
				2-65+ YR.	.227619	.548598	.433573

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIPERONAL FEMA 2911B	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
PIPERONAL FEMA 2911B	16	SOFT CANDY(R)	22	0-5 MO.	.002356	.023562	.003986
				6-11 MO.	.025918	.080111	.043844
				12-23 MO.	.041234	.109563	.069752
				2-65+ YR.	.068330	.207346	.115588
PIPERONAL FEMA 2911B	17	CONF FROST(R)	*	0-5 MO.	**********	.000250	**********
				6-11 MO.	.000250	.000500	.001000
				12-23 MO.	.000500	.001750	.002000
				2-65+ YR.	.000750	.002000	.003000
PIPERONAL FEMA 2911B	20	GELATIN PUD(R)	16	0-5 MO.	.010822	.014609	.024951
				6-11 MO.	.069260	.209944	.159687
				12-23 MO.	.074671	.181807	.172163
				2-65+ YR.	.110383	.284073	.254501
PIPERONAL FEMA 2911B	23	BEV TYPE I(R)	25	0-5 MO.	.015857	.023785	.029138
				6-11 MO.	.149977	.513358	.275595
				12-23 MO.	.358095	1.073625	.658029
				2-65+ YR.	.687120	1.834743	1.262638
PIPERONAL FEMA 2911B	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000402	**********
				12-23 MO.	**********	.000805	**********
				2-65+ YR.	.130803	.379932	.262373
PIPERONAL FEMA 2911B	30	HARD CANDY(R)	18	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001598	.004794	.004571
				12-23 MO.	.004794	.014382	.013713
				2-65+ YR.	.009588	.027166	.027426
PIPERONAL FEMA 2911B	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PIPERONAL FEMA 2911B	31	CHEWING GUM(R)	8	6-11 MO.	.000495	.000495	.006263
				12-23 MO.	.000495	.001485	.006263
				2-65+ YR.	.000990	.001980	.012526
PIPERONAL FEMA 2911B	99	ALL CATEGORIES	62	0-5 MO.	.082384	.157647	.170586
				6-11 MO.	.665340	1.725567	1.367103
				12-23 MO.	1.321712	2.860438	2.699065
				2-65+ YR.	3.032984	5.957103	6.231743
GLYCEROL TRIBUTYRATE FEMA 3308B	01	BAKED GOODS(R)	*	0-5 MO.	.841338	1.113535	1.682856
				6-11 MO.	6.285287	12.818025	12.571921
				12-23 MO.	13.486146	22.221210	26.975186
				2-65+ YR.	33.950446	50.430764	67.908174
GLYCEROL TRIBUTYRATE FEMA 3308B	07	FROZN DAIRY(R)	*	0-5 MO.	.247399	1.014337	.494798
				6-11 MO.	2.350292	6.531338	4.700584
				12-23 MO.	3.562548	8.362091	7.125096
				2-65+ YR.	6.333418	15.264528	12.666837
GLYCEROL TRIBUTYRATE FEMA 3308B	16	SOFT CANDY(R)	*	0-5 MO.	.049490	.494904	.098992
				6-11 MO.	.544395	1.682675	1.088907
				12-23 MO.	.866083	2.301306	1.732351
				2-65+ YR.	1.435223	4.355159	2.870754
GLYCEROL TRIBUTYRATE FEMA 3308B	20	GELATIN PUD(R)	*	0-5 MO.	.494798	.667978	.989597
				6-11 MO.	3.166709	9.599087	6.333418
				12-23 MO.	3.414108	8.312611	6.828217
				2-65+ YR.	5.046943	12.988455	10.093885
GLYCEROL TRIBUTYRATE FEMA 3308B	23	BEV TYPE I(R)	*	0-5 MO.	.059490	.089236	.118981
				6-11 MO.	.562680	1.926003	1.125361
				12-23 MO.	1.343493	4.027999	2.686985
				2-65+ YR.	2.577919	6.883540	5.155839
GLYCEROL TRIBUTYRATE FEMA 3308B	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GLYCEROL TRIBUTYRATE FEMA 33088	24	BEV TYPE II(R)	*	12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
GLYCEROL TRIBUTYRATE FEMA 33088	99	ALL CATEGORIES	*	0-5 MO.	1.692516	3.379989	3.385223
				6-11 MO.	12.909363	32.557628	25.820191
				12-23 MO.	22.672378	45.226218	45.347834
				2-65+ YR.	49.506449	90.394447	99.020488
ALOE, EXTRACT FEMA 2047C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.004800	**********
				6-11 MO.	.038400	.105600	**********
				12-23 MO.	.134400	.364800	**********
				2-65+ YR.	.422400	1.017600	**********
ALOE, EXTRACT FEMA 2047C	16	SOFT CANDY(R)	*	0-5 MO.	.020000	.200000	.100000
				6-11 MO.	.220000	.680000	1.100000
				12-23 MO.	.350000	.930000	1.750000
				2-65+ YR.	.580000	1.760000	2.900000
ALOE, EXTRACT FEMA 2047C	23	BEV TYPE I(R)	*	0-5 MO.	.036600	.054900	.456000
				6-11 MO.	.346175	1.184925	4.313000
				12-23 MO.	.826550	2.478125	10.298000
				2-65+ YR.	1.586000	4.234925	19.760000
ALOE, EXTRACT FEMA 2047C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.009220	**********
				12-23 MO.	**********	.018440	**********
				2-65+ YR.	2.996500	8.703680	6.045000
ALOE, EXTRACT FEMA 2047C	99	ALL CATEGORIES	4	0-5 MO.	.056600	.259700	.556000
				6-11 MO.	.604575	1.979745	5.413000
				12-23 MO.	1.310950	3.791365	12.048000
				2-65+ YR.	5.584900	15.716205	28.705000
ALTHEA ROOT FEMA 2048C	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.068000
				6-11 MO.	.254000	.518000	.508000
				12-23 MO.	.545000	.898000	1.090000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALTHEA ROOT FEMA 2048C	01	BAKED GOODS(R)	*	2-65+ YR.	1.372000	2.038000	2.744000
ALTHEA ROOT FEMA 2048C	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.020000
				6-11 MO.	.095000	.264000	.190000
				12-23 MO.	.144000	.338000	.288000
				2-65+ YR.	.256000	.617000	.512000
ALTHEA ROOT FEMA 2048C	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.004000
				6-11 MO.	.022000	.068000	.044000
				12-23 MO.	.035000	.093000	.070000
				2-65+ YR.	.058000	.176000	.116000
ALTHEA ROOT FEMA 2048C	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
ALTHEA ROOT FEMA 2048C	23	BEV TYPE I(R)	*	0-5 MO.	.013842	.020763	.017191
				6-11 MO.	.130921	.448130	.162595
				12-23 MO.	.312595	.937209	.388223
				2-65+ YR.	.599814	1.601619	.744930
ALTHEA ROOT FEMA 2048C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ALTHEA ROOT FEMA 2048C	99	ALL CATEGORIES	*	0-5 MO.	.069842	.140263	.129191
				6-11 MO.	.565921	1.492630	1.032595
				12-23 MO.	1.105595	2.435209	1.974223
				2-65+ YR.	2.550314	5.167119	4.645930
BALSAM FIR, OIL FEMA 2114C	01	BAKED GOODS(R)	*	0-5 MO.	.024516	.032447	.046526
				6-11 MO.	.183147	.373505	.347579
				12-23 MO.	.392974	.647505	.745789
				2-65+ YR.	.989284	1.469505	1.877474

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BALSAM FIR, OIL							
FEMA 2114C	07	FROZN DAIRY(R)	*	0-5 MO.	.001132	.004639	.002395
				6-11 MO.	.010750	.029874	.022750
				12-23 MO.	.016295	.038247	.034484
				2-65+ YR.	.028968	.069818	.061305
BALSAM FIR, OIL							
FEMA 2114C	16	SOFT CANDY(R)	*	0-5 MO.	.000816	.008163	.001663
				6-11 MO.	.008979	.027753	.018291
				12-23 MO.	.014285	.037957	.029099
				2-65+ YR.	.023672	.071833	.048221
BALSAM FIR, OIL							
FEMA 2114C	20	GELATIN PUD(R)	*	0-5 MO.	.008947	.012079	.018158
				6-11 MO.	.057263	.173579	.116211
				12-23 MO.	.061737	.150316	.125289
				2-65+ YR.	.091263	.234868	.185211
BALSAM FIR, OIL							
FEMA 2114C	23	BEV TYPE I(R)	*	0-5 MO.	.005833	.008749	.010186
				6-11 MO.	.055166	.188829	.096343
				12-23 MO.	.131719	.394913	.230035
				2-65+ YR.	.252744	.674876	.441395
BALSAM FIR, OIL							
FEMA 2114C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000274	**********
				12-23 MO.	**********	.000547	**********
				2-65+ YR.	.088947	.258358	.153947
BALSAM FIR, OIL							
FEMA 2114C	99	ALL CATEGORIES	*	0-5 MO.	.041244	.066077	.078928
				6-11 MO.	.315306	.793814	.601173
				12-23 MO.	.617009	1.269486	1.164697
				2-65+ YR.	1.474679	2.779258	2.767553
BALSAM FIR, OLEORESIN							
FEMA 2115C	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.051000
				6-11 MO.	.203200	.414400	.381000
				12-23 MO.	.436000	.718400	.817500
				2-65+ YR.	1.097600	1.630400	2.058000
BALSAM FIR, OLEORESIN							
FEMA 2115C	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BALSAM FIR, OLEORESIN FEMA 2115C	07	FROZN DAIRY(R)	*	6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
BALSAM FIR, OLEORESIN FEMA 2115C	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
BALSAM FIR, OLEORESIN FEMA 2115C	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
BALSAM FIR, OLEORESIN FEMA 2115C	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.012000
				6-11 MO.	.068100	.233100	.113500
				12-23 MO.	.162600	.487500	.271000
				2-65+ YR.	.312000	.833100	.520000
BALSAM FIR, OLEORESIN FEMA 2115C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
BALSAM FIR, OLEORESIN FEMA 2115C	99	ALL CATEGORIES	*	0-5 MO.	.046400	.074400	.087000
				6-11 MO.	.355800	.902200	.663500
				12-23 MO.	.699500	1.454800	1.290300
				2-65+ YR.	1.663700	3.158900	3.053700
BENZOIN, RESIN FEMA 2133C	01	BAKED GOODS(R)	11	0-5 MO.	.385968	.510840	.474324
				6-11 MO.	2.883406	5.880332	3.543482
				12-23 MO.	6.186835	10.194088	7.603140
				2-65+ YR.	15.574932	23.135359	19.140381
BENZOIN, RESIN FEMA 2133C	07	FROZN DAIRY(R)	9	0-5 MO.	.046082	.188938	.075559
				6-11 MO.	.437784	1.216578	.717809

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZOIN, RESIN FEMA 2133C	07	FROZN DAIRY(R)	9	12-23 MO.	.663588	1.557588	1.088048
				2-65+ YR.	1.179712	2.843290	1.934307
BENZOIN, RESIN FEMA 2133C	16	SOFT CANDY(R)	10	0-5 MO.	.014552	.145520	.018646
				6-11 MO.	.160072	.494769	.205105
				12-23 MO.	.254661	.676670	.326303
				2-65+ YR.	.422009	1.280579	.540731
BENZOIN, RESIN FEMA 2133C	17	CONF FROST(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000010	.000020	.000100
				12-23 MO.	.000020	.000070	.000200
				2-65+ YR.	.000030	.000080	.000300
BENZOIN, RESIN FEMA 2133C	20	GELATIN PUD(R)	8	0-5 MO.	.147887	.199648	.186559
				6-11 MO.	.946479	2.869014	1.193980
				12-23 MO.	1.020422	2.484507	1.287260
				2-65+ YR.	1.508450	3.882042	1.902905
BENZOIN, RESIN FEMA 2133C	23	BEV TYPE I(R)	10	0-5 MO.	.068486	.102730	.123793
				6-11 MO.	.647767	2.217246	1.170871
				12-23 MO.	1.546650	4.637097	2.795649
				2-65+ YR.	2.967742	7.924442	5.364344
BENZOIN, RESIN FEMA 2133C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002990	**********
				12-23 MO.	**********	.005980	**********
				2-65+ YR.	.971747	2.822552	1.620846
BENZOIN, RESIN FEMA 2133C	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.005462	.005462	.005462
				12-23 MO.	.005462	.016386	.005462
				2-65+ YR.	.010924	.021848	.010924
BENZOIN, RESIN FEMA 2133C	99	ALL CATEGORIES	17	0-5 MO.	.662976	1.147686	.878881
				6-11 MO.	5.080979	12.686410	6.836809
				12-23 MO.	9.677639	19.572386	13.106061

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZOIN, RESIN FEMA 2133C	99	ALL CATEGORIES	17	2-65+ YR.	22.635547	41.910192	30.514738
BLACKBERRY BARK, EXT FEMA 2155C	01	BAKED GOODS(R)	*	0-5 MO.	.162273	.214773	1.896273
				6-11 MO.	1.212273	2.472273	14.166273
				12-23 MO.	2.601136	4.285909	30.396136
				2-65+ YR.	6.548182	9.726818	76.520182
BLACKBERRY BARK, EXT FEMA 2155C	07	FROZN DAIRY(R)	*	0-5 MO.	.279717	1.146840	.800096
				6-11 MO.	2.657311	7.384528	7.600914
				12-23 MO.	4.027925	9.454434	11.521386
				2-65+ YR.	7.160755	17.258538	20.482463
BLACKBERRY BARK, EXT FEMA 2155C	16	SOFT CANDY(R)	*	0-5 MO.	.040000	.400000	.050000
				6-11 MO.	.440000	1.360000	.550000
				12-23 MO.	.700000	1.860000	.875000
				2-65+ YR.	1.160000	3.520000	1.450000
BLACKBERRY BARK, EXT FEMA 2155C	19	SWEET SAUCE(R)	*	0-5 MO.	.032055	.042740	.035130
				6-11 MO.	.096165	.331235	.105390
				12-23 MO.	.277810	.812060	.304460
				2-65+ YR.	.726580	1.912615	.796280
BLACKBERRY BARK, EXT FEMA 2155C	20	GELATIN PUD(R)	*	0-5 MO.	.000600	.000810	.000600
				6-11 MO.	.003840	.011640	.003840
				12-23 MO.	.004140	.010080	.004140
				2-65+ YR.	.006120	.015750	.006120
BLACKBERRY BARK, EXT FEMA 2155C	23	BEV TYPE I(R)	*	0-5 MO.	.180093	.270140	.528572
				6-11 MO.	1.703384	5.830525	4.999409
				12-23 MO.	4.067110	12.193826	11.936915
				2-65+ YR.	7.804049	20.838311	22.904781
BLACKBERRY BARK, EXT FEMA 2155C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.007592	**********
				12-23 MO.	**********	.015184	**********
				2-65+ YR.	2.467433	7.166944	7.592318

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BLACKBERRY BARK, EXT							
FEMA 2155C	59	ALL CATEGORIES	*	0-5 MO.	.694738	2.075303	3.310671
				6-11 MO.	6.112973	17.397793	27.425826
				12-23 MO.	11.678121	28.631494	55.038037
				2-65+ YR.	25.873119	60.438977	129.752144
BORONIA, ABSOLUTE							
FEMA 2167C	01	BAKED GOODS(R)	8	0-5 MO.	.028482	.037697	.039504
				6-11 MO.	.212776	.433929	.295116
				12-23 MO.	.456547	.752255	.633222
				2-65+ YR.	1.149324	1.707233	1.594093
BORONIA, ABSOLUTE							
FEMA 2167C	07	FROZN DAIRY(R)	11	0-5 MO.	.003193	.013090	.007123
				6-11 MO.	.030331	.084289	.067667
				12-23 MO.	.045976	.107915	.102570
				2-65+ YR.	.081734	.196993	.182346
BORONIA, ABSOLUTE							
FEMA 2167C	15	CENDM RELSH(R)	*	0-5 MO.	**********	.000012	**********
				6-11 MO.	.000096	.000264	**********
				12-23 MO.	.000336	.000912	**********
				2-65+ YR.	.001056	.002544	**********
BORONIA, ABSOLUTE							
FEMA 2167C	16	SOFT CANDY(R)	11	0-5 MO.	.001204	.012044	.001878
				6-11 MO.	.013248	.040949	.020660
				12-23 MO.	.021077	.056004	.032867
				2-65+ YR.	.034927	.105986	.054466
BORONIA, ABSOLUTE							
FEMA 2167C	20	GELATIN PUD(R)	8	0-5 MO.	.008464	.011426	.017205
				6-11 MO.	.054168	.164198	.110115
				12-23 MO.	.058400	.142192	.118718
				2-65+ YR.	.086331	.222175	.175496
BORONIA, ABSOLUTE							
FEMA 2167C	23	BEV TYPE I(R)	17	0-5 MO.	.002094	.003140	.004217
				6-11 MO.	.019801	.067777	.039889
				12-23 MO.	.047278	.141747	.095241
				2-65+ YR.	.090718	.242235	.182751
BORONIA, ABSOLUTE							
FEMA 2167C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BORONIA, ABSOLUTE FEMA 2167C	24	BEV TYPE II(R)	4	6-11 MO.	**********	.000485	**********
				12-23 MO.	**********	.000970	**********
				2-65+ YR.	.157625	.457840	.233458
BORONIA, ABSOLUTE FEMA 2167C	99	ALL CATEGORIES	17	0-5 MO.	.043436	.077409	.069928
				6-11 MO.	.330421	.791890	.533447
				12-23 MO.	.629613	1.201995	.982618
				2-65+ YR.	1.601716	2.935006	2.422609
BUCHU LEAVES, OIL FEMA 2169C	01	BAKED GOODS(R)	9	0-5 MO.	.021179	.028031	.045499
				6-11 MO.	.158217	.322664	.339901
				12-23 MO.	.339482	.559367	.729315
				2-65+ YR.	.854623	1.269477	1.836001
BUCHU LEAVES, OIL FEMA 2169C	07	FROZN DAIRY(R)	10	0-5 MO.	.005030	.020623	.011443
				6-11 MO.	.047785	.132791	.108706
				12-23 MO.	.072431	.170012	.164776
				2-65+ YR.	.128767	.310348	.292935
BUCHU LEAVES, OIL FEMA 2169C	10	MEAT PRODS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	**********	**********
				12-23 MO.	**********	**********	**********
				2-65+ YR.	**********	**********	**********
BUCHU LEAVES, OIL FEMA 2169C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.005600
				12-23 MO.	.014000	.038000	.019600
				2-65+ YR.	.044000	.106000	.061600
BUCHU LEAVES, OIL FEMA 2169C	16	SOFT CANDY(R)	9	0-5 MO.	.001116	.011164	.002203
				6-11 MO.	.012281	.037958	.024229
				12-23 MO.	.019537	.051913	.038546
				2-65+ YR.	.032376	.098245	.063876
BUCHU LEAVES, OIL FEMA 2169C	20	GELATIN PUD(R)	5	0-5 MO.	.014042	.018957	.030805
				6-11 MO.	.089871	.272422	.197153

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUCHU LEAVES, OIL FEMA 2169C	20	GELATIN PUD(R)	5	12-23 MO.	.096892	.235912	.212555
				2-65+ YR.	.143232	.368612	.314212
BUCHU LEAVES, OIL FEMA 2169C	23	BEV TYPE I(R)	13	0-5 MO.	.002628	.003941	.008087
				6-11 MO.	.024852	.085067	.076489
				12-23 MO.	.059339	.177906	.182629
				2-65+ YR.	.113860	.304028	.350432
BUCHU LEAVES, OIL FEMA 2169C	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000772	**********
				12-23 MO.	**********	.001544	**********
				2-65+ YR.	.250893	.728747	.356607
BUCHU LEAVES, OIL FEMA 2169C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002512	.007536	.002512
				12-23 MO.	.007536	.022608	.007536
				2-65+ YR.	.015072	.042704	.015072
BUCHU LEAVES, OIL FEMA 2169C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000019	.000019	.000019
				12-23 MO.	.000019	.000057	.000019
				2-65+ YR.	.000038	.000076	.000038
BUCHU LEAVES, OIL FEMA 2169C	99	ALL CATEGORIES	17	0-5 MO.	.043995	.083216	.098036
				6-11 MO.	.339537	.870228	.754609
				12-23 MO.	.609237	1.257320	1.354977
				2-65+ YR.	1.582861	3.228237	3.290775
CAJEPUT, OIL FEMA 2225C	01	BAKED GOODS(R)	*	0-5 MO.	.016547	.021900	.033660
				6-11 MO.	.123613	.252093	.251460
				12-23 MO.	.265233	.437027	.539550
				2-65+ YR.	.667707	.991827	1.358280
CAJEPUT, OIL FEMA 2225C	07	FROZN DAIRY(R)	*	0-5 MO.	.000200	.000820	.001000
				6-11 MO.	.001900	.005280	.009500
				12-23 MO.	.002880	.006760	.014400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CAJEPUT, OIL FEMA 2225C	07	FROZN DAIRY(R)	*	2-65+ YR.	.005120	.012340	.025600
CAJEPUT, OIL FEMA 2225C	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.003300
				6-11 MO.	.020700	.055800	.062100
				12-23 MO.	.030200	.051900	.090600
				2-65+ YR.	.078400	.130100	.235200
CAJEPUT, OIL FEMA 2225C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002800	.007600	.005600
				2-65+ YR.	.008800	.021200	.017600
CAJEPUT, OIL FEMA 2225C	16	SOFT CANDY(R)	*	0-5 MO.	.001360	.013600	.001900
				6-11 MO.	.014960	.046240	.020900
				12-23 MO.	.023800	.063240	.033250
				2-65+ YR.	.039440	.119680	.055100
CAJEPUT, OIL FEMA 2225C	23	BEV TYPE I(R)	*	0-5 MO.	.000720	.001080	.004800
				6-11 MO.	.006810	.023310	.045400
				12-23 MO.	.016260	.048750	.108400
				2-65+ YR.	.031200	.083310	.208000
CAJEPUT, OIL FEMA 2225C	99	ALL CATEGORIES	5	0-5 MO.	.019927	.040400	.044660
				6-11 MO.	.168783	.384923	.390960
				12-23 MO.	.341173	.615277	.791800
				2-65+ YR.	.830667	1.358457	1.899780
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	01	BAKED GOODS(R)	*	0-5 MO.	.101983	.134978	.176639
				6-11 MO.	.761873	1.553742	1.319596
				12-23 MO.	1.634728	2.693552	2.831418
				2-65+ YR.	4.115316	6.112983	7.127899
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	07	FROZN DAIRY(R)	*	0-5 MO.	.019000	.077900	.026000
				6-11 MO.	.180500	.501600	.247000
				12-23 MO.	.273600	.642200	.374400
				2-65+ YR.	.486400	1.172300	.665600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001200	**********
				6-11 MO.	.009604	.026411	.016003
				12-23 MO.	.033614	.091237	.056010
				2-65+ YR.	.105643	.254504	.176031
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	16	SOFT CANDY(R)	*	0-5 MO.	.007694	.076938	.008888
				6-11 MO.	.084631	.261588	.097763
				12-23 MO.	.134641	.357759	.155531
				2-65+ YR.	.223119	.677050	.257738
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	20	GELATIN PUD(R)	*	0-5 MO.	.034000	.045900	.050000
				6-11 MO.	.217600	.659600	.320000
				12-23 MO.	.234600	.571200	.345000
				2-65+ YR.	.346800	.892500	.510000
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	23	BEV TYPE I(R)	*	0-5 MO.	.007349	.011023	.014550
				6-11 MO.	.069507	.237917	.137615
				12-23 MO.	.165960	.497575	.328579
				2-65+ YR.	.318448	.850318	.630484
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000115	.000345	.000391
				12-23 MO.	.000345	.001035	.001173
				2-65+ YR.	.000690	.001955	.002346
CAMPHOR, JAP, WHITE, OIL FEMA 2231C	99	ALL CATEGORIES	6	0-5 MO.	.170026	.347939	.276076
				6-11 MO.	1.323831	3.241202	2.138368
				12-23 MO.	2.477488	4.854559	4.092111
				2-65+ YR.	5.596415	9.961610	9.370098
CASCARA BITTERLESS, EXT FEMA 2253C	01	BAKED GOODS(R)	*	0-5 MO.	.086862	.114964	.104550
				6-11 MO.	.648907	1.323361	.781050
				12-23 MO.	1.392339	2.294166	1.675875
				2-65+ YR.	3.505117	5.206581	4.218900
CASCARA BITTERLESS, EXT FEMA 2253C	07	FROZN DAIRY(R)	*	0-5 MO.	.033400	.136940	.053000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CASCARA BITTERLESS, EXT FEMA 2253C	07	FROZN DAIRY(R)	*	6-11 MO.	.317300	.881760	.503500
				12-23 MO.	.480960	1.128920	.763200
				2-65+ YR.	.855040	2.060780	1.356800
CASCARA BITTERLESS, EXT FEMA 2253C	16	SOFT CANDY(R)	*	0-5 MO.	.012000	.120000	.015000
				6-11 MO.	.132000	.408000	.165000
				12-23 MO.	.210000	.558000	.262500
				2-65+ YR.	.348000	1.056000	.435000
CASCARA BITTERLESS, EXT FEMA 2253C	23	BEV TYPE II(R)	*	0-5 MO.	.092560	.138840	.152400
				6-11 MO.	.875463	2.996630	1.441450
				12-23 MO.	2.090313	6.267083	3.441700
				2-65+ YR.	4.010933	10.709963	6.604000
CASCARA BITTERLESS, EXT FEMA 2253C	99	ALL CATEGORIES	5	0-5 MO.	.224822	.510744	.324950
				6-11 MO.	1.973670	5.609751	2.891000
				12-23 MO.	4.173612	10.248169	6.143275
				2-65+ YR.	8.719090	19.033324	12.614700
CASSIE, ABSOLUTE FEMA 2260C	01	BAKED GOODS(R)	5	0-5 MO.	.041756	.055265	.048755
				6-11 MO.	.311941	.636163	.364226
				12-23 MO.	.669322	1.102846	.781509
				2-65+ YR.	1.684971	2.502895	1.967396
CASSIE, ABSOLUTE FEMA 2260C	07	FROZN DAIRY(R)	4	0-5 MO.	.005667	.023233	.007266
				6-11 MO.	.053833	.149600	.069023
				12-23 MO.	.081600	.191533	.104625
				2-65+ YR.	.145067	.349633	.186000
CASSIE, ABSOLUTE FEMA 2260C	16	SOFT CANDY(R)	5	0-5 MO.	.001709	.017092	.002001
				6-11 MO.	.018802	.058114	.022015
				12-23 MO.	.029912	.079480	.035023
				2-65+ YR.	.049568	.150414	.058038
CASSIE, ABSOLUTE FEMA 2260C	20	GELATIN PUD(R)	*	0-5 MO.	.005708	.007706	.008542
				6-11 MO.	.036533	.110742	.054667

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CASSIE, ABSOLUTE FEMA 2260C	20	GELATIN PUD(R)	*	12-23 MO.	.039388	.095900	.058937
				2-65+ YR.	.058225	.149844	.087125
CASSIE, ABSOLUTE FEMA 2260C	23	BEV TYPE I(R)	9	0-5 MO.	.004147	.006220	.005602
				6-11 MO.	.039219	.134243	.052989
				12-23 MO.	.093642	.280753	.126521
				2-65+ YR.	.179682	.479785	.242771
CASSIE, ABSOLUTE FEMA 2260C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000325	**********
				12-23 MO.	**********	.000651	**********
				2-65+ YR.	.105778	.307245	.133066
CASSIE, ABSOLUTE FEMA 2260C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000006	.000018	.000008
				12-23 MO.	.000018	.000054	.000024
				2-65+ YR.	.000036	.000102	.000048
CASSIE, ABSOLUTE FEMA 2260C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000035	.000035	.000047
				12-23 MO.	.000035	.000105	.000047
				2-65+ YR.	.000070	.000140	.000094
CASSIE, ABSOLUTE FEMA 2260C	59	ALL CATEGORIES	12	0-5 MO.	.058987	.109517	.072166
				6-11 MO.	.460369	1.089240	.562976
				12-23 MO.	.913916	1.751322	1.106687
				2-65+ YR.	2.223397	3.940058	2.674539
CASTOR, OIL FEMA 2263C	01	BAKED GOODS(R)	4	0-5 MO.	.499464	.661056	.732953
				6-11 MO.	3.731291	7.609483	5.475591
				12-23 MO.	8.006117	13.191730	11.748807
				2-65+ YR.	20.154846	29.938469	29.576813
CASTOR, OIL FEMA 2263C	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.550000
				6-11 MO.	.095000	.264000	5.225000
				12-23 MO.	.144000	.338000	7.920000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CASTOR, OIL FEMA 2263C	07	FROZN DAIRY(R)	*	2-65+ YR.	.256000	.617000	14.080000
CASTOR, OIL FEMA 2263C	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
CASTOR, OIL FEMA 2263C	16	SOFT CANDY(R)	*	0-5 MO.	.002017	.020169	.088110
				6-11 MO.	.022186	.068573	.969213
				12-23 MO.	.035295	.093784	1.541930
				2-65+ YR.	.058489	.177484	2.555198
CASTOR, OIL FEMA 2263C	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.336000
				6-11 MO.	.034050	.116550	3.178000
				12-23 MO.	.081300	.243750	7.588000
				2-65+ YR.	.156000	.416550	14.560000
CASTOR, OIL FEMA 2263C	99	ALL CATEGORIES	4	0-5 MO.	.515191	.727914	1.707173
				6-11 MO.	3.884597	8.064187	14.849874
				12-23 MO.	8.269732	13.872454	28.801757
				2-65+ YR.	20.633177	31.162514	60.779851
CATECHU, EXTRACT FEMA 2264C	01	BAKED GOODS(R)	*	0-5 MO.	.300050	.397125	.335087
				6-11 MO.	2.241550	4.571350	2.503294
				12-23 MO.	4.809625	7.924850	5.371241
				2-65+ YR.	12.107900	17.985350	13.521729
CATECHU, EXTRACT FEMA 2264C	07	FROZN DAIRY(R)	*	0-5 MO.	.024549	.100649	.036174
				6-11 MO.	.233212	.648083	.343649
				12-23 MO.	.353500	.829743	.520900
				2-65+ YR.	.628444	1.514649	.926044
CATECHU, EXTRACT FEMA 2264C	16	SOFT CANDY(R)	*	0-5 MO.	.017904	.179039	.020013
				6-11 MO.	.196943	.608732	.220143
				12-23 MO.	.313318	.832531	.350227
				2-65+ YR.	.519213	1.575543	.580377

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CATECHU, EXTRACT FEMA 2264C	20	GELATIN PUD(R)	*	0-5 MO.	.144326	.194840	.158140
				6-11 MO.	.923684	2.799916	1.012093
				12-23 MO.	.995847	2.424670	1.091163
				2-65+ YR.	1.472121	3.788547	1.613023
CATECHU, EXTRACT FEMA 2264C	23	BEV TYPE I(R)	4	0-5 MO.	.077541	.116311	.077541
				6-11 MO.	.733407	2.510386	.733407
				12-23 MO.	1.751131	5.250163	1.751131
				2-65+ YR.	3.360104	8.972125	3.360104
CATECHU, EXTRACT FEMA 2264C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.009638	**********
				12-23 MO.	**********	.019276	**********
				2-65+ YR.	3.132350	9.098272	5.200000
CATECHU, EXTRACT FEMA 2264C	99	ALL CATEGORIES	5	0-5 MO.	.564369	.987964	.626954
				6-11 MO.	4.328796	11.148106	4.812586
				12-23 MO.	8.223421	17.281233	9.084662
				2-65+ YR.	21.220133	42.934486	25.201278
CATECHU, POWDER FEMA 2265C	01	BAKED GOODS(R)	*	0-5 MO.	.122400	.162000	.139400
				6-11 MO.	.914400	1.864800	1.041400
				12-23 MO.	1.962000	3.232800	2.234500
				2-65+ YR.	4.939200	7.336800	5.625200
CATECHU, POWDER FEMA 2265C	07	FROZN DAIRY(R)	*	0-5 MO.	.025000	.102500	.032000
				6-11 MO.	.237500	.660000	.304000
				12-23 MO.	.360000	.845000	.460800
				2-65+ YR.	.640000	1.542500	.819200
CATECHU, POWDER FEMA 2265C	16	SOFT CANDY(R)	*	0-5 MO.	.008000	.080000	.010200
				6-11 MO.	.088000	.272000	.112200
				12-23 MO.	.140000	.372000	.178500
				2-65+ YR.	.232000	.704000	.295800
CATECHU, POWDER FEMA 2265C	23	BEV TYPE I(R)	*	0-5 MO.	.096000	.144000	.115200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CATECHU, POWDER FEMA 2265C	23	BEV TYPE I(R)	*	6-11 MO.	.908000	3.108000	1.089600
				12-23 MO.	2.168000	6.500000	2.601600
				2-65+ YR.	4.160000	11.108000	4.992000
CATECHU, POWDER FEMA 2265C	99	ALL CATEGORIES	*	0-5 MO.	.251400	.488500	.296800
				6-11 MO.	2.147900	5.904800	2.547200
				12-23 MO.	4.630000	10.949800	5.475400
				2-65+ YR.	9.971200	20.691300	11.732200
CEDAR LEAF, OIL FEMA 2267C	01	BAKED GOODS(R)	4	0-5 MO.	.037597	.049761	.056691
				6-11 MO.	.280875	.572808	.423517
				12-23 MO.	.602665	.993014	.908728
				2-65+ YR.	1.517167	2.253634	2.287661
CEDAR LEAF, OIL FEMA 2267C	07	FROZN DAIRY(R)	*	0-5 MO.	.000695	.002847	.001681
				6-11 MO.	.006598	.018335	.015973
				12-23 MO.	.010001	.023474	.024211
				2-65+ YR.	.017779	.042851	.043042
CEDAR LEAF, OIL FEMA 2267C	10	MEAT PRODS(R)	*	0-5 MO.	.014518	.038274	.018192
				6-11 MO.	.273195	.736437	.342346
				12-23 MO.	.398574	.684966	.499462
				2-65+ YR.	1.034708	1.717034	1.296615
CEDAR LEAF, OIL FEMA 2267C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.016000
				12-23 MO.	.028000	.076000	.056000
				2-65+ YR.	.088000	.212000	.176000
CEDAR LEAF, OIL FEMA 2267C	16	SOFT CANDY(R)	4	0-5 MO.	.001258	.012576	.001885
				6-11 MO.	.013834	.042759	.020733
				12-23 MO.	.022008	.058479	.032984
				2-65+ YR.	.036471	.110670	.054659
CEDAR LEAF, OIL FEMA 2267C	20	GELATIN PUD(R)	*	0-5 MO.	.008200	.011070	.027000
				6-11 MO.	.052480	.159080	.172800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CEDAR LEAF, OIL FEMA 2267C	20	GELATIN PUD(R)	*	12-23 MO.	.056580	.137760	.186300
				2-65+ YR.	.083640	.215250	.275400
CEDAR LEAF, OIL FEMA 2267C	23	BEV TYPE III(R)	7	0-5 MO.	.004277	.006416	.006546
				6-11 MO.	.040454	.138472	.061915
				12-23 MO.	.096592	.289597	.147832
				2-65+ YR.	.185342	.494899	.283662
CEDAR LEAF, OIL FEMA 2267C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000721	**********
				12-23 MO.	**********	.001442	**********
				2-65+ YR.	.234247	.680398	.384383
CEDAR LEAF, OIL FEMA 2267C	99	ALL CATEGORIES	10	0-5 MO.	.066544	.121944	.111996
				6-11 MO.	.675435	1.690611	1.053283
				12-23 MO.	1.214419	2.264732	1.855516
				2-65+ YR.	3.197354	5.726735	4.801422
CHERRY LAUREL OIL, FFPA FEMA 2277C	01	BAKED GOODS(R)	*	0-5 MO.	.225330	.298230	.306000
				6-11 MO.	1.683345	3.432963	2.286000
				12-23 MO.	3.611901	5.951352	4.905000
				2-65+ YR.	9.092712	13.506521	12.348000
CHERRY LAUREL OIL, FFPA FEMA 2277C	07	FROZN DAIRY(R)	*	0-5 MO.	.107009	.438735	.120342
				6-11 MO.	1.016581	2.825026	1.143248
				12-23 MO.	1.540923	3.616889	1.732923
				2-65+ YR.	2.739419	6.602427	3.080752
CHERRY LAUREL OIL, FFPA FEMA 2277C	16	SOFT CANDY(R)	*	0-5 MO.	.024000	.240000	.028000
				6-11 MO.	.264000	.816000	.308000
				12-23 MO.	.420000	1.116000	.490000
				2-65+ YR.	.696000	2.112000	.812000
CHERRY LAUREL OIL, FFPA FEMA 2277C	23	BEV TYPE I(R)	5	0-5 MO.	.052553	.078830	.080993
				6-11 MO.	.497068	1.701418	.766057
				12-23 MO.	1.186832	3.558307	1.829088

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CHERRY LAUREL OIL, FFPA FEMA 2277C	23	BEV TYPE I(R)	5	2-65+ YR.	2.277316	6.080872	3.509689
CHERRY LAUREL OIL, FFPA FEMA 2277C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.003170	**********
				12-23 MO.	**********	.006340	**********
				2-65+ YR.	1.030250	2.992460	1.852500
CHERRY LAUREL OIL, FFPA FEMA 2277C	99	ALL CATEGORIES	8	0-5 MO.	.408892	1.055796	.535335
				6-11 MO.	3.460994	8.778576	4.503305
				12-23 MO.	6.759656	14.248887	8.957011
				2-65+ YR.	15.835697	31.294300	21.602941
CHERRY PITS, EXTRACT FEMA 2278C	01	BAKED GOODS(R)	*	0-5 MO.	.816000	1.080000	.884000
				6-11 MO.	6.096000	12.432000	6.604000
				12-23 MO.	13.080000	21.552000	14.170000
				2-65+ YR.	32.928000	48.912000	35.672000
CHERRY PITS, EXTRACT FEMA 2278C	07	FROZN DAIRY(R)	*	0-5 MO.	.486721	1.995557	.506721
				6-11 MO.	4.623852	12.849443	4.813852
				12-23 MO.	7.008787	16.451160	7.296787
				2-65+ YR.	12.460066	30.030705	12.972066
CHERRY PITS, EXTRACT FEMA 2278C	16	SOFT CANDY(R)	*	0-5 MO.	.082000	.820000	.090000
				6-11 MO.	.902000	2.788000	.990000
				12-23 MO.	1.435000	3.813000	1.575000
				2-65+ YR.	2.378000	7.216000	2.610000
CHERRY PITS, EXTRACT FEMA 2278C	20	GELATIN PUD(R)	*	0-5 MO.	.344000	.464400	.360000
				6-11 MO.	2.201600	6.673600	2.304000
				12-23 MO.	2.373600	5.779200	2.484000
				2-65+ YR.	3.508800	9.030000	3.672000
CHERRY PITS, EXTRACT FEMA 2278C	23	BEV TYPE I(R)	*	0-5 MO.	.644781	.967171	.717496
				6-11 MO.	6.098553	20.874782	6.786319
				12-23 MO.	14.561303	43.657042	16.203458
				2-65+ YR.	27.940507	74.606526	31.091505

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CHERRY PITS, EXTRACT FEMA 2278C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.318000	**********
				12-23 MO.	**********	.636000	**********
				2-65+ YR.	103.350000	300.192000	113.750000
CHERRY PITS, EXTRACT FEMA 2278C	99	ALL CATEGORIES	*	0-5 MO.	2.373502	5.327129	2.558218
				6-11 MO.	19.922005	55.935825	21.498171
				12-23 MO.	38.458689	91.888422	41.729244
				2-65+ YR.	182.565372	469.987231	199.767571
CINCHONA BARK, RED, EXT FEMA 2282C	01	BAKED GOODS(R)	*	0-5 MO.	.024707	.032700	.055420
				6-11 MO.	.184573	.376413	.414020
				12-23 MO.	.396033	.652547	.888350
				2-65+ YR.	.996987	1.480947	2.236360
CINCHONA BARK, RED, EXT FEMA 2282C	07	FROZN DAIRY(R)	*	0-5 MO.	.025000	.102500	.040000
				6-11 MO.	.237500	.660000	.380000
				12-23 MO.	.360000	.845000	.576000
				2-65+ YR.	.640000	1.542500	1.024000
CINCHONA BARK, RED, EXT FEMA 2282C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.006000	**********
				6-11 MO.	.048000	.132000	.068000
				12-23 MO.	.168000	.456000	.238000
				2-65+ YR.	.528000	1.272000	.748000
CINCHONA BARK, RED, EXT FEMA 2282C	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.004000
				6-11 MO.	.022000	.068000	.044000
				12-23 MO.	.035000	.093000	.070000
				2-65+ YR.	.058000	.176000	.116000
CINCHONA BARK, RED, EXT FEMA 2282C	23	BEV TYPE I(R)	*	0-5 MO.	.298579	.447868	.351000
				6-11 MO.	2.824059	9.666493	3.319875
				12-23 MO.	6.742908	20.216283	7.926750
				2-65+ YR.	12.938421	34.548072	15.210000
CINCHONA BARK, RED, EXT FEMA 2282C	24	BEV TYPE III(R)	5	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINCHONA BARK, RED, EXT FEMA 2282C	24	BEV TYPE III(R)	5	6-11 MO.	**********	.023645	**********
				12-23 MO.	**********	.047290	**********
				2-65+ YR.	7.684587	22.320771	9.045833
CINCHONA BARK, RED, EXT FEMA 2282C	59	ALL CATEGORIES	8	0-5 MO.	.350286	.609068	.450420
				6-11 MO.	3.316133	10.926552	4.225895
				12-23 MO.	7.701941	22.310119	9.699100
				2-65+ YR.	22.845995	61.340290	28.380193
CINCHONA BARK, YELLOW FEMA 2283C	23	BEV TYPE III(R)	*	0-5 MO.	.010560	.015840	.010560
				6-11 MO.	.099880	.341880	.099880
				12-23 MO.	.238480	.715000	.238480
				2-65+ YR.	.457600	1.221880	.457600
CINCHONA BARK, YELLOW FEMA 2283C	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008238	**********
				12-23 MO.	**********	.016475	**********
				2-65+ YR.	2.677188	7.776200	4.302188
CINCHONA BARK, YELLOW FEMA 2283C	99	ALL CATEGORIES	*	0-5 MO.	.010560	.015840	.010560
				6-11 MO.	.099880	.350118	.099880
				12-23 MO.	.238480	.731475	.238480
				2-65+ YR.	3.134788	8.998080	4.759788
CINCHONA BARK, YEL. EXT FEMA 2284C	23	BEV TYPE III(R)	*	0-5 MO.	.305239	.457859	.337690
				6-11 MO.	2.887056	9.882127	3.193986
				12-23 MO.	6.893324	20.667254	7.626169
				2-65+ YR.	13.227042	35.318747	14.633239
CINCHONA BARK, YEL. EXT FEMA 2284C	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.047000	**********
				12-23 MO.	**********	.094000	**********
				2-65+ YR.	15.275000	44.368000	16.250000
CINCHONA BARK, YEL. EXT FEMA 2284C	99	ALL CATEGORIES	*	0-5 MO.	.305239	.457859	.337690
				6-11 MO.	2.887056	9.929127	3.193986

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINCHONA BARK, YEL, EXT FEMA 2284C	99	ALL CATEGORIES	*	12-23 MO.	6.893324	20.761254	7.626169
				2-65+ YR.	28.502042	79.686747	30.883239
CINCHONA, EXTRACT FEMA 2285C	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000600
				6-11 MO.	.002200	.006800	.006600
				12-23 MO.	.003500	.009300	.010500
				2-65+ YR.	.005800	.017600	.017400
CINCHONA, EXTRACT FEMA 2285C	23	BEV TYPE I(R)	*	0-5 MO.	.252029	.378043	.272096
				6-11 MO.	2.383773	8.159436	2.573578
				12-23 MO.	5.691653	17.064458	6.144843
				2-65+ YR.	10.921253	29.161846	11.790843
CINCHONA, EXTRACT FEMA 2285C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.043866	**********
				12-23 MO.	**********	.087732	**********
				2-65+ YR.	14.256514	41.409690	15.174296
CINCHONA, EXTRACT FEMA 2285C	99	ALL CATEGORIES	*	0-5 MO.	.252229	.380043	.272696
				6-11 MO.	2.385973	8.210102	2.580178
				12-23 MO.	5.695153	17.161490	6.155343
				2-65+ YR.	25.183567	70.589136	26.982539
COSTUS ROOT, OIL FEMA 2336C	01	BAKED GOODS(R)	5	0-5 MO.	.008269	.010944	.014144
				6-11 MO.	.061773	.125978	.105664
				12-23 MO.	.132544	.218394	.226720
				2-65+ YR.	.333670	.495642	.570752
COSTUS ROOT, OIL FEMA 2336C	07	FROZN DAIRY(R)	4	0-5 MO.	.002253	.009235	.002850
				6-11 MO.	.021399	.059466	.027075
				12-23 MO.	.032436	.076135	.041040
				2-65+ YR.	.057664	.138979	.072960
COSTUS ROOT, OIL FEMA 2336C	16	SOFT CANDY(R)	6	0-5 MO.	.000196	.001963	.000420
				6-11 MO.	.002159	.006674	.004620
				12-23 MO.	.003435	.009127	.007350

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
COSTUS ROOT, OIL FEMA 2336C	16	SOFT CANDY(R)	6	2-65+ YR.	.005692	.017273	.012180
COSTUS ROOT, OIL FEMA 2336C	17	CONF FROST(R)	*	0-5 MO.	**********	.000003	**********
				6-11 MO.	.000003	.000006	.000030
				12-23 MO.	.000006	.000021	.000060
				2-65+ YR.	.000009	.000024	.000090
COSTUS ROOT, OIL FEMA 2336C	20	GELATIN PUD(R)	*	0-5 MO.	.001400	.001890	.002133
				6-11 MO.	.008960	.027160	.013653
				12-23 MO.	.009660	.023520	.014720
				2-65+ YR.	.014280	.036750	.021760
COSTUS ROOT, OIL FEMA 2336C	23	BEV TYPE I(R)	6	0-5 MO.	.000979	.001469	.001753
				6-11 MO.	.009264	.031710	.016585
				12-23 MO.	.022120	.066318	.039599
				2-65+ YR.	.042444	.113333	.075984
COSTUS ROOT, OIL FEMA 2336C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000353	**********
				12-23 MO.	**********	.000705	**********
				2-65+ YR.	.114563	.332760	.131625
COSTUS ROOT, OIL FEMA 2336C	99	ALL CATEGORIES	7	0-5 MO.	.013097	.025504	.021301
				6-11 MO.	.103558	.251346	.167627
				12-23 MO.	.200201	.394220	.329489
				2-65+ YR.	.568322	1.134761	.885351
CUBEBS FEMA 2338C	23	BEV TYPE I(R)	*	0-5 MO.	1.440000	2.160000	2.040000
				6-11 MO.	13.620000	46.620000	19.295000
				12-23 MO.	32.520000	97.500000	46.070000
				2-65+ YR.	62.400000	166.620000	88.400000
CUBEBS FEMA 2338C	99	ALL CATEGORIES	*	0-5 MO.	1.440000	2.160000	2.040000
				6-11 MO.	13.620000	46.620000	19.295000
				12-23 MO.	32.520000	97.500000	46.070000
				2-65+ YR.	62.400000	166.620000	88.400000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CUBEBS, OIL FEMA 2339C	01	BAKED GOODS(R)	5	0-5 MO.	.041309	.054674	.055915
				6-11 MO.	.308602	.629353	.417721
				12-23 MO.	.662157	1.091040	.896292
				2-65+ YR.	1.666935	2.476103	2.256353
CUBEBS, OIL FEMA 2339C	07	FROZN DAIRY(R)	*	0-5 MO.	.012865	.052748	.017225
				6-11 MO.	.122222	.339648	.163641
				12-23 MO.	.185262	.434852	.248045
				2-65+ YR.	.329355	.793798	.440969
CUBEBS, OIL FEMA 2339C	10	MEAT PRODS(R)	4	0-5 MO.	.084671	.223225	.112377
				6-11 MO.	1.593363	4.295152	2.114731
				12-23 MO.	2.324616	3.994953	3.085259
				2-65+ YR.	6.034765	10.014324	8.009415
CUBEBS, OIL FEMA 2339C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.003004	**********
				6-11 MO.	.024029	.066079	.030571
				12-23 MO.	.084100	.228271	.107000
				2-65+ YR.	.264314	.636757	.336286
CUBEBS, OIL FEMA 2339C	16	SOFT CANDY(R)	5	0-5 MO.	.002206	.022059	.003648
				6-11 MO.	.024265	.075001	.040132
				12-23 MO.	.038604	.102575	.063846
				2-65+ YR.	.063972	.194121	.105802
CUBEBS, OIL FEMA 2339C	20	GELATIN PUD(R)	*	0-5 MO.	.024938	.033667	.028774
				6-11 MO.	.159605	.483802	.184151
				12-23 MO.	.172074	.418963	.198538
				2-65+ YR.	.254370	.654630	.293491
CUBEBS, OIL FEMA 2339C	23	BEV TYPE II(R)	6	0-5 MO.	.011206	.016809	.018751
				6-11 MO.	.105990	.362794	.177350
				12-23 MO.	.253068	.758738	.423452
				2-65+ YR.	.485593	1.296625	.812528
CUBEBS, OIL FEMA 2339C	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CUBEBS, OIL FEMA 2339C	24	BEV TYPE II(R)	*	6-11 MO.	**********	.002500	**********
				12-23 MO.	**********	.005000	**********
				2-65+ YR.	.812500	2.360000	.975000
CUBEBS, OIL FEMA 2339C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000001	.000001	.000001
				12-23 MO.	.000001	.000003	.000001
				2-65+ YR.	.000002	.000004	.000002
CUBEBS, OIL FEMA 2339C	99	ALL CATEGORIES	8	0-5 MO.	.177196	.406185	.236690
				6-11 MO.	2.338076	6.254329	3.128299
				12-23 MO.	3.719883	7.034397	5.022434
				2-65+ YR.	9.911806	18.426362	13.229847
CURRANT BUDS, BLACK, ABS FEMA 2346C	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	.119000
				6-11 MO.	.508000	1.036000	.889000
				12-23 MO.	1.090000	1.796000	1.907500
				2-65+ YR.	2.744000	4.076000	4.802000
CURRANT BUDS, BLACK, ABS FEMA 2346C	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.010000
				6-11 MO.	.076000	.211200	.095000
				12-23 MO.	.115200	.270400	.144000
				2-65+ YR.	.204800	.493600	.256000
CURRANT BUDS, BLACK, ABS FEMA 2346C	16	SOFT CANDY(R)	*	0-5 MO.	.004000	.040000	.007000
				6-11 MO.	.044000	.136000	.077000
				12-23 MO.	.070000	.186000	.122500
				2-65+ YR.	.116000	.352000	.203000
CURRANT BUDS, BLACK, ABS FEMA 2346C	23	BEV TYPE I(R)	*	0-5 MO.	.007701	.011551	.008214
				6-11 MO.	.072834	.249305	.077688
				12-23 MO.	.173904	.521390	.185492
				2-65+ YR.	.333690	.891015	.355926
CURRANT BUDS, BLACK, ABS FEMA 2346C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.159820	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CURRANT BUDS, BLACK, ABS FEMA 2346C	24	BEV TYPE II(R)	*	12-23 MO.	**********	.319640	**********
				2-65+ YR.	51.941500	150.870080	51.942686
CURRANT BUDS, BLACK, ABS FEMA 2346C	99	ALL CATEGORIES	*	0-5 MO.	.087701	.174351	.144214
				6-11 MO.	.700834	1.792325	1.138688
				12-23 MO.	1.449104	3.093430	2.359492
				2-65+ YR.	55.339990	156.682695	57.559612
DAVANA, OIL FEMA 2359C	01	BAKED GOODS(R)	11	0-5 MO.	.080606	.106684	.099024
				6-11 MO.	.602173	1.228054	.739765
				12-23 MO.	1.292065	2.128943	1.587291
				2-65+ YR.	3.252684	4.831611	3.995896
DAVANA, OIL FEMA 2359C	07	FROZN DAIRY(R)	11	0-5 MO.	.011347	.046522	.013917
				6-11 MO.	.107796	.299559	.132211
				12-23 MO.	.163396	.383526	.200405
				2-65+ YR.	.290481	.700105	.356275
DAVANA, OIL FEMA 2359C	16	SOFT CANDY(R)	11	0-5 MO.	.003998	.039978	.005083
				6-11 MO.	.043976	.135925	.055915
				12-23 MO.	.069961	.185897	.088956
				2-65+ YR.	.115936	.351806	.147412
DAVANA, OIL FEMA 2359C	20	GELATIN PUD(R)	7	0-5 MO.	.032637	.044060	.042320
				6-11 MO.	.208877	.633159	.270851
				12-23 MO.	.225196	.548302	.292011
				2-65+ YR.	.332898	.856722	.431669
DAVANA, OIL FEMA 2359C	23	BEV TYPE I(R)	18	0-5 MO.	.013005	.019508	.018343
				6-11 MO.	.123009	.421047	.173495
				12-23 MO.	.293703	.880568	.414247
				2-65+ YR.	.563564	1.504823	.794866
DAVANA, OIL FEMA 2359C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008294	**********
				12-23 MO.	**********	.016587	**********

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DAVANA, OIL FEMA 2359C	24	BEV TYPE II(R)	4	2-65+ YR.	2.695403	7.829110	3.272540
DAVANA, OIL FEMA 2359C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000012	.000012	.000076
				12-23 MO.	.000012	.000036	.000076
				2-65+ YR.	.000024	.000048	.000152
DAVANA, OIL FEMA 2359C	99	ALL CATEGORIES	20	0-5 MO.	.141593	.256753	.178687
				6-11 MO.	1.085842	2.726049	1.372313
				12-23 MO.	2.044333	4.143860	2.582986
				2-65+ YR.	7.250990	16.074225	8.998810
DILL SEED, INDIAN FEMA 2384C	01	BAKED GOODS(R)	4	0-5 MO.	10.901156	14.428000	25.968912
				6-11 MO.	81.438045	166.082312	194.003046
				12-23 MO.	174.739112	287.918756	416.286378
				2-65+ YR.	439.893690	653.428091	1047.921965
DILL SEED, INDIAN FEMA 2384C	04	FATS OILS(R)	*	0-5 MO.	.205000	.205000	.205000
				6-11 MO.	1.148000	3.075000	1.148000
				12-23 MO.	2.583000	4.920000	2.583000
				2-65+ YR.	7.175000	12.956000	7.175000
DILL SEED, INDIAN FEMA 2384C	10	MEAT PRODS(R)	4	0-5 MO.	2.185780	5.762512	3.286429
				6-11 MO.	41.132412	110.878676	61.844622
				12-23 MO.	60.009606	103.129091	90.227419
				2-65+ YR.	155.786526	258.518203	234.232771
DILL SEED, INDIAN FEMA 2384C	15	CONDM RELSH(R)	7	0-5 MO.	**********	.583665	**********
				6-11 MO.	4.669323	12.840638	23.180641
				12-23 MO.	16.342630	44.358568	81.132244
				2-65+ YR.	51.362552	123.737058	254.987051
DILL SEED, INDIAN FEMA 2384C	99	ALL CATEGORIES	13	0-5 MO.	13.291936	20.979177	29.460341
				6-11 MO.	128.387780	292.876625	280.176309
				12-23 MO.	253.674348	440.326415	590.209041
				2-65+ YR.	654.217769	1048.639352	1544.316787

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DITTANY OF CRETE							
FEMA 2399C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002100	**********
				12-23 MO.	**********	.004200	**********
				2-65+ YR.	.682500	1.982400	1.787500
DITTANY OF CRETE							
FEMA 2399C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.002100	**********
				12-23 MO.	**********	.004200	**********
				2-65+ YR.	.682500	1.982400	1.787500
ELEMI, GUM							
FEMA 2407C	01	BAKED GOODS(R)	*	0-5 MO.	.001368	.001810	.003739
				6-11 MO.	.010216	.020835	.027934
				12-23 MO.	.021921	.036119	.059936
				2-65+ YR.	.055184	.081971	.150885
ELEMI, GUM							
FEMA 2407C	07	FROZN DAIRY(R)	*	0-5 MO.	.000402	.001649	.001100
				6-11 MO.	.003821	.010618	.010448
				12-23 MO.	.005792	.013595	.015836
				2-65+ YR.	.010297	.024817	.028154
ELEMI, GUM							
FEMA 2407C	16	SOFT CANDY(R)	*	0-5 MO.	.000080	.000804	.000220
				6-11 MO.	.000885	.002735	.002419
				12-23 MO.	.001408	.003741	.003849
				2-65+ YR.	.002333	.007079	.006379
ELEMI, GUM							
FEMA 2407C	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
ELEMI, GUM							
FEMA 2407C	23	BEV TYPE II(R)	*	0-5 MO.	.000546	.000818	.002275
				6-11 MO.	.005161	.017665	.021519
				12-23 MO.	.012322	.036944	.051379
				2-65+ YR.	.023644	.063134	.098588
ELEMI, GUM							
FEMA 2407C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ELEMI, GUM FEMA 2407C	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000452	**********
				12-23 MO.	**********	.000905	**********
				2-65+ YR.	.147024	.427048	.297917
ELEMI, GUM FEMA 2407C	99	ALL CATEGORIES	*	0-5 MO.	.012396	.018582	.027334
				6-11 MO.	.084083	.246306	.190319
				12-23 MO.	.110443	.259303	.269001
				2-65+ YR.	.340481	.866549	.785922
ELEMI, OIL FEMA 2408C	01	BAKED GOODS(R)	5	0-5 MO.	.036293	.048035	.058472
				6-11 MO.	.271130	.552935	.436821
				12-23 MO.	.581756	.958563	.937273
				2-65+ YR.	1.464530	2.175447	2.359521
ELEMI, OIL FEMA 2408C	07	FROZN DAIRY(R)	4	0-5 MO.	.006117	.025081	.007275
				6-11 MO.	.058114	.161496	.069110
				12-23 MO.	.088089	.206764	.104756
				2-65+ YR.	.156602	.377436	.186232
ELEMI, OIL FEMA 2408C	10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.003300
				6-11 MO.	.062100	.167400	.062100
				12-23 MO.	.090600	.155700	.090600
				2-65+ YR.	.235200	.390300	.235200
ELEMI, OIL FEMA 2408C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000150	**********
				6-11 MO.	.001200	.003300	.005600
				12-23 MO.	.004200	.011400	.019600
				2-65+ YR.	.013200	.031800	.061600
ELEMI, OIL FEMA 2408C	16	SOFT CANDY(R)	5	0-5 MO.	.002675	.026747	.003363
				6-11 MO.	.029422	.090941	.036989
				12-23 MO.	.046808	.124375	.058846
				2-65+ YR.	.077567	.235376	.097516
ELEMI, OIL FEMA 2408C	20	GELATIN PUD(R)	4	0-5 MO.	.003965	.005352	.005396
				6-11 MO.	.025373	.076913	.034537

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ELEMI, OIL FEMA 2408C	20	GELATIN PUD(R)	4	12-23 MO.	.027356	.066605	.037236
				2-65+ YR.	.040439	.104071	.055044
ELEMI, OIL FEMA 2408C	21	SOUPS(R)	*	0-5 MO.	.001000	.007500	.002000
				6-11 MO.	.116500	.363500	.233000
				12-23 MO.	.174000	.480500	.348000
				2-65+ YR.	.158500	.422500	.317000
ELEMI, OIL FEMA 2408C	23	BEV TYPE I(R)	5	0-5 MO.	.008307	.012461	.010224
				6-11 MO.	.078573	.268949	.096706
				12-23 MO.	.187607	.562475	.230901
				2-65+ YR.	.359984	.961226	.443057
ELEMI, OIL FEMA 2408C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000168	**********
				12-23 MO.	**********	.000336	**********
				2-65+ YR.	.054628	.158672	.109255
ELEMI, OIL FEMA 2408C	99	ALL CATEGORIES	9	0-5 MO.	.061657	.134026	.090030
				6-11 MO.	.642413	1.685603	.974863
				12-23 MO.	1.200415	2.566718	1.827211
				2-65+ YR.	2.560650	4.856828	3.864426
EUCALYPTUS, OIL FEMA 2466C	01	BAKED GOODS(R)	*	0-5 MO.	.025600	.033882	.035600
				6-11 MO.	.191247	.390024	.265953
				12-23 MO.	.410353	.676141	.570647
				2-65+ YR.	1.033035	1.534494	1.436565
EUCALYPTUS, OIL FEMA 2466C	07	FROZN DAIRY(R)	4	0-5 MO.	.002198	.009010	.005394
				6-11 MO.	.020878	.058018	.051246
				12-23 MO.	.031646	.074281	.077678
				2-65+ YR.	.056260	.135595	.138094
EUCALYPTUS, OIL FEMA 2466C	10	MEAT PRODS(R)	*	0-5 MO.	.009913	.026134	.019826
				6-11 MO.	.186546	.502862	.373091
				12-23 MO.	.272158	.467716	.544317

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
EUCALYPTUS, OIL FEMA 2466C	10	MEAT PRODS(R)	*	2-65+ YR.	.706531	1.172444	1.413061
EUCALYPTUS, OIL FEMA 2466C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000400	**********
				6-11 MO.	.003200	.008800	**********
				12-23 MO.	.011200	.030400	**********
				2-65+ YR.	.035200	.084800	**********
EUCALYPTUS, OIL FEMA 2466C	16	SOFT CANDY(R)	8	0-5 MO.	.001125	.011248	.001880
				6-11 MO.	.012373	.038244	.020684
				12-23 MO.	.019685	.052305	.032906
				2-65+ YR.	.032620	.098985	.054531
EUCALYPTUS, OIL FEMA 2466C	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.014000
				6-11 MO.	.064000	.194000	.089600
				12-23 MO.	.069000	.168000	.096600
				2-65+ YR.	.102000	.262500	.142800
EUCALYPTUS, OIL FEMA 2466C	23	BEV TYPE I(R)	8	0-5 MO.	.001764	.002646	.005217
				6-11 MO.	.016686	.057115	.049345
				12-23 MO.	.039841	.119448	.117819
				2-65+ YR.	.076447	.204128	.226074
EUCALYPTUS, OIL FEMA 2466C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000070	**********
				12-23 MO.	**********	.000140	**********
				2-65+ YR.	.022750	.066080	.067401
EUCALYPTUS, OIL FEMA 2466C	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.193831	.581493	.195801
				12-23 MO.	.581493	1.744479	.587403
				2-65+ YR.	1.162986	3.295126	1.174806
EUCALYPTUS, OIL FEMA 2466C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000408	.000408	.000531
				12-23 MO.	.000408	.001224	.000531
				2-65+ YR.	.000816	.001632	.001062

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
EUCALYPTUS, OIL							
FEMA 2466C	99	ALL CATEGORIES	20	0-5 MO.	.050600	.096822	.081918
				6-11 MO.	.689169	1.831034	1.046251
				12-23 MO.	1.435784	3.334133	2.027902
				2-65+ YR.	3.228645	6.855785	4.654394
GALBANUM, OIL							
FEMA 2501C	01	BAKED GOODS(R)	*	0-5 MO.	.040800	.054000	.054400
				6-11 MO.	.304800	.621600	.406400
				12-23 MO.	.654000	1.077600	.872000
				2-65+ YR.	1.646400	2.445600	2.195200
GALBANUM, OIL							
FEMA 2501C	07	FROZN DAIRY(R)	4	0-5 MO.	.007193	.029491	.010467
				6-11 MO.	.068332	.189891	.099433
				12-23 MO.	.103577	.243119	.150720
				2-65+ YR.	.184137	.443799	.267947
GALBANUM, OIL							
FEMA 2501C	10	MEAT PRODS(R)	4	0-5 MO.	.021075	.055560	.024644
				6-11 MO.	.396584	1.069053	.463760
				12-23 MO.	.578591	.994334	.676596
				2-65+ YR.	1.502038	2.492541	1.756462
GALBANUM, OIL							
FEMA 2501C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001008	**********
				6-11 MO.	.008064	.022176	.010944
				12-23 MO.	.028224	.076608	.038303
				2-65+ YR.	.088704	.213697	.120382
GALBANUM, OIL							
FEMA 2501C	16	SOFT CANDY(R)	4	0-5 MO.	.001977	.019769	.002799
				6-11 MO.	.021746	.067214	.030785
				12-23 MO.	.034595	.091924	.048976
				2-65+ YR.	.057329	.173965	.081161
GALBANUM, OIL							
FEMA 2501C	20	GELATIN PUD(R)	*	0-5 MO.	.027500	.037125	.031000
				6-11 MO.	.176000	.533500	.198400
				12-23 MO.	.189750	.462000	.213900
				2-65+ YR.	.280500	.721875	.316200
GALBANUM, OIL							
FEMA 2501C	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000001	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GALBANUM, OIL FEMA 2501C	22	SNACK FOODS(R)	*	6-11 MO.	.000004	.000011	.000020
				12-23 MO.	.000011	.000031	.000055
				2-65+ YR.	.000013	.000037	.000065
GALBANUM, OIL FEMA 2501C	23	BEV TYPE I(R)	5	0-5 MO.	.014333	.021499	.018924
				6-11 MO.	.135565	.464027	.178987
				12-23 MO.	.323684	.970455	.427361
				2-65+ YR.	.621091	1.658434	.820029
GALBANUM, OIL FEMA 2501C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.357500
GALBANUM, OIL FEMA 2501C	27	GRAVIES(R)	*	0-5 MO.	.001200	.003600	.002400
				6-11 MO.	.016800	.046800	.033600
				12-23 MO.	.043200	.122400	.086400
				2-65+ YR.	.099600	.255600	.199200
GALBANUM, OIL FEMA 2501C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000007	.000021	.000007
				12-23 MO.	.000021	.000063	.000021
				2-65+ YR.	.000042	.000119	.000042
GALBANUM, OIL FEMA 2501C	99	ALL CATEGORIES	9	0-5 MO.	.114077	.222053	.144633
				6-11 MO.	1.127902	3.014593	1.422336
				12-23 MO.	1.955654	4.039135	2.514333
				2-65+ YR.	4.577356	8.688866	6.114187
GALBANUM, RESIN FEMA 2502C	01	BAKED GOODS(R)	*	0-5 MO.	.074800	.099000	.102000
				6-11 MO.	.558800	1.139600	.762000
				12-23 MO.	1.199000	1.975600	1.635000
				2-65+ YR.	3.018400	4.483600	4.116000
GALBANUM, RESIN FEMA 2502C	07	FROZN DAIRY(R)	*	0-5 MO.	.016000	.065600	.021000
				6-11 MO.	.152000	.422400	.199500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GALBANUM, RESIN FEMA 2502C	C7	FROZN DAIRY(R)	*	12-23 MO.	.230400	.540800	.302400
				2-65+ YR.	.409600	.987200	.537600
GALBANUM, RESIN FEMA 2502C	10	MEAT PRODS(R)	*	0-5 MO.	.004400	.011600	.008800
				6-11 MO.	.082800	.223200	.165600
				12-23 MO.	.120800	.207600	.241600
				2-65+ YR.	.313600	.520400	.627200
GALBANUM, RESIN FEMA 2502C	16	SOFT CANDY(R)	*	0-5 MO.	.004800	.048000	.006600
				6-11 MO.	.052800	.163200	.072600
				12-23 MO.	.084000	.223200	.115500
				2-65+ YR.	.139200	.422400	.191400
GALBANUM, RESIN FEMA 2502C	20	GELATIN PUD(R)	*	0-5 MO.	.058000	.078300	.066000
				6-11 MO.	.371200	1.125200	.422400
				12-23 MO.	.400200	.974400	.455400
				2-65+ YR.	.591600	1.522500	.673200
GALBANUM, RESIN FEMA 2502C	23	BEV TYPE 1(R)	*	0-5 MO.	.021600	.032400	.026400
				6-11 MO.	.204300	.699300	.249700
				12-23 MO.	.487800	1.462500	.596200
				2-65+ YR.	.936000	2.499300	1.144000
GALBANUM, RESIN FEMA 2502C	99	ALL CATEGORIES	*	0-5 MO.	.179600	.334900	.230800
				6-11 MO.	1.421900	3.772900	1.871800
				12-23 MO.	2.522200	5.384100	3.346100
				2-65+ YR.	5.408400	10.435400	7.289400
GENET, ABSOLUTE FEMA 2504C	01	BAKED GOODS(R)	*	0-5 MO.	.010427	.013800	.014733
				6-11 MO.	.077893	.158853	.110067
				12-23 MO.	.167133	.275387	.236167
				2-65+ YR.	.420747	.624987	.594533
GENET, ABSOLUTE FEMA 2504C	07	FROZN DAIRY(R)	5	0-5 MO.	.000710	.002911	.001425
				6-11 MO.	.006745	.018744	.013538
				12-23 MO.	.010224	.023998	.020520

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GENET, ABSOLUTE FEMA 2504C	07	FROZN DAIRY(R)	5	2-65+ YR.	.018176	.043807	.036480
GENET, ABSOLUTE FEMA 2504C	16	SOFT CANDY(R)	5	0-5 MO.	.000316	.003160	.000565
				6-11 MO.	.003476	.010744	.006215
				12-23 MO.	.005530	.014694	.009888
				2-65+ YR.	.009164	.027808	.016385
GENET, ABSOLUTE FEMA 2504C	20	GELATIN PUD(R)	*	0-5 MO.	.001600	.002160	.004000
				6-11 MO.	.010240	.031040	.025600
				12-23 MO.	.011040	.026880	.027600
				2-65+ YR.	.016320	.042000	.040800
GENET, ABSOLUTE FEMA 2504C	23	BEV TYPE I(R)	5	0-5 MO.	.002107	.003161	.004000
				6-11 MO.	.019931	.068221	.045400
				12-23 MO.	.047588	.142675	.108400
				2-65+ YR.	.091312	.243821	.208000
GENET, ABSOLUTE FEMA 2504C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000363	**********
				12-23 MO.	**********	.000725	**********
				2-65+ YR.	.117813	.342200	.138125
GENET, ABSOLUTE FEMA 2504C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000730	.002190	.000730
				12-23 MO.	.002190	.006570	.002190
				2-65+ YR.	.004380	.012410	.004380
GENET, ABSOLUTE FEMA 2504C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000115	.000115	.000372
				12-23 MO.	.000115	.000345	.000372
				2-65+ YR.	.000230	.000460	.000744
GENET, ABSOLUTE FEMA 2504C	99	ALL CATEGORIES	9	0-5 MO.	.015160	.025192	.025523
				6-11 MO.	.119130	.290269	.201921
				12-23 MO.	.243820	.491274	.405136
				2-65+ YR.	.678141	1.337492	1.039447

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GENET, EXTRACT FEMA 2505C	01	BAKED GOODS(R)	*	0-5 MO.	.005440	.007200	.011560
				6-11 MO.	.040640	.082880	.086360
				12-23 MO.	.087200	.143680	.185300
				2-65+ YR.	.219520	.326080	.466480
GENET, EXTRACT FEMA 2505C	07	FROZN DAIRY(R)	*	0-5 MO.	.001025	.004203	.005000
				6-11 MO.	.009738	.027060	.047500
				12-23 MO.	.014760	.034645	.072000
				2-65+ YR.	.026240	.063243	.128000
GENET, EXTRACT FEMA 2505C	16	SOFT CANDY(R)	*	0-5 MO.	.000320	.003200	.000680
				6-11 MO.	.003520	.010880	.007480
				12-23 MO.	.005600	.014880	.011900
				2-65+ YR.	.009280	.028160	.019720
GENET, EXTRACT FEMA 2505C	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.020000
				6-11 MO.	.006400	.019400	.128000
				12-23 MO.	.006900	.016800	.138000
				2-65+ YR.	.010200	.026250	.204000
GENET, EXTRACT FEMA 2505C	23	BEV TYPE I(R)	4	0-5 MO.	.008600	.012900	.012870
				6-11 MO.	.081342	.278425	.121729
				12-23 MO.	.194217	.582292	.290648
				2-65+ YR.	.372667	.995092	.557700
GENET, EXTRACT FEMA 2505C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.007875	**********
				12-23 MO.	**********	.015750	**********
				2-65+ YR.	2.559375	7.434000	2.559375
GENET, EXTRACT FEMA 2505C	99	ALL CATEGORIES	4	0-5 MO.	.016385	.028852	.050110
				6-11 MO.	.141639	.426520	.391069
				12-23 MO.	.308677	.808047	.697848
				2-65+ YR.	3.197282	8.872824	3.935275
GENTIAN RECT, EXTRACT FEMA 2506C	01	BAKED GOODS(R)	5	0-5 MO.	.455428	.602773	.521722

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GENTIAN ROOT, EXTRACT FEMA 2506C	01	BAKED GOODS(R)	5	6-11 MO.	3.402316	6.938582	3.897570
				12-23 MO.	7.300245	12.028661	8.362897
				2-65+ YR.	18.377866	27.298900	21.053018
GENTIAN ROOT, EXTRACT FEMA 2506C	07	FROZN DAIRY(R)	4	0-5 MO.	.037070	.151985	.047089
				6-11 MO.	.352162	.978638	.447345
				12-23 MO.	.533803	1.252954	.678081
				2-65+ YR.	.948983	2.287196	1.205478
GENTIAN ROOT, EXTRACT FEMA 2506C	16	SOFT CANDY(R)	6	0-5 MO.	.022377	.223771	.025928
				6-11 MO.	.246148	.760821	.285209
				12-23 MO.	.391599	1.040535	.453742
				2-65+ YR.	.648936	1.969185	.751914
GENTIAN ROOT, EXTRACT FEMA 2506C	20	GELATIN PUD(R)	*	0-5 MO.	.161193	.217610	.188489
				6-11 MO.	1.031632	3.127135	1.206327
				12-23 MO.	1.112229	2.708035	1.300571
				2-65+ YR.	1.644164	4.231304	1.922584
GENTIAN ROOT, EXTRACT FEMA 2506C	23	BEV TYPE I(R)	9	0-5 MO.	.123993	.185990	.172331
				6-11 MO.	1.172769	4.014280	1.629968
				12-23 MO.	2.800180	8.395374	3.891818
				2-65+ YR.	5.373039	14.347048	7.467694
GENTIAN ROOT, EXTRACT FEMA 2506C	24	BEV TYPE II(R)	9	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.019923	**********
				12-23 MO.	**********	.039845	**********
				2-65+ YR.	6.474861	18.806980	6.474861
GENTIAN ROOT, EXTRACT FEMA 2506C	99	ALL CATEGORIES	14	0-5 MO.	.800061	1.382129	.955559
				6-11 MO.	6.205027	15.839380	7.466420
				12-23 MO.	12.138056	25.465404	14.687109
				2-65+ YR.	33.467848	68.940612	38.875549
GUAIAC WOOD, EXTRACT FEMA 2533C	01	BAKED GOODS(R)	*	0-5 MO.	.204000	.270000	.272000
				6-11 MO.	1.524000	3.108000	2.032000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GUAIAC WOOD, EXTRACT FEMA 2533C	01	BAKED GOODS(R)	*	12-23 MO.	3.270000	5.388000	4.360000
				2-65+ YR.	8.232000	12.228000	10.976000
GUAIAC WOOD, EXTRACT FEMA 2533C	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.020000
				6-11 MO.	.095000	.264000	.190000
				12-23 MO.	.144000	.338000	.288000
				2-65+ YR.	.256000	.617000	.512000
GUAIAC WOOD, EXTRACT FEMA 2533C	16	SOFT CANDY(R)	*	0-5 MO.	.006000	.060000	.008000
				6-11 MO.	.066000	.204000	.088000
				12-23 MO.	.105000	.279000	.140000
				2-65+ YR.	.174000	.528000	.232000
GUAIAC WOOD, EXTRACT FEMA 2533C	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000
				6-11 MO.	.128000	.388000	.256000
				12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
GUAIAC WOOD, EXTRACT FEMA 2533C	23	BEV TYPE I(R)	*	0-5 MO.	.144000	.216000	.192000
				6-11 MO.	1.362000	4.662000	1.816000
				12-23 MO.	3.252000	9.750000	4.336000
				2-65+ YR.	6.240000	16.662000	8.320000
GUAIAC WOOD, EXTRACT FEMA 2533C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.006000	**********
				12-23 MO.	**********	.012000	**********
				2-65+ YR.	1.950000	5.664000	2.600000
GUAIAC WOOD, EXTRACT FEMA 2533C	99	ALL CATEGORIES	*	0-5 MO.	.384000	.614000	.532000
				6-11 MO.	3.175000	8.632000	4.382000
				12-23 MO.	6.909000	16.103000	9.400000
				2-65+ YR.	17.056000	36.224000	23.048000
GUAIAC WOOD, OIL FEMA 2534C	01	BAKED GOODS(R)	10	0-5 MO.	.036239	.047964	.048245
				6-11 MO.	.270729	.552118	.360421
				12-23 MO.	.580896	.957146	.773344

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GUAIAC WOOD, OIL FEMA 2534C	01	BAKED GOODS(R)	10	2-65+ YR.	1.462365	2.172231	1.946841
GUAIAC WOOD, OIL FEMA 2534C	07	FROZN DAIRY(R)	8	0-5 MO.	.002275	.009328	.004312
				6-11 MO.	.021613	.060061	.040961
				12-23 MO.	.032761	.076897	.062089
				2-65+ YR.	.058241	.140371	.110380
GUAIAC WOOD, OIL FEMA 2534C	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.024200
				6-11 MO.	.207000	.558000	.455400
				12-23 MO.	.302000	.519000	.664400
				2-65+ YR.	.784000	1.301000	1.724800
GUAIAC WOOD, OIL FEMA 2534C	16	SOFT CANDY(R)	10	0-5 MO.	.001422	.014224	.002277
				6-11 MO.	.015646	.048360	.025046
				12-23 MO.	.024891	.066140	.039845
				2-65+ YR.	.041248	.125168	.066029
GUAIAC WOOD, OIL FEMA 2534C	20	GELATIN PUD(R)	7	0-5 MO.	.004259	.005750	.007334
				6-11 MO.	.027257	.082623	.046936
				12-23 MO.	.029387	.071550	.050603
				2-65+ YR.	.043441	.111797	.074805
GUAIAC WOOD, OIL FEMA 2534C	23	BEV TYPE I(R)	10	0-5 MO.	.001792	.002688	.003475
				6-11 MO.	.016949	.058014	.032869
				12-23 MO.	.040468	.121330	.078481
				2-65+ YR.	.077651	.207344	.150591
GUAIAC WOOD, OIL FEMA 2534C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000093	**********
				12-23 MO.	**********	.000187	**********
				2-65+ YR.	.030351	.088158	.061264
GUAIAC WOOD, OIL FEMA 2534C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000272	.000816	.000536
				12-23 MO.	.000816	.002448	.001608
				2-65+ YR.	.001632	.004624	.003216

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GUAIAC WOOD, OIL FEMA 2534C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002088	.002088	.002088
				12-23 MO.	.002088	.006264	.002088
				2-65+ YR.	.004176	.008352	.004176
GUAIAC WOOD, OIL FEMA 2534C	99	ALL CATEGORIES	16	0-5 MO.	.056988	.108953	.089843
				6-11 MO.	.561554	1.362174	.964257
				12-23 MO.	1.013307	1.820961	1.672458
				2-65+ YR.	2.503106	4.159043	4.142102
GUARANA, GUM FEMA 2536C	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.004000
				6-11 MO.	.022000	.068000	.044000
				12-23 MO.	.035000	.093000	.070000
				2-65+ YR.	.058000	.176000	.116000
GUARANA, GUM FEMA 2536C	23	BEV TYPE I(R)	*	0-5 MO.	.020640	.030960	.038400
				6-11 MO.	.195220	.668220	.363200
				12-23 MO.	.466120	1.397500	.867200
				2-65+ YR.	.894400	2.388220	1.664000
GUARANA, GUM FEMA 2536C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.325000
GUARANA, GUM FEMA 2536C	99	ALL CATEGORIES	*	0-5 MO.	.022640	.050960	.042400
				6-11 MO.	.217220	.736320	.407200
				12-23 MO.	.501120	1.490700	.937200
				2-65+ YR.	.984900	2.658620	2.105000
HAM BARK, BLACK, EXT FEMA 2538C	23	BEV TYPE I(R)	*	0-5 MO.	.011455	.017182	.014400
				6-11 MO.	.108341	.370841	.136200
				12-23 MO.	.258682	.775568	.325200
				2-65+ YR.	.496364	1.325386	.624000
HAM BARK, BLACK, EXT FEMA 2538C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HAW BARK, BLACK, EXT FEMA 2538C	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000020	**********
				12-23 MO.	**********	.000040	**********
				2-65+ YR.	.006500	.018880	.016250
HAW BARK, BLACK, EXT FEMA 2538C	99	ALL CATEGORIES	*	0-5 MO.	.011455	.017182	.014400
				6-11 MO.	.108341	.370861	.136200
				12-23 MO.	.258682	.775608	.325200
				2-65+ YR.	.502864	1.344266	.640250
LABDANUM, ABSOLUTE FEMA 2608C	01	BAKED GOODS(R)	4	0-5 MO.	.041010	.054278	.069118
				6-11 MO.	.306368	.624798	.516355
				12-23 MO.	.657364	1.083143	1.107928
				2-65+ YR.	1.654869	2.458180	2.789132
LABDANUM, ABSOLUTE FEMA 2608C	07	FROZN DAIRY(R)	*	0-5 MO.	.004592	.018828	.009579
				6-11 MO.	.043625	.121232	.091000
				12-23 MO.	.066126	.155213	.137937
				2-65+ YR.	.117558	.283333	.245221
LABDANUM, ABSOLUTE FEMA 2608C	16	SOFT CANDY(R)	*	0-5 MO.	.001521	.015211	.002413
				6-11 MO.	.016732	.051718	.026545
				12-23 MO.	.026618	.070729	.042230
				2-65+ YR.	.044111	.133853	.069982
LABDANUM, ABSOLUTE FEMA 2608C	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.016986
				6-11 MO.	.051200	.155200	.108710
				12-23 MO.	.055200	.134400	.117203
				2-65+ YR.	.081600	.210000	.173256
LABDANUM, ABSOLUTE FEMA 2608C	23	BEV TYPE I(R)	6	0-5 MO.	.006791	.010187	.009307
				6-11 MO.	.064234	.219865	.088028
				12-23 MO.	.153368	.459821	.210183
				2-65+ YR.	.294286	.785799	.403302
LABDANUM, ABSOLUTE FEMA 2608C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000293	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LABDANUM, ABSOLUTE FEMA 2608C	24	BEV TYPE I(R)	*	12-23 MO.	**********	.000586	**********
				2-65+ YR.	.095211	.276552	.132289
LABDANUM, ABSOLUTE FEMA 2608C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000008	.000008	.000010
				12-23 MO.	.000008	.000024	.000010
				2-65+ YR.	.000016	.000032	.000020
LABDANUM, ABSOLUTE FEMA 2608C	99	ALL CATEGORIES	9	0-5 MO.	.061914	.109303	.107403
				6-11 MO.	.482166	1.173111	.830648
				12-23 MO.	.958685	1.903917	1.615490
				2-65+ YR.	2.287650	4.147749	3.813202
LABDANUM, OIL FEMA 2609C	01	BAKED GOODS(R)	5	0-5 MO.	.004316	.005712	.008154
				6-11 MO.	.032240	.065750	.060915
				12-23 MO.	.069177	.113983	.130704
				2-65+ YR.	.174148	.258683	.329039
LABDANUM, OIL FEMA 2609C	07	FROZN DAIRY(R)	4	0-5 MO.	.000597	.002449	.002054
				6-11 MO.	.005675	.015769	.019509
				12-23 MO.	.008601	.020189	.029571
				2-65+ YR.	.015291	.036855	.052571
LABDANUM, OIL FEMA 2609C	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
LABDANUM, OIL FEMA 2609C	15	CONDN RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002800	.007600	.005600
				2-65+ YR.	.008800	.021200	.017600
LABDANUM, OIL FEMA 2609C	16	SOFT CANDY(R)	5	0-5 MO.	.000232	.002319	.000440
				6-11 MO.	.002551	.007886	.004836
				12-23 MO.	.004059	.010785	.007694

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LABDANUM, OIL FEMA 2609C	16	SOFT CANDY(R)	5	2-65+ YR.	.006726	.020410	.012750
LABDANUM, OIL FEMA 2609C	19	SWEET SAUCE(R)	*	0-5 MO.	.001050	.001400	.001050
				6-11 MO.	.003150	.010850	.003150
				12-23 MO.	.009100	.026600	.009100
				2-65+ YR.	.023800	.062650	.023800
LABDANUM, OIL FEMA 2609C	20	GELATIN PUD(R)	4	0-5 MO.	.001189	.001606	.004032
				6-11 MO.	.007611	.023072	.025806
				12-23 MO.	.008206	.019980	.027822
				2-65+ YR.	.012131	.031219	.041128
LABDANUM, OIL FEMA 2609C	23	BEV TYPE I(R)	7	0-5 MO.	.001355	.002032	.004312
				6-11 MO.	.012812	.043854	.040783
				12-23 MO.	.030591	.091716	.097376
				2-65+ YR.	.058698	.156736	.186847
LABDANUM, OIL FEMA 2609C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000057	**********
				12-23 MO.	**********	.000114	**********
				2-65+ YR.	.018477	.053668	.060546
LABDANUM, OIL FEMA 2609C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000006	.000018	.000008
				12-23 MO.	.000018	.000054	.000024
				2-65+ YR.	.000036	.000102	.000048
LABDANUM, OIL FEMA 2609C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000034	.000034	.000047
				12-23 MO.	.000034	.000102	.000047
				2-65+ YR.	.000068	.000136	.000094
LABDANUM, OIL FEMA 2609C	99	ALL CATEGORIES	10	0-5 MO.	.009839	.018518	.022241
				6-11 MO.	.085579	.225290	.198054
				12-23 MO.	.162786	.343023	.368339
				2-65+ YR.	.396575	.771758	.881224

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LABDANUM, OLEORESIN							
FEMA 2610C	01	BAKED GOODS(R)	*	0-5 MO.	.012855	.017014	.047980
				6-11 MO.	.096036	.195853	.358438
				12-23 MO.	.206062	.339529	.769090
				2-65+ YR.	.518746	.770557	1.936130
LABDANUM, OLEORESIN							
FEMA 2610C	07	FROZN DAIRY(R)	*	0-5 MO.	.001947	.007983	.006788
				6-11 MO.	.018498	.051405	.064482
				12-23 MO.	.028039	.065814	.097742
				2-65+ YR.	.049847	.120140	.173763
LABDANUM, OLEORESIN							
FEMA 2610C	16	SOFT CANDY(R)	*	0-5 MO.	.001164	.011642	.001939
				6-11 MO.	.012806	.039581	.021332
				12-23 MO.	.020373	.054133	.033938
				2-65+ YR.	.033760	.102445	.056239
LABDANUM, OLEORESIN							
FEMA 2610C	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.016000
				6-11 MO.	.051200	.155200	.102400
				12-23 MO.	.055200	.134400	.110400
				2-65+ YR.	.081600	.210000	.163200
LABDANUM, OLEORESIN							
FEMA 2610C	23	BEV TYPE I(R)	4	0-5 MO.	.006580	.009870	.010947
				6-11 MO.	.062235	.213024	.103542
				12-23 MO.	.148596	.445515	.247224
				2-65+ YR.	.285129	.761350	.474379
LABDANUM, OLEORESIN							
FEMA 2610C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.130000
LABDANUM, OLEORESIN							
FEMA 2610C	99	ALL CATEGORIES	4	0-5 MO.	.030546	.057309	.083654
				6-11 MO.	.240775	.655364	.650195
				12-23 MO.	.458270	1.039991	1.258393
				2-65+ YR.	1.066583	2.247693	2.933711
LINALOE WOOD, OIL							
FEMA 2634C	01	BAKED GOODS(R)	4	0-5 MO.	.064892	.085887	.093335

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALOE WOOD, OIL FEMA 2634C	01	BAKED GOODS(R)	4	6-11 MO.	.484785	.988656	.697271
				12-23 MO.	1.040188	1.713925	1.496113
				2-65+ YR.	2.618602	3.889731	3.766361
LINALOE WOOD, OIL FEMA 2634C	07	FROZN DAIRY(R)	4	0-5 MO.	.010796	.044262	.016129
				6-11 MO.	.102559	.285006	.153226
				12-23 MO.	.155458	.364895	.232258
				2-65+ YR.	.276370	.666095	.412903
LINALOE WOOD, OIL FEMA 2634C	16	SOFT CANDY(R)	5	0-5 MO.	.003173	.031735	.004151
				6-11 MO.	.034908	.107898	.045656
				12-23 MO.	.055536	.147566	.072634
				2-65+ YR.	.092031	.279265	.120366
LINALOE WOOD, OIL FEMA 2634C	20	GELATIN PUD(R)	*	0-5 MO.	.027437	.037039	.032535
				6-11 MO.	.175594	.532270	.208225
				12-23 MO.	.189313	.460935	.224493
				2-65+ YR.	.279854	.720211	.331859
LINALOE WOOD, OIL FEMA 2634C	23	BEV TYPE I(R)	5	0-5 MO.	.013959	.020939	.020774
				6-11 MO.	.132031	.451929	.196489
				12-23 MO.	.315245	.945153	.469151
				2-65+ YR.	.604898	1.615194	.900215
LINALOE WOOD, OIL FEMA 2634C	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000729	**********
				12-23 MO.	**********	.001458	**********
				2-65+ YR.	.236908	.688126	.307895
LINALOE WOOD, OIL FEMA 2634C	99	ALL CATEGORIES	6	0-5 MO.	.120257	.219862	.166924
				6-11 MO.	.929877	2.366488	1.300867
				12-23 MO.	1.755740	3.633932	2.494649
				2-65+ YR.	4.108662	7.858623	5.839599
LOVAGE FEMA 2649C	01	BAKED GOODS(R)	*	0-5 MO.	.085000	.112500	.136000
				6-11 MO.	.635000	1.295000	1.016000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LOVAGE FEMA 2649C	01	BAKED GOODS(R)	*	12-23 MO.	1.362500	2.245000	2.180000
				2-65+ YR.	3.430000	5.095000	5.488000
LOVAGE FEMA 2649C	07	FROZN DAIRY(R)	*	0-5 MO.	.018000	.073800	.022000
				6-11 MO.	.171000	.475200	.209000
				12-23 MO.	.259200	.608400	.316800
				2-65+ YR.	.460800	1.110600	.563200
LOVAGE FEMA 2649C	16	SOFT CANDY(R)	*	0-5 MO.	.005000	.050000	.007000
				6-11 MO.	.055000	.170000	.077000
				12-23 MO.	.087500	.232500	.122500
				2-65+ YR.	.145000	.440000	.203000
LOVAGE FEMA 2649C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.090000	**********
				12-23 MO.	**********	.180000	**********
				2-65+ YR.	29.250000	84.960000	48.750000
LOVAGE FEMA 2649C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000026	.000078	.001074
				12-23 MO.	.000078	.000234	.003222
				2-65+ YR.	.000156	.000442	.006444
LOVAGE FEMA 2649C	99	ALL CATEGORIES	*	0-5 MO.	.108000	.236300	.165000
				6-11 MO.	.861026	2.030278	1.303074
				12-23 MO.	1.709278	3.266134	2.622522
				2-65+ YR.	33.285956	91.606042	55.010644
LOVAGE, EXTRACT FEMA 2650C	01	BAKED GOODS(R)	11	0-5 MO.	.065885	.087201	.127533
				6-11 MO.	.492202	1.003781	.952746
				12-23 MO.	1.056102	1.740146	2.044278
				2-65+ YR.	2.658664	3.949239	5.146329
LOVAGE, EXTRACT FEMA 2650C	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000270
				12-23 MO.	.000780	.002220	.000780

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LOVAGE, EXTRACT FEMA 2650C	06	CHEESE(R)	*	2-65+ YR.	.000940	.002360	.000940
LOVAGE, EXTRACT FEMA 2650C	07	FROZN DAIRY(R)	11	0-5 MO.	.078097	.320198	.124566
				6-11 MO.	.741921	2.061760	1.183375
				12-23 MO.	1.124597	2.639678	1.793747
				2-65+ YR.	1.999283	4.818584	3.188884
LOVAGE, EXTRACT FEMA 2650C	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	**********
				6-11 MO.	.207000	.558000	**********
				12-23 MO.	.302000	.519000	**********
				2-65+ YR.	.784000	1.301000	**********
LOVAGE, EXTRACT FEMA 2650C	16	SOFT CANDY(R)	11	0-5 MO.	.002654	.026544	.005779
				6-11 MO.	.029198	.090248	.063569
				12-23 MO.	.046451	.123427	.101132
				2-65+ YR.	.076976	.233583	.167590
LOVAGE, EXTRACT FEMA 2650C	19	SWEET SAUCE(R)	4	0-5 MO.	.040039	.053385	.050872
				6-11 MO.	.120116	.413731	.152615
				12-23 MO.	.347001	1.014309	.440889
				2-65+ YR.	.907540	2.388966	1.153095
LOVAGE, EXTRACT FEMA 2650C	20	GELATIN PUD(R)	5	0-5 MO.	.011685	.015774	.073902
				6-11 MO.	.074783	.226685	.472974
				12-23 MO.	.080625	.196304	.509925
				2-65+ YR.	.119185	.306726	.753802
LOVAGE, EXTRACT FEMA 2650C	23	BEV TYPE I(R)	9	0-5 MO.	.016124	.024186	.057738
				6-11 MO.	.152505	.522010	.546107
				12-23 MO.	.364130	1.091719	1.303921
				2-65+ YR.	.698700	1.865664	2.501989
LOVAGE, EXTRACT FEMA 2650C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004631	**********
				12-23 MO.	**********	.009262	**********
				2-65+ YR.	1.505118	4.371789	1.623160

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LOVAGE, EXTRACT FEMA 2650C	99	ALL CATEGORIES	18	0-5 MO.	.225484	.556297	.440390
				6-11 MO.	1.817994	4.881816	3.371656
				12-23 MO.	3.321685	7.336066	6.194673
				2-65+ YR.	8.750405	19.237909	14.535790
LOVAGE, OIL FEMA 2651C	01	BAKED GOODS(R)	18	0-5 MO.	.017478	.023133	.024032
				6-11 MO.	.130574	.266289	.179536
				12-23 MO.	.280169	.461636	.385226
				2-65+ YR.	.705306	1.047678	.969780
LOVAGE, OIL FEMA 2651C	07	FROZN DAIRY(R)	12	0-5 MO.	.003544	.014532	.004315
				6-11 MO.	.033672	.093574	.040995
				12-23 MO.	.051040	.119803	.062140
				2-65+ YR.	.090738	.218694	.110470
LOVAGE, OIL FEMA 2651C	10	MEAT PRODS(R)	*	0-5 MO.	.000138	.000363	.000660
				6-11 MO.	.002588	.006975	.012420
				12-23 MO.	.003775	.006488	.018120
				2-65+ YR.	.009800	.016263	.047040
LOVAGE, OIL FEMA 2651C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000300	**********
				6-11 MO.	.002400	.006600	.005600
				12-23 MO.	.008400	.022800	.019600
				2-65+ YR.	.026400	.063600	.061600
LOVAGE, OIL FEMA 2651C	16	SOFT CANDY(R)	14	0-5 MO.	.001037	.010371	.001353
				6-11 MO.	.011408	.035260	.014881
				12-23 MO.	.018149	.048223	.023675
				2-65+ YR.	.030075	.091261	.039233
LOVAGE, OIL FEMA 2651C	19	SWEET SAUCE(R)	*	0-5 MO.	.000515	.000686	.000755
				6-11 MO.	.001544	.005317	.002264
				12-23 MO.	.004459	.013034	.006539
				2-65+ YR.	.011662	.030699	.017102
LOVAGE, OIL FEMA 2651C	20	GELATIN PUD(R)	7	0-5 MO.	.017712	.023912	.021186

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LOVAGE, OIL FEMA 2651C	20	GELATIN PUD(R)	7	6-11 MO.	.113359	.343620	.135592
				12-23 MO.	.122215	.297568	.146185
				2-65+ YR.	.180666	.464949	.216100
LOVAGE, OIL FEMA 2651C	21	SOUPS(R)	*	0-5 MO.	.000100	.000750	.001000
				6-11 MO.	.011650	.036350	.116500
				12-23 MO.	.017400	.048050	.174000
				2-65+ YR.	.015850	.042250	.158500
LOVAGE, OIL FEMA 2651C	23	BEV TYPE I(R)	10	0-5 MO.	.011497	.017246	.014412
				6-11 MO.	.108745	.372223	.136314
				12-23 MO.	.259646	.778459	.325472
				2-65+ YR.	.498213	1.330326	.624521
LOVAGE, OIL FEMA 2651C	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002855	**********
				12-23 MO.	**********	.005709	**********
				2-65+ YR.	.927783	2.694853	1.046745
LOVAGE, OIL FEMA 2651C	27	GRAVIES(R)	*	0-5 MO.	.000100	.000300	.000200
				6-11 MO.	.001400	.003900	.002800
				12-23 MO.	.003600	.010200	.007200
				2-65+ YR.	.008300	.021300	.016600
LOVAGE, OIL FEMA 2651C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000002	.000006	.000002
				12-23 MO.	.000006	.000018	.000006
				2-65+ YR.	.000012	.000034	.000012
LOVAGE, OIL FEMA 2651C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000800	.000800	.000800
				12-23 MO.	.000800	.002400	.000800
				2-65+ YR.	.001600	.003200	.001600
LOVAGE, OIL FEMA 2651C	99	ALL CATEGORIES	23	0-5 MO.	.052122	.091592	.067913
				6-11 MO.	.418141	1.173768	.647704

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LOVAGE, OIL FEMA 2651C	59	ALL CATEGORIES	23	12-23 MO.	.769659	1.814388	1.168963
				2-65+ YR.	2.506406	6.025105	3.309304
MIMOSA, ABSOLUTE FEMA 2755C	01	BAKED GOODS(R)	4	0-5 MO.	.010249	.013564	.037011
				6-11 MO.	.076563	.156140	.276497
				12-23 MO.	.164279	.270683	.593271
				2-65+ YR.	.413560	.614311	1.493520
MIMOSA, ABSOLUTE FEMA 2755C	07	FROZN DAIRY(R)	4	0-5 MO.	.007867	.032253	.019850
				6-11 MO.	.074733	.207680	.188575
				12-23 MO.	.113280	.265893	.285840
				2-65+ YR.	.201387	.485373	.508160
MIMOSA, ABSOLUTE FEMA 2755C	16	SOFT CANDY(R)	4	0-5 MO.	.000603	.006029	.002177
				6-11 MO.	.006631	.020497	.023949
				12-23 MO.	.010550	.028033	.038100
				2-65+ YR.	.017483	.053051	.063137
MIMOSA, ABSOLUTE FEMA 2755C	20	GELATIN PUD(R)	4	0-5 MO.	.004674	.006310	.022453
				6-11 MO.	.029915	.090681	.143701
				12-23 MO.	.032253	.078528	.154928
				2-65+ YR.	.047678	.122700	.229024
MIMOSA, ABSOLUTE FEMA 2755C	23	BEV TYPE I(R)	7	0-5 MO.	.002693	.004040	.009209
				6-11 MO.	.025474	.087197	.087103
				12-23 MO.	.060824	.182361	.207973
				2-65+ YR.	.116711	.311641	.399063
MIMOSA, ABSOLUTE FEMA 2755C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000280	**********
				12-23 MO.	**********	.000560	**********
				2-65+ YR.	.091000	.264320	.265417
MIMOSA, ABSOLUTE FEMA 2755C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000044	.000132	.000143
				12-23 MO.	.000132	.000396	.000429

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MIMOSA, ABSOLUTE FEMA 2755C	30	HARD CANDY(R)	*	2-65+ YR.	.000264	.000748	.000858
MIMOSA, ABSOLUTE FEMA 2755C	99	ALL CATEGORIES	9	0-5 MO.	.026086	.062196	.090701
				6-11 MO.	.213361	.562607	.719968
				12-23 MO.	.381318	.826454	1.280542
				2-65+ YR.	.888082	1.852145	2.959179
MT MAPLE, EXT SOLID FEMA 2757C	01	BAKED GOODS(R)	7	0-5 MO.	3.114311	4.121882	3.125554
				6-11 MO.	23.265733	47.447439	23.349728
				12-23 MO.	49.920568	82.254441	50.100794
				2-65+ YR.	125.671596	186.675447	126.125301
MT MAPLE, EXT SOLID FEMA 2757C	07	FROZN DAIRY(R)	6	0-5 MO.	.007125	.029214	.020994
				6-11 MO.	.067690	.188108	.199444
				12-23 MO.	.102604	.240835	.302316
				2-65+ YR.	.182408	.439631	.537450
MT MAPLE, EXT SOLID FEMA 2757C	16	SOFT CANDY(R)	6	0-5 MO.	.006095	.060948	.007833
				6-11 MO.	.067043	.207225	.086168
				12-23 MO.	.106660	.283410	.137086
				2-65+ YR.	.176751	.536347	.227171
MT MAPLE, EXT SOLID FEMA 2757C	19	SWEET SAUCE(R)	*	0-5 MO.	.000150	.000200	.003000
				6-11 MO.	.000450	.001550	.009000
				12-23 MO.	.001300	.003800	.026000
				2-65+ YR.	.003400	.008950	.068000
MT MAPLE, EXT SOLID FEMA 2757C	20	GELATIN PUD(R)	5	0-5 MO.	.042017	.056722	.059491
				6-11 MO.	.268906	.815122	.380739
				12-23 MO.	.289914	.705879	.410485
				2-65+ YR.	.428569	1.102935	.606803
MT MAPLE, EXT SOLID FEMA 2757C	23	BEV TYPE II(R)	5	0-5 MO.	.047531	.071296	.070595
				6-11 MO.	.449561	1.538806	.667710
				12-23 MO.	1.073401	3.218223	1.594267
				2-65+ YR.	2.059663	5.499696	3.059110

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MT MAPLE, EXT SOLID							
FEMA 2757C	24	BEV TYPE I(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.012728	**********
				12-23 MO.	**********	.025455	**********
				2-65+ YR.	4.136502	12.014947	4.765692
MT MAPLE, EXT SOLID							
FEMA 2757C	99	ALL CATEGORIES	8	0-5 MO.	3.217228	4.340262	3.287467
				6-11 MO.	24.119384	50.210977	24.692789
				12-23 MO.	51.494448	86.732044	52.570947
				2-65+ YR.	132.658888	206.277952	135.389528
MYRRH, GUM							
FEMA 2765C	23	BEV TYPE I(R)	*	0-5 MO.	.120000	.180000	.600000
				6-11 MO.	1.135000	3.885000	5.675000
				12-23 MO.	2.710000	8.125000	13.550000
				2-65+ YR.	5.200000	13.885000	26.000000
MYRRH, GUM							
FEMA 2765C	99	ALL CATEGORIES	*	0-5 MO.	.120000	.180000	.600000
				6-11 MO.	1.135000	3.885000	5.675000
				12-23 MO.	2.710000	8.125000	13.550000
				2-65+ YR.	5.200000	13.885000	26.000000
MYRRH, OIL							
FEMA 2766C	01	BAKED GOODS(R)	*	0-5 MO.	.042500	.056250	.079900
				6-11 MO.	.317500	.647500	.596900
				12-23 MO.	.681250	1.122500	1.280750
				2-65+ YR.	1.715000	2.547500	3.224200
MYRRH, OIL							
FEMA 2766C	07	FROZN DAIRY(R)	*	0-5 MO.	.008500	.034850	.019000
				6-11 MO.	.060750	.224400	.180500
				12-23 MO.	.122400	.287300	.273600
				2-65+ YR.	.217600	.524450	.486400
MYRRH, OIL							
FEMA 2766C	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
MYRRH, OIL							
FEMA 2766C	16	SOFT CANDY(R)	*	0-5 MO.	.001300	.013000	.002500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MYRRH, OIL FEMA 2766C	16	SOFT CANDY(R)	*	6-11 MO.	.014300	.044200	.027500
				12-23 MO.	.022750	.060450	.043750
				2-65+ YR.	.037700	.114400	.072500
MYRRH, OIL FEMA 2766C	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.040000
				6-11 MO.	.025600	.077600	.256000
				12-23 MO.	.027600	.067200	.276000
				2-65+ YR.	.040800	.105000	.408000
MYRRH, OIL FEMA 2766C	23	BEV TYPE I(R)	*	0-5 MO.	.008847	.013270	.018000
				6-11 MO.	.083675	.286412	.170250
				12-23 MO.	.199788	.598996	.406500
				2-65+ YR.	.383358	1.023639	.780000
MYRRH, OIL FEMA 2766C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002000	**********
				12-23 MO.	**********	.004000	**********
				2-65+ YR.	.650000	1.888000	.812500
MYRRH, OIL FEMA 2766C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000089	.000089	.000395
				12-23 MO.	.000089	.000267	.000395
				2-65+ YR.	.000178	.000356	.000790
MYRRH, OIL FEMA 2766C	99	ALL CATEGORIES	6	0-5 MO.	.067347	.128570	.163800
				6-11 MO.	.563314	1.393801	1.314345
				12-23 MO.	1.114277	2.244513	2.401795
				2-65+ YR.	3.201436	6.463545	6.097990
OAK CHIPS, EXTRACT FEMA 2794C	01	BAKED GOODS(R)	*	0-5 MO.	.244800	.324080	.306000
				6-11 MO.	1.828800	3.729600	3.286000
				12-23 MO.	3.924000	6.465600	4.905000
				2-65+ YR.	9.878400	14.673600	12.348000
OAK CHIPS, EXTRACT FEMA 2794C	07	FROZN DAIRY(R)	*	0-5 MO.	.052045	.213386	.088636
				6-11 MO.	.494432	1.374000	.842045

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OAK CHIPS, EXTRACT FEMA 2794C	07	FROZN DAIRY(R)	*	12-23 MO.	.749455	1.759136	1.276364
				2-65+ YR.	1.332364	3.211205	2.269091
OAK CHIPS, EXTRACT FEMA 2794C	16	SOFT CANDY(R)	*	0-5 MO.	.012000	.120000	.018000
				6-11 MO.	.132000	.408000	.198000
				12-23 MO.	.210000	.558000	.315000
				2-65+ YR.	.348000	1.056000	.522000
OAK CHIPS, EXTRACT FEMA 2794C	20	GELATIN PUD(R)	*	0-5 MO.	.001104	.001491	.001123
				6-11 MO.	.007066	.021419	.007187
				12-23 MO.	.007618	.018549	.007749
				2-65+ YR.	.011262	.028983	.011454
OAK CHIPS, EXTRACT FEMA 2794C	23	BEV TYPE I(R)	*	0-5 MO.	.010825	.016238	.020788
				6-11 MO.	.102388	.350465	.196623
				12-23 MO.	.244469	.732955	.469469
				2-65+ YR.	.469091	1.252564	.900826
OAK CHIPS, EXTRACT FEMA 2794C	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.003104	**********
				12-23 MO.	**********	.006208	**********
				2-65+ YR.	1.008867	2.930370	1.408717
OAK CHIPS, EXTRACT FEMA 2794C	99	ALL CATEGORIES	5	0-5 MO.	.320775	.675115	.434548
				6-11 MO.	2.564686	5.886589	3.529855
				12-23 MO.	5.135542	9.540449	6.973581
				2-65+ YR.	13.047984	23.152721	17.460089
OAK MOSS, ABSOLUTE FEMA 2795C	01	BAKED GOODS(R)	5	0-5 MO.	.002245	.002972	.004864
				6-11 MO.	.016773	.034207	.036336
				12-23 MO.	.035990	.059301	.077965
				2-65+ YR.	.090603	.134584	.196270
OAK MOSS, ABSOLUTE FEMA 2795C	07	FROZN DAIRY(R)	4	0-5 MO.	.000377	.001544	.001072
				6-11 MO.	.003578	.009944	.010181
				12-23 MO.	.005424	.012732	.015433

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OAK MOSS, ABSOLUTE FEMA 2795C	07	FROZN DAIRY(R)	4	2-65+ YR.	.009643	.023241	.027436
OAK MOSS, ABSOLUTE FEMA 2795C	10	MEAT PRODS(R)	*	0-5 MO.	.003231	.008519	.005500
				6-11 MO.	.060806	.163913	.103500
				12-23 MO.	.088713	.152456	.151000
				2-65+ YR.	.230300	.382169	.392000
OAK MOSS, ABSOLUTE FEMA 2795C	16	SOFT CANDY(R)	*	0-5 MO.	.000199	.001987	.000318
				6-11 MO.	.002186	.006755	.003503
				12-23 MO.	.003477	.009239	.005572
				2-65+ YR.	.005762	.017484	.009234
OAK MOSS, ABSOLUTE FEMA 2795C	20	GELATIN PUD(R)	*	0-5 MO.	.001197	.001616	.002421
				6-11 MO.	.007663	.023229	.015495
				12-23 MO.	.008262	.020116	.016705
				2-65+ YR.	.012213	.031431	.024695
OAK MOSS, ABSOLUTE FEMA 2795C	21	SOUPS(R)	*	0-5 MO.	.000002	.000015	.000100
				6-11 MO.	.000233	.000727	.011650
				12-23 MO.	.000348	.000961	.017400
				2-65+ YR.	.000317	.000845	.015850
OAK MOSS, ABSOLUTE FEMA 2795C	23	BEV TYPE I(R)	4	0-5 MO.	.006147	.009220	.008480
				6-11 MO.	.058137	.198998	.080207
				12-23 MO.	.138812	.416181	.191507
				2-65+ YR.	.266356	.711221	.367467
OAK MOSS, ABSOLUTE FEMA 2795C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.130000
OAK MOSS, ABSOLUTE FEMA 2795C	99	ALL CATEGORIES	8	0-5 MO.	.013398	.025873	.022755
				6-11 MO.	.149377	.438073	.260871
				12-23 MO.	.281026	.671585	.475581
				2-65+ YR.	.712693	1.584174	1.162952

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OLIBANUM, OIL FEMA 2816C	01	BAKED GOODS(R)	4	0-5 MO.	.012700	.016808	.019744
				6-11 MO.	.094874	.193482	.147497
				12-23 MO.	.203567	.335419	.316479
				2-65+ YR.	.512467	.761230	.796715
OLIBANUM, OIL FEMA 2816C	07	FROZN DAIRY(R)	*	0-5 MO.	.001043	.004278	.002393
				6-11 MO.	.009912	.027544	.022733
				12-23 MO.	.015024	.035265	.034458
				2-65+ YR.	.026710	.064374	.061260
OLIBANUM, OIL FEMA 2816C	10	MEAT PRODS(R)	*	0-5 MO.	.005175	.013643	.012339
				6-11 MO.	.097384	.262514	.232203
				12-23 MO.	.142077	.244166	.338769
				2-65+ YR.	.368836	.612061	.879455
OLIBANUM, OIL FEMA 2816C	16	SOFT CANDY(R)	*	0-5 MO.	.000435	.004350	.000733
				6-11 MO.	.004785	.014790	.008062
				12-23 MO.	.007612	.020227	.012826
				2-65+ YR.	.012615	.038279	.021254
OLIBANUM, OIL FEMA 2816C	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.003500
				6-11 MO.	.012800	.038800	.022400
				12-23 MO.	.013800	.033600	.024150
				2-65+ YR.	.020400	.052500	.035700
OLIBANUM, OIL FEMA 2816C	23	BEV TYPE I(R)	4	0-5 MO.	.002138	.003207	.003701
				6-11 MO.	.020219	.069209	.035001
				12-23 MO.	.048277	.144742	.083570
				2-65+ YR.	.092635	.247353	.160356
OLIBANUM, OIL FEMA 2816C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000222	**********
				12-23 MO.	**********	.000443	**********
				2-65+ YR.	.072043	.209257	.213626
OLIBANUM, OIL FEMA 2816C	99	ALL CATEGORIES	5	0-5 MO.	.023491	.044986	.042409

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OLIBANUM, OIL FEMA 2816C	99	ALL CATEGORIES	5	6-11 MO.	.239974	.606560	.467895
				12-23 MO.	.430358	.813863	.810253
				2-65+ YR.	1.105705	1.985055	2.168364
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	01	BAKED GOODS(R)	16	0-5 MO.	.030144	.039896	.096966
				6-11 MO.	.225192	.459251	.724394
				12-23 MO.	.483188	.796153	1.554310
				2-65+ YR.	1.216393	1.806858	3.912867
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	07	FROZN DAIRY(R)	17	0-5 MO.	.012756	.052299	.037203
				6-11 MO.	.121181	.336756	.353428
				12-23 MO.	.183685	.431150	.535723
				2-65+ YR.	.326551	.787039	.952396
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000120	**********
				6-11 MO.	.000960	.002640	.001360
				12-23 MO.	.003360	.009120	.004760
				2-65+ YR.	.010560	.025440	.014960
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	16	SOFT CANDY(R)	15	0-5 MO.	.001853	.018534	.005989
				6-11 MO.	.020388	.063017	.065877
				12-23 MO.	.032435	.086185	.104804
				2-65+ YR.	.053750	.163103	.173675
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	20	GELATIN PUD(R)	15	0-5 MO.	.017312	.023371	.056378
				6-11 MO.	.110796	.335850	.360820
				12-23 MO.	.119452	.290839	.389009
				2-65+ YR.	.176581	.454436	.575057
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	23	BEV TYPE I(R)	27	0-5 MO.	.009487	.014231	.020937
				6-11 MO.	.089735	.307154	.198031
				12-23 MO.	.214257	.642375	.472831
				2-65+ YR.	.411120	1.097769	.907277
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	24	BEV TYPE II(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000438	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	24	BEV TYPE II(R)	7	12-23 MO.	**********	.000916	**********
				2-65+ YR.	.148861	.432385	.327574
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000093	.000279	.000400
				12-23 MO.	.000279	.000838	.001200
				2-65+ YR.	.000559	.001583	.002400
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000272	.000272	.000905
				12-23 MO.	.000272	.000816	.000905
				2-65+ YR.	.000544	.001088	.001810
ORRIS, CONCRETE, LIQ/OIL FEMA 2829C	99	ALL CATEGORIES	39	0-5 MO.	.071552	.148452	.217473
				6-11 MO.	.568617	1.505677	1.705214
				12-23 MO.	1.036928	2.258391	3.063541
				2-65+ YR.	2.344919	4.769702	6.868017
ORRIS ROOT EXTRACT FEMA 2830C	01	BAKED GOODS(R)	7	0-5 MO.	.065666	.086911	.179932
				6-11 MO.	.490564	1.000441	1.344199
				12-23 MO.	1.052587	1.734355	2.884206
				2-65+ YR.	2.649816	3.936097	7.260791
ORRIS ROOT EXTRACT FEMA 2830C	07	FROZN DAIRY(R)	8	0-5 MO.	.031447	.128934	.092619
				6-11 MO.	.298749	.830209	.879876
				12-23 MO.	.452841	1.062919	1.333707
				2-65+ YR.	.805051	1.940298	2.371034
ORRIS ROOT EXTRACT FEMA 2830C	16	SOFT CANDY(R)	8	0-5 MO.	.003978	.039782	.010643
				6-11 MO.	.043760	.135258	.117077
				12-23 MO.	.069618	.184985	.186259
				2-65+ YR.	.115367	.350079	.308658
ORRIS ROOT EXTRACT FEMA 2830C	20	GELATIN PUD(R)	6	0-5 MO.	.028498	.038473	.107766
				6-11 MO.	.182389	.552867	.689706
				12-23 MO.	.196638	.478771	.743589

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ORRIS ROOT EXTRACT FEMA 2830C	20	GELATIN PUD(R)	6	2-65+ YR.	.290683	.748080	1.099218
ORRIS ROOT EXTRACT FEMA 2830C	23	BEV TYPE I(R)	10	0-5 MO.	.042968	.064452	.116098
				6-11 MO.	.406407	1.391092	1.098073
				12-23 MO.	.970363	2.909298	2.621831
				2-65+ YR.	1.861951	4.971766	5.030820
ORRIS ROOT EXTRACT FEMA 2830C	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004685	**********
				12-23 MO.	**********	.009370	**********
				2-65+ YR.	1.522614	4.422609	7.113893
ORRIS ROOT EXTRACT FEMA 2830C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000368	.000368	.000368
				12-23 MO.	.000368	.001104	.000368
				2-65+ YR.	.000736	.001472	.000736
ORRIS ROOT EXTRACT FEMA 2830C	99	ALL CATEGORIES	15	0-5 MO.	.172558	.358551	.507056
				6-11 MO.	1.422236	3.914919	4.129299
				12-23 MO.	2.742415	6.380802	7.769960
				2-65+ YR.	7.246217	16.370402	23.185151
PATCHOULY, OIL FEMA 2838C	01	BAKED GOODS(R)	13	0-5 MO.	.004012	.005311	.007524
				6-11 MO.	.029976	.061131	.056208
				12-23 MO.	.064318	.105977	.120604
				2-65+ YR.	.161915	.240513	.303612
PATCHOULY, OIL FEMA 2838C	07	FROZN DAIRY(R)	9	0-5 MO.	.001063	.004358	.002116
				6-11 MO.	.010098	.028062	.020102
				12-23 MO.	.015307	.035928	.030470
				2-65+ YR.	.027212	.065584	.054169
PATCHOULY, OIL FEMA 2838C	10	MEAT PRODS(R)	*	0-5 MO.	.000055	.000145	.000110
				6-11 MO.	.001035	.002790	.002070
				12-23 MO.	.001510	.002595	.003020
				2-65+ YR.	.003920	.006505	.007840

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PATCHOULY, OIL FEMA 2838C	16	SOFT CANDY(R)	15	0-5 MO.	.000224	.002239	.000435
				6-11 MO.	.002463	.007614	.004788
				12-23 MO.	.003919	.010414	.007618
				2-65+ YR.	.006495	.019708	.012623
PATCHOULY, OIL FEMA 2838C	20	GELATIN PUD(R)	5	0-5 MO.	.001151	.001553	.002279
				6-11 MO.	.007363	.022320	.014584
				12-23 MO.	.007939	.019329	.015724
				2-65+ YR.	.011735	.030201	.023244
PATCHOULY, OIL FEMA 2838C	23	BEV TYPE I(R)	18	0-5 MO.	.001273	.001909	.002429
				6-11 MO.	.012040	.041212	.022970
				12-23 MO.	.028747	.086189	.054846
				2-65+ YR.	.055161	.147290	.105239
PATCHOULY, OIL FEMA 2838C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000101	**********
				2-65+ YR.	.016400	.047635	.032820
PATCHOULY, OIL FEMA 2838C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.075800	.227400	.075800
				12-23 MO.	.227400	.682200	.227400
				2-65+ YR.	.454800	1.288600	.454800
PATCHOULY, OIL FEMA 2838C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.098145	.098145	.113760
				12-23 MO.	.098145	.294435	.113760
				2-65+ YR.	.196290	.392580	.227520
PATCHOULY, OIL FEMA 2838C	99	ALL CATEGORIES	26	0-5 MO.	.007778	.015516	.014893
				6-11 MO.	.236920	.488725	.310283
				12-23 MO.	.447284	1.237167	.573441
				2-65+ YR.	.933927	2.238616	1.221867
PENNYROYAL, OIL FEMA 2839C	01	BAKED GOODS(R)	6	0-5 MO.	.052049	.068889	.076248

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PENNYROYAL, OIL FEMA 2839C	01	BAKED GOODS(R)	6	6-11 MO.	.368838	.792985	.569615
				12-23 MO.	.834318	1.374712	1.222205
				2-65+ YR.	2.100339	3.119891	3.076817
PENNYROYAL, OIL FEMA 2839C	07	FROZN DAIRY(R)	4	0-5 MO.	.003008	.012335	.005578
				6-11 MO.	.028581	.079424	.052995
				12-23 MO.	.043322	.101686	.080329
				2-65+ YR.	.077017	.185623	.142807
PENNYROYAL, OIL FEMA 2839C	16	SOFT CANDY(R)	4	0-5 MO.	.002376	.023763	.003790
				6-11 MO.	.026139	.080793	.041668
				12-23 MO.	.041585	.110497	.066322
				2-65+ YR.	.068912	.209112	.109905
PENNYROYAL, OIL FEMA 2839C	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.012000
				6-11 MO.	.064000	.194000	.076800
				12-23 MO.	.069000	.168000	.082800
				2-65+ YR.	.102000	.262500	.122400
PENNYROYAL, OIL FEMA 2839C	23	BEV TYPE I(R)	5	0-5 MO.	.007713	.011569	.015453
				6-11 MO.	.072951	.249705	.146156
				12-23 MO.	.174183	.522228	.348972
				2-65+ YR.	.334226	.892447	.669614
PENNYROYAL, OIL FEMA 2839C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000236	**********
				12-23 MO.	**********	.000473	**********
				2-65+ YR.	.076843	.223200	.154237
PENNYROYAL, OIL FEMA 2839C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000227	.000681	.000227
				12-23 MO.	.000681	.002043	.000681
				2-65+ YR.	.001362	.003859	.001362
PENNYROYAL, OIL FEMA 2839C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000059	.000059	.000059

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PENNYROYAL, OIL FEMA 2839C	31	CHEWING GUM(R)	*	12-23 MO.	.000059	.000177	.000059
				2-65+ YR.	.000118	.000236	.000118
PENNYROYAL, OIL FEMA 2839C	99	ALL CATEGORIES	10	0-5 MO.	.075147	.130055	.113069
				6-11 MO.	.580795	1.397884	.887540
				12-23 MO.	1.163148	2.279816	1.801368
				2-65+ YR.	2.760817	4.896869	4.277260
PINE NEED, DWARF, OIL FEMA 2904C	01	BAKED GOODS(R)	5	0-5 MO.	.011617	.015375	.023186
				6-11 MO.	.086783	.176983	.173214
				12-23 MO.	.186208	.306817	.371660
				2-65+ YR.	.468767	.696317	.935628
PINE NEED, DWARF, OIL FEMA 2904C	07	FROZN DAIRY(R)	5	0-5 MO.	.001403	.005751	.003308
				6-11 MO.	.013326	.037033	.031427
				12-23 MO.	.020200	.047414	.047636
				2-65+ YR.	.035911	.086551	.084686
PINE NEED, DWARF, OIL FEMA 2904C	16	SOFT CANDY(R)	6	0-5 MO.	.000546	.005457	.001151
				6-11 MO.	.006003	.018554	.012662
				12-23 MO.	.009550	.025375	.020145
				2-65+ YR.	.015825	.048022	.033383
PINE NEED, DWARF, OIL FEMA 2904C	20	GELATIN PUD(R)	*	0-5 MO.	.002937	.003965	.006177
				6-11 MO.	.018795	.056972	.039534
				12-23 MO.	.020263	.049337	.042623
				2-65+ YR.	.029954	.077089	.063008
PINE NEED, DWARF, OIL FEMA 2904C	23	BEV TYPE I(R)	6	0-5 MO.	.002477	.003716	.006016
				6-11 MO.	.023432	.080206	.056901
				12-23 MO.	.055948	.167742	.135861
				2-65+ YR.	.107355	.286658	.260693
PINE NEED, DWARF, OIL FEMA 2904C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000470	**********
				12-23 MO.	**********	.000940	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PINE NEED, DWARF, OIL FEMA 2904C	24	BEV TYPE II(R)	4	2-65+ YR.	.152703	.443544	.321011
PINE NEED, DWARF, OIL FEMA 2904C	99	ALL CATEGORIES	6	0-5 MO.	.018979	.034264	.039839
				6-11 MO.	.148340	.370219	.313738
				12-23 MO.	.292170	.597624	.617925
				2-65+ YR.	.810515	1.638180	1.698409
PINE, SCOTCH, OIL FEMA 2906C	01	BAKED GOODS(R)	4	0-5 MO.	.017567	.023250	.023658
				6-11 MO.	.131233	.267633	.176742
				12-23 MO.	.281583	.463967	.379229
				2-65+ YR.	.708867	1.052967	.954683
PINE, SCOTCH, OIL FEMA 2906C	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
PINE, SCOTCH, OIL FEMA 2906C	16	SOFT CANDY(R)	*	0-5 MO.	.000860	.008605	.001284
				6-11 MO.	.009465	.029256	.014121
				12-23 MO.	.015058	.040012	.022465
				2-65+ YR.	.024953	.075721	.037228
PINE, SCOTCH, OIL FEMA 2906C	20	GELATIN PUD(R)	*	0-5 MO.	.001789	.002416	.003526
				6-11 MO.	.011453	.034716	.022568
				12-23 MO.	.012347	.030063	.024332
				2-65+ YR.	.018253	.046974	.035968
PINE, SCOTCH, OIL FEMA 2906C	23	BEV TYPE I(R)	*	0-5 MO.	.002694	.004042	.004415
				6-11 MO.	.025484	.087229	.041759
				12-23 MO.	.060847	.182429	.099708
				2-65+ YR.	.116755	.311758	.191321
PINE, SCOTCH, OIL FEMA 2906C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000139	**********
				12-23 MO.	**********	.000279	**********
				2-65+ YR.	.045329	.131663	.086382

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PINE, SCOTCH, OIL FEMA 2906C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001323	.003969	.001562
				12-23 MO.	.003969	.011907	.004686
				2-65+ YR.	.007938	.022491	.009372
PINE, SCOTCH, OIL FEMA 2906C	99	ALL CATEGORIES	5	0-5 MO.	.023911	.042412	.034883
				6-11 MO.	.188458	.449343	.275752
				12-23 MO.	.388205	.762457	.559219
				2-65+ YR.	.947695	1.703273	1.366154
QUASSIA, EXTRACT FEMA 2971C	01	BAKED GOODS(R)	5	0-5 MO.	.163953	.216996	.198088
				6-11 MO.	1.224823	2.497867	1.479831
				12-23 MO.	2.628064	4.330278	3.175228
				2-65+ YR.	6.615971	9.827514	7.993418
QUASSIA, EXTRACT FEMA 2971C	07	FROZN DAIRY(R)	*	0-5 MO.	.007832	.032111	.009790
				6-11 MO.	.074404	.206764	.093006
				12-23 MO.	.112780	.264720	.140978
				2-65+ YR.	.200498	.483232	.250627
QUASSIA, EXTRACT FEMA 2971C	16	SOFT CANDY(R)	*	0-5 MO.	.004308	.043076	.004895
				6-11 MO.	.047383	.146457	.053845
				12-23 MO.	.075382	.200302	.085663
				2-65+ YR.	.124919	.379066	.141955
QUASSIA, EXTRACT FEMA 2971C	20	GELATIN PUD(R)	*	0-5 MO.	.015664	.021146	.019580
				6-11 MO.	.100249	.303880	.125314
				12-23 MO.	.108081	.263154	.135104
				2-65+ YR.	.159772	.411178	.199719
QUASSIA, EXTRACT FEMA 2971C	23	BEV TYPE I(R)	11	0-5 MO.	.107020	.160530	.172407
				6-11 MO.	1.012228	3.464763	1.630685
				12-23 MO.	2.416861	7.246125	3.893529
				2-65+ YR.	4.637520	12.383070	7.470977
QUASSIA, EXTRACT FEMA 2971C	24	BEV TYPE II(R)	6	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
QUASSIA, EXTRACT FEMA 2971C	24	BEV TYPE II(R)	6	6-11 MO.	**********	.000612	**********
				12-23 MO.	**********	.001224	**********
				2-65+ YR.	.198837	.577544	1.194032
QUASSIA, EXTRACT FEMA 2971C	99	ALL CATEGORIES	14	0-5 MO.	.298776	.473859	.404760
				6-11 MO.	2.459086	6.620342	3.382680
				12-23 MO.	5.341169	12.305803	7.430501
				2-65+ YR.	11.937517	24.061604	17.250728
QUEBRACHO BARK, EXTRACT FEMA 2972C	01	BAKED GOODS(R)	*	0-5 MO.	.100692	.133269	.117567
				6-11 MO.	.752231	1.534077	.878291
				12-23 MO.	1.614038	2.659462	1.884523
				2-65+ YR.	4.063231	6.035615	4.744157
QUEBRACHO BARK, EXTRACT FEMA 2972C	07	FROZN DAIRY(R)	*	0-5 MO.	.020000	.082000	.025000
				6-11 MO.	.190000	.528000	.237500
				12-23 MO.	.288000	.676000	.360000
				2-65+ YR.	.512000	1.234000	.640000
QUEBRACHO BARK, EXTRACT FEMA 2972C	16	SOFT CANDY(R)	*	0-5 MO.	.005372	.053717	.005973
				6-11 MO.	.059069	.182637	.065705
				12-23 MO.	.094004	.249783	.104531
				2-65+ YR.	.155779	.472708	.173222
QUEBRACHO BARK, EXTRACT FEMA 2972C	20	GELATIN PUD(R)	*	0-5 MO.	.039791	.053718	.049776
				6-11 MO.	.254665	.771952	.318569
				12-23 MO.	.274560	.668495	.343458
				2-65+ YR.	.405872	1.044523	.507720
QUEBRACHO BARK, EXTRACT FEMA 2972C	23	BEV TYPE I(R)	*	0-5 MO.	.028480	.042721	.035698
				6-11 MO.	.269378	.922055	.337646
				12-23 MO.	.643184	1.928365	.806185
				2-65+ YR.	1.234154	3.295428	1.546923
QUEBRACHO BARK, EXTRACT FEMA 2972C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001195	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
QUEBRACHO BARK, EXTRACT FEMA 2972C		24	BEV TYPE II(R)	*	12-23 MO.	**********	.002390	**********
					2-65+ YR.	.388305	1.127876	.486531
QUEBRACHO BARK, EXTRACT FEMA 2972C		99	ALL CATEGORIES	4	0-5 MO.	.194336	.365425	.234014
					6-11 MO.	1.525362	3.939917	1.837711
					12-23 MO.	2.913787	6.184495	3.498696
					2-65+ YR.	6.759340	13.210151	8.098553
QUILLAIA FEMA 2973C	NAS 0399	01	BAKED GOODS(R)	*	0-5 MO.	.081600	.108000	.102000
					6-11 MO.	.609600	1.243200	.762000
					12-23 MO.	1.308000	2.155200	1.635000
					2-65+ YR.	3.292800	4.891200	4.116000
QUILLAIA FEMA 2973C	NAS 0399	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.007000
					6-11 MO.	.047500	.132000	.066500
					12-23 MO.	.072000	.169000	.100800
					2-65+ YR.	.128000	.308500	.179200
QUILLAIA FEMA 2973C	NAS 0399	16	SOFT CANDY(R)	*	0-5 MO.	.003200	.032000	.004000
					6-11 MO.	.035200	.108800	.044000
					12-23 MO.	.056000	.148800	.070000
					2-65+ YR.	.092800	.281600	.116000
QUILLAIA FEMA 2973C	NAS 0399	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.014000
					6-11 MO.	.064000	.194000	.089600
					12-23 MO.	.069000	.168000	.096600
					2-65+ YR.	.102000	.262500	.142800
QUILLAIA FEMA 2973C	NAS 0399	23	BEV TYPE I(R)	11	0-5 MO.	.219609	.329413	.247020
					6-11 MO.	2.077131	7.109829	2.336399
					12-23 MO.	4.959495	14.869333	5.578539
					2-65+ YR.	9.516373	25.410547	10.704207
QUILLAIA FEMA 2973C	NAS 0399	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.009000	**********
					12-23 MO.	**********	.018000	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
QUILLAIA FEMA 2973C NAS 0399	24	BEV TYPE II(R)	*	2-65+ YR.	2.925000	8.496000	3.250000
QUILLAIA FEMA 2973C NAS 0399	99	ALL CATEGORIES	11	0-5 MO.	.319409	.503413	.374020
				6-11 MO.	2.833431	8.796829	3.298499
				12-23 MO.	6.464495	17.528333	7.480939
				2-65+ YR.	16.056973	39.650347	18.508207
RHATANY, EXTRACT FEMA 2979C	01	BAKED GOODS(R)	*	0-5 MO.	.174170	.230519	.247224
				6-11 MO.	1.301152	2.653531	1.846912
				12-23 MO.	2.791842	4.600136	3.962863
				2-65+ YR.	7.028271	10.439953	9.976235
RHATANY, EXTRACT FEMA 2979C	07	FROZN DAIRY(R)	*	0-5 MO.	.025650	.105166	.038201
				6-11 MO.	.243677	.677164	.362912
				12-23 MO.	.369362	.866975	.550098
				2-65+ YR.	.656644	1.582615	.977953
RHATANY, EXTRACT FEMA 2979C	16	SOFT CANDY(R)	*	0-5 MO.	.006083	.060828	.009191
				6-11 MO.	.066910	.206814	.101099
				12-23 MO.	.106448	.282848	.160839
				2-65+ YR.	.176400	.535282	.266533
RHATANY, EXTRACT FEMA 2979C	20	GELATIN PUD(R)	*	0-5 MO.	.002750	.003713	.005707
				6-11 MO.	.017600	.053350	.036522
				12-23 MO.	.018975	.046200	.039375
				2-65+ YR.	.028050	.072188	.058207
RHATANY, EXTRACT FEMA 2979C	23	BEV TYPE I(R)	7	0-5 MO.	.025655	.038482	.031891
				6-11 MO.	.242651	.830571	.301634
				12-23 MO.	.579368	1.737036	.720202
				2-65+ YR.	1.111703	2.968461	1.381938
RHATANY, EXTRACT FEMA 2979C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000507	**********
				12-23 MO.	**********	.001014	**********
				2-65+ YR.	.164842	.478803	.306815

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
RHATANY, EXTRACT FEMA 2979C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000324	.000972	.000521
				12-23 MO.	.000972	.002916	.001563
				2-65+ YR.	.001944	.005508	.003126
RHATANY, EXTRACT FEMA 2979C	99	ALL CATEGORIES	10	0-5 MO.	.234308	.438707	.332214
				6-11 MO.	1.872314	4.422908	2.649600
				12-23 MO.	3.866968	7.537127	5.434940
				2-65+ YR.	9.167854	16.082810	12.970806
SANDALWOOD, YELLOW, OIL FEMA 3005C	01	BAKED GOODS(R)	6	0-5 MO.	.016692	.022092	.033059
				6-11 MO.	.124698	.254306	.246971
				12-23 MO.	.267562	.440863	.529918
				2-65+ YR.	.673568	1.000533	1.334032
SANDALWOOD, YELLOW, OIL FEMA 3005C	07	FROZN DAIRY(R)	5	0-5 MO.	.002536	.010399	.003632
				6-11 MO.	.024095	.066959	.034509
				12-23 MO.	.036523	.085728	.052308
				2-65+ YR.	.064930	.156491	.092991
SANDALWOOD, YELLOW, OIL FEMA 3005C	16	SOFT CANDY(R)	7	0-5 MO.	.000979	.009792	.001942
				6-11 MO.	.010771	.033292	.021359
				12-23 MO.	.017136	.045532	.033981
				2-65+ YR.	.028396	.086168	.056311
SANDALWOOD, YELLOW, OIL FEMA 3005C	20	GELATIN PUD(R)	*	0-5 MO.	.000541	.000731	.001459
				6-11 MO.	.003464	.010499	.009336
				12-23 MO.	.003734	.009092	.010066
				2-65+ YR.	.005520	.014206	.014880
SANDALWOOD, YELLOW, OIL FEMA 3005C	23	BEV TYPE I(R)	7	0-5 MO.	.003043	.004564	.004706
				6-11 MO.	.028777	.098502	.044506
				12-23 MO.	.068710	.206004	.106266
				2-65+ YR.	.131843	.352045	.203906
SANDALWOOD, YELLOW, OIL FEMA 3005C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SANDALWOOD, YELLOW, OIL FEMA 3005C	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000046	**********
				12-23 MO.	**********	.000091	**********
				2-65+ YR.	.014806	.043004	.025097
SANDALWOOD, YELLOW, OIL FEMA 3005C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.008998	.026994	.008998
				12-23 MO.	.026994	.080982	.026994
				2-65+ YR.	.053988	.152966	.053988
SANDALWOOD, YELLOW, OIL FEMA 3005C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000256	.000256	.000256
				12-23 MO.	.000256	.000768	.000256
				2-65+ YR.	.000512	.001024	.000512
SANDALWOOD, YELLOW, OIL FEMA 3005C	99	ALL CATEGORIES	12	0-5 MO.	.023791	.047577	.044798
				6-11 MO.	.201059	.490854	.365936
				12-23 MO.	.420915	.869060	.759788
				2-65+ YR.	.973562	1.806438	1.781717
SARSAPARILLA, EXTRACT FEMA 3009C	01	BAKED GOODS(R)	*	0-5 MO.	2.380000	3.150000	6.800000
				6-11 MO.	17.780000	36.260000	50.800000
				12-23 MO.	38.150000	62.860000	109.000000
				2-65+ YR.	96.040000	142.660000	274.400000
SARSAPARILLA, EXTRACT FEMA 3009C	07	FROZN DAIRY(R)	*	0-5 MO.	.100000	.410000	.200000
				6-11 MO.	.950000	2.640000	1.900000
				12-23 MO.	1.440000	3.380000	2.880000
				2-65+ YR.	2.560000	6.170000	5.120000
SARSAPARILLA, EXTRACT FEMA 3009C	16	SOFT CANDY(R)	*	0-5 MO.	.100000	1.000000	.200000
				6-11 MO.	1.100000	3.400000	2.200000
				12-23 MO.	1.750000	4.650000	3.500000
				2-65+ YR.	2.900000	8.800000	5.800000
SARSAPARILLA, EXTRACT FEMA 3009C	23	BEV TYPE III(R)	6	0-5 MO.	.024797	.037196	.030963
				6-11 MO.	.234538	.802803	.292859

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SARSAPARILLA, EXTRACT FEMA 3009C	23	BEV TYPE I(R)	6	12-23 MO.	.559999	1.678964	.699250
				2-65+ YR.	1.074537	2.869221	1.341734
SARSAPARILLA, EXTRACT FEMA 3009C	99	ALL CATEGORIES	6	0-5 MO.	2.604797	4.597196	7.230963
				6-11 MO.	20.064538	43.102803	55.192859
				12-23 MO.	41.899999	72.568964	116.079250
				2-65+ YR.	102.574537	160.499221	286.661734
SNAKEROOT, CANADIAN, OIL FEMA 3023C	01	BAKED GOODS(R)	*	0-5 MO.	.038177	.050529	.045139
				6-11 MO.	.285206	.581640	.337215
				12-23 MO.	.611957	1.008326	.723552
				2-65+ YR.	1.540560	2.268383	1.821493
SNAKEROOT, CANADIAN, OIL FEMA 3023C	07	FROZN DAIRY(R)	*	0-5 MO.	.002980	.012218	.005000
				6-11 MO.	.028310	.078672	.047500
				12-23 MO.	.042912	.100724	.072000
				2-65+ YR.	.076288	.183866	.128000
SNAKEROOT, CANADIAN, OIL FEMA 3023C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000118	**********
				6-11 MO.	.000945	.002600	.003109
				12-23 MO.	.003309	.008982	.010882
				2-65+ YR.	.010400	.025055	.034200
SNAKEROOT, CANADIAN, OIL FEMA 3023C	16	SOFT CANDY(R)	*	0-5 MO.	.001762	.017619	.002194
				6-11 MO.	.019381	.059905	.024137
				12-23 MO.	.030833	.081929	.038400
				2-65+ YR.	.051095	.155048	.063634
SNAKEROOT, CANADIAN, OIL FEMA 3023C	23	BEV TYPE I(R)	4	0-5 MO.	.006512	.009769	.008862
				6-11 MO.	.061597	.210841	.083823
				12-23 MO.	.147073	.440948	.200140
				2-65+ YR.	.282207	.753546	.384033
SNAKEROOT, CANADIAN, OIL FEMA 3023C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000579	**********
				12-23 MO.	**********	.001158	**********

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SNAKEROOT, CANADIAN, OIL FEMA 3023C	24	BEV TYPE II(R)	*	2-65+ YR.	.188175	.546576	.247650
SNAKEROOT, CANADIAN, OIL FEMA 3023C	99	ALL CATEGORIES	5	0-5 MO.	.049432	.090252	.061196
				6-11 MO.	.395439	.934237	.495784
				12-23 MO.	.836085	1.642066	1.044974
				2-65+ YR.	2.148725	3.952473	2.679010
SPRUCE, OIL FEMA 3034C	01	BAKED GOODS(R)	*	0-5 MO.	.062235	.082370	.074320
				6-11 MO.	.464930	.948165	.555211
				12-23 MO.	.997587	1.643730	1.191299
				2-65+ YR.	2.511357	3.730426	2.999013
SPRUCE, OIL FEMA 3034C	07	FROZN DAIRY(R)	*	0-5 MO.	.011907	.048820	.015103
				6-11 MO.	.113119	.314351	.143479
				12-23 MO.	.171464	.402464	.217485
				2-65+ YR.	.304825	.734675	.386639
SPRUCE, OIL FEMA 3034C	16	SOFT CANDY(R)	*	0-5 MO.	.003304	.033043	.004000
				6-11 MO.	.036348	.112348	.044000
				12-23 MO.	.057826	.153652	.070000
				2-65+ YR.	.095826	.290783	.116000
SPRUCE, OIL FEMA 3034C	20	GELATIN PUD(R)	*	0-5 MO.	.024000	.032400	.030000
				6-11 MO.	.153600	.465600	.192000
				12-23 MO.	.165600	.403200	.207000
				2-65+ YR.	.244800	.630000	.306000
SPRUCE, OIL FEMA 3034C	23	BEV TYPE I(R)	8	0-5 MO.	.009870	.014804	.013568
				6-11 MO.	.093350	.319530	.128333
				12-23 MO.	.222890	.668258	.306417
				2-65+ YR.	.427685	1.142001	.587959
SPRUCE, OIL FEMA 3034C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.245516

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SPRUCE, OIL FEMA 3034C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000228	.000684	.000406
				12-23 MO.	.000684	.002052	.001218
				2-65+ YR.	.001368	.003876	.002436
SPRUCE, OIL FEMA 3034C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.007687	.007687	.007687
				12-23 MO.	.007687	.023061	.007687
				2-65+ YR.	.015374	.030748	.015374
SPRUCE, OIL FEMA 3034C	99	ALL CATEGORIES	13	0-5 MO.	.111316	.211437	.136991
				6-11 MO.	.869262	2.168865	1.071117
				12-23 MO.	1.623738	3.297417	2.001106
				2-65+ YR.	3.763734	7.034509	4.658938
STORAX FEMA 3036C	01	BAKED GOODS(R)	5	0-5 MO.	.073562	.097362	.084891
				6-11 MO.	.549554	1.120743	.634183
				12-23 MO.	1.179160	1.942910	1.360747
				2-65+ YR.	2.968455	4.409411	3.425586
STORAX FEMA 3036C	07	FROZN DAIRY(R)	4	0-5 MO.	.002944	.012069	.003974
				6-11 MO.	.027966	.077715	.037753
				12-23 MO.	.042390	.099498	.057226
				2-65+ YR.	.075360	.181629	.101735
STORAX FEMA 3036C	16	SOFT CANDY(R)	5	0-5 MO.	.002400	.023998	.003059
				6-11 MO.	.026398	.081594	.033644
				12-23 MO.	.041997	.111591	.053525
				2-65+ YR.	.069594	.211183	.088698
STORAX FEMA 3036C	20	GELATIN PUD(R)	*	0-5 MO.	.005961	.008047	.008041
				6-11 MO.	.038148	.115636	.051463
				12-23 MO.	.041128	.100139	.055484
				2-65+ YR.	.060798	.156467	.082019
STORAX FEMA 3036C	23	BEV TYPE I(R)	4	0-5 MO.	.002470	.003705	.004941

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
STORAX FEMA 3036C	23	BEV TYPE I(R)	4	6-11 MO.	.023364	.079974	.046738
				12-23 MO.	.055786	.167255	.111595
				2-65+ YR.	.107043	.285826	.214130
STORAX FEMA 3036C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000108	**********
				12-23 MO.	**********	.000216	**********
				2-65+ YR.	.035035	.101763	.070300
STORAX FEMA 3036C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.015885	.015885	.015885
				12-23 MO.	.015885	.047655	.015885
				2-65+ YR.	.031770	.063540	.031770
STORAX FEMA 3036C	99	ALL CATEGORIES	8	0-5 MO.	.087337	.145182	.104906
				6-11 MO.	.681314	1.491654	.819666
				12-23 MO.	1.376346	2.469264	1.654461
				2-65+ YR.	3.348056	5.409819	4.014238
STYRAX, EXTRACT FEMA 3037C	01	BAKED GOODS(R)	*	0-5 MO.	.012258	.016224	.018370
				6-11 MO.	.091574	.186753	.137232
				12-23 MO.	.196487	.323753	.294454
				2-65+ YR.	.494642	.734753	.741269
STYRAX, EXTRACT FEMA 3037C	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000810
				12-23 MO.	.000780	.002220	.002340
				2-65+ YR.	.000940	.002360	.002820
STYRAX, EXTRACT FEMA 3037C	07	FROZN DAIRY(R)	*	0-5 MO.	.000996	.004085	.001000
				6-11 MO.	.009465	.026302	.009500
				12-23 MO.	.014346	.033674	.014400
				2-65+ YR.	.025505	.061470	.025600
STYRAX, EXTRACT FEMA 3037C	16	SOFT CANDY(R)	*	0-5 MO.	.000596	.005963	.000800
				6-11 MO.	.006559	.020273	.008800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
STYRAX, EXTRACT FEMA 3037C	16	SOFT CANDY(R)	*	12-23 MO.	.010435	.027727	.014000
				2-65+ YR.	.017292	.052472	.023200
STYRAX, EXTRACT FEMA 3037C	20	GELATIN PUD(R)	*	0-5 MO.	.001545	.002086	.001545
				6-11 MO.	.009891	.029982	.009891
				12-23 MO.	.010664	.025964	.010664
				2-65+ YR.	.015764	.040568	.015764
STYRAX, EXTRACT FEMA 3037C	23	BEV TYPE I(R)	*	0-5 MO.	.001930	.002894	.001976
				6-11 MO.	.018250	.062468	.018687
				12-23 MO.	.043575	.130644	.044619
				2-65+ YR.	.083612	.223261	.085616
STYRAX, EXTRACT FEMA 3037C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000084	**********
				12-23 MO.	**********	.000169	**********
				2-65+ YR.	.027422	.079650	.027422
STYRAX, EXTRACT FEMA 3037C	99	ALL CATEGORIES	4	0-5 MO.	.017325	.031262	.023691
				6-11 MO.	.136008	.326832	.184920
				12-23 MO.	.276287	.544150	.380477
				2-65+ YR.	.665177	1.194534	.921690
TAGETES, OIL FEMA 3040C	01	BAKED GOODS(R)	8	0-5 MO.	.040800	.054000	.072250
				6-11 MO.	.304800	.621600	.539750
				12-23 MO.	.654000	1.077600	1.158125
				2-65+ YR.	1.646400	2.445600	2.915500
TAGETES, OIL FEMA 3040C	07	FROZN DAIRY(R)	8	0-5 MO.	.004125	.016913	.007083
				6-11 MO.	.039188	.108902	.067292
				12-23 MO.	.059401	.139428	.102001
				2-65+ YR.	.105602	.254517	.181335
TAGETES, OIL FEMA 3040C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.024000
				12-23 MO.	.028000	.076000	.084000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TAGETES, OIL FEMA 3040C	15	CONDM RELSH(R)	*	2-65+ YR.	.088000	.212000	.264000
TAGETES, OIL FEMA 3040C	16	SOFT CANDY(R)	10	0-5 MO.	.001836	.018359	.003272
				6-11 MO.	.020194	.062419	.035994
				12-23 MO.	.032128	.085367	.057262
				2-65+ YR.	.053240	.161555	.094892
TAGETES, OIL FEMA 3040C	20	GELATIN PUD(R)	8	0-5 MO.	.009167	.012375	.016000
				6-11 MO.	.058667	.177833	.102400
				12-23 MO.	.063250	.154000	.110400
				2-65+ YR.	.093500	.240625	.163200
TAGETES, OIL FEMA 3040C	23	BEV TYPE I(R)	12	0-5 MO.	.004800	.007200	.010547
				6-11 MO.	.045400	.155400	.099754
				12-23 MO.	.108400	.325000	.238179
				2-65+ YR.	.208000	.555400	.457022
TAGETES, OIL FEMA 3040C	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.191389
TAGETES, OIL FEMA 3040C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000294	.000882	.000294
				12-23 MO.	.000882	.002646	.000882
				2-65+ YR.	.001764	.004998	.001764
TAGETES, OIL FEMA 3040C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000442	.000442	.000442
				12-23 MO.	.000442	.001326	.000442
				2-65+ YR.	.000884	.001768	.000884
TAGETES, OIL FEMA 3040C	99	ALL CATEGORIES	16	0-5 MO.	.060728	.109846	.109152
				6-11 MO.	.476985	1.149778	.869926
				12-23 MO.	.946503	1.861967	1.751291
				2-65+ YR.	2.294890	4.159664	4.269987

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A [GROUP III], PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TOLU, BALSAM, EXTRACT							
FEMA 3069C	01	BAKED GOODS(R)	5	0-5 MO.	.698926	.925049	.801490
				6-11 MO.	5.221387	10.648341	5.987603
				12-23 MO.	11.203371	18.459866	12.847415
				2-65+ YR.	28.203715	41.894439	32.342484
TOLU, BALSAM, EXTRACT							
FEMA 3069C	07	FROZN DAIRY(R)	4	0-5 MO.	.113085	.463646	.142789
				6-11 MO.	1.074303	2.985431	1.356492
				12-23 MO.	1.628417	3.822256	2.056157
				2-65+ YR.	2.894963	6.977314	3.655389
TOLU, BALSAM, EXTRACT							
FEMA 3069C	16	SOFT CANDY(R)	*	0-5 MO.	.034109	.341092	.037999
				6-11 MO.	.375201	1.159713	.417984
				12-23 MO.	.596911	1.586079	.664975
				2-65+ YR.	.989167	3.001611	1.101959
TOLU, BALSAM, EXTRACT							
FEMA 3069C	20	GELATIN PUD(R)	*	0-5 MO.	.227248	.306785	.284553
				6-11 MO.	1.454389	4.408616	1.821140
				12-23 MO.	1.568013	3.817770	1.963417
				2-65+ YR.	2.317932	5.965266	2.902443
TOLU, BALSAM, EXTRACT							
FEMA 3069C	23	BEV TYPE I(R)	5	0-5 MO.	.044687	.067031	.069248
				6-11 MO.	.422667	1.446748	.654967
				12-23 MO.	1.009186	3.025696	1.563843
				2-65+ YR.	1.936446	5.170682	3.000732
TOLU, BALSAM, EXTRACT							
FEMA 3069C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001915	**********
				12-23 MO.	**********	.003829	**********
				2-65+ YR.	.622225	1.807325	.937729
TOLU, BALSAM, EXTRACT							
FEMA 3069C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000021	.000063	.000025
				12-23 MO.	.000063	.000189	.000075
				2-65+ YR.	.000126	.000357	.000150
TOLU, BALSAM, EXTRACT							
FEMA 3069C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TOLU, BALSAM, EXTRACT FEMA 3069C	31	CHEWING GUM(R)	*	6-11 MO.	.001484	.001484	.003550
				12-23 MO.	.001484	.004452	.003550
				2-65+ YR.	.002968	.005936	.007100
TOLU, BALSAM, EXTRACT FEMA 3069C	99	ALL CATEGORIES	8	0-5 MO.	1.118055	2.103604	1.336078
				6-11 MO.	8.549452	20.652311	10.241762
				12-23 MO.	16.007445	30.720137	19.099432
				2-65+ YR.	36.967542	64.822931	43.947986
TOLU, BALSAM, GUM FEMA 3070C	01	BAKED GOODS(R)	5	0-5 MO.	.041322	.054691	.068589
				6-11 MO.	.308698	.629549	.512401
				12-23 MO.	.662364	1.091381	1.099443
				2-65+ YR.	1.667455	2.476876	2.767772
TOLU, BALSAM, GUM FEMA 3070C	07	FROZN DAIRY(R)	6	0-5 MO.	.005472	.022436	.008431
				6-11 MO.	.051986	.144467	.080096
				12-23 MO.	.078800	.184961	.121409
				2-65+ YR.	.140089	.337636	.215838
TOLU, BALSAM, GUM FEMA 3070C	16	SOFT CANDY(R)	6	0-5 MO.	.002092	.020917	.003770
				6-11 MO.	.023009	.071118	.041475
				12-23 MO.	.036605	.097265	.065983
				2-65+ YR.	.060660	.184071	.109344
TOLU, BALSAM, GUM FEMA 3070C	20	GELATIN PUD(R)	*	0-5 MO.	.008792	.011870	.013399
				6-11 MO.	.056271	.170571	.085756
				12-23 MO.	.060667	.147711	.092456
				2-65+ YR.	.089682	.230799	.136673
TOLU, BALSAM, GUM FEMA 3070C	23	BEV TYPE I(R)	6	0-5 MO.	.003958	.005936	.007840
				6-11 MO.	.037433	.128129	.074150
				12-23 MO.	.089377	.267966	.177045
				2-65+ YR.	.171498	.457933	.339716
TOLU, BALSAM, GUM FEMA 3070C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000229	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TOLU, BALSAM, GUM FEMA 3070C	24	BEV TYPE III(R)	4	12-23 MO.	**********	.000457	**********
				2-65+ YR.	.074322	.215876	.144025
TOLU, BALSAM, GUM FEMA 3070C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000072	.000216	.000072
				12-23 MO.	.000216	.000648	.000216
				2-65+ YR.	.000432	.001224	.000432
TOLU, BALSAM, GUM FEMA 3070C	99	ALL CATEGORIES	8	0-5 MO.	.061636	.115850	.102030
				6-11 MO.	.477469	1.144280	.793950
				12-23 MO.	.928029	1.790390	1.556551
				2-65+ YR.	2.204138	3.904416	3.713800
TURPENTINE, STEAM DIS FEMA 3089C	01	BAKED GOODS(R)	4	0-5 MO.	.052076	.068924	.069972
				6-11 MO.	.389037	.793391	.522732
				12-23 MO.	.834745	1.375415	1.121611
				2-65+ YR.	2.101414	3.121488	2.823578
TURPENTINE, STEAM DIS FEMA 3089C	07	FROZN DAIRY(R)	*	0-5 MO.	.004951	.020299	.009902
				6-11 MO.	.047034	.130706	.094069
				12-23 MO.	.071294	.167343	.142588
				2-65+ YR.	.126745	.305475	.253490
TURPENTINE, STEAM DIS FEMA 3089C	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.011000
				6-11 MO.	.020700	.055800	.207000
				12-23 MO.	.030200	.051900	.302000
				2-65+ YR.	.078400	.130100	.784000
TURPENTINE, STEAM DIS FEMA 3089C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000745	**********
				6-11 MO.	.005960	.016390	.005960
				12-23 MO.	.020860	.056620	.020860
				2-65+ YR.	.065560	.157940	.065560
TURPENTINE, STEAM DIS FEMA 3089C	16	SOFT CANDY(R)	5	0-5 MO.	.001110	.011100	.002158
				6-11 MO.	.012210	.037740	.023741
				12-23 MO.	.019425	.051615	.037769

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TURPENTINE, STEAM DIS FEMA 3089C	16	SOFT CANDY(R)	5	2-65+ YR.	.032190	.097679	.062589
TURPENTINE, STEAM DIS FEMA 3089C	20	GELATIN PUD(R)	*	0-5 MO.	.009961	.013447	.019922
				6-11 MO.	.063749	.193239	.127498
				12-23 MO.	.068729	.167341	.137459
				2-65+ YR.	.101600	.261471	.203200
TURPENTINE, STEAM DIS FEMA 3089C	23	BEV TYPE I(R)	*	0-5 MO.	.012046	.018069	.023769
				6-11 MO.	.113937	.389994	.224817
				12-23 MO.	.272042	.815625	.536788
				2-65+ YR.	.522000	1.393840	1.030000
TURPENTINE, STEAM DIS FEMA 3089C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000800	**********
				2-65+ YR.	.130000	.377600	.438750
TURPENTINE, STEAM DIS FEMA 3089C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001875	.005625	.001875
				12-23 MO.	.005625	.016875	.005625
				2-65+ YR.	.011250	.031875	.011250
TURPENTINE, STEAM DIS FEMA 3089C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000296	.000296	.000710
				12-23 MO.	.000296	.000888	.000710
				2-65+ YR.	.000592	.001184	.001420
TURPENTINE, STEAM DIS FEMA 3089C	99	ALL CATEGORIES	8	0-5 MO.	.081244	.135484	.136723
				6-11 MO.	.654798	1.623581	1.208402
				12-23 MO.	1.323217	2.704422	2.305411
				2-65+ YR.	3.169751	5.878653	5.673838
VALERIAN ROOT, EXTR FEMA 3099C	01	BAKED GOODS(R)	9	0-5 MO.	.192475	.254746	.320477
				6-11 MO.	1.437900	2.932411	2.394152
				12-23 MO.	3.085259	5.083600	5.137059
				2-65+ YR.	7.766926	11.537169	12.932193

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VALERIAN ROOT, EXTR							
FEMA 3099C	02	BREAK CERLS(R)	*	0-5 MO.	.001320	.003740	.001800
				6-11 MO.	.049060	.131560	.066900
				12-23 MO.	.057420	.111980	.078300
				2-65+ YR.	.044000	.113960	.060000
VALERIAN ROOT, EXTR							
FEMA 3099C	07	FROZN DAIRY(R)	9	0-5 MO.	.016305	.066852	.023681
				6-11 MO.	.154901	.430461	.224971
				12-23 MO.	.234797	.551120	.341009
				2-65+ YR.	.417416	1.006039	.606239
VALERIAN ROOT, EXTR							
FEMA 3099C	15	CONDM RELSH(R)	*	0-5 MO.	**********	.003500	**********
				6-11 MO.	.028000	.077000	.032800
				12-23 MO.	.098000	.266000	.114800
				2-65+ YR.	.308000	.742000	.360800
VALERIAN ROOT, EXTR							
FEMA 3099C	16	SOFT CANDY(R)	9	0-5 MO.	.010158	.101585	.016552
				6-11 MO.	.111743	.345389	.182069
				12-23 MO.	.177774	.472370	.289655
				2-65+ YR.	.294596	.893947	.479999
VALERIAN ROOT, EXTR							
FEMA 3099C	20	GELATIN PUD(R)	4	0-5 MO.	.072343	.097663	.105291
				6-11 MO.	.462994	1.403449	.673860
				12-23 MO.	.499165	1.215358	.726505
				2-65+ YR.	.737896	1.898997	1.073964
VALERIAN ROOT, EXTR							
FEMA 3099C	23	BEV TYPE I(R)	10	0-5 MO.	.050409	.075614	.103294
				6-11 MO.	.476788	1.632001	.976987
				12-23 MO.	1.138410	3.413129	2.332719
				2-65+ YR.	2.184402	5.832775	4.476065
VALERIAN ROOT, EXTR							
FEMA 3099C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002405	**********
				12-23 MO.	**********	.004810	**********
				2-65+ YR.	.781605	2.270262	3.121872
VALERIAN ROOT, EXTR							
FEMA 3099C	99	ALL CATEGORIES	15	0-5 MO.	.343011	.603700	.571094

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VALERIAN ROOT, EXTR FEMA 3099C	99	ALL CATEGORIES	15	6-11 MO.	2.721386	6.954675	4.551739
				12-23 MO.	5.290824	11.118367	9.020047
				2-65+ YR.	12.534842	24.295148	23.111132
VALERIAN ROOT, OIL FEMA 3100C	01	BAKED GOODS(R)	12	0-5 MO.	.016833	.022278	.056720
				6-11 MO.	.125749	.256449	.423731
				12-23 MO.	.269816	.444578	.909187
				2-65+ YR.	.679243	1.008963	2.288816
VALERIAN ROOT, OIL FEMA 3100C	07	FROZN DAIRY(R)	10	0-5 MO.	.000501	.002052	.001108
				6-11 MO.	.004756	.013216	.010526
				12-23 MO.	.007209	.016920	.015956
				2-65+ YR.	.012816	.030887	.028366
VALERIAN ROOT, OIL FEMA 3100C	10	MEAT PRODS(R)	*	0-5 MO.	.000248	.000653	**********
				6-11 MO.	.004658	.012555	**********
				12-23 MO.	.006795	.011678	**********
				2-65+ YR.	.017640	.029273	**********
VALERIAN ROOT, OIL FEMA 3100C	16	SOFT CANDY(R)	11	0-5 MO.	.000563	.005634	.001052
				6-11 MO.	.006197	.019155	.011567
				12-23 MO.	.009859	.026197	.018402
				2-65+ YR.	.016338	.049578	.030495
VALERIAN ROOT, OIL FEMA 3100C	20	GELATIN PUD(R)	6	0-5 MO.	.002025	.002734	.003876
				6-11 MO.	.012961	.039289	.024804
				12-23 MO.	.013974	.034024	.026742
				2-65+ YR.	.020657	.053162	.039532
VALERIAN ROOT, OIL FEMA 3100C	23	BEV TYPE I(R)	9	0-5 MO.	.001143	.001714	.002270
				6-11 MO.	.010810	.037003	.021474
				12-23 MO.	.025812	.077388	.051272
				2-65+ YR.	.049528	.132249	.098382
VALERIAN ROOT, OIL FEMA 3100C	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000025	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VALERIAN ROOT, OIL FEMA 3100C	24	BEV TYPE II(R)	4	12-23 MO.	**********	.000050	**********
				2-65+ YR.	.008174	.023743	.017038
VALERIAN ROOT, OIL FEMA 3100C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000001	.000003	.000001
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000017	.000006
VALERIAN ROOT, OIL FEMA 3100C	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.039095	.039095	.039095
				12-23 MO.	.039095	.117285	.039095
				2-65+ YR.	.078190	.156380	.078190
VALERIAN ROOT, OIL FEMA 3100C	99	ALL CATEGORIES	14	0-5 MO.	.021312	.035066	.065026
				6-11 MO.	.204227	.416791	.531199
				12-23 MO.	.372563	.728128	1.060657
				2-65+ YR.	.882592	1.484252	2.560825
WALNUT HULL, EXTRACT FEMA 3111C	01	BAKED GOODS(R)	7	0-5 MO.	.247490	.327560	.320280
				6-11 MO.	1.848896	3.770583	2.392679
				12-23 MO.	3.967119	6.536648	5.133898
				2-65+ YR.	9.986950	14.834843	12.924236
WALNUT HULL, EXTRACT FEMA 3111C	02	BREAK CERLS(R)	*	0-5 MO.	.207880	.588993	.207880
				6-11 MO.	7.726207	20.718707	7.726207
				12-23 MO.	9.042780	17.635153	9.042780
				2-65+ YR.	6.929333	17.946973	6.929333
WALNUT HULL, EXTRACT FEMA 3111C	07	FROZN DAIRY(R)	8	0-5 MO.	.073722	.302258	.096126
				6-11 MO.	.700355	1.946249	.913201
				12-23 MO.	1.061590	2.491789	1.384221
				2-65+ YR.	1.887272	4.548620	2.460837
WALNUT HULL, EXTRACT FEMA 3111C	16	SOFT CANDY(R)	5	0-5 MO.	.013472	.134724	.017658
				6-11 MO.	.148197	.458062	.194240
				12-23 MO.	.235767	.626468	.309019

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
WALNUT HULL, EXTRACT FEMA 3111C	16	SOFT CANDY(R)	5	2-65+ YR.	.390700	1.185573	.512088
WALNUT HULL, EXTRACT FEMA 3111C	20	GELATIN PUD(R)	*	0-5 MO.	.341016	.460371	.379085
				6-11 MO.	2.182501	6.615706	2.426145
				12-23 MO.	2.353009	5.729065	2.615688
				2-65+ YR.	3.478361	8.951664	3.866669
WALNUT HULL, EXTRACT FEMA 3111C	23	BEV TYPE I(R)	6	0-5 MO.	.108914	.163371	.156497
				6-11 MO.	1.030144	3.526087	1.480198
				12-23 MO.	2.459638	7.374377	3.534217
				2-65+ YR.	4.719601	12.602242	6.781524
WALNUT HULL, EXTRACT FEMA 3111C	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.008091	**********
				12-23 MO.	**********	.016182	**********
				2-65+ YR.	2.629651	7.638126	2.629651
WALNUT HULL, EXTRACT FEMA 3111C	99	ALL CATEGORIES	11	0-5 MO.	.992494	1.977278	1.177526
				6-11 MO.	13.636299	37.043485	15.132671
				12-23 MO.	19.119904	40.409682	22.019823
				2-65+ YR.	30.021869	67.708042	36.104338
WORMWOOD FEMA 3114C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.019000	**********
				12-23 MO.	**********	.038000	**********
				2-65+ YR.	6.175000	17.936000	7.800000
WORMWOOD FEMA 3114C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.019000	**********
				12-23 MO.	**********	.038000	**********
				2-65+ YR.	6.175000	17.936000	7.800000
WORMWOOD, EXTRACT FEMA 3115C	01	BAKED GOODS(R)	*	0-5 MO.	.532721	.705072	.582700
				6-11 MO.	3.979742	8.116168	4.353112
				12-23 MO.	8.539211	14.070113	9.340338
				2-65+ YR.	21.496876	31.931949	23.513659

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
WORMWOOD, EXTRACT FEMA 3115C	07	FROZN DAIRY(R)	*	0-5 MO.	.160000	.656000	.175000
				6-11 MO.	1.520000	4.224000	1.662500
				12-23 MO.	2.304000	5.408000	2.520000
				2-65+ YR.	4.096000	9.872000	4.480000
WORMWOOD, EXTRACT FEMA 3115C	16	SOFT CANDY(R)	*	0-5 MO.	.031337	.313370	.034278
				6-11 MO.	.344707	1.065457	.377055
				12-23 MO.	.548397	1.457169	.599860
				2-65+ YR.	.908772	2.757654	.994054
WORMWOOD, EXTRACT FEMA 3115C	20	GELATIN PUD(R)	*	0-5 MO.	.320000	.432000	.350000
				6-11 MO.	2.048000	6.208000	2.240000
				12-23 MO.	2.208000	5.376000	2.415000
				2-65+ YR.	3.264000	8.400000	3.570000
WORMWOOD, EXTRACT FEMA 3115C	23	BEV TYPE I(R)	*	0-5 MO.	.094992	.142487	.119496
				6-11 MO.	.898462	3.075353	1.130231
				12-23 MO.	2.145227	6.431723	2.698613
				2-65+ YR.	4.116303	10.991319	5.178151
WORMWOOD, EXTRACT FEMA 3115C	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004606	**********
				12-23 MO.	**********	.009213	**********
				2-65+ YR.	1.497062	4.348388	1.497062
WORMWOOD, EXTRACT FEMA 3115C	99	ALL CATEGORIES	6	0-5 MO.	1.139050	2.248930	1.261474
				6-11 MO.	8.790911	22.693584	9.762898
				12-23 MO.	15.744835	32.752218	17.573812
				2-65+ YR.	35.379013	68.301310	39.232926
WORMWOOD, OIL FEMA 3116C	01	BAKED GOODS(R)	4	0-5 MO.	.183033	.242250	.199871
				6-11 MO.	1.367367	2.788567	1.493154
				12-23 MO.	2.933917	4.834233	3.203816
				2-65+ YR.	7.385933	10.971233	8.065386
WORMWOOD, OIL FEMA 3116C	07	FROZN DAIRY(R)	*	0-5 MO.	.054594	.223835	.059642

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
WORMWOOD, OIL FEMA 3116C	07	FROZN DAIRY(R)	*	6-11 MO.	.518642	1.441279	.566602
				12-23 MO.	.786152	1.845273	.858849
				2-65+ YR.	1.397604	3.368443	1.526844
WORMWOOD, OIL FEMA 3116C	16	SOFT CANDY(R)	5	0-5 MO.	.010702	.107016	.011689
				6-11 MO.	.117718	.363855	.128578
				12-23 MO.	.187278	.497625	.204556
				2-65+ YR.	.310346	.941741	.338979
WORMWOOD, OIL FEMA 3116C	20	GELATIN PUD(R)	*	0-5 MO.	.110000	.148500	.120000
				6-11 MO.	.704000	2.134000	.768000
				12-23 MO.	.759000	1.848000	.828000
				2-65+ YR.	1.122000	2.887500	1.224000
WORMWOOD, OIL FEMA 3116C	23	BEV TYPE I(R)	4	0-5 MO.	.035824	.053736	.043482
				6-11 MO.	.338833	1.159795	.411267
				12-23 MO.	.809021	2.425569	.981967
				2-65+ YR.	1.552364	4.145111	1.884217
WORMWOOD, OIL FEMA 3116C	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001441	**********
				12-23 MO.	**********	.002881	**********
				2-65+ YR.	.468237	1.360047	.578460
WORMWOOD, OIL FEMA 3116C	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000077	.000231	.000077
				12-23 MO.	.000231	.000693	.000231
				2-65+ YR.	.000462	.001309	.000462
WORMWOOD, OIL FEMA 3116C	99	ALL CATEGORIES	10	0-5 MO.	.394153	.775337	.434684
				6-11 MO.	3.046637	7.889167	3.367678
				12-23 MO.	5.475598	11.454275	6.077419
				2-65+ YR.	12.236946	23.675385	13.618347
YARROW, HERB FEMA 3117C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.000500	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
YARROW, HERB FEMA 3117C	24	BEV TYPE II(R)	*	12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	**********
YARROW, HERB FEMA 3117C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	**********
YERBA SANTA, FLD EXTR FEMA 3118C	01	BAKED GOODS(R)	*	0-5 MO.	.850000	1.125000	1.700000
				6-11 MO.	6.350000	12.950000	12.700000
				12-23 MO.	13.625000	22.450000	27.250000
				2-65+ YR.	34.300000	50.950000	68.600000
YERBA SANTA, FLD EXTR FEMA 3118C	07	FROZN DAIRY(R)	*	0-5 MO.	.050000	.205000	.200000
				6-11 MO.	.475000	1.320000	1.900000
				12-23 MO.	.720000	1.690000	2.880000
				2-65+ YR.	1.280000	3.085000	5.120000
YERBA SANTA, FLD EXTR FEMA 3118C	23	BEV TYPE I(R)	*	0-5 MO.	.052489	.078733	.149378
				6-11 MO.	.496457	1.699328	1.412865
				12-23 MO.	1.185374	3.553935	3.373448
				2-65+ YR.	2.274518	6.073402	6.473037
YERBA SANTA, FLD EXTR FEMA 3118C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.003446	**********
				12-23 MO.	**********	.006893	**********
				2-65+ YR.	1.120046	3.253304	2.841343
YERBA SANTA, FLD EXTR FEMA 3118C	99	ALL CATEGORIES	4	0-5 MO.	.952489	1.408733	2.049378
				6-11 MO.	7.321457	15.972774	16.012865
				12-23 MO.	15.530374	27.700828	33.503448
				2-65+ YR.	38.974565	63.361705	83.034380
YUCCA, JOSHUA TREE FEMA 3120C	23	BEV TYPE I(R)	*	0-5 MO.	.146400	.219600	.146400
				6-11 MO.	1.384700	4.739700	1.384700
				12-23 MO.	3.306200	9.912500	3.306200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
YUCCA, JOSHUA TREE FEMA 3120C	23	BEV TYPE I(R)	*	2-65+ YR.	6.344000	16.939700	6.344000
YUCCA, JOSHUA TREE FEMA 3120C	99	ALL CATEGORIES	*	0-5 MO.	.146400	.219600	.146400
				6-11 MO.	1.384700	4.739700	1.384700
				12-23 MO.	3.306200	9.912500	3.306200
				2-65+ YR.	6.344000	16.939700	6.344000
YUCCA, MOHAVE, EXTRCT FEMA 3121C	23	BEV TYPE I(R)	12	0-5 MO.	1.253302	1.879953	1.484154
				6-11 MO.	11.854147	40.575649	14.037626
				12-23 MO.	28.303734	84.858982	33.517151
				2-65+ YR.	54.309749	145.017473	64.313353
YUCCA, MOHAVE, EXTRCT FEMA 3121C	99	ALL CATEGORIES	12	0-5 MO.	1.253302	1.879953	1.484154
				6-11 MO.	11.854147	40.575649	14.037626
				12-23 MO.	28.303734	84.858982	33.517151
				2-65+ YR.	54.309749	145.017473	64.313353
AMYRIS FEMA 3254C	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.073780
				6-11 MO.	.254000	.518000	.551180
				12-23 MO.	.545000	.898000	1.182650
				2-65+ YR.	1.372000	2.038000	2.977240
AMYRIS FEMA 3254C	07	FROZN DAIRY(R)	*	0-5 MO.	.003810	.015621	.007620
				6-11 MO.	.036195	.100584	.072390
				12-23 MO.	.054864	.128778	.109728
				2-65+ YR.	.097536	.235077	.195072
AMYRIS FEMA 3254C	10	MEAT PRCDS(R)	*	0-5 MO.	.007700	.020300	.015400
				6-11 MO.	.144900	.390600	.289800
				12-23 MO.	.211400	.363300	.422800
				2-65+ YR.	.548800	.910700	1.097600
AMYRIS FEMA 3254C	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.002800
				6-11 MO.	.015400	.047600	.030800
				12-23 MO.	.024500	.065100	.049000
				2-65+ YR.	.040600	.123200	.081200

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMYRIS FEMA 3254C	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
AMYRIS FEMA 3254C	23	BEV TYPE I(R)	*	0-5 MO.	.009144	.013716	.017880
				6-11 MO.	.086487	.296037	.169115
				12-23 MO.	.206502	.619125	.403790
				2-65+ YR.	.396240	1.058037	.774800
AMYRIS FEMA 3254C	99	ALL CATEGORIES	*	0-5 MO.	.066054	.122137	.137480
				6-11 MO.	.600982	1.546821	1.241285
				12-23 MO.	1.111266	2.242303	2.305968
				2-65+ YR.	2.557176	4.627514	5.329912
ARNICA, FLOWERS FEMA 3256C	01	BAKED GOODS(R)	*	0-5 MO.	2.040000	2.700000	2.720000
				6-11 MO.	15.240000	31.080000	20.320000
				12-23 MO.	32.700000	53.880000	43.600000
				2-65+ YR.	82.320000	122.280000	109.760000
ARNICA, FLOWERS FEMA 3256C	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.300000
				6-11 MO.	1.900000	5.280000	2.850000
				12-23 MO.	2.880000	6.760000	4.320000
				2-65+ YR.	5.120000	12.340000	7.680000
ARNICA, FLOWERS FEMA 3256C	16	SOFT CANDY(R)	*	0-5 MO.	.060000	.600000	.080000
				6-11 MO.	.660000	2.040000	.880000
				12-23 MO.	1.050000	2.790000	1.400000
				2-65+ YR.	1.740000	5.280000	2.320000
ARNICA, FLOWERS FEMA 3256C	20	GELATIN PUD(R)	*	0-5 MO.	.600000	.810000	.800000
				6-11 MO.	3.840000	11.640000	5.120000
				12-23 MO.	4.140000	10.080000	5.520000
				2-65+ YR.	6.120000	15.750000	8.160000
ARNICA, FLOWERS FEMA 3256C	23	BEV TYPE I(R)	*	0-5 MO.	.240000	.360000	.480000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ARNICA, FLOWERS FEMA 3256C	23	BEV TYPE I(R)	*	6-11 MO.	2.270000	7.770000	4.540000
				12-23 MO.	5.420000	16.250000	10.840000
				2-65+ YR.	10.400000	27.770000	20.800000
ARNICA, FLOWERS FEMA 3256C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.009807	**********
				12-23 MO.	**********	.019613	**********
				2-65+ YR.	3.187185	9.257546	9.556092
ARNICA, FLOWERS FEMA 3256C	99	ALL CATEGORIES	*	0-5 MO.	3.140000	5.290000	4.380000
				6-11 MO.	23.910000	57.819807	33.710000
				12-23 MO.	46.190000	89.779613	65.680000
				2-65+ YR.	108.887185	192.677546	158.276092
ARTICHOKE, LEAVES FEMA 3257C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
ARTICHOKE, LEAVES FEMA 3257C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
BOLDUS(BOLDO)LEAVES FEMA 3262C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
BOLDUS(BOLDO)LEAVES FEMA 3262C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
CALUMBA, ROOT FEMA 3265C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CALUMBA, ROOT FEMA 3265C	24	BEV TYPE II(R)	*	12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
CALUMBA, ROOT FEMA 3265C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
CENTAURY FEMA 3272C	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310800	.181600
				12-23 MO.	.216800	.650000	.433600
				2-65+ YR.	.416000	1.110800	.832000
CENTAURY FEMA 3272C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000108	**********
				12-23 MO.	**********	.000216	**********
				2-65+ YR.	.035179	.102183	.074559
CENTAURY FEMA 3272C	99	ALL CATEGORIES	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310908	.181600
				12-23 MO.	.216800	.650216	.433600
				2-65+ YR.	.451179	1.212983	.906559
CHESTNUT, LEAVES EXTR FEMA 3273C	23	BEV TYPE I(R)	*	0-5 MO.	.155687	.233530	.179656
				6-11 MO.	1.472539	5.040364	1.699247
				12-23 MO.	3.515929	10.541301	4.057234
				2-65+ YR.	6.746433	18.014273	7.785098
CHESTNUT, LEAVES EXTR FEMA 3273C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
CHESTNUT, LEAVES EXTR FEMA 3273C	99	ALL CATEGORIES	*	0-5 MO.	.155687	.233530	.179656
				6-11 MO.	1.472539	5.041164	1.699247
				12-23 MO.	3.515929	10.542901	4.057234

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CHESTNUT, LEAVES EXTR							
FEMA 3273C	99	ALL CATEGORIES	*	2-65+ YR.	7.006433	18.769473	8.305098
CHIRATA							
FEMA 3274C	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310800	.181600
				12-23 MO.	.216800	.650000	.433600
				2-65+ YR.	.416000	1.110800	.832000
CHIRATA							
FEMA 3274C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
CHIRATA							
FEMA 3274C	99	ALL CATEGORIES	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.311600	.181600
				12-23 MO.	.216800	.651600	.433600
				2-65+ YR.	.676000	1.866000	1.352000
COPAIBA							
FEMA 3280C	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.054400
				6-11 MO.	.203200	.414400	.406400
				12-23 MO.	.436000	.718400	.872000
				2-65+ YR.	1.097600	1.630400	2.195200
COPAIBA							
FEMA 3280C	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200
				2-65+ YR.	.102400	.246800	.204800
COPAIBA							
FEMA 3280C	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
COPAIBA							
FEMA 3280C	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.003200
				6-11 MO.	.017600	.054400	.035200
				12-23 MO.	.028000	.074400	.056000
				2-65+ YR.	.046400	.140800	.092800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
COPAIBA							
FEMA 3280C	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
COPAIBA							
FEMA 3280C	23	BEV TYPE I(R)	*	0-5 MO.	.002360	.003539	.004709
				6-11 MO.	.022318	.076394	.044542
				12-23 MO.	.053289	.159769	.106350
				2-65+ YR.	.102252	.273033	.204067
COPAIBA							
FEMA 3280C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
COPAIBA							
FEMA 3280C	99	ALL CATEGORIES	*	0-5 MO.	.040260	.080239	.080509
				6-11 MO.	.327418	.784394	.654742
				12-23 MO.	.632689	1.207269	1.265150
				2-65+ YR.	1.532852	2.714933	3.065267
CORK, OAK							
FEMA 3281C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000730	**********
				12-23 MO.	**********	.001460	**********
				2-65+ YR.	.237250	.689120	.325000
CORK, OAK							
FEMA 3281C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.000730	**********
				12-23 MO.	**********	.001460	**********
				2-65+ YR.	.237250	.689120	.325000
DAMIANA, LEAVES							
FEMA 3288C	01	BAKED GOODS(R)	*	0-5 MO.	2.635000	3.487500	4.250000
				6-11 MO.	19.685000	40.145000	31.750000
				12-23 MO.	42.237500	69.595000	68.125000
				2-65+ YR.	106.330000	157.945000	171.500000
DAMIANA, LEAVES							
FEMA 3288C	07	FROZN DAIRY(R)	*	0-5 MO.	.387500	1.588750	.487500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCGD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DAMIANA, LEAVES FEMA 3288C	07	FROZN DAIRY(R)	*	6-11 MO.	3.681250	10.230000	4.631250
				12-23 MO.	5.580000	13.097500	7.020000
				2-65+ YR.	9.920000	23.908750	12.480000
DAMIANA, LEAVES FEMA 3288C	16	SOFT CANDY(R)	*	0-5 MO.	.080000	.800000	.115000
				6-11 MO.	.880000	2.720000	1.265000
				12-23 MO.	1.400000	3.720000	2.012500
				2-65+ YR.	2.320000	7.040000	3.335000
DAMIANA, LEAVES FEMA 3288C	20	GELATIN PUD(R)	*	0-5 MO.	.775000	1.046250	.975000
				6-11 MO.	4.960000	15.035000	6.240000
				12-23 MO.	5.347500	13.020000	6.727500
				2-65+ YR.	7.905000	20.343750	9.945000
DAMIANA, LEAVES FEMA 3288C	23	BEV TYPE I(R)	*	0-5 MO.	.930000	1.395000	1.170000
				6-11 MO.	8.796250	30.108750	11.066250
				12-23 MO.	21.002500	62.968750	26.422500
				2-65+ YR.	40.300000	107.608750	50.700000
DAMIANA, LEAVES FEMA 3288C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.046250	**********
				12-23 MO.	**********	.092500	**********
				2-65+ YR.	15.031250	43.660000	25.593750
DAMIANA, LEAVES FEMA 3288C	99	ALL CATEGORIES	*	0-5 MO.	4.807500	8.317500	6.997500
				6-11 MO.	38.002500	98.285000	54.952500
				12-23 MO.	75.567500	162.493750	110.307500
				2-65+ YR.	181.806250	360.506250	273.553750
ELECAMPANE, RIGIZ/ROOT FEMA 3294C	01	BAKED GOODS(R)	*	0-5 MO.	2.040000	2.700000	2.720000
				6-11 MO.	15.240000	31.080000	20.320000
				12-23 MO.	32.700000	53.880000	43.600000
				2-65+ YR.	82.320000	122.280000	109.760000
ELECAMPANE, RIGIZ/ROOT FEMA 3294C	07	FROZN DAIRY(R)	*	0-5 MO.	.500000	2.050000	.600000
				6-11 MO.	4.750000	13.200000	5.700000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ELECAMPANE, RI&IZ/ROOT FEMA 3294C	07	FROZN DAIRY(R)	*	12-23 MO.	7.200000	16.900000	8.640000
				2-65+ YR.	12.800000	30.850000	15.360000
ELECAMPANE, RI&IZ/ROOT FEMA 3294C	16	SOFT CANDY(R)	*	0-5 MO.	.100000	1.000000	.120000
				6-11 MO.	1.100000	3.400000	1.320000
				12-23 MO.	1.750000	4.650000	2.100000
				2-65+ YR.	2.900000	8.800000	3.480000
ELECAMPANE, RI&IZ/ROOT FEMA 3294C	20	GELATIN PUD(R)	*	0-5 MO.	1.000000	1.350000	1.200000
				6-11 MO.	6.400000	19.400000	7.680000
				12-23 MO.	6.900000	16.800000	8.280000
				2-65+ YR.	10.200000	26.250000	12.240000
ELECAMPANE, RI&IZ/ROOT FEMA 3294C	23	BEV TYPE I(R)	*	0-5 MO.	.904800	1.357200	1.089600
				6-11 MO.	8.557900	29.292900	10.305800
				12-23 MO.	20.433400	61.262500	24.606800
				2-65+ YR.	39.208000	104.692900	47.216000
ELECAMPANE, RI&IZ/ROOT FEMA 3294C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.037900	**********
				12-23 MO.	**********	.075800	**********
				2-65+ YR.	12.317500	35.777600	14.885000
ELECAMPANE, RI&IZ/ROOT FEMA 3294C	99	ALL CATEGORIES	*	0-5 MO.	4.544800	8.457200	5.729600
				6-11 MO.	36.047900	96.410800	45.325800
				12-23 MO.	68.983400	153.568300	87.226800
				2-65+ YR.	159.745500	328.650500	202.941000
GENTIAN, STEMLESS FEMA 3304C	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
				6-11 MO.	.050800	.103600	.127000
				12-23 MO.	.109000	.179600	.272500
				2-65+ YR.	.274400	.407600	.686000
GENTIAN, STEMLESS FEMA 3304C	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.003000
				6-11 MO.	.009500	.026400	.028500
				12-23 MO.	.014400	.033800	.043200

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GENTIAN, STEMLESS FEMA 3304C	07	FROZN DAIRY(R)	*	2-65+ YR.	.025600	.061700	.076800
GENTIAN, STEMLESS FEMA 3304C	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
GENTIAN, STEMLESS FEMA 3304C	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.006000
				6-11 MO.	.012800	.038800	.038400
				12-23 MO.	.013800	.033600	.041400
				2-65+ YR.	.020400	.052500	.061200
GENTIAN, STEMLESS FEMA 3304C	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.007200
				6-11 MO.	.022700	.077700	.068100
				12-23 MO.	.054200	.162500	.162600
				2-65+ YR.	.104000	.277700	.312000
GENTIAN, STEMLESS FEMA 3304C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000637	**********
				12-23 MO.	**********	.001274	**********
				2-65+ YR.	.207093	.601526	.421744
GENTIAN, STEMLESS FEMA 3304C	99	ALL CATEGORIES	*	0-5 MO.	.012600	.023400	.034200
				6-11 MO.	.100200	.260737	.273000
				12-23 MO.	.198400	.429374	.537200
				2-65+ YR.	.643093	1.436226	1.586744
LEMON, VERBENA FEMA 3327C	01	BAKED GOODS(R)	*	0-5 MO.	1.360000	1.800000	2.040000
				6-11 MO.	10.160000	20.720000	15.240000
				12-23 MO.	21.800000	35.920000	32.700000
				2-65+ YR.	54.880000	81.520000	82.320000
LEMON, VERBENA FEMA 3327C	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.300000
				6-11 MO.	1.900000	5.280000	2.850000
				12-23 MO.	2.880000	6.760000	4.320000
				2-65+ YR.	5.120000	12.340000	7.680000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LEMON, VERBENA FEMA 3327C	16	SOFT CANDY(R)	*	0-5 MO.	.040000	.400000	.080000
				6-11 MO.	.440000	1.360000	.660000
				12-23 MO.	.700000	1.860000	1.050000
				2-65+ YR.	1.160000	3.520000	1.740000
LEMON, VERBENA FEMA 3327C	20	GELATIN PUD(R)	*	0-5 MO.	.400000	.540000	.600000
				6-11 MO.	2.560000	7.760000	3.840000
				12-23 MO.	2.760000	6.720000	4.140000
				2-65+ YR.	4.080000	10.500000	6.120000
LEMON, VERBENA FEMA 3327C	23	BEV TYPE I(R)	*	0-5 MO.	.480000	.720000	.720000
				6-11 MO.	4.540000	15.540000	6.810000
				12-23 MO.	10.840000	32.500000	16.260000
				2-65+ YR.	20.800000	55.540000	31.200000
LEMON, VERBENA FEMA 3327C	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.020000	**********
				12-23 MO.	**********	.040000	**********
				2-65+ YR.	6.500000	18.880000	13.000000
LEMON, VERBENA FEMA 3327C	99	ALL CATEGORIES	*	0-5 MO.	2.480000	4.280000	3.720000
				6-11 MO.	19.600000	50.680000	29.400000
				12-23 MO.	38.980000	83.800000	58.470000
				2-65+ YR.	92.540000	182.300000	142.060000
LUNGMOSS (LUNGWORT) FEMA 3331C	01	BAKED GOODS(R)	*	0-5 MO.	1.360000	1.800000	2.720000
				6-11 MO.	10.160000	20.720000	20.320000
				12-23 MO.	21.800000	35.920000	43.600000
				2-65+ YR.	54.880000	81.520000	109.760000
LUNGMOSS (LUNGWORT) FEMA 3331C	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.400000
				6-11 MO.	1.900000	5.280000	3.800000
				12-23 MO.	2.880000	6.760000	5.760000
				2-65+ YR.	5.120000	12.340000	10.240000
LUNGMOSS (LUNGWORT) FEMA 3331C	16	SOFT CANDY(R)	*	0-5 MO.	.040000	.400000	.080000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LUNGMOSS (LUNGWORT) FEMA 3331C	16	SOFT CANDY(R)	*	6-11 MO.	.440000	1.360000	.880000
				12-23 MO.	.700000	1.860000	1.400000
				2-65+ YR.	1.160000	3.520000	2.320000
LUNGMOSS (LUNGWORT) FEMA 3331C	20	GELATIN PUD(R)	*	0-5 MO.	.400000	.540000	.800000
				6-11 MO.	2.560000	7.760000	5.120000
				12-23 MO.	2.760000	6.720000	5.520000
				2-65+ YR.	4.080000	10.500000	8.160000
LUNGMOSS (LUNGWORT) FEMA 3331C	23	BEV TYPE I(R)	*	0-5 MO.	.480000	.720000	.960000
				6-11 MO.	4.540000	15.540000	9.080000
				12-23 MO.	10.840000	32.500000	21.680000
				2-65+ YR.	20.800000	55.540000	41.600000
LUNGMOSS (LUNGWORT) FEMA 3331C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.020000	**********
				12-23 MO.	**********	.040000	**********
				2-65+ YR.	6.500000	18.880000	13.000000
LUNGMOSS (LUNGWORT) FEMA 3331C	99	ALL CATEGORIES	*	0-5 MO.	2.480000	4.280000	4.960000
				6-11 MO.	19.600000	50.680000	39.200000
				12-23 MO.	38.980000	83.800000	77.960000
				2-65+ YR.	92.540000	182.300000	185.080000
MULLIEN, FLOWERS FEMA 3356C	23	BEV TYPE I(R)	*	0-5 MO.	.240000	.360000	**********
				6-11 MO.	2.270000	7.770000	**********
				12-23 MO.	5.420000	16.250000	**********
				2-65+ YR.	10.400000	27.770000	**********
MULLIEN, FLOWERS FEMA 3356C	99	ALL CATEGORIES	*	0-5 MO.	.240000	.360000	**********
				6-11 MO.	2.270000	7.770000	**********
				12-23 MO.	5.420000	16.250000	**********
				2-65+ YR.	10.400000	27.770000	**********
OPOPANAX FEMA 3365C	01	BAKED GOODS(R)	*	0-5 MO.	.013779	.018236	.027697
				6-11 MO.	.102934	.209921	.206915

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OPOPANAX FEMA 3365C	01	BAKED GOODS(R)	*	12-23 MO.	.220863	.363917	.443970
				2-65+ YR.	.556006	.825904	1.117664
OPOPANAX FEMA 3365C	07	FROZN DAIRY(R)	*	0-5 MO.	.001995	.008179	.004717
				6-11 MO.	.018951	.052664	.044809
				12-23 MO.	.028726	.067426	.067922
				2-65+ YR.	.051068	.123082	.120750
OPOPANAX FEMA 3365C	16	SOFT CANDY(R)	*	0-5 MO.	.000811	.008105	.001629
				6-11 MO.	.008916	.027557	.017922
				12-23 MO.	.014184	.037688	.028512
				2-65+ YR.	.023505	.071324	.047248
OPOPANAX FEMA 3365C	20	GELATIN PUD(R)	*	0-5 MO.	.003990	.005386	.009434
				6-11 MO.	.025534	.077400	.060375
				12-23 MO.	.027529	.067027	.065092
				2-65+ YR.	.040695	.104730	.096222
OPOPANAX FEMA 3365C	23	BEV TYPE I(R)	*	0-5 MO.	.004777	.007165	.011209
				6-11 MO.	.045178	.154640	.106019
				12-23 MO.	.107870	.323410	.253138
				2-65+ YR.	.206982	.552683	.485726
OPOPANAX FEMA 3365C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000199	**********
				12-23 MO.	**********	.000398	**********
				2-65+ YR.	.064682	.187876	.151789
OPOPANAX FEMA 3365C	99	ALL CATEGORIES	*	0-5 MO.	.025350	.047071	.054686
				6-11 MO.	.201513	.522381	.436040
				12-23 MO.	.399171	.859866	.858633
				2-65+ YR.	.942938	1.865600	2.019400
PASSION FLOWER,HERB EXT FEMA 3367C	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.500000
				6-11 MO.	1.900000	5.280000	4.750000
				12-23 MO.	2.880000	6.760000	7.200000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PASSION FLOWER,HERB EXT FEMA 3367C	07	FROZN DAIRY(R)	*	2-65+ YR.	5.120000	12.340000	12.800000
PASSION FLOWER,HERB EXT FEMA 3367C	23	BEV TYPE I(R)	*	0-5 MO.	.480000	.720000	1.200000
				6-11 MO.	4.540000	15.540000	11.350000
				12-23 MO.	10.840000	32.500000	27.100000
				2-65+ YR.	20.800000	55.540000	52.000000
PASSION FLOWER,HERB EXT FEMA 3367C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.160000	**********
				12-23 MO.	**********	.320000	**********
				2-65+ YR.	52.000000	151.040000	104.000000
PASSION FLOWER,HERB EXT FEMA 3367C	99	ALL CATEGORIES	*	0-5 MO.	.680000	1.540000	1.700000
				6-11 MO.	6.440000	20.980000	16.100000
				12-23 MO.	13.720000	39.580000	34.300000
				2-65+ YR.	77.920000	218.920000	168.800000
RHUBARB, ROOT FEMA 3382C	01	BAKED GOODS(R)	*	0-5 MO.	.680000	.900000	1.700000
				6-11 MO.	5.080000	10.360000	12.700000
				12-23 MO.	10.900000	17.960000	27.250000
				2-65+ YR.	27.440000	40.760000	68.600000
RHUBARB, ROOT FEMA 3382C	07	FROZN DAIRY(R)	*	0-5 MO.	.100000	.410000	.200000
				6-11 MO.	.950000	2.640000	1.900000
				12-23 MO.	1.440000	3.380000	2.880000
				2-65+ YR.	2.560000	6.170000	5.120000
RHUBARB, ROOT FEMA 3382C	16	SOFT CANDY(R)	*	0-5 MO.	.040000	.400000	.080000
				6-11 MO.	.440000	1.360000	.660000
				12-23 MO.	.700000	1.860000	1.050000
				2-65+ YR.	1.160000	3.520000	1.740000
RHUBARB, ROOT FEMA 3382C	20	GELATIN PUD(R)	*	0-5 MO.	.200000	.270000	.400000
				6-11 MO.	1.280000	3.680000	2.560000
				12-23 MO.	1.380000	3.360000	2.760000
				2-65+ YR.	2.040000	5.250000	4.080000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHUBARB, RCOT FEMA 3382C	23	BEV TYPE I(R)	*	0-5 MO.	.240000	.360000	.480000
				6-11 MO.	2.270000	7.770000	4.540000
				12-23 MO.	5.420000	16.250000	10.840000
				2-65+ YR.	10.400000	27.770000	20.800000
RHUBARB, RCOT FEMA 3382C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.020000	**********
				12-23 MO.	**********	.040000	**********
				2-65+ YR.	6.500000	18.880000	16.250000
RHUBARB, RCOT FEMA 3382C	99	ALL CATEGORIES	*	0-5 MO.	1.260000	2.340000	2.840000
				6-11 MO.	10.020000	26.030000	22.360000
				12-23 MO.	19.840000	42.850000	44.780000
				2-65+ YR.	50.100000	102.350000	116.590000
ROSELLE FEMA 3383C	01	BAKED GOODS(R)	*	0-5 MO.	.340000	.450000	.680000
				6-11 MO.	2.540000	5.180000	5.080000
				12-23 MO.	5.450000	8.980000	10.900000
				2-65+ YR.	13.720000	20.380000	27.440000
ROSELLE FEMA 3383C	07	FROZN DAIRY(R)	*	0-5 MO.	.100000	.410000	.200000
				6-11 MO.	.950000	2.640000	1.900000
				12-23 MO.	1.440000	3.380000	2.880000
				2-65+ YR.	2.560000	6.170000	5.120000
ROSELLE FEMA 3383C	16	SOFT CANDY(R)	*	0-5 MO.	.020000	.200000	.040000
				6-11 MO.	.220000	.680000	.440000
				12-23 MO.	.350000	.930000	.700000
				2-65+ YR.	.580000	1.760000	1.160000
ROSELLE FEMA 3383C	20	GELATIN PUD(R)	*	0-5 MO.	.200000	.270000	.400000
				6-11 MO.	1.280000	3.080000	2.560000
				12-23 MO.	1.380000	3.360000	2.760000
				2-65+ YR.	2.040000	5.250000	4.080000
ROSELLE FEMA 3383C	23	BEV TYPE I(R)	*	0-5 MO.	.240000	.360000	.480000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ROSELLE FEMA 3383C	23	BEV TYPE I(R)	*	6-11 MO.	2.270000	7.770000	4.540000
				12-23 MO.	5.420000	16.250000	10.840000
				2-65+ YR.	10.400000	27.770000	20.800000
ROSELLE FEMA 3383C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	6.500000
ROSELLE FEMA 3383C	99	ALL CATEGORIES	*	0-5 MO.	.900000	1.690000	1.800000
				6-11 MO.	7.260000	20.160000	14.520000
				12-23 MO.	14.040000	32.920000	28.080000
				2-65+ YR.	32.550000	70.770000	65.100000
ROSIN(COLOPHONY) FEMA 3384C	23	BEV TYPE II(R)	*	0-5 MO.	.144000	.216000	.312000
				6-11 MO.	1.362000	4.662000	2.951000
				12-23 MO.	3.252000	9.750000	7.046000
				2-65+ YR.	6.240000	16.662000	13.520000
ROSIN(COLOPHONY) FEMA 3384C	99	ALL CATEGORIES	*	0-5 MO.	.144000	.216000	.312000
				6-11 MO.	1.362000	4.662000	2.951000
				12-23 MO.	3.252000	9.750000	7.046000
				2-65+ YR.	6.240000	16.662000	13.520000
ST. JOHNSWORT FEMA 3385C	01	BAKED GOODS(R)	*	0-5 MO.	.680000	.900000	1.020000
				6-11 MO.	5.080000	10.360000	7.620000
				12-23 MO.	10.900000	17.960000	16.350000
				2-65+ YR.	27.440000	40.760000	41.160000
ST. JOHNSWORT FEMA 3385C	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.300000
				6-11 MO.	1.900000	5.280000	2.850000
				12-23 MO.	2.880000	6.760000	4.320000
				2-65+ YR.	5.120000	12.340000	7.680000
ST. JOHNSWORT FEMA 3385C	16	SOFT CANDY(R)	*	0-5 MO.	.040000	.400000	.060000
				6-11 MO.	.440000	1.360000	.660000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ST. JOHNSWORT FEMA 3385C	16	SOFT CANDY(R)	*	12-23 MO.	.700000	1.860000	1.050000
				2-65+ YR.	1.160000	3.520000	1.740000
ST. JOHNSWORT FEMA 3385C	20	GELATIN PUD(R)	*	0-5 MO.	.200000	.270000	.400000
				6-11 MO.	1.280000	3.880000	2.560000
				12-23 MO.	1.380000	3.360000	2.760000
				2-65+ YR.	2.040000	5.250000	4.080000
ST. JOHNSWORT FEMA 3385C	23	BEV TYPE I(R)	*	0-5 MO.	.480000	.720000	.720000
				6-11 MO.	4.540000	15.540000	6.810000
				12-23 MO.	10.840000	32.500000	16.260000
				2-65+ YR.	20.800000	55.540000	31.200000
ST. JOHNSWORT FEMA 3385C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.020000	**********
				12-23 MO.	**********	.040000	**********
				2-65+ YR.	6.500000	18.880000	13.000000
ST. JOHNSWORT FEMA 3385C	99	ALL CATEGORIES	*	0-5 MO.	1.600000	3.110000	2.500000
				6-11 MO.	13.240000	36.440000	20.500000
				12-23 MO.	26.700000	62.480000	40.740000
				2-65+ YR.	63.060000	136.290000	98.860000
SERPENTARIA FEMA 3389C	01	BAKED GOODS(R)	*	0-5 MO.	.170000	.225000	.340000
				6-11 MO.	1.270000	2.590000	2.540000
				12-23 MO.	2.725000	4.490000	5.450000
				2-65+ YR.	6.860000	10.190000	13.720000
SERPENTARIA FEMA 3389C	07	FROZN DAIRY(R)	*	0-5 MO.	.050000	.205000	.100000
				6-11 MO.	.475000	1.320000	.950000
				12-23 MO.	.720000	1.690000	1.440000
				2-65+ YR.	1.280000	3.085000	2.560000
SERPENTARIA FEMA 3389C	16	SOFT CANDY(R)	*	0-5 MO.	.010000	.100000	.020000
				6-11 MO.	.110000	.340000	.220000
				12-23 MO.	.175000	.465000	.350000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SERPENTARIA FEMA 3389C	16	SOFT CANDY(R)	*	2-65+ YR.	.290000	.880000	.580000
SERPENTARIA FEMA 3389C	20	GELATIN PUD(R)	*	0-5 MO.	.100000	.135000	.200000
				6-11 MO.	.640000	1.940000	1.280000
				12-23 MO.	.690000	1.680000	1.380000
				2-65+ YR.	1.020000	2.625000	2.040000
SERPENTARIA FEMA 3389C	23	BEV TYPE I(R)	*	0-5 MO.	.120000	.180000	.240000
				6-11 MO.	1.135000	3.885000	2.270000
				12-23 MO.	2.710000	8.125000	5.420000
				2-65+ YR.	5.200000	13.885000	10.400000
SERPENTARIA FEMA 3389C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	6.500000
SERPENTARIA FEMA 3389C	99	ALL CATEGORIES	*	0-5 MO.	.450000	.845000	.900000
				6-11 MO.	3.630000	10.085000	7.260000
				12-23 MO.	7.020000	16.470000	14.040000
				2-65+ YR.	17.900000	40.105000	35.800000
SIMARUBA, BARK FEMA 3390C	01	BAKED GOODS(R)	*	0-5 MO.	.170000	.225000	.340000
				6-11 MO.	1.270000	2.590000	2.540000
				12-23 MO.	2.725000	4.490000	5.450000
				2-65+ YR.	6.860000	10.190000	13.720000
SIMARUBA, BARK FEMA 3390C	07	FROZN DAIRY(R)	*	0-5 MO.	.050000	.205000	.100000
				6-11 MO.	.475000	1.320000	.950000
				12-23 MO.	.720000	1.690000	1.440000
				2-65+ YR.	1.280000	3.085000	2.560000
SIMARUBA, BARK FEMA 3390C	16	SOFT CANDY(R)	*	0-5 MO.	.010000	.100000	.020000
				6-11 MO.	.110000	.340000	.220000
				12-23 MO.	.175000	.465000	.350000
				2-65+ YR.	.290000	.880000	.580000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SIMARUBA, BARK FEMA 3390C	20	GELATIN PUD(R)	*	0-5 MO.	.100000	.135000	.200000
				6-11 MO.	.640000	1.940000	1.280000
				12-23 MO.	.690000	1.680000	1.380000
				2-65+ YR.	1.020000	2.625000	2.040000
SIMARUBA, BARK FEMA 3390C	23	BEV TYPE I(R)	*	0-5 MO.	.120000	.180000	.240000
				6-11 MO.	1.135000	3.885000	2.270000
				12-23 MO.	2.710000	8.125000	5.420000
				2-65+ YR.	5.200000	13.885000	10.400000
SIMARUBA, BARK FEMA 3390C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	6.500000
SIMARUBA, BARK FEMA 3390C	99	ALL CATEGORIES	*	0-5 MO.	.450000	.845000	.900000
				6-11 MO.	3.630000	10.085000	7.260000
				12-23 MO.	7.020000	16.470000	14.040000
				2-65+ YR.	17.900000	40.105000	35.800000
TANSY FEMA 3396C	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
TANSY FEMA 3396C	99	ALL CATEGORIES	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
VERONICA FEMA 3404C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000076	**********
				12-23 MO.	**********	.000153	**********
				2-65+ YR.	.024798	.072027	.040625
VERONICA FEMA 3404C	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VERONICA FEMA 3404C	99	ALL CATEGORIES	*	6-11 MO.	**********	.000076	**********
				12-23 MO.	**********	.000153	**********
				2-65+ YR.	.024798	.072027	.040625
VERVAIN, EUROPEAN FEMA 3405C	16	SOFT CANDY(R)	*	0-5 MO.	.000100	.001000	.000200
				6-11 MO.	.001100	.003400	.002200
				12-23 MO.	.001750	.004650	.003500
				2-65+ YR.	.002900	.008800	.005800
VERVAIN, EUROPEAN FEMA 3405C	23	BEV TYPE I(R)	*	0-5 MO.	.001200	.001800	.002400
				6-11 MO.	.011350	.038850	.022700
				12-23 MO.	.027100	.081250	.054200
				2-65+ YR.	.052000	.138850	.104000
VERVAIN, EUROPEAN FEMA 3405C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
VERVAIN, EUROPEAN FEMA 3405C	99	ALL CATEGORIES	*	0-5 MO.	.001300	.002800	.002600
				6-11 MO.	.012450	.042300	.024900
				12-23 MO.	.028850	.086000	.057700
				2-65+ YR.	.071150	.194850	.142300
VETIVER FEMA 3406C	01	BAKED GOODS(R)	*	0-5 MO.	.015211	.020132	.030421
				6-11 MO.	.113632	.231737	.227263
				12-23 MO.	.243816	.401737	.487632
				2-65+ YR.	.613789	.911737	1.227579
VETIVER FEMA 3406C	07	FROZN DAIRY(R)	*	0-5 MO.	.003962	.016246	.007916
				6-11 MO.	.037643	.104608	.075201
				12-23 MO.	.057059	.133931	.113989
				2-65+ YR.	.101439	.244483	.202648
VETIVER FEMA 3406C	16	SOFT CANDY(R)	*	0-5 MO.	.001560	.015605	.002360
				6-11 MO.	.017165	.053056	.025965

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VETIVER FEMA 3406C	16	SOFT CANDY(R)	*	12-23 MO.	.027308	.072562	.041308
				2-65+ YR.	.045253	.137321	.068453
VETIVER FEMA 3406C	20	GELATIN PUD(R)	*	0-5 MO.	.008947	.012079	.017895
				6-11 MO.	.057263	.173579	.114526
				12-23 MO.	.061737	.150316	.123474
				2-65+ YR.	.091263	.234868	.182526
VETIVER FEMA 3406C	23	BEV TYPE I(R)	*	0-5 MO.	.009377	.014065	.019116
				6-11 MO.	.088688	.303572	.180808
				12-23 MO.	.211758	.634884	.431709
				2-65+ YR.	.406326	1.084968	.828372
VETIVER FEMA 3406C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000875	**********
				12-23 MO.	**********	.001750	**********
				2-65+ YR.	.284375	.826000	.573026
VETIVER FEMA 3406C	99	ALL CATEGORIES	4	0-5 MO.	.039058	.078126	.077708
				6-11 MO.	.314391	.867427	.623764
				12-23 MO.	.601678	1.395179	1.198112
				2-65+ YR.	1.542445	3.439376	3.082605
VIOLET, SWISS FEMA 3407C	01	BAKED GOODS(R)	*	0-5 MO.	.680000	.900000	1.020000
				6-11 MO.	5.080000	10.360000	7.620000
				12-23 MO.	10.900000	17.960000	16.350000
				2-65+ YR.	27.440000	40.760000	41.160000
VIOLET, SWISS FEMA 3407C	07	FROZN DAIRY(R)	*	0-5 MO.	.100000	.410000	.200000
				6-11 MO.	.950000	2.640000	1.900000
				12-23 MO.	1.440000	3.380000	2.880000
				2-65+ YR.	2.560000	6.170000	5.120000
VIOLET, SWISS FEMA 3407C	16	SOFT CANDY(R)	*	0-5 MO.	.020000	.200000	.040000
				6-11 MO.	.220000	.680000	.440000
				12-23 MO.	.350000	.930000	.700000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VIOLET, SWISS FEMA 3407C	16	SOFT CANDY(R)	*	2-65+ YR.	.580000	1.760000	1.160000
VIOLET, SWISS FEMA 3407C	20	GELATIN PUD(R)	*	0-5 MO.	.200000	.270000	.400000
				6-11 MO.	1.280000	3.880000	2.560000
				12-23 MO.	1.380000	3.360000	2.760000
				2-65+ YR.	2.040000	5.250000	4.080000
VIOLET, SWISS FEMA 3407C	23	BEV TYPE I(R)	*	0-5 MO.	.240000	.360000	.480000
				6-11 MO.	2.270000	7.770000	4.540000
				12-23 MO.	5.420000	16.250000	10.840000
				2-65+ YR.	10.400000	27.770000	20.800000
VIOLET, SWISS FEMA 3407C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	6.500000
VIOLET, SWISS FEMA 3407C	99	ALL CATEGORIES	*	0-5 MO.	1.240000	2.140000	2.140000
				6-11 MO.	9.800000	25.340000	17.060000
				12-23 MO.	19.490000	41.900000	33.530000
				2-65+ YR.	46.270000	91.150000	78.820000
WOODRUFF, SWEET FEMA 3408C	01	BAKED GOODS(R)	*	0-5 MO.	1.020000	1.350000	1.360000
				6-11 MO.	7.620000	15.540000	10.160000
				12-23 MO.	16.350000	26.940000	21.800000
				2-65+ YR.	41.160000	61.140000	54.880000
WOODRUFF, SWEET FEMA 3408C	07	FROZN DAIRY(R)	*	0-5 MO.	.100000	.410000	.200000
				6-11 MO.	.950000	2.640000	1.900000
				12-23 MO.	1.440000	3.380000	2.880000
				2-65+ YR.	2.560000	6.170000	5.120000
WOODRUFF, SWEET FEMA 3408C	16	SOFT CANDY(R)	*	0-5 MO.	.040000	.400000	.060000
				6-11 MO.	.440000	1.360000	.660000
				12-23 MO.	.700000	1.860000	1.050000
				2-65+ YR.	1.160000	3.520000	1.740000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
WOODRUFF, SWEET FEMA 3408C	20	GELATIN PUD(R)	*	0-5 MO.	.200000	.270000	.400000
				6-11 MO.	1.280000	3.880000	2.560000
				12-23 MO.	1.380000	3.360000	2.760000
				2-65+ YR.	2.040000	5.250000	4.080000
WOODRUFF, SWEET FEMA 3408C	23	BEV TYPE I(R)	*	0-5 MO.	.240000	.360000	.480000
				6-11 MO.	2.270000	7.770000	4.540000
				12-23 MO.	5.420000	16.250000	10.840000
				2-65+ YR.	10.400000	27.770000	20.800000
WOODRUFF, SWEET FEMA 3408C	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	6.500000
WOODRUFF, SWEET FEMA 3408C	99	ALL CATEGORIES	*	0-5 MO.	1.600000	2.790000	2.500000
				6-11 MO.	12.560000	31.200000	19.820000
				12-23 MO.	25.290000	51.810000	39.330000
				2-65+ YR.	60.570000	113.290000	93.120000
ACETAL FEMA 2002D	01	BAKED GOODS(R)	9	0-5 MO.	.221678	.293398	.304993
				6-11 MO.	1.656066	3.377332	2.278476
				12-23 MO.	3.553371	5.854912	4.888855
				2-65+ YR.	8.945366	13.287650	12.307356
ACETAL FEMA 2002D	04	FATS OILS(R)	*	0-5 MO.	.000900	.000900	.001250
				6-11 MO.	.005040	.013500	.007000
				12-23 MO.	.011340	.021600	.015750
				2-65+ YR.	.031500	.056880	.043750
ACETAL FEMA 2002D	07	FROZN DAIRY(R)	10	0-5 MO.	.035661	.146210	.072703
				6-11 MO.	.338780	.941451	.690679
				12-23 MO.	.513519	1.205343	1.046924
				2-65+ YR.	.912922	2.200285	1.861198
ACETAL FEMA 2002D	16	SOFT CANDY(R)	9	0-5 MO.	.006538	.065382	.011186

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ACETAL FEMA 2002D	16	SOFT CANDY(R)	9	6-11 MO.	.071920	.222298	.123043
				12-23 MO.	.114418	.304025	.195750
				2-65+ YR.	.189607	.575359	.324385
ACETAL FEMA 2002D	20	GELATIN PUD(R)	5	0-5 MO.	.072774	.098245	.133551
				6-11 MO.	.465752	1.411810	.854729
				12-23 MO.	.502139	1.222599	.921505
				2-65+ YR.	.742292	1.910310	1.362224
ACETAL FEMA 2002D	23	BEV TYPE I(R)	9	0-5 MO.	.012994	.019492	.025311
				6-11 MO.	.122906	.420694	.239404
				12-23 MO.	.293457	.879831	.571616
				2-65+ YR.	.563092	1.503563	1.096827
ACETAL FEMA 2002D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.433333
ACETAL FEMA 2002D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000420	.001260	.000420
				12-23 MO.	.001260	.003780	.001260
				2-65+ YR.	.002520	.007140	.002520
ACETAL FEMA 2002D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.015472	.015472	.015472
				12-23 MO.	.015472	.046416	.015472
				2-65+ YR.	.030944	.061888	.030944
ACETAL FEMA 2002D	99	ALL CATEGORIES	18	0-5 MO.	.350546	.623626	.548994
				6-11 MO.	2.676355	6.404318	4.209222
				12-23 MO.	5.004975	9.539504	7.657131
				2-65+ YR.	11.580743	20.075076	17.462538
ACETALDEHYDE PHENETHYL PR FEMA 2004B	01	BAKED GOODS(R)	*	0-5 MO.	.026350	.034875	.051000
				6-11 MO.	.196850	.401450	.381000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ACETALDEHYDE PHENETHYL PR FEMA 20040	01	BAKED GOODS(R)	*	12-23 MO.	.422375	.695950	.817500
				2-65+ YR.	1.063300	1.579450	2.058000
ACETALDEHYDE PHENETHYL PR FEMA 20040	07	FROZN DAIRY(R)	*	0-5 MO.	.008667	.035533	.020000
				6-11 MO.	.082333	.228800	.190000
				12-23 MO.	.124800	.292933	.288000
				2-65+ YR.	.221867	.534733	.512000
ACETALDEHYDE PHENETHYL PR FEMA 20040	14	PROCSD VEGS(R)	*	0-5 MO.	.021000	.063000	.028000
				6-11 MO.	.360000	.840000	.480000
				12-23 MO.	.585000	.979500	.780000
				2-65+ YR.	1.275000	2.148000	1.700000
ACETALDEHYDE PHENETHYL PR FEMA 20040	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.002200
				6-11 MO.	.015400	.047600	.024200
				12-23 MO.	.024500	.065100	.038500
				2-65+ YR.	.040600	.123200	.063800
ACETALDEHYDE PHENETHYL PR FEMA 20040	20	GELATIN PUD(R)	*	0-5 MO.	.015333	.020700	.026000
				6-11 MO.	.098133	.297467	.166400
				12-23 MO.	.105800	.257600	.179400
				2-65+ YR.	.156400	.402500	.265200
ACETALDEHYDE PHENETHYL PR FEMA 20040	23	BEV TYPE I(R)	*	0-5 MO.	.006400	.009600	.015200
				6-11 MO.	.060533	.207200	.143767
				12-23 MO.	.144533	.433333	.343267
				2-65+ YR.	.277333	.740533	.658667
ACETALDEHYDE PHENETHYL PR FEMA 20040	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.227500
ACETALDEHYDE PHENETHYL PR FEMA 20040	27	GRAVIES(R)	*	0-5 MO.	.000050	.000150	.000200
				6-11 MO.	.000700	.001950	.002800
				12-23 MO.	.001800	.005100	.007200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ACETALDEHYDE PHENETHYL PR FEMA 2004D	27	GRAVIES(R)	*	2-65+ YR.	.004150	.010650	.016600
ACETALDEHYDE PHENETHYL PR FEMA 2004D	99	ALL CATEGORIES	4	0-5 MO.	.079200	.177858	.142600
				6-11 MO.	.813950	2.024767	1.388167
				12-23 MO.	1.408808	2.730117	2.453867
				2-65+ YR.	3.136150	5.822267	5.501767
ACETANISOLE FEMA 2005D	01	BAKED GOODS(R)	7	0-5 MO.	.029577	.039146	.054429
				6-11 MO.	.220958	.450616	.406615
				12-23 MO.	.474104	.781184	.872462
				2-65+ YR.	1.193524	1.772887	2.196363
ACETANISOLE FEMA 2005D	07	FROZN DAIRY(R)	6	0-5 MO.	.005676	.023271	.014773
				6-11 MO.	.053921	.149844	.140345
				12-23 MO.	.081733	.191846	.212733
				2-65+ YR.	.145304	.350205	.378193
ACETANISOLE FEMA 2005D	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	**********
				6-11 MO.	2.070000	5.580000	**********
				12-23 MO.	3.020000	5.190000	**********
				2-65+ YR.	7.840000	13.010000	**********
ACETANISOLE FEMA 2005D	16	SOFT CANDY(R)	9	0-5 MO.	.002707	.027071	.003333
				6-11 MO.	.029779	.092043	.036665
				12-23 MO.	.047375	.125882	.058331
				2-65+ YR.	.078507	.238229	.096663
ACETANISOLE FEMA 2005D	20	GELATIN PUD(R)	6	0-5 MO.	.011817	.015952	.025134
				6-11 MO.	.075626	.229241	.160856
				12-23 MO.	.081534	.198518	.173423
				2-65+ YR.	.120529	.310185	.256364
ACETANISOLE FEMA 2005D	23	BEV TYPE I(R)	9	0-5 MO.	.007930	.011894	.015139
				6-11 MO.	.075001	.256721	.143192
				12-23 MO.	.179077	.536900	.341894
				2-65+ YR.	.343616	.917521	.656032

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ACETANISOLE FEMA 2005D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000480	**********
				2-65+ YR.	.065000	.188800	.162500
ACETANISOLE FEMA 2005D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.027838	.083514	.033500
				12-23 MO.	.083514	.250542	.100500
				2-65+ YR.	.167028	.473246	.201000
ACETANISOLE FEMA 2005D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.010040	.010040	.106025
				12-23 MO.	.010040	.030120	.106025
				2-65+ YR.	.020080	.040160	.212050
ACETANISOLE FEMA 2005D	99	ALL CATEGORIES	17	0-5 MO.	.167706	.407336	.112808
				6-11 MO.	2.563163	6.852219	1.027198
				12-23 MO.	3.977377	7.305393	1.865368
				2-65+ YR.	9.973588	17.301232	4.159165
ACETOPHENONE FEMA 2009D	01	BAKED GOODS(R)	12	0-5 MO.	.108246	.143266	.135539
				6-11 MO.	.808659	1.649155	1.012559
				12-23 MO.	1.735114	2.858959	2.172616
				2-65+ YR.	4.368031	6.488373	5.469411
ACETOPHENONE FEMA 2009D	07	FROZN DAIRY(R)	11	0-5 MO.	.010569	.043334	.014449
				6-11 MO.	.100409	.279031	.137269
				12-23 MO.	.152199	.357244	.208070
				2-65+ YR.	.270575	.652129	.369903
ACETOPHENONE FEMA 2009D	16	SOFT CANDY(R)	12	0-5 MO.	.004159	.041588	.005650
				6-11 MO.	.045747	.141400	.062154
				12-23 MO.	.072780	.193386	.098881
				2-65+ YR.	.120606	.365977	.163859
ACETOPHENONE FEMA 2009D	20	GELATIN PUD(R)	8	0-5 MO.	.035860	.048410	.049000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ACETOPHENONE FEMA 2009D	20	GELATIN PUD(R)	8	6-11 MO.	.229501	.695675	.313599
				12-23 MO.	.247431	.602440	.338099
				2-65+ YR.	.365767	.941312	.499799
ACETOPHENONE FEMA 2009D	23	BEV TYPE I(R)	14	0-5 MO.	.009310	.013966	.014223
				6-11 MO.	.088061	.301426	.134528
				12-23 MO.	.210261	.630396	.321207
				2-65+ YR.	.403453	1.077298	.616339
ACETOPHENONE FEMA 2009D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
ACETOPHENONE FEMA 2009D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001312	.001312	.004507
				12-23 MO.	.001312	.003936	.004507
				2-65+ YR.	.002624	.005248	.009014
ACETOPHENONE FEMA 2009D	99	ALL CATEGORIES	20	0-5 MO.	.168144	.290565	.218862
				6-11 MO.	1.273669	3.068009	1.664615
				12-23 MO.	2.419097	4.646381	3.143380
				2-65+ YR.	5.534307	9.539777	7.160825
ALLYL ANTHRANILATE FEMA 2020D	01	BAKED GOODS(R)	*	0-5 MO.	.002550	.003375	.005100
				6-11 MO.	.019050	.038850	.038100
				12-23 MO.	.040875	.067350	.081750
				2-65+ YR.	.102900	.152850	.205800
ALLYL ANTHRANILATE FEMA 20200	07	FROZN DAIRY(R)	*	0-5 MO.	.000300	.001230	.001000
				6-11 MO.	.002850	.007920	.009500
				12-23 MO.	.004320	.010140	.014400
				2-65+ YR.	.007680	.018510	.025600
ALLYL ANTHRANILATE FEMA 20200	16	SOFT CANDY(R)	4	0-5 MO.	.000181	.001813	.000408
				6-11 MO.	.001994	.006163	.004483

TABLE 13, PART 6 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL ANTHRANILATE FEMA 2020D	16	SOFT CANDY(R)	4	12-23 MO.	.003172	.008428	.007131
				2-65+ YR.	.005256	.015950	.011818
ALLYL ANTHRANILATE FEMA 2020D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.004000
				6-11 MO.	.025600	.077600	.025600
				12-23 MO.	.027600	.067200	.027600
				2-65+ YR.	.040800	.105000	.040800
ALLYL ANTHRANILATE FEMA 2020D	23	BEV TYPE I(R)	5	0-5 MO.	.002107	.003160	.003947
				6-11 MO.	.019926	.068203	.037329
				12-23 MO.	.047576	.142639	.089129
				2-65+ YR.	.091289	.243759	.171022
ALLYL ANTHRANILATE FEMA 2020D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000125	**********
				12-23 MO.	**********	.000250	**********
				2-65+ YR.	.040625	.118000	.061250
ALLYL ANTHRANILATE FEMA 2020D	99	ALL CATEGORIES	6	0-5 MO.	.009138	.014978	.014454
				6-11 MO.	.069419	.198861	.115011
				12-23 MO.	.123542	.296007	.220010
				2-65+ YR.	.288550	.654069	.536290
ALLYL BUTYRATE FEMA 2021D	01	BAKED GOODS(R)	4	0-5 MO.	.006919	.009158	.015470
				6-11 MO.	.051689	.105413	.115570
				12-23 MO.	.110908	.182743	.247975
				2-65+ YR.	.279202	.414733	.624260
ALLYL BUTYRATE FEMA 2021D	07	FROZN DAIRY(R)	*	0-5 MO.	.001150	.004715	.002280
				6-11 MO.	.010925	.030360	.021660
				12-23 MO.	.016560	.038870	.032832
				2-65+ YR.	.029440	.070955	.058368
ALLYL BUTYRATE FEMA 2021D	16	SOFT CANDY(R)	4	0-5 MO.	.000368	.003683	.000712
				6-11 MO.	.004052	.012523	.007828
				12-23 MO.	.006446	.017128	.012454

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL BUTYRATE FEMA 2021D	16	SOFT CANDY(R)	4	2-65+ YR.	.010682	.032413	.020638
ALLYL BUTYRATE FEMA 2021D	20	GELATIN PUD(R)	*	0-5 MO.	.001840	.002484	.003400
				6-11 MO.	.011776	.035696	.021760
				12-23 MO.	.012696	.030912	.023460
				2-65+ YR.	.018768	.048300	.034680
ALLYL BUTYRATE FEMA 2021D	23	BEV TYPE I(R)	4	0-5 MO.	.001560	.002340	.003520
				6-11 MO.	.014755	.050505	.033293
				12-23 MO.	.035230	.105625	.079493
				2-65+ YR.	.067600	.180505	.152533
ALLYL BUTYRATE FEMA 2021D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000067	**********
				12-23 MO.	**********	.000133	**********
				2-65+ YR.	.021667	.062933	.043333
ALLYL BUTYRATE FEMA 2021D	99	ALL CATEGORIES	4	0-5 MO.	.011837	.022380	.025362
				6-11 MO.	.093197	.234564	.200112
				12-23 MO.	.181839	.375411	.396215
				2-65+ YR.	.427358	.809840	.933813
ALLYL CINNAMATE FEMA 2022D	01	BAKED GOODS(R)	5	0-5 MO.	.026118	.034568	.034278
				6-11 MO.	.195118	.397918	.256078
				12-23 MO.	.418659	.689827	.549459
				2-65+ YR.	1.053945	1.565555	1.383225
ALLYL CINNAMATE FEMA 2022D	07	FROZN DAIRY(R)	4	0-5 MO.	.002650	.010865	.004650
				6-11 MO.	.025175	.069960	.044175
				12-23 MO.	.038160	.089570	.066960
				2-65+ YR.	.067840	.163505	.119040
ALLYL CINNAMATE FEMA 2022D	16	SOFT CANDY(R)	6	0-5 MO.	.000877	.008767	.001455
				6-11 MO.	.009643	.029807	.016000
				12-23 MO.	.015342	.040765	.025455
				2-65+ YR.	.025423	.077147	.042182

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL CINNAMATE FEMA 20220	20	GELATIN PUD(R)	5	0-5 MO.	.004564	.006161	.007655
				6-11 MO.	.029207	.088535	.048989
				12-23 MO.	.031489	.076669	.052816
				2-65+ YR.	.046549	.119795	.078076
ALLYL CINNAMATE FEMA 20220	23	BEV TYPE I(R)	6	0-5 MO.	.002211	.003317	.004338
				6-11 MO.	.020916	.071595	.041035
				12-23 MO.	.049941	.149732	.097977
				2-65+ YR.	.095829	.255881	.188000
ALLYL CINNAMATE FEMA 20220	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.065000
ALLYL CINNAMATE FEMA 20220	99	ALL CATEGORIES	7	0-5 MO.	.036420	.063678	.052376
				6-11 MO.	.280060	.657864	.406277
				12-23 MO.	.553591	1.046664	.792667
				2-65+ YR.	1.305836	2.229082	1.875524
ALLYL CYCLOHEXANEACETATE FEMA 20230	01	BAKED GOODS(R)	5	0-5 MO.	.142014	.187959	.195755
				6-11 MO.	1.060927	2.163623	1.462408
				12-23 MO.	2.276398	3.750836	3.137843
				2-65+ YR.	5.730676	8.512476	7.899304
ALLYL CYCLOHEXANEACETATE FEMA 20230	07	FROZN DAIRY(R)	4	0-5 MO.	.007637	.031312	.016143
				6-11 MO.	.072552	.201619	.153360
				12-23 MO.	.109974	.258134	.232461
				2-65+ YR.	.195510	.471209	.413265
ALLYL CYCLOHEXANEACETATE FEMA 20230	16	SOFT CANDY(R)	5	0-5 MO.	.006138	.061375	.007454
				6-11 MO.	.067513	.208677	.081991
				12-23 MO.	.107407	.285396	.130441
				2-65+ YR.	.177989	.540104	.216159
ALLYL CYCLOHEXANEACETATE FEMA 20230	20	GELATIN PUD(R)	4	0-5 MO.	.022831	.030821	.034347

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL CYCLOHEXANEACETATE FEMA 2023D	20	GELATIN PUD(R)	4	6-11 MO.	.146116	.442915	.219819
				12-23 MO.	.157531	.383555	.236993
				2-65+ YR.	.232873	.599304	.350337
ALLYL CYCLOHEXANEACETATE FEMA 2023D	23	BEV TYPE I(R)	5	0-5 MO.	.011255	.016883	.018209
				6-11 MO.	.106457	.364391	.172224
				12-23 MO.	.254183	.762080	.411213
				2-65+ YR.	.487731	1.302336	.789044
ALLYL CYCLOHEXANEACETATE FEMA 2023D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
ALLYL CYCLOHEXANEACETATE FEMA 2023D	99	ALL CATEGORIES	5	0-5 MO.	.189874	.328351	.271908
				6-11 MO.	1.453565	3.381325	2.089802
				12-23 MO.	2.905494	5.440201	4.148951
				2-65+ YR.	6.857278	11.519830	9.733108
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	01	BAKED GOODS(R)	5	0-5 MO.	.050514	.066857	.107829
				6-11 MO.	.377371	.769600	.805543
				12-23 MO.	.809714	1.334171	1.728429
				2-65+ YR.	2.038400	3.027886	4.351200
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	07	FROZN DAIRY(R)	5	0-5 MO.	.011429	.046857	.031057
				6-11 MO.	.108571	.301714	.295043
				12-23 MO.	.164571	.386286	.447223
				2-65+ YR.	.292571	.705143	.795063
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	16	SOFT CANDY(R)	5	0-5 MO.	.002614	.026143	.005686
				6-11 MO.	.028757	.088886	.062543
				12-23 MO.	.045750	.121564	.099500
				2-65+ YR.	.075814	.230057	.164886
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	20	GELATIN PUD(R)	4	0-5 MO.	.021000	.028350	.056667
				6-11 MO.	.134400	.407400	.362667

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	20	GELATIN PUD(R)	4	12-23 MO.	.144900	.352800	.391000
				2-65+ YR.	.214200	.551250	.578000
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	23	BEV TYPE I(R)	5	0-5 MO.	.017674	.026511	.020571
				6-11 MO.	.167169	.572205	.194571
				12-23 MO.	.399144	1.196696	.464571
				2-65+ YR.	.765886	2.045062	.891429
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
ALLYL CYCLOHEXANEBUTYRATE FEMA 2024D	99	ALL CATEGORIES	5	0-5 MO.	.103231	.194719	.221810
				6-11 MO.	.816269	2.139905	1.720367
				12-23 MO.	1.564080	3.391718	3.130723
				2-65+ YR.	3.419371	6.653798	6.845577
ALLYL CYCLOHEXANEHEXANOAT FEMA 2025D	01	BAKED GOODS(R)	4	0-5 MO.	.044625	.059063	.060775
				6-11 MO.	.333375	.679875	.454025
				12-23 MO.	.715313	1.178625	.974188
				2-65+ YR.	1.800750	2.674875	2.452450
ALLYL CYCLOHEXANEHEXANOAT FEMA 2025D	07	FROZN DAIRY(R)	4	0-5 MO.	.002938	.012044	.008813
				6-11 MO.	.027906	.077550	.083719
				12-23 MO.	.042300	.099288	.126900
				2-65+ YR.	.075200	.181244	.225600
ALLYL CYCLOHEXANEHEXANOAT FEMA 2025D	16	SOFT CANDY(R)	4	0-5 MO.	.002075	.020750	.002988
				6-11 MO.	.022825	.070550	.032863
				12-23 MO.	.036313	.096488	.052281
				2-65+ YR.	.060175	.182600	.086638
ALLYL CYCLOHEXANEHEXANOAT FEMA 2025D	20	GELATIN PUD(R)	*	0-5 MO.	.013000	.017550	.021600
				6-11 MO.	.083200	.252200	.138240
				12-23 MO.	.089700	.218400	.149040

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL CYCLOHEXANEHEXANOAT FEMA 20250	20	GELATIN PUD(R)	*	2-65+ YR.	.132600	.341250	.220320
ALLYL CYCLOHEXANEHEXANOAT FEMA 20250	23	BEV TYPE I(R)	4	0-5 MO.	.004200	.006300	.007500
				6-11 MO.	.039725	.135975	.070938
				12-23 MO.	.094850	.284375	.169375
				2-65+ YR.	.182000	.485975	.325000
ALLYL CYCLOHEXANEHEXANOAT FEMA 20250	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
ALLYL CYCLOHEXANEHEXANOAT FEMA 20250	99	ALL CATEGORIES	4	0-5 MO.	.066838	.115706	.101675
				6-11 MO.	.507031	1.216350	.779784
				12-23 MO.	.978475	1.877575	1.471784
				2-65+ YR.	2.315725	4.054744	3.440008
ALLYL CYCLOHEXANEPROPIONA FEMA 20260	01	BAKED GOODS(R)	16	0-5 MO.	.177734	.235237	.241916
				6-11 MO.	1.327780	2.707835	1.807255
				12-23 MO.	2.848977	4.694278	3.877771
				2-65+ YR.	7.172104	10.653606	9.762022
ALLYL CYCLOHEXANEPROPIONA FEMA 20260	05	MILK PRODS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	**********	**********
				12-23 MO.	**********	**********	**********
				2-65+ YR.	**********	**********	**********
ALLYL CYCLOHEXANEPROPIONA FEMA 20260	07	FROZN DAIRY(R)	12	0-5 MO.	.020115	.082470	.028746
				6-11 MO.	.191088	.531023	.273084
				12-23 MO.	.289649	.679871	.413937
				2-65+ YR.	.514932	1.241066	.735888
ALLYL CYCLOHEXANEPROPIONA FEMA 20260	16	SOFT CANDY(R)	17	0-5 MO.	.008994	.089942	.011560
				6-11 MO.	.098937	.305804	.127161
				12-23 MO.	.157399	.418232	.202302
				2-65+ YR.	.260833	.791493	.335243

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL CYCLOHEXANEPROPIONA							
FEMA 2026D	20	GELATIN PUD(R)	13	0-5 MO.	.042717	.057668	.059617
				6-11 MO.	.273388	.828708	.381548
				12-23 MO.	.294747	.717644	.411356
				2-65+ YR.	.435712	1.121318	.608091
ALLYL CYCLOHEXANEPROPIONA							
FEMA 2026D	23	BEV TYPE I(R)	25	0-5 MO.	.017284	.025927	.033108
				6-11 MO.	.163482	.559583	.313150
				12-23 MO.	.390340	1.170299	.747698
				2-65+ YR.	.748991	1.999951	1.434698
ALLYL CYCLOHEXANEPROPIONA							
FEMA 2026D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000233	**********
				12-23 MO.	**********	.000467	**********
				2-65+ YR.	.075833	.220267	.173333
ALLYL CYCLOHEXANEPROPIONA							
FEMA 2026D	27	GRAVIES(R)	*	0-5 MO.	.000100	.000300	.000200
				6-11 MO.	.001400	.003900	.002800
				12-23 MO.	.003600	.010200	.007200
				2-65+ YR.	.008300	.021300	.016600
ALLYL CYCLOHEXANEPROPIONA							
FEMA 2026D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000741	.002223	.001000
				12-23 MO.	.002223	.006669	.003000
				2-65+ YR.	.004446	.012597	.006000
ALLYL CYCLOHEXANEPROPIONA							
FEMA 2026D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000956	.000956	.001721
				12-23 MO.	.000956	.002868	.001721
				2-65+ YR.	.001912	.003824	.003442
ALLYL CYCLOHEXANEPROPIONA							
FEMA 2026D	99	ALL CATEGORIES	35	0-5 MO.	.266944	.491543	.375147
				6-11 MO.	2.057771	4.940265	2.907719
				12-23 MO.	3.987690	7.700527	5.664986
				2-65+ YR.	9.223063	16.065421	13.075319
ALLYL CYCLOHEXANEVALERATE							
FEMA 2027D	01	BAKED GOODS(R)	4	0-5 MO.	.038250	.050625	.058367

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL CYCLOHEXANEVALERATE FEMA 2027D	01	BAKED GOODS(R)	4	6-11 MO.	.285750	.582750	.436033
				12-23 MO.	.613125	1.010250	.935583
				2-65+ YR.	1.543500	2.292750	2.355267
ALLYL CYCLOHEXANEVALERATE FEMA 2027D	07	FROZN DAIRY(R)	4	0-5 MO.	.003417	.014008	.006917
				6-11 MO.	.032458	.090200	.065708
				12-23 MO.	.049200	.115483	.099600
				2-65+ YR.	.087467	.210808	.177067
ALLYL CYCLOHEXANEVALERATE FEMA 2027D	16	SOFT CANDY(R)	5	0-5 MO.	.001543	.015429	.002329
				6-11 MO.	.016971	.052457	.025614
				12-23 MO.	.027000	.071743	.040750
				2-65+ YR.	.044743	.135771	.067529
ALLYL CYCLOHEXANEVALERATE FEMA 2027D	20	GELATIN PUD(R)	4	0-5 MO.	.009867	.013320	.016633
				6-11 MO.	.063147	.191413	.106453
				12-23 MO.	.068080	.165760	.114770
				2-65+ YR.	.100640	.259000	.169660
ALLYL CYCLOHEXANEVALERATE FEMA 2027D	23	BEV TYPE I(R)	5	0-5 MO.	.003669	.005503	.006309
				6-11 MO.	.034699	.118770	.059669
				12-23 MO.	.082849	.248393	.142469
				2-65+ YR.	.158971	.424484	.273371
ALLYL CYCLOHEXANEVALERATE FEMA 2027D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188600	.130000
ALLYL CYCLOHEXANEVALERATE FEMA 2027D	99	ALL CATEGORIES	5	0-5 MO.	.056745	.098885	.090554
				6-11 MO.	.433025	1.035790	.693478
				12-23 MO.	.840254	1.612029	1.333172
				2-65+ YR.	2.000321	3.511614	3.172893
DIALLYL DISULFIDE FEMA 2028D	01	BAKED GOODS(R)	*	0-5 MO.	.030894	.040889	.044737
				6-11 MO.	.230795	.470677	.334211

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIALLYL DISULFIDE FEMA 2028D	01	BAKED GOODS(R)	*	12-23 MO.	.495210	.815961	.717105
				2-65+ YR.	1.246657	1.851812	1.805263
DIALLYL DISULFIDE FEMA 2028D	07	FROZN DAIRY(R)	*	0-5 MO.	.000100	.000410	.001000
				6-11 MO.	.000950	.002640	.009500
				12-23 MO.	.001440	.003380	.014400
				2-65+ YR.	.002560	.006170	.025600
DIALLYL DISULFIDE FEMA 2028D	10	MEAT PRODS(R)	10	0-5 MO.	.010338	.027256	.014408
				6-11 MO.	.194549	.524436	.271123
				12-23 MO.	.283835	.487782	.395552
				2-65+ YR.	.736842	1.222744	1.026863
DIALLYL DISULFIDE FEMA 2028D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001382	**********
				6-11 MO.	.011053	.030395	.012168
				12-23 MO.	.038684	.105000	.042589
				2-65+ YR.	.121579	.292895	.133853
DIALLYL DISULFIDE FEMA 2028D	16	SOFT CANDY(R)	*	0-5 MO.	.000100	.001000	.000200
				6-11 MO.	.001100	.003400	.002200
				12-23 MO.	.001750	.004650	.003500
				2-65+ YR.	.002900	.008800	.005800
DIALLYL DISULFIDE FEMA 2028D	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.002000
				6-11 MO.	.006400	.019400	.012800
				12-23 MO.	.006900	.016800	.013800
				2-65+ YR.	.010200	.026250	.020400
DIALLYL DISULFIDE FEMA 2028D	21	SOUPS(R)	*	0-5 MO.	.000200	.001500	.002000
				6-11 MO.	.023300	.072700	.233000
				12-23 MO.	.034800	.096100	.348000
				2-65+ YR.	.031700	.084500	.317000
DIALLYL DISULFIDE FEMA 2028D	23	BEV TYPE I(R)	*	0-5 MO.	.000168	.000252	.001632
				6-11 MO.	.001589	.005439	.015436
				12-23 MO.	.003794	.011375	.036856

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIALLYL DISULFIDE FEMA 2028D	23	BEV TYPE I(R)	*	2-65+ YR.	.007280	.019439	.070720
DIALLYL DISULFIDE FEMA 2028D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
DIALLYL DISULFIDE FEMA 2028D	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000650
				6-11 MO.	.002800	.007800	.009100
				12-23 MO.	.007200	.020400	.023400
				2-65+ YR.	.016600	.042600	.053950
DIALLYL DISULFIDE FEMA 2028D	99	ALL CATEGORIES	14	0-5 MO.	.043000	.074638	.066626
				6-11 MO.	.472536	1.136896	.899538
				12-23 MO.	.873613	1.561467	1.595203
				2-65+ YR.	2.179568	3.564650	3.491949
ALLYL 2-ETHYLBUTYRATE FEMA 2029D	01	BAKED GOODS(R)	*	0-5 MO.	.010200	.013500	.018700
				6-11 MO.	.076200	.155400	.139700
				12-23 MO.	.163500	.269400	.299750
				2-65+ YR.	.411600	.611400	.754600
ALLYL 2-ETHYLBUTYRATE FEMA 2029D	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.003000
				6-11 MO.	.014250	.039600	.028500
				12-23 MO.	.021600	.050700	.043200
				2-65+ YR.	.038400	.092550	.076800
ALLYL 2-ETHYLBUTYRATE FEMA 2029D	16	SOFT CANDY(R)	4	0-5 MO.	.000455	.004550	.000850
				6-11 MO.	.005005	.015470	.009350
				12-23 MO.	.007963	.021158	.014875
				2-65+ YR.	.013195	.040040	.024650
ALLYL 2-ETHYLBUTYRATE FEMA 2029D	20	GELATIN PUD(R)	*	0-5 MO.	.003200	.004320	.005600
				6-11 MO.	.020480	.062080	.035840
				12-23 MO.	.022080	.053760	.038640
				2-65+ YR.	.032640	.084000	.057120

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL 2-ETHYLBUTYRATE FEMA 2029D	23	BEV TYPE I(R)	4	0-5 MO.	.001980	.002970	.003300
				6-11 MO.	.018728	.064103	.031213
				12-23 MO.	.044715	.134063	.074525
				2-65+ YR.	.085800	.229103	.143000
ALLYL 2-ETHYLBUTYRATE FEMA 2029D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
ALLYL 2-ETHYLBUTYRATE FEMA 2029D	99	ALL CATEGORIES	4	0-5 MO.	.017335	.031490	.031450
				6-11 MO.	.134663	.336753	.244603
				12-23 MO.	.259858	.529280	.470990
				2-65+ YR.	.614135	1.151493	1.121170
ALLYL HEXANOATE FEMA 2032D	01	BAKED GOODS(R)	17	0-5 MO.	.192831	.255218	.272949
				6-11 MO.	1.440563	2.937841	2.039093
				12-23 MO.	3.090972	5.093014	4.375219
				2-65+ YR.	7.781308	11.558532	11.014314
ALLYL HEXANOATE FEMA 2032D	07	FROZN DAIRY(R)	16	0-5 MO.	.027042	.110871	.043141
				6-11 MO.	.256897	.713904	.409844
				12-23 MO.	.389402	.914014	.621237
				2-65+ YR.	.692271	1.668481	1.104421
ALLYL HEXANOATE FEMA 2032D	10	MEAT PRODS(R)	*	0-5 MO.	.000178	.000470	.000321
				6-11 MO.	.003356	.009047	.006038
				12-23 MO.	.004897	.008415	.008808
				2-65+ YR.	.012712	.021094	.022867
ALLYL HEXANOATE FEMA 2032D	16	SOFT CANDY(R)	19	0-5 MO.	.010371	.103715	.014364
				6-11 MO.	.114086	.352629	.158001
				12-23 MO.	.181500	.482272	.251365
				2-65+ YR.	.300772	.912488	.416548
ALLYL HEXANOATE FEMA 2032D	20	GELATIN PUD(R)	13	0-5 MO.	.060109	.081148	.092541

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL HEXANOATE FEMA 20320	20	GELATIN PUD(R)	13	6-11 MO.	.384701	1.166123	.592262
				12-23 MO.	.414755	1.009839	.638533
				2-65+ YR.	.613116	1.577873	.943918
ALLYL HEXANOATE FEMA 20320	23	BEV TYPE I(R)	28	0-5 MO.	.028649	.042974	.052748
				6-11 MO.	.270973	.927517	.498913
				12-23 MO.	.646994	1.939788	1.191236
				2-65+ YR.	1.241464	3.314948	2.285767
ALLYL HEXANOATE FEMA 20320	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000277	**********
				12-23 MO.	**********	.000555	**********
				2-65+ YR.	.090114	.261745	.178750
ALLYL HEXANOATE FEMA 20320	27	GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000001
				6-11 MO.	.000014	.000039	.000014
				12-23 MO.	.000036	.000102	.000036
				2-65+ YR.	.000083	.000213	.000083
ALLYL HEXANOATE FEMA 20320	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001863	.005589	.005379
				12-23 MO.	.005589	.016767	.016137
				2-65+ YR.	.011178	.031671	.032274
ALLYL HEXANOATE FEMA 20320	31	CHEWING GUM(R)	9	0-5 MO.	**********	**********	**********
				6-11 MO.	.002863	.002863	.018123
				12-23 MO.	.002863	.008589	.018123
				2-65+ YR.	.005726	.011452	.036246
ALLYL HEXANOATE FEMA 20320	99	ALL CATEGORIES	52	0-5 MO.	.319183	.594399	.476066
				6-11 MO.	2.475316	6.115831	3.727666
				12-23 MO.	4.737008	9.473354	7.120695
				2-65+ YR.	10.748744	19.358698	16.035188
ALLYL ALFA-IONONE FEMA 20330	01	BAKED GOODS(R)	8	0-5 MO.	.012303	.016284	.021278
				6-11 MO.	.091912	.187442	.158962

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL AE-IONONE FEMA 20330	01	BAKED GOODS(R)	8	12-23 MO.	.197212	.324948	.341079
				2-65+ YR.	.496468	.737465	.858643
ALLYL AE-IONONE FEMA 20330	07	FROZN DAIRY(R)	9	0-5 MO.	.001194	.004895	.002873
				6-11 MO.	.011343	.031522	.027294
				12-23 MO.	.017194	.040357	.041372
				2-65+ YR.	.030566	.073670	.073551
ALLYL AE-IONONE FEMA 20330	10	MEAT PRODS(R)	*	0-5 MO.	.000770	.002030	.001650
				6-11 MO.	.014490	.039060	.031050
				12-23 MO.	.021140	.036330	.045300
				2-65+ YR.	.054880	.091070	.117600
ALLYL AE-IONONE FEMA 20330	16	SOFT CANDY(R)	8	0-5 MO.	.000838	.008384	.001278
				6-11 MO.	.009222	.028504	.014058
				12-23 MO.	.014671	.038984	.022365
				2-65+ YR.	.024313	.073776	.037062
ALLYL AE-IONONE FEMA 20330	20	GELATIN PUD(R)	8	0-5 MO.	.003127	.004221	.007080
				6-11 MO.	.020011	.060657	.045312
				12-23 MO.	.021574	.052528	.048852
				2-65+ YR.	.031892	.082075	.072216
ALLYL AE-IONONE FEMA 20330	23	BEV TYPE I(R)	10	0-5 MO.	.001485	.002228	.003077
				6-11 MO.	.014048	.048087	.029105
				12-23 MO.	.033543	.100567	.069492
				2-65+ YR.	.064363	.171862	.133343
ALLYL AE-IONONE FEMA 20330	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.024375
ALLYL AE-IONONE FEMA 20330	99	ALL CATEGORIES	10	0-5 MO.	.019717	.038042	.037237
				6-11 MO.	.161026	.395302	.305781
				12-23 MO.	.305334	.593774	.568461

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL AB-IONONE							
FEMA 20330	99	ALL CATEGORIES	10	2-65+ YR.	.712232	1.258237	1.316790
ALLYL ISOTHIOCYANATE							
FEMA 20340	01	BAKED GOODS(R)	5	0-5 MO.	.046888	.062058	.097947
				6-11 MO.	.350281	.714352	.731720
				12-23 MO.	.751587	1.238394	1.570028
				2-65+ YR.	1.892068	2.810520	3.952439
ALLYL ISOTHIOCYANATE							
FEMA 20340	04	FATS OILS(R)	4	0-5 MO.	.024994	.024994	.025001
				6-11 MO.	.139966	.374908	.140004
				12-23 MO.	.314922	.599852	.315008
				2-65+ YR.	.874784	1.579611	.875023
ALLYL ISOTHIOCYANATE							
FEMA 20340	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.003000
				6-11 MO.	.019000	.052800	.028500
				12-23 MO.	.028800	.067600	.043200
				2-65+ YR.	.051200	.123400	.076800
ALLYL ISOTHIOCYANATE							
FEMA 20340	10	MEAT PRODS(R)	12	0-5 MO.	.038740	.102134	.067271
				6-11 MO.	.729024	1.965196	1.265916
				12-23 MO.	1.063601	1.827844	1.846892
				2-65+ YR.	2.761136	4.581936	4.794581
ALLYL ISOTHIOCYANATE							
FEMA 20340	15	CONDM RELSH(R)	12	0-5 MO.	**********	.001712	**********
				6-11 MO.	.013698	.037670	.020653
				12-23 MO.	.047944	.130134	.072286
				2-65+ YR.	.150682	.363006	.227186
ALLYL ISOTHIOCYANATE							
FEMA 20340	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000600
				6-11 MO.	.004400	.013600	.006600
				12-23 MO.	.007000	.018600	.010500
				2-65+ YR.	.011600	.035200	.017400
ALLYL ISOTHIOCYANATE							
FEMA 20340	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL ISOTHIOCYANATE							
FEMA 2034D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
ALLYL ISOTHIOCYANATE							
FEMA 2034D	27	GRAVIES(R)	*	0-5 MO.	.004640	.013919	.020112
				6-11 MO.	.064955	.180945	.281562
				12-23 MO.	.167026	.473241	.724016
				2-65+ YR.	.385088	.988238	1.669260
ALLYL ISOTHIOCYANATE							
FEMA 2034D	99	ALL CATEGORIES	25	0-5 MO.	.122062	.223316	.222730
				6-11 MO.	1.356824	3.455971	2.545955
				12-23 MO.	2.448880	4.551765	4.717932
				2-65+ YR.	6.250958	10.812111	11.861489
ALLYL MERCAPTAN							
FEMA 2035D	01	BAKED GOODS(R)	6	0-5 MO.	.001721	.002278	.005695
				6-11 MO.	.012859	.026224	.042545
				12-23 MO.	.027591	.045461	.091288
				2-65+ YR.	.069458	.103174	.229810
ALLYL MERCAPTAN							
FEMA 2035D	07	FROZN DAIRY(R)	*	0-5 MO.	.001050	.004305	.015250
				6-11 MO.	.009975	.027720	.144875
				12-23 MO.	.015120	.035490	.219600
				2-65+ YR.	.026880	.064785	.390400
ALLYL MERCAPTAN							
FEMA 2035D	10	MEAT PRODS(R)	6	0-5 MO.	.003410	.008990	.006078
				6-11 MO.	.064170	.172980	.114368
				12-23 MO.	.093620	.160890	.166855
				2-65+ YR.	.243040	.403310	.433160
ALLYL MERCAPTAN							
FEMA 2035D	15	CONDM RELSH(R)	4	0-5 MO.	**********	.000234	**********
				6-11 MO.	.001870	.005143	.002860
				12-23 MO.	.006545	.017765	.010010
				2-65+ YR.	.020570	.049555	.031460
ALLYL MERCAPTAN							
FEMA 2035D	16	SOFT CANDY(R)	*	0-5 MO.	.000143	.001427	.000350

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL MERCAPTAN FEMA 2035D	16	SOFT CANDY(R)	*	6-11 MO.	.001569	.004651	.003850
				12-23 MO.	.002497	.006634	.006125
				2-65+ YR.	.004137	.012555	.010150
ALLYL MERCAPTAN FEMA 2035D	20	GELATIN PUD(R)	*	0-5 MO.	.001050	.001418	.002100
				6-11 MO.	.006720	.020370	.013440
				12-23 MO.	.007245	.017640	.014490
				2-65+ YR.	.010710	.027563	.021420
ALLYL MERCAPTAN FEMA 2035D	23	BEV TYPE I(R)	4	0-5 MO.	.000668	.001002	.002008
				6-11 MO.	.006316	.021620	.018992
				12-23 MO.	.015081	.045216	.045347
				2-65+ YR.	.028938	.077270	.087013
ALLYL MERCAPTAN FEMA 2035D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
ALLYL MERCAPTAN FEMA 2035D	99	ALL CATEGORIES	8	0-5 MO.	.008042	.019653	.031481
				6-11 MO.	.103479	.278917	.340930
				12-23 MO.	.167698	.329116	.553715
				2-65+ YR.	.406983	.747651	1.219663
ALLYL NONANOATE FEMA 2036D	01	BAKED GOODS(R)	5	0-5 MO.	.017000	.022500	.028900
				6-11 MO.	.127000	.259000	.215900
				12-23 MO.	.272500	.449000	.463250
				2-65+ YR.	.686000	1.019000	1.166200
ALLYL NONANOATE FEMA 2036D	07	FROZN DAIRY(R)	4	0-5 MO.	.002000	.008200	.004220
				6-11 MO.	.019000	.052800	.040090
				12-23 MO.	.028800	.067600	.060768
				2-65+ YR.	.051200	.123400	.108032
ALLYL NONANOATE FEMA 2036D	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.011000
				6-11 MO.	.010350	.027900	.207000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL NONANOATE FEMA 2036D	10	MEAT PRODS(R)	*	12-23 MO.	.015100	.025950	.302000
				2-65+ YR.	.039200	.065050	.784000
ALLYL NONANOATE FEMA 2036D	16	SOFT CANDY(R)	5	0-5 MO.	.000883	.008833	.001503
				6-11 MO.	.009717	.030093	.016537
				12-23 MO.	.015458	.041075	.026308
				2-65+ YR.	.025617	.077733	.043597
ALLYL NONANOATE FEMA 2036D	20	GELATIN PUD(R)	*	0-5 MO.	.005000	.006750	.009000
				6-11 MO.	.032000	.097000	.057600
				12-23 MO.	.034500	.084000	.062100
				2-65+ YR.	.051000	.131250	.091800
ALLYL NONANOATE FEMA 2036D	23	BEV TYPE I(R)	4	0-5 MO.	.001440	.002160	.003360
				6-11 MO.	.013620	.046620	.031780
				12-23 MO.	.032520	.097500	.075880
				2-65+ YR.	.062400	.166620	.145600
ALLYL NONANOATE FEMA 2036D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
ALLYL NONANOATE FEMA 2036D	99	ALL CATEGORIES	5	0-5 MO.	.026873	.049893	.057983
				6-11 MO.	.211687	.513403	.568907
				12-23 MO.	.398878	.765225	.990306
				2-65+ YR.	.931667	1.630253	2.371729
ALLYL OCTANOATE FEMA 2037D	01	BAKED GOODS(R)	7	0-5 MO.	.071380	.094474	.103964
				6-11 MO.	.533252	1.087498	.776673
				12-23 MO.	1.144183	1.885277	1.666483
				2-65+ YR.	2.880401	4.278613	4.195256
ALLYL OCTANOATE FEMA 2037D	07	FROZN DAIRY(R)	7	0-5 MO.	.006959	.028532	.013602
				6-11 MO.	.066112	.183721	.129221
				12-23 MO.	.100211	.235219	.195871

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL OCTANOATE FEMA 2037D	07	FROZN DAIRY(R)	7	2-65+ YR.	.178154	.429378	.348216
ALLYL OCTANOATE FEMA 2037D	16	SOFT CANDY(R)	9	0-5 MO.	.003350	.033504	.004468
				6-11 MO.	.036854	.113914	.049143
				12-23 MO.	.058632	.155794	.078182
				2-65+ YR.	.097162	.294835	.129558
ALLYL OCTANOATE FEMA 2037D	20	GELATIN PUD(R)	5	0-5 MO.	.036857	.049757	.069429
				6-11 MO.	.235886	.715029	.444343
				12-23 MO.	.254314	.619200	.479057
				2-65+ YR.	.375943	.967500	.708171
ALLYL OCTANOATE FEMA 2037D	23	BEV TYPE I(R)	8	0-5 MO.	.009636	.014454	.020010
				6-11 MO.	.091141	.311966	.189261
				12-23 MO.	.217613	.652438	.451893
				2-65+ YR.	.417560	1.114966	.867100
ALLYL OCTANOATE FEMA 2037D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
ALLYL OCTANOATE FEMA 2037D	99	ALL CATEGORIES	10	0-5 MO.	.128183	.220721	.211472
				6-11 MO.	.963244	2.412227	1.588640
				12-23 MO.	1.774953	3.548127	2.871486
				2-65+ YR.	3.981719	7.179692	6.313301
ALLYL PHENOXYACETATE FEMA 2038D	01	BAKED GOODS(R)	5	0-5 MO.	.006205	.008213	.015028
				6-11 MO.	.046355	.094535	.112268
				12-23 MO.	.099463	.163885	.240890
				2-65+ YR.	.250390	.371935	.606424
ALLYL PHENOXYACETATE FEMA 2038D	07	FROZN DAIRY(R)	*	0-5 MO.	.001173	.004811	.002833
				6-11 MO.	.011147	.030976	.026917
				12-23 MO.	.016896	.039659	.040800
				2-65+ YR.	.030037	.072395	.072533

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL PHENOXYACETATE							
FEMA 20380	16	SOFT CANDY(R)	5	0-5 MO.	.000431	.004310	.000940
				6-11 MO.	.004741	.014654	.010340
				12-23 MO.	.007543	.020042	.016450
				2-65+ YR.	.012499	.037928	.027260
ALLYL PHENOXYACETATE							
FEMA 20380	20	GELATIN PUD(R)	*	0-5 MO.	.000530	.000716	.004000
				6-11 MO.	.003392	.010282	.025600
				12-23 MO.	.003657	.008904	.027600
				2-65+ YR.	.005406	.013913	.040800
ALLYL PHENOXYACETATE							
FEMA 20380	23	BEV TYPE I(R)	6	0-5 MO.	.001264	.001896	.002352
				6-11 MO.	.011955	.040922	.022246
				12-23 MO.	.028545	.085583	.053116
				2-65+ YR.	.054773	.146255	.101920
ALLYL PHENOXYACETATE							
FEMA 20380	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
ALLYL PHENOXYACETATE							
FEMA 20380	99	ALL CATEGORIES	6	0-5 MO.	.009603	.019945	.025153
				6-11 MO.	.077590	.191419	.197371
				12-23 MO.	.156103	.318173	.378856
				2-65+ YR.	.369356	.689626	.881437
ALLYL PHENYLACETATE							
FEMA 20390	01	BAKED GOODS(R)	6	0-5 MO.	.123317	.163214	.159746
				6-11 MO.	.921254	1.878778	1.193397
				12-23 MO.	1.976706	3.257032	2.560635
				2-65+ YR.	4.976222	7.391794	6.446222
ALLYL PHENYLACETATE							
FEMA 20390	07	FROZN DAIRY(R)	4	0-5 MO.	.006552	.026864	.009036
				6-11 MO.	.062245	.172975	.085846
				12-23 MO.	.094350	.221460	.130125
				2-65+ YR.	.167733	.404264	.231333
ALLYL PHENYLACETATE							
FEMA 20390	16	SOFT CANDY(R)	5	0-5 MO.	.002845	.028448	.003741

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL PHENYLACETATE FEMA 2039D	16	SOFT CANDY(R)	5	6-11 MO.	.031293	.096724	.041155
				12-23 MO.	.049784	.132284	.065474
				2-65+ YR.	.082500	.250345	.108500
ALLYL PHENYLACETATE FEMA 2039D	20	GELATIN PUD(R)	*	0-5 MO.	.035263	.047605	.044737
				6-11 MO.	.225684	.684105	.286316
				12-23 MO.	.243316	.592421	.308684
				2-65+ YR.	.359684	.925658	.456316
ALLYL PHENYLACETATE FEMA 2039D	23	BEV TYPE I(R)	4	0-5 MO.	.010025	.015037	.016563
				6-11 MO.	.094820	.324559	.156654
				12-23 MO.	.226398	.678776	.374036
				2-65+ YR.	.434417	1.159976	.717708
ALLYL PHENYLACETATE FEMA 2039D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ALLYL PHENYLACETATE FEMA 2039D	99	ALL CATEGORIES	6	0-5 MO.	.178003	.281169	.233823
				6-11 MO.	1.335296	3.157642	1.763368
				12-23 MO.	2.590555	4.882974	3.438955
				2-65+ YR.	6.183056	10.604036	8.285080
ALLYL PROPIONATE FEMA 2040D	01	BAKED GOODS(R)	*	0-5 MO.	.087720	.116100	.103360
				6-11 MO.	.655320	1.336440	.772160
				12-23 MO.	1.406100	2.316840	1.656800
				2-65+ YR.	3.539760	5.258040	4.170880
ALLYL PROPIONATE FEMA 2040D	07	FROZN DAIRY(R)	*	0-5 MO.	.011600	.047560	.017000
				6-11 MO.	.110200	.306240	.161500
				12-23 MO.	.167040	.392080	.244800
				2-65+ YR.	.296960	.715720	.435200
ALLYL PROPIONATE FEMA 2040D	16	SOFT CANDY(R)	5	0-5 MO.	.002943	.029429	.003914
				6-11 MO.	.032371	.100057	.043057

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL PROPIONATE FEMA 2040D	16	SOFT CANDY(R)	5	12-23 MO.	.051500	.136843	.068500
				2-65+ YR.	.085343	.258971	.113514
ALLYL PROPIONATE FEMA 2040D	20	GELATIN PUD(R)	*	0-5 MO.	.025000	.033750	.030500
				6-11 MO.	.160000	.485000	.195200
				12-23 MO.	.172500	.420000	.210450
				2-65+ YR.	.255000	.656250	.311100
ALLYL PROPIONATE FEMA 2040D	23	BEV TYPE I(R)	*	0-5 MO.	.013200	.019800	.020640
				6-11 MO.	.124850	.427350	.195220
				12-23 MO.	.298100	.893750	.466120
				2-65+ YR.	.572000	1.527350	.894400
ALLYL PROPIONATE FEMA 2040D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ALLYL PROPIONATE FEMA 2040D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000563	.001689	.000563
				12-23 MO.	.001689	.005067	.001689
				2-65+ YR.	.003378	.009571	.003378
ALLYL PROPIONATE FEMA 2040D	99	ALL CATEGORIES	6	0-5 MO.	.140463	.246639	.175414
				6-11 MO.	1.083304	2.657276	1.367700
				12-23 MO.	2.096929	4.165580	2.648359
				2-65+ YR.	4.914941	8.897902	6.253472
ALLYL SORBATE FEMA 2041D	01	BAKED GOODS(R)	*	0-5 MO.	.058027	.076800	.058027
				6-11 MO.	.433493	.884053	.433493
				12-23 MO.	.930133	1.532587	.930133
				2-65+ YR.	2.341547	3.478187	2.341547
ALLYL SORBATE FEMA 2041D	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	**********
				6-11 MO.	.095000	.264000	**********
				12-23 MO.	.144000	.338000	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL SORBATE FEMA 2041D	07	FROZN DAIRY(R)	*	2-65+ YR.	.256000	.617000	**********
ALLYL SORBATE FEMA 2041D	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.002000
				6-11 MO.	.015400	.047600	.022000
				12-23 MO.	.024500	.065100	.035000
				2-65+ YR.	.040600	.123200	.058000
ALLYL SORBATE FEMA 2041D	20	GELATIN PUD(R)	*	0-5 MO.	.004500	.006075	.012000
				6-11 MO.	.028800	.087300	.076800
				12-23 MO.	.031050	.075600	.082800
				2-65+ YR.	.045900	.118125	.122400
ALLYL SORBATE FEMA 2041D	23	BEV TYPE I(R)	*	0-5 MO.	.003480	.005220	.003480
				6-11 MO.	.032915	.112665	.032915
				12-23 MO.	.078590	.235625	.078590
				2-65+ YR.	.150800	.402665	.150800
ALLYL SORBATE FEMA 2041D	99	ALL CATEGORIES	4	0-5 MO.	.077407	.143095	.075507
				6-11 MO.	.605608	1.395618	.565208
				12-23 MO.	1.208273	2.246912	1.126523
				2-65+ YR.	2.834847	4.739177	2.672747
DIALLYL SULFIDE FEMA 2042D	01	BAKED GOODS(R)	*	0-5 MO.	.026074	.034509	.035806
				6-11 MO.	.194786	.397241	.267494
				12-23 MO.	.417947	.688654	.573953
				2-65+ YR.	1.052153	1.562891	1.444888
DIALLYL SULFIDE FEMA 2042D	07	FROZN DAIRY(R)	*	0-5 MO.	.000010	.000041	.000040
				6-11 MO.	.000095	.000264	.000380
				12-23 MO.	.000144	.000338	.000576
				2-65+ YR.	.000256	.000617	.001024
DIALLYL SULFIDE FEMA 2042D	10	MEAT PRODS(R)	6	0-5 MO.	.010142	.026738	.011977
				6-11 MO.	.190850	.514466	.225380
				12-23 MO.	.278439	.478509	.328616
				2-65+ YR.	.722835	1.199500	.853614

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIALLYL SULFIDE FEMA 2042D	15	CONDM RELSH(R)	5	0-5 MO.	**********	.000894	**********
				6-11 MO.	.007152	.019669	.007986
				12-23 MO.	.025033	.067948	.027952
				2-65+ YR.	.078676	.189538	.087848
DIALLYL SULFIDE FEMA 2042D	16	SOFT CANDY(R)	*	0-5 MO.	.000008	.000080	.000010
				6-11 MO.	.000088	.000272	.000110
				12-23 MO.	.000140	.000372	.000175
				2-65+ YR.	.000232	.000704	.000290
DIALLYL SULFIDE FEMA 2042D	20	GELATIN PUD(R)	*	0-5 MO.	.000020	.000027	.000080
				6-11 MO.	.000128	.000388	.000512
				12-23 MO.	.000138	.000336	.000552
				2-65+ YR.	.000204	.000525	.000816
DIALLYL SULFIDE FEMA 2042D	23	BEV TYPE I(R)	*	0-5 MO.	.000032	.000048	.000096
				6-11 MO.	.000303	.001036	.000908
				12-23 MO.	.000723	.002167	.002168
				2-65+ YR.	.001387	.003703	.004160
DIALLYL SULFIDE FEMA 2042D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000001	**********
				12-23 MO.	**********	.000002	**********
				2-65+ YR.	.000325	.000944	.001300
DIALLYL SULFIDE FEMA 2042D	27	GRAVIES(R)	*	0-5 MO.	.000100	.000300	.000300
				6-11 MO.	.001400	.003900	.004200
				12-23 MO.	.003600	.010200	.010800
				2-65+ YR.	.008300	.021300	.024900
DIALLYL SULFIDE FEMA 2042D	99	ALL CATEGORIES	9	0-5 MO.	.036386	.062637	.048309
				6-11 MO.	.394803	.937238	.506970
				12-23 MO.	.726164	1.248525	.944991
				2-65+ YR.	1.864367	2.979721	2.418840
ALLYL TIGLATE FEMA 2043D	01	BAKED GOODS(R)	*	0-5 MO.	.102850	.136125	.133450

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL TIGLATE FEMA 2043D	01	BAKED GOODS(R)	*	6-11 MO.	.768350	1.566950	.996950
				12-23 MO.	1.648625	2.716450	2.139125
				2-65+ YR.	4.150300	6.164950	5.385100
ALLYL TIGLATE FEMA 2043D	07	FROZN DAIRY(R)	*	0-5 MO.	.004250	.017425	.005500
				6-11 MO.	.040375	.112200	.052250
				12-23 MO.	.061200	.143650	.079200
				2-65+ YR.	.108800	.262225	.140800
ALLYL TIGLATE FEMA 2043D	16	SOFT CANDY(R)	*	0-5 MO.	.002050	.020500	.002850
				6-11 MO.	.022550	.069700	.031350
				12-23 MO.	.035875	.095325	.049875
				2-65+ YR.	.059450	.180400	.082650
ALLYL TIGLATE FEMA 2043D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.050000
				6-11 MO.	.256000	.776000	.320000
				12-23 MO.	.276000	.672000	.345000
				2-65+ YR.	.408000	1.050000	.510000
ALLYL TIGLATE FEMA 2043D	23	BEV TYPE I(R)	*	0-5 MO.	.006120	.009180	.009960
				6-11 MO.	.057885	.198135	.094205
				12-23 MO.	.138210	.414375	.224930
				2-65+ YR.	.265200	.708135	.431600
ALLYL TIGLATE FEMA 2043D	99	ALL CATEGORIES	*	0-5 MO.	.155270	.237230	.201760
				6-11 MO.	1.145160	2.722985	1.494755
				12-23 MO.	2.159910	4.041800	2.838130
				2-65+ YR.	4.991750	8.365710	6.550150
ALLYL 1-UNDECENOATE FEMA 2044D	01	BAKED GOODS(R)	*	0-5 MO.	.028526	.037755	.040188
				6-11 MO.	.213106	.434602	.300228
				12-23 MO.	.457255	.753422	.644190
				2-65+ YR.	1.151108	1.709882	1.621704
ALLYL 1-UNDECENOATE FEMA 2044D	07	FROZN DAIRY(R)	*	0-5 MO.	.001560	.006396	.002360
				6-11 MO.	.014820	.041184	.022420

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL 1-UNDECENOATE FEMA 2044D	07	FROZN DAIRY(R)	*	12-23 MO.	.022464	.052728	.033984
				2-65+ YR.	.039936	.096252	.060416
ALLYL 1-UNDECENOATE FEMA 2044D	16	SOFT CANDY(R)	4	0-5 MO.	.000500	.005000	.000830
				6-11 MO.	.005500	.017000	.009130
				12-23 MO.	.008750	.023250	.014525
				2-65+ YR.	.014500	.044000	.024070
ALLYL 1-UNDECENOATE FEMA 2044D	20	GELATIN PUD(R)	*	0-5 MO.	.015500	.020925	.022000
				6-11 MO.	.099200	.300700	.140800
				12-23 MO.	.106950	.260400	.151800
				2-65+ YR.	.158100	.406875	.224400
ALLYL 1-UNDECENOATE FEMA 2044D	23	BEV TYPE I(R)	*	0-5 MO.	.002448	.003672	.005424
				6-11 MO.	.023154	.079254	.051302
				12-23 MO.	.055284	.165750	.122492
				2-65+ YR.	.106080	.283254	.235040
ALLYL 1-UNDECENOATE FEMA 2044D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
ALLYL 1-UNDECENOATE FEMA 2044D	99	ALL CATEGORIES	4	0-5 MO.	.048534	.073748	.070802
				6-11 MO.	.355780	.872790	.523880
				12-23 MO.	.650703	1.255650	.966991
				2-65+ YR.	1.485974	2.587463	2.198130
ALLYL ISOVALERATE FEMA 2045D	01	BAKED GOODS(R)	6	0-5 MO.	.064821	.085793	.098407
				6-11 MO.	.484252	.987569	.735154
				12-23 MO.	1.039045	1.712041	1.577398
				2-65+ YR.	2.615724	3.685455	3.970992
ALLYL ISOVALERATE FEMA 2045D	07	FROZN DAIRY(R)	*	0-5 MO.	.016000	.065600	.035333
				6-11 MO.	.152000	.422400	.335667
				12-23 MO.	.230400	.540800	.508800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL ISOVALERATE FEMA 2045D	07	FROZN DAIRY(R)	*	2-65+ YR.	.409600	.987200	.904533
ALLYL ISOVALERATE FEMA 2045D	16	SOFT CANDY(R)	6	0-5 MO.	.004544	.045439	.007403
				6-11 MO.	.049982	.154491	.081435
				12-23 MO.	.079518	.211289	.129556
				2-65+ YR.	.131772	.399860	.214694
ALLYL ISOVALERATE FEMA 2045D	20	GELATIN PUD(R)	5	0-5 MO.	.021570	.029119	.024884
				6-11 MO.	.138047	.418453	.159256
				12-23 MO.	.146831	.362372	.171698
				2-65+ YR.	.220012	.566206	.253814
ALLYL ISOVALERATE FEMA 2045D	23	BEV TYPE I(R)	6	0-5 MO.	.010280	.015420	.026520
				6-11 MO.	.097232	.332815	.250835
				12-23 MO.	.232157	.696042	.598910
				2-65+ YR.	.445467	1.189482	1.149200
ALLYL ISOVALERATE FEMA 2045D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ALLYL ISOVALERATE FEMA 2045D	99	ALL CATEGORIES	9	0-5 MO.	.117215	.241370	.192547
				6-11 MO.	.921513	2.316229	1.562347
				12-23 MO.	1.729950	3.523544	2.986362
				2-65+ YR.	3.985074	7.500203	6.818233
AMMONIUM SULFIDE FEMA 2053D	01	BAKED GOODS(R)	6	0-5 MO.	.038209	.050570	.044770
				6-11 MO.	.285441	.582119	.334462
				12-23 MO.	.612461	1.009156	.717644
				2-65+ YR.	1.541829	2.290267	1.806619
AMMONIUM SULFIDE FEMA 2053D	10	MEAT PRODS(R)	7	0-5 MO.	.024109	.063561	.066085
				6-11 MO.	.453693	1.222999	1.281230
				12-23 MO.	.661910	1.137521	1.869234
				2-65+ YR.	1.718335	2.851472	4.852582

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMMONIUM SULFIDE							
FEMA 2053D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.001600	.004400	.001600
				12-23 MO.	.005600	.015200	.005600
				2-65+ YR.	.017600	.042400	.017600
AMMONIUM SULFIDE							
FEMA 2053D	27	GRAVIES(R)	*	0-5 MO.	.000052	.000156	.000160
				6-11 MO.	.000728	.002028	.002240
				12-23 MO.	.001872	.005304	.005760
				2-65+ YR.	.004316	.011076	.013280
AMMONIUM SULFIDE							
FEMA 2053D	99	ALL CATEGORIES	9	0-5 MO.	.062370	.114487	.113015
				6-11 MO.	.741462	1.811546	1.619532
				12-23 MO.	1.281843	2.167181	2.598238
				2-65+ YR.	3.282080	5.195216	6.690081
AMMONIUM ISOVALERATE							
FEMA 2054D	01	BAKED GOODS(R)	7	0-5 MO.	.088625	.117297	.127592
				6-11 MO.	.662079	1.350224	.953189
				12-23 MO.	1.420603	2.340736	2.045228
				2-65+ YR.	3.576269	5.312272	5.148721
AMMONIUM ISOVALERATE							
FEMA 2054D	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000270
				12-23 MO.	.000780	.002220	.000780
				2-65+ YR.	.000940	.002360	.000940
AMMONIUM ISOVALERATE							
FEMA 2054D	07	FROZN DAIRY(R)	*	0-5 MO.	.001172	.004805	.002147
				6-11 MO.	.011134	.030940	.020392
				12-23 MO.	.016876	.039612	.030910
				2-65+ YR.	.030002	.072310	.054951
AMMONIUM ISOVALERATE							
FEMA 2054D	10	MEAT PRODS(R)	*	0-5 MO.	.039600	.104400	.045100
				6-11 MO.	.745200	2.008800	.848700
				12-23 MO.	1.087200	1.868400	1.238200
				2-65+ YR.	2.822400	4.683600	3.214400
AMMONIUM ISOVALERATE							
FEMA 2054D	16	SOFT CANDY(R)	*	0-5 MO.	.000962	.009623	.001149

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMMONIUM ISOVALERATE FEMA 2054D	16	SOFT CANDY(R)	*	6-11 MO.	.010585	.032717	.012636
				12-23 MO.	.016840	.044746	.020103
				2-65+ YR.	.027906	.084680	.033313
AMMONIUM ISOVALERATE FEMA 2054D	20	GELATIN PUD(R)	*	0-5 MO.	.000600	.000810	.001200
				6-11 MO.	.003840	.011640	.007680
				12-23 MO.	.004140	.010080	.008280
				2-65+ YR.	.006120	.015750	.012240
AMMONIUM ISOVALERATE FEMA 2054D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
AMMONIUM ISOVALERATE FEMA 2054D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000003	.000009	.000003
				12-23 MO.	.000009	.000027	.000009
				2-65+ YR.	.000018	.000051	.000018
AMMONIUM ISOVALERATE FEMA 2054D	99	ALL CATEGORIES	9	0-5 MO.	.133359	.240545	.181987
				6-11 MO.	1.455811	3.513000	1.888270
				12-23 MO.	2.600648	4.468321	3.451909
				2-65+ YR.	6.567655	10.448723	8.672582
ISOAMYL ACETATE FEMA 2055D	01	BAKED GOODS(R)	22	0-5 MO.	.352918	.467097	.567801
				6-11 MO.	2.636502	5.376802	4.241805
				12-23 MO.	5.657060	9.321175	9.101511
				2-65+ YR.	14.241260	21.154292	22.912429
ISOAMYL ACETATE FEMA 2055D	07	FROZN DAIRY(R)	24	0-5 MO.	.049167	.201584	.086668
				6-11 MO.	.467084	1.298002	.823343
				12-23 MO.	.708001	1.661835	1.248014
				2-65+ YR.	1.258668	3.033587	2.218691
ISOAMYL ACETATE FEMA 2055D	16	SOFT CANDY(R)	27	0-5 MO.	.022358	.223580	.033548
				6-11 MO.	.245939	.760174	.369032

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL ACETATE FEMA 2055D	16	SOFT CANDY(R)	27	12-23 MO.	.391266	1.039649	.587097
				2-65+ YR.	.648383	1.967508	.972903
ISOAMYL ACETATE FEMA 2055D	17	CONF FROST(R)	*	0-5 MO.	**********	.010000	**********
				6-11 MO.	.010000	.020000	.010000
				12-23 MO.	.020000	.070000	.020000
				2-65+ YR.	.030000	.080000	.030000
ISOAMYL ACETATE FEMA 2055D	19	SWEET SAUCE(R)	*	0-5 MO.	.030000	.040000	.045000
				6-11 MO.	.090000	.310000	.135000
				12-23 MO.	.260000	.760000	.390000
				2-65+ YR.	.680000	1.790000	1.020000
ISOAMYL ACETATE FEMA 2055D	20	GELATIN PUD(R)	17	0-5 MO.	.148408	.200351	.219551
				6-11 MO.	.949813	2.879119	1.405125
				12-23 MO.	1.024017	2.493258	1.514901
				2-65+ YR.	1.513764	3.895715	2.239419
ISOAMYL ACETATE FEMA 2055D	23	BEV TYPE I(R)	38	0-5 MO.	.122145	.183217	.175154
				6-11 MO.	1.155285	3.954435	1.656665
				12-23 MO.	2.758435	8.270214	3.955561
				2-65+ YR.	5.292937	14.133160	7.590007
ISOAMYL ACETATE FEMA 2055D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001933	**********
				12-23 MO.	**********	.003867	**********
				2-65+ YR.	.628356	1.825132	1.261868
ISOAMYL ACETATE FEMA 2055D	30	HARD CANDY(R)	17	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004445	.013335	.023490
				12-23 MO.	.013335	.040005	.070470
				2-65+ YR.	.026670	.075565	.140940
ISOAMYL ACETATE FEMA 2055D	31	CHEWING GUM(R)	12	0-5 MO.	**********	**********	**********
				6-11 MO.	.086028	.086028	.302703
				12-23 MO.	.086028	.258084	.302703

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL ACETATE FEMA 2055D	31	CHEWING GUM(R)	12	2-65+ YR.	.172056	.344112	.605406
ISOAMYL ACETATE FEMA 2055D	99	ALL CATEGORIES	78	0-5 MO.	.724995	1.325829	1.127722
				6-11 MO.	5.645095	14.699828	8.967163
				12-23 MO.	10.918141	23.918087	17.190257
				2-65+ YR.	24.492095	48.299072	38.991663
AMYL ALCOHOL FEMA 2056D	01	BAKED GOODS(R)	10	0-5 MO.	.196272	.259772	.277736
				6-11 MO.	1.466270	2.990266	2.074855
				12-23 MO.	3.146130	5.183898	4.451953
				2-65+ YR.	7.920165	11.764793	11.207484
AMYL ALCOHOL FEMA 2056D	07	FROZN DAIRY(R)	9	0-5 MO.	.036959	.151530	.047160
				6-11 MO.	.351106	.975704	.448019
				12-23 MO.	.532202	1.249197	.679102
				2-65+ YR.	.946138	2.280340	1.207293
AMYL ALCOHOL FEMA 2056D	16	SOFT CANDY(R)	10	0-5 MO.	.013187	.131666	.016503
				6-11 MO.	.145053	.448344	.181534
				12-23 MO.	.230765	.613177	.288803
				2-65+ YR.	.382411	1.160420	.478588
AMYL ALCOHOL FEMA 2056D	20	GELATIN PUD(R)	6	0-5 MO.	.113535	.153273	.186648
				6-11 MO.	.726625	2.202583	1.194546
				12-23 MO.	.783393	1.907392	1.287870
				2-65+ YR.	1.158059	2.980299	1.903808
AMYL ALCOHOL FEMA 2056D	23	BEV TYPE I(R)	12	0-5 MO.	.171112	.256669	.342719
				6-11 MO.	1.618438	5.539762	3.241550
				12-23 MO.	3.864287	11.585732	7.739736
				2-65+ YR.	7.414868	19.799124	14.851154
AMYL ALCOHOL FEMA 2056D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000665	**********
				12-23 MO.	**********	.001330	**********
				2-65+ YR.	.216143	.627814	.983125

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMYL ALCOHOL							
FEMA 2056D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.008324	.024972	.049519
				12-23 MO.	.024972	.074916	.148557
				2-65+ YR.	.049944	.141508	.297114
AMYL ALCOHOL							
FEMA 2056D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.051427	.051427	.055466
				12-23 MO.	.051427	.154281	.055466
				2-65+ YR.	.102854	.205708	.110932
AMYL ALCOHOL							
FEMA 2056D	99	ALL CATEGORIES	25	0-5 MO.	.531065	.953109	.870766
				6-11 MO.	4.367242	12.233724	7.245489
				12-23 MO.	8.633177	20.769922	14.651488
				2-65+ YR.	18.190583	38.960006	31.039500
ISOAMYL ALCOHOL							
FEMA 2057D	01	BAKED GOODS(R)	14	0-5 MO.	.056239	.074434	.090598
				6-11 MO.	.420138	.856817	.676820
				12-23 MO.	.901477	1.485369	1.452233
				2-65+ YR.	2.269406	3.371028	3.655896
ISOAMYL ALCOHOL							
FEMA 2057D	07	FROZN DAIRY(R)	13	0-5 MO.	.004658	.019099	.009956
				6-11 MO.	.044253	.122976	.094583
				12-23 MO.	.067078	.157447	.143367
				2-65+ YR.	.119249	.207410	.254875
ISOAMYL ALCOHOL							
FEMA 2057D	16	SOFT CANDY(R)	16	0-5 MO.	.001562	.015624	.002715
				6-11 MO.	.017186	.053122	.029868
				12-23 MO.	.027342	.072652	.047518
				2-65+ YR.	.045310	.137491	.078744
ISOAMYL ALCOHOL							
FEMA 2057D	20	GELATIN PUD(R)	11	0-5 MO.	.023220	.031347	.038127
				6-11 MO.	.148610	.450475	.244013
				12-23 MO.	.160220	.390102	.263076
				2-65+ YR.	.236848	.609534	.388895
ISOAMYL ALCOHOL							
FEMA 2057D	23	BEV TYPE I(R)	17	0-5 MO.	.010409	.015613	.018525

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL ALCOHOL FEMA 2057D	23	BEV TYPE I(R)	17	6-11 MO.	.098449	.336983	.175212
				12-23 MO.	.235064	.704758	.418348
				2-65+ YR.	.451045	1.204378	.802733
ISOAMYL ALCOHOL FEMA 2057D	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002219	**********
				12-23 MO.	**********	.004439	**********
				2-65+ YR.	.721261	2.094986	2.674968
ISOAMYL ALCOHOL FEMA 2057D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.015752	.047256	.016815
				12-23 MO.	.047256	.141768	.050445
				2-65+ YR.	.094512	.267784	.100890
ISOAMYL ALCOHOL FEMA 2057D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.059416	.059416	.059416
				12-23 MO.	.059416	.178248	.059416
				2-65+ YR.	.118832	.237664	.118832
ISOAMYL ALCOHOL FEMA 2057D	99	ALL CATEGORIES	28	0-5 MO.	.096089	.156117	.159921
				6-11 MO.	.803805	1.929263	1.296727
				12-23 MO.	1.497853	3.134782	2.434403
				2-65+ YR.	4.056463	8.210275	8.075834
ISOAMYL BENZOATE FEMA 2058D	01	BAKED GOODS(R)	9	0-5 MO.	.048685	.064436	.065669
				6-11 MO.	.363704	.741727	.490583
				12-23 MO.	.780388	1.285851	1.052629
				2-65+ YR.	1.964573	2.918222	2.649920
ISOAMYL BENZOATE FEMA 2058D	07	FROZN DAIRY(R)	9	0-5 MO.	.005600	.022960	.010174
				6-11 MO.	.053200	.147840	.096650
				12-23 MO.	.080640	.189280	.146501
				2-65+ YR.	.143360	.345520	.260446
ISOAMYL BENZOATE FEMA 2058D	16	SOFT CANDY(R)	9	0-5 MO.	.001435	.014352	.002249
				6-11 MO.	.015788	.048798	.024734

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL BENZOATE FEMA 2058D	16	SOFT CANDY(R)	9	12-23 MO.	.025117	.066739	.039350
				2-65+ YR.	.041622	.126301	.065209
ISOAMYL BENZOATE FEMA 2058D	20	GELATIN PUD(R)	7	0-5 MO.	.014567	.019665	.020511
				6-11 MO.	.093227	.282593	.131271
				12-23 MO.	.100510	.244720	.141527
				2-65+ YR.	.148580	.382375	.209213
ISOAMYL BENZOATE FEMA 2058D	23	BEV TYPE I(R)	11	0-5 MO.	.010464	.015696	.018251
				6-11 MO.	.098972	.338772	.172628
				12-23 MO.	.236312	.708500	.412178
				2-65+ YR.	.453440	1.210772	.790895
ISOAMYL BENZOATE FEMA 2058D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
ISOAMYL BENZOATE FEMA 2058D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000938	.002814	.000938
				12-23 MO.	.002814	.008442	.002814
				2-65+ YR.	.005628	.015946	.005628
ISOAMYL BENZOATE FEMA 2058D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001165	.001165	.001165
				12-23 MO.	.001165	.003495	.001165
				2-65+ YR.	.002330	.004660	.002330
ISOAMYL BENZOATE FEMA 2058D	99	ALL CATEGORIES	13	0-5 MO.	.080751	.137109	.116853
				6-11 MO.	.626993	1.563809	.917969
				12-23 MO.	1.226946	2.507226	1.796163
				2-65+ YR.	2.792033	5.098196	4.081142
AMYL BUTYRATE FEMA 2059D	01	BAKED GOODS(R)	19	0-5 MO.	.165139	.218567	.245704
				6-11 MO.	1.233687	2.515945	1.835550
				12-23 MO.	2.647085	4.361619	3.938484

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMYL BUTYRATE FEMA 2059D	01	BAKED GOODS(R)	19	2-65+ YR.	6.663855	9.898641	9.914863
AMYL BUTYRATE FEMA 2059D	07	FROZN DAIRY(R)	18	0-5 MO.	.019781	.081104	.039243
				6-11 MO.	.187924	.522230	.372812
				12-23 MO.	.284853	.668613	.565104
				2-65+ YR.	.506405	1.220515	1.004630
AMYL BUTYRATE FEMA 2059D	16	SOFT CANDY(R)	16	0-5 MO.	.009949	.099494	.014959
				6-11 MO.	.109444	.338281	.164552
				12-23 MO.	.174115	.462649	.261787
				2-65+ YR.	.288534	.875551	.433818
AMYL BUTYRATE FEMA 2059D	20	GELATIN PUD(R)	9	0-5 MO.	.022607	.030519	.042607
				6-11 MO.	.144685	.438576	.272688
				12-23 MO.	.155988	.379798	.293992
				2-65+ YR.	.230591	.593434	.434596
AMYL BUTYRATE FEMA 2059D	23	BEV TYPE I(R)	25	0-5 MO.	.035516	.053274	.061601
				6-11 MO.	.335921	1.149828	.582641
				12-23 MO.	.802068	2.404723	1.391152
				2-65+ YR.	1.539023	4.109487	2.669368
AMYL BUTYRATE FEMA 2059D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000988	**********
				12-23 MO.	**********	.001976	**********
				2-65+ YR.	.321028	.932462	.642015
AMYL BUTYRATE FEMA 2059D	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007717	.023151	.009695
				12-23 MO.	.023151	.069453	.029085
				2-65+ YR.	.046302	.131189	.058170
AMYL BUTYRATE FEMA 2059D	31	CHEWING GUM(R)	9	0-5 MO.	**********	**********	**********
				6-11 MO.	.015848	.015848	.040344
				12-23 MO.	.015848	.047544	.040344
				2-65+ YR.	.031696	.063392	.080688

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMYL BUTYRATE							
FEMA 2059D	99	ALL CATEGORIES	52	0-5 MO.	.252993	.482958	.404115
				6-11 MO.	2.035226	5.004847	3.278282
				12-23 MO.	4.103108	8.396375	6.519948
				2-65+ YR.	9.627434	17.824672	15.238150
ISOAMYL BUTYRATE							
FEMA 2060D	01	BAKED GOODS(R)	16	0-5 MO.	.075201	.099530	.122455
				6-11 MO.	.561793	1.145709	.914813
				12-23 MO.	1.205421	1.986180	1.962885
				2-65+ YR.	3.034565	4.507612	4.941429
ISOAMYL BUTYRATE							
FEMA 2060D	07	FROZN DAIRY(R)	14	0-5 MO.	.012892	.052855	.025196
				6-11 MO.	.122470	.340337	.239363
				12-23 MO.	.185638	.435735	.362824
				2-65+ YR.	.330024	.795409	.645021
ISOAMYL BUTYRATE							
FEMA 2060D	16	SOFT CANDY(R)	14	0-5 MO.	.003346	.033465	.004888
				6-11 MO.	.036811	.113780	.053771
				12-23 MO.	.058563	.155612	.085545
				2-65+ YR.	.097048	.294491	.141760
ISOAMYL BUTYRATE							
FEMA 2060D	20	GELATIN PUD(R)	12	0-5 MO.	.037013	.049967	.051830
				6-11 MO.	.236881	.718044	.331709
				12-23 MO.	.255387	.621812	.357624
				2-65+ YR.	.377528	.971580	.528661
ISOAMYL BUTYRATE							
FEMA 2060D	23	BEV TYPE I(R)	22	0-5 MO.	.125609	.188413	.166165
				6-11 MO.	1.188049	4.066583	1.571646
				12-23 MO.	2.836664	8.504758	3.752563
				2-65+ YR.	5.443045	14.533977	7.200490
ISOAMYL BUTYRATE							
FEMA 2060D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
ISOAMYL BUTYRATE							
FEMA 2060D	30	HARD CANDY(R)	9	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL BUTYRATE FEMA 2060D	30	HARD CANDY(R)	9	6-11 MO.	.002338	.007014	.004214
				12-23 MO.	.007014	.021042	.012642
				2-65+ YR.	.014028	.039746	.025284
ISOAMYL BUTYRATE FEMA 2060D	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.011377	.011377	.037675
				12-23 MO.	.011377	.034131	.037675
				2-65+ YR.	.022754	.045508	.075350
ISOAMYL BUTYRATE FEMA 2060D	99	ALL CATEGORIES	40	0-5 MO.	.254060	.424230	.370534
				6-11 MO.	2.159718	6.403838	3.153191
				12-23 MO.	4.560065	11.761268	6.571759
				2-65+ YR.	9.643992	22.132322	14.207996
A&-AMYLCINNAMALDEHYDE FEMA 2061D	01	BAKED GOODS(R)	15	0-5 MO.	.021889	.028971	.032962
				6-11 MO.	.163523	.333484	.246247
				12-23 MO.	.350867	.578125	.528364
				2-65+ YR.	.983282	1.312048	1.330119
A&-AMYLCINNAMALDEHYDE FEMA 2061D	07	FROZN DAIRY(R)	13	0-5 MO.	.002667	.010933	.005185
				6-11 MO.	.025332	.070396	.049262
				12-23 MO.	.038398	.090129	.074671
				2-65+ YR.	.068263	.164525	.132748
A&-AMYLCINNAMALDEHYDE FEMA 2061D	16	SOFT CANDY(R)	14	0-5 MO.	.001110	.011104	.001531
				6-11 MO.	.012214	.037754	.016837
				12-23 MO.	.019432	.051633	.026786
				2-65+ YR.	.032202	.097715	.044388
A&-AMYLCINNAMALDEHYDE FEMA 2061D	20	GELATIN PUD(R)	9	0-5 MO.	.008370	.011300	.013560
				6-11 MO.	.053570	.162383	.086785
				12-23 MO.	.057755	.140620	.093565
				2-65+ YR.	.085377	.219719	.138313
A&-AMYLCINNAMALDEHYDE FEMA 2061D	23	BEV TYPE II(R)	15	0-5 MO.	.006267	.009401	.010726
				6-11 MO.	.059276	.202896	.101447

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-AMYLCINNAMALDEHYDE FEMA 2061D	23	BEV TYPE I(R)	15	12-23 MO.	.141531	.424332	.242220
				2-65+ YR.	.271573	.725151	.464777
A&-AMYLCINNAMALDEHYDE FEMA 2061D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000047	**********
				12-23 MO.	**********	.000093	**********
				2-65+ YR.	.015167	.044053	.039542
A&-AMYLCINNAMALDEHYDE FEMA 2061D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000984	.002952	.000984
				12-23 MO.	.002952	.008856	.002952
				2-65+ YR.	.005904	.016728	.005904
A&-AMYLCINNAMALDEHYDE FEMA 2061D	99	ALL CATEGORIES	18	0-5 MO.	.040303	.071708	.063964
				6-11 MO.	.314899	.809912	.501561
				12-23 MO.	.610934	1.293789	.968558
				2-65+ YR.	1.361767	2.579939	2.155792
A&-AMYLCINNAMALDEHYD DIME FEMA 2062D	01	BAKED GOODS(R)	5	0-5 MO.	.008953	.011850	.017283
				6-11 MO.	.066887	.136407	.129117
				12-23 MO.	.143517	.236473	.277042
				2-65+ YR.	.361293	.536673	.697433
A&-AMYLCINNAMALDEHYD DIME FEMA 2062D	07	FROZN DAIRY(R)	4	0-5 MO.	.001525	.006253	.002600
				6-11 MO.	.014488	.040260	.024700
				12-23 MO.	.021960	.051545	.037440
				2-65+ YR.	.039040	.094093	.066560
A&-AMYLCINNAMALDEHYD DIME FEMA 2062D	16	SOFT CANDY(R)	5	0-5 MO.	.000480	.004800	.000980
				6-11 MO.	.005280	.016320	.010780
				12-23 MO.	.008400	.022320	.017150
				2-65+ YR.	.013920	.042240	.028420
A&-AMYLCINNAMALDEHYD DIME FEMA 2062D	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.013000
				6-11 MO.	.051200	.155200	.003200
				12-23 MO.	.055200	.134400	.089700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-AMYLCINNAMALDEHYD DIME FEMA 2062D	20	GELATIN PUD(R)	*	2-65+ YR.	.081600	.210000	.132600
A&-AMYLCINNAMALDEHYD DIME FEMA 2062D	23	BEV TYPE I(R)	5	0-5 MO.	.002904	.004356	.006480
				6-11 MO.	.027467	.094017	.061290
				12-23 MO.	.065582	.196625	.146340
				2-65+ YR.	.125840	.336017	.280800
A&-AMYLCINNAMALDEHYD DIME FEMA 2062D	99	ALL CATEGORIES	6	0-5 MO.	.021862	.038058	.040343
				6-11 MO.	.165321	.442204	.309087
				12-23 MO.	.294659	.641363	.567672
				2-65+ YR.	.621693	1.219023	1.205813
ISOAMYL CINNAMATE FEMA 2063D	01	BAKED GOODS(R)	9	0-5 MO.	.026615	.035226	.047627
				6-11 MO.	.198832	.405492	.355801
				12-23 MO.	.426628	.702957	.763430
				2-65+ YR.	1.074006	1.595353	1.921883
ISOAMYL CINNAMATE FEMA 2063D	07	FROZN DAIRY(R)	10	0-5 MO.	.003281	.013454	.007066
				6-11 MO.	.031174	.086632	.067125
				12-23 MO.	.047254	.110915	.101747
				2-65+ YR.	.084006	.202468	.180884
ISOAMYL CINNAMATE FEMA 2063D	16	SOFT CANDY(R)	12	0-5 MO.	.001430	.014299	.002249
				6-11 MO.	.015729	.048616	.024738
				12-23 MO.	.025023	.066489	.039357
				2-65+ YR.	.041466	.125829	.065219
ISOAMYL CINNAMATE FEMA 2063D	20	GELATIN PUD(R)	6	0-5 MO.	.012123	.016366	.019641
				6-11 MO.	.077588	.235190	.125704
				12-23 MO.	.083650	.203670	.135525
				2-65+ YR.	.123657	.318234	.200341
ISOAMYL CINNAMATE FEMA 2063D	23	BEV TYPE I(R)	12	0-5 MO.	.006502	.009753	.012341
				6-11 MO.	.061497	.210499	.116726
				12-23 MO.	.146835	.440233	.278702
				2-65+ YR.	.281749	.752324	.534779

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL CINNAMATE FEMA 2063D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000350	**********
				12-23 MO.	**********	.000700	**********
				2-65+ YR.	.113750	.330400	.325000
ISOAMYL CINNAMATE FEMA 2063D	99	ALL CATEGORIES	14	0-5 MO.	.049952	.089098	.088924
				6-11 MO.	.384820	.986778	.690094
				12-23 MO.	.729388	1.524963	1.318761
				2-65+ YR.	1.718634	3.324607	3.228107
A6-AMYLCINNAMYL ACETATE FEMA 2064D	01	BAKED GOODS(R)	4	0-5 MO.	.016320	.021600	.036720
				6-11 MO.	.121920	.248640	.274320
				12-23 MO.	.261600	.431040	.588600
				2-65+ YR.	.658560	.978240	1.481760
A6-AMYLCINNAMYL ACETATE FEMA 2064D	07	FROZN DAIRY(R)	4	0-5 MO.	.002850	.011685	.006000
				6-11 MO.	.027075	.075240	.057000
				12-23 MO.	.041040	.096330	.086400
				2-65+ YR.	.072960	.175845	.153600
A6-AMYLCINNAMYL ACETATE FEMA 2064D	16	SOFT CANDY(R)	4	0-5 MO.	.000880	.008800	.001920
				6-11 MO.	.009680	.029920	.021120
				12-23 MO.	.015400	.040920	.033600
				2-65+ YR.	.025520	.077440	.055680
A6-AMYLCINNAMYL ACETATE FEMA 2064D	20	GELATIN PUD(R)	*	0-5 MO.	.013000	.017550	.017000
				6-11 MO.	.083200	.252200	.108800
				12-23 MO.	.089700	.218400	.117300
				2-65+ YR.	.132600	.341250	.173400
A6-AMYLCINNAMYL ACETATE FEMA 2064D	23	BEV TYPE I(R)	4	0-5 MO.	.003960	.005940	.007680
				6-11 MO.	.037455	.128205	.072640
				12-23 MO.	.089430	.268125	.173440
				2-65+ YR.	.171600	.458205	.332800
A6-AMYLCINNAMYL ACETATE FEMA 2064D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-AMYLCINNAMYL ACETATE FEMA 2064D	24	BEV TYPE I(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
A&-AMYLCINNAMYL ACETATE FEMA 2064D	99	ALL CATEGORIES	4	0-5 MO.	.037010	.065575	.069320
				6-11 MO.	.279330	.734305	.533880
				12-23 MO.	.497170	1.055015	.999340
				2-65+ YR.	1.093740	2.125380	2.262240
A&-AMYLCINNAMYL ALCOHOL FEMA 2065D	01	BAKED GOODS(R)	5	0-5 MO.	.007013	.009281	.019210
				6-11 MO.	.052388	.106838	.143510
				12-23 MO.	.112406	.185213	.307925
				2-65+ YR.	.282975	.420338	.775180
A&-AMYLCINNAMYL ALCOHOL FEMA 2065D	07	FROZN DAIRY(R)	4	0-5 MO.	.001250	.005125	.003667
				6-11 MO.	.011875	.033000	.034833
				12-23 MO.	.018000	.042250	.052800
				2-65+ YR.	.032000	.077125	.093867
A&-AMYLCINNAMYL ALCOHOL FEMA 2065D	16	SOFT CANDY(R)	4	0-5 MO.	.000400	.004000	.001220
				6-11 MO.	.004400	.013600	.013420
				12-23 MO.	.007000	.018600	.021350
				2-65+ YR.	.011600	.035200	.035380
A&-AMYLCINNAMYL ALCOHOL FEMA 2065D	20	GELATIN PUD(R)	*	0-5 MO.	.007500	.010125	.009000
				6-11 MO.	.048000	.145500	.057600
				12-23 MO.	.051750	.126000	.062100
				2-65+ YR.	.076500	.196875	.091800
A&-AMYLCINNAMYL ALCOHOL FEMA 2065D	23	BEV TYPE I(R)	4	0-5 MO.	.001920	.002880	.003800
				6-11 MO.	.018160	.062160	.035942
				12-23 MO.	.043360	.130000	.085817
				2-65+ YR.	.083200	.222160	.164667
A&-AMYLCINNAMYL ALCOHOL FEMA 2065D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AE-AMYLCINNAMYL ALCOHOL FEMA 2065D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
AE-AMYLCINNAMYL ALCOHOL FEMA 2065D	99	ALL CATEGORIES	5	0-5 MO.	.018083	.031411	.036897
				6-11 MO.	.134823	.361148	.285305
				12-23 MO.	.232516	.502163	.529992
				2-65+ YR.	.502525	.998898	1.193393
AE-AMYLCINNAMYL FORMATE FEMA 2066D	01	BAKED GOODS(R)	5	0-5 MO.	.011333	.015000	.031592
				6-11 MO.	.084667	.172667	.236008
				12-23 MO.	.181667	.299333	.506396
				2-65+ YR.	.457333	.679333	1.274817
AE-AMYLCINNAMYL FORMATE FEMA 2066D	07	FROZN DAIRY(R)	5	0-5 MO.	.001950	.007995	.003583
				6-11 MO.	.018525	.051480	.034042
				12-23 MO.	.028080	.065910	.051600
				2-65+ YR.	.049920	.120315	.091733
AE-AMYLCINNAMYL FORMATE FEMA 2066D	16	SOFT CANDY(R)	5	0-5 MO.	.000550	.005500	.001492
				6-11 MO.	.006050	.018700	.016408
				12-23 MO.	.009625	.025575	.026104
				2-65+ YR.	.015950	.048400	.043258
AE-AMYLCINNAMYL FORMATE FEMA 2066D	20	GELATIN PUD(R)	*	0-5 MO.	.007500	.010125	.010000
				6-11 MO.	.048000	.145500	.064000
				12-23 MO.	.051750	.126000	.069000
				2-65+ YR.	.076500	.196875	.102000
AE-AMYLCINNAMYL FORMATE FEMA 2066D	23	BEV TYPE I(R)	4	0-5 MO.	.002016	.003024	.003600
				6-11 MO.	.019068	.065268	.034050
				12-23 MO.	.045528	.136500	.081300
				2-65+ YR.	.087360	.233268	.156000
AE-AMYLCINNAMYL FORMATE FEMA 2066D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-AMYLCINNAMYL FORMATE FEMA 2066D	24	BEV TYPE I(R)	*	2-65+ YR.	.016250	.047200	.032500
A&-AMYLCINNAMYL FORMATE FEMA 2066D	99	ALL CATEGORIES	5	0-5 MO.	.023349	.041644	.050267
				6-11 MO.	.176310	.453665	.384508
				12-23 MO.	.316650	.653418	.734400
				2-65+ YR.	.703313	1.325391	1.700308
A&-AMYLCINNAMYL ISOVALER FEMA 2067D	01	BAKED GOODS(R)	4	0-5 MO.	.006347	.008400	.014733
				6-11 MO.	.047413	.096693	.110067
				12-23 MO.	.101733	.167627	.236167
				2-65+ YR.	.256107	.380427	.594533
A&-AMYLCINNAMYL ISOVALER FEMA 2067D	07	FROZN DAIRY(R)	4	0-5 MO.	.001250	.005125	.002750
				6-11 MO.	.011875	.033000	.026125
				12-23 MO.	.018000	.042250	.039600
				2-65+ YR.	.032000	.077125	.070400
A&-AMYLCINNAMYL ISOVALER FEMA 2067D	16	SOFT CANDY(R)	4	0-5 MO.	.000400	.004000	.000713
				6-11 MO.	.004400	.013600	.007847
				12-23 MO.	.007000	.018600	.012483
				2-65+ YR.	.011600	.035200	.020687
A&-AMYLCINNAMYL ISOVALER FEMA 2067D	20	GELATIN PUD(R)	*	0-5 MO.	.006500	.008775	.009000
				6-11 MO.	.041600	.126100	.057600
				12-23 MO.	.044850	.109200	.062100
				2-65+ YR.	.066300	.170625	.091800
A&-AMYLCINNAMYL ISOVALER FEMA 2067D	23	BEV TYPE I(R)	4	0-5 MO.	.002200	.003300	.003800
				6-11 MO.	.020808	.071225	.035942
				12-23 MO.	.049683	.148958	.085817
				2-65+ YR.	.095333	.254558	.164667
A&-AMYLCINNAMYL ISOVALER FEMA 2067D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AG-AMYLCINNAMYL ISOVALER FEMA 2067D	99	ALL CATEGORIES	4	0-5 MO.	.016697	.029600	.030997
				6-11 MO.	.126097	.340668	.237580
				12-23 MO.	.221267	.486735	.436167
				2-65+ YR.	.477590	.965135	.974587
AMYL FORMATE FEMA 2068D	01	BAKED GOODS(R)	10	0-5 MO.	.108752	.143936	.148542
				6-11 MO.	.812441	1.656868	1.109697
				12-23 MO.	1.743229	2.872330	2.381042
				2-65+ YR.	4.388460	6.518718	5.994110
AMYL FORMATE FEMA 2068D	07	FROZN DAIRY(R)	14	0-5 MO.	.015025	.061603	.020571
				6-11 MO.	.142740	.396666	.195429
				12-23 MO.	.216363	.507853	.296229
				2-65+ YR.	.384646	.927057	.526629
AMYL FORMATE FEMA 2068D	16	SOFT CANDY(R)	10	0-5 MO.	.005708	.057076	.007889
				6-11 MO.	.062783	.194058	.086774
				12-23 MO.	.099883	.265403	.138049
				2-65+ YR.	.165520	.502268	.228767
AMYL FORMATE FEMA 2068D	20	GELATIN PUD(R)	5	0-5 MO.	.034701	.046847	.064544
				6-11 MO.	.222087	.673202	.413084
				12-23 MO.	.239438	.582979	.445356
				2-65+ YR.	.353952	.910905	.658353
AMYL FORMATE FEMA 2068D	23	BEV TYPE I(R)	14	0-5 MO.	.031062	.046593	.049989
				6-11 MO.	.293793	1.005628	.472809
				12-23 MO.	.701480	2.103146	1.128909
				2-65+ YR.	1.346014	3.594115	2.166172
AMYL FORMATE FEMA 2068D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001957	**********
				12-23 MO.	**********	.003913	**********
				2-65+ YR.	.635940	1.847162	.953875
AMYL FORMATE FEMA 2068D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMYL FORMATE FEMA 2068D	20	HARD CANDY(R)	*	6-11 MO.	.000276	.000828	.000491
				12-23 MO.	.000828	.002484	.001473
				2-65+ YR.	.001656	.004692	.002946
AMYL FORMATE FEMA 2068D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.009099	.009099	.014847
				12-23 MO.	.009099	.027297	.014847
				2-65+ YR.	.018198	.036396	.029694
AMYL FORMATE FEMA 2068D	99	ALL CATEGORIES	23	0-5 MO.	.195248	.356055	.291535
				6-11 MO.	1.543220	3.938306	2.293130
				12-23 MO.	3.010321	6.365407	4.405905
				2-65+ YR.	7.294386	14.341314	10.560546
ISOAMYL FORMATE FEMA 2069D	01	BAKED GOODS(R)	10	0-5 MO.	.105304	.139373	.148196
				6-11 MO.	.786681	1.604334	1.107110
				12-23 MO.	1.687958	2.781258	2.375493
				2-65+ YR.	4.249317	6.312032	5.980140
ISOAMYL FORMATE FEMA 2069D	07	FROZN DAIRY(R)	10	0-5 MO.	.014561	.059700	.024005
				6-11 MO.	.138328	.384407	.228049
				12-23 MO.	.209677	.492158	.345675
				2-65+ YR.	.372759	.898406	.614533
ISOAMYL FORMATE FEMA 2069D	16	SOFT CANDY(R)	11	0-5 MO.	.004831	.048309	.006360
				6-11 MO.	.053140	.164252	.069960
				12-23 MO.	.084541	.224638	.111299
				2-65+ YR.	.140097	.425122	.184439
ISOAMYL FORMATE FEMA 2069D	20	GELATIN PUD(R)	7	0-5 MO.	.030032	.040544	.064735
				6-11 MO.	.192207	.582629	.414303
				12-23 MO.	.207224	.504544	.446671
				2-65+ YR.	.306331	.788351	.660296
ISOAMYL FORMATE FEMA 2069D	23	BEV TYPE I(R)	17	0-5 MO.	.027003	.040505	.040465
				6-11 MO.	.255407	.874235	.382729

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL FORMATE FEMA 20690	23	BEV TYPE I(R)	17	12-23 MO.	.609827	1.828355	.913829
				2-65+ YR.	1.170147	3.124518	1.753473
ISOAMYL FORMATE FEMA 20690	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002000	**********
				12-23 MO.	**********	.004000	**********
				2-65+ YR.	.650000	1.888000	.975000
ISOAMYL FORMATE FEMA 20690	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.011786	.011786	.011786
				12-23 MO.	.011786	.035358	.011786
				2-65+ YR.	.023572	.047144	.023572
ISOAMYL FORMATE FEMA 20690	99	ALL CATEGORIES	20	0-5 MO.	.181731	.328430	.283761
				6-11 MO.	1.437550	3.623642	2.213938
				12-23 MO.	2.811012	5.870312	4.204753
				2-65+ YR.	6.912222	13.483573	10.191453
ISOAMYL 2-FURANBUTYRATE FEMA 20700	01	BAKED GOODS(R)	*	0-5 MO.	.005893	.007800	.010880
				6-11 MO.	.044027	.089787	.081280
				12-23 MO.	.094467	.155653	.174400
				2-65+ YR.	.237813	.353253	.439040
ISOAMYL 2-FURANBUTYRATE FEMA 20700	07	FROZN DAIRY(R)	*	0-5 MO.	.001300	.005330	.001650
				6-11 MO.	.012350	.034320	.015675
				12-23 MO.	.018720	.043940	.023760
				2-65+ YR.	.033280	.080210	.042240
ISOAMYL 2-FURANBUTYRATE FEMA 20700	16	SOFT CANDY(R)	*	0-5 MO.	.000413	.004133	.000540
				6-11 MO.	.004547	.014053	.005940
				12-23 MO.	.007233	.019220	.009450
				2-65+ YR.	.011987	.036373	.015660
ISOAMYL 2-FURANBUTYRATE FEMA 20700	20	GELATIN PUD(R)	*	0-5 MO.	.004050	.005468	.006100
				6-11 MO.	.025920	.078570	.039040
				12-23 MO.	.027945	.068040	.042090

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL 2-FURANBUTYRATE FEMA 2070D	20	GELATIN PUD(R)	*	2-65+ YR.	.041310	.106313	.062220
ISOAMYL 2-FURANBUTYRATE FEMA 2070D	23	BEV TYPE I(R)	*	0-5 MO.	.000660	.000990	.007320
				6-11 MO.	.006243	.021368	.069235
				12-23 MO.	.014905	.044688	.165310
				2-65+ YR.	.028600	.076368	.317200
ISOAMYL 2-FURANBUTYRATE FEMA 2070D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000005	**********
				12-23 MO.	**********	.000010	**********
				2-65+ YR.	.001625	.004720	.003250
ISOAMYL 2-FURANBUTYRATE FEMA 2070D	99	ALL CATEGORIES	*	0-5 MO.	.012317	.023721	.026490
				6-11 MO.	.093086	.238102	.211170
				12-23 MO.	.163270	.331551	.415010
				2-65+ YR.	.354615	.657237	.879610
ISOAMYL 2-FURANPROPIONATE FEMA 2071D	01	BAKED GOODS(R)	*	0-5 MO.	.027370	.036225	.046410
				6-11 MO.	.204470	.416990	.346710
				12-23 MO.	.438725	.722890	.743925
				2-65+ YR.	1.104460	1.640590	1.872780
ISOAMYL 2-FURANPROPIONATE FEMA 2071D	04	FATS OILS(R)	*	0-5 MO.	.000050	.000050	.000050
				6-11 MO.	.000280	.000750	.000280
				12-23 MO.	.000630	.001200	.000630
				2-65+ YR.	.001750	.003160	.001750
ISOAMYL 2-FURANPROPIONATE FEMA 2071D	07	FROZN DAIRY(R)	*	0-5 MO.	.001200	.004920	.003683
				6-11 MO.	.011400	.031680	.034992
				12-23 MO.	.017280	.040560	.053040
				2-65+ YR.	.030720	.074040	.094293
ISOAMYL 2-FURANPROPIONATE FEMA 2071D	16	SOFT CANDY(R)	*	0-5 MO.	.001406	.016055	.002730
				6-11 MO.	.017661	.054587	.030030
				12-23 MO.	.028096	.074656	.047775
				2-65+ YR.	.046560	.141284	.079170

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL 2-FURANPROPIONATE							
FEMA 2071D	20	GELATIN PUD(R)	*	0-5 MO.	.000100	.000135	.000200
				6-11 MO.	.000640	.001940	.001280
				12-23 MO.	.000690	.001680	.001380
				2-65+ YR.	.001020	.002625	.002040
ISOAMYL 2-FURANPROPIONATE							
FEMA 2071D	23	BEV TYPE I(R)	*	0-5 MO.	.000360	.000540	.000880
				6-11 MO.	.003405	.011655	.008323
				12-23 MO.	.008130	.024375	.019873
				2-65+ YR.	.015600	.041655	.038133
ISOAMYL 2-FURANPROPIONATE							
FEMA 2071D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000005	**********
				12-23 MO.	**********	.000010	**********
				2-65+ YR.	.001625	.004720	.003250
ISOAMYL 2-FURANPROPIONATE							
FEMA 2071D	99	ALL CATEGORIES	4	0-5 MO.	.030686	.057925	.053953
				6-11 MO.	.237856	.517607	.421615
				12-23 MO.	.493551	.865371	.866623
				2-65+ YR.	1.201735	1.908074	2.091417
AMYL HEPTANOATE							
FEMA 2073D	01	BAKED GOODS(R)	5	0-5 MO.	.014463	.019142	.021643
				6-11 MO.	.108045	.220343	.161688
				12-23 MO.	.231828	.381985	.346929
				2-65+ YR.	.583612	.866910	.873370
AMYL HEPTANOATE							
FEMA 2073D	07	FROZN DAIRY(R)	4	0-5 MO.	.005766	.023641	.007282
				6-11 MO.	.054778	.152226	.069181
				12-23 MO.	.083032	.194895	.104865
				2-65+ YR.	.147613	.355770	.186426
AMYL HEPTANOATE							
FEMA 2073D	16	SOFT CANDY(R)	4	0-5 MO.	.002103	.021032	.002668
				6-11 MO.	.023135	.071510	.029345
				12-23 MO.	.036806	.097800	.046685
				2-65+ YR.	.060994	.185084	.077365
AMYL HEPTANOATE							
FEMA 2073D	20	GELATIN PUD(R)	4	0-5 MO.	.020984	.028328	.028000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMYL HEPTANOATE FEMA 2073D	20	GELATIN PUD(R)	4	6-11 MO.	.134297	.407087	.179200
				12-23 MO.	.144789	.352529	.193200
				2-65+ YR.	.214035	.550827	.285600
AMYL HEPTANOATE FEMA 2073D	23	BEV TYPE I(R)	5	0-5 MO.	.007820	.011730	.029284
				6-11 MO.	.073964	.253171	.276980
				12-23 MO.	.176601	.529477	.661335
				2-65+ YR.	.338865	.904835	1.268982
AMYL HEPTANOATE FEMA 2073D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
AMYL HEPTANOATE FEMA 2073D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.008828	.008828	.012400
				12-23 MO.	.008828	.026484	.012400
				2-65+ YR.	.017656	.035312	.024800
AMYL HEPTANOATE FEMA 2073D	99	ALL CATEGORIES	7	0-5 MO.	.051136	.103873	.088877
				6-11 MO.	.403047	1.113665	.728794
				12-23 MO.	.681885	1.584170	1.365414
				2-65+ YR.	1.525275	3.370738	3.041543
AMYL HEXANOATE FEMA 2074D	01	BAKED GOODS(R)	6	0-5 MO.	.041837	.055372	.060477
				6-11 MO.	.312546	.637397	.451796
				12-23 MO.	.670621	1.104986	.969404
				2-65+ YR.	1.688241	2.507752	2.440409
AMYL HEXANOATE FEMA 2074D	07	FROZN DAIRY(R)	6	0-5 MO.	.013881	.056912	.018957
				6-11 MO.	.131868	.366455	.180088
				12-23 MO.	.199884	.469173	.272976
				2-65+ YR.	.355350	.856449	.485291
AMYL HEXANOATE FEMA 2074D	16	SOFT CANDY(R)	6	0-5 MO.	.003662	.036624	.004977
				6-11 MO.	.040287	.124522	.054743

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMYL HEXANOATE FEMA 2074D	16	SOFT CANDY(R)	6	12-23 MO.	.064092	.170302	.087090
				2-65+ YR.	.106210	.322292	.144321
AMYL HEXANOATE FEMA 2074D	20	GELATIN PUD(R)	6	0-5 MO.	.009893	.013356	.018721
				6-11 MO.	.063318	.191932	.119812
				12-23 MO.	.068264	.166209	.129172
				2-65+ YR.	.100912	.259701	.190950
AMYL HEXANOATE FEMA 2074D	23	BEV TYPE I(R)	8	0-5 MO.	.010485	.015728	.015739
				6-11 MO.	.099174	.339463	.148863
				12-23 MO.	.236794	.709946	.355434
				2-65+ YR.	.454365	1.213242	.682014
AMYL HEXANOATE FEMA 2074D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
AMYL HEXANOATE FEMA 2074D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000661	.000661	.006752
				12-23 MO.	.000661	.001983	.006752
				2-65+ YR.	.001322	.002644	.013504
AMYL HEXANOATE FEMA 2074D	99	ALL CATEGORIES	11	0-5 MO.	.079759	.177992	.118869
				6-11 MO.	.647853	1.660930	.962053
				12-23 MO.	1.240317	2.623599	1.820829
				2-65+ YR.	2.868901	5.634081	4.281488
ISOAMYL HEXANOATE FEMA 2075D	01	BAKED GOODS(R)	12	0-5 MO.	.010753	.014232	.018606
				6-11 MO.	.080334	.163831	.139000
				12-23 MO.	.172370	.284015	.298247
				2-65+ YR.	.433930	.644569	.750816
ISOAMYL HEXANOATE FEMA 2075D	04	FATS OILS(R)	*	0-5 MO.	.000300	.000300	.005000
				6-11 MO.	.001680	.004500	.028000
				12-23 MO.	.003780	.007200	.063000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL HEXANOATE FEMA 20750	04	FATS OILS(R)	*	2-65+ YR.	.010500	.018960	.175000
ISOAMYL HEXANOATE FEMA 20750	07	FROZN DAIRY(R)	11	0-5 MO.	.004138	.016966	.006678
				6-11 MO.	.039311	.109242	.063440
				12-23 MO.	.059507	.139863	.096162
				2-65+ YR.	.105932	.255312	.170954
ISOAMYL HEXANOATE FEMA 20750	16	SOFT CANDY(R)	13	0-5 MO.	.000383	.003830	.000614
				6-11 MO.	.004213	.013021	.006749
				12-23 MO.	.006702	.017808	.010737
				2-65+ YR.	.011106	.033700	.017794
ISOAMYL HEXANOATE FEMA 20750	20	GELATIN PUD(R)	9	0-5 MO.	.002399	.003239	.005084
				6-11 MO.	.015355	.046546	.032539
				12-23 MO.	.016555	.040308	.035081
				2-65+ YR.	.024473	.062981	.051859
ISOAMYL HEXANOATE FEMA 20750	23	BEV TYPE I(R)	14	0-5 MO.	.001996	.002994	.003416
				6-11 MO.	.018879	.064623	.032312
				12-23 MO.	.045078	.135150	.077151
				2-65+ YR.	.086496	.230961	.148039
ISOAMYL HEXANOATE FEMA 20750	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ISOAMYL HEXANOATE FEMA 20750	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000626	.001878	.000628
				12-23 MO.	.001878	.005634	.001884
				2-65+ YR.	.003756	.010642	.003768
ISOAMYL HEXANOATE FEMA 20750	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002254	.002254	.004624
				12-23 MO.	.002254	.006762	.004624
				2-65+ YR.	.004508	.009016	.009248

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL HEXANOATE							
FEMA 2075D	99	ALL CATEGORIES	21	0-5 MO.	.019970	.041561	.039398
				6-11 MO.	.162652	.406394	.307292
				12-23 MO.	.308203	.637740	.586886
				2-65+ YR.	.843200	1.738141	1.652478
ISOAMYL LAURATE							
FEMA 2077D	01	BAKED GOODS(R)	*	0-5 MO.	.006545	.008663	.015640
				6-11 MO.	.048895	.099715	.116840
				12-23 MO.	.104913	.172865	.250700
				2-65+ YR.	.264110	.392315	.631120
ISOAMYL LAURATE							
FEMA 2077D	07	FROZN DAIRY(R)	*	0-5 MO.	.001900	.007790	.005000
				6-11 MO.	.018050	.050160	.047500
				12-23 MO.	.027360	.064220	.072000
				2-65+ YR.	.048640	.117230	.128000
ISOAMYL LAURATE							
FEMA 2077D	16	SOFT CANDY(R)	*	0-5 MO.	.000385	.003850	.000920
				6-11 MO.	.004235	.013090	.010120
				12-23 MO.	.006738	.017903	.016100
				2-65+ YR.	.011165	.033880	.026680
ISOAMYL LAURATE							
FEMA 2077D	23	BEV TYPE I(R)	*	0-5 MO.	.001812	.002718	.006324
				6-11 MO.	.017139	.058664	.059815
				12-23 MO.	.040921	.122688	.142817
				2-65+ YR.	.078520	.209664	.274040
ISOAMYL LAURATE							
FEMA 2077D	99	ALL CATEGORIES	*	0-5 MO.	.010642	.023021	.027884
				6-11 MO.	.088319	.221629	.234275
				12-23 MO.	.179931	.377675	.481617
				2-65+ YR.	.402435	.753089	1.059840
ISOAMYL NONANOATE							
FEMA 2078D	01	BAKED GOODS(R)	*	0-5 MO.	.048450	.064125	.076500
				6-11 MO.	.361950	.738150	.571500
				12-23 MO.	.776625	1.279650	1.226250
				2-65+ YR.	1.955100	2.904150	3.087000
ISOAMYL NONANOATE							
FEMA 2078D	07	FROZN DAIRY(R)	*	0-5 MO.	.006250	.025625	.009250

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL ACHANOATE FEMA 2078D	07	FROZN DAIRY(R)	*	6-11 MO.	.059375	.165000	.087875
				12-23 MO.	.090000	.211250	.133200
				2-65+ YR.	.160000	.385625	.236800
ISOAMYL NONANOATE FEMA 2078D	16	SOFT CANDY(R)	*	0-5 MO.	.002280	.022800	.003500
				6-11 MO.	.025080	.077520	.038500
				12-23 MO.	.039900	.106020	.061250
				2-65+ YR.	.066120	.200640	.101500
ISOAMYL NONANOATE FEMA 2078D	20	GELATIN PUD(R)	*	0-5 MO.	.032000	.043200	.056000
				6-11 MO.	.204800	.620800	.358400
				12-23 MO.	.220800	.537600	.386400
				2-65+ YR.	.326400	.840000	.571200
ISOAMYL NONANOATE FEMA 2078D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.015600
				6-11 MO.	.113500	.388500	.147550
				12-23 MO.	.271000	.812500	.352300
				2-65+ YR.	.520000	1.388500	.676000
ISOAMYL NONANOATE FEMA 2078D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.000250	**********
				12-23 MO.	**********	.000500	**********
				2-65+ YR.	.081250	.236000	**********
ISOAMYL ACHANOATE FEMA 2078D	99	ALL CATEGORIES	*	0-5 MO.	.100980	.173750	.160850
				6-11 MO.	.764705	1.990220	1.203825
				12-23 MO.	1.398325	2.947520	2.139400
				2-65+ YR.	3.108870	5.954915	4.672500
AMYL OCTANOATE FEMA 2079D	01	BAKED GOODS(R)	5	0-5 MO.	.024476	.032395	.034302
				6-11 MO.	.182853	.372904	.256253
				12-23 MO.	.392341	.646463	.549835
				2-65+ YR.	.987693	1.467141	1.384171
AMYL OCTANOATE FEMA 2079D	07	FROZN DAIRY(R)	5	0-5 MO.	.004852	.019894	.006809
				6-11 MO.	.046097	.128100	.064686

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AMYL OCTANOATE FEMA 2079D	07	FROZN DAIRY(R)	5	12-23 MO.	.069873	.164907	.098051
				2-65+ YR.	.124218	.299385	.174313
AMYL OCTANOATE FEMA 2079D	16	SOFT CANDY(R)	6	0-5 MO.	.001345	.013445	.001866
				6-11 MO.	.014790	.045713	.020531
				12-23 MO.	.023529	.062519	.032664
				2-65+ YR.	.038991	.118316	.054128
AMYL OCTANOATE FEMA 2079D	20	GELATIN PUD(R)	4	0-5 MO.	.008570	.011570	.012438
				6-11 MO.	.054851	.166267	.079600
				12-23 MO.	.059136	.143984	.085819
				2-65+ YR.	.087419	.224974	.126863
AMYL OCTANOATE FEMA 2079D	23	BEV TYPE I(R)	6	0-5 MO.	.009562	.014343	.013819
				6-11 MO.	.090443	.309580	.130708
				12-23 MO.	.215949	.647448	.312087
				2-65+ YR.	.414366	1.106438	.598839
AMYL OCTANOATE FEMA 2079D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000005	.000005	.000010
				12-23 MO.	.000005	.000015	.000010
				2-65+ YR.	.000010	.000020	.000020
AMYL OCTANOATE FEMA 2079D	99	ALL CATEGORIES	8	0-5 MO.	.048806	.091648	.049234
				6-11 MO.	.389038	1.022569	.551789
				12-23 MO.	.760833	1.664436	1.078465
				2-65+ YR.	1.652696	3.216275	2.338333
ISOAMYL OCTANOATE FEMA 2080D	01	BAKED GOODS(R)	6	0-5 MO.	.026110	.034558	.034996
				6-11 MO.	.195061	.397801	.261438
				12-23 MO.	.418536	.689624	.560959
				2-65+ YR.	1.053635	1.565094	1.412175
ISOAMYL OCTANOATE FEMA 2080D	07	FROZN DAIRY(R)	6	0-5 MO.	.004891	.020053	.007091
				6-11 MO.	.046463	.129119	.067361
				12-23 MO.	.070429	.165312	.102105

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL OCTANOATE FEMA 2080D	07	FROZN DAIRY(R)	6	2-65+ YR.	.125207	.301768	.181520
ISOAMYL OCTANOATE FEMA 2080D	16	SOFT CANDY(R)	7	0-5 MO.	.001476	.014763	.002001
				6-11 MO.	.016240	.050196	.022006
				12-23 MO.	.025836	.068650	.035009
				2-65+ YR.	.042814	.129918	.058016
ISOAMYL OCTANOATE FEMA 2080D	20	GELATIN PUD(R)	4	0-5 MO.	.009429	.012729	.013216
				6-11 MO.	.060347	.182927	.084585
				12-23 MO.	.065062	.158411	.091193
				2-65+ YR.	.096178	.247518	.134807
ISOAMYL OCTANOATE FEMA 2080D	23	BEV TYPE I(R)	6	0-5 MO.	.010243	.015365	.015328
				6-11 MO.	.096883	.331620	.144979
				12-23 MO.	.231323	.693543	.346161
				2-65+ YR.	.443867	1.185211	.664221
ISOAMYL OCTANOATE FEMA 2080D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	**********
ISOAMYL OCTANOATE FEMA 2080D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000163	.000489	.000227
				12-23 MO.	.000489	.001467	.000681
				2-65+ YR.	.000978	.002771	.001362
ISOAMYL OCTANOATE FEMA 2080D	99	ALL CATEGORIES	11	0-5 MO.	.052150	.097460	.072631
				6-11 MO.	.415157	1.092653	.580595
				12-23 MO.	.811675	1.778007	1.136108
				2-65+ YR.	1.925180	3.904280	2.452100
ISOAMYL PHENYLACETATE FEMA 2081D	01	BAKED GOODS(R)	13	0-5 MO.	.048608	.064334	.074375
				6-11 MO.	.363128	.740551	.555629
				12-23 MO.	.779152	1.283813	1.192195
				2-65+ YR.	1.961460	2.913598	3.001270

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL PHENYLACETATE							
FEMA 2081D	07	FROZN DAIRY(R)	10	0-5 MO.	.013747	.056363	.019739
				6-11 MO.	.130597	.362921	.187522
				12-23 MO.	.197957	.464649	.284244
				2-65+ YR.	.351923	.848190	.505323
ISOAMYL PHENYLACETATE							
FEMA 2081D	16	SOFT CANDY(R)	12	0-5 MO.	.002149	.021491	.003255
				6-11 MO.	.023640	.073070	.035807
				12-23 MO.	.037610	.099935	.056966
				2-65+ YR.	.062325	.189124	.094400
ISOAMYL PHENYLACETATE							
FEMA 2081D	20	GELATIN PUD(R)	10	0-5 MO.	.006204	.008375	.013898
				6-11 MO.	.039704	.120353	.088948
				12-23 MO.	.042806	.104224	.095897
				2-65+ YR.	.063279	.162849	.141761
ISOAMYL PHENYLACETATE							
FEMA 2081D	23	BEV TYPE I(R)	11	0-5 MO.	.010912	.016368	.014355
				6-11 MO.	.103211	.353283	.135770
				12-23 MO.	.246434	.738848	.324173
				2-65+ YR.	.472863	1.262635	.622030
ISOAMYL PHENYLACETATE							
FEMA 2081D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ISOAMYL PHENYLACETATE							
FEMA 2081D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000078	.000234	.000078
				12-23 MO.	.000234	.000702	.000234
				2-65+ YR.	.000468	.001326	.000468
ISOAMYL PHENYLACETATE							
FEMA 2081D	99	ALL CATEGORIES	17	0-5 MO.	.081620	.166931	.125623
				6-11 MO.	.660358	1.650913	1.003754
				12-23 MO.	1.304193	2.693170	1.953710
				2-65+ YR.	3.074818	5.849722	4.690252
ISOAMYL PROPIONATE							
FEMA 2082D	01	BAKED GOODS(R)	10	0-5 MO.	.116510	.154204	.181750

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL PROPIONATE FEMA 2082D	01	BAKED GOODS(R)	10	6-11 MO.	.870395	1.775058	1.357776
				12-23 MO.	1.867581	3.077224	2.913339
				2-65+ YR.	4.701506	6.983723	7.334130
ISOAMYL PROPIONATE FEMA 2082D	07	FROZN DAIRY(R)	13	0-5 MO.	.017013	.069752	.024920
				6-11 MO.	.161620	.449134	.238736
				12-23 MO.	.244982	.575028	.358842
				2-65+ YR.	.435524	1.049680	.637942
ISOAMYL PROPIONATE FEMA 2082D	16	SOFT CANDY(R)	13	0-5 MO.	.004433	.044330	.007659
				6-11 MO.	.048763	.150722	.084254
				12-23 MO.	.077578	.206135	.134040
				2-65+ YR.	.128557	.390105	.222124
ISOAMYL PROPIONATE FEMA 2082D	20	GELATIN PUD(R)	8	0-5 MO.	.075676	.102162	.105685
				6-11 MO.	.484325	1.468111	.676383
				12-23 MO.	.522163	1.271354	.729225
				2-65+ YR.	.771893	1.986490	1.077985
ISOAMYL PROPIONATE FEMA 2082D	23	BEV TYPE I(R)	13	0-5 MO.	.021452	.032178	.035016
				6-11 MO.	.202900	.694509	.331191
				12-23 MO.	.484458	1.452481	.790772
				2-65+ YR.	.929588	2.482178	1.517349
ISOAMYL PROPIONATE FEMA 2082D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000377	**********
				12-23 MO.	**********	.000754	**********
				2-65+ YR.	.122500	.355815	.379167
ISOAMYL PROPIONATE FEMA 2082D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000914	.002742	.005050
				12-23 MO.	.002742	.008226	.015150
				2-65+ YR.	.005484	.015538	.030300
ISOAMYL PROPIONATE FEMA 2082D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.020623	.020623	.020623

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL PROPIONATE FEMA 2082D	31	CHEWING GUM(R)	4	12-23 MO.	.020623	.061869	.020623
				2-65+ YR.	.041246	.082492	.041246
ISOAMYL PROPIONATE FEMA 2082D	99	ALL CATEGORIES	23	0-5 MO.	.235083	.402626	.355029
				6-11 MO.	1.789541	4.561276	2.712013
				12-23 MO.	3.220127	6.653070	4.961992
				2-65+ YR.	7.136298	13.346022	11.240242
ISOAMYL PYRUVATE FEMA 2083D	01	BAKED GOODS(R)	*	0-5 MO.	.040900	.054132	.055571
				6-11 MO.	.305547	.623124	.415151
				12-23 MO.	.655603	1.080241	.890777
				2-65+ YR.	1.650435	2.451594	2.242471
ISOAMYL PYRUVATE FEMA 2083D	07	FROZN DAIRY(R)	*	0-5 MO.	.007763	.031827	.009399
				6-11 MO.	.073745	.204933	.089292
				12-23 MO.	.111782	.262376	.135348
				2-65+ YR.	.198723	.478953	.240618
ISOAMYL PYRUVATE FEMA 2083D	16	SOFT CANDY(R)	*	0-5 MO.	.001676	.016756	.002160
				6-11 MO.	.018432	.056971	.023756
				12-23 MO.	.029324	.077917	.037794
				2-65+ YR.	.048593	.147455	.062630
ISOAMYL PYRUVATE FEMA 2083D	20	GELATIN PUD(R)	*	0-5 MO.	.070000	.094500	.108000
				6-11 MO.	.448000	1.358000	.691200
				12-23 MO.	.483000	1.176000	.745200
				2-65+ YR.	.714000	1.837500	1.101600
ISOAMYL PYRUVATE FEMA 2083D	23	BEV TYPE I(R)	*	0-5 MO.	.009751	.014627	.012151
				6-11 MO.	.092231	.315697	.114931
				12-23 MO.	.220216	.660242	.274416
				2-65+ YR.	.422555	1.128302	.526555
ISOAMYL PYRUVATE FEMA 2083D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000625	.001875	.000625
				12-23 MO.	.001875	.005625	.001875

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL PYRUVATE FEMA 2083D	30	HARD CANDY(R)	*	2-65+ YR.	.003750	.010625	.003750
ISOAMYL PYRUVATE FEMA 2083D	55	ALL CATEGORIES	*	0-5 MO.	.130089	.211842	.187282
				6-11 MO.	.938579	2.560600	1.334955
				12-23 MO.	1.501799	3.262401	2.085410
				2-65+ YR.	3.038056	6.054429	4.177624
ISOAMYL SALICYLATE FEMA 2084D	01	BAKED GOODS(R)	5	0-5 MO.	.005606	.007420	.008984
				6-11 MO.	.041883	.085414	.067118
				12-23 MO.	.089866	.148073	.144012
				2-65+ YR.	.226232	.336049	.362541
ISOAMYL SALICYLATE FEMA 2084D	07	FROZN DAIRY(R)	7	0-5 MO.	.001019	.004176	.003013
				6-11 MO.	.009677	.026892	.028624
				12-23 MO.	.014668	.034430	.043388
				2-65+ YR.	.026077	.062849	.077134
ISOAMYL SALICYLATE FEMA 2084D	16	SOFT CANDY(R)	7	0-5 MO.	.000202	.002018	.000599
				6-11 MO.	.002220	.006862	.006587
				12-23 MO.	.003532	.009385	.010480
				2-65+ YR.	.005853	.017761	.017366
ISOAMYL SALICYLATE FEMA 2084D	20	GELATIN PUD(R)	*	0-5 MO.	.003997	.005396	.004984
				6-11 MO.	.025583	.077549	.031899
				12-23 MO.	.027582	.067156	.034391
				2-65+ YR.	.040773	.104931	.050839
ISOAMYL SALICYLATE FEMA 2084D	23	BEV TYPE I(R)	9	0-5 MO.	.002393	.003589	.004773
				6-11 MO.	.022632	.077466	.045149
				12-23 MO.	.054037	.162011	.107800
				2-65+ YR.	.103687	.276865	.206849
ISOAMYL SALICYLATE FEMA 2084D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032467	.094304	.064930

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL SALICYLATE FEMA 2084D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000025	.000025	.000025
				12-23 MO.	.000025	.000075	.000025
				2-65+ YR.	.000050	.000100	.000050
ISOAMYL SALICYLATE FEMA 2084D	99	ALL CATEGORIES	11	0-5 MO.	.013217	.022600	.022354
				6-11 MO.	.102019	.274308	.179402
				12-23 MO.	.189710	.421329	.340096
				2-65+ YR.	.435139	.892859	.779709
ISOAMYL ISOVALERATE FEMA 2085D	01	BAKED GOODS(R)	19	0-5 MO.	.088007	.116480	.209331
				6-11 MO.	.657466	1.340816	1.563826
				12-23 MO.	1.410704	2.324426	3.355453
				2-65+ YR.	3.551351	5.275257	8.447123
ISOAMYL ISOVALERATE FEMA 2085D	07	FRGZN DAIRY(R)	19	0-5 MO.	.014621	.059944	.036399
				6-11 MO.	.138896	.385984	.345789
				12-23 MO.	.210537	.494176	.524143
				2-65+ YR.	.374287	.902091	.931811
ISOAMYL ISOVALERATE FEMA 2085D	16	SOFT CANDY(R)	19	0-5 MO.	.003385	.033854	.007061
				6-11 MO.	.037239	.115102	.077669
				12-23 MO.	.059244	.157419	.123564
				2-65+ YR.	.098175	.297911	.204763
ISOAMYL ISOVALERATE FEMA 2085D	20	GELATIN PUD(R)	14	0-5 MO.	.043493	.058715	.097696
				6-11 MO.	.278354	.843759	.625255
				12-23 MO.	.300100	.730678	.674103
				2-65+ YR.	.443626	1.141684	.996501
ISOAMYL ISOVALERATE FEMA 2085D	23	BEV TYPE I(R)	28	0-5 MO.	.018195	.027292	.034149
				6-11 MO.	.172093	.589057	.322991
				12-23 MO.	.410900	1.231941	.771194
				2-65+ YR.	.788442	2.105293	1.479782
ISOAMYL ISOVALERATE FEMA 2085D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL ISOVALERATE FEMA 20850	24	BEV TYPE III(R)	*	6-11 MO.	**********	.000415	**********
				12-23 MO.	**********	.000831	**********
				2-65+ YR.	.135036	.392227	.268964
ISOAMYL ISOVALERATE FEMA 20850	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001013	.003039	.004584
				12-23 MO.	.003039	.009117	.013752
				2-65+ YR.	.006078	.017221	.027504
ISOAMYL ISOVALERATE FEMA 20850	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.029272	.029272	.029272
				12-23 MO.	.029272	.087816	.029272
				2-65+ YR.	.058544	.117088	.058544
ISOAMYL ISOVALERATE FEMA 20850	99	ALL CATEGORIES	51	0-5 MO.	.167701	.296286	.384636
				6-11 MO.	1.314332	3.307445	2.969386
				12-23 MO.	2.423795	5.036404	5.491482
				2-65+ YR.	5.455539	10.248771	12.414991
ANISOLE FEMA 20970	01	BAKED GOODS(R)	*	0-5 MO.	.131715	.174328	.190598
				6-11 MO.	.983985	2.006710	1.423882
				12-23 MO.	2.111307	3.478815	3.055179
				2-65+ YR.	5.315071	7.895127	7.691203
ANISOLE FEMA 20970	07	FROZN DAIRY(R)	*	0-5 MO.	.020029	.082119	.033447
				6-11 MO.	.190277	.528769	.317743
				12-23 MO.	.288419	.676984	.481631
				2-65+ YR.	.512746	1.235797	.856233
ANISOLE FEMA 20970	16	SOFT CANDY(R)	5	0-5 MO.	.010317	.103169	.011930
				6-11 MO.	.113486	.350776	.131226
				12-23 MO.	.180547	.479738	.208769
				2-65+ YR.	.299192	.907892	.345960
ANISOLE FEMA 20970	20	GELATIN PUD(R)	*	0-5 MO.	.066000	.089100	.092000
				6-11 MO.	.422400	1.280400	.588800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANISOLE FEMA 2970	20	GELATIN PUD(R)	*	12-23 MO.	.455400	1.108800	.634800
				2-65+ YR.	.673200	1.732500	.938400
ANISOLE FEMA 2970	23	BEV TYPE I(R)	6	0-5 MO.	.017843	.026764	.032331
				6-11 MO.	.168762	.577656	.305795
				12-23 MO.	.402947	1.208097	.730137
				2-65+ YR.	.773182	2.064545	1.401000
ANISOLE FEMA 2970	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000625	.001875	.000625
				12-23 MO.	.001875	.005625	.001875
				2-65+ YR.	.003750	.010625	.003750
ANISOLE FEMA 2970	99	ALL CATEGORIES	8	0-5 MO.	.245903	.475481	.360305
				6-11 MO.	1.879535	4.746187	2.768071
				12-23 MO.	3.440495	6.958059	5.112391
				2-65+ YR.	7.577140	13.846486	11.236546
ANISYL ACETATE FEMA 2980	01	BAKED GOODS(R)	16	0-5 MO.	.037425	.049533	.062265
				6-11 MO.	.279588	.570183	.465159
				12-23 MO.	.599903	.988464	.998077
				2-65+ YR.	1.510214	2.243306	2.512591
ANISYL ACETATE FEMA 2980	07	FROZN DAIRY(R)	12	0-5 MO.	.007987	.032745	.013885
				6-11 MO.	.075872	.210845	.131903
				12-23 MO.	.115006	.269945	.199938
				2-65+ YR.	.204456	.492770	.355445
ANISYL ACETATE FEMA 2980	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	**********
				6-11 MO.	.207000	.558000	**********
				12-23 MO.	.302000	.519000	**********
				2-65+ YR.	.784000	1.301000	**********
ANISYL ACETATE FEMA 2980	16	SOFT CANDY(R)	14	0-5 MO.	.003575	.035751	.005182
				6-11 MO.	.039326	.121553	.056998
				12-23 MO.	.062564	.166242	.090679

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANISYL ACETATE FEMA 2098D	16	SOFT CANDY(R)	14	2-65+ YR.	.103678	.314608	.150268
ANISYL ACETATE FEMA 2098D	20	GELATIN PUD(R)	11	0-5 MO.	.020926	.028250	.033966
				6-11 MO.	.133927	.405966	.217382
				12-23 MO.	.144390	.351558	.234365
				2-65+ YR.	.213446	.549309	.346453
ANISYL ACETATE FEMA 2098D	23	BEV TYPE I(R)	20	0-5 MO.	.007920	.011879	.016753
				6-11 MO.	.074906	.256398	.158458
				12-23 MO.	.178851	.536224	.378345
				2-65+ YR.	.343183	.916366	.725976
ANISYL ACETATE FEMA 2098D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000155	**********
				12-23 MO.	**********	.000310	**********
				2-65+ YR.	.050375	.146320	.124313
ANISYL ACETATE FEMA 2098D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000370	.001110	.001937
				12-23 MO.	.001110	.003330	.005811
				2-65+ YR.	.002220	.006290	.011622
ANISYL ACETATE FEMA 2098D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.005147	.005147	.005147
				12-23 MO.	.005147	.015441	.005147
				2-65+ YR.	.010294	.020588	.010294
ANISYL ACETATE FEMA 2098D	99	ALL CATEGORIES	33	0-5 MO.	.088832	.187159	.132051
				6-11 MO.	.816136	2.129356	1.036985
				12-23 MO.	1.408972	2.850514	1.912363
				2-65+ YR.	3.221866	5.990558	4.236961
ANISYL ALCOHOL FEMA 2099D	01	BAKED GOODS(R)	15	0-5 MO.	.043295	.057302	.082002
				6-11 MO.	.323440	.659614	.612604
				12-23 MO.	.693995	1.143501	1.314445
				2-65+ YR.	1.747085	2.595160	3.309024

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANISYL ALCOHOL							
FEMA 2099D	07	FROZN DAIRY(R)	12	0-5 MO.	.006482	.026574	.012779
				6-11 MO.	.061575	.171113	.121404
				12-23 MO.	.093334	.219077	.184023
				2-65+ YR.	.165928	.399912	.327152
ANISYL ALCOHOL							
FEMA 2099D	16	SOFT CANDY(R)	13	0-5 MO.	.003487	.034872	.005591
				6-11 MO.	.038359	.118563	.061505
				12-23 MO.	.061025	.162153	.097849
				2-65+ YR.	.101128	.306870	.162150
ANISYL ALCOHOL							
FEMA 2099D	20	GELATIN PUD(R)	9	0-5 MO.	.021804	.029435	.047702
				6-11 MO.	.139546	.422999	.305291
				12-23 MO.	.150448	.366308	.329142
				2-65+ YR.	.222401	.572357	.486557
ANISYL ALCOHOL							
FEMA 2099D	23	BEV TYPE I(R)	14	0-5 MO.	.015183	.022775	.035431
				6-11 MO.	.143610	.491564	.335117
				12-23 MO.	.342893	1.028046	.800148
				2-65+ YR.	.657949	1.756851	1.535339
ANISYL ALCOHOL							
FEMA 2099D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000096	**********
				12-23 MO.	**********	.000193	**********
				2-65+ YR.	.031358	.091084	.093391
ANISYL ALCOHOL							
FEMA 2099D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000078	.000234	.000262
				12-23 MO.	.000234	.000702	.000786
				2-65+ YR.	.000468	.001326	.001572
ANISYL ALCOHOL							
FEMA 2099D	99	ALL CATEGORIES	22	0-5 MO.	.090251	.170959	.183505
				6-11 MO.	.706608	1.864184	1.436183
				12-23 MO.	1.341930	2.919979	2.726392
				2-65+ YR.	2.926318	5.723561	5.915184
ANISYL BUTYRATE							
FEMA 2100D	01	BAKED GOODS(R)	4	0-5 MO.	.042917	.056802	.059019

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANISYL BUTYRATE FEMA 2100D	01	BAKED GOODS(R)	4	6-11 MO.	.320615	.653853	.440906
				12-23 MO.	.687934	1.133513	.946038
				2-65+ YR.	1.731826	2.572494	2.381585
ANISYL BUTYRATE FEMA 2100D	07	FROZN DAIRY(R)	4	0-5 MO.	.005094	.020887	.006849
				6-11 MO.	.048396	.134491	.065066
				12-23 MO.	.073358	.172189	.098626
				2-65+ YR.	.130415	.314321	.175336
ANISYL BUTYRATE FEMA 2100D	16	SOFT CANDY(R)	5	0-5 MO.	.001610	.016095	.002581
				6-11 MO.	.017705	.054724	.028390
				12-23 MO.	.028167	.074843	.045167
				2-65+ YR.	.046676	.141638	.074848
ANISYL BUTYRATE FEMA 2100D	20	GELATIN PUD(R)	4	0-5 MO.	.014000	.018900	.021200
				6-11 MO.	.089600	.271600	.135680
				12-23 MO.	.096600	.235200	.146280
				2-65+ YR.	.142800	.367500	.216240
ANISYL BUTYRATE FEMA 2100D	23	BEV TYPE I(R)	4	0-5 MO.	.006786	.010179	.009538
				6-11 MO.	.064186	.219703	.090213
				12-23 MO.	.153255	.459483	.215398
				2-65+ YR.	.294069	.785221	.413310
ANISYL BUTYRATE FEMA 2100D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000150	**********
				12-23 MO.	**********	.000300	**********
				2-65+ YR.	.048750	.141600	.130000
ANISYL BUTYRATE FEMA 2100D	99	ALL CATEGORIES	5	0-5 MO.	.070407	.122863	.099187
				6-11 MO.	.540502	1.334521	.760255
				12-23 MO.	1.039314	2.075528	1.451509
				2-65+ YR.	2.394537	4.322774	3.391319
ANISYL FORMATE FEMA 2101D	01	BAKED GOODS(R)	10	0-5 MO.	.035803	.047387	.079313
				6-11 MO.	.267473	.545477	.592513

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANISYL FORMATE FEMA 2101D	C1	BAKED GOODS(R)	10	12-23 MO.	.573909	.945633	1.271336
				2-65+ YR.	1.444776	2.146103	3.200502
ANISYL FORMATE FEMA 2101D	07	FROZN DAIRY(R)	9	0-5 MO.	.006727	.027582	.015520
				6-11 MO.	.063909	.177600	.147440
				12-23 MO.	.096873	.227382	.223488
				2-65+ YR.	.172218	.415073	.397312
ANISYL FORMATE FEMA 2101D	16	SOFT CANDY(R)	8	0-5 MO.	.001172	.011720	.003481
				6-11 MO.	.012892	.039848	.038291
				12-23 MO.	.020510	.054498	.060918
				2-65+ YR.	.033988	.103136	.100949
ANISYL FORMATE FEMA 2101D	20	GELATIN PUDIR)	7	0-5 MO.	.010413	.014057	.020342
				6-11 MO.	.066640	.202003	.130189
				12-23 MO.	.071846	.174930	.140361
				2-65+ YR.	.106208	.273328	.207489
ANISYL FORMATE FEMA 2101D	23	BEV TYPE I(R)	8	0-5 MO.	.006348	.009522	.013554
				6-11 MO.	.060042	.205517	.128195
				12-23 MO.	.143359	.429813	.306087
				2-65+ YR.	.275080	.734517	.587326
ANISYL FORMATE FEMA 2101D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000250	**********
				12-23 MO.	**********	.000500	**********
				2-65+ YR.	.081250	.236000	.146250
ANISYL FORMATE FEMA 2101D	99	ALL CATEGORIES	11	0-5 MO.	.060463	.110268	.132210
				6-11 MO.	.470956	1.170694	1.036628
				12-23 MO.	.906497	1.832755	2.002190
				2-65+ YR.	2.113519	3.908156	4.639829
ANISYL PROPIONATE FEMA 2102D	01	BAKED GOODS(R)	6	0-5 MO.	.058480	.077400	.102914
				6-11 MO.	.436880	.898960	.768826
				12-23 MO.	.937400	1.544560	1.649647

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ANISYL PROPIONATE FEMA 2102D	01	BAKED GOODS(R)	6	2-65+ YR.	2.359840	3.505360	4.152873
ANISYL PROPIONATE FEMA 2102D	07	FROZN DAIRY(R)	7	0-5 MO.	.006375	.026138	.010761
				6-11 MO.	.060563	.168300	.102226
				12-23 MO.	.091800	.215475	.154953
				2-65+ YR.	.163200	.393338	.275472
ANISYL PROPIONATE FEMA 2102D	16	SOFT CANDY(R)	6	0-5 MO.	.002345	.023450	.004577
				6-11 MO.	.025795	.079730	.050346
				12-23 MO.	.041038	.109043	.080095
				2-65+ YR.	.068005	.206360	.132729
ANISYL PROPIONATE FEMA 2102D	20	GELATIN PUD(R)	4	0-5 MO.	.009382	.012665	.018871
				6-11 MO.	.060044	.182007	.120777
				12-23 MO.	.064735	.157615	.130213
				2-65+ YR.	.095695	.246273	.192469
ANISYL PROPIONATE FEMA 2102D	23	BEV TYPE I(R)	6	0-5 MO.	.012347	.018520	.017085
				6-11 MO.	.116777	.399718	.161596
				12-23 MO.	.278825	.835961	.385836
				2-65+ YR.	.535015	1.428593	.740350
ANISYL PROPIONATE FEMA 2102D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
ANISYL PROPIONATE FEMA 2102D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000058	.000174	.000073
				12-23 MO.	.000174	.000522	.000219
				2-65+ YR.	.000348	.000986	.000438
ANISYL PROPIONATE FEMA 2102D	99	ALL CATEGORIES	10	0-5 MO.	.088928	.158173	.154208
				6-11 MO.	.700116	1.721189	1.203844
				12-23 MO.	1.413971	2.863775	2.400963
				2-65+ YR.	3.319603	6.064109	5.656850

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZALDEHYDE DIME ACETAL							
FEMA 2128D	01	BAKED GOODS(R)	5	0-5 MO.	.294175	.389349	.395961
				6-11 MO.	2.197659	4.481839	2.958058
				12-23 MO.	4.715449	7.769675	6.347015
				2-65+ YR.	11.870817	17.633182	15.978174
BENZALDEHYDE DIME ACETAL							
FEMA 2128D	07	FROZN DAIRY(R)	5	0-5 MO.	.027408	.112371	.039203
				6-11 MO.	.260371	.723558	.372429
				12-23 MO.	.394668	.926374	.564524
				2-65+ YR.	.701632	1.691043	1.003598
BENZALDEHYDE DIME ACETAL							
FEMA 2128D	16	SOFT CANDY(R)	5	0-5 MO.	.014443	.144433	.018721
				6-11 MO.	.158877	.491073	.205926
				12-23 MO.	.252758	.671615	.327610
				2-65+ YR.	.418857	1.271014	.542897
BENZALDEHYDE DIME ACETAL							
FEMA 2128D	20	GELATIN PUD(R)	5	0-5 MO.	.133730	.180535	.178988
				6-11 MO.	.855870	2.594355	1.145524
				12-23 MO.	.922734	2.246658	1.235018
				2-65+ YR.	1.364042	3.510403	1.825679
BENZALDEHYDE DIME ACETAL							
FEMA 2128D	23	BEV TYPE I(R)	5	0-5 MO.	.069413	.104120	.082211
				6-11 MO.	.656534	2.247255	.777578
				12-23 MO.	1.567583	4.699858	1.856597
				2-65+ YR.	3.007909	8.031695	3.562474
BENZALDEHYDE DIME ACETAL							
FEMA 2128D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.006007	**********
				12-23 MO.	**********	.012013	**********
				2-65+ YR.	1.952178	5.670327	2.444035
BENZALDEHYDE DIME ACETAL							
FEMA 2128D	99	ALL CATEGORIES	5	0-5 MO.	.539169	.930808	.715083
				6-11 MO.	4.129310	10.544087	5.459516
				12-23 MO.	7.853193	16.326192	10.330764
				2-65+ YR.	19.315436	37.807664	25.356856
BENZALD. GLYCERYL ACETAL							
FEMA 2129D	01	BAKED GOODS(R)	7	0-5 MO.	.306184	.405243	.880977

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZALD. GLYCERYL ACETAL FEMA 2129D	01	BAKED GOODS(R)	7	6-11 MO.	2.287372	4.664799	6.581419
				12-23 MO.	4.907945	8.086852	14.121550
				2-65+ YR.	12.355413	18.353011	35.550029
BENZALD. GLYCERYL ACETAL FEMA 2129D	07	FROZN DAIRY(R)	5	0-5 MO.	.040418	.165713	.078098
				6-11 MO.	.383970	1.067032	.741931
				12-23 MO.	.582017	1.366124	1.124611
				2-65+ YR.	1.034697	2.493782	1.999308
BENZALD. GLYCERYL ACETAL FEMA 2129D	16	SOFT CANDY(R)	5	0-5 MO.	.015513	.155132	.048884
				6-11 MO.	.170646	.527450	.537724
				12-23 MO.	.271482	.721366	.855470
				2-65+ YR.	.449884	1.365165	1.417636
BENZALD. GLYCERYL ACETAL FEMA 2129D	20	GELATIN PUD(R)	5	0-5 MO.	.235846	.318392	.369301
				6-11 MO.	1.509412	4.575404	2.363529
				12-23 MO.	1.627335	3.962206	2.548180
				2-65+ YR.	2.405625	6.190947	3.766875
BENZALD. GLYCERYL ACETAL FEMA 2129D	23	BEV TYPE I(R)	7	0-5 MO.	.068612	.102918	.215417
				6-11 MO.	.648956	2.221315	2.037483
				12-23 MO.	1.549489	4.645607	4.864826
				2-65+ YR.	2.973189	7.938985	9.334722
BENZALD. GLYCERYL ACETAL FEMA 2129D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.005821	**********
				12-23 MO.	**********	.011641	**********
				2-65+ YR.	1.891667	5.494564	2.361111
BENZALD. GLYCERYL ACETAL FEMA 2129D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.023185	.069555	.032500
				12-23 MO.	.069555	.208665	.097500
				2-65+ YR.	.139110	.394145	.195000
BENZALD. GLYCERYL ACETAL FEMA 2129D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.067508	.067508	.094640

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZALD. GLYCERYL ACETAL FEMA 2129D	31	CHEWING GUM(R)	*	12-23 MO.	.067508	.202524	.094640
				2-65+ YR.	.135016	.270032	.189280
BENZALD. GLYCERYL ACETAL FEMA 2129D	99	ALL CATEGORIES	10	0-5 MO.	.666572	1.147398	1.592678
				6-11 MO.	5.091048	13.198883	12.389226
				12-23 MO.	9.075330	19.204984	23.706777
				2-65+ YR.	21.384600	42.500631	54.813962
BENZALD PROPYLENE GLYC FEMA 2130D	01	BAKED GOODS(R)	*	0-5 MO.	.866505	1.146845	1.110315
				6-11 MO.	6.473301	13.201456	8.294703
				12-23 MO.	13.889563	22.885922	17.797689
				2-65+ YR.	34.966019	51.939320	44.804458
BENZALD PROPYLENE GLYC FEMA 2130D	07	FROZN DAIRY(R)	*	0-5 MO.	.048990	.200860	.072718
				6-11 MO.	.465408	1.293344	.690825
				12-23 MO.	.705460	1.655872	1.047146
				2-65+ YR.	1.254151	3.022701	1.861592
BENZALD PROPYLENE GLYC FEMA 2130D	16	SOFT CANDY(R)	*	0-5 MO.	.033495	.334951	.041883
				6-11 MO.	.368447	1.138835	.460718
				12-23 MO.	.586165	1.557524	.732961
				2-65+ YR.	.971359	2.947573	1.214621
BENZALD PROPYLENE GLYC FEMA 2130D	20	GELATIN PUD(R)	*	0-5 MO.	.164660	.222291	.274718
				6-11 MO.	1.053825	3.194408	1.758198
				12-23 MO.	1.136155	2.766291	1.895557
				2-65+ YR.	1.679534	4.322330	2.802128
BENZALD PROPYLENE GLYC FEMA 2130D	23	BEV TYPE I(R)	*	0-5 MO.	.114361	.171542	.139107
				6-11 MO.	1.081666	3.702443	1.315718
				12-23 MO.	2.582656	7.743204	3.141495
				2-65+ YR.	4.955650	13.232540	6.027961
BENZALD PROPYLENE GLYC FEMA 2130D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.007200	**********
				12-23 MO.	**********	.014400	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZALD PROPYLENE GLYC FEMA 21300	24	BEV TYPE II(R)	*	2-65+ YR.	2.340000	6.796800	2.925000
BENZALD PROPYLENE GLYC FEMA 21300	99	ALL CATEGORIES	*	0-5 MO.	1.228012	2.076489	1.638742
				6-11 MO.	9.442647	22.537685	12.520163
				12-23 MO.	18.900000	36.623214	24.614849
				2-65+ YR.	46.166715	82.261264	59.635761
BENZOIN FEMA 21320	01	BAKED GOODS(R)	4	0-5 MO.	.039190	.051869	.049288
				6-11 MO.	.292770	.597067	.368209
				12-23 MO.	.628188	1.035070	.790056
				2-65+ YR.	1.581421	2.349078	1.988911
BENZOIN FEMA 21320	07	FROZN DAIRY(R)	4	0-5 MO.	.001973	.008090	.002972
				6-11 MO.	.018746	.052093	.028232
				12-23 MO.	.028414	.066695	.042794
				2-65+ YR.	.050515	.121748	.076078
BENZOIN FEMA 21320	16	SOFT CANDY(R)	4	0-5 MO.	.000790	.007901	.001197
				6-11 MO.	.008691	.026863	.013170
				12-23 MO.	.013827	.036739	.020952
				2-65+ YR.	.022912	.069528	.034721
BENZOIN FEMA 21320	20	GELATIN PUD(R)	4	0-5 MO.	.007746	.010457	.011632
				6-11 MO.	.049572	.150266	.074446
				12-23 MO.	.053445	.130128	.080262
				2-65+ YR.	.079006	.203324	.118648
BENZOIN FEMA 21320	23	BEV TYPE I(R)	4	0-5 MO.	.009331	.013997	.013960
				6-11 MO.	.088258	.302099	.132039
				12-23 MO.	.210731	.631803	.315265
				2-65+ YR.	.404354	1.079702	.604936
BENZOIN FEMA 21320	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.184167

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZOIN FEMA 2132D	21	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000837	.000837	.000960
				12-23 MO.	.000837	.002511	.000960
				2-65+ YR.	.001674	.003348	.001920
BENZOIN FEMA 2132D	99	ALL CATEGORIES	5	0-5 MO.	.059030	.092313	.079049
				6-11 MO.	.458874	1.129525	.617056
				12-23 MO.	.935442	1.903545	1.250288
				2-65+ YR.	2.237382	4.109929	3.009380
BENZOPHENONE FEMA 2134D	01	BAKED GOODS(R)	8	0-5 MO.	.005352	.007084	.010749
				6-11 MO.	.039985	.081543	.080302
				12-23 MO.	.085794	.141363	.172302
				2-65+ YR.	.215980	.320822	.433759
BENZOPHENONE FEMA 2134D	07	FROZN DAIRY(R)	7	0-5 MO.	.001062	.004354	.003267
				6-11 MO.	.010089	.028036	.031033
				12-23 MO.	.015292	.035894	.047040
				2-65+ YR.	.027186	.065523	.083627
BENZOPHENONE FEMA 2134D	16	SOFT CANDY(R)	7	0-5 MO.	.000229	.002294	.000485
				6-11 MO.	.002523	.007799	.005333
				12-23 MO.	.004014	.010667	.008485
				2-65+ YR.	.006652	.020187	.014060
BENZOPHENONE FEMA 2134D	20	GELATIN PUD(R)	4	0-5 MO.	.001852	.002500	.004902
				6-11 MO.	.011853	.035928	.031374
				12-23 MO.	.012779	.031113	.033825
				2-65+ YR.	.018890	.048614	.050003
BENZOPHENONE FEMA 2134D	23	BEV TYPE I(R)	7	0-5 MO.	.001368	.002052	.003076
				6-11 MO.	.012938	.044285	.029092
				12-23 MO.	.030891	.092616	.069462
				2-65+ YR.	.059274	.158274	.133285
BENZOPHENONE FEMA 2134D	99	ALL CATEGORIES	9	0-5 MO.	.009863	.018284	.022479

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZOPHENONE FEMA 2134D	99	ALL CATEGORIES	9	6-11 MO.	.077387	.197592	.177135
				12-23 MO.	.148770	.311654	.331114
				2-65+ YR.	.327983	.613420	.714734
BENZYL ACETATE FEMA 2135D	01	BAKED GOODS(R)	17	0-5 MO.	.055114	.072945	.095773
				6-11 MO.	.411732	.839673	.715479
				12-23 MO.	.883440	1.455650	1.535180
				2-65+ YR.	2.224000	3.303580	3.864711
BENZYL ACETATE FEMA 2135D	07	FROZN DAIRY(R)	19	0-5 MO.	.007999	.032797	.010785
				6-11 MO.	.075992	.211178	.102455
				12-23 MO.	.115188	.270372	.155301
				2-65+ YR.	.204779	.493549	.276091
BENZYL ACETATE FEMA 2135D	16	SOFT CANDY(R)	19	0-5 MO.	.003869	.038689	.005916
				6-11 MO.	.042557	.131541	.065079
				12-23 MO.	.067705	.179902	.103534
				2-65+ YR.	.112197	.340460	.171571
BENZYL ACETATE FEMA 2135D	20	GELATIN PUD(R)	18	0-5 MO.	.026736	.036093	.038734
				6-11 MO.	.171108	.518671	.247900
				12-23 MO.	.184476	.449159	.267268
				2-65+ YR.	.272703	.701810	.395091
BENZYL ACETATE FEMA 2135D	23	BEV TYPE I(R)	27	0-5 MO.	.011856	.017784	.018265
				6-11 MO.	.112141	.383847	.172753
				12-23 MO.	.267754	.802769	.412476
				2-65+ YR.	.513772	1.371871	.791467
BENZYL ACETATE FEMA 2135D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000024	**********
				12-23 MO.	**********	.000049	**********
				2-65+ YR.	.007888	.022913	.012621
BENZYL ACETATE FEMA 2135D	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001814	.005442	.006088

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL ACETATE FEMA 2135D	30	HARD CANDY(R)	10	12-23 MO.	.005442	.016326	.018264
				2-65+ YR.	.010884	.030838	.036528
BENZYL ACETATE FEMA 2135D	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.015191	.015191	.022421
				12-23 MO.	.015191	.045573	.022421
				2-65+ YR.	.030382	.060764	.044842
BENZYL ACETATE FEMA 2135D	99	ALL CATEGORIES	47	0-5 MO.	.105574	.198307	.169473
				6-11 MO.	.830535	2.105569	1.332175
				12-23 MO.	1.539197	3.219800	2.514444
				2-65+ YR.	3.376606	6.325785	5.592923
BENZYL ACETOACETATE FEMA 2136D	01	BAKED GOODS(R)	*	0-5 MO.	.092116	.121919	.147860
				6-11 MO.	.688163	1.403419	1.104605
				12-23 MO.	1.476570	2.432953	2.370116
				2-65+ YR.	3.717163	5.521558	5.966605
BENZYL ACETOACETATE FEMA 2136D	07	FROZN DAIRY(R)	*	0-5 MO.	.011023	.045195	.022209
				6-11 MO.	.104721	.291014	.210988
				12-23 MO.	.158735	.372586	.319814
				2-65+ YR.	.282195	.680135	.568558
BENZYL ACETOACETATE FEMA 2136D	16	SOFT CANDY(R)	*	0-5 MO.	.002921	.029209	.004465
				6-11 MO.	.032130	.099312	.049116
				12-23 MO.	.051116	.135823	.078140
				2-65+ YR.	.084707	.257042	.129488
BENZYL ACETOACETATE FEMA 2136D	20	GELATIN PUD(R)	*	0-5 MO.	.032000	.043200	.055116
				6-11 MO.	.204800	.620800	.352744
				12-23 MO.	.220800	.537600	.380302
				2-65+ YR.	.326400	.840000	.562186
BENZYL ACETOACETATE FEMA 2136D	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.013953
				6-11 MO.	.068100	.233100	.131977
				12-23 MO.	.162600	.487500	.315116

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZYL ACETOACETATE FEMA 2136D	23	BEV TYPE I(R)	*	2-65+ YR.	.312000	.833100	.604651
BENZYL ACETOACETATE FEMA 2136D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.162500
BENZYL ACETOACETATE FEMA 2136D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001900	.001900	.003745
				12-23 MO.	.001900	.005700	.003745
				2-65+ YR.	.003800	.007600	.007490
BENZYL ACETOACETATE FEMA 2136D	99	ALL CATEGORIES	4	0-5 MO.	.145260	.250323	.243605
				6-11 MO.	1.099814	2.649744	1.853175
				12-23 MO.	2.071721	3.972563	3.467233
				2-65+ YR.	4.791265	8.328235	8.001478
BENZYL ALCOHOL FEMA 2137D	01	BAKED GOODS(R)	18	0-5 MO.	.803012	1.062810	1.366333
				6-11 MO.	5.998970	12.234120	10.207314
				12-23 MO.	12.871806	21.208957	21.901520
				2-65+ YR.	32.403885	48.133468	55.135569
BENZYL ALCOHOL FEMA 2137D	07	FROZN DAIRY(R)	12	0-5 MO.	.103111	.422756	.244666
				6-11 MO.	.979558	2.722139	2.324331
				12-23 MO.	1.484803	3.485163	3.523196
				2-65+ YR.	2.639650	6.361969	6.263459
BENZYL ALCOHOL FEMA 2137D	10	MEAT PRODS(R)	*	0-5 MO.	.033000	.087000	.154000
				6-11 MO.	.621000	1.674000	2.898000
				12-23 MO.	.906000	1.557000	4.228000
				2-65+ YR.	2.352000	3.903000	10.976000
BENZYL ALCOHOL FEMA 2137D	16	SOFT CANDY(R)	16	0-5 MO.	.021030	.210295	.034258
				6-11 MO.	.231325	.715004	.376838
				12-23 MO.	.368017	.977873	.599514
				2-65+ YR.	.609856	1.850598	.993481

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL ALCOHOL FEMA 2137D	20	GELATIN PUD(R)	11	0-5 MO.	.105018	.141775	.351442
				6-11 MO.	.672118	2.037357	2.249229
				12-23 MO.	.724627	1.764309	2.424950
				2-65+ YR.	1.071188	2.756733	3.584709
BENZYL ALCOHOL FEMA 2137D	23	BEV TYPE I(R)	18	0-5 MO.	.036312	.054468	.115043
				6-11 MO.	.343450	1.175599	1.088112
				12-23 MO.	.820044	2.458620	2.598048
				2-65+ YR.	1.573517	4.201593	4.985185
BENZYL ALCOHOL FEMA 2137D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002858	**********
				12-23 MO.	**********	.005715	**********
				2-65+ YR.	.928726	2.697592	3.095393
BENZYL ALCOHOL FEMA 2137D	27	GRAVIES(R)	*	0-5 MO.	.001200	.003600	.002400
				6-11 MO.	.016800	.046800	.033600
				12-23 MO.	.043200	.122400	.086400
				2-65+ YR.	.099600	.255600	.199200
BENZYL ALCOHOL FEMA 2137D	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.028386	.085158	.035764
				12-23 MO.	.085158	.255474	.107292
				2-65+ YR.	.170316	.482562	.214584
BENZYL ALCOHOL FEMA 2137D	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.017611	.017611	.125461
				12-23 MO.	.017611	.052833	.125461
				2-65+ YR.	.035222	.070444	.250922
BENZYL ALCOHOL FEMA 2137D	99	ALL CATEGORIES	44	0-5 MO.	1.102683	1.982704	2.268142
				6-11 MO.	8.909217	20.710645	19.338648
				12-23 MO.	17.321266	31.888344	35.594381
				2-65+ YR.	41.883960	70.713558	85.698502
BENZYL BENZOATE FEMA 2138D	01	BAKED GOODS(R)	12	0-5 MO.	.155843	.206262	.338000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL BENZOATE FEMA 2138D	01	BAKED GOODS(R)	12	6-11 MO.	1.164237	2.374310	2.525057
				12-23 MO.	2.498068	4.116082	5.417937
				2-65+ YR.	6.288714	9.341399	13.639285
BENZYL BENZOATE FEMA 2138D	07	FROZN DAIRY(R)	14	0-5 MO.	.022774	.093373	.069668
				6-11 MO.	.216352	.601230	.661845
				12-23 MO.	.327943	.769756	1.003218
				2-65+ YR.	.583010	1.405146	1.783499
BENZYL BENZOATE FEMA 2138D	10	MEAT PRODS(R)	*	0-5 MO.	.001430	.003770	.002805
				6-11 MO.	.026910	.072540	.052785
				12-23 MO.	.039260	.067470	.077010
				2-65+ YR.	.101920	.169130	.199920
BENZYL BENZOATE FEMA 2138D	16	SOFT CANDY(R)	14	0-5 MO.	.007996	.079956	.017946
				6-11 MO.	.087952	.271850	.197409
				12-23 MO.	.139923	.371795	.314059
				2-65+ YR.	.231872	.703612	.520441
BENZYL BENZOATE FEMA 2138D	20	GELATIN PUD(R)	10	0-5 MO.	.062968	.085007	.145203
				6-11 MO.	.402997	1.221585	.929299
				12-23 MO.	.434481	1.057867	1.001901
				2-65+ YR.	.642277	1.652918	1.481071
BENZYL BENZOATE FEMA 2138D	23	BEV TYPE I(R)	18	0-5 MO.	.027304	.040956	.079286
				6-11 MO.	.258251	.883969	.749909
				12-23 MO.	.616617	1.848712	1.790533
				2-65+ YR.	1.183176	3.159307	3.435708
BENZYL BENZOATE FEMA 2138D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002967	**********
				12-23 MO.	**********	.005935	**********
				2-65+ YR.	.964367	2.801114	3.214460
BENZYL BENZOATE FEMA 2138D	27	GRAVIES(R)	*	0-5 MO.	.001000	.003000	.002000
				6-11 MO.	.014000	.039000	.028000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL BENZOATE FEMA 2138D	27	GRAVIES(R)	*	12-23 MO.	.036000	.102000	.072000
				2-65+ YR.	.083000	.213000	.166000
BENZYL BENZOATE FEMA 2138D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000310	.000930	.004961
				12-23 MO.	.000930	.002790	.014883
				2-65+ YR.	.001860	.005270	.029766
BENZYL BENZOATE FEMA 2138D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000648	.000648	.000648
				12-23 MO.	.000648	.001944	.000648
				2-65+ YR.	.001296	.002592	.001296
BENZYL BENZOATE FEMA 2138D	99	ALL CATEGORIES	27	0-5 MO.	.279315	.512324	.654908
				6-11 MO.	2.171656	5.469029	5.149914
				12-23 MO.	4.093870	8.344352	9.692190
				2-65+ YR.	10.081492	19.453488	24.471447
BENZYL BUTYL ETHER FEMA 2139D	01	BAKED GOODS(R)	*	0-5 MO.	.032300	.042750	.047600
				6-11 MO.	.241300	.492100	.355600
				12-23 MO.	.517750	.853100	.763000
				2-65+ YR.	1.303400	1.936100	1.920800
BENZYL BUTYL ETHER FEMA 2139D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004500
				6-11 MO.	.028500	.079200	.042750
				12-23 MO.	.043200	.101400	.064800
				2-65+ YR.	.076800	.185100	.115200
BENZYL BUTYL ETHER FEMA 2139D	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.001900
				6-11 MO.	.015400	.047600	.020900
				12-23 MO.	.024500	.065100	.033250
				2-65+ YR.	.040600	.123200	.055100
BENZYL BUTYL ETHER FEMA 2139D	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.012000
				6-11 MO.	.051200	.155200	.076800
				12-23 MO.	.055200	.134400	.082800

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL BUTYL ETHER FEMA 2139D	20	GELATIN PUD(R)	*	2-65+ YR.	.081600	.210000	.122400
BENZYL BUTYL ETHER FEMA 2139D	23	BEV TYPE I(R)	*	0-5 MO.	.001800	.002700	.004800
				6-11 MO.	.017025	.058275	.045400
				12-23 MO.	.040650	.121875	.108400
				2-65+ YR.	.078000	.208275	.208000
BENZYL BUTYL ETHER FEMA 2139D	99	ALL CATEGORIES	*	0-5 MO.	.046500	.082550	.070800
				6-11 MO.	.353425	.832375	.541450
				12-23 MO.	.681300	1.275875	1.052250
				2-65+ YR.	1.580400	2.662675	2.421500
BENZYL BUTYRATE FEMA 2140D	01	BAKED GOODS(R)	10	0-5 MO.	.047420	.062762	.077665
				6-11 MO.	.354254	.722456	.580201
				12-23 MO.	.760112	1.252442	1.244919
				2-65+ YR.	1.913531	2.842402	3.133999
BENZYL BUTYRATE FEMA 2140D	07	FROZN DAIRY(R)	12	0-5 MO.	.007823	.032075	.014822
				6-11 MO.	.074321	.206533	.140813
				12-23 MO.	.112654	.264425	.213443
				2-65+ YR.	.200274	.482692	.379454
BENZYL BUTYRATE FEMA 2140D	16	SOFT CANDY(R)	13	0-5 MO.	.001964	.019642	.003964
				6-11 MO.	.021606	.066782	.043606
				12-23 MO.	.034373	.091335	.069373
				2-65+ YR.	.056961	.172848	.114962
BENZYL BUTYRATE FEMA 2140D	20	GELATIN PUD(R)	8	0-5 MO.	.008679	.011717	.016976
				6-11 MO.	.055546	.168375	.108648
				12-23 MO.	.059886	.145809	.117137
				2-65+ YR.	.088527	.227826	.173158
BENZYL BUTYRATE FEMA 2140D	23	BEV TYPE I(R)	19	0-5 MO.	.009472	.014209	.018100
				6-11 MO.	.089593	.306667	.171198
				12-23 MO.	.213917	.641356	.408764
				2-65+ YR.	.410468	1.096028	.784344

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZYL BUTYRATE FEMA 2140D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
BENZYL BUTYRATE FEMA 2140D	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001030	.003090	.003333
				12-23 MO.	.003090	.009270	.009999
				2-65+ YR.	.006180	.017510	.019998
BENZYL BUTYRATE FEMA 2140D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.020635	.020635	.020635
				12-23 MO.	.020635	.061905	.020635
				2-65+ YR.	.041270	.082540	.041270
BENZYL BUTYRATE FEMA 2140D	99	ALL CATEGORIES	33	0-5 MO.	.075359	.140404	.131528
				6-11 MO.	.616985	1.495037	1.068435
				12-23 MO.	1.204668	2.467541	2.084270
				2-65+ YR.	2.879711	5.393848	4.972185
BENZYL ISOBUTYRATE FEMA 2141D	01	BAKED GOODS(R)	8	0-5 MO.	.084030	.111216	.134446
				6-11 MO.	.627755	1.280225	1.004391
				12-23 MO.	1.346955	2.219387	2.155091
				2-65+ YR.	3.390867	5.036872	5.425293
BENZYL ISOBUTYRATE FEMA 2141D	07	FROZN DAIRY(R)	9	0-5 MO.	.011859	.048622	.014313
				6-11 MO.	.112662	.313080	.135976
				12-23 MO.	.170771	.400838	.206111
				2-65+ YR.	.303593	.731707	.366420
BENZYL ISOBUTYRATE FEMA 2141D	16	SOFT CANDY(R)	7	0-5 MO.	.002472	.024719	.003001
				6-11 MO.	.027191	.084045	.033006
				12-23 MO.	.043259	.114944	.052509
				2-65+ YR.	.071686	.217529	.087015
BENZYL ISOBUTYRATE FEMA 2141D	20	GELATIN PUD(R)	4	0-5 MO.	.028319	.038231	.040909

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL ISOBUTYRATE FEMA 2141D	20	GELATIN PUD(R)	4	6-11 MO.	.181244	.549395	.261818
				12-23 MO.	.195404	.475765	.282273
				2-65+ YR.	.288857	.743383	.417273
BENZYL ISOBUTYRATE FEMA 2141D	23	BEV TYPE I(R)	10	0-5 MO.	.010831	.016246	.014878
				6-11 MO.	.102440	.350642	.140722
				12-23 MO.	.244592	.733324	.335997
				2-65+ YR.	.469328	1.253195	.644718
BENZYL ISOBUTYRATE FEMA 2141D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
BENZYL ISOBUTYRATE FEMA 2141D	99	ALL CATEGORIES	11	0-5 MO.	.137511	.239035	.207547
				6-11 MO.	1.051292	2.577888	1.575913
				12-23 MO.	2.000980	3.945258	3.031981
				2-65+ YR.	4.686831	8.454685	7.265719
BENZYL CINNAMATE FEMA 2142D	01	BAKED GOODS(R)	7	0-5 MO.	.060362	.079891	.097316
				6-11 MO.	.450940	.919634	.727005
				12-23 MO.	.967569	1.594270	1.559913
				2-65+ YR.	2.435789	3.618176	3.926974
BENZYL CINNAMATE FEMA 2142D	07	FROZN DAIRY(R)	9	0-5 MO.	.004529	.018570	.006462
				6-11 MO.	.043027	.119570	.061387
				12-23 MO.	.065220	.153085	.093050
				2-65+ YR.	.115946	.279449	.165423
BENZYL CINNAMATE FEMA 2142D	16	SOFT CANDY(R)	8	0-5 MO.	.002141	.021407	.002712
				6-11 MO.	.023548	.072784	.029837
				12-23 MO.	.037462	.099543	.047468
				2-65+ YR.	.062080	.188382	.078662
BENZYL CINNAMATE FEMA 2142D	20	GELATIN PUD(R)	*	0-5 MO.	.022807	.030789	.028688
				6-11 MO.	.145964	.442454	.183601

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZYL CINNAMATE FEMA 2142D	20	GELATIN PUD(R)	*	12-23 MO.	.157368	.383156	.197945
				2-65+ YR.	.232631	.598682	.292614
BENZYL CINNAMATE FEMA 2142D	23	BEV TYPE I(R)	12	0-5 MO.	.004587	.006881	.007019
				6-11 MO.	.043388	.148513	.066393
				12-23 MO.	.103596	.310596	.158523
				2-65+ YR.	.198781	.530784	.304177
BENZYL CINNAMATE FEMA 2142D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
BENZYL CINNAMATE FEMA 2142D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000109	.000109	.000109
				12-23 MO.	.000109	.000327	.000109
				2-65+ YR.	.000218	.000436	.000218
BENZYL CINNAMATE FEMA 2142D	99	ALL CATEGORIES	15	0-5 MO.	.094426	.157538	.142197
				6-11 MO.	.706976	1.703164	1.068332
				12-23 MO.	1.331324	2.541177	2.057009
				2-65+ YR.	3.077945	5.310308	4.833068
BENZYL 2,3-DIMETHYLCROTON FEMA 2143D	01	BAKED GOODS(R)	*	0-5 MO.	.009350	.012375	.022950
				6-11 MO.	.069850	.142450	.171450
				12-23 MO.	.149875	.246950	.367875
				2-65+ YR.	.377300	.560450	.926100
BENZYL 2,3-DIMETHYLCROTON FEMA 2143D	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.002750
				6-11 MO.	.014250	.039600	.026125
				12-23 MO.	.021600	.050700	.039600
				2-65+ YR.	.038400	.092550	.070400
BENZYL 2,3-DIMETHYLCROTON FEMA 2143D	16	SOFT CANDY(R)	*	0-5 MO.	.000450	.004500	.000700
				6-11 MO.	.004950	.015300	.007700
				12-23 MO.	.007875	.020925	.012250

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZYL 2,3-DIMETHYLCROTON FEMA 2143D	16	SOFT CANDY(R)	*	2-65+ YR.	.013050	.039600	.020300
BENZYL 2,3-DIMETHYLCROTON FEMA 2143D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.016000
				6-11 MO.	.076800	.232800	.102400
				12-23 MO.	.082800	.201600	.110400
				2-65+ YR.	.122400	.315000	.163200
BENZYL 2,3-DIMETHYLCROTON FEMA 2143D	23	BEV TYPE I(R)	*	0-5 MO.	.000780	.001170	.002550
				6-11 MO.	.007378	.025253	.024119
				12-23 MO.	.017615	.052813	.057588
				2-65+ YR.	.033800	.090253	.110500
BENZYL 2,3-DIMETHYLCROTON FEMA 2143D	99	ALL CATEGORIES	*	0-5 MO.	.024080	.040395	.044950
				6-11 MO.	.173228	.455403	.331794
				12-23 MO.	.279765	.572988	.587713
				2-65+ YR.	.584950	1.097853	1.290500
BENZYL ETHYL ETHER FEMA 2144D	01	BAKED GOODS(R)	*	0-5 MO.	.024650	.032625	.032640
				6-11 MO.	.184150	.375550	.243840
				12-23 MO.	.395125	.651050	.523200
				2-65+ YR.	.994700	1.477550	1.317120
BENZYL ETHYL ETHER FEMA 2144D	07	FROZN DAIRY(R)	*	0-5 MO.	.002600	.008200	.003000
				6-11 MO.	.019000	.052800	.028500
				12-23 MO.	.028800	.067600	.043200
				2-65+ YR.	.051200	.123400	.076800
BENZYL ETHYL ETHER FEMA 2144D	16	SOFT CANDY(R)	*	0-5 MO.	.001250	.012500	.001620
				6-11 MO.	.013750	.042500	.017820
				12-23 MO.	.021875	.058125	.028350
				2-65+ YR.	.036250	.110000	.046980
BENZYL ETHYL ETHER FEMA 2144D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.016000
				6-11 MO.	.064000	.194000	.102400
				12-23 MO.	.069000	.168000	.110400
				2-65+ YR.	.102000	.262500	.163200

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL ETHYL ETHER							
FEMA 2144D	23	BEV TYPE I(R)	*	0-5 MO.	.001800	.002700	.003600
				6-11 MO.	.017025	.058275	.034050
				12-23 MO.	.040650	.121875	.081300
				2-65+ YR.	.078000	.208275	.156000
BENZYL ETHYL ETHER							
FEMA 2144D	99	ALL CATEGORIES	*	0-5 MO.	.039700	.069525	.056860
				6-11 MO.	.297925	.723125	.426610
				12-23 MO.	.555450	1.066650	.786450
				2-65+ YR.	1.262150	2.181725	1.760100
BENZYL FORMATE							
FEMA 2145D	01	BAKED GOODS(R)	9	0-5 MO.	.028467	.037676	.048915
				6-11 MO.	.212662	.433697	.365422
				12-23 MO.	.456302	.751852	.784074
				2-65+ YR.	1.148710	1.706320	1.973853
BENZYL FORMATE							
FEMA 2145D	07	FROZN DAIRY(R)	8	0-5 MO.	.007188	.029472	.010532
				6-11 MO.	.068288	.189769	.100055
				12-23 MO.	.103510	.242962	.151662
				2-65+ YR.	.184018	.443513	.269621
BENZYL FORMATE							
FEMA 2145D	10	MEAT PRODS(R)	*	0-5 MO.	.006600	.017400	**********
				6-11 MO.	.124200	.334800	**********
				12-23 MO.	.181200	.311400	**********
				2-65+ YR.	.470400	.780600	**********
BENZYL FORMATE							
FEMA 2145D	16	SOFT CANDY(R)	11	0-5 MO.	.002148	.021479	.003196
				6-11 MO.	.023627	.073029	.035159
				12-23 MO.	.037588	.099878	.055936
				2-65+ YR.	.062289	.189016	.092693
BENZYL FORMATE							
FEMA 2145D	20	GELATIN PUD(R)	7	0-5 MO.	.012522	.016904	.025051
				6-11 MO.	.080139	.242922	.160325
				12-23 MO.	.086400	.210365	.172850
				2-65+ YR.	.127722	.328696	.255517
BENZYL FORMATE							
FEMA 2145D	23	BEV TYPE I(R)	11	0-5 MO.	.004902	.007354	.009771

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL FORMATE FEMA 2145D	23	BEV TYPE I(R)	11	6-11 MO.	.046369	.158718	.092418
				12-23 MO.	.110714	.331939	.220663
				2-65+ YR.	.212441	.567258	.423411
BENZYL FORMATE FEMA 2145D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.162500
BENZYL FORMATE FEMA 2145D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001746	.005238	.002220
				12-23 MO.	.005238	.015714	.006660
				2-65+ YR.	.010476	.029682	.013320
BENZYL FORMATE FEMA 2145D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000713	.000713	.001074
				12-23 MO.	.000713	.002139	.001074
				2-65+ YR.	.001426	.002852	.002148
BENZYL FORMATE FEMA 2145D	99	ALL CATEGORIES	18	0-5 MO.	.061827	.130285	.097465
				6-11 MO.	.557745	1.439085	.756672
				12-23 MO.	.981666	1.966649	1.392918
				2-65+ YR.	2.282482	4.236736	3.193064
3-BENZYL-4-HEPTANONE FEMA 2146D	01	BAKED GOODS(R)	*	0-5 MO.	.035700	.047250	.051000
				6-11 MO.	.266700	.543900	.381000
				12-23 MO.	.572250	.942900	.817500
				2-65+ YR.	1.440600	2.139900	2.058000
3-BENZYL-4-HEPTANONE FEMA 2146D	07	FROZN DAIRY(R)	*	0-5 MO.	.006000	.024600	.008100
				6-11 MO.	.057000	.158400	.076950
				12-23 MO.	.086400	.202800	.116640
				2-65+ YR.	.153600	.370200	.207360
3-BENZYL-4-HEPTANONE FEMA 2146D	16	SOFT CANDY(R)	*	0-5 MO.	.002500	.025000	.003400
				6-11 MO.	.027500	.085000	.037400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-BENZYL-4-HEPTANONE FEMA 2146D	16	SOFT CANDY(R)	*	12-23 MO.	.043750	.116250	.059500
				2-65+ YR.	.072500	.220000	.098600
3-BENZYL-4-HEPTANONE FEMA 2146D	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.032000
				6-11 MO.	.128000	.388000	.204800
				12-23 MO.	.138000	.336000	.220800
				2-65+ YR.	.204000	.525000	.326400
3-BENZYL-4-HEPTANONE FEMA 2146D	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.005400
				6-11 MO.	.034050	.116550	.051075
				12-23 MO.	.081300	.243750	.121950
				2-65+ YR.	.156000	.416550	.234000
3-BENZYL-4-HEPTANONE FEMA 2146D	99	ALL CATEGORIES	*	0-5 MO.	.067800	.129250	.099900
				6-11 MO.	.513250	1.291850	.751225
				12-23 MO.	.921700	1.841700	1.336390
				2-65+ YR.	2.026700	3.671650	2.924360
BENZYL MERCAPTAN FEMA 2147D	01	BAKED GOODS(R)	*	0-5 MO.	.001247	.001650	.086983
				6-11 MO.	.009313	.018993	.649817
				12-23 MO.	.019983	.032927	1.394292
				2-65+ YR.	.050307	.074727	3.510033
BENZYL MERCAPTAN FEMA 2147D	07	FROZN DAIRY(R)	*	0-5 MO.	.000133	.000947	.000433
				6-11 MO.	.001267	.003520	.004117
				12-23 MO.	.001920	.004507	.006240
				2-65+ YR.	.003413	.008227	.011093
BENZYL MERCAPTAN FEMA 2147D	16	SOFT CANDY(R)	*	0-5 MO.	.000073	.000733	.000167
				6-11 MO.	.000807	.002493	.001833
				12-23 MO.	.001283	.003410	.002917
				2-65+ YR.	.002127	.006453	.004833
BENZYL MERCAPTAN FEMA 2147D	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.001000
				6-11 MO.	.001280	.003080	.006400
				12-23 MO.	.001380	.003360	.006900

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZYL MERCAPTAN FEMA 2147D	20	GELATIN PUD(R)	*	2-65+ YR.	.002040	.005250	.010200
BENZYL MERCAPTAN FEMA 2147D	23	BEV TYPE I(R)	*	0-5 MO.	.000240	.000360	.000660
				6-11 MO.	.002270	.007770	.006243
				12-23 MO.	.005420	.016250	.014905
				2-65+ YR.	.010400	.027770	.028600
BENZYL MERCAPTAN FEMA 2147D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
BENZYL MERCAPTAN FEMA 2147D	99	ALL CATEGORIES	*	0-5 MO.	.001893	.003560	.089243
				6-11 MO.	.014937	.036667	.668409
				12-23 MO.	.029987	.060473	1.425253
				2-65+ YR.	.071537	.131867	3.581010
BENZYL METHOXYETHYL ACETA FEMA 2148D	01	BAKED GOODS(R)	*	0-5 MO.	.009350	.012375	.016150
				6-11 MO.	.069850	.142450	.120650
				12-23 MO.	.149875	.246950	.258875
				2-65+ YR.	.377300	.560450	.651700
BENZYL METHOXYETHYL ACETA FEMA 2148D	07	FROZN DAIRY(R)	*	0-5 MO.	.002500	.010250	.004500
				6-11 MO.	.023750	.066000	.042750
				12-23 MO.	.036000	.084500	.064800
				2-65+ YR.	.064000	.154250	.115200
BENZYL METHOXYETHYL ACETA FEMA 2148D	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001300
				6-11 MO.	.008800	.027200	.014300
				12-23 MO.	.014000	.037200	.022750
				2-65+ YR.	.023200	.070400	.037700
BENZYL METHOXYETHYL ACETA FEMA 2148D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.030000
				6-11 MO.	.102400	.310400	.192000
				12-23 MO.	.110400	.268800	.207000
				2-65+ YR.	.163200	.420000	.306000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL METHOXYETHYL ACETA FEMA 2148C	23	BEV TYPE I(R)	*	0-5 MO.	.002100	.003150	.003600
				6-11 MO.	.019863	.067988	.034050
				12-23 MO.	.047425	.142188	.081300
				2-65+ YR.	.091000	.242988	.156000
BENZYL METHOXYETHYL ACETA FEMA 2148D	99	ALL CATEGORIES	*	0-5 MO.	.030750	.055375	.055550
				6-11 MO.	.224663	.614038	.403750
				12-23 MO.	.357700	.779638	.634725
				2-65+ YR.	.718700	1.448088	1.266600
BENZYL PHENYLACETATE FEMA 2149D	01	BAKED GOODS(R)	6	0-5 MO.	.035166	.046543	.050396
				6-11 MO.	.262710	.535763	.376489
				12-23 MO.	.563688	.928793	.807820
				2-65+ YR.	1.419047	2.107884	2.033632
BENZYL PHENYLACETATE FEMA 2149D	04	FATS OILS(R)	*	0-5 MO.	.000050	.000050	.000050
				6-11 MO.	.000280	.000750	.000280
				12-23 MO.	.000630	.001200	.000630
				2-65+ YR.	.001750	.003160	.001750
BENZYL PHENYLACETATE FEMA 2149D	07	FROZN DAIRY(R)	*	0-5 MO.	.006867	.028156	.012027
				6-11 MO.	.065239	.181295	.114255
				12-23 MO.	.098888	.232113	.173186
				2-65+ YR.	.175801	.423708	.307886
BENZYL PHENYLACETATE FEMA 2149D	16	SOFT CANDY(R)	6	0-5 MO.	.002311	.023109	.003798
				6-11 MO.	.025420	.078571	.041778
				12-23 MO.	.040441	.107457	.066465
				2-65+ YR.	.067016	.203359	.110142
BENZYL PHENYLACETATE FEMA 2149D	20	GELATIN PUD(R)	*	0-5 MO.	.017621	.023789	.029386
				6-11 MO.	.112775	.341850	.188072
				12-23 MO.	.121586	.296035	.202765
				2-65+ YR.	.179736	.462555	.299739
BENZYL PHENYLACETATE FEMA 2149D	23	BEV TYPE I(R)	8	0-5 MO.	.005986	.008979	.010182

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL PHENYLACETATE FEMA 21490	23	BEV TYPE I(R)	8	6-11 MO.	.056618	.193799	.096306
				12-23 MO.	.135185	.405307	.229946
				2-65+ YR.	.259396	.692638	.441224
BENZYL PHENYLACETATE FEMA 21490	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
BENZYL PHENYLACETATE FEMA 21490	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000380	.000380	.000749
				12-23 MO.	.000380	.001140	.000749
				2-65+ YR.	.000760	.001520	.001498
BENZYL PHENYLACETATE FEMA 21490	99	ALL CATEGORIES	10	0-5 MO.	.068001	.130625	.105839
				6-11 MO.	.523422	1.332507	.817928
				12-23 MO.	.960799	1.972244	1.481561
				2-65+ YR.	2.136006	3.989225	3.293372
BENZYL PROPIONATE FEMA 21500	01	BAKED GOODS(R)	15	0-5 MO.	.062199	.082323	.091991
				6-11 MO.	.464666	.947625	.687227
				12-23 MO.	.997019	1.642795	1.474562
				2-65+ YR.	2.509927	3.720302	3.712109
BENZYL PROPIONATE FEMA 21500	07	FROZN DAIRY(R)	11	0-5 MO.	.005723	.023463	.007496
				6-11 MO.	.054365	.151077	.071211
				12-23 MO.	.082406	.193425	.107940
				2-65+ YR.	.146499	.353086	.191894
BENZYL PROPIONATE FEMA 21500	16	SOFT CANDY(R)	15	0-5 MO.	.003989	.039888	.005337
				6-11 MO.	.043876	.135618	.058703
				12-23 MO.	.069803	.185478	.093390
				2-65+ YR.	.115674	.351012	.154761
BENZYL PROPIONATE FEMA 21500	20	GELATIN PUDI(R)	9	0-5 MO.	.017093	.023076	.031169
				6-11 MO.	.109398	.331613	.199485

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZYL PROPIONATE FEMA 2150D	20	GELATIN PUD(R)	9	12-23 MO.	.117945	.287170	.215069
				2-65+ YR.	.174353	.448704	.317929
BENZYL PROPIONATE FEMA 2150D	23	BEV TYPE I(R)	16	0-5 MO.	.009465	.014198	.014437
				6-11 MO.	.089527	.306443	.136551
				12-23 MO.	.213761	.640888	.326037
				2-65+ YR.	.410168	1.095228	.625606
BENZYL PROPIONATE FEMA 2150D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000255	**********
				12-23 MO.	**********	.000509	**********
				2-65+ YR.	.082787	.240464	.141781
BENZYL PROPIONATE FEMA 2150D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000112	.000336	.000970
				12-23 MO.	.000336	.001008	.002910
				2-65+ YR.	.000672	.001904	.005820
BENZYL PROPIONATE FEMA 2150D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000760	.000760	.000760
				12-23 MO.	.000760	.002280	.000760
				2-65+ YR.	.001520	.003040	.001520
BENZYL PROPIONATE FEMA 2150D	99	ALL CATEGORIES	27	0-5 MO.	.098470	.182947	.150430
				6-11 MO.	.762704	1.873728	1.154906
				12-23 MO.	1.482030	2.953553	2.220670
				2-65+ YR.	3.441601	6.221739	5.151421
BENZYL SALICYLATE FEMA 2151D	01	BAKED GOODS(R)	5	0-5 MO.	.035168	.046546	.054476
				6-11 MO.	.262725	.535794	.406970
				12-23 MO.	.563722	.928848	.873223
				2-65+ YR.	1.419130	2.108009	2.198279
BENZYL SALICYLATE FEMA 2151D	07	FROZN DAIRY(R)	6	0-5 MO.	.002996	.012283	.004117
				6-11 MO.	.028461	.079091	.039111
				12-23 MO.	.043141	.101261	.059283

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL SALICYLATE FEMA 2151D	07	FROZN DAIRY(R)	6	2-65+ YR.	.076695	.184846	.105393
BENZYL SALICYLATE FEMA 2151D	16	SOFT CANDY(R)	7	0-5 MO.	.000736	.007362	.001229
				6-11 MO.	.008098	.025029	.013524
				12-23 MO.	.012883	.034231	.021515
				2-65+ YR.	.021349	.064782	.035653
BENZYL SALICYLATE FEMA 2151D	20	GELATIN PUDIR)	*	0-5 MO.	.017497	.023621	.035022
				6-11 MO.	.111982	.339445	.224141
				12-23 MO.	.120730	.293952	.241652
				2-65+ YR.	.178471	.459300	.357225
BENZYL SALICYLATE FEMA 2151D	23	BEV TYPE II(R)	10	0-5 MO.	.003375	.005063	.006472
				6-11 MO.	.031925	.109276	.061215
				12-23 MO.	.076226	.228537	.146162
				2-65+ YR.	.146264	.390552	.280458
BENZYL SALICYLATE FEMA 2151D	99	ALL CATEGORIES	10	0-5 MO.	.059772	.094875	.101317
				6-11 MO.	.443191	1.088635	.744961
				12-23 MO.	.816701	1.586829	1.341835
				2-65+ YR.	1.841908	3.207489	2.977008
BENZYL ISOVALERATE FEMA 2152D	C1	BAKED GOODS(R)	9	0-5 MO.	.018267	.024177	.031987
				6-11 MO.	.136464	.278300	.238964
				12-23 MO.	.292806	.482458	.512739
				2-65+ YR.	.737119	1.094934	1.290784
BENZYL ISOVALERATE FEMA 2152D	C7	FROZN DAIRY(R)	7	0-5 MO.	.003162	.012964	.005574
				6-11 MO.	.030038	.083474	.052953
				12-23 MO.	.045532	.106873	.080266
				2-65+ YR.	.080945	.195090	.142696
BENZYL ISOVALERATE FEMA 2152D	10	MEAT PRODS(R)	*	0-5 MO.	.001760	.004640	**********
				6-11 MO.	.033120	.089280	**********
				12-23 MO.	.048320	.083040	**********
				2-65+ YR.	.125440	.208160	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BENZYL ISOVALERATE FEMA 2152D	16	SOFT CANDY(R)	9	0-5 MO.	.001164	.011644	.002038
				6-11 MO.	.012809	.039591	.022420
				12-23 MO.	.020378	.054147	.035669
				2-65+ YR.	.033769	.102471	.059108
BENZYL ISOVALERATE FEMA 2152D	20	GELATIN PUD(R)	9	0-5 MO.	.022719	.030670	.039504
				6-11 MO.	.145399	.440740	.252827
				12-23 MO.	.156758	.381671	.272579
				2-65+ YR.	.231729	.596362	.402943
BENZYL ISOVALERATE FEMA 2152D	23	BEV TYPE I(R)	12	0-5 MO.	.003434	.005151	.007609
				6-11 MO.	.032481	.111179	.071965
				12-23 MO.	.077554	.232518	.171829
				2-65+ YR.	.148812	.397356	.329709
BENZYL ISOVALERATE FEMA 2152D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
BENZYL ISOVALERATE FEMA 2152D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000375	.001125	.000375
				12-23 MO.	.001125	.003375	.001125
				2-65+ YR.	.002250	.006375	.002250
BENZYL ISOVALERATE FEMA 2152D	99	ALL CATEGORIES	13	0-5 MO.	.050506	.089246	.086713
				6-11 MO.	.390685	1.043790	.639505
				12-23 MO.	.642472	1.344282	1.074207
				2-65+ YR.	1.392564	2.695147	2.324989
BOIS DE ROSE, OIL FEMA 2156D	01	BAKED GOODS(R)	9	0-5 MO.	.032194	.042610	.084812
				6-11 MO.	.240511	.490491	.633595
				12-23 MO.	.516057	.850310	1.359485
				2-65+ YR.	1.299138	1.929769	3.422410
BOIS DE ROSE, OIL FEMA 2156D	07	FROZN DAIRY(R)	8	0-5 MO.	.002792	.011448	.007822

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BOIS DE ROSE, OIL FEMA 2156D	07	FROZN DAIRY(R)	8	6-11 MO.	.026525	.073712	.074306
				12-23 MO.	.040207	.094374	.112632
				2-65+ YR.	.071478	.172274	.200235
BOIS DE ROSE, OIL FEMA 2156D	10	MEAT PRODS(R)	*	0-5 MO.	.004878	.012860	.009756
				6-11 MO.	.091795	.247446	.183589
				12-23 MO.	.133923	.230152	.267845
				2-65+ YR.	.347667	.576932	.695333
BOIS DE ROSE, OIL FEMA 2156D	16	SOFT CANDY(R)	11	0-5 MO.	.001883	.018832	.004927
				6-11 MO.	.020715	.064029	.054192
				12-23 MO.	.032956	.087569	.086214
				2-65+ YR.	.054613	.165721	.142869
BOIS DE ROSE, OIL FEMA 2156D	20	GELATIN PUD(R)	8	0-5 MO.	.019534	.026371	.023226
				6-11 MO.	.125016	.378954	.148645
				12-23 MO.	.134783	.328167	.160257
				2-65+ YR.	.199244	.512760	.236902
BOIS DE ROSE, OIL FEMA 2156D	23	BEV TYPE I(R)	15	0-5 MO.	.001658	.002487	.004693
				6-11 MO.	.015681	.053674	.044390
				12-23 MO.	.037440	.112252	.105988
				2-65+ YR.	.071841	.191830	.203372
BOIS DE ROSE, OIL FEMA 2156D	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000599	**********
				2-65+ YR.	.097410	.282938	.136204
BOIS DE ROSE, OIL FEMA 2156D	27	GRAVIES(R)	*	0-5 MO.	.000135	.000405	.000270
				6-11 MO.	.001892	.005270	.003783
				12-23 MO.	.004864	.013782	.009729
				2-65+ YR.	.011215	.028780	.022430
BOIS DE ROSE, OIL FEMA 2156D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002549	.002549	.002549

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BOIS DE ROSE, OIL FEMA 2156D	21	CHEWING GUM(R)	*	12-23 MO.	.002549	.007647	.002549
				2-65+ YR.	.005098	.010196	.005098
BOIS DE ROSE, OIL FEMA 2156D	99	ALL CATEGORIES	18	0-5 MO.	.063074	.115013	.135505
				6-11 MO.	.524683	1.316424	1.145049
				12-23 MO.	.902778	1.724852	2.104700
				2-65+ YR.	2.157704	3.871200	5.064853
BORNEOL FEMA 2157D	01	BAKED GOODS(R)	11	0-5 MO.	.017905	.023697	.026179
				6-11 MO.	.133757	.272781	.195574
				12-23 MO.	.286999	.472890	.419638
				2-65+ YR.	.722500	1.073218	1.056409
BORNEOL FEMA 2157D	07	FROZN DAIRY(R)	7	0-5 MO.	.002320	.009513	.003965
				6-11 MO.	.022043	.061255	.037670
				12-23 MO.	.033412	.078425	.057099
				2-65+ YR.	.059399	.143161	.101509
BORNEOL FEMA 2157D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000025	**********
				6-11 MO.	.000200	.000550	.000400
				12-23 MO.	.000700	.001900	.001400
				2-65+ YR.	.002200	.005300	.004400
BORNEOL FEMA 2157D	16	SOFT CANDY(R)	8	0-5 MO.	.000831	.008311	.001394
				6-11 MO.	.009142	.028257	.015332
				12-23 MO.	.014544	.038646	.024392
				2-65+ YR.	.024102	.073136	.040422
BORNEOL FEMA 2157D	20	GELATIN PUD(R)	5	0-5 MO.	.008867	.011971	.014543
				6-11 MO.	.056751	.172026	.093078
				12-23 MO.	.061184	.148971	.100349
				2-65+ YR.	.090446	.232767	.148343
BORNEOL FEMA 2157D	23	BEV TYPE I(R)	11	0-5 MO.	.002813	.004219	.004944
				6-11 MO.	.024603	.091058	.046758
				12-23 MO.	.063518	.190437	.111643

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BORNEOL FEMA 2157D	23	BEV TYPE I(R)	11	2-65+ YR.	.121880	.325442	.214223
BORNEOL FEMA 2157D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000467	.001401	.000467
				12-23 MO.	.001401	.004203	.001401
				2-65+ YR.	.002802	.007939	.002802
BORNEOL FEMA 2157D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000009	.000009	.000070
				12-23 MO.	.000009	.000027	.000070
				2-65+ YR.	.000018	.000036	.000140
BORNEOL FEMA 2157D	99	ALL CATEGORIES	22	0-5 MO.	.032736	.057736	.051025
				6-11 MO.	.248971	.627337	.389349
				12-23 MO.	.461767	.935499	.715992
				2-65+ YR.	1.023347	1.860999	1.568247
ISOBORNEOL FEMA 2158D	01	BAKED GOODS(R)	6	0-5 MO.	.044070	.058328	.059683
				6-11 MO.	.329226	.671415	.445869
				12-23 MO.	.706411	1.163958	.956688
				2-65+ YR.	1.778342	2.641589	2.408396
ISOBORNEOL FEMA 2158D	07	FROZN DAIRY(R)	4	0-5 MO.	.017409	.071377	.025884
				6-11 MO.	.165365	.459595	.245903
				12-23 MO.	.250688	.588421	.372736
				2-65+ YR.	.445668	1.074130	.662643
ISOBORNEOL FEMA 2158D	16	SOFT CANDY(R)	5	0-5 MO.	.002155	.021554	.003111
				6-11 MO.	.023709	.073284	.034222
				12-23 MO.	.037720	.100226	.054444
				2-65+ YR.	.062507	.189675	.090222
ISOBORNEOL FEMA 2158D	20	GELATIN PUD(R)	*	0-5 MO.	.029561	.039907	.041370
				6-11 MO.	.189188	.573477	.264771
				12-23 MO.	.203969	.496619	.285456
				2-65+ YR.	.301519	.775967	.421979

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBORNEOL FEMA 2158D	23	BEV TYPE I(R)	6	0-5 MO.	.012344	.018516	.015010
				6-11 MO.	.116755	.399643	.141973
				12-23 MO.	.278773	.835804	.338984
				2-65+ YR.	.534914	1.428324	.650448
ISOBORNEOL FEMA 2158D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000013	.000039	.000013
				12-23 MO.	.000039	.000117	.000039
				2-65+ YR.	.000078	.000221	.000078
ISOBORNEOL FEMA 2158D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000750	.000750	.000750
				12-23 MO.	.000750	.002250	.000750
				2-65+ YR.	.001500	.003000	.001500
ISOBORNEOL FEMA 2158D	99	ALL CATEGORIES	10	0-5 MO.	.105539	.209681	.145060
				6-11 MO.	.825027	2.178202	1.133501
				12-23 MO.	1.478349	3.187396	2.009098
				2-65+ YR.	3.124528	6.112907	4.235266
BORNYL ACETATE FEMA 2159D	01	BAKED GOODS(R)	6	0-5 MO.	.024865	.032909	.035920
				6-11 MO.	.185755	.378824	.268341
				12-23 MO.	.398570	.656726	.575771
				2-65+ YR.	1.003371	1.490431	1.449464
BORNYL ACETATE FEMA 2159D	07	FROZN DAIRY(R)	6	0-5 MO.	.003040	.012466	.005904
				6-11 MO.	.028884	.080266	.056089
				12-23 MO.	.043781	.102765	.085020
				2-65+ YR.	.077834	.187592	.151146
BORNYL ACETATE FEMA 2159D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000025	**********
				6-11 MO.	.000200	.000550	.000400
				12-23 MO.	.000700	.001900	.001400
				2-65+ YR.	.002200	.005300	.004400
BORNYL ACETATE FEMA 2159D	16	SOFT CANDY(R)	4	0-5 MO.	.000883	.008827	.001858

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BORNYL ACETATE FEMA 2159D	16	SOFT CANDY(R)	4	6-11 MO.	.009710	.030013	.020435
				12-23 MO.	.015448	.041047	.032510
				2-65+ YR.	.025599	.077681	.053874
BORNYL ACETATE FEMA 2159D	20	GELATIN PUD(R)	5	0-5 MO.	.006713	.009063	.012273
				6-11 MO.	.042965	.130239	.078544
				12-23 MO.	.046322	.112784	.084680
				2-65+ YR.	.068476	.176225	.125180
BORNYL ACETATE FEMA 2159D	23	BEV TYPE I(R)	9	0-5 MO.	.002325	.003487	.004915
				6-11 MO.	.021990	.075271	.046489
				12-23 MO.	.052506	.157420	.110999
				2-65+ YR.	.100749	.269019	.212987
BORNYL ACETATE FEMA 2159D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000019	.000019	.000037
				12-23 MO.	.000019	.000057	.000037
				2-65+ YR.	.000038	.000076	.000074
BORNYL ACETATE FEMA 2159D	99	ALL CATEGORIES	13	0-5 MO.	.037826	.066778	.060869
				6-11 MO.	.289524	.695182	.470335
				12-23 MO.	.557346	1.072699	.890418
				2-65+ YR.	1.278267	2.206323	1.997125
ISOBORNYL ACETATE FEMA 2160D	01	BAKED GOODS(R)	7	0-5 MO.	.028430	.037628	.036084
				6-11 MO.	.212388	.433138	.269571
				12-23 MO.	.455715	.750884	.578411
				2-65+ YR.	1.147231	1.704122	1.456109
ISOBORNYL ACETATE FEMA 2160D	07	FROZN DAIRY(R)	4	0-5 MO.	.004802	.019687	.006787
				6-11 MO.	.045617	.126768	.064480
				12-23 MO.	.069146	.162301	.097736
				2-65+ YR.	.122926	.296271	.173757
ISOBORNYL ACETATE FEMA 2160D	16	SOFT CANDY(R)	6	0-5 MO.	.000947	.009466	.001821
				6-11 MO.	.010413	.032184	.020027

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBORNYL ACETATE FEMA 2160D	16	SOFT CANDY(R)	6	12-23 MO.	.016565	.044017	.031861
				2-65+ YR.	.027451	.083300	.052798
ISOBORNYL ACETATE FEMA 2160D	20	GELATIN PUD(R)	5	0-5 MO.	.009617	.012983	.014988
				6-11 MO.	.061549	.186569	.095920
				12-23 MO.	.066357	.161565	.103414
				2-65+ YR.	.098093	.252445	.152873
ISOBORNYL ACETATE FEMA 2160D	23	BEV TYPE I(R)	11	0-5 MO.	.003267	.004900	.005757
				6-11 MO.	.030898	.105763	.054453
				12-23 MO.	.073775	.221190	.130016
				2-65+ YR.	.141561	.377996	.249477
ISOBORNYL ACETATE FEMA 2160D	99	ALL CATEGORIES	12	0-5 MO.	.047062	.084664	.065437
				6-11 MO.	.360865	.884422	.504451
				12-23 MO.	.681558	1.339956	.941440
				2-65+ YR.	1.537262	2.714135	2.085014
BORNYL FORMATE FEMA 2161D	01	BAKED GOODS(R)	*	0-5 MO.	.014620	.019350	.024367
				6-11 MO.	.109220	.222740	.182033
				12-23 MO.	.234350	.386140	.390583
				2-65+ YR.	.589960	.876340	.983267
BORNYL FORMATE FEMA 2161D	07	FROZN DAIRY(R)	*	0-5 MO.	.004600	.018860	.008500
				6-11 MO.	.043700	.121440	.080750
				12-23 MO.	.066240	.155480	.122400
				2-65+ YR.	.117760	.283820	.217600
BORNYL FORMATE FEMA 2161D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000080	.000220	.000160
				12-23 MO.	.000280	.000760	.000560
				2-65+ YR.	.000880	.002120	.001760
BORNYL FORMATE FEMA 2161D	16	SOFT CANDY(R)	*	0-5 MO.	.000933	.009333	.001767
				6-11 MO.	.010267	.031733	.019433
				12-23 MO.	.016333	.043400	.030917

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BORNYL FORMATE FEMA 2161D	16	SOFT CANDY(R)	*	2-65+ YR.	.027067	.082133	.051233
BORNYL FORMATE FEMA 2161D	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.032000
				6-11 MO.	.128000	.388000	.204800
				12-23 MO.	.138000	.336000	.220800
				2-65+ YR.	.204000	.525000	.326400
BORNYL FORMATE FEMA 2161D	23	BEV TYPE I(R)	*	0-5 MO.	.004880	.007320	.007480
				6-11 MO.	.046157	.157990	.070748
				12-23 MO.	.110207	.330417	.168923
				2-65+ YR.	.211467	.564657	.324133
BORNYL FORMATE FEMA 2161D	99	ALL CATEGORIES	*	0-5 MO.	.045033	.081873	.074113
				6-11 MO.	.337423	.922123	.557925
				12-23 MO.	.565410	1.252197	.934183
				2-65+ YR.	1.151133	2.334070	1.904393
ISOBORNYL FORMATE FEMA 2162D	01	BAKED GOODS(R)	*	0-5 MO.	.003781	.005005	.007871
				6-11 MO.	.028249	.057611	.058804
				12-23 MO.	.060614	.099874	.126174
				2-65+ YR.	.152592	.226663	.317635
ISOBORNYL FORMATE FEMA 2162D	07	FROZN DAIRY(R)	*	0-5 MO.	.001385	.005678	.003231
				6-11 MO.	.013156	.036561	.030695
				12-23 MO.	.019942	.046809	.046528
				2-65+ YR.	.035453	.085447	.082716
ISOBORNYL FORMATE FEMA 2162D	16	SOFT CANDY(R)	*	0-5 MO.	.000250	.002504	.000476
				6-11 MO.	.002755	.008514	.005232
				12-23 MO.	.004382	.011645	.008324
				2-65+ YR.	.007262	.022037	.013793
ISOBORNYL FORMATE FEMA 2162D	20	GELATIN PUD(R)	*	0-5 MO.	.018000	.024300	.036000
				6-11 MO.	.115200	.349200	.230400
				12-23 MO.	.124200	.302400	.248400
				2-65+ YR.	.183600	.472500	.367200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBORNYL FORMATE							
FEMA 2162D	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.010070
				6-11 MO.	.068100	.233100	.095245
				12-23 MO.	.162600	.487500	.227412
				2-65+ YR.	.312000	.833100	.436363
ISOBORNYL FORMATE							
FEMA 2162D	99	ALL CATEGORIES	*	0-5 MO.	.030617	.048287	.057648
				6-11 MO.	.227460	.684986	.420376
				12-23 MO.	.371739	.948227	.656838
				2-65+ YR.	.690907	1.639747	1.217708
ISOBORNYL PROPIONATE							
FEMA 2163D	01	BAKED GOODS(R)	*	0-5 MO.	.002647	.003503	.007867
				6-11 MO.	.019772	.040323	.058769
				12-23 MO.	.042424	.069903	.126098
				2-65+ YR.	.106801	.158644	.317443
ISOBORNYL PROPIONATE							
FEMA 2163D	07	FROZN DAIRY(R)	*	0-5 MO.	.000335	.001371	.001269
				6-11 MO.	.003178	.008831	.012052
				12-23 MO.	.004817	.011306	.018268
				2-65+ YR.	.008563	.020639	.032477
ISOBORNYL PROPIONATE							
FEMA 2163D	16	SOFT CANDY(R)	*	0-5 MO.	.000144	.001441	.000347
				6-11 MO.	.001585	.004900	.003817
				12-23 MO.	.002522	.006701	.006072
				2-65+ YR.	.004179	.012682	.010062
ISOBORNYL PROPIONATE							
FEMA 2163D	20	GELATIN PUD(R)	*	0-5 MO.	.006091	.008223	.011727
				6-11 MO.	.038982	.118164	.075055
				12-23 MO.	.042027	.102327	.080918
				2-65+ YR.	.062127	.159886	.119618
ISOBORNYL PROPIONATE							
FEMA 2163D	23	BEV TYPE I(R)	*	0-5 MO.	.000568	.000851	.002668
				6-11 MO.	.005368	.018374	.025237
				12-23 MO.	.012817	.038427	.060258
				2-65+ YR.	.024593	.065668	.115624
ISOBORNYL PROPIONATE							
FEMA 2163D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBORNYL PROPIONATE FEMA 2163D	30	HARD CANDY(R)	*	6-11 MO.	.000295	.000885	.000295
				12-23 MO.	.000885	.002655	.000885
				2-65+ YR.	.001770	.005015	.001770
ISOBORNYL PROPIONATE FEMA 2163D	99	ALL CATEGORIES	4	0-5 MO.	.009784	.015390	.023878
				6-11 MO.	.069180	.191476	.175224
				12-23 MO.	.105492	.231320	.292499
				2-65+ YR.	.208034	.422535	.596994
BORNYL ISOVALERATE FEMA 2165D	01	BAKED GOODS(R)	*	0-5 MO.	.014232	.018837	.023048
				6-11 MO.	.106323	.216831	.172181
				12-23 MO.	.228133	.375896	.369442
				2-65+ YR.	.574309	.853092	.930046
BORNYL ISOVALERATE FEMA 2165D	07	FROZN DAIRY(R)	*	0-5 MO.	.003122	.012801	.005169
				6-11 MO.	.029661	.082426	.049106
				12-23 MO.	.044960	.105531	.074434
				2-65+ YR.	.079929	.192640	.132327
BORNYL ISOVALERATE FEMA 2165D	16	SOFT CANDY(R)	4	0-5 MO.	.000873	.008729	.001864
				6-11 MO.	.009602	.029679	.020503
				12-23 MO.	.015276	.040590	.032618
				2-65+ YR.	.025314	.076815	.054053
BORNYL ISOVALERATE FEMA 2165D	20	GELATIN PUD(R)	*	0-5 MO.	.018894	.025507	.034643
				6-11 MO.	.120922	.366544	.221712
				12-23 MO.	.130369	.317420	.239034
				2-65+ YR.	.192719	.495969	.353354
BORNYL ISOVALERATE FEMA 2165D	23	BEV TYPE I(R)	*	0-5 MO.	.002498	.003747	.004651
				6-11 MO.	.023626	.080870	.043994
				12-23 MO.	.056411	.169129	.105042
				2-65+ YR.	.108243	.289029	.201558
BORNYL ISOVALERATE FEMA 2165D	99	ALL CATEGORIES	4	0-5 MO.	.039619	.069621	.069375
				6-11 MO.	.290133	.776350	.507495

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BORNYL ISOVALERATE FEMA 2165D	99	ALL CATEGORIES	4	12-23 MO.	.475149	1.008566	.820571
				2-65+ YR.	.980514	1.907546	1.671338
ISOBORNYL ISOVALERATE FEMA 2166D	01	BAKED GOODS(R)	*	0-5 MO.	.007373	.009759	.011580
				6-11 MO.	.055083	.112334	.086508
				12-23 MO.	.118189	.194741	.185617
				2-65+ YR.	.297533	.441962	.467278
ISOBORNYL ISOVALERATE FEMA 2166D	07	FROZN DAIRY(R)	*	0-5 MO.	.001517	.006222	.002523
				6-11 MO.	.014416	.040060	.023971
				12-23 MO.	.021851	.051290	.036335
				2-65+ YR.	.038847	.093626	.064595
ISOBORNYL ISOVALERATE FEMA 2166D	16	SOFT CANDY(R)	*	0-5 MO.	.000459	.004593	.000923
				6-11 MO.	.005052	.015616	.010156
				12-23 MO.	.008038	.021358	.016157
				2-65+ YR.	.013320	.040419	.026774
ISOBORNYL ISOVALERATE FEMA 2166D	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.038000
				6-11 MO.	.128000	.388000	.243200
				12-23 MO.	.138000	.336000	.262200
				2-65+ YR.	.204000	.525000	.387600
ISOBORNYL ISOVALERATE FEMA 2166D	23	BEV TYPE I(R)	*	0-5 MO.	.001156	.001734	.003663
				6-11 MO.	.010932	.037419	.034647
				12-23 MO.	.026102	.078257	.082726
				2-65+ YR.	.050084	.133734	.158737
ISOBORNYL ISOVALERATE FEMA 2166D	99	ALL CATEGORIES	*	0-5 MO.	.030506	.049307	.056689
				6-11 MO.	.213482	.593429	.398482
				12-23 MO.	.312180	.681644	.583035
				2-65+ YR.	.603783	1.234741	1.104984
2-BUTANONE FEMA 2170D	01	BAKED GOODS(R)	9	0-5 MO.	.022029	.029156	.043190
				6-11 MO.	.164570	.335620	.322653
				12-23 MO.	.353113	.581827	.692307

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-BUTANONE FEMA 2170D	C1	BAKED GOODS(R)	9	2-65+ YR.	.888938	1.320449	1.742834
2-BUTANONE FEMA 2170D	04	FATS OILS(R)	*	0-5 MO.	.000250	.000250	.000500
				6-11 MO.	.001400	.003750	.002800
				12-23 MO.	.003150	.006000	.006300
				2-65+ YR.	.008750	.015800	.017500
2-BUTANONE FEMA 2170D	06	CHEESE(R)	*	0-5 MO.	**********	.002560	**********
				6-11 MO.	.069120	.248320	.071550
				12-23 MO.	.199680	.568320	.206700
				2-65+ YR.	.240640	.604160	.249100
2-BUTANONE FEMA 2170D	07	FROZN DAIRY(R)	5	0-5 MO.	.009899	.040587	.019821
				6-11 MO.	.094042	.261338	.188300
				12-23 MO.	.142548	.334592	.285422
				2-65+ YR.	.253419	.610779	.507418
2-BUTANONE FEMA 2170D	16	SOFT CANDY(R)	5	0-5 MO.	.001384	.013844	.002757
				6-11 MO.	.015228	.047069	.030327
				12-23 MO.	.024227	.064373	.048247
				2-65+ YR.	.040147	.121825	.079952
2-BUTANONE FEMA 2170D	20	GELATIN PUD(R)	*	0-5 MO.	.045860	.061912	.057523
				6-11 MO.	.293507	.889693	.368149
				12-23 MO.	.316437	.770456	.396910
				2-65+ YR.	.467777	1.203837	.586737
2-BUTANONE FEMA 2170D	23	BEV TYPE I(R)	6	0-5 MO.	.009173	.013760	.017138
				6-11 MO.	.086763	.296980	.162098
				12-23 MO.	.207160	.621097	.387036
				2-65+ YR.	.397502	1.061408	.742652
2-BUTANONE FEMA 2170D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-BUTANONE FEMA 21700	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000063	.000063	.000063
				12-23 MO.	.000063	.000189	.000063
				2-65+ YR.	.000126	.000252	.000126
2-BUTANONE FEMA 21700	99	ALL CATEGORIES	11	0-5 MO.	.088596	.162068	.140929
				6-11 MO.	.724693	2.083833	1.145939
				12-23 MO.	1.246378	2.948855	2.022985
				2-65+ YR.	2.622299	5.882510	4.576319
BUTTER ACIDS FEMA 21710	01	BAKED GOODS(R)	17	0-5 MO.	.830155	1.098735	2.373420
				6-11 MO.	6.201747	12.647657	17.730843
				12-23 MO.	13.306898	21.925861	38.044525
				2-65+ YR.	33.499200	49.760474	95.774474
BUTTER ACIDS FEMA 21710	05	MILK PRODS(R)	*	0-5 MO.	.027000	.020000	.054000
				6-11 MO.	.312000	1.500500	.624000
				12-23 MO.	.272500	.872000	.545000
				2-65+ YR.	.197500	.603000	.395000
BUTTER ACIDS FEMA 21710	07	FROZN DAIRY(R)	6	0-5 MO.	.618461	2.535689	.725521
				6-11 MO.	5.875376	16.327360	6.892445
				12-23 MO.	8.905833	20.903969	10.447496
				2-65+ YR.	15.832592	38.159020	18.573326
BUTTER ACIDS FEMA 21710	16	SOFT CANDY(R)	10	0-5 MO.	.161900	1.619004	.342933
				6-11 MO.	1.780905	5.504614	3.772268
				12-23 MO.	2.833257	7.528369	6.001336
				2-65+ YR.	4.695112	14.247237	9.945071
BUTTER ACIDS FEMA 21710	20	GELATIN PUD(R)	*	0-5 MO.	.173975	.234866	.231117
				6-11 MO.	1.113437	3.375107	1.479152
				12-23 MO.	1.200425	2.922773	1.594710
				2-65+ YR.	1.774541	4.566833	2.357398
BUTTER ACIDS FEMA 21710	23	BEV TYPE I(R)	5	0-5 MO.	.004359	.006539	.006829

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTTER ACIDS FEMA 2171D	23	BEV TYPE I(R)	5	6-11 MO.	.041233	.141136	.064591
				12-23 MO.	.098450	.295169	.154221
				2-65+ YR.	.188908	.504421	.295923
BUTTER ACIDS FEMA 2171D	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000420	.000690	.001120
				12-23 MO.	.000240	.001020	.000640
				2-65+ YR.	.000270	.000450	.000720
BUTTER ACIDS FEMA 2171D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000011	.000033	.000011
				12-23 MO.	.000033	.000099	.000033
				2-65+ YR.	.000066	.000187	.000066
BUTTER ACIDS FEMA 2171D	99	ALL CATEGORIES	20	0-5 MO.	1.815850	5.514832	3.733020
				6-11 MO.	15.325129	39.497098	30.564430
				12-23 MO.	26.617636	54.449261	56.787962
				2-65+ YR.	56.188189	107.841622	127.341978
BUTTER ESTERS FEMA 2172D	01	BAKED GOODS(R)	17	0-5 MO.	.393357	.520619	.600010
				6-11 MO.	2.938606	5.992904	4.482428
				12-23 MO.	6.305276	10.389243	9.617808
				2-65+ YR.	15.873097	23.578260	24.212169
BUTTER ESTERS FEMA 2172D	04	FATS OILS(R)	*	0-5 MO.	.000400	.000400	.002500
				6-11 MO.	.002240	.006000	.014000
				12-23 MO.	.005040	.009600	.031500
				2-65+ YR.	.014000	.025280	.087500
BUTTER ESTERS FEMA 2172D	05	MILK PRODS(R)	*	0-5 MO.	.270000	.200000	.540000
				6-11 MO.	3.120000	15.005000	6.240000
				12-23 MO.	2.725000	8.720000	5.450000
				2-65+ YR.	1.975000	6.030000	3.950000
BUTTER ESTERS FEMA 2172D	07	FROZN DAIRY(R)	8	0-5 MO.	.573446	2.351131	.796540
				6-11 MO.	5.447742	15.138987	7.567127

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTTER ESTERS FEMA 2172D	07	FROZN DAIRY(R)	8	12-23 MO.	8.257629	19.382491	11.470171
				2-65+ YR.	14.680230	35.381648	20.391416
BUTTER ESTERS FEMA 2172D	16	SOFT CANDY(R)	10	0-5 MO.	.043600	.435997	.051306
				6-11 MO.	.479597	1.482391	.564365
				12-23 MO.	.762995	2.027388	.897853
				2-65+ YR.	1.264392	3.836777	1.487870
BUTTER ESTERS FEMA 2172D	20	GELATIN PUD(R)	4	0-5 MO.	.010670	.014405	.012966
				6-11 MO.	.068291	.207008	.082979
				12-23 MO.	.073626	.179264	.089462
				2-65+ YR.	.108839	.280101	.132248
BUTTER ESTERS FEMA 2172D	23	BEV TYPE I(R)	6	0-5 MO.	.000917	.001376	.001294
				6-11 MO.	.008678	.029704	.012239
				12-23 MO.	.020720	.062122	.029223
				2-65+ YR.	.039758	.106162	.056074
BUTTER ESTERS FEMA 2172D	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000420	.000690	.001120
				12-23 MO.	.000240	.001020	.000640
				2-65+ YR.	.000270	.000450	.000720
BUTTER ESTERS FEMA 2172D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000156	.000468	.001399
				12-23 MO.	.000468	.001404	.004197
				2-65+ YR.	.000936	.002652	.008394
BUTTER ESTERS FEMA 2172D	99	ALL CATEGORIES	27	0-5 MO.	1.292391	3.523928	2.004615
				6-11 MO.	12.065729	37.863152	18.965657
				12-23 MO.	18.150995	40.772532	27.590854
				2-65+ YR.	33.956523	69.241329	50.326391
BUTTER STARTER DIST FEMA 2173D	01	BAKED GOODS(R)	12	0-5 MO.	1.028620	1.361409	2.359267
				6-11 MO.	7.684400	15.671335	17.625115
				12-23 MO.	16.488181	27.167682	37.817669

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTTER STARTER DIST FEMA 2173D	01	BAKED GOODS(R)	12	2-65+ YR.	41.507862	61.656721	95.203379
BUTTER STARTER DIST FEMA 2173D	04	FATS OILS(R)	*	0-5 MO.	.559091	.559091	.579545
				6-11 MO.	3.130909	8.386364	3.245455
				12-23 MO.	7.044545	13.418182	7.302273
				2-65+ YR.	19.568182	35.334545	20.284091
BUTTER STARTER DIST FEMA 2173D	07	FROZN DAIRY(R)	6	0-5 MO.	.445853	1.827997	.590560
				6-11 MO.	4.235604	11.770520	5.610316
				12-23 MO.	6.420283	15.069832	8.504057
				2-65+ YR.	11.413837	27.509131	15.118324
BUTTER STARTER DIST FEMA 2173D	16	SOFT CANDY(R)	10	0-5 MO.	.067708	.677077	.140084
				6-11 MO.	.744785	2.302063	1.540929
				12-23 MO.	1.184885	3.148410	2.451477
				2-65+ YR.	1.963524	5.958280	4.062448
BUTTER STARTER DIST FEMA 2173D	20	GELATIN PUD(R)	*	0-5 MO.	.157219	.212245	.193775
				6-11 MO.	1.006199	3.050040	1.240159
				12-23 MO.	1.084808	2.641272	1.337046
				2-65+ YR.	1.603629	4.126987	1.976503
BUTTER STARTER DIST FEMA 2173D	23	BEV TYPE I(R)	4	0-5 MO.	.006935	.010402	.016751
				6-11 MO.	.065593	.224517	.158432
				12-23 MO.	.156613	.469550	.378282
				2-65+ YR.	.300512	.802425	.725856
BUTTER STARTER DIST FEMA 2173D	28	INIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000420	.000690	.001120
				12-23 MO.	.000240	.001020	.000640
				2-65+ YR.	.000270	.000450	.000720
BUTTER STARTER DIST FEMA 2173D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002850	.002850	.002850
				12-23 MO.	.002850	.008550	.002850
				2-65+ YR.	.005700	.011400	.005700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTTER STARTER DIST FEMA 21730	99	ALL CATEGORIES	16	0-5 MO.	2.265426	4.648222	3.879982
				6-11 MO.	16.870759	41.408379	29.424375
				12-23 MO.	32.382406	61.924497	57.794295
				2-65+ YR.	76.363516	135.399940	137.377022
BUTYL ACETATE FEMA 21740	01	BAKED GOODS(R)	13	0-5 MO.	.098577	.130469	.132290
				6-11 MO.	.736427	1.501848	.988281
				12-23 MO.	1.580129	2.603589	2.120524
				2-65+ YR.	3.977866	5.908813	5.338274
BUTYL ACETATE FEMA 21740	06	CHEESE(R)	*	0-5 MO.	**********	.002025	**********
				6-11 MO.	.054675	.196425	.138105
				12-23 MO.	.157950	.449550	.398970
				2-65+ YR.	.190350	.477900	.480810
BUTYL ACETATE FEMA 21740	07	FROZN DAIRY(R)	11	0-5 MO.	.014958	.061328	.020962
				6-11 MO.	.142102	.394895	.199141
				12-23 MO.	.215397	.505585	.301856
				2-65+ YR.	.382929	.922918	.536633
BUTYL ACETATE FEMA 21740	16	SOFT CANDY(R)	12	0-5 MO.	.005965	.059654	.007990
				6-11 MO.	.065620	.202825	.087895
				12-23 MO.	.104395	.277393	.139832
				2-65+ YR.	.172998	.524959	.231722
BUTYL ACETATE FEMA 21740	20	GELATIN PUD(R)	10	0-5 MO.	.014086	.019016	.026047
				6-11 MO.	.090151	.273270	.166703
				12-23 MO.	.097194	.236647	.179727
				2-65+ YR.	.143678	.369760	.265683
BUTYL ACETATE FEMA 21740	23	BEV TYPE I(R)	17	0-5 MO.	.023252	.034878	.035051
				6-11 MO.	.219927	.752791	.331522
				12-23 MO.	.525113	1.574370	.791563
				2-65+ YR.	1.007597	2.690477	1.518867
BUTYL ACETATE FEMA 21740	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL ACETATE FEMA 21740	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000784	**********
				12-23 MO.	**********	.001568	**********
				2-65+ YR.	.254830	.740182	.613068
BUTYL ACETATE FEMA 21740	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000324	.000972	.000324
				12-23 MO.	.000972	.002916	.000972
				2-65+ YR.	.001944	.005508	.001944
BUTYL ACETATE FEMA 21740	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.013148	.013148	.045844
				12-23 MO.	.013148	.039444	.045844
				2-65+ YR.	.026296	.052592	.091688
BUTYL ACETATE FEMA 21740	99	ALL CATEGORIES	23	0-5 MO.	.156839	.307372	.222340
				6-11 MO.	1.322375	3.336958	1.957815
				12-23 MO.	2.694299	5.691062	3.979288
				2-65+ YR.	6.158488	11.693109	9.078689
ISOBUTYL ACETATE FEMA 21750	01	BAKED GOODS(R)	17	0-5 MO.	.072048	.095358	.132811
				6-11 MO.	.538241	1.097673	.992175
				12-23 MO.	1.154887	1.902915	2.128880
				2-65+ YR.	2.907350	4.318643	5.359309
ISOBUTYL ACETATE FEMA 21750	06	CHEESE(R)	*	0-5 MO.	**********	.000160	**********
				6-11 MO.	.004320	.015520	.014580
				12-23 MO.	.012480	.035520	.042120
				2-65+ YR.	.015040	.037760	.050760
ISOBUTYL ACETATE FEMA 21750	07	FROZN DAIRY(R)	14	0-5 MO.	.011229	.046039	.021867
				6-11 MO.	.106675	.296445	.207740
				12-23 MO.	.161697	.379539	.314890
				2-65+ YR.	.287462	.692827	.559804
ISOBUTYL ACETATE FEMA 21750	16	SOFT CANDY(R)	14	0-5 MO.	.005086	.050861	.008702
				6-11 MO.	.055947	.172928	.095724

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBUTYL ACETATE FEMA 2175D	16	SOFT CANDY(R)	14	12-23 MO.	.089007	.236504	.152289
				2-65+ YR.	.147497	.447577	.252364
ISOBUTYL ACETATE FEMA 2175D	20	GELATIN PUD(R)	11	0-5 MO.	.068417	.092363	.154057
				6-11 MO.	.437869	1.327291	.985966
				12-23 MO.	.472078	1.149406	1.062994
				2-65+ YR.	.697854	1.795947	1.571383
ISOBUTYL ACETATE FEMA 2175D	23	BEV TYPE II(R)	22	0-5 MO.	.013291	.019937	.031336
				6-11 MO.	.125715	.430312	.296382
				12-23 MO.	.300166	.899944	.707662
				2-65+ YR.	.575964	1.537935	1.357875
ISOBUTYL ACETATE FEMA 2175D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
ISOBUTYL ACETATE FEMA 2175D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000457	.001371	.002327
				12-23 MO.	.001371	.004113	.006981
				2-65+ YR.	.002742	.007769	.013962
ISOBUTYL ACETATE FEMA 2175D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.050913	.050913	.054722
				12-23 MO.	.050913	.152739	.054722
				2-65+ YR.	.101826	.203652	.109444
ISOBUTYL ACETATE FEMA 2175D	99	ALL CATEGORIES	35	0-5 MO.	.170072	.304718	.348773
				6-11 MO.	1.320138	3.393451	2.649616
				12-23 MO.	2.242599	4.762681	4.470537
				2-65+ YR.	5.060734	9.986111	9.924901
BUTYL ACETOACETATE FEMA 2176D	01	BAKED GOODS(R)	*	0-5 MO.	.079698	.105482	.097386
				6-11 MO.	.595388	1.214217	.727529
				12-23 MO.	1.277506	2.104955	1.561036

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL ACETOACETATE FEMA 2176D	C1	BAKED GOODS(R)	*	2-65+ YR.	3.216033	4.777169	3.929800
BUTYL ACETOACETATE FEMA 2176D	07	FROZN DAIRY(R)	*	0-5 MO.	.007955	.032615	.011214
				6-11 MO.	.075570	.210006	.106536
				12-23 MO.	.114549	.268871	.161486
				2-65+ YR.	.203642	.490809	.287086
BUTYL ACETOACETATE FEMA 2176D	16	SOFT CANDY(R)	*	0-5 MO.	.004445	.044452	.005931
				6-11 MO.	.048898	.151138	.065240
				12-23 MO.	.077792	.206704	.103792
				2-65+ YR.	.128912	.391181	.171998
BUTYL ACETOACETATE FEMA 2176D	20	GELATIN PUD(R)	*	0-5 MO.	.058000	.078300	.074000
				6-11 MO.	.371200	1.125200	.473600
				12-23 MO.	.400200	.974400	.510600
				2-65+ YR.	.591600	1.522500	.754800
BUTYL ACETOACETATE FEMA 2176D	23	BEV TYPE I(R)	*	0-5 MO.	.006986	.010479	.009157
				6-11 MO.	.066073	.226162	.086611
				12-23 MO.	.157761	.472991	.206799
				2-65+ YR.	.302714	.808305	.396810
BUTYL ACETOACETATE FEMA 2176D	99	ALL CATEGORIES	*	0-5 MO.	.157083	.271328	.197688
				6-11 MO.	1.157129	2.926723	1.459516
				12-23 MO.	2.027807	4.027920	2.543712
				2-65+ YR.	4.442901	7.989964	5.540493
ISOBUTYL ACETOACETATE FEMA 2177D	01	BAKED GOODS(R)	4	0-5 MO.	.079246	.104885	.093108
				6-11 MO.	.592015	1.207338	.695569
				12-23 MO.	1.270269	2.093031	1.492462
				2-65+ YR.	3.197815	4.750108	3.757169
ISOBUTYL ACETOACETATE FEMA 2177D	07	FROZN DAIRY(R)	*	0-5 MO.	.008900	.036490	.011250
				6-11 MO.	.084550	.234960	.106875
				12-23 MO.	.128160	.300820	.162000
				2-65+ YR.	.227840	.549130	.288000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL ACETOACETATE FEMA 2177D	16	SOFT CANDY(R)	4	0-5 MO.	.004338	.043385	.005662
				6-11 MO.	.047723	.147508	.062277
				12-23 MO.	.075923	.201738	.099077
				2-65+ YR.	.125815	.381785	.164185
ISOBUTYL ACETOACETATE FEMA 2177D	20	GELATIN PUD(R)	4	0-5 MO.	.050500	.068175	.066500
				6-11 MO.	.323200	.979700	.425600
				12-23 MO.	.348450	.848400	.458850
				2-65+ YR.	.515100	1.325625	.678300
ISOBUTYL ACETOACETATE FEMA 2177D	23	BEV TYPE I(R)	4	0-5 MO.	.007569	.011354	.010431
				6-11 MO.	.071592	.245054	.098658
				12-23 MO.	.170938	.512500	.235562
				2-65+ YR.	.328000	.875823	.452000
ISOBUTYL ACETOACETATE FEMA 2177D	59	ALL CATEGORIES	4	0-5 MO.	.150554	.264288	.186950
				6-11 MO.	1.119081	2.814560	1.388979
				12-23 MO.	1.993741	3.956489	2.447950
				2-65+ YR.	4.394571	7.882470	5.339654
BUTYL ALCOHOL FEMA 2178D	01	BAKED GOODS(R)	10	0-5 MO.	.058077	.076866	.104804
				6-11 MO.	.433866	.884813	.782944
				12-23 MO.	.930933	1.533904	1.679939
				2-65+ YR.	2.343560	3.481177	4.229130
BUTYL ALCOHOL FEMA 2178D	07	FROZN DAIRY(R)	5	0-5 MO.	.008890	.036449	.013890
				6-11 MO.	.084455	.234696	.131955
				12-23 MO.	.128016	.300482	.200016
				2-65+ YR.	.227584	.548513	.355584
BUTYL ALCOHOL FEMA 2178D	16	SOFT CANDY(R)	9	0-5 MO.	.003243	.032426	.004989
				6-11 MO.	.035668	.110247	.054880
				12-23 MO.	.056745	.150779	.087309
				2-65+ YR.	.094034	.285345	.144683
BUTYL ALCOHOL FEMA 2178D	20	GELATIN PUD(R)	4	0-5 MO.	.033781	.045604	.044301

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL ALCOHOL FEMA 2178D	20	GELATIN PUD(R)	4	6-11 MO.	.216197	.655348	.283529
				12-23 MO.	.233088	.567518	.305679
				2-65+ YR.	.344564	.886747	.451874
BUTYL ALCOHOL FEMA 2178D	23	BEV TYPE I(R)	11	0-5 MO.	.013200	.019800	.016734
				6-11 MO.	.124850	.427350	.158273
				12-23 MO.	.298100	.693750	.377903
				2-65+ YR.	.572000	1.527350	.725127
BUTYL ALCOHOL FEMA 2178D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000555	**********
				12-23 MO.	**********	.001109	**********
				2-65+ YR.	.180273	.523625	.360547
BUTYL ALCOHOL FEMA 2178D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002707	.008121	.002812
				12-23 MO.	.008121	.024363	.008436
				2-65+ YR.	.016242	.046019	.016872
BUTYL ALCOHOL FEMA 2178D	99	ALL CATEGORIES	15	0-5 MO.	.117190	.211145	.184718
				6-11 MO.	.897743	2.321130	1.414392
				12-23 MO.	1.655002	3.471905	2.659282
				2-65+ YR.	3.778258	7.298775	6.283817
ISOBUTYL ALCOHOL FEMA 2179D	01	BAKED GOODS(R)	8	0-5 MO.	.066470	.087975	.105211
				6-11 MO.	.496570	1.012690	.785989
				12-23 MO.	1.065475	1.755590	1.686472
				2-65+ YR.	2.682260	3.984290	4.245578
ISOBUTYL ALCOHOL FEMA 2179D	06	CHEESE(R)	*	0-5 MO.	**********	.000110	**********
				6-11 MO.	.002970	.010670	.002970
				12-23 MO.	.008580	.024420	.008580
				2-65+ YR.	.010340	.025960	.010340
ISOBUTYL ALCOHOL FEMA 2179D	07	FROZN DAIRY(R)	4	0-5 MO.	.018500	.075850	.018500
				6-11 MO.	.175750	.488400	.175750

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL ALCOHOL FEMA 2179D	07	FROZN DAIRY(R)	4	12-23 MO.	.266400	.625300	.266400
				2-65+ YR.	.473600	1.141450	.473600
ISOBUTYL ALCOHOL FEMA 2179D	16	SOFT CANDY(R)	7	0-5 MO.	.004910	.049100	.006824
				6-11 MO.	.054010	.166940	.075059
				12-23 MO.	.085925	.228315	.119412
				2-65+ YR.	.142390	.432080	.197882
ISOBUTYL ALCOHOL FEMA 2179D	20	GELATIN PUD(R)	4	0-5 MO.	.048500	.065475	.070800
				6-11 MO.	.310400	.940900	.453120
				12-23 MO.	.334650	.814800	.488520
				2-65+ YR.	.494700	1.273125	.722160
ISOBUTYL ALCOHOL FEMA 2179D	23	BEV TYPE I(R)	7	0-5 MO.	.018000	.027000	.029718
				6-11 MO.	.170250	.582750	.281079
				12-23 MO.	.406500	1.218750	.671124
				2-65+ YR.	.780000	2.082750	1.287765
ISOBUTYL ALCOHOL FEMA 2179D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
ISOBUTYL ALCOHOL FEMA 2179D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000050	.000050	.000050
				12-23 MO.	.000050	.000150	.000050
				2-65+ YR.	.000100	.000200	.000100
ISOBUTYL ALCOHOL FEMA 2179D	99	ALL CATEGORIES	10	0-5 MO.	.156380	.305510	.231052
				6-11 MO.	1.210000	3.203400	1.774017
				12-23 MO.	2.167580	4.669325	3.240557
				2-65+ YR.	4.908390	9.883855	7.587425
ISOBUTYL ANGELATE FEMA 2180D	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.023800
				6-11 MO.	.127000	.259000	.177800
				12-23 MO.	.272500	.449000	.381500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBUTYL ANGELATE FEMA 2180D	01	BAKED GOODS(R)	*	2-65+ YR.	.686000	1.019000	.960400
ISOBUTYL ANGELATE FEMA 2180D	07	FROZN DAIRY(R)	*	0-5 MO.	.002050	.008405	.003250
				6-11 MO.	.019475	.054120	.030875
				12-23 MO.	.029520	.069290	.046800
				2-65+ YR.	.052480	.126485	.083200
ISOBUTYL ANGELATE FEMA 2180D	16	SOFT CANDY(R)	*	0-5 MO.	.001100	.011000	.001360
				6-11 MO.	.012100	.037400	.014960
				12-23 MO.	.019250	.051150	.023800
				2-65+ YR.	.031900	.096800	.039440
ISOBUTYL ANGELATE FEMA 2180D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.018000
				6-11 MO.	.102400	.310400	.115200
				12-23 MO.	.110400	.268800	.124200
				2-65+ YR.	.163200	.420000	.183600
ISOBUTYL ANGELATE FEMA 2180D	23	BEV TYPE I(R)	*	0-5 MO.	.002520	.003780	.004200
				6-11 MO.	.023835	.081585	.039725
				12-23 MO.	.056910	.170625	.094850
				2-65+ YR.	.109200	.291585	.182000
ISOBUTYL ANGELATE FEMA 2180D	99	ALL CATEGORIES	*	0-5 MO.	.038670	.067285	.050610
				6-11 MO.	.284810	.742505	.378560
				12-23 MO.	.488580	1.008865	.671150
				2-65+ YR.	1.042780	1.953870	1.448640
BUTYL ANTHRANILATE FEMA 2181D	01	BAKED GOODS(R)	5	0-5 MO.	.024949	.033021	.040784
				6-11 MO.	.186386	.380110	.304681
				12-23 MO.	.399923	.658955	.653744
				2-65+ YR.	1.006777	1.495490	1.645756
BUTYL ANTHRANILATE FEMA 2181D	07	FROZN DAIRY(R)	5	0-5 MO.	.003991	.016362	.006981
				6-11 MO.	.037911	.105352	.066322
				12-23 MO.	.057465	.134883	.100530
				2-65+ YR.	.102160	.246221	.178719

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL ANTHRANILATE FEMA 2181D	16	SOFT CANDY(R)	6	0-5 MO.	.001633	.016330	.002465
				6-11 MO.	.017963	.055523	.027117
				12-23 MO.	.028578	.075936	.043140
				2-65+ YR.	.047358	.143706	.071489
BUTYL ANTHRANILATE FEMA 2181D	20	GELATIN PUD(R)	*	0-5 MO.	.006379	.008611	.012130
				6-11 MO.	.040824	.123747	.077633
				12-23 MO.	.044013	.107162	.083698
				2-65+ YR.	.065063	.167441	.123728
BUTYL ANTHRANILATE FEMA 2181D	23	BEV TYPE I(R)	6	0-5 MO.	.005400	.008100	.009527
				6-11 MO.	.051075	.174825	.090107
				12-23 MO.	.121950	.365625	.215146
				2-65+ YR.	.234000	.624825	.412826
BUTYL ANTHRANILATE FEMA 2181D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
BUTYL ANTHRANILATE FEMA 2181D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001468	.001468	.011656
				12-23 MO.	.001468	.004404	.011656
				2-65+ YR.	.002936	.005872	.023312
BUTYL ANTHRANILATE FEMA 2181D	99	ALL CATEGORIES	10	0-5 MO.	.042352	.082424	.071887
				6-11 MO.	.335627	.841125	.577515
				12-23 MO.	.653396	1.347164	1.107914
				2-65+ YR.	1.490794	2.777955	2.593330
ISOBUTYL ANTHRANILATE FEMA 2182D	01	BAKED GOODS(R)	5	0-5 MO.	.030158	.039915	.048507
				6-11 MO.	.225298	.459466	.362373
				12-23 MO.	.483415	.796526	.777533
				2-65+ YR.	1.216964	1.807706	1.957387
ISOBUTYL ANTHRANILATE FEMA 2182D	07	FROZN DAIRY(R)	6	0-5 MO.	.004154	.017030	.007839

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBUTYL ANTHRANILATE FEMA 2182D	07	FROZN DAIRY(R)	6	6-11 MO.	.039461	.109659	.074468
				12-23 MO.	.059814	.140397	.112878
				2-65+ YR.	.106336	.256286	.200672
ISOBUTYL ANTHRANILATE FEMA 2182D	16	SOFT CANDY(R)	7	0-5 MO.	.002014	.020136	.002928
				6-11 MO.	.022149	.068462	.032208
				12-23 MO.	.035238	.093632	.051240
				2-65+ YR.	.058394	.177196	.084912
ISOBUTYL ANTHRANILATE FEMA 2182D	20	GELATIN PUD(R)	*	0-5 MO.	.009010	.012164	.016000
				6-11 MO.	.057664	.174794	.102400
				12-23 MO.	.062169	.151368	.110400
				2-65+ YR.	.091902	.236513	.163200
ISOBUTYL ANTHRANILATE FEMA 2182D	23	BEV TYPE I(R)	6	0-5 MO.	.007735	.011602	.010320
				6-11 MO.	.073157	.250410	.097610
				12-23 MO.	.174675	.523701	.233060
				2-65+ YR.	.335169	.894965	.447200
ISOBUTYL ANTHRANILATE FEMA 2182D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
ISOBUTYL ANTHRANILATE FEMA 2182D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000939	.000939	.001075
				12-23 MO.	.000939	.002817	.001075
				2-65+ YR.	.001878	.003756	.002150
ISOBUTYL ANTHRANILATE FEMA 2182D	99	ALL CATEGORIES	10	0-5 MO.	.053070	.100847	.085593
				6-11 MO.	.418668	1.063830	.670134
				12-23 MO.	.816249	1.708641	1.286186
				2-65+ YR.	1.843143	3.470822	2.953021
ISOBUTYL BENZOATE FEMA 2185D	01	BAKED GOODS(R)	4	0-5 MO.	.031199	.041292	.079820
				6-11 MO.	.233072	.475320	.596304

TABLE 13. PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL BENZOATE FEMA 2185D	01	BAKED GOODS(R)	4	12-23 MO.	.500095	.824010	1.279471
				2-65+ YR.	1.258955	1.870080	3.220979
ISOBUTYL BENZOATE FEMA 2185D	07	FROZN DAIRY(R)	4	0-5 MO.	.006166	.025280	.008125
				6-11 MO.	.058577	.162781	.077186
				12-23 MO.	.088790	.208410	.116998
				2-65+ YR.	.157849	.380440	.207997
ISOBUTYL BENZOATE FEMA 2185D	16	SOFT CANDY(R)	5	0-5 MO.	.002247	.022470	.003160
				6-11 MO.	.024717	.076397	.034760
				12-23 MO.	.039322	.104483	.055300
				2-65+ YR.	.065162	.197732	.091640
ISOBUTYL BENZOATE FEMA 2185D	20	GELATIN PUD(R)	*	0-5 MO.	.024000	.032400	.042000
				6-11 MO.	.153600	.465600	.268800
				12-23 MO.	.165600	.403200	.289800
				2-65+ YR.	.244800	.630000	.428400
ISOBUTYL BENZOATE FEMA 2185D	23	BEV TYPE I(R)	5	0-5 MO.	.007357	.011035	.020504
				6-11 MO.	.069580	.238167	.193937
				12-23 MO.	.166135	.498098	.463057
				2-65+ YR.	.318783	.851211	.888522
ISOBUTYL BENZOATE FEMA 2185D	99	ALL CATEGORIES	6	0-5 MO.	.070968	.132477	.153609
				6-11 MO.	.539545	1.418265	1.170987
				12-23 MO.	.959941	2.038201	2.204625
				2-65+ YR.	2.045548	3.929463	4.837538
BUTYL BUTYRATE FEMA 2186D	01	BAKED GOODS(R)	14	0-5 MO.	.041382	.054770	.064705
				6-11 MO.	.309147	.630465	.483381
				12-23 MO.	.663327	1.092968	1.037176
				2-65+ YR.	1.669880	2.480478	2.611020
BUTYL BUTYRATE FEMA 2186D	07	FROZN DAIRY(R)	10	0-5 MO.	.013333	.054665	.022762
				6-11 MO.	.126662	.351987	.216237
				12-23 MO.	.191993	.450650	.327770

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL BUTYRATE FEMA 2186D	07	FROZN DAIRY(R)	10	2-65+ YR.	.341321	.822636	.582701
BUTYL BUTYRATE FEMA 2186D	16	SOFT CANDY(R)	11	0-5 MO.	.003603	.036026	.005573
				6-11 MO.	.039628	.122487	.061300
				12-23 MO.	.063045	.167519	.097523
				2-65+ YR.	.104474	.317025	.161609
BUTYL BUTYRATE FEMA 2186D	20	GELATIN PUDTR)	10	0-5 MO.	.018175	.024536	.043416
				6-11 MO.	.116319	.352593	.277864
				12-23 MO.	.125407	.305338	.299572
				2-65+ YR.	.185384	.477091	.442846
BUTYL BUTYRATE FEMA 2186D	23	BEV TYPE I(R)	16	0-5 MO.	.012097	.018146	.020049
				6-11 MO.	.114421	.391653	.189633
				12-23 MO.	.273200	.819095	.452780
				2-65+ YR.	.524221	1.399770	.868803
BUTYL BUTYRATE FEMA 2186D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.487500
BUTYL BUTYRATE FEMA 2186D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000729	.002187	.000729
				12-23 MO.	.002187	.006561	.002187
				2-65+ YR.	.004374	.012393	.004374
BUTYL BUTYRATE FEMA 2186D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001409	.001409	.002271
				12-23 MO.	.001409	.004227	.002271
				2-65+ YR.	.002818	.005636	.004542
BUTYL BUTYRATE FEMA 2186D	99	ALL CATEGORIES	27	0-5 MO.	.088590	.188143	.156505
				6-11 MO.	.708316	1.853781	1.231415
				12-23 MO.	1.320567	2.848358	2.219279
				2-65+ YR.	3.157471	6.459029	5.163395

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL BUTYRATE FEMA 2187D	01	BAKED GOODS(R)	15	0-5 MO.	.073439	.097199	.101588
				6-11 MO.	.548636	1.118871	.758922
				12-23 MO.	1.177190	1.939664	1.628395
				2-65+ YR.	2.963496	4.402044	4.099372
ISOBUTYL BUTYRATE FEMA 2187D	07	FROZN DAIRY(R)	10	0-5 MO.	.012860	.052728	.018197
				6-11 MO.	.122174	.339514	.172870
				12-23 MO.	.185190	.434681	.262035
				2-65+ YR.	.329226	.793486	.465840
ISOBUTYL BUTYRATE FEMA 2187D	16	SOFT CANDY(R)	11	0-5 MO.	.004297	.042975	.005858
				6-11 MO.	.047272	.146113	.064443
				12-23 MO.	.075205	.199832	.102524
				2-65+ YR.	.124626	.378176	.169896
ISOBUTYL BUTYRATE FEMA 2187D	20	GELATIN PUD(R)	10	0-5 MO.	.017795	.024023	.028888
				6-11 MO.	.113886	.345218	.184885
				12-23 MO.	.122784	.298952	.199330
				2-65+ YR.	.181507	.467112	.294661
ISOBUTYL BUTYRATE FEMA 2187D	23	BEV TYPE I(R)	13	0-5 MO.	.014205	.021307	.022343
				6-11 MO.	.134354	.459881	.211331
				12-23 MO.	.320792	.961785	.504588
				2-65+ YR.	.615542	1.643616	.968213
ISOBUTYL BUTYRATE FEMA 2187D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000185	**********
				12-23 MO.	**********	.000370	**********
				2-65+ YR.	.060134	.174667	.090733
ISOBUTYL BUTYRATE FEMA 2187D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000026	.000078	.000047
				12-23 MO.	.000078	.000234	.000141
				2-65+ YR.	.000156	.000442	.000282
ISOBUTYL BUTYRATE FEMA 2187D	99	ALL CATEGORIES	19	0-5 MO.	.122597	.238232	.176875

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBUTYL BUTYRATE FEMA 2187D	59	ALL CATEGORIES	19	6-11 MO.	.966348	2.409861	1.392499
				12-23 MO.	1.881240	3.835518	2.697012
				2-65+ YR.	4.274687	7.859544	6.088997
BUTYL ISOBUTYRATE FEMA 2188D	01	BAKED GOODS(R)	6	0-5 MO.	.080196	.106142	.133582
				6-11 MO.	.599111	1.221809	.997934
				12-23 MO.	1.285494	2.118117	2.141235
				2-65+ YR.	3.236143	4.807040	5.390413
BUTYL ISOBUTYRATE FEMA 2188D	07	FROZN DAIRY(R)	*	0-5 MO.	.005434	.022280	.015362
				6-11 MO.	.051624	.143461	.145939
				12-23 MO.	.078251	.183673	.221213
				2-65+ YR.	.139113	.335285	.393267
BUTYL ISOBUTYRATE FEMA 2188D	16	SOFT CANDY(R)	7	0-5 MO.	.003915	.039151	.005879
				6-11 MO.	.043066	.133115	.064672
				12-23 MO.	.068515	.182054	.102887
				2-65+ YR.	.113539	.344532	.170498
BUTYL ISOBUTYRATE FEMA 2188D	20	GELATIN PUD(R)	4	0-5 MO.	.026757	.036122	.035689
				6-11 MO.	.171243	.519081	.228411
				12-23 MO.	.184622	.449514	.246255
				2-65+ YR.	.272919	.702365	.364030
BUTYL ISOBUTYRATE FEMA 2188D	23	BEV TYPE I(R)	8	0-5 MO.	.018913	.028370	.023102
				6-11 MO.	.178887	.612314	.218508
				12-23 MO.	.427123	1.280580	.521724
				2-65+ YR.	.819571	2.188413	1.001095
BUTYL ISOBUTYRATE FEMA 2188D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.487500
BUTYL ISOBUTYRATE FEMA 2188D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000171	.000513	.001000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL ISOBUTYRATE FEMA 2188D	30	HARD CANDY(R)	*	12-23 MO.	.000513	.001539	.003000
				2-65+ YR.	.001026	.002907	.006000
BUTYL ISOBUTYRATE FEMA 2188D	99	ALL CATEGORIES	9	0-5 MO.	.135215	.232064	.213614
				6-11 MO.	1.044103	2.631293	1.656463
				12-23 MO.	2.044517	4.217476	3.236315
				2-65+ YR.	4.907311	9.324541	7.812802
ISOBUTYL ISOBUTYRATE FEMA 2189D	01	BAKED GOODS(R)	4	0-5 MO.	.074084	.098052	.118722
				6-11 MO.	.553448	1.128686	.886923
				12-23 MO.	1.187517	1.956680	1.903044
				2-65+ YR.	2.989493	4.440661	4.790782
ISOBUTYL ISOBUTYRATE FEMA 2189D	07	FROZN DAIRY(R)	4	0-5 MO.	.005420	.022222	.015280
				6-11 MO.	.051491	.143091	.145156
				12-23 MO.	.078050	.183200	.220026
				2-65+ YR.	.138755	.334421	.391158
ISOBUTYL ISOBUTYRATE FEMA 2189D	16	SOFT CANDY(R)	4	0-5 MO.	.003768	.037681	.005515
				6-11 MO.	.041449	.128117	.060661
				12-23 MO.	.065942	.175218	.096507
				2-65+ YR.	.109276	.331596	.159926
ISOBUTYL ISOBUTYRATE FEMA 2189D	20	GELATIN PUD(R)	*	0-5 MO.	.006899	.009313	.017087
				6-11 MO.	.044152	.133836	.109359
				12-23 MO.	.047601	.115899	.117903
				2-65+ YR.	.070367	.181092	.174291
ISOBUTYL ISOBUTYRATE FEMA 2189D	23	BEV TYPE I(R)	5	0-5 MO.	.015377	.023066	.018701
				6-11 MO.	.145443	.497839	.176876
				12-23 MO.	.347270	1.041169	.422320
				2-65+ YR.	.666348	1.779278	.810356
ISOBUTYL ISOBUTYRATE FEMA 2189D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000600	**********
				12-23 MO.	**********	.001200	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL ISOBUTYRATE FEMA 2189D	24	BEV TYPE III(R)	*	2-65+ YR.	.195000	.566400	.487500
ISOBUTYL ISOBUTYRATE FEMA 2189D	99	ALL CATEGORIES	6	0-5 MO.	.105548	.190335	.175304
				6-11 MO.	.835984	2.032168	1.378976
				12-23 MO.	1.726381	3.473366	2.759800
				2-65+ YR.	4.169239	7.633448	6.814013
BUTYL BUTYRYLLACTATE FEMA 2190D	01	BAKED GOODS(R)	17	0-5 MO.	.101062	.133759	.189186
				6-11 MO.	.754996	1.539716	1.413334
				12-23 MO.	1.619972	2.669238	3.032548
				2-65+ YR.	4.078168	6.057803	7.634231
BUTYL BUTYRYLLACTATE FEMA 2190D	06	CHEESE(R)	*	0-5 MO.	**********	.006000	**********
				6-11 MO.	.162000	.582000	.216000
				12-23 MO.	.468000	1.332000	.624000
				2-65+ YR.	.564000	1.416000	.752000
BUTYL BUTYRYLLACTATE FEMA 2190D	07	FROZN DAIRY(R)	11	0-5 MO.	.008234	.033759	.017076
				6-11 MO.	.078222	.217375	.162224
				12-23 MO.	.118568	.278306	.245898
				2-65+ YR.	.210788	.508033	.437152
BUTYL BUTYRYLLACTATE FEMA 2190D	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.000550
				6-11 MO.	.010350	.027900	.010350
				12-23 MO.	.015100	.025950	.015100
				2-65+ YR.	.039200	.065050	.039200
BUTYL BUTYRYLLACTATE FEMA 2190D	16	SOFT CANDY(R)	14	0-5 MO.	.004645	.046449	.009805
				6-11 MO.	.051094	.157927	.107850
				12-23 MO.	.081286	.215988	.171579
				2-65+ YR.	.134702	.408752	.284332
BUTYL BUTYRYLLACTATE FEMA 2190D	20	GELATIN PUDI(R)	9	0-5 MO.	.035819	.048356	.058065
				6-11 MO.	.229244	.694896	.371616
				12-23 MO.	.247154	.601766	.400640
				2-65+ YR.	.365358	.940259	.592262

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL BUTYRYLLACTATE FEMA 2190D	23	BEV TYPE II(R)	11	0-5 MO.	.013711	.020566	.023102
				6-11 MO.	.129682	.443889	.218504
				12-23 MO.	.309637	.928339	.521714
				2-65+ YR.	.594137	1.586460	1.001074
BUTYL BUTYRYLLACTATE FEMA 2190D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
BUTYL BUTYRYLLACTATE FEMA 2190D	28	INIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.070000	.115000	.140000
				12-23 MO.	.040000	.170000	.080000
				2-65+ YR.	.045000	.075000	.090000
BUTYL BUTYRYLLACTATE FEMA 2190D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.003982	.011946	.005042
				12-23 MO.	.011946	.035838	.015126
				2-65+ YR.	.023892	.067694	.030252
BUTYL BUTYRYLLACTATE FEMA 2190D	99	ALL CATEGORIES	22	0-5 MO.	.164022	.290340	.297784
				6-11 MO.	1.489570	3.790660	2.644920
				12-23 MO.	2.911663	6.257446	5.106613
				2-65+ YR.	6.058495	11.134491	10.863793
A6-BUTYLCINNAMALDEHYDE FEMA 2191D	01	BAKED GOODS(R)	*	0-5 MO.	.020400	.027000	.034000
				6-11 MO.	.152400	.310800	.254000
				12-23 MO.	.327000	.538800	.545000
				2-65+ YR.	.823200	1.222800	1.372000
A6-BUTYLCINNAMALDEHYDE FEMA 2191D	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.003267
				6-11 MO.	.019000	.052800	.031033
				12-23 MO.	.028800	.067600	.047040
				2-65+ YR.	.051200	.123400	.083627
A6-BUTYLCINNAMALDEHYDE FEMA 2191D	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A6-BUTYLCINNAMALDEHYDE FEMA 2191D	16	SOFT CANDY(R)	*	6-11 MO.	.008800	.027200	.017600
				12-23 MO.	.014000	.037200	.028000
				2-65+ YR.	.023200	.070400	.046400
A6-BUTYLCINNAMALDEHYDE FEMA 2191D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.016000
				6-11 MO.	.076800	.232800	.102400
				12-23 MO.	.082800	.201600	.110400
				2-65+ YR.	.122400	.315000	.163200
A6-BUTYLCINNAMALDEHYDE FEMA 2191D	23	BEV TYPE I(R)	*	0-5 MO.	.001760	.002640	.003200
				6-11 MO.	.016647	.056980	.030267
				12-23 MO.	.039747	.119167	.072267
				2-65+ YR.	.076267	.203647	.138667
A6-BUTYLCINNAMALDEHYDE FEMA 2191D	99	ALL CATEGORIES	*	0-5 MO.	.036960	.062040	.058067
				6-11 MO.	.273647	.680580	.435300
				12-23 MO.	.492347	.964367	.802707
				2-65+ YR.	1.096267	1.935247	1.803893
BUTYL CINNAMATE FEMA 2192D	01	BAKED GOODS(R)	4	0-5 MO.	.046207	.061156	.076695
				6-11 MO.	.345190	.703970	.572957
				12-23 MO.	.740664	1.220397	1.229377
				2-65+ YR.	1.864571	2.769675	3.094872
BUTYL CINNAMATE FEMA 2192D	07	FROZN DAIRY(R)	4	0-5 MO.	.003508	.014384	.005066
				6-11 MO.	.033328	.092616	.048123
				12-23 MO.	.050518	.118577	.072944
				2-65+ YR.	.089810	.216456	.129679
BUTYL CINNAMATE FEMA 2192D	16	SOFT CANDY(R)	4	0-5 MO.	.002161	.021607	.002839
				6-11 MO.	.023767	.073462	.031233
				12-23 MO.	.037811	.100470	.049689
				2-65+ YR.	.062659	.190138	.082341
BUTYL CINNAMATE FEMA 2192D	20	GELATIN PUD(R)	*	0-5 MO.	.016259	.021950	.026296
				6-11 MO.	.104060	.315432	.168296

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL CINNAMATE FEMA 2192D	20	GELATIN PUD(R)	*	12-23 MO.	.112190	.273158	.181444
				2-65+ YR.	.165846	.426809	.268222
BUTYL CINNAMATE FEMA 2192D	23	BEV TYPE I(R)	6	0-5 MO.	.002242	.003364	.003934
				6-11 MO.	.021210	.072598	.037213
				12-23 MO.	.050641	.151831	.088852
				2-65+ YR.	.097172	.259467	.170492
BUTYL CINNAMATE FEMA 2192D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000144	**********
				12-23 MO.	**********	.000289	**********
				2-65+ YR.	.046944	.136356	.069213
BUTYL CINNAMATE FEMA 2192D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000078	.000234	.000078
				12-23 MO.	.000234	.000702	.000234
				2-65+ YR.	.000468	.001326	.000468
BUTYL CINNAMATE FEMA 2192D	99	ALL CATEGORIES	7	0-5 MO.	.070377	.122460	.114831
				6-11 MO.	.527633	1.258458	.857901
				12-23 MO.	.992059	1.865423	1.622541
				2-65+ YR.	2.327469	4.000226	3.815287
ISOBUTYL CINNAMATE FEMA 2193D	01	BAKED GOODS(R)	5	0-5 MO.	.018116	.023977	.023747
				6-11 MO.	.135334	.275997	.177403
				12-23 MO.	.290383	.478466	.380648
				2-65+ YR.	.731019	1.085872	.958256
ISOBUTYL CINNAMATE FEMA 2193D	07	FROZN DAIRY(R)	6	0-5 MO.	.002766	.011339	.004312
				6-11 MO.	.026273	.073013	.040963
				12-23 MO.	.039825	.093478	.062091
				2-65+ YR.	.070800	.170639	.110384
ISOBUTYL CINNAMATE FEMA 2193D	16	SOFT CANDY(R)	8	0-5 MO.	.000828	.008278	.001249
				6-11 MO.	.009106	.028147	.013738
				12-23 MO.	.014487	.038495	.021856

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL CINNAMATE FEMA 21930	16	SOFT CANDY(R)	8	2-65+ YR.	.024008	.072851	.036219
ISOBUTYL CINNAMATE FEMA 21930	20	GELATIN PUD(R)	4	0-5 MO.	.004200	.005670	.010440
				6-11 MO.	.026880	.081480	.066816
				12-23 MO.	.028980	.070560	.072036
				2-65+ YR.	.042840	.110250	.106488
ISOBUTYL CINNAMATE FEMA 21930	23	BEV TYPE I(R)	8	0-5 MO.	.003234	.004852	.005075
				6-11 MO.	.030592	.104713	.047999
				12-23 MO.	.073043	.218995	.114606
				2-65+ YR.	.140157	.374246	.219907
ISOBUTYL CINNAMATE FEMA 21930	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000089	**********
				12-23 MO.	**********	.000178	**********
				2-65+ YR.	.028889	.083911	.075231
ISOBUTYL CINNAMATE FEMA 21930	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000038	.000114	.000038
				12-23 MO.	.000114	.000342	.000114
				2-65+ YR.	.000228	.000646	.000228
ISOBUTYL CINNAMATE FEMA 21930	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000088	.000088	.000713
				12-23 MO.	.000088	.000264	.000713
				2-65+ YR.	.000176	.000352	.001426
ISOBUTYL CINNAMATE FEMA 21930	99	ALL CATEGORIES	12	0-5 MO.	.029143	.054116	.044822
				6-11 MO.	.228312	.563641	.347670
				12-23 MO.	.446921	.900778	.652064
				2-65+ YR.	1.038116	1.898767	1.508139
BUTYL 2-DECENOATE FEMA 21940	01	BAKED GOODS(R)	*	0-5 MO.	.163200	.216000	.224400
				6-11 MO.	1.219200	2.486400	1.676400
				12-23 MO.	2.616000	4.310400	3.597000
				2-65+ YR.	6.585600	9.782400	9.055200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL 2-DECENOATE							
FEMA 2194D	05	MILK PRODS(R)	*	0-5 MO.	.324000	.240000	.432000
				6-11 MO.	3.744000	18.006000	4.992000
				12-23 MO.	3.270000	10.464000	4.360000
				2-65+ YR.	2.370000	7.236000	3.160000
BUTYL 2-DECENOATE							
FEMA 2194D	07	FROZN DAIRY(R)	*	0-5 MO.	.006409	.026277	.009955
				6-11 MO.	.060886	.169200	.094568
				12-23 MO.	.092291	.216627	.143345
				2-65+ YR.	.164073	.395441	.254836
BUTYL 2-DECENOATE							
FEMA 2194D	10	MEAT PRODS(R)	*	0-5 MO.	.033000	.087000	.066000
				6-11 MO.	.621000	1.674000	1.242000
				12-23 MO.	.906000	1.557000	1.812000
				2-65+ YR.	2.352000	3.903000	4.704000
BUTYL 2-DECENOATE							
FEMA 2194D	16	SOFT CANDY(R)	*	0-5 MO.	.004045	.040455	.005773
				6-11 MO.	.044500	.137545	.063500
				12-23 MO.	.070795	.188114	.101023
				2-65+ YR.	.117318	.356000	.167409
BUTYL 2-DECENOATE							
FEMA 2194D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.050000
				6-11 MO.	.256000	.776000	.320000
				12-23 MO.	.276000	.672000	.345000
				2-65+ YR.	.408000	1.050000	.510000
BUTYL 2-DECENOATE							
FEMA 2194D	23	BEV TYPE II(R)	*	0-5 MO.	.016533	.024800	.024164
				6-11 MO.	.156378	.535267	.228548
				12-23 MO.	.373378	1.119444	.545695
				2-65+ YR.	.716444	1.913044	1.047091
BUTYL 2-DECENOATE							
FEMA 2194D	99	ALL CATEGORIES	4	0-5 MO.	.587188	.688532	.812291
				6-11 MO.	6.101964	23.784412	8.617016
				12-23 MO.	7.604464	18.527585	10.904064
				2-65+ YR.	12.713435	24.635885	18.898536
BUTYL ETHYL MALONATE							
FEMA 2195D	01	BAKED GOODS(R)	*	0-5 MO.	.020400	.027000	.034000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL ETHYL MALONATE FEMA 21950	01	BAKED GOODS(R)	*	6-11 MO.	.152400	.310800	.254000
				12-23 MO.	.327000	.538800	.545000
				2-65+ YR.	.823200	1.222800	1.372000
BUTYL ETHYL MALONATE FEMA 21950	07	FROZN DAIRY(R)	*	0-5 MO.	.002500	.010250	.005125
				6-11 MO.	.023750	.066000	.048688
				12-23 MO.	.036000	.084500	.073800
				2-65+ YR.	.064000	.154250	.131200
BUTYL ETHYL MALONATE FEMA 21950	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000550
				6-11 MO.	.002200	.006800	.006050
				12-23 MO.	.003500	.009300	.009625
				2-65+ YR.	.005800	.017600	.015950
BUTYL ETHYL MALONATE FEMA 21950	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
BUTYL ETHYL MALONATE FEMA 21950	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.011100
				6-11 MO.	.068100	.233100	.104988
				12-23 MO.	.162600	.487500	.250675
				2-65+ YR.	.312000	.833100	.481000
BUTYL ETHYL MALONATE FEMA 21950	99	ALL CATEGORIES	*	0-5 MO.	.032300	.052750	.054775
				6-11 MO.	.259250	.655500	.439325
				12-23 MO.	.542900	1.153700	.906700
				2-65+ YR.	1.225400	2.280250	2.040950
BUTYL FORMATE FEMA 21960	01	BAKED GOODS(R)	5	0-5 MO.	.025874	.034245	.045560
				6-11 MO.	.193294	.394198	.340360
				12-23 MO.	.414745	.683378	.730300
				2-65+ YR.	1.044092	1.550918	1.838480
BUTYL FORMATE FEMA 21960	07	FROZN DAIRY(R)	4	0-5 MO.	.004344	.017812	.008222
				6-11 MO.	.041272	.114693	.078111

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL FORMATE FEMA 2196D	07	FROZN DAIRY(R)	4	12-23 MO.	.062560	.146842	.118400
				2-65+ YR.	.111218	.268052	.210489
BUTYL FORMATE FEMA 2196D	16	SOFT CANDY(R)	5	0-5 MO.	.001202	.012020	.002120
				6-11 MO.	.013222	.040868	.023320
				12-23 MO.	.021035	.055893	.037100
				2-65+ YR.	.034858	.105776	.061480
BUTYL FORMATE FEMA 2196D	20	GELATIN PUD(R)	4	0-5 MO.	.007578	.010230	.012667
				6-11 MO.	.048498	.147009	.081067
				12-23 MO.	.052287	.127307	.087400
				2-65+ YR.	.077293	.198917	.129200
BUTYL FORMATE FEMA 2196D	23	BEV TYPE I(R)	5	0-5 MO.	.006264	.009396	.010960
				6-11 MO.	.059247	.202797	.103663
				12-23 MO.	.141462	.424125	.247513
				2-65+ YR.	.271440	.724797	.474933
BUTYL FORMATE FEMA 2196D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
BUTYL FORMATE FEMA 2196D	99	ALL CATEGORIES	6	0-5 MO.	.045262	.083703	.079529
				6-11 MO.	.355533	.899865	.626521
				12-23 MO.	.692089	1.438145	1.220713
				2-65+ YR.	1.636401	3.131660	2.877082
ISOBUTYL FORMATE FEMA 2197D	01	BAKED GOODS(R)	7	0-5 MO.	.033208	.043952	.054488
				6-11 MO.	.248085	.505937	.407057
				12-23 MO.	.532308	.877088	.873409
				2-65+ YR.	1.340049	1.990540	2.198748
ISOBUTYL FORMATE FEMA 2197D	07	FROZN DAIRY(R)	5	0-5 MO.	.004675	.019166	.005387
				6-11 MO.	.044409	.123410	.051175
				12-23 MO.	.067314	.158002	.077570

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL FORMATE FEMA 2197D	07	FROZN DAIRY(R)	5	2-65+ YR.	.119470	.288423	.137902
ISOBUTYL FORMATE FEMA 2197D	16	SOFT CANDY(R)	6	0-5 MO.	.001824	.018235	.003212
				6-11 MO.	.020059	.062000	.035333
				12-23 MO.	.031912	.084794	.056211
				2-65+ YR.	.052882	.160471	.093150
ISOBUTYL FORMATE FEMA 2197D	20	GELATIN PUDIR)	4	0-5 MO.	.009517	.012848	.014167
				6-11 MO.	.060910	.184634	.090667
				12-23 MO.	.065669	.159890	.097750
				2-65+ YR.	.097076	.249828	.144500
ISOBUTYL FORMATE FEMA 2197D	23	BEV TYPE 1(R)	6	0-5 MO.	.017446	.026169	.017446
				6-11 MO.	.165012	.564819	.165012
				12-23 MO.	.393992	1.181250	.393992
				2-65+ YR.	.756000	2.018665	.756000
ISOBUTYL FORMATE FEMA 2197D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000267	**********
				12-23 MO.	**********	.000533	**********
				2-65+ YR.	.086667	.251733	.162500
ISOBUTYL FORMATE FEMA 2197D	99	ALL CATEGORIES	8	0-5 MO.	.066670	.120371	.094700
				6-11 MO.	.538474	1.441067	.749242
				12-23 MO.	1.091196	2.461556	1.498933
				2-65+ YR.	2.452344	4.959660	3.492800
ISOBUTYL 2-FURANPROPIONAT FEMA 2198D	01	BAKED GOODS(R)	7	0-5 MO.	.166762	.220714	.208048
				6-11 MO.	1.245810	2.540667	1.554238
				12-23 MO.	2.673095	4.404476	3.334881
				2-65+ YR.	6.729333	9.995905	8.395333
ISOBUTYL 2-FURANPROPIONAT FEMA 2198D	07	FROZN DAIRY(R)	5	0-5 MO.	.025755	.105594	.041415
				6-11 MO.	.244670	.679925	.393443
				12-23 MO.	.370868	.870509	.596377
				2-65+ YR.	.659321	1.589066	1.060226

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL 2-FURANPROPIONAT							
FEMA 2198D	16	SOFT CANDY(R)	7	0-5 MO.	.005010	.050095	.007900
				6-11 MO.	.055105	.170324	.086900
				12-23 MO.	.087667	.232943	.138250
				2-65+ YR.	.145276	.440838	.229100
ISOBUTYL 2-FURANPROPIONAT							
FEMA 2198D	20	GELATIN PUD(R)	4	0-5 MO.	.059167	.079875	.096667
				6-11 MO.	.378667	1.147833	.618667
				12-23 MO.	.408250	.994000	.667000
				2-65+ YR.	.603500	1.553125	.986000
ISOBUTYL 2-FURANPROPIONAT							
FEMA 2198D	23	BEV TYPE I(R)	9	0-5 MO.	.035415	.053123	.057074
				6-11 MO.	.334971	1.146573	.539825
				12-23 MO.	.799797	2.397917	1.288921
				2-65+ YR.	1.534667	4.097855	2.473205
ISOBUTYL 2-FURANPROPIONAT							
FEMA 2198D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
ISOBUTYL 2-FURANPROPIONAT							
FEMA 2198D	99	ALL CATEGORIES	9	0-5 MO.	.292108	.509402	.411103
				6-11 MO.	2.259221	5.685621	3.193073
				12-23 MO.	4.339677	8.900445	6.025429
				2-65+ YR.	9.769597	17.959989	13.306365
BUTYL HEPTANOATE							
FEMA 2199D	61	BAKED GOODS(R)	*	0-5 MO.	.076568	.101340	.131036
				6-11 MO.	.572008	1.166536	.978916
				12-23 MO.	1.227340	2.022296	2.100430
				2-65+ YR.	3.089744	4.589576	5.287688
BUTYL HEPTANOATE							
FEMA 2199D	67	FROZN DAIRY(R)	*	0-5 MO.	.006320	.025912	.010680
				6-11 MO.	.060040	.166848	.101460
				12-23 MO.	.091008	.213616	.153792
				2-65+ YR.	.161792	.389944	.273408
BUTYL HEPTANOATE							
FEMA 2199D	16	SOFT CANDY(R)	*	0-5 MO.	.003184	.031840	.005068

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL HEPTANOATE FEMA 2199D	16	SOFT CANDY(R)	*	6-11 MO.	.035024	.108256	.055748
				12-23 MO.	.055720	.148056	.088690
				2-65+ YR.	.092336	.280192	.146972
BUTYL HEPTANOATE FEMA 2199D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.050000
				6-11 MO.	.256000	.776000	.320000
				12-23 MO.	.276000	.672000	.345000
				2-65+ YR.	.408000	1.050000	.510000
BUTYL HEPTANOATE FEMA 2199D	23	BEV TYPE I(R)	*	0-5 MO.	.003984	.005976	.005731
				6-11 MO.	.037682	.128982	.054208
				12-23 MO.	.089972	.269750	.129430
				2-65+ YR.	.172640	.460982	.248352
BUTYL HEPTANOATE FEMA 2199D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001125	.003375	.001125
				12-23 MO.	.003375	.010125	.003375
				2-65+ YR.	.006750	.019125	.006750
BUTYL HEPTANOATE FEMA 2199D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001398	.001398	.001398
				12-23 MO.	.001398	.004194	.001398
				2-65+ YR.	.002796	.005592	.002796
BUTYL HEPTANOATE FEMA 2199D	99	ALL CATEGORIES	4	0-5 MO.	.130056	.219068	.202515
				6-11 MO.	.963277	2.351395	1.512855
				12-23 MO.	1.744813	3.340037	2.822115
				2-65+ YR.	3.934058	6.795411	6.475966
ISOBUTYL HEPTANOATE FEMA 2200D	01	BAKED GOODS(R)	*	0-5 MO.	.045900	.060750	.104550
				6-11 MO.	.342900	.699300	.781050
				12-23 MO.	.735750	1.212300	1.675875
				2-65+ YR.	1.852200	2.751300	4.218900
ISOBUTYL HEPTANOATE FEMA 2200D	07	FROZN DAIRY(R)	*	0-5 MO.	.005500	.022550	.011500
				6-11 MO.	.052250	.145200	.109250

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL HEPTANOATE FEMA 2200D	07	FROZN DAIRY(R)	*	12-23 MO.	.079200	.185900	.165600
				2-65+ YR.	.140800	.339350	.294400
ISOBUTYL HEPTANOATE FEMA 2200D	16	SOFT CANDY(R)	*	0-5 MO.	.002200	.022000	.005150
				6-11 MO.	.024200	.074800	.056650
				12-23 MO.	.038500	.102300	.090125
				2-65+ YR.	.063800	.193600	.149350
ISOBUTYL HEPTANOATE FEMA 2200D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.050000
				6-11 MO.	.256000	.776000	.320000
				12-23 MO.	.276000	.672000	.345000
				2-65+ YR.	.408000	1.050000	.510000
ISOBUTYL HEPTANOATE FEMA 2200D	23	BEV TYPE I(R)	*	0-5 MO.	.003000	.004500	.003960
				6-11 MO.	.028375	.097125	.037455
				12-23 MO.	.067750	.203125	.089430
				2-65+ YR.	.130000	.347125	.171600
ISOBUTYL HEPTANOATE FEMA 2200D	99	ALL CATEGORIES	*	0-5 MO.	.096600	.163800	.175160
				6-11 MO.	.703725	1.792425	1.304405
				12-23 MO.	1.197200	2.375625	2.366030
				2-65+ YR.	2.594800	4.681375	5.344250
BUTYL HEXANOATE FEMA 2201D	01	BAKED GOODS(R)	4	0-5 MO.	.036456	.048250	.047978
				6-11 MO.	.272344	.555411	.358422
				12-23 MO.	.584361	.962856	.769056
				2-65+ YR.	1.471089	2.185189	1.936044
BUTYL HEXANOATE FEMA 2201D	07	FROZN DAIRY(R)	4	0-5 MO.	.004778	.019589	.007889
				6-11 MO.	.045389	.126133	.074944
				12-23 MO.	.068800	.161489	.113600
				2-65+ YR.	.122311	.294789	.201956
BUTYL HEXANOATE FEMA 2201D	16	SOFT CANDY(R)	4	0-5 MO.	.001911	.019111	.002496
				6-11 MO.	.021022	.064978	.027451
				12-23 MO.	.033444	.088867	.043672

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL HEXANOATE FEMA 2201D	16	SOFT CANDY(R)	4	2-65+ YR.	.055422	.168178	.072371
BUTYL HEXANOATE FEMA 2201D	20	GELATIN PUD(R)	*	0-5 MO.	.010667	.014400	.016000
				6-11 MO.	.068267	.206933	.102400
				12-23 MO.	.073600	.179200	.110400
				2-65+ YR.	.108800	.280000	.163200
BUTYL HEXANOATE FEMA 2201D	23	BEV TYPE I(R)	5	0-5 MO.	.006600	.009900	.010693
				6-11 MO.	.062425	.213675	.101141
				12-23 MO.	.149050	.446875	.241491
				2-65+ YR.	.286000	.763675	.463378
BUTYL HEXANOATE FEMA 2201D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
BUTYL HEXANOATE FEMA 2201D	99	ALL CATEGORIES	5	0-5 MO.	.060411	.111250	.085056
				6-11 MO.	.469447	1.167431	.664359
				12-23 MO.	.909256	1.839886	1.278219
				2-65+ YR.	2.141122	3.975031	2.999449
ISOBUTYL HEXANOATE FEMA 2202D	01	BAKED GOODS(R)	6	0-5 MO.	.038835	.051399	.054022
				6-11 MO.	.290119	.591660	.403578
				12-23 MO.	.622499	1.025696	.865944
				2-65+ YR.	1.567098	2.327804	2.179956
ISOBUTYL HEXANOATE FEMA 2202D	07	FROZN DAIRY(R)	*	0-5 MO.	.004714	.019929	.007286
				6-11 MO.	.044786	.124457	.069214
				12-23 MO.	.067886	.159343	.104914
				2-65+ YR.	.120686	.290871	.186514
ISOBUTYL HEXANOATE FEMA 2202D	16	SOFT CANDY(R)	4	0-5 MO.	.001950	.019500	.002408
				6-11 MO.	.021450	.066300	.026483
				12-23 MO.	.034125	.090675	.042131
				2-65+ YR.	.056550	.171600	.069818

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL HEXANOATE							
FEMA 22020	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.028000
				6-11 MO.	.128000	.368000	.179200
				12-23 MO.	.138000	.336000	.193200
				2-65+ YR.	.204000	.525000	.285600
ISOBUTYL HEXANOATE							
FEMA 22020	23	BEV TYPE I(R)	5	0-5 MO.	.006560	.009840	.010650
				6-11 MO.	.062047	.212380	.100731
				12-23 MO.	.148147	.444167	.240513
				2-65+ YR.	.284267	.759047	.461500
ISOBUTYL HEXANOATE							
FEMA 22020	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000008	.000024	.000013
				12-23 MO.	.000024	.000072	.000039
				2-65+ YR.	.000048	.000136	.000078
ISOBUTYL HEXANOATE							
FEMA 22020	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.001431	.001431	.001431
				12-23 MO.	.001431	.004293	.001431
				2-65+ YR.	.002862	.005724	.002862
ISOBUTYL HEXANOATE							
FEMA 22020	99	ALL CATEGORIES	13	0-5 MO.	.072059	.127068	.102365
				6-11 MO.	.547840	1.384252	.780650
				12-23 MO.	1.012111	2.060245	1.448172
				2-65+ YR.	2.235511	4.080182	3.186327
BUTYL P-HYDROXYBENZOATE							
FEMA 22030	07	FROZN DAIRY(R)	*	0-5 MO.	.012500	.051250	.019500
				6-11 MO.	.118750	.330000	.185250
				12-23 MO.	.180000	.422500	.280800
				2-65+ YR.	.320000	.771250	.499200
BUTYL P-HYDROXYBENZOATE							
FEMA 22030	23	BEV TYPE I(R)	*	0-5 MO.	.018139	.027208	.030477
				6-11 MO.	.171561	.587237	.288258
				12-23 MO.	.409630	1.228134	.688264
				2-65+ YR.	.786006	2.098786	1.320654
BUTYL P-HYDROXYBENZOATE							
FEMA 22030	99	ALL CATEGORIES	*	0-5 MO.	.030639	.078458	.049977

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	AVERAGE	HIGH A	HIGH B
BUTYL PB-HYDROXYBENZOATE FEMA 2203D	99	ALL CATEGORIES	*	6-11 MO.	.290311	.917237	.473508
				12-23 MO.	.589630	1.650634	.969064
				2-65+ YR.	1.106006	2.870036	1.819854
BUTYL LACTATE FEMA 2205D	01	BAKED GOODS(R)	4	0-5 MO.	.023120	.030600	.034680
				6-11 MO.	.172720	.352240	.259080
				12-23 MO.	.370600	.610640	.555900
				2-65+ YR.	.932960	1.385840	1.399440
BUTYL LACTATE FEMA 2205D	05	MILK PRODS(R)	*	0-5 MO.	.324000	.240000	.432000
				6-11 MO.	3.744000	18.006000	4.992000
				12-23 MO.	3.270000	10.464000	4.360000
				2-65+ YR.	2.370000	7.236000	3.160000
BUTYL LACTATE FEMA 2205D	07	FROZN DAIRY(R)	*	0-5 MO.	.001625	.006663	.002750
				6-11 MO.	.015438	.042900	.026125
				12-23 MO.	.023400	.054925	.039600
				2-65+ YR.	.041600	.100263	.070400
BUTYL LACTATE FEMA 2205D	16	SOFT CANDY(R)	4	0-5 MO.	.000662	.006615	.001062
				6-11 MO.	.007277	.022492	.011677
				12-23 MO.	.011577	.030762	.018577
				2-65+ YR.	.019185	.058215	.030785
BUTYL LACTATE FEMA 2205D	20	GELATIN PUD(R)	*	0-5 MO.	.003750	.005063	.006500
				6-11 MO.	.024000	.072750	.041600
				12-23 MO.	.025875	.063000	.044850
				2-65+ YR.	.038250	.098438	.066300
BUTYL LACTATE FEMA 2205D	23	BEV TYPE I(R)	*	0-5 MO.	.001800	.002700	.004200
				6-11 MO.	.017025	.058275	.039725
				12-23 MO.	.040650	.121875	.094850
				2-65+ YR.	.078000	.208275	.182000
BUTYL LACTATE FEMA 2205D	99	ALL CATEGORIES	5	0-5 MO.	.354957	.291640	.481192
				6-11 MO.	3.980459	18.554657	5.370207

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL LACTATE FEMA 2205D	99	ALL CATEGORIES	5	12-23 MO.	3.742102	11.345202	5.113777
				2-65+ YR.	3.479995	9.087030	4.908925
BUTYL LAURATE FEMA 2206D	01	BAKED GOODS(R)	*	0-5 MO.	.217868	.288355	.254105
				6-11 MO.	1.627605	3.319289	1.898316
				12-23 MO.	3.492303	5.754289	4.073158
				2-65+ YR.	8.791632	13.059289	10.253895
BUTYL LAURATE FEMA 2206D	05	MILK PRODS(R)	*	0-5 MO.	.648000	.480000	.864000
				6-11 MO.	7.488000	36.012000	9.984000
				12-23 MO.	6.540000	20.928000	8.720000
				2-65+ YR.	4.740000	14.472000	6.320000
BUTYL LAURATE FEMA 2206D	16	SOFT CANDY(R)	*	0-5 MO.	.002400	.024000	.004000
				6-11 MO.	.026400	.081600	.044000
				12-23 MO.	.042000	.111600	.070000
				2-65+ YR.	.069600	.211200	.116000
BUTYL LAURATE FEMA 2206D	23	BEV TYPE I(R)	*	0-5 MO.	.000840	.001260	.004080
				6-11 MO.	.007945	.027195	.038590
				12-23 MO.	.018970	.056875	.092140
				2-65+ YR.	.036400	.097195	.176800
BUTYL LAURATE FEMA 2206D	99	ALL CATEGORIES	*	0-5 MO.	.869108	.793615	1.126185
				6-11 MO.	9.149950	39.440084	11.964906
				12-23 MO.	10.093273	26.850764	12.955298
				2-65+ YR.	13.637632	27.839684	16.866695
BUTYL LEVULINATE FEMA 2207D	01	BAKED GOODS(R)	*	0-5 MO.	.020825	.027563	.027880
				6-11 MO.	.155575	.317275	.208280
				12-23 MO.	.333813	.550025	.446900
				2-65+ YR.	.840350	1.248275	1.125040
BUTYL LEVULINATE FEMA 2207D	05	MILK PRODS(R)	*	0-5 MO.	.162000	.120000	.216000
				6-11 MO.	1.872000	9.003000	2.496000
				12-23 MO.	1.635000	5.232000	2.180000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL LEVULINATE FEMA 2207D	05	MILK PRODS(R)	*	2-65+ YR.	1.185000	3.618000	1.580000
BUTYL LEVULINATE FEMA 2207D	07	FROZN DAIRY(R)	*	0-5 MO.	.001444	.005919	.002688
				6-11 MO.	.013716	.038115	.025531
				12-23 MO.	.020790	.048799	.038700
				2-65+ YR.	.036960	.089079	.068800
BUTYL LEVULINATE FEMA 2207D	16	SOFT CANDY(R)	*	0-5 MO.	.000875	.008750	.001228
				6-11 MO.	.009625	.029750	.013503
				12-23 MO.	.015313	.040688	.021481
				2-65+ YR.	.025375	.077000	.035598
BUTYL LEVULINATE FEMA 2207D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.016000
				6-11 MO.	.076800	.232800	.102400
				12-23 MO.	.082800	.201600	.110400
				2-65+ YR.	.122400	.315000	.163200
BUTYL LEVULINATE FEMA 2207D	23	BEV TYPE II(R)	*	0-5 MO.	.001371	.002057	.004114
				6-11 MO.	.012971	.044400	.038914
				12-23 MO.	.030971	.092857	.092914
				2-65+ YR.	.059429	.158686	.178286
BUTYL LEVULINATE FEMA 2207D	99	ALL CATEGORIES	4	0-5 MO.	.198515	.180489	.267909
				6-11 MO.	2.140687	9.665340	2.884628
				12-23 MO.	2.118686	6.165968	2.890396
				2-65+ YR.	2.269514	5.506040	3.150923
A6-ISOBUTYLPHENETHYL ALCO FEMA 2208D	01	BAKED GOODS(R)	*	0-5 MO.	.041585	.055038	.160846
				6-11 MO.	.310662	.633554	1.201615
				12-23 MO.	.666577	1.098323	2.578269
				2-65+ YR.	1.678062	2.492631	6.490615
A6-ISOBUTYLPHENETHYL ALCO FEMA 2208D	07	FROZN DAIRY(R)	4	0-5 MO.	.008453	.034659	.039904
				6-11 MO.	.080307	.223169	.379087
				12-23 MO.	.121729	.285725	.574615
				2-65+ YR.	.216407	.521574	1.021538

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A6-ISOBUTYLPHENETHYL ALCO							
FEMA 2208D	16	SOFT CANDY(R)	*	0-5 MO.	.001485	.014846	.008316
				6-11 MO.	.016331	.050477	.091480
				12-23 MO.	.025981	.069035	.145536
				2-65+ YR.	.043054	.130646	.241174
A6-ISOBUTYLPHENETHYL ALCO							
FEMA 2208D	17	CONF FROST(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.000500	.001000	.005000
				12-23 MO.	.001000	.003500	.010000
				2-65+ YR.	.001500	.004000	.015000
A6-ISOBUTYLPHENETHYL ALCO							
FEMA 2208D	20	GELATIN PUD(R)	*	0-5 MO.	.018333	.024750	.102381
				6-11 MO.	.117333	.355667	.655238
				12-23 MO.	.126500	.308000	.706429
				2-65+ YR.	.187000	.481250	1.044286
A6-ISOBUTYLPHENETHYL ALCO							
FEMA 2208D	23	BEV TYPE I(R)	4	0-5 MO.	.006012	.009018	.020815
				6-11 MO.	.056865	.196645	.196879
				12-23 MO.	.135776	.407076	.470081
				2-65+ YR.	.260529	.695662	.902000
A6-ISOBUTYLPHENETHYL ALCO							
FEMA 2208D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000441	**********
				12-23 MO.	**********	.000882	**********
				2-65+ YR.	.143387	.416484	1.433869
A6-ISOBUTYLPHENETHYL ALCO							
FEMA 2208D	99	ALL CATEGORIES	4	0-5 MO.	.075868	.138812	.332263
				6-11 MO.	.581998	1.458953	2.529299
				12-23 MO.	1.077562	2.172541	4.484930
				2-65+ YR.	2.529938	4.742247	11.148483
BUTYL PHENYLACETATE							
FEMA 2209D	01	BAKED GOODS(R)	*	0-5 MO.	.033029	.043714	.057314
				6-11 MO.	.246743	.503200	.428171
				12-23 MO.	.529429	.872343	.918714
				2-65+ YR.	1.332800	1.979771	2.312800
BUTYL PHENYLACETATE							
FEMA 2209D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL PHENYLACETATE FEMA 2209D	07	FROZN DAIRY(R)	*	6-11 MO.	.028500	.079200	.055100
				12-23 MO.	.043200	.101400	.083520
				2-65+ YR.	.076800	.185100	.148480
BUTYL PHENYLACETATE FEMA 2209D	16	SOFT CANDY(R)	*	0-5 MO.	.001229	.012286	.002457
				6-11 MO.	.013514	.041771	.027029
				12-23 MO.	.021500	.057129	.043000
				2-65+ YR.	.035629	.108114	.071257
BUTYL PHENYLACETATE FEMA 2209D	20	GELATIN PUD(R)	*	0-5 MO.	.011000	.014850	.015000
				6-11 MO.	.070400	.213400	.096000
				12-23 MO.	.075900	.184800	.103500
				2-65+ YR.	.112200	.288750	.153000
BUTYL PHENYLACETATE FEMA 2209D	23	BEV TYPE I(R)	*	0-5 MO.	.004354	.006531	.006600
				6-11 MO.	.041184	.140970	.062425
				12-23 MO.	.098334	.294821	.149050
				2-65+ YR.	.188686	.503827	.286000
BUTYL PHENYLACETATE FEMA 2209D	99	ALL CATEGORIES	4	0-5 MO.	.052611	.089681	.087171
				6-11 MO.	.400341	.978541	.668725
				12-23 MO.	.768363	1.510493	1.297784
				2-65+ YR.	1.746114	3.065563	2.971537
ISOBUTYL PHENYLACETATE FEMA 2210D	01	BAKED GOODS(R)	9	0-5 MO.	.021481	.028431	.054416
				6-11 MO.	.160475	.327267	.406519
				12-23 MO.	.344326	.567348	.872256
				2-65+ YR.	.866816	1.287588	2.195845
ISOBUTYL PHENYLACETATE FEMA 2210D	02	BREAK CERLS(R)	*	0-5 MO.	.001840	.005213	.001880
				6-11 MO.	.068387	.183387	.069873
				12-23 MO.	.080040	.156093	.081780
				2-65+ YR.	.061333	.158853	.062667
ISOBUTYL PHENYLACETATE FEMA 2210D	07	FROZN DAIRY(R)	6	0-5 MO.	.002606	.010684	.005850
				6-11 MO.	.024756	.068795	.055575

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBUTYL PHENYLACETATE FEMA 2210D	07	FROZN DAIRY(R)	6	12-23 MO.	.037525	.088079	.084240
				2-65+ YR.	.066711	.160783	.149760
ISOBUTYL PHENYLACETATE FEMA 2210D	16	SOFT CANDY(R)	8	0-5 MO.	.001241	.012408	.004075
				6-11 MO.	.013649	.042186	.044829
				12-23 MO.	.021714	.057696	.071320
				2-65+ YR.	.035983	.109188	.118187
ISOBUTYL PHENYLACETATE FEMA 2210D	19	SWEET SAUCE(R)	*	0-5 MO.	.000300	.000400	.003000
				6-11 MO.	.000900	.003100	.009000
				12-23 MO.	.002600	.007600	.026000
				2-65+ YR.	.006800	.017900	.068000
ISOBUTYL PHENYLACETATE FEMA 2210D	20	GELATIN PUD(R)	*	0-5 MO.	.008367	.011295	.013292
				6-11 MO.	.053547	.162313	.085067
				12-23 MO.	.057730	.140560	.091712
				2-65+ YR.	.085340	.219625	.135575
ISOBUTYL PHENYLACETATE FEMA 2210D	23	BEV TYPE I(R)	7	0-5 MO.	.004027	.006041	.007493
				6-11 MO.	.038093	.130389	.070869
				12-23 MO.	.090953	.272692	.169212
				2-65+ YR.	.174523	.466010	.324688
ISOBUTYL PHENYLACETATE FEMA 2210D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000382	.001146	.000382
				12-23 MO.	.001146	.003438	.001146
				2-65+ YR.	.002292	.006494	.002292
ISOBUTYL PHENYLACETATE FEMA 2210D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000932	.000932	.000932
				12-23 MO.	.000932	.002796	.000932
				2-65+ YR.	.001864	.003728	.001864
ISOBUTYL PHENYLACETATE FEMA 2210D	99	ALL CATEGORIES	13	0-5 MO.	.039862	.074472	.090006
				6-11 MO.	.361119	.919516	.743047
				12-23 MO.	.636965	1.296302	1.398599

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYL PHENYLACETATE FEMA 2210D	99	ALL CATEGORIES	13	2-65+ YR.	1.301661	2.430170	3.058878
BUTYL PROPIONATE FEMA 2211D	01	BAKED GOODS(R)	6	0-5 MO.	.061775	.081761	.089000
				6-11 MO.	.461496	.941160	.664882
				12-23 MO.	.990217	1.631587	1.426618
				2-65+ YR.	2.492803	3.702866	3.591412
BUTYL PROPIONATE FEMA 2211D	07	FROZN DAIRY(R)	5	0-5 MO.	.004095	.016789	.005690
				6-11 MO.	.038901	.108103	.054052
				12-23 MO.	.058966	.138405	.081931
				2-65+ YR.	.104828	.252651	.145655
BUTYL PROPIONATE FEMA 2211D	16	SOFT CANDY(R)	6	0-5 MO.	.003271	.032714	.004857
				6-11 MO.	.035986	.111229	.053429
				12-23 MO.	.057250	.152121	.085000
				2-65+ YR.	.094871	.287886	.140857
BUTYL PROPIONATE FEMA 2211D	20	GELATIN PUD(R)	*	0-5 MO.	.019791	.026717	.030930
				6-11 MO.	.126660	.383940	.197953
				12-23 MO.	.136556	.332484	.213419
				2-65+ YR.	.201865	.519506	.315488
BUTYL PROPIONATE FEMA 2211D	23	BEV TYPE I(R)	5	0-5 MO.	.006086	.009129	.008785
				6-11 MO.	.057561	.197025	.083091
				12-23 MO.	.137436	.412054	.198392
				2-65+ YR.	.263714	.704168	.380679
BUTYL PROPIONATE FEMA 2211D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
BUTYL PROPIONATE FEMA 2211D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001386	.001386	.003082
				12-23 MO.	.001386	.004158	.003082
				2-65+ YR.	.002772	.005544	.006164

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL PROPIONATE							
FEMA 2211D	99	ALL CATEGORIES	9	0-5 MO.	.095018	.167110	.139262
				6-11 MO.	.721989	1.743143	1.056489
				12-23 MO.	1.381810	2.671409	2.008442
				2-65+ YR.	3.258353	5.755820	4.742756
ISOBUTYL PROPIONATE							
FEMA 2212D	01	BAKED GOODS(R)	4	0-5 MO.	.081484	.107847	.106395
				6-11 MO.	.608736	1.241438	.794830
				12-23 MO.	1.306146	2.152146	1.705442
				2-65+ YR.	3.288133	4.884268	4.293333
ISOBUTYL PROPIONATE							
FEMA 2212D	07	FROZN DAIRY(R)	4	0-5 MO.	.005612	.023010	.008565
				6-11 MO.	.053316	.148163	.081364
				12-23 MO.	.080816	.189694	.123331
				2-65+ YR.	.143673	.346276	.219254
ISOBUTYL PROPIONATE							
FEMA 2212D	16	SOFT CANDY(R)	4	0-5 MO.	.004582	.045823	.006000
				6-11 MO.	.050405	.155799	.066000
				12-23 MO.	.080190	.213078	.105000
				2-65+ YR.	.132887	.403244	.174000
ISOBUTYL PROPIONATE							
FEMA 2212D	20	GELATIN PUD(R)	*	0-5 MO.	.035000	.047250	.080000
				6-11 MO.	.224000	.679000	.512000
				12-23 MO.	.241500	.588000	.552000
				2-65+ YR.	.357000	.918750	.816000
ISOBUTYL PROPIONATE							
FEMA 2212D	23	BEV TYPE I(R)	5	0-5 MO.	.008842	.013263	.013070
				6-11 MO.	.083631	.286261	.123620
				12-23 MO.	.199683	.598680	.295163
				2-65+ YR.	.383155	1.023098	.566364
ISOBUTYL PROPIONATE							
FEMA 2212D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
ISOBUTYL PROPIONATE							
FEMA 2212D	99	ALL CATEGORIES	6	0-5 MO.	.135521	.237193	.214029

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBUTYL PROPIONATE FEMA 2212D	99	ALL CATEGORIES	6	6-11 MO.	1.020089	2.510961	1.577814
				12-23 MO.	1.908336	3.742197	2.780936
				2-65+ YR.	4.402349	7.858835	6.231452
ISOBUTYL SALICYLATE FEMA 2213D	01	BAKED GOODS(R)	*	0-5 MO.	.054692	.072387	.082404
				6-11 MO.	.408585	.833256	.615609
				12-23 MO.	.876688	1.444525	1.320892
				2-65+ YR.	2.207002	3.278331	3.325256
ISOBUTYL SALICYLATE FEMA 2213D	07	FROZN DAIRY(R)	4	0-5 MO.	.003689	.015124	.005041
				6-11 MO.	.035043	.097384	.047888
				12-23 MO.	.053118	.124681	.072588
				2-65+ YR.	.094433	.227597	.129045
ISOBUTYL SALICYLATE FEMA 2213D	16	SOFT CANDY(R)	*	0-5 MO.	.003101	.031011	.004667
				6-11 MO.	.034112	.105437	.051333
				12-23 MO.	.054269	.144200	.081667
				2-65+ YR.	.089931	.272895	.135333
ISOBUTYL SALICYLATE FEMA 2213D	20	GELATIN PUD(R)	*	0-5 MO.	.018361	.024788	.027542
				6-11 MO.	.117513	.356212	.176270
				12-23 MO.	.126694	.308472	.190041
				2-65+ YR.	.187287	.481988	.280930
ISOBUTYL SALICYLATE FEMA 2213D	23	BEV TYPE I(R)	5	0-5 MO.	.005091	.007637	.008841
				6-11 MO.	.048155	.164830	.083619
				12-23 MO.	.114978	.344721	.199655
				2-65+ YR.	.220621	.589101	.383102
ISOBUTYL SALICYLATE FEMA 2213D	99	ALL CATEGORIES	5	0-5 MO.	.084935	.150947	.128495
				6-11 MO.	.643408	1.557118	.974719
				12-23 MO.	1.225747	2.366599	1.864843
				2-65+ YR.	2.799274	4.849913	4.253666
BUTYL STEARATE FEMA 2214D	01	BAKED GOODS(R)	5	0-5 MO.	1.236951	1.637141	1.540959
				6-11 MO.	9.240752	18.845914	11.511872

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL STEARATE FEMA 2214D	01	BAKED GOODS(R)	5	12-23 MO.	19.827599	32.670062	24.700669
				2-65+ YR.	49.914616	74.144305	62.182236
BUTYL STEARATE FEMA 2214D	05	MILK PRODS(R)	*	0-5 MO.	.162000	.120000	.216000
				6-11 MO.	1.872000	9.003000	2.496000
				12-23 MO.	1.635000	5.232000	2.180000
				2-65+ YR.	1.185000	3.618000	1.580000
BUTYL STEARATE FEMA 2214D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004333
				6-11 MO.	.028500	.079200	.041167
				12-23 MO.	.043200	.101400	.062400
				2-65+ YR.	.076800	.185100	.110933
BUTYL STEARATE FEMA 2214D	16	SOFT CANDY(R)	5	0-5 MO.	.037714	.377137	.043693
				6-11 MO.	.414850	1.282264	.480620
				12-23 MO.	.659989	1.753685	.764623
				2-65+ YR.	1.093696	3.318802	1.267089
BUTYL STEARATE FEMA 2214D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.014000
				6-11 MO.	.064000	.194000	.089600
				12-23 MO.	.069000	.168000	.096600
				2-65+ YR.	.102000	.262500	.142800
BUTYL STEARATE FEMA 2214D	23	BEV TYPE I(R)	*	0-5 MO.	.004000	.006000	.005600
				6-11 MO.	.037833	.129500	.052967
				12-23 MO.	.090333	.270833	.126467
				2-65+ YR.	.173333	.462833	.242667
BUTYL STEARATE FEMA 2214D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.165750
BUTYL STEARATE FEMA 2214D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005285	.015855	.017789
				12-23 MO.	.015855	.047565	.053367

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL STEARATE FEMA 2214D	30	HARD CANDY(R)	5	2-65+ YR.	.031710	.089845	.106734
BUTYL STEARATE FEMA 2214D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002642	.002642	.018968
				12-23 MO.	.002642	.007926	.018968
				2-65+ YR.	.005284	.010568	.037936
BUTYL STEARATE FEMA 2214D	99	ALL CATEGORIES	11	0-5 MO.	1.453665	2.166078	1.824585
				6-11 MO.	11.665863	29.552076	14.708982
				12-23 MO.	22.343618	40.252071	28.003094
				2-65+ YR.	52.679939	82.375154	65.836145
DIBUTYL SULFIDE FEMA 2215D	01	BAKED GOODS(R)	*	0-5 MO.	.000283	.000375	.001743
				6-11 MO.	.002117	.004317	.013024
				12-23 MO.	.004542	.007483	.027945
				2-65+ YR.	.011433	.016983	.070349
DIBUTYL SULFIDE FEMA 2215D	07	FROZN DAIRY(R)	4	0-5 MO.	.000043	.000175	.000361
				6-11 MO.	.000406	.001129	.003426
				12-23 MO.	.000616	.001445	.005193
				2-65+ YR.	.001094	.002638	.009231
DIBUTYL SULFIDE FEMA 2215D	16	SOFT CANDY(R)	5	0-5 MO.	.000011	.000108	.000135
				6-11 MO.	.000119	.000369	.001486
				12-23 MO.	.000190	.000504	.002364
				2-65+ YR.	.000314	.000954	.003918
DIBUTYL SULFIDE FEMA 2215D	20	GELATIN PUD(R)	*	0-5 MO.	.000251	.000339	.000835
				6-11 MO.	.001606	.004869	.005346
				12-23 MO.	.001732	.004217	.005764
				2-65+ YR.	.002560	.006589	.008520
DIBUTYL SULFIDE FEMA 2215D	23	BEV TYPE I(R)	6	0-5 MO.	.000120	.000181	.001021
				6-11 MO.	.001139	.003898	.009659
				12-23 MO.	.002719	.008152	.023062
				2-65+ YR.	.005217	.013931	.044252

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIBUTYL SULFIDE							
FEMA 2215D	59	ALL CATEGORIES	6	0-5 MO.	.000708	.001178	.004096
				6-11 MO.	.005387	.014581	.032941
				12-23 MO.	.009798	.021801	.064328
				2-65+ YR.	.020620	.041095	.136271
BUTYL 10-UNDECENOATE							
FEMA 2216D	01	BAKED GOODS(R)	*	0-5 MO.	.047600	.063000	.102000
				6-11 MO.	.355600	.725200	.762000
				12-23 MO.	.763000	1.257200	1.635000
				2-65+ YR.	1.920800	2.853200	4.116000
BUTYL 10-UNDECENOATE							
FEMA 2216D	07	FROZN DAIRY(R)	*	0-5 MO.	.002550	.010455	.005200
				6-11 MO.	.024225	.067320	.049400
				12-23 MO.	.036720	.086190	.074880
				2-65+ YR.	.065280	.157335	.133120
BUTYL 10-UNDECENOATE							
FEMA 2216D	16	SOFT CANDY(R)	*	0-5 MO.	.002800	.028000	.004500
				6-11 MO.	.030800	.095200	.049500
				12-23 MO.	.049000	.130200	.078750
				2-65+ YR.	.081200	.246400	.130500
BUTYL 10-UNDECENOATE							
FEMA 2216D	20	GELATIN PUD(R)	*	0-5 MO.	.036000	.048600	.050000
				6-11 MO.	.230400	.698400	.320000
				12-23 MO.	.248400	.604800	.345000
				2-65+ YR.	.367200	.945000	.510000
BUTYL 10-UNDECENOATE							
FEMA 2216D	23	BEV TYPE I(R)	*	0-5 MO.	.001920	.002880	.003600
				6-11 MO.	.018160	.062160	.034050
				12-23 MO.	.043360	.130000	.081300
				2-65+ YR.	.083200	.222160	.156000
BUTYL 10-UNDECENOATE							
FEMA 2216D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
BUTYL 10-UNDECENOATE							
FEMA 2216D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCO CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL 10-UNDECENOATE FEMA 2216D	30	HARD CANDY(R)	*	6-11 MO.	.000087	.000261	.000087
				12-23 MO.	.000261	.000783	.000261
				2-65+ YR.	.000522	.001479	.000522
BUTYL 10-UNDECENOATE FEMA 2216D	99	ALL CATEGORIES	4	0-5 MO.	.090870	.152935	.165300
				6-11 MO.	.659272	1.648841	1.215037
				12-23 MO.	1.140741	2.209773	2.215191
				2-65+ YR.	2.615702	4.708774	5.208642
BUTYL VALERATE FEMA 2217D	01	BAKED GOODS(R)	4	0-5 MO.	.041116	.054419	.057247
				6-11 MO.	.307163	.626419	.427665
				12-23 MO.	.659070	1.085953	.917628
				2-65+ YR.	1.659163	2.464558	2.310065
BUTYL VALERATE FEMA 2217D	07	FROZN DAIRY(R)	*	0-5 MO.	.002632	.010792	.003509
				6-11 MO.	.025005	.069487	.033340
				12-23 MO.	.037902	.088964	.050536
				2-65+ YR.	.067381	.162399	.089842
BUTYL VALERATE FEMA 2217D	16	SOFT CANDY(R)	4	0-5 MO.	.001720	.017198	.002241
				6-11 MO.	.018917	.058472	.024648
				12-23 MO.	.030096	.079969	.039212
				2-65+ YR.	.049873	.151340	.064980
BUTYL VALERATE FEMA 2217D	20	GELATIN PUD(R)	*	0-5 MO.	.005763	.007780	.007421
				6-11 MO.	.036884	.111805	.047495
				12-23 MO.	.039766	.096821	.051205
				2-65+ YR.	.058784	.151283	.075695
BUTYL VALERATE FEMA 2217D	23	BEV TYPE II(R)	4	0-5 MO.	.004509	.006763	.007064
				6-11 MO.	.042644	.145965	.066815
				12-23 MO.	.101819	.305268	.159532
				2-65+ YR.	.195371	.521679	.306113
BUTYL VALERATE FEMA 2217D	99	ALL CATEGORIES	5	0-5 MO.	.055740	.096951	.077482
				6-11 MO.	.430613	1.012148	.599962

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP I(J)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL VALERATE FEMA 2217D	99	ALL CATEGORIES	5	12-23 MO.	.868652	1.656976	1.218113
				2-65+ YR.	2.030573	3.451259	2.846695
BUTYL ISOVALERATE FEMA 2218D	01	BAKED GOODS(R)	5	0-5 MO.	.033433	.044250	.059986
				6-11 MO.	.249767	.509367	.448129
				12-23 MO.	.535917	.883033	.961536
				2-65+ YR.	1.349133	2.004033	2.420600
BUTYL ISOVALERATE FEMA 2218D	07	FROZN DAIRY(R)	7	0-5 MO.	.014394	.059017	.019555
				6-11 MO.	.136746	.380009	.165770
				12-23 MO.	.207278	.486527	.281588
				2-65+ YR.	.368494	.888128	.500601
BUTYL ISOVALERATE FEMA 2218D	16	SOFT CANDY(R)	6	0-5 MO.	.000375	.003749	.002132
				6-11 MO.	.004123	.012745	.023454
				12-23 MO.	.006560	.017431	.037313
				2-65+ YR.	.010871	.032987	.061833
BUTYL ISOVALERATE FEMA 2218D	20	GELATIN PUD(R)	7	0-5 MO.	.010055	.013574	.027537
				6-11 MO.	.064352	.195066	.176234
				12-23 MO.	.069379	.168923	.190003
				2-65+ YR.	.102560	.263942	.280874
BUTYL ISOVALERATE FEMA 2218D	23	BEV TYPE I(R)	8	0-5 MO.	.001898	.002848	.012024
				6-11 MO.	.017956	.061461	.113727
				12-23 MO.	.042872	.128538	.271543
				2-65+ YR.	.082264	.219662	.521042
BUTYL ISOVALERATE FEMA 2218D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000618	.000618	.000618
				12-23 MO.	.000618	.001854	.000618
				2-65+ YR.	.001236	.002472	.001236
BUTYL ISOVALERATE FEMA 2218D	99	ALL CATEGORIES	11	0-5 MO.	.060156	.123437	.121233
				6-11 MO.	.473561	1.159266	.947932
				12-23 MO.	.862624	1.686306	1.742600

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYL ISOVALERATE FEMA 2218D	99	ALL CATEGORIES	11	2-65+ YR.	1.914559	3.411224	3.786185
BUTYRALDEHYDE FEMA 2219D	01	BAKED GOODS(R)	11	0-5 MO.	.018781	.024857	.027381
				6-11 MO.	.140303	.286130	.204556
				12-23 MO.	.301044	.496032	.438909
				2-65+ YR.	.757857	1.125738	1.104923
BUTYRALDEHYDE FEMA 2219D	07	FROZN DAIRY(R)	9	0-5 MO.	.003216	.013185	.005236
				6-11 MO.	.030552	.084901	.049745
				12-23 MO.	.046310	.108700	.075403
				2-65+ YR.	.082329	.198425	.134049
BUTYRALDEHYDE FEMA 2219D	10	MEAT PRODS(R)	*	0-5 MO.	.000392	.001032	.000768
				6-11 MO.	.007368	.019861	.014452
				12-23 MO.	.010749	.018473	.021084
				2-65+ YR.	.027905	.046306	.054735
BUTYRALDEHYDE FEMA 2219D	16	SOFT CANDY(R)	12	0-5 MO.	.000703	.007031	.001092
				6-11 MO.	.007734	.023905	.012013
				12-23 MO.	.012304	.032693	.019111
				2-65+ YR.	.020389	.061871	.031670
BUTYRALDEHYDE FEMA 2219D	20	GELATIN PUD(R)	6	0-5 MO.	.008928	.012052	.018504
				6-11 MO.	.057137	.173196	.118427
				12-23 MO.	.061601	.149984	.127679
				2-65+ YR.	.091062	.234351	.188743
BUTYRALDEHYDE FEMA 2219D	23	BEV TYPE I(R)	9	0-5 MO.	.001235	.001853	.003319
				6-11 MO.	.011683	.039990	.031396
				12-23 MO.	.027895	.083635	.074964
				2-65+ YR.	.053526	.142925	.143842
BUTYRALDEHYDE FEMA 2219D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000035	**********
				12-23 MO.	**********	.000070	**********
				2-65+ YR.	.011321	.032884	.025032

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BUTYRALDEHYDE FEMA 2219D	27	GRAVIES(R)	*	0-5 MO.	.000116	.000348	.000241
				6-11 MO.	.001626	.004528	.003381
				12-23 MO.	.004180	.011843	.008693
				2-65+ YR.	.009637	.024732	.020043
BUTYRALDEHYDE FEMA 2219D	99	ALL CATEGORIES	15	0-5 MO.	.033370	.060359	.056543
				6-11 MO.	.256402	.632546	.433969
				12-23 MO.	.464083	.901429	.765843
				2-65+ YR.	1.054026	1.867231	1.703037
ISOBUTYRALDEHYDE FEMA 2220D	01	BAKED GOODS(R)	8	0-5 MO.	.011650	.015419	.019519
				6-11 MO.	.087034	.177494	.145815
				12-23 MO.	.186746	.307702	.312870
				2-65+ YR.	.470120	.698327	.787630
ISOBUTYRALDEHYDE FEMA 2220D	07	FREZN DAIRY(R)	7	0-5 MO.	.002496	.010235	.004906
				6-11 MO.	.023716	.065907	.046609
				12-23 MO.	.035949	.084380	.070650
				2-65+ YR.	.063909	.154032	.125600
ISOBUTYRALDEHYDE FEMA 2220D	10	MEAT PRODS(R)	*	0-5 MO.	.000066	.000174	.000110
				6-11 MO.	.001242	.003348	.002070
				12-23 MO.	.001812	.003114	.003020
				2-65+ YR.	.004704	.007806	.007840
ISOBUTYRALDEHYDE FEMA 2220D	16	SOFT CANDY(R)	7	0-5 MO.	.000690	.006904	.001159
				6-11 MO.	.007594	.023474	.012752
				12-23 MO.	.012082	.032104	.020287
				2-65+ YR.	.020022	.060755	.033619
ISOBUTYRALDEHYDE FEMA 2220D	17	CONF FROST(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.000200	.000400	.000400
				12-23 MO.	.000400	.001400	.000800
				2-65+ YR.	.000600	.001600	.001200
ISOBUTYRALDEHYDE FEMA 2220D	20	GELATIN PUD(R)	4	0-5 MO.	.006319	.008530	.022000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYRALDEHYDE FEMA 2220D	20	GELATIN PUD(R)	4	6-11 MO.	.040440	.122584	.140800
				12-23 MO.	.043599	.106155	.151800
				2-65+ YR.	.064451	.165867	.224400
ISOBUTYRALDEHYDE FEMA 2220D	23	BEV TYPE I(R)	7	0-5 MO.	.001040	.001560	.002951
				6-11 MO.	.009837	.033670	.027913
				12-23 MO.	.023487	.070417	.066646
				2-65+ YR.	.045067	.120337	.127882
ISOBUTYRALDEHYDE FEMA 2220D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000201	**********
				12-23 MO.	**********	.000403	**********
				2-65+ YR.	.065406	.189980	.135417
ISOBUTYRALDEHYDE FEMA 2220D	99	ALL CATEGORIES	11	0-5 MO.	.022262	.043023	.050645
				6-11 MO.	.170063	.427077	.376359
				12-23 MO.	.304075	.605675	.626073
				2-65+ YR.	.734279	1.398704	1.443586
ISOBUTYRIC ACID FEMA 2222D	01	BAKED GOODS(R)	11	0-5 MO.	.068976	.091291	.138474
				6-11 MO.	.515288	1.050862	1.034483
				12-23 MO.	1.105637	1.821765	2.219658
				2-65+ YR.	2.783365	4.134474	5.587836
ISOBUTYRIC ACID FEMA 2222D	04	FATS OILS(R)	*	0-5 MO.	.001000	.001000	.002000
				6-11 MO.	.005600	.015000	.011200
				12-23 MO.	.012600	.024000	.025200
				2-65+ YR.	.035000	.063200	.070000
ISOBUTYRIC ACID FEMA 2222D	05	MILK PRODS(R)	*	0-5 MO.	.540000	.400000	1.080000
				6-11 MO.	6.240000	30.010000	12.480000
				12-23 MO.	5.450000	17.440000	10.900000
				2-65+ YR.	3.950000	12.060000	7.900000
ISOBUTYRIC ACID FEMA 2222D	07	FROZN DAIRY(R)	11	0-5 MO.	.005616	.023024	.011324
				6-11 MO.	.053349	.148255	.107583

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYRIC ACID FEMA 2222D	07	FROZN DAIRY(R)	11	12-23 MO.	.080866	.189812	.163073
				2-65+ YR.	.143763	.346490	.289907
ISOBUTYRIC ACID FEMA 2222D	16	SOFT CANDY(R)	9	0-5 MO.	.004209	.042089	.009461
				6-11 MO.	.046298	.143103	.104075
				12-23 MO.	.073656	.195714	.165573
				2-65+ YR.	.122058	.370384	.274378
ISOBUTYRIC ACID FEMA 2222D	19	SWEET SAUCE(R)	*	0-5 MO.	.018600	.024800	.037200
				6-11 MO.	.055800	.192200	.111600
				12-23 MO.	.161200	.471200	.322400
				2-65+ YR.	.421600	1.109800	.843200
ISOBUTYRIC ACID FEMA 2222D	20	GELATIN PUD(R)	7	0-5 MO.	.021540	.029079	.040207
				6-11 MO.	.137855	.417873	.257328
				12-23 MO.	.148625	.361869	.277432
				2-65+ YR.	.219706	.565421	.410116
ISOBUTYRIC ACID FEMA 2222D	23	BEV TYPE I(R)	9	0-5 MO.	.004720	.007080	.010078
				6-11 MO.	.044643	.152808	.095325
				12-23 MO.	.106592	.319580	.227605
				2-65+ YR.	.204531	.546137	.436732
ISOBUTYRIC ACID FEMA 2222D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000773	.002319	.000773
				12-23 MO.	.002319	.006957	.002319
				2-65+ YR.	.004638	.013141	.004638
ISOBUTYRIC ACID FEMA 2222D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000002	.000002	.000340
				12-23 MO.	.000002	.000006	.000340
				2-65+ YR.	.000004	.000008	.000680
ISOBUTYRIC ACID FEMA 2222D	99	ALL CATEGORIES	19	0-5 MO.	.664660	.618363	1.328746
				6-11 MO.	7.099608	32.132423	14.202706
				12-23 MO.	7.141498	20.830903	14.303599

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOBUTYRIC ACID							
FEMA 22220	99	ALL CATEGORIES	19	2-65+ YR.	7.884666	19.209056	15.817488
CAMPHENE							
FEMA 22290	01	BAKED GOODS(R)	5	0-5 MO.	.086093	.113946	.100256
				6-11 MO.	.643164	1.311650	.748972
				12-23 MO.	1.380018	2.273864	1.607046
				2-65+ YR.	3.474100	5.160507	4.045629
CAMPHENE							
FEMA 22290	07	FROZN DAIRY(R)	4	0-5 MO.	.027342	.112100	.027811
				6-11 MO.	.259745	.721817	.264201
				12-23 MO.	.393719	.924145	.400472
				2-65+ YR.	.699944	1.686974	.711951
CAMPHENE							
FEMA 22290	16	SOFT CANDY(R)	4	0-5 MO.	.016359	.163588	.017990
				6-11 MO.	.179947	.556201	.197887
				12-23 MO.	.286280	.760686	.314821
				2-65+ YR.	.474407	1.439579	.521703
CAMPHENE							
FEMA 22290	20	GELATIN PUD(R)	*	0-5 MO.	.026000	.035100	.027974
				6-11 MO.	.166400	.504400	.179031
				12-23 MO.	.179400	.436800	.193018
				2-65+ YR.	.265200	.682500	.285331
CAMPHENE							
FEMA 22290	23	BEV TYPE I(R)	4	0-5 MO.	.043026	.064539	.064997
				6-11 MO.	.406952	1.392960	.614759
				12-23 MO.	.971666	2.913206	1.467838
				2-65+ YR.	1.864452	4.978444	2.816516
CAMPHENE							
FEMA 22290	99	ALL CATEGORIES	6	0-5 MO.	.198819	.489274	.239027
				6-11 MO.	1.656209	4.487029	2.004850
				12-23 MO.	3.211082	7.308701	3.983196
				2-65+ YR.	6.778102	13.948005	8.381130
(+/-)-CAMPHOR							
FEMA 22300	01	BAKED GOODS(R)	4	0-5 MO.	.035122	.046485	.052163
				6-11 MO.	.262381	.535093	.389835
				12-23 MO.	.562984	.927632	.836458
				2-65+ YR.	1.417272	2.105249	2.105726

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
/6/-CAMPHOR FEMA 2230D	07	FROZN DAIRY(R)	*	0-5 MO.	.017063	.069956	.023750
				6-11 MO.	.162094	.450450	.225625
				12-23 MO.	.245700	.576713	.342000
				2-65+ YR.	.436800	1.052756	.608000
/6/-CAMPHOR FEMA 2230D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001500	**********
				6-11 MO.	.012003	.033008	.019998
				12-23 MO.	.042010	.114027	.069992
				2-65+ YR.	.132031	.318075	.219973
/6/-CAMPHOR FEMA 2230D	16	SOFT CANDY(R)	4	0-5 MO.	.001052	.010517	.005035
				6-11 MO.	.011569	.035759	.055382
				12-23 MO.	.018406	.048906	.088107
				2-65+ YR.	.030501	.092554	.146006
/6/-CAMPHOR FEMA 2230D	20	GELATIN PUD(R)	*	0-5 MO.	.020638	.027861	.024388
				6-11 MO.	.132080	.400368	.156080
				12-23 MO.	.142399	.346710	.168274
				2-65+ YR.	.210503	.541734	.248753
/6/-CAMPHOR FEMA 2230D	23	BEV TYPE I(R)	4	0-5 MO.	.007256	.010884	.014443
				6-11 MO.	.068629	.234911	.136603
				12-23 MO.	.163863	.491288	.326163
				2-65+ YR.	.314424	.839573	.625848
/6/-CAMPHOR FEMA 2230D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
/6/-CAMPHOR FEMA 2230D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000540	.001620	.000668
				12-23 MO.	.001620	.004861	.002004
				2-65+ YR.	.003241	.009182	.004008
/6/-CAMPHOR FEMA 2230D	99	ALL CATEGORIES	8	0-5 MO.	.081130	.167203	.119798

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
/4/-CARMOM							
FEMA 2230D	99	ALL CATEGORIES	8	6-11 MO.	.649296	1.691709	.984191
				12-23 MO.	1.176982	2.511136	1.832997
				2-65+ YR.	2.707272	5.431123	4.283313
CARVACROL FEMA 2245D	01	BAKED GOODS(R)	5	0-5 MO.	.038586	.051070	.053566
				6-11 MO.	.288261	.587872	.400167
				12-23 MO.	.618514	1.019129	.858626
				2-65+ YR.	1.557065	2.312900	2.161532
CARVACROL FEMA 2245D	07	FROZN DAIRY(R)	*	0-5 MO.	.016583	.067991	.022490
				6-11 MO.	.157539	.437794	.213653
				12-23 MO.	.238796	.560508	.323852
				2-65+ YR.	.424527	1.023177	.575738
CARVACROL FEMA 2245D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001030	**********
				6-11 MO.	.008240	.022660	.014400
				12-23 MO.	.028840	.078280	.050400
				2-65+ YR.	.090640	.218360	.158400
CARVACROL FEMA 2245D	16	SOFT CANDY(R)	4	0-5 MO.	.003035	.030345	.004286
				6-11 MO.	.033380	.103174	.047143
				12-23 MO.	.053104	.141105	.075001
				2-65+ YR.	.088001	.267038	.124287
CARVACROL FEMA 2245D	20	GELATIN PUD(R)	*	0-5 MO.	.011985	.016180	.018104
				6-11 MO.	.076705	.232511	.115868
				12-23 MO.	.082697	.201350	.124920
				2-65+ YR.	.122248	.314609	.184664
CARVACROL FEMA 2245D	23	BEV TYPE I(R)	4	0-5 MO.	.056946	.085420	.068491
				6-11 MO.	.538619	1.843641	.647810
				12-23 MO.	1.286041	3.855749	1.546753
				2-65+ YR.	2.467680	6.589179	2.967939
CARVACROL FEMA 2245D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARVACROL FEMA 2245D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
CARVACROL FEMA 2245D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000842	.000842	.000842
				12-23 MO.	.000842	.002526	.000842
				2-65+ YR.	.001684	.003368	.001684
CARVACROL FEMA 2245D	99	ALL CATEGORIES	T	0-5 MO.	.127135	.252035	.166936
				6-11 MO.	1.103586	3.228503	1.439882
				12-23 MO.	2.308834	5.858668	2.980394
				2-65+ YR.	4.755095	10.738071	6.206743
CARVACRYL ETHYL ETHER FEMA 2246D	01	BAKED GOODS(R)	*	0-5 MO.	.012580	.016650	.021533
				6-11 MO.	.093980	.191660	.160867
				12-23 MO.	.201650	.332260	.345167
				2-65+ YR.	.507640	.754060	.868933
CARVACRYL ETHYL ETHER FEMA 2246D	07	FROZN DAIRY(R)	*	0-5 MO.	.006250	.025625	.008833
				6-11 MO.	.059375	.165000	.083917
				12-23 MO.	.090000	.211250	.127200
				2-65+ YR.	.160000	.385625	.226133
CARVACRYL ETHYL ETHER FEMA 2246D	16	SOFT CANDY(R)	*	0-5 MO.	.001020	.010200	.001517
				6-11 MO.	.011220	.034680	.016683
				12-23 MO.	.017850	.047430	.026542
				2-65+ YR.	.029580	.089760	.043983
CARVACRYL ETHYL ETHER FEMA 2246D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.014000
				6-11 MO.	.064000	.194000	.089600
				12-23 MO.	.069000	.168000	.096600
				2-65+ YR.	.102000	.262500	.142800
CARVACRYL ETHYL ETHER FEMA 2246D	23	BEV TYPE I(R)	*	0-5 MO.	.012528	.018792	.015040
				6-11 MO.	.118494	.405594	.142253
				12-23 MO.	.282924	.848250	.339653

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARVACRYL ETHYL ETHER							
FEMA 2246D	23	BEV TYPE I(R)	*	2-65+ YR.	.542880	1.449594	.651733
CARVACRYL ETHYL ETHER							
FEMA 2246D	99	ALL CATEGORIES	*	0-5 MO.	.042378	.084767	.060923
				6-11 MO.	.347069	.990934	.493320
				12-23 MO.	.661424	1.607190	.935162
				2-65+ YR.	1.342100	2.941539	1.933583
CARVEOL							
FEMA 2247D	01	BAKED GOODS(R)	4	0-5 MO.	.057232	.075748	.064680
				6-11 MO.	.427556	.871946	.483200
				12-23 MO.	.917394	1.511597	1.036787
				2-65+ YR.	2.309477	3.430550	2.610039
CARVEOL							
FEMA 2247D	07	FROZN DAIRY(R)	*	0-5 MO.	.020837	.085432	.024821
				6-11 MO.	.197953	.550100	.235796
				12-23 MO.	.300054	.704294	.357417
				2-65+ YR.	.533430	1.285650	.635407
CARVEOL							
FEMA 2247D	16	SOFT CANDY(R)	4	0-5 MO.	.004549	.045489	.005386
				6-11 MO.	.050037	.154661	.059249
				12-23 MO.	.079605	.211522	.094259
				2-65+ YR.	.131917	.400299	.156201
CARVEOL							
FEMA 2247D	20	GELATIN PUD(R)	*	0-5 MO.	.047797	.064527	.050217
				6-11 MO.	.305904	.927270	.321389
				12-23 MO.	.329802	.802997	.346497
				2-65+ YR.	.487534	1.254683	.512214
CARVEOL							
FEMA 2247D	23	BEV TYPE I(R)	*	0-5 MO.	.042649	.063974	.047545
				6-11 MO.	.403393	1.380776	.449696
				12-23 MO.	.963167	2.887723	1.073723
				2-65+ YR.	1.848143	4.934897	2.060281
CARVEOL							
FEMA 2247D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001806	.001806	.001806
				12-23 MO.	.001806	.005418	.001806
				2-65+ YR.	.003612	.007224	.003612

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARVEOL							
FEMA 2247D	59	ALL CATEGORIES	5	0-5 MO.	.173065	.335170	.192649
				6-11 MO.	1.386649	3.886559	1.551135
				12-23 MO.	2.591829	6.123551	2.910489
				2-65+ YR.	5.314113	11.313303	5.977754
4-CARVOMENTHENOL							
FEMA 2248D	01	BAKED GOODS(R)	*	0-5 MO.	.023295	.030831	.138237
				6-11 MO.	.174025	.354901	1.032711
				12-23 MO.	.373400	.615254	2.215855
				2-65+ YR.	.940009	1.396310	5.578263
4-CARVOMENTHENOL							
FEMA 2248D	07	FROZN DAIRY(R)	5	0-5 MO.	.003471	.014233	.011018
				6-11 MO.	.032979	.091646	.104674
				12-23 MO.	.049989	.117334	.158664
				2-65+ YR.	.088869	.214187	.202070
4-CARVOMENTHENOL							
FEMA 2248D	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.022000
				6-11 MO.	.207000	.558000	.414000
				12-23 MO.	.302000	.519000	.604000
				2-65+ YR.	.784000	1.301000	1.568000
4-CARVOMENTHENOL							
FEMA 2248D	16	SOFT CANDY(R)	6	0-5 MO.	.000736	.007363	.001125
				6-11 MO.	.008100	.025036	.012375
				12-23 MO.	.012886	.034240	.019688
				2-65+ YR.	.021354	.064798	.032625
4-CARVOMENTHENOL							
FEMA 2248D	20	GELATIN PUD(R)	4	0-5 MO.	.007587	.010242	.020225
				6-11 MO.	.048557	.147188	.129440
				12-23 MO.	.052350	.127462	.139553
				2-65+ YR.	.077388	.199159	.206295
4-CARVOMENTHENOL							
FEMA 2248D	23	BEV TYPE I(R)	7	0-5 MO.	.003570	.005355	.006415
				6-11 MO.	.033768	.115584	.060680
				12-23 MO.	.080627	.241731	.144883
				2-65+ YR.	.154708	.413099	.278004
4-CARVOMENTHENOL							
FEMA 2248D	27	GRAVIES(R)	*	0-5 MO.	.000300	.000900	.000600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-CARVOMENTHENOL FEMA 2248D	27	GRAVIES(R)	*	6-11 MO.	.004200	.011700	.008400
				12-23 MO.	.010800	.030600	.021600
				2-65+ YR.	.024900	.063900	.049800
4-CARVOMENTHENOL FEMA 2248D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000025	.000025	.000025
				12-23 MO.	.000025	.000075	.000025
				2-65+ YR.	.000050	.000100	.000050
4-CARVOMENTHENOL FEMA 2248D	99	ALL CATEGORIES	8	0-5 MO.	.049960	.097925	.199621
				6-11 MO.	.508653	1.304080	1.762305
				12-23 MO.	.882076	1.685695	3.304267
				2-65+ YR.	2.091276	3.652554	7.995107
CARVYL ACETATE FEMA 2250D	01	BAKED GOODS(R)	*	0-5 MO.	.124956	.165383	.173760
				6-11 MO.	.933495	1.903741	1.298089
				12-23 MO.	2.002971	3.300308	2.785271
				2-65+ YR.	5.042342	7.490010	7.011727
CARVYL ACETATE FEMA 2250D	07	FROZN DAIRY(R)	*	0-5 MO.	.041025	.168203	.061682
				6-11 MO.	.389738	1.083060	.585979
				12-23 MO.	.590760	1.386645	.888221
				2-65+ YR.	1.050240	2.531243	1.579059
CARVYL ACETATE FEMA 2250D	16	SOFT CANDY(R)	6	0-5 MO.	.007130	.071298	.008503
				6-11 MO.	.078428	.242412	.093536
				12-23 MO.	.124771	.331535	.148807
				2-65+ YR.	.206764	.627420	.246595
CARVYL ACETATE FEMA 2250D	20	GELATIN PUD(R)	*	0-5 MO.	.057947	.078228	.076477
				6-11 MO.	.370858	1.124162	.489455
				12-23 MO.	.399831	.973501	.527694
				2-65+ YR.	.591054	1.521096	.780069
CARVYL ACETATE FEMA 2250D	23	BEV TYPE I(R)	5	0-5 MO.	.036075	.054112	.045366
				6-11 MO.	.341208	1.167925	.429090

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARVYL ACETATE FEMA 22500	23	BEV TYPE I(R)	5	12-23 MO.	.814691	2.442571	1.024523
				2-65+ YR.	1.563246	4.174166	1.965875
CARVYL ACETATE FEMA 22500	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000800	**********
				2-65+ YR.	.130000	.377600	.357500
CARVYL ACETATE FEMA 22500	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000319	.000319	.000319
				12-23 MO.	.000319	.000957	.000319
				2-65+ YR.	.000638	.001276	.000638
CARVYL ACETATE FEMA 22500	99	ALL CATEGORIES	7	0-5 MO.	.267132	.537223	.365789
				6-11 MO.	2.114045	5.522020	2.896468
				12-23 MO.	3.933344	8.436318	5.374834
				2-65+ YR.	8.584284	16.722811	11.941463
CARVYL PROPIONATE FEMA 22510	01	BAKED GOODS(R)	*	0-5 MO.	.134747	.178342	.172863
				6-11 MO.	1.006642	2.052916	1.291389
				12-23 MO.	2.159921	3.558916	2.770895
				2-65+ YR.	5.437453	8.076916	6.975537
CARVYL PROPIONATE FEMA 22510	07	FROZN DAIRY(R)	*	0-5 MO.	.007211	.029563	.009092
				6-11 MO.	.068500	.190358	.086375
				12-23 MO.	.103832	.243716	.130926
				2-65+ YR.	.184589	.444889	.232758
CARVYL PROPIONATE FEMA 22510	16	SOFT CANDY(R)	*	0-5 MO.	.007579	.075789	.009474
				6-11 MO.	.083368	.257684	.104211
				12-23 MO.	.132632	.352421	.165789
				2-65+ YR.	.219789	.666947	.274737
CARVYL PROPIONATE FEMA 22510	20	GELATIN PUD(R)	*	0-5 MO.	.050000	.067500	.056000
				6-11 MO.	.320000	.970000	.358400
				12-23 MO.	.345000	.840000	.386400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARVYL PROPIONATE							
FEMA 2251D	20	GELATIN PUD(R)	*	2-65+ YR.	.510000	1.312500	.571200
CARVYL PROPIONATE							
FEMA 2251D	23	BEV TYPE I(R)	*	0-5 MO.	.012758	.019137	.017053
				6-11 MO.	.120668	.413037	.161289
				12-23 MO.	.288116	.863816	.385105
				2-65+ YR.	.552842	1.476195	.738947
CARVYL PROPIONATE							
FEMA 2251D	99	ALL CATEGORIES	*	0-5 MO.	.212295	.370332	.264482
				6-11 MO.	1.599179	3.883995	2.001664
				12-23 MO.	3.029500	5.858868	3.839116
				2-65+ YR.	6.904674	11.977447	8.793179
B6-CARYOPHYLLENE							
FEMA 2252D	01	BAKED GOODS(R)	10	0-5 MO.	.105737	.139946	.144597
				6-11 MO.	.789919	1.610937	1.080227
				12-23 MO.	1.694904	2.792705	2.317810
				2-65+ YR.	4.266805	6.338009	5.834926
B6-CARYOPHYLLENE							
FEMA 2252D	07	FROZN DAIRY(R)	4	0-5 MO.	.020935	.085835	.026559
				6-11 MO.	.198885	.552692	.252313
				12-23 MO.	.301468	.707613	.382454
				2-65+ YR.	.535944	1.291708	.679918
B6-CARYOPHYLLENE							
FEMA 2252D	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.016500
				6-11 MO.	.207000	.558000	.310500
				12-23 MO.	.302000	.519000	.453000
				2-65+ YR.	.784000	1.301000	1.176000
B6-CARYOPHYLLENE							
FEMA 2252D	15	CONDM RELSH(R)	4	0-5 MO.	**********	.004900	**********
				6-11 MO.	.039197	.107792	.056657
				12-23 MO.	.137190	.372373	.198300
				2-65+ YR.	.431168	1.038724	.623228
B6-CARYOPHYLLENE							
FEMA 2252D	16	SOFT CANDY(R)	7	0-5 MO.	.007653	.076530	.010465
				6-11 MO.	.084183	.260203	.115116
				12-23 MO.	.133928	.355866	.183139
				2-65+ YR.	.221938	.673468	.303488

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
B&-CARYOPHYLLENE							
FEMA 2252D	20	GELATIN PUD(R)	4	0-5 MO.	.138494	.186967	.153178
				6-11 MO.	.886360	2.686780	.980339
				12-23 MO.	.955607	2.326696	1.056928
				2-65+ YR.	1.412637	3.635462	1.562415
B&-CARYOPHYLLENE							
FEMA 2252D	23	BEV TYPE I(R)	10	0-5 MO.	.056274	.084412	.072155
				6-11 MO.	.532262	1.821885	.682466
				12-23 MO.	1.270864	3.810249	1.629501
				2-65+ YR.	2.438559	6.511422	3.126718
B&-CARYOPHYLLENE							
FEMA 2252D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000263	**********
				12-23 MO.	**********	.000526	**********
				2-65+ YR.	.085463	.248237	.223889
B&-CARYOPHYLLENE							
FEMA 2252D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.029333	.029333	.072190
				12-23 MO.	.029333	.087999	.072190
				2-65+ YR.	.058666	.117332	.144380
B&-CARYOPHYLLENE							
FEMA 2252D	99	ALL CATEGORIES	17	0-5 MO.	.340094	.607589	.423455
				6-11 MO.	2.767140	7.627885	3.549809
				12-23 MO.	4.825295	10.973026	6.293322
				2-65+ YR.	10.235180	21.155362	13.674963
CINNAMIC ACID							
FEMA 2288D	01	BAKED GOODS(R)	8	0-5 MO.	.791799	1.047969	1.304483
				6-11 MO.	5.915204	12.063290	9.745254
				12-23 MO.	12.692072	20.912808	20.910093
				2-65+ YR.	31.951417	47.461362	52.639720
CINNAMIC ACID							
FEMA 2288D	07	FROZN DAIRY(R)	4	0-5 MO.	.191684	.785905	.262816
				6-11 MO.	1.820999	5.060460	2.496754
				12-23 MO.	2.760251	6.478923	3.784553
				2-65+ YR.	4.907113	11.826910	6.728095
CINNAMIC ACID							
FEMA 2288D	16	SOFT CANDY(R)	8	0-5 MO.	.049875	.498752	.071207

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMIC ACID FEMA 2288D	16	SOFT CANDY(R)	8	6-11 MO.	.548627	1.695758	.783278
				12-23 MO.	.872816	2.319198	1.246124
				2-65+ YR.	1.446381	4.389020	2.065006
CINNAMIC ACID FEMA 2288D	20	GELATIN PUD(R)	*	0-5 MO.	.530000	.715500	.580000
				6-11 MO.	3.392000	10.282000	3.712000
				12-23 MO.	3.657000	8.904000	4.002000
				2-65+ YR.	5.406000	13.912500	5.916000
CINNAMIC ACID FEMA 2288D	23	BEV TYPE I(R)	8	0-5 MO.	.391884	.587826	.419956
				6-11 MO.	3.706571	12.687251	3.972086
				12-23 MO.	8.850051	26.533826	9.484012
				2-65+ YR.	16.981648	45.344267	18.198104
CINNAMIC ACID FEMA 2288D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.057000	**********
				12-23 MO.	**********	.114000	**********
				2-65+ YR.	18.525000	53.808000	23.140000
CINNAMIC ACID FEMA 2288D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000001	.000003	.000001
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000017	.000006
CINNAMIC ACID FEMA 2288D	99	ALL CATEGORIES	11	0-5 MO.	1.955243	3.635953	2.638462
				6-11 MO.	15.383403	41.845762	20.709374
				12-23 MO.	28.832194	65.262764	39.426785
				2-65+ YR.	79.217566	176.742075	108.686931
CINNAMYL ACETATE FEMA 2293D	01	BAKED GOODS(R)	15	0-5 MO.	.029606	.039185	.051775
				6-11 MO.	.221178	.451063	.386791
				12-23 MO.	.474575	.781959	.829926
				2-65+ YR.	1.194709	1.774647	2.089283
CINNAMYL ACETATE FEMA 2293D	07	FROZN DAIRY(R)	9	0-5 MO.	.003350	.013735	.006896
				6-11 MO.	.031825	.088439	.065516

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMYL ACETATE FEMA 2293D	07	FROZN DAIRY(R)	9	12-23 MO.	.048239	.113228	.099309
				2-65+ YR.	.085759	.206692	.176548
CINNAMYL ACETATE FEMA 2293D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.003300
				6-11 MO.	.020700	.055800	.062100
				12-23 MO.	.030200	.051900	.090600
				2-65+ YR.	.078400	.130100	.235200
CINNAMYL ACETATE FEMA 2293D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000133	**********
				6-11 MO.	.001064	.002927	.002929
				12-23 MO.	.003725	.010111	.010250
				2-65+ YR.	.011707	.028204	.032214
CINNAMYL ACETATE FEMA 2293D	16	SOFT CANDY(R)	14	0-5 MO.	.001751	.017513	.003458
				6-11 MO.	.019264	.059544	.038036
				12-23 MO.	.030648	.081435	.060511
				2-65+ YR.	.050787	.154113	.100276
CINNAMYL ACETATE FEMA 2293D	20	GELATIN PUD(R)	4	0-5 MO.	.038786	.052362	.043746
				6-11 MO.	.248233	.752456	.279975
				12-23 MO.	.267626	.651611	.301848
				2-65+ YR.	.395621	1.018142	.446211
CINNAMYL ACETATE FEMA 2293D	23	BEV TYPE I(R)	14	0-5 MO.	.003486	.005229	.008980
				6-11 MO.	.032974	.112866	.084940
				12-23 MO.	.078730	.236045	.202808
				2-65+ YR.	.151069	.403383	.389151
CINNAMYL ACETATE FEMA 2293D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000036	**********
				12-23 MO.	**********	.000072	**********
				2-65+ YR.	.011732	.034077	.105565
CINNAMYL ACETATE FEMA 2293D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007342	.022026	.007342
				12-23 MO.	.022026	.066078	.022026

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMYL ACETATE FEMA 2293D	30	HARD CANDY(R)	*	2-65+ YR.	.044052	.124814	.044052
CINNAMYL ACETATE FEMA 2293D	99	ALL CATEGORIES	20	0-5 MO.	.078080	.131057	.118156
				6-11 MO.	.582579	1.545157	.927629
				12-23 MO.	.955769	1.992440	1.617278
				2-65+ YR.	2.023836	3.874174	3.618500
CINNAMYL ALCOHOL FEMA 2294D	01	BAKED GOODS(R)	11	0-5 MO.	.024260	.032109	.060966
				6-11 MO.	.181236	.369607	.455455
				12-23 MO.	.388872	.640747	.977256
				2-65+ YR.	.978959	1.454168	2.460175
CINNAMYL ALCOHOL FEMA 2294D	07	FROZN DAIRY(R)	12	0-5 MO.	.005011	.020547	.010107
				6-11 MO.	.047609	.132303	.096019
				12-23 MO.	.072165	.169388	.145545
				2-65+ YR.	.128294	.309209	.258746
CINNAMYL ALCOHOL FEMA 2294D	16	SOFT CANDY(R)	12	0-5 MO.	.002291	.022905	.004259
				6-11 MO.	.025196	.077877	.046853
				12-23 MO.	.040084	.106508	.074538
				2-65+ YR.	.066425	.201564	.123520
CINNAMYL ALCOHOL FEMA 2294D	20	GELATIN PUD(R)	8	0-5 MO.	.017069	.023043	.029596
				6-11 MO.	.109241	.331137	.189417
				12-23 MO.	.117775	.286758	.204215
				2-65+ YR.	.174103	.448059	.301884
CINNAMYL ALCOHOL FEMA 2294D	23	BEV TYPE I(R)	15	0-5 MO.	.007558	.011338	.019356
				6-11 MO.	.071490	.244705	.183072
				12-23 MO.	.170695	.511770	.437114
				2-65+ YR.	.327533	.874575	.838743
CINNAMYL ALCOHOL FEMA 2294D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000208	**********
				12-23 MO.	**********	.000417	**********
				2-65+ YR.	.067713	.196680	.291426

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMYL ALCOHOL							
FEMA 2294D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004366	.013098	.013739
				12-23 MO.	.013098	.039294	.041217
				2-65+ YR.	.026196	.074222	.082434
CINNAMYL ALCOHOL							
FEMA 2294D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.007965	.007965	.030425
				12-23 MO.	.007965	.023895	.030425
				2-65+ YR.	.015930	.031860	.060850
CINNAMYL ALCOHOL							
FEMA 2294D	99	ALL CATEGORIES	29	0-5 MO.	.056189	.109942	.124285
				6-11 MO.	.447103	1.176900	1.014980
				12-23 MO.	.810655	1.778777	1.910311
				2-65+ YR.	1.785152	3.590336	4.417778
CINNAMYL ANTHRANILATE							
FEMA 2295D	01	BAKED GOODS(R)	6	0-5 MO.	.015796	.020906	.025892
				6-11 MO.	.118003	.240651	.193428
				12-23 MO.	.253194	.417190	.415033
				2-65+ YR.	.637399	.946808	1.044817
CINNAMYL ANTHRANILATE							
FEMA 2295D	07	FROZN DAIRY(R)	7	0-5 MO.	.002036	.008346	.002684
				6-11 MO.	.019339	.053743	.025494
				12-23 MO.	.029314	.068807	.038643
				2-65+ YR.	.052115	.125604	.068699
CINNAMYL ANTHRANILATE							
FEMA 2295D	16	SOFT CANDY(R)	9	0-5 MO.	.000819	.008191	.001314
				6-11 MO.	.009010	.027848	.014454
				12-23 MO.	.014334	.038086	.022996
				2-65+ YR.	.023753	.072077	.038107
CINNAMYL ANTHRANILATE							
FEMA 2295D	20	GELATIN PUD(R)	5	0-5 MO.	.027726	.037430	.048598
				6-11 MO.	.177448	.537889	.311025
				12-23 MO.	.191311	.465801	.335324
				2-65+ YR.	.282808	.727814	.495696
CINNAMYL ANTHRANILATE							
FEMA 2295D	23	BEV TYPE I(R)	11	0-5 MO.	.008587	.012880	.015505

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMYL ANTHRANILATE FEMA 2295D	23	BEV TYPE I(R)	11	6-11 MO.	.081217	.277997	.146650
				12-23 MO.	.193918	.581398	.350152
				2-65+ YR.	.372094	.993564	.671879
CINNAMYL ANTHRANILATE FEMA 2295D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.227500
CINNAMYL ANTHRANILATE FEMA 2295D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000380	.001140	.000696
				12-23 MO.	.001140	.003420	.002088
				2-65+ YR.	.002280	.006460	.004176
CINNAMYL ANTHRANILATE FEMA 2295D	99	ALL CATEGORIES	15	0-5 MO.	.054963	.087754	.093992
				6-11 MO.	.405396	1.139469	.691748
				12-23 MO.	.683212	1.575102	1.164236
				2-65+ YR.	1.435449	3.061127	2.550875
CINNAMYL BUTYRATE FEMA 2296D	01	BAKED GOODS(R)	7	0-5 MO.	.017217	.022788	.042513
				6-11 MO.	.128623	.262309	.317601
				12-23 MO.	.275982	.454737	.681466
				2-65+ YR.	.694766	1.032021	1.715544
CINNAMYL BUTYRATE FEMA 2296D	07	FROZN DAIRY(R)	5	0-5 MO.	.002386	.009781	.009389
				6-11 MO.	.022663	.062980	.089192
				12-23 MO.	.034353	.080633	.135196
				2-65+ YR.	.061071	.147191	.240348
CINNAMYL BUTYRATE FEMA 2296D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.003300
				6-11 MO.	.020700	.055800	.062100
				12-23 MO.	.030200	.051900	.090600
				2-65+ YR.	.078400	.130100	.235200
CINNAMYL BUTYRATE FEMA 2296D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.002400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMYL BUTYRATE FEMA 2296D	15	CONDM RELSH(R)	*	12-23 MO.	.002800	.007600	.008400
				2-65+ YR.	.008800	.021200	.026400
CINNAMYL BUTYRATE FEMA 2296D	16	SOFT CANDY(R)	6	0-5 MO.	.000984	.009837	.002447
				6-11 MO.	.010820	.033444	.026916
				12-23 MO.	.017214	.045740	.042821
				2-65+ YR.	.028526	.086562	.070960
CINNAMYL BUTYRATE FEMA 2296D	20	GELATIN PUD(R)	5	0-5 MO.	.004602	.006213	.007990
				6-11 MO.	.029452	.089276	.051134
				12-23 MO.	.031753	.077311	.055129
				2-65+ YR.	.046939	.120799	.081494
CINNAMYL BUTYRATE FEMA 2296D	23	BEV TYPE I(R)	9	0-5 MO.	.003171	.004757	.007290
				6-11 MO.	.029994	.102665	.068951
				12-23 MO.	.071615	.214712	.164633
				2-65+ YR.	.137416	.366927	.315900
CINNAMYL BUTYRATE FEMA 2296D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000028	**********
				12-23 MO.	**********	.000056	**********
				2-65+ YR.	.009144	.026559	.076124
CINNAMYL BUTYRATE FEMA 2296D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000081	.000243	.000288
				12-23 MO.	.000243	.000729	.000864
				2-65+ YR.	.000486	.001377	.001728
CINNAMYL BUTYRATE FEMA 2296D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.008064	.008064	.008064
				12-23 MO.	.008064	.024192	.008064
				2-65+ YR.	.016128	.032256	.016128
CINNAMYL BUTYRATE FEMA 2296D	99	ALL CATEGORIES	15	0-5 MO.	.029459	.056374	.072929
				6-11 MO.	.251197	.617010	.626645
				12-23 MO.	.472223	.957611	1.187172

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMYL BUTYRATE FEMA 2298D	99	ALL CATEGORIES	15	2-65+ YR.	1.081675	1.964991	2.779827
CINNAMYL ISOBUTYRATE FEMA 2297D	01	BAKED GOODS(R)	12	0-5 MO.	.012110	.016028	.031151
				6-11 MO.	.090468	.184497	.232716
				12-23 MO.	.194113	.319842	.499331
				2-65+ YR.	.488667	.725877	1.257030
CINNAMYL ISOBUTYRATE FEMA 2297D	07	FROZN DAIRY(R)	7	0-5 MO.	.001867	.007653	.007288
				6-11 MO.	.017733	.049280	.069232
				12-23 MO.	.026880	.063093	.104941
				2-65+ YR.	.047787	.115173	.186562
CINNAMYL ISOBUTYRATE FEMA 2297D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.003300
				6-11 MO.	.020700	.055800	.062100
				12-23 MO.	.030200	.051900	.090600
				2-65+ YR.	.078400	.130100	.235200
CINNAMYL ISOBUTYRATE FEMA 2297D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.002400
				12-23 MO.	.002800	.007600	.008400
				2-65+ YR.	.008800	.021200	.026400
CINNAMYL ISOBUTYRATE FEMA 2297D	16	SOFT CANDY(R)	10	0-5 MO.	.000583	.005831	.001571
				6-11 MO.	.006414	.019825	.017286
				12-23 MO.	.010204	.027113	.027500
				2-65+ YR.	.016909	.051311	.045572
CINNAMYL ISOBUTYRATE FEMA 2297D	20	GELATIN PUD(R)	6	0-5 MO.	.004180	.005643	.006368
				6-11 MO.	.026754	.081099	.040752
				12-23 MO.	.028845	.070230	.043936
				2-65+ YR.	.042640	.109735	.064949
CINNAMYL ISOBUTYRATE FEMA 2297D	23	BEV TYPE II(R)	15	0-5 MO.	.001818	.002726	.004240
				6-11 MO.	.017191	.058842	.040105
				12-23 MO.	.041045	.123060	.095758
				2-65+ YR.	.078759	.210301	.183743

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMYL ISOBUTYRATE							
FEMA 22970	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000025	**********
				12-23 MO.	**********	.000049	**********
				2-65+ YR.	.008041	.023355	.047420
CINNAMYL ISOBUTYRATE							
FEMA 22970	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000067	.000201	.000070
				12-23 MO.	.000201	.000603	.000210
				2-65+ YR.	.000402	.001139	.000420
CINNAMYL ISOBUTYRATE							
FEMA 22970	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001293	.001293	.001293
				12-23 MO.	.001293	.003879	.001293
				2-65+ YR.	.002586	.005172	.002586
CINNAMYL ISOBUTYRATE							
FEMA 22970	99	ALL CATEGORIES	19	0-5 MO.	.021657	.040882	.053918
				6-11 MO.	.181420	.453061	.465954
				12-23 MO.	.335581	.667370	.871969
				2-65+ YR.	.772990	1.393363	2.049883
CINNAMYL CINNAMATE							
FEMA 22980	01	BAKED GOODS(R)	7	0-5 MO.	.070103	.092783	.083698
				6-11 MO.	.523710	1.068038	.625276
				12-23 MO.	1.123708	1.851541	1.341636
				2-65+ YR.	2.828857	4.202049	3.377476
CINNAMYL CINNAMATE							
FEMA 22980	07	FROZN DAIRY(R)	4	0-5 MO.	.015908	.065225	.016933
				6-11 MO.	.151130	.419982	.160867
				12-23 MO.	.229081	.537704	.243841
				2-65+ YR.	.407255	.981549	.433495
CINNAMYL CINNAMATE							
FEMA 22980	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
CINNAMYL CINNAMATE							
FEMA 22980	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000886	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMYL CINNAMATE FEMA 2298D	15	CONDM RELSH(R)	*	6-11 MO.	.007091	.019500	.011091
				12-23 MO.	.024818	.067364	.038818
				2-65+ YR.	.078000	.187909	.122000
CINNAMYL CINNAMATE FEMA 2298D	16	SOFT CANDY(R)	6	0-5 MO.	.004724	.047242	.005559
				6-11 MO.	.051966	.160622	.061144
				12-23 MO.	.082673	.219675	.097274
				2-65+ YR.	.137001	.415729	.161197
CINNAMYL CINNAMATE FEMA 2298D	20	GELATIN PUD(R)	*	0-5 MO.	.045343	.061213	.055231
				6-11 MO.	.290196	.879658	.353477
				12-23 MO.	.312868	.761766	.381092
				2-65+ YR.	.462501	1.190259	.563354
CINNAMYL CINNAMATE FEMA 2298D	23	BEV TYPE I(R)	7	0-5 MO.	.010725	.016087	.013011
				6-11 MO.	.101436	.347206	.123064
				12-23 MO.	.242195	.726140	.293837
				2-65+ YR.	.464729	1.240917	.563820
CINNAMYL CINNAMATE FEMA 2298D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000009	**********
				12-23 MO.	**********	.000018	**********
				2-65+ YR.	.002902	.008429	.023098
CINNAMYL CINNAMATE FEMA 2298D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000055	.000165	.000090
				12-23 MO.	.000165	.000495	.000270
				2-65+ YR.	.000330	.000935	.000540
CINNAMYL CINNAMATE FEMA 2298D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000005	.000005	.000045
				12-23 MO.	.000005	.000015	.000045
				2-65+ YR.	.000010	.000020	.000090
CINNAMYL CINNAMATE FEMA 2298D	99	ALL CATEGORIES	15	0-5 MO.	.152303	.297936	.185432
				6-11 MO.	1.229089	3.174186	1.542054

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMYL CINNAMATE FEMA 2298D	99	ALL CATEGORIES	15	12-23 MO.	2.166514	4.424217	2.698813
				2-65+ YR.	4.773586	8.878295	6.029069
CINNAMYL FORMATE FEMA 2299D	01	BAKED GOODS(R)	7	0-5 MO.	.004228	.005595	.027276
				6-11 MO.	.031583	.064409	.203766
				12-23 MO.	.067766	.111659	.437214
				2-65+ YR.	.170596	.253408	1.100655
CINNAMYL FORMATE FEMA 2299D	07	FROZN DAIRY(R)	6	0-5 MO.	.001163	.004766	.008540
				6-11 MO.	.011044	.030690	.081128
				12-23 MO.	.016740	.039293	.122973
				2-65+ YR.	.029760	.071726	.218619
CINNAMYL FORMATE FEMA 2299D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.012000
				12-23 MO.	.028000	.076000	.042000
				2-65+ YR.	.088000	.212000	.132000
CINNAMYL FORMATE FEMA 2299D	16	SOFT CANDY(R)	10	0-5 MO.	.000316	.003159	.001390
				6-11 MO.	.003475	.010741	.015293
				12-23 MO.	.005529	.014690	.024330
				2-65+ YR.	.009162	.027801	.040319
CINNAMYL FORMATE FEMA 2299D	20	GELATIN PUD(R)	6	0-5 MO.	.007406	.009998	.015467
				6-11 MO.	.047397	.143671	.098987
				12-23 MO.	.051099	.124416	.106720
				2-65+ YR.	.075538	.194400	.157760
CINNAMYL FORMATE FEMA 2299D	23	BEV TYPE I(R)	9	0-5 MO.	.001327	.001990	.003094
				6-11 MO.	.012550	.042959	.029266
				12-23 MO.	.029966	.089843	.069877
				2-65+ YR.	.057500	.153536	.134080
CINNAMYL FORMATE FEMA 2299D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000051	**********
				12-23 MO.	**********	.000102	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMYL FORMATE FEMA 22990	24	BEV TYPE II(R)	*	2-65+ YR.	.016613	.048255	.039678
CINNAMYL FORMATE FEMA 22990	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007897	.023691	.015561
				12-23 MO.	.023691	.071073	.046683
				2-65+ YR.	.047382	.134249	.093366
CINNAMYL FORMATE FEMA 22990	59	ALL CATEGORIES	13	0-5 MO.	.014439	.026509	.055767
				6-11 MO.	.121946	.338212	.456000
				12-23 MO.	.222791	.527076	.849796
				2-65+ YR.	.494552	1.095375	1.916477
CINNAMYL PHENYLACETATE FEMA 23000	01	BAKED GOODS(R)	*	0-5 MO.	.054740	.072450	.068567
				6-11 MO.	.408940	.833980	.512233
				12-23 MO.	.877450	1.445780	1.099083
				2-65+ YR.	2.208920	3.281180	2.766867
CINNAMYL PHENYLACETATE FEMA 23000	07	FROZN DAIRY(R)	*	0-5 MO.	.006600	.027060	.010500
				6-11 MO.	.062700	.174240	.099750
				12-23 MO.	.095040	.223080	.151200
				2-65+ YR.	.168960	.407220	.268800
CINNAMYL PHENYLACETATE FEMA 23000	16	SOFT CANDY(R)	4	0-5 MO.	.002254	.022540	.003048
				6-11 MO.	.024794	.076636	.033528
				12-23 MO.	.039445	.104811	.053340
				2-65+ YR.	.065366	.198352	.088392
CINNAMYL PHENYLACETATE FEMA 23000	20	GELATIN PUD(R)	*	0-5 MO.	.074000	.099900	.082000
				6-11 MO.	.473600	1.435600	.524800
				12-23 MO.	.510600	1.243200	.565800
				2-65+ YR.	.754800	1.942500	.836400
CINNAMYL PHENYLACETATE FEMA 23000	23	BEV TYPE I(R)	*	0-5 MO.	.010971	.016457	.017640
				6-11 MO.	.103771	.355200	.166845
				12-23 MO.	.247771	.742857	.398370
				2-65+ YR.	.475429	1.269486	.764400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CINNAMYL PHENYLACETATE							
FEMA 2300D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094600	.087750
CINNAMYL PHENYLACETATE							
FEMA 2300D	59	ALL CATEGORIES	5	0-5 MO.	.148565	.238407	.181755
				6-11 MO.	1.073805	2.875756	1.337156
				12-23 MO.	1.770306	3.759928	2.267793
				2-65+ YR.	3.705975	7.193138	4.812609
CINNAMYL PROPIONATE							
FEMA 2301D	01	BAKED GOODS(R)	11	0-5 MO.	.030879	.040869	.046326
				6-11 MO.	.230682	.470446	.346084
				12-23 MO.	.494968	.815562	.742583
				2-65+ YR.	1.246047	1.850907	1.869401
CINNAMYL PROPIONATE							
FEMA 2301D	07	FROZN DAIRY(R)	8	0-5 MO.	.002400	.009840	.003452
				6-11 MO.	.022800	.063360	.032794
				12-23 MO.	.034560	.081120	.049709
				2-65+ YR.	.061440	.148080	.088372
CINNAMYL PROPIONATE							
FEMA 2301D	16	SOFT CANDY(R)	11	0-5 MO.	.001220	.012205	.001561
				6-11 MO.	.013425	.041496	.017174
				12-23 MO.	.021358	.056751	.027322
				2-65+ YR.	.035393	.107401	.045276
CINNAMYL PROPIONATE							
FEMA 2301D	20	GELATIN PUD(R)	6	0-5 MO.	.008163	.011020	.011370
				6-11 MO.	.052245	.158368	.072767
				12-23 MO.	.056327	.137144	.078452
				2-65+ YR.	.083266	.214287	.115973
CINNAMYL PROPIONATE							
FEMA 2301D	23	BEV TYPE I(R)	15	0-5 MO.	.003394	.005092	.005436
				6-11 MO.	.032105	.109894	.051412
				12-23 MO.	.076657	.229830	.122755
				2-65+ YR.	.147091	.392761	.235544
CINNAMYL PROPIONATE							
FEMA 2301D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMYL PROPIONATE FEMA 2301D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.048750
CINNAMYL PROPIONATE FEMA 2301D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001628	.004884	.002984
				12-23 MO.	.004884	.014652	.008952
				2-65+ YR.	.009768	.027676	.017904
CINNAMYL PROPIONATE FEMA 2301D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.001784	.001784	.024017
				12-23 MO.	.001784	.005352	.024017
				2-65+ YR.	.003568	.007136	.048034
CINNAMYL PROPIONATE FEMA 2301D	99	ALL CATEGORIES	24	0-5 MO.	.046057	.079026	.068145
				6-11 MO.	.354670	.850332	.547233
				12-23 MO.	.690538	1.340610	1.053790
				2-65+ YR.	1.619073	2.842648	2.469254
CINNAMYL ISOVALERATE FEMA 2302D	01	BAKED GOODS(R)	13	0-5 MO.	.014842	.019644	.025145
				6-11 MO.	.110879	.226123	.187847
				12-23 MO.	.237909	.392004	.403058
				2-65+ YR.	.598920	.889649	1.014670
CINNAMYL ISOVALERATE FEMA 2302D	07	FROZN DAIRY(R)	10	0-5 MO.	.002809	.011519	.004444
				6-11 MO.	.026690	.074170	.042217
				12-23 MO.	.040456	.094959	.063992
				2-65+ YR.	.071922	.173343	.113764
CINNAMYL ISOVALERATE FEMA 2302D	16	SOFT CANDY(R)	10	0-5 MO.	.000755	.007551	.001230
				6-11 MO.	.008306	.025675	.013529
				12-23 MO.	.013215	.035114	.021523
				2-65+ YR.	.021899	.066452	.035667
CINNAMYL ISOVALERATE FEMA 2302D	20	GELATIN PUD(R)	8	0-5 MO.	.011861	.016013	.020876
				6-11 MO.	.075913	.230111	.133606

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMYL ISOVALERATE FEMA 2302D	20	GELATIN PUD(R)	8	12-23 MO.	.081844	.199272	.144044
				2-65+ YR.	.120986	.311362	.212934
CINNAMYL ISOVALERATE FEMA 2302D	23	BEV TYPE I(R)	13	0-5 MO.	.003305	.004957	.006315
				6-11 MO.	.031258	.106993	.059733
				12-23 MO.	.074634	.223763	.142623
				2-65+ YR.	.143209	.382395	.273668
CINNAMYL ISOVALERATE FEMA 2302D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000085	**********
				12-23 MO.	**********	.000169	**********
				2-65+ YR.	.027482	.079825	.075946
CINNAMYL ISOVALERATE FEMA 2302D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001118	.003354	.001412
				12-23 MO.	.003354	.010062	.004236
				2-65+ YR.	.006708	.019006	.008472
CINNAMYL ISOVALERATE FEMA 2302D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002800	.002800	.002800
				12-23 MO.	.002800	.008400	.002800
				2-65+ YR.	.005600	.011200	.005600
CINNAMYL ISOVALERATE FEMA 2302D	99	ALL CATEGORIES	24	0-5 MO.	.033573	.059684	.058010
				6-11 MO.	.256964	.669310	.441144
				12-23 MO.	.454211	.963744	.782275
				2-65+ YR.	.996726	1.933231	1.740720
CITRAL DIETHYL ACETAL FEMA 2304D	01	BAKED GOODS(R)	*	0-5 MO.	.187000	.247500	.210800
				6-11 MO.	1.397000	2.849000	1.574800
				12-23 MO.	2.997500	4.939000	3.379000
				2-65+ YR.	7.546000	11.209000	8.506400
CITRAL DIETHYL ACETAL FEMA 2304D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.007000
				6-11 MO.	.047500	.132000	.066500
				12-23 MO.	.072000	.169000	.100800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRAL DIETHYL ACETAL FEMA 2304D	07	FROZN DAIRY(R)	*	2-65+ YR.	.128000	.308500	.179200
CITRAL DIETHYL ACETAL FEMA 2304D	16	SOFT CANDY(R)	*	0-5 MO.	.008366	.083665	.010797
				6-11 MO.	.092031	.284460	.118769
				12-23 MO.	.146413	.389041	.188951
				2-65+ YR.	.242628	.736250	.313118
CITRAL DIETHYL ACETAL FEMA 2304D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
CITRAL DIETHYL ACETAL FEMA 2304D	23	BEV TYPE I(R)	*	0-5 MO.	.005633	.008450	.011324
				6-11 MO.	.053281	.182374	.107106
				12-23 MO.	.127216	.381413	.255732
				2-65+ YR.	.244105	.651806	.490704
CITRAL DIETHYL ACETAL FEMA 2304D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000001	**********
				12-23 MO.	**********	.000002	**********
				2-65+ YR.	.000325	.000944	.032500
CITRAL DIETHYL ACETAL FEMA 2304D	99	ALL CATEGORIES	*	0-5 MO.	.222000	.381715	.259921
				6-11 MO.	1.692212	3.758236	1.995175
				12-23 MO.	3.453529	6.147257	4.062483
				2-65+ YR.	8.324257	13.326500	9.725923
CITRAL DIMETHYL ACETAL FEMA 2305D	01	BAKED GOODS(R)	*	0-5 MO.	.294028	.389155	.348620
				6-11 MO.	2.196563	4.479606	2.604394
				12-23 MO.	4.713099	7.765803	5.588169
				2-65+ YR.	11.864901	17.624394	14.067831
CITRAL DIMETHYL ACETAL FEMA 2305D	07	FROZN DAIRY(R)	*	0-5 MO.	.044211	.181263	.062763
				6-11 MO.	.420000	1.167158	.596250
				12-23 MO.	.636632	1.494316	.903789
				2-65+ YR.	1.131789	2.727789	1.606737

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRAL DIMETHYL ACETAL							
FEMA 2305D	16	SOFT CANDY(R)	*	0-5 MO.	.011718	.117183	.014930
				6-11 MO.	.128901	.398423	.164225
				12-23 MO.	.205070	.544901	.261268
				2-65+ YR.	.339831	1.031211	.432958
CITRAL DIMETHYL ACETAL							
FEMA 2305D	20	GELATIN PUD(R)	*	0-5 MO.	.160000	.216000	.200000
				6-11 MO.	1.024000	3.104000	1.280000
				12-23 MO.	1.104000	2.688000	1.380000
				2-65+ YR.	1.632000	4.200000	2.040000
CITRAL DIMETHYL ACETAL							
FEMA 2305D	23	BEV TYPE I(R)	*	0-5 MO.	.047968	.071952	.061420
				6-11 MO.	.453696	1.552960	.580928
				12-23 MO.	1.083275	3.247826	1.387062
				2-65+ YR.	2.078608	5.550284	2.661521
CITRAL DIMETHYL ACETAL							
FEMA 2305D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000001	**********
				12-23 MO.	**********	.000002	**********
				2-65+ YR.	.000325	.000944	.227500
CITRAL DIMETHYL ACETAL							
FEMA 2305D	99	ALL CATEGORIES	*	0-5 MO.	.557925	.975553	.687732
				6-11 MO.	4.223161	10.702147	5.225798
				12-23 MO.	7.742075	15.740848	9.520288
				2-65+ YR.	17.047455	31.134623	21.036547
CITRONELLAL							
FEMA 2307D	01	BAKED GOODS(R)	14	0-5 MO.	.020623	.027295	.027055
				6-11 MO.	.154063	.314191	.202118
				12-23 MO.	.330568	.544679	.433679
				2-65+ YR.	.832182	1.236142	1.091757
CITRONELLAL							
FEMA 2307D	07	FROZN DAIRY(R)	9	0-5 MO.	.002419	.009919	.004608
				6-11 MO.	.022983	.063869	.043776
				12-23 MO.	.034837	.081771	.066356
				2-65+ YR.	.061933	.149269	.117965
CITRONELLAL							
FEMA 2307D	16	SOFT CANDY(R)	14	0-5 MO.	.000861	.008612	.001325

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CITRONELLAL FEMA 2307D	16	SOFT CANDY(R)	14	6-11 MO.	.009473	.029279	.014571
				12-23 MO.	.015070	.040044	.023181
				2-65+ YR.	.024974	.075782	.038414
CITRONELLAL FEMA 2307D	20	GELATIN PUDI(R)	8	0-5 MO.	.003905	.005272	.006345
				6-11 MO.	.024991	.075754	.040608
				12-23 MO.	.026944	.065602	.043781
				2-65+ YR.	.039830	.102503	.064719
CITRONELLAL FEMA 2307D	23	BEV TYPE I(R)	20	0-5 MO.	.004384	.006576	.011720
				6-11 MO.	.041467	.141937	.110854
				12-23 MO.	.099009	.296844	.264681
				2-65+ YR.	.189980	.507283	.507876
CITRONELLAL FEMA 2307D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000131	**********
				12-23 MO.	**********	.000262	**********
				2-65+ YR.	.042558	.123613	.163747
CITRONELLAL FEMA 2307D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000479	.001437	.000479
				12-23 MO.	.001437	.004311	.001437
				2-65+ YR.	.002874	.008143	.002874
CITRONELLAL FEMA 2307D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000515	.000515	.000985
				12-23 MO.	.000515	.001545	.000985
				2-65+ YR.	.001030	.002060	.001970
CITRONELLAL FEMA 2307D	99	ALL CATEGORIES	30	0-5 MO.	.032192	.057673	.051053
				6-11 MO.	.253971	.627113	.413391
				12-23 MO.	.508380	1.035057	.834100
				2-65+ YR.	1.195360	2.204795	1.989323
DL-CITRONELLOL FEMA 2309D	01	BAKED GOODS(R)	10	0-5 MO.	.021999	.029117	.068674
				6-11 MO.	.164347	.335164	.514531

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DL-CITRONELLOL FEMA 2309D	01	BAKED GOODS(R)	10	12-23 MO.	.352633	.581036	1.104013
				2-65+ YR.	.887730	1.318655	2.779276
DL-CITRONELLOL FEMA 2309D	07	FROZN DAIRY(R)	7	0-5 MO.	.001414	.005797	.039501
				6-11 MO.	.013433	.037329	.375262
				12-23 MO.	.020361	.047793	.568818
				2-65+ YR.	.036198	.087243	1.011232
DL-CITRONELLOL FEMA 2309D	16	SOFT CANDY(R)	12	0-5 MO.	.000891	.008911	.003633
				6-11 MO.	.009802	.030296	.039961
				12-23 MO.	.015594	.041435	.063574
				2-65+ YR.	.025841	.078414	.105351
DL-CITRONELLOL FEMA 2309D	20	GELATIN PUD(R)	9	0-5 MO.	.003405	.004597	.012633
				6-11 MO.	.021794	.066063	.080849
				12-23 MO.	.023497	.057209	.087165
				2-65+ YR.	.034734	.089389	.128852
DL-CITRONELLOL FEMA 2309D	23	BEV TYPE I(R)	17	0-5 MO.	.003124	.004686	.010582
				6-11 MO.	.029550	.101149	.100086
				12-23 MO.	.070557	.211540	.238971
				2-65+ YR.	.135385	.361505	.458542
DL-CITRONELLOL FEMA 2309D	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000103	**********
				12-23 MO.	**********	.000206	**********
				2-65+ YR.	.033421	.097076	.136901
DL-CITRONELLOL FEMA 2309D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000187	.000561	.000194
				12-23 MO.	.000561	.001683	.000582
				2-65+ YR.	.001122	.003179	.001164
DL-CITRONELLOL FEMA 2309D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000787	.000787	.000923
				12-23 MO.	.000787	.002361	.000923

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DL-CITRONELLOL FEMA 2309D	31	CHEWING GUM(R)	*	2-65+ YR.	.001574	.003148	.001846
DL-CITRONELLOL FEMA 2309D	99	ALL CATEGORIES	23	0-5 MO.	.030834	.053108	.135223
				6-11 MO.	.239900	.571451	1.111804
				12-23 MO.	.483990	.943262	2.064045
				2-65+ YR.	1.156006	2.038609	4.623165
CITRONELLOXYACETALDEHYDE FEMA 2310D	01	BAKED GOODS(R)	*	0-5 MO.	.062730	.083025	.079050
				6-11 MO.	.468630	.955710	.590550
				12-23 MO.	1.005525	1.656810	1.267125
				2-65+ YR.	2.531340	3.760110	3.189900
CITRONELLOXYACETALDEHYDE FEMA 2310D	07	FROZN DAIRY(R)	*	0-5 MO.	.015400	.063140	.018250
				6-11 MO.	.146300	.406560	.173375
				12-23 MO.	.221760	.520520	.262800
				2-65+ YR.	.394240	.950180	.467200
CITRONELLOXYACETALDEHYDE FEMA 2310D	16	SOFT CANDY(R)	*	0-5 MO.	.003070	.030700	.004230
				6-11 MO.	.033770	.104380	.046530
				12-23 MO.	.053725	.142755	.074025
				2-65+ YR.	.089030	.270160	.122670
CITRONELLOXYACETALDEHYDE FEMA 2310D	20	GELATIN PUD(R)	*	0-5 MO.	.046000	.062100	.060000
				6-11 MO.	.294400	.892400	.384000
				12-23 MO.	.317400	.772600	.414000
				2-65+ YR.	.469200	1.207500	.612000
CITRONELLOXYACETALDEHYDE FEMA 2310D	23	BEV TYPE I(R)	*	0-5 MO.	.019212	.028818	.024240
				6-11 MO.	.181714	.621989	.229270
				12-23 MO.	.433871	1.300813	.547420
				2-65+ YR.	.832520	2.222989	1.050400
CITRONELLOXYACETALDEHYDE FEMA 2310D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000001	**********
				12-23 MO.	**********	.000002	**********
				2-65+ YR.	.000325	.000944	.039000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRONELLOXYACETALDEHYDE							
FEMA 2310D	99	ALL CATEGORIES	*	0-5 MO.	.146412	.267783	.185770
				6-11 MO.	1.124814	2.981040	1.423725
				12-23 MO.	2.032281	4.393700	2.565370
				2-65+ YR.	4.316655	8.411883	5.481170
CITRONELLYL ACETATE							
FEMA 2311D	01	BAKED GOODS(R)	8	0-5 MO.	.035217	.046611	.068339
				6-11 MO.	.263094	.536546	.510532
				12-23 MO.	.564513	.930152	1.095434
				2-65+ YR.	1.421123	2.110968	2.757679
CITRONELLYL ACETATE							
FEMA 2311D	07	FROZN DAIRY(R)	7	0-5 MO.	.008132	.033341	.013929
				6-11 MO.	.077254	.214686	.132325
				12-23 MO.	.117101	.274863	.200577
				2-65+ YR.	.208180	.501746	.356581
CITRONELLYL ACETATE							
FEMA 2311D	16	SOFT CANDY(R)	9	0-5 MO.	.002159	.021590	.003975
				6-11 MO.	.023749	.073407	.043729
				12-23 MO.	.037783	.100395	.069568
				2-65+ YR.	.062612	.189995	.115284
CITRONELLYL ACETATE							
FEMA 2311D	20	GELATIN PUD(R)	7	0-5 MO.	.012118	.016359	.020980
				6-11 MO.	.077554	.235087	.134274
				12-23 MO.	.083613	.203580	.144764
				2-65+ YR.	.123602	.318094	.214000
CITRONELLYL ACETATE							
FEMA 2311D	23	BEV TYPE I(R)	15	0-5 MO.	.009580	.014370	.015702
				6-11 MO.	.090613	.310161	.148514
				12-23 MO.	.216354	.648663	.354601
				2-65+ YR.	.415144	1.108515	.680415
CITRONELLYL ACETATE							
FEMA 2311D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000275	**********
				12-23 MO.	**********	.000549	**********
				2-65+ YR.	.089227	.259171	.155232
CITRONELLYL ACETATE							
FEMA 2311D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CITRONELLYL ACETATE FEMA 2311D	30	HARD CANDY(R)	*	6-11 MO.	.002833	.008499	.002833
				12-23 MO.	.008499	.025497	.008499
				2-65+ YR.	.016998	.048161	.016998
CITRONELLYL ACETATE FEMA 2311D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000568	.000568	.000568
				12-23 MO.	.000568	.001704	.000568
				2-65+ YR.	.001136	.002272	.001136
CITRONELLYL ACETATE FEMA 2311D	99	ALL CATEGORIES	20	0-5 MO.	.067207	.132272	.122926
				6-11 MO.	.535666	1.379228	.972775
				12-23 MO.	1.028432	2.185403	1.874011
				2-65+ YR.	2.338022	4.538922	4.297326
CITRONELLYL BUTYRATE FEMA 2312D	01	BAKED GOODS(R)	6	0-5 MO.	.048270	.063886	.080106
				6-11 MO.	.360603	.735403	.598439
				12-23 MO.	.773735	1.274888	1.284053
				2-65+ YR.	1.947824	2.893342	3.232515
CITRONELLYL BUTYRATE FEMA 2312D	07	FROZN DAIRY(R)	4	0-5 MO.	.013958	.057229	.022111
				6-11 MO.	.132604	.368500	.210056
				12-23 MO.	.201000	.471792	.318400
				2-65+ YR.	.357333	.861229	.566044
CITRONELLYL BUTYRATE FEMA 2312D	16	SOFT CANDY(R)	6	0-5 MO.	.002925	.029253	.004594
				6-11 MO.	.032178	.099459	.050533
				12-23 MO.	.051192	.136024	.080394
				2-65+ YR.	.084832	.257422	.133224
CITRONELLYL BUTYRATE FEMA 2312D	20	GELATIN PUD(R)	6	0-5 MO.	.022829	.030820	.032683
				6-11 MO.	.146107	.442888	.209171
				12-23 MO.	.157522	.383532	.225512
				2-65+ YR.	.232859	.599268	.333366
CITRONELLYL BUTYRATE FEMA 2312D	23	BEV TYPE I(R)	9	0-5 MO.	.013604	.020405	.021580
				6-11 MO.	.128667	.440414	.204115

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRONELLYL BUTYRATE FEMA 2312D	23	BEV TYPE I(R)	9	12-23 MO.	.307213	.921072	.487358
				2-65+ YR.	.589486	1.574042	.935152
CITRONELLYL BUTYRATE FEMA 2312D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000225	**********
				12-23 MO.	**********	.000450	**********
				2-65+ YR.	.073125	.212400	.146250
CITRONELLYL BUTYRATE FEMA 2312D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002228	.006684	.002228
				12-23 MO.	.006684	.020052	.006684
				2-65+ YR.	.013368	.037876	.013368
CITRONELLYL BUTYRATE FEMA 2312D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000061	.000061	.000075
				12-23 MO.	.000061	.000183	.000075
				2-65+ YR.	.000122	.000244	.000150
CITRONELLYL BUTYRATE FEMA 2312D	99	ALL CATEGORIES	15	0-5 MO.	.101586	.201593	.161074
				6-11 MO.	.802448	2.093634	1.274617
				12-23 MO.	1.497407	3.207993	2.402476
				2-65+ YR.	3.298950	6.435824	5.360070
CITRONELLYL ISOBUTYRATE FEMA 2313D	01	BAKED GOODS(R)	8	0-5 MO.	.059953	.079349	.076743
				6-11 MO.	.447881	.913395	.573314
				12-23 MO.	.961005	1.583454	1.230143
				2-65+ YR.	2.419264	3.593629	3.096800
CITRONELLYL ISOBUTYRATE FEMA 2313D	07	FROZN DAIRY(R)	5	0-5 MO.	.012914	.052948	.019092
				6-11 MO.	.122685	.340936	.181377
				12-23 MO.	.185965	.436501	.274929
				2-65+ YR.	.330604	.796808	.488763
CITRONELLYL ISOBUTYRATE FEMA 2313D	16	SOFT CANDY(R)	7	0-5 MO.	.002977	.029768	.004013
				6-11 MO.	.032745	.101212	.044143
				12-23 MO.	.052095	.138423	.070228

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRONELLYL ISOBUTYRATE FEMA 2313D	16	SOFT CANDY(R)	7	2-65+ YR.	.086328	.261961	.116378
CITRONELLYL ISOBUTYRATE FEMA 2313D	20	GELATIN PUD(R)	6	0-5 MO.	.020365	.027493	.033415
				6-11 MO.	.130338	.395087	.213856
				12-23 MO.	.140521	.342137	.230563
				2-65+ YR.	.207726	.534589	.340833
CITRONELLYL ISOBUTYRATE FEMA 2313D	23	BEV TYPE II(R)	9	0-5 MO.	.015228	.022842	.024303
				6-11 MO.	.144030	.493000	.229870
				12-23 MO.	.343894	1.031049	.548853
				2-65+ YR.	.659871	1.761983	1.053149
CITRONELLYL ISOBUTYRATE FEMA 2313D	24	BEV TYPE 11(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000257	**********
				12-23 MO.	**********	.000514	**********
				2-65+ YR.	.083466	.242436	.144034
CITRONELLYL ISOBUTYRATE FEMA 2313D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000025	.000075	.000025
				12-23 MO.	.000075	.000225	.000075
				2-65+ YR.	.000150	.000425	.000150
CITRONELLYL ISOBUTYRATE FEMA 2313D	99	ALL CATEGORIES	12	0-5 MO.	.111437	.212401	.157567
				6-11 MO.	.877704	2.243962	1.242585
				12-23 MO.	1.683554	3.532302	2.354791
				2-65+ YR.	3.787409	7.191833	5.240107
CITRONELLYL FORMATE FEMA 2314D	01	BAKED GOODS(R)	6	0-5 MO.	.086194	.114080	.117442
				6-11 MO.	.643920	1.313191	.877362
				12-23 MO.	1.381639	2.276535	1.882528
				2-65+ YR.	3.478181	5.166569	4.739136
CITRONELLYL FORMATE FEMA 2314D	07	FROZN DAIRY(R)	5	0-5 MO.	.022896	.093875	.028811
				6-11 MO.	.217514	.604460	.273708
				12-23 MO.	.329706	.773892	.414883
				2-65+ YR.	.586143	1.412697	.737570

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	AGE	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CITRONELLYL FORMATE FEMA 23140	16	SOFT CANDY(R)	6	0-5 MO.	.005654	.056542	.007585
				6-11 MO.	.062196	.192242	.083434
				12-23 MO.	.098948	.262919	.132737
				2-65+ YR.	.163971	.497568	.219964
CITRONELLYL FORMATE FEMA 23140	20	GELATIN PUD(R)	*	0-5 MO.	.035838	.048382	.050618
				6-11 MO.	.229365	.695262	.323953
				12-23 MO.	.247284	.602082	.349262
				2-65+ YR.	.365550	.940754	.516300
CITRONELLYL FORMATE FEMA 23140	23	BEV TYPE I(R)	8	0-5 MO.	.031241	.046862	.049731
				6-11 MO.	.295491	1.011438	.470376
				12-23 MO.	.705533	2.115298	1.123100
				2-65+ YR.	1.353791	3.614882	2.155026
CITRONELLYL FORMATE FEMA 23140	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000668	**********
				12-23 MO.	**********	.001336	**********
				2-65+ YR.	.217159	.630764	.361932
CITRONELLYL FORMATE FEMA 23140	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000015	.000045	.000015
				12-23 MO.	.000045	.000135	.000045
				2-65+ YR.	.000090	.000255	.000090
CITRONELLYL FORMATE FEMA 23140	99	ALL CATEGORIES	10	0-5 MO.	.181824	.359740	.254187
				6-11 MO.	1.448500	3.817306	2.028848
				12-23 MO.	2.763155	6.032199	3.902555
				2-65+ YR.	6.164885	12.263488	8.730017
CITRONELLYL PHENYLACETATE FEMA 23150	01	BAKED GOODS(R)	*	0-5 MO.	.085048	.112563	.096445
				6-11 MO.	.635358	1.295730	.720501
				12-23 MO.	1.363268	2.246265	1.545958
				2-65+ YR.	3.431932	5.097871	3.891842
CITRONELLYL PHENYLACETATE FEMA 23150	07	FROZN DAIRY(R)	*	0-5 MO.	.026993	.110671	.032606

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRONELLYL PHENYLACETATE FEMA 2315D	07	FROZN DAIRY(R)	*	6-11 MO.	.256433	.712614	.309754
				12-23 MO.	.388699	.912362	.469521
				2-65+ YR.	.691020	1.665466	.834704
CITRONELLYL PHENYLACETATE FEMA 2315D	16	SOFT CANDY(R)	*	0-5 MO.	.005777	.057775	.006914
				6-11 MO.	.063552	.196434	.076055
				12-23 MO.	.101106	.268652	.120996
				2-65+ YR.	.167546	.508417	.200508
CITRONELLYL PHENYLACETATE FEMA 2315D	20	GELATIN PUD(R)	*	0-5 MO.	.056000	.075600	.066000
				6-11 MO.	.358400	1.086400	.422400
				12-23 MO.	.386400	.940800	.455400
				2-65+ YR.	.571200	1.470000	.673200
CITRONELLYL PHENYLACETATE FEMA 2315D	23	BEV TYPE I(R)	4	0-5 MO.	.023472	.035208	.038068
				6-11 MO.	.222008	.759914	.360064
				12-23 MO.	.530082	1.589268	.859712
				2-65+ YR.	1.017131	2.715936	1.649632
CITRONELLYL PHENYLACETATE FEMA 2315D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000001	**********
				12-23 MO.	**********	.000002	**********
				2-65+ YR.	.000325	.000944	.048750
CITRONELLYL PHENYLACETATE FEMA 2315D	99	ALL CATEGORIES	4	0-5 MO.	.197291	.391818	.240033
				6-11 MO.	1.535751	4.051093	1.888774
				12-23 MO.	2.769554	5.957348	3.451587
				2-65+ YR.	5.879155	11.458633	7.298636
CITRONELLYL PROPRIONATE FEMA 2316D	01	BAKED GOODS(R)	5	0-5 MO.	.070579	.093414	.094116
				6-11 MO.	.527269	1.075297	.703098
				12-23 MO.	1.131345	1.864124	1.508616
				2-65+ YR.	2.848083	4.230607	3.797838
CITRONELLYL PROPRIONATE FEMA 2316D	07	FROZN DAIRY(R)	4	0-5 MO.	.015417	.063208	.020450
				6-11 MO.	.146458	.407000	.194275

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRONELLYL PROPRIONATE FEMA 2316D	07	FROZN DAIRY(R)	4	12-23 MO.	.222000	.521083	.294480
				2-65+ YR.	.394667	.951208	.523520
CITRONELLYL PROPRIONATE FEMA 2316D	16	SOFT CANDY(R)	6	0-5 MO.	.003013	.030133	.003964
				6-11 MO.	.033147	.102453	.043604
				12-23 MO.	.052733	.140120	.069370
				2-65+ YR.	.087387	.265173	.114956
CITRONELLYL PROPRIONATE FEMA 2316D	17	CONF FROST(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000100	.000200	.001000
				12-23 MO.	.000200	.000700	.002000
				2-65+ YR.	.000300	.000800	.003000
CITRONELLYL PROPRIONATE FEMA 2316D	20	GELATIN PUD(R)	4	0-5 MO.	.046317	.062527	.063491
				6-11 MO.	.296427	.898543	.406342
				12-23 MO.	.319585	.778120	.438087
				2-65+ YR.	.472430	1.215812	.647607
CITRONELLYL PROPRIONATE FEMA 2316D	23	BEV TYPE I(R)	7	0-5 MO.	.013645	.020467	.026252
				6-11 MO.	.129057	.441750	.248303
				12-23 MO.	.308145	.923867	.592865
				2-65+ YR.	.591275	1.578817	1.137600
CITRONELLYL PROPRIONATE FEMA 2316D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000250	**********
				12-23 MO.	**********	.000500	**********
				2-65+ YR.	.081250	.236000	.138125
CITRONELLYL PROPRIONATE FEMA 2316D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000022	.000066	.000022
				12-23 MO.	.000066	.000198	.000066
				2-65+ YR.	.000132	.000374	.000132
CITRONELLYL PROPRIONATE FEMA 2316D	99	ALL CATEGORIES	9	0-5 MO.	.148971	.269850	.208273
				6-11 MO.	1.132480	2.925560	1.596644
				12-23 MO.	2.034074	4.228712	2.905484

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRONELLYL PROPRIONATE							
FEMA 2316D	99	ALL CATEGORIES	9	2-65+ YR.	4.475523	8.478792	6.362778
CITRONELLYL VALERATE							
FEMA 2317D	01	BAKED GOODS(R)	*	0-5 MO.	.079623	.105384	.100260
				6-11 MO.	.594833	1.213084	.749005
				12-23 MO.	1.276314	2.102991	1.607116
				2-65+ YR.	3.213033	4.772712	4.045805
CITRONELLYL VALERATE							
FEMA 2317D	07	FROZN DAIRY(R)	*	0-5 MO.	.019987	.081946	.023776
				6-11 MO.	.189875	.527653	.225875
				12-23 MO.	.287811	.675555	.342379
				2-65+ YR.	.511663	1.233188	.608674
CITRONELLYL VALERATE							
FEMA 2317D	16	SOFT CANDY(R)	*	0-5 MO.	.004614	.046140	.005793
				6-11 MO.	.050753	.156874	.063723
				12-23 MO.	.080744	.214549	.101378
				2-65+ YR.	.133805	.406028	.167998
CITRONELLYL VALERATE							
FEMA 2317D	20	GELATIN PUD(R)	*	0-5 MO.	.066000	.089100	.080000
				6-11 MO.	.422400	1.280400	.512000
				12-23 MO.	.455400	1.108800	.552000
				2-65+ YR.	.673200	1.732500	.816000
CITRONELLYL VALERATE							
FEMA 2317D	23	BEV TYPE I(R)	*	0-5 MO.	.037005	.055507	.046577
				6-11 MO.	.350002	1.198026	.440538
				12-23 MO.	.835688	2.505523	1.051858
				2-65+ YR.	1.603535	4.281747	2.018326
CITRONELLYL VALERATE							
FEMA 2317D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.035750
CITRONELLYL VALERATE							
FEMA 2317D	99	ALL CATEGORIES	*	0-5 MO.	.207229	.378076	.254407
				6-11 MO.	1.607863	4.376046	1.991141
				12-23 MO.	2.935957	6.607438	3.654731
				2-65+ YR.	6.138485	12.435614	7.692552

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
P2-CRESOL							
FEMA 2337D	01	BAKED GOODS(R)	6	0-5 MO.	.012524	.016576	.018521
				6-11 MO.	.093564	.190811	.138366
				12-23 MO.	.200757	.330788	.296888
				2-65+ YR.	.505392	.750720	.747394
P2-CRESOL							
FEMA 2337D	07	FROZN DAIRY(R)	6	0-5 MO.	.003829	.015701	.005200
				6-11 MO.	.036380	.101099	.049396
				12-23 MO.	.055145	.129437	.074873
				2-65+ YR.	.098035	.236280	.133108
P2-CRESOL							
FEMA 2337D	10	MEAT PRODS(R)	*	0-5 MO.	.007150	.018850	.021450
				6-11 MO.	.134550	.362700	.403650
				12-23 MO.	.196300	.337350	.588900
				2-65+ YR.	.509600	.845650	1.528800
P2-CRESOL							
FEMA 2337D	16	SOFT CANDY(R)	6	0-5 MO.	.000792	.007922	.001541
				6-11 MO.	.008714	.026934	.016949
				12-23 MO.	.013863	.036837	.026964
				2-65+ YR.	.022973	.069712	.044683
P2-CRESOL							
FEMA 2337D	20	GELATIN PUD(R)	*	0-5 MO.	.006679	.009017	.013337
				6-11 MO.	.042748	.129581	.085354
				12-23 MO.	.046088	.112214	.092022
				2-65+ YR.	.068130	.175335	.136033
P2-CRESOL							
FEMA 2337D	23	BEV TYPE I(R)	5	0-5 MO.	.003437	.005156	.006292
				6-11 MO.	.032509	.111274	.059513
				12-23 MO.	.077620	.232716	.142097
				2-65+ YR.	.148938	.397694	.272658
P2-CRESOL							
FEMA 2337D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
P2-CRESOL							
FEMA 2337D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
P8-CRESOL FEMA 2337D	30	HARD CANDY(R)	*	6-11 MO.	.000098	.000294	.000188
				12-23 MO.	.000294	.000882	.000564
				2-65+ YR.	.000588	.001666	.001128
P8-CRESOL FEMA 2337D	99	ALL CATEGORIES	11	0-5 MO.	.034412	.073222	.066340
				6-11 MO.	.348563	.922743	.753415
				12-23 MO.	.590067	1.180324	1.222308
				2-65+ YR.	1.369907	2.524257	2.896304
CUMINALDEHYDE FEMA 2341D	01	BAKED GOODS(R)	9	0-5 MO.	.078337	.103681	.092536
				6-11 MO.	.585222	1.193483	.691295
				12-23 MO.	1.255692	2.069012	1.483291
				2-65+ YR.	3.161118	4.695597	3.734083
CUMINALDEHYDE FEMA 2341D	07	FROZN DAIRY(R)	*	0-5 MO.	.021259	.087163	.029259
				6-11 MO.	.201963	.561244	.277963
				12-23 MO.	.306133	.718563	.421333
				2-65+ YR.	.544237	1.311696	.749037
CUMINALDEHYDE FEMA 2341D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000277	**********
				6-11 MO.	.002218	.006100	.003818
				12-23 MO.	.007764	.021073	.013364
				2-65+ YR.	.024400	.058782	.042000
CUMINALDEHYDE FEMA 2341D	16	SOFT CANDY(R)	6	0-5 MO.	.004997	.049966	.006084
				6-11 MO.	.054963	.169886	.066929
				12-23 MO.	.087441	.232344	.106478
				2-65+ YR.	.144903	.439704	.176450
CUMINALDEHYDE FEMA 2341D	20	GELATIN PUD(R)	*	0-5 MO.	.039669	.053554	.058661
				6-11 MO.	.253884	.769585	.375432
				12-23 MO.	.273719	.666445	.404763
				2-65+ YR.	.404627	1.041321	.598345
CUMINALDEHYDE FEMA 2341D	23	BEV TYPE 1(R)	7	0-5 MO.	.027799	.041699	.043092
				6-11 MO.	.262933	.899996	.407583

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CUMINALDEHYDE FEMA 2341D	23	BEV TYPE I(R)	7	12-23 MO.	.627797	1.882232	.973172
				2-65+ YR.	1.204628	3.216589	1.867341
CUMINALDEHYDE FEMA 2341D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.422500
CUMINALDEHYDE FEMA 2341D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000003	.000009	.000003
				12-23 MO.	.000009	.000027	.000009
				2-65+ YR.	.000018	.000051	.000018
CUMINALDEHYDE FEMA 2341D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003451	.003451	.003845
				12-23 MO.	.003451	.010353	.003845
				2-65+ YR.	.006902	.013804	.007690
CUMINALDEHYDE FEMA 2341D	99	ALL CATEGORIES	13	0-5 MO.	.172061	.336340	.229633
				6-11 MO.	1.364637	3.604055	1.826869
				12-23 MO.	2.562005	5.600648	3.406255
				2-65+ YR.	5.588334	11.060744	7.597464
CYCLOHEXANEACETIC ACID FEMA 2347D	01	BAKED GOODS(R)	*	0-5 MO.	.001700	.002250	.006800
				6-11 MO.	.012700	.025900	.050800
				12-23 MO.	.027250	.044900	.109000
				2-65+ YR.	.068600	.101900	.274400
CYCLOHEXANEACETIC ACID FEMA 2347D	07	FROZN DAIRY(R)	*	0-5 MO.	.000500	.002050	.002000
				6-11 MO.	.004750	.013200	.019000
				12-23 MO.	.007200	.016900	.028800
				2-65+ YR.	.012800	.030850	.051200
CYCLOHEXANEACETIC ACID FEMA 2347D	16	SOFT CANDY(R)	*	0-5 MO.	.000100	.001000	.000400
				6-11 MO.	.001100	.003400	.004400
				12-23 MO.	.001750	.004650	.007000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CYCLOHEXANEACETIC ACID FEMA 2347D	16	SOFT CANDY(R)	*	2-65+ YR.	.002900	.008800	.011600
CYCLOHEXANEACETIC ACID FEMA 2347D	23	BEV TYPE I(R)	*	0-5 MO.	.000120	.000180	.003600
				6-11 MO.	.001135	.003885	.034050
				12-23 MO.	.002710	.008125	.081300
				2-65+ YR.	.005200	.013885	.156000
CYCLOHEXANEACETIC ACID FEMA 2347D	99	ALL CATEGORIES	*	0-5 MO.	.002420	.005480	.012800
				6-11 MO.	.019685	.046385	.108250
				12-23 MO.	.038910	.074575	.226100
				2-65+ YR.	.089500	.155435	.493200
CYCLOHEXANE-ETHYL ACETATE FEMA 2348D	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.085000
				6-11 MO.	.254000	.518000	.635000
				12-23 MO.	.545000	.898000	1.362500
				2-65+ YR.	1.372000	2.038000	3.430000
CYCLOHEXANE-ETHYL ACETATE FEMA 2348D	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.004000
				6-11 MO.	.014250	.039600	.038000
				12-23 MO.	.021600	.050700	.057600
				2-65+ YR.	.038400	.092550	.102400
CYCLOHEXANE-ETHYL ACETATE FEMA 2348D	16	SOFT CANDY(R)	*	0-5 MO.	.000360	.003600	.001400
				6-11 MO.	.003960	.012240	.015400
				12-23 MO.	.006300	.016740	.024500
				2-65+ YR.	.010440	.031660	.040600
CYCLOHEXANE-ETHYL ACETATE FEMA 2348D	23	BEV TYPE I(R)	*	0-5 MO.	.002880	.004320	.006480
				6-11 MO.	.027240	.093240	.061290
				12-23 MO.	.065040	.195000	.146340
				2-65+ YR.	.124800	.333240	.280800
CYCLOHEXANE-ETHYL ACETATE FEMA 2348D	99	ALL CATEGORIES	*	0-5 MO.	.038740	.059070	.096880
				6-11 MO.	.299450	.663080	.749690
				12-23 MO.	.637940	1.160440	1.590940
				2-65+ YR.	1.545640	2.495470	3.853800

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CYCLOHEXYL ACETATE FEMA 2349D	01	BAKED GOODS(R)	5	0-5 MO.	.323624	.428327	.356029
				6-11 MO.	2.417665	4.930514	2.659743
				12-23 MO.	5.187510	8.547494	5.706929
				2-65+ YR.	13.059200	19.398433	14.366800
CYCLOHEXYL ACETATE FEMA 2349D	07	FROZN DAIRY(R)	5	0-5 MO.	.020439	.083799	.032571
				6-11 MO.	.194168	.539584	.309429
				12-23 MO.	.294318	.690831	.469029
				2-65+ YR.	.523233	1.261072	.833829
CYCLOHEXYL ACETATE FEMA 2349D	16	SOFT CANDY(R)	6	0-5 MO.	.013773	.137728	.015617
				6-11 MO.	.151501	.468276	.171792
				12-23 MO.	.241024	.640436	.273306
				2-65+ YR.	.399412	1.212008	.452907
CYCLOHEXYL ACETATE FEMA 2349D	20	GELATIN PUD(R)	5	0-5 MO.	.056359	.076085	.064524
				6-11 MO.	.360699	1.093369	.412955
				12-23 MO.	.388879	.946835	.445217
				2-65+ YR.	.574864	1.479430	.658148
CYCLOHEXYL ACETATE FEMA 2349D	23	BEV TYPE I(R)	8	0-5 MO.	.061929	.092894	.091795
				6-11 MO.	.585747	2.004959	.868225
				12-23 MO.	1.398568	4.193125	2.073030
				2-65+ YR.	2.683600	7.165728	3.977770
CYCLOHEXYL ACETATE FEMA 2349D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001100	**********
				12-23 MO.	**********	.002200	**********
				2-65+ YR.	.357500	1.038400	.650000
CYCLOHEXYL ACETATE FEMA 2349D	99	ALL CATEGORIES	8	0-5 MO.	.476125	.818832	.560536
				6-11 MO.	3.709781	9.037801	4.422144
				12-23 MO.	7.510300	15.020920	8.967511
				2-65+ YR.	17.597808	31.555070	20.939453
CYCLOHEXYL ANTHRANILATE FEMA 2350D	01	BAKED GOODS(R)	4	0-5 MO.	.113333	.150000	.129200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CYCLOHEXYL ANTHRANILATE FEMA 23500	01	BAKED GOODS(R)	4	6-11 MO.	.846667	1.726667	.965200
				12-23 MO.	1.816667	2.993333	2.071000
				2-65+ YR.	4.573333	6.793333	5.213600
CYCLOHEXYL ANTHRANILATE FEMA 23500	07	FROZN DAIRY(R)	*	0-5 MO.	.009100	.037310	.014600
				6-11 MO.	.086450	.240240	.138700
				12-23 MO.	.131040	.307580	.210240
				2-65+ YR.	.232960	.561470	.373760
CYCLOHEXYL ANTHRANILATE FEMA 23500	16	SOFT CANDY(R)	4	0-5 MO.	.004260	.042600	.005233
				6-11 MO.	.046860	.144840	.057567
				12-23 MO.	.074550	.198090	.091583
				2-65+ YR.	.123540	.374880	.151767
CYCLOHEXYL ANTHRANILATE FEMA 23500	20	GELATIN PUD(R)	*	0-5 MO.	.025080	.033858	.029640
				6-11 MO.	.160512	.486552	.189696
				12-23 MO.	.173052	.421344	.204516
				2-65+ YR.	.255816	.658350	.302328
CYCLOHEXYL ANTHRANILATE FEMA 23500	23	BEV TYPE I(R)	4	0-5 MO.	.031600	.047400	.053200
				6-11 MO.	.298883	1.023050	.503183
				12-23 MO.	.713633	2.139583	1.201433
				2-65+ YR.	1.369333	3.656383	2.305333
CYCLOHEXYL ANTHRANILATE FEMA 23500	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000550	**********
				12-23 MO.	**********	.001100	**********
				2-65+ YR.	.178750	.519200	.406250
CYCLOHEXYL ANTHRANILATE FEMA 23500	99	ALL CATEGORIES	4	0-5 MO.	.183373	.311168	.231873
				6-11 MO.	1.439372	3.621899	1.854346
				12-23 MO.	2.908942	6.061031	3.778773
				2-65+ YR.	6.733733	12.563617	8.753038
CYCLOHEXYL BUTYRATE FEMA 23510	01	BAKED GOODS(R)	8	0-5 MO.	.091363	.120921	.128991
				6-11 MO.	.682534	1.391940	.963637

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CYCLOHEXYL BUTYRATE FEMA 2351D	01	BAKED GOODS(R)	8	12-23 MO.	1.464493	2.413054	2.067646
				2-65+ YR.	3.686760	5.476397	5.205157
CYCLOHEXYL BUTYRATE FEMA 2351D	07	FROZN DAIRY(R)	6	0-5 MO.	.014840	.060844	.020300
				6-11 MO.	.140980	.391776	.192850
				12-23 MO.	.213696	.501592	.292320
				2-65+ YR.	.379904	.915628	.519680
CYCLOHEXYL BUTYRATE FEMA 2351D	16	SOFT CANDY(R)	6	0-5 MO.	.006526	.065260	.008150
				6-11 MO.	.071786	.221884	.089650
				12-23 MO.	.114205	.303459	.142625
				2-65+ YR.	.189254	.574288	.236350
CYCLOHEXYL BUTYRATE FEMA 2351D	20	GELATIN PUD(R)	6	0-5 MO.	.009137	.012334	.013117
				6-11 MO.	.058475	.177251	.083947
				12-23 MO.	.063043	.153496	.090505
				2-65+ YR.	.093194	.239837	.133790
CYCLOHEXYL BUTYRATE FEMA 2351D	23	BEV TYPE I(R)	10	0-5 MO.	.006293	.009440	.010588
				6-11 MO.	.059524	.203746	.100147
				12-23 MO.	.142124	.426110	.239117
				2-65+ YR.	.272711	.728190	.458822
CYCLOHEXYL BUTYRATE FEMA 2351D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000138	**********
				12-23 MO.	**********	.000275	**********
				2-65+ YR.	.044688	.129800	.121875
CYCLOHEXYL BUTYRATE FEMA 2351D	99	ALL CATEGORIES	11	0-5 MO.	.128159	.268800	.181146
				6-11 MO.	1.013299	2.386735	1.430230
				12-23 MO.	1.997561	3.797987	2.832213
				2-65+ YR.	4.666510	8.064140	6.675674
CYCLOHEXYL CINNAMATE FEMA 2352D	01	BAKED GODDS(R)	5	0-5 MO.	.081411	.107750	.109556
				6-11 MO.	.608189	1.240322	.818444
				12-23 MO.	1.304972	2.150211	1.756111

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CYCLOHEXYL CINNAMATE FEMA 23520	01	BAKED GOODS(R)	5	2-65+ YR.	3.285178	4.879878	4.420889
CYCLOHEXYL CINNAMATE FEMA 23520	07	FROZN DAIRY(R)	4	0-5 MO.	.009738	.039924	.014188
				6-11 MO.	.092506	.257070	.134781
				12-23 MO.	.140220	.329128	.204300
				2-65+ YR.	.249280	.600804	.363200
CYCLOHEXYL CINNAMATE FEMA 23520	16	SOFT CANDY(R)	5	0-5 MO.	.003911	.039111	.005400
				6-11 MO.	.043022	.132978	.059400
				12-23 MO.	.068444	.181867	.094500
				2-65+ YR.	.113422	.344178	.156600
CYCLOHEXYL CINNAMATE FEMA 23520	20	GELATIN PUD(R)	*	0-5 MO.	.019400	.026190	.025000
				6-11 MO.	.124160	.376360	.160000
				12-23 MO.	.133860	.325920	.172500
				2-65+ YR.	.197880	.509250	.255000
CYCLOHEXYL CINNAMATE FEMA 23520	23	BEV TYPE I(R)	6	0-5 MO.	.009360	.014040	.016800
				6-11 MO.	.088530	.303030	.158900
				12-23 MO.	.211380	.633750	.379400
				2-65+ YR.	.405600	1.083030	.728000
CYCLOHEXYL CINNAMATE FEMA 23520	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.065000
CYCLOHEXYL CINNAMATE FEMA 23520	99	ALL CATEGORIES	6	0-5 MO.	.123820	.227015	.170943
				6-11 MO.	.956407	2.309810	1.331526
				12-23 MO.	1.858877	3.620975	2.606811
				2-65+ YR.	4.267610	7.464339	5.988689
CYCLOHEXYL FORMATE FEMA 23530	01	BAKED GOODS(R)	6	0-5 MO.	.086700	.114750	.113900
				6-11 MO.	.647700	1.320900	.850900
				12-23 MO.	1.389750	2.289900	1.825750
				2-65+ YR.	3.498600	5.196900	4.596200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CYCLOHEXYL FORMATE FEMA 2353D	07	FROZN DAIRY(R)	5	0-5 MO.	.011500	.047150	.016714
				6-11 MO.	.109250	.303600	.158786
				12-23 MO.	.165600	.388700	.240686
				2-65+ YR.	.294400	.709550	.427886
CYCLOHEXYL FORMATE FEMA 2353D	16	SOFT CANDY(R)	6	0-5 MO.	.004318	.043175	.006100
				6-11 MO.	.047493	.146795	.067100
				12-23 MO.	.075556	.200764	.106750
				2-65+ YR.	.125208	.379940	.176900
CYCLOHEXYL FORMATE FEMA 2353D	20	GELATIN PUD(R)	4	0-5 MO.	.016333	.022050	.022833
				6-11 MO.	.104533	.316867	.146133
				12-23 MO.	.112700	.274400	.157550
				2-65+ YR.	.166600	.428750	.232900
CYCLOHEXYL FORMATE FEMA 2353D	23	BEV TYPE I(R)	6	0-5 MO.	.015300	.022950	.028200
				6-11 MO.	.144713	.495338	.266725
				12-23 MO.	.345525	1.035938	.636850
				2-65+ YR.	.663000	1.770338	1.222000
CYCLOHEXYL FORMATE FEMA 2353D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.260000
CYCLOHEXYL FORMATE FEMA 2353D	99	ALL CATEGORIES	6	0-5 MO.	.134151	.250075	.187748
				6-11 MO.	1.053688	2.583799	1.489644
				12-23 MO.	2.089131	4.190301	2.967586
				2-65+ YR.	4.845308	8.768678	6.915886
CYCLOHEXYL PROPIONATE FEMA 2354D	01	BAKED GOODS(R)	6	0-5 MO.	.064430	.085275	.091800
				6-11 MO.	.481330	.981610	.685800
				12-23 MO.	1.032775	1.701710	1.471500
				2-65+ YR.	2.599940	3.862010	3.704400
CYCLOHEXYL PROPIONATE FEMA 2354D	07	FROZN DAIRY(R)	5	0-5 MO.	.009620	.039442	.015400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CYCLOHEXYL PROPIONATE FEMA 2354D	07	FROZN DAIRY(R)	5	6-11 MO.	.091390	.253968	.146300
				12-23 MO.	.138528	.325156	.221760
				2-65+ YR.	.246272	.593554	.394240
CYCLOHEXYL PROPIONATE FEMA 2354D	16	SOFT CANDY(R)	5	0-5 MO.	.003260	.032600	.005240
				6-11 MO.	.035860	.110840	.057640
				12-23 MO.	.057050	.151590	.091700
				2-65+ YR.	.094540	.286880	.151960
CYCLOHEXYL PROPIONATE FEMA 2354D	20	GELATIN PUD(R)	6	0-5 MO.	.016717	.022567	.027367
				6-11 MO.	.106987	.324303	.175147
				12-23 MO.	.115345	.280840	.188830
				2-65+ YR.	.170510	.438812	.279140
CYCLOHEXYL PROPIONATE FEMA 2354D	23	BEV TYPE I(R)	7	0-5 MO.	.011439	.017159	.023022
				6-11 MO.	.108194	.370338	.217750
				12-23 MO.	.258331	.774516	.519914
				2-65+ YR.	.495690	1.323588	.997620
CYCLOHEXYL PROPIONATE FEMA 2354D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.203125
CYCLOHEXYL PROPIONATE FEMA 2354D	99	ALL CATEGORIES	7	0-5 MO.	.105466	.197043	.162829
				6-11 MO.	.823761	2.041359	1.282636
				12-23 MO.	1.602029	3.234412	2.493703
				2-65+ YR.	3.704452	6.788044	5.730485
CYCLOHEXYL ISOVALERATE FEMA 2355D	01	BAKED GOODS(R)	5	0-5 MO.	.080716	.106830	.176800
				6-11 MO.	.602996	1.229732	1.320800
				12-23 MO.	1.293830	2.131852	2.834000
				2-65+ YR.	3.257128	4.838212	7.134400
CYCLOHEXYL ISOVALERATE FEMA 2355D	07	FROZN DAIRY(R)	5	0-5 MO.	.009100	.037310	.019500
				6-11 MO.	.086450	.240240	.185250

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CYCLOHEXYL ISOVALERATE FEMA 2355D	07	FROZN DAIRY(R)	5	12-23 MO.	.131040	.307580	.280800
				2-65+ YR.	.232960	.561470	.499200
CYCLOHEXYL ISOVALERATE FEMA 2355D	16	SOFT CANDY(R)	7	0-5 MO.	.002900	.029000	.005260
				6-11 MO.	.031900	.098600	.057860
				12-23 MO.	.050750	.134850	.092050
				2-65+ YR.	.084100	.255200	.152540
CYCLOHEXYL ISOVALERATE FEMA 2355D	20	GELATIN PUD(R)	5	0-5 MO.	.019040	.025704	.036800
				6-11 MO.	.121856	.369376	.235520
				12-23 MO.	.131376	.319872	.253920
				2-65+ YR.	.194208	.499800	.375360
CYCLOHEXYL ISOVALERATE FEMA 2355D	23	BEV TYPE I(R)	9	0-5 MO.	.011280	.016920	.023680
				6-11 MO.	.106690	.365190	.223973
				12-23 MO.	.254740	.763750	.534773
				2-65+ YR.	.488800	1.305190	1.026133
CYCLOHEXYL ISOVALERATE FEMA 2355D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000650	**********
				12-23 MO.	**********	.001300	**********
				2-65+ YR.	.211250	.613600	.406250
CYCLOHEXYL ISOVALERATE FEMA 2355D	99	ALL CATEGORIES	9	0-5 MO.	.123036	.215764	.262040
				6-11 MO.	.949892	2.303786	2.023403
				12-23 MO.	1.861736	3.659204	3.995543
				2-65+ YR.	4.468446	8.073472	9.593883
P-CYMENE FEMA 2356D	01	BAKED GOODS(R)	13	0-5 MO.	.074758	.098945	.163931
				6-11 MO.	.558489	1.138965	1.224662
				12-23 MO.	1.198332	1.974500	2.627719
				2-65+ YR.	3.016719	4.481103	6.615102
P-CYMENE FEMA 2356D	07	FROZN DAIRY(R)	8	0-5 MO.	.016318	.066904	.024826
				6-11 MO.	.155022	.430799	.235848
				12-23 MO.	.234981	.551553	.357495

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
P2-CYMENE							
FEMA 2356D	07	FROZN DAIRY(R)	8	2-65+ YR.	.417744	1.006829	.635547
P2-CYMENE							
FEMA 2356D	10	MEAT PRODS(R)	*	0-5 MO.	.003150	.008306	.005276
				6-11 MO.	.059285	.159811	.099277
				12-23 MO.	.086493	.148642	.144839
				2-65+ YR.	.224538	.372606	.376006
P2-CYMENE							
FEMA 2356D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001974	**********
				6-11 MO.	.015792	.043429	.031584
				12-23 MO.	.055273	.150026	.110545
				2-65+ YR.	.173714	.418494	.347429
P2-CYMENE							
FEMA 2356D	16	SOFT CANDY(R)	9	0-5 MO.	.002221	.022210	.003295
				6-11 MO.	.024430	.075512	.036242
				12-23 MO.	.038867	.103274	.057658
				2-65+ YR.	.064408	.195444	.095547
P2-CYMENE							
FEMA 2356D	20	GELATIN PUD(R)	7	0-5 MO.	.034448	.046505	.056088
				6-11 MO.	.220468	.668294	.358963
				12-23 MO.	.237692	.578729	.387007
				2-65+ YR.	.351371	.904264	.572098
P2-CYMENE							
FEMA 2356D	23	BEV TYPE I(R)	10	0-5 MO.	.010988	.016481	.027867
				6-11 MO.	.103925	.355725	.263574
				12-23 MO.	.248137	.743954	.629325
				2-65+ YR.	.476131	1.271361	1.207562
P2-CYMENE							
FEMA 2356D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000150	**********
				12-23 MO.	**********	.000300	**********
				2-65+ YR.	.048750	.141600	.110500
P2-CYMENE							
FEMA 2356D	27	GRAVIES(R)	*	0-5 MO.	.000030	.000090	.000060
				6-11 MO.	.000420	.001170	.000840
				12-23 MO.	.001080	.003060	.002160
				2-65+ YR.	.002490	.006390	.004980

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP (II)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
P8-CYMENE							
FEMA 2356D	20	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.010516	.031548	.010516
				12-23 MO.	.031548	.094644	.031548
				2-65+ YR.	.063096	.178772	.063096
P8-CYMENE							
FEMA 2356D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.008055	.008055	.008827
				12-23 MO.	.008055	.024165	.008827
				2-65+ YR.	.016110	.032220	.017654
P8-CYMENE							
FEMA 2356D	99	ALL CATEGORIES	21	0-5 MO.	.141914	.261415	.281342
				6-11 MO.	1.156402	2.913458	2.270333
				12-23 MO.	2.140458	4.372847	4.357124
				2-65+ YR.	4.855071	9.009082	10.045520
G8-DECALACTONE							
FEMA 2360D	01	BAKED GOODS(R)	15	0-5 MO.	.071609	.094777	.097172
				6-11 MO.	.534963	1.090987	.725934
				12-23 MO.	1.147853	1.891324	1.557613
				2-65+ YR.	2.889640	4.292337	3.921184
G8-DECALACTONE							
FEMA 2360D	06	CHEESE(R)	*	0-5 MO.	**********	.001370	**********
				6-11 MO.	.036990	.132890	.061290
				12-23 MO.	.106860	.304140	.177060
				2-65+ YR.	.128780	.323320	.213380
G8-DECALACTONE							
FEMA 2360D	07	FROZN DAIRY(R)	12	0-5 MO.	.015405	.063161	.023164
				6-11 MO.	.146349	.406695	.220060
				12-23 MO.	.221834	.520693	.333565
				2-65+ YR.	.394371	.950495	.593005
G8-DECALACTONE							
FEMA 2360D	16	SOFT CANDY(R)	16	0-5 MO.	.003358	.033576	.004130
				6-11 MO.	.036933	.114157	.045430
				12-23 MO.	.058757	.156126	.072276
				2-65+ YR.	.097369	.295464	.119771
G8-DECALACTONE							
FEMA 2360D	20	GELATIN PUD(R)	11	0-5 MO.	.014724	.019877	.038513

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
G&-DECALACTONE FEMA 2360D	20	GELATIN PUD(R)	11	6-11 MO.	.094232	.285642	.246483
				12-23 MO.	.101594	.247360	.265740
				2-65+ YR.	.150183	.386500	.392833
G&-DECALACTONE FEMA 2360D	23	BEV TYPE I(R)	14	0-5 MO.	.019308	.028962	.035677
				6-11 MO.	.182619	.625088	.337445
				12-23 MO.	.436033	1.307295	.805706
				2-65+ YR.	.836669	2.234067	1.546003
G&-DECALACTONE FEMA 2360D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000265	**********
				12-23 MO.	**********	.000531	**********
				2-65+ YR.	.086250	.250523	.192500
G&-DECALACTONE FEMA 2360D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000067	.000201	.000109
				12-23 MO.	.000201	.000603	.000327
				2-65+ YR.	.000402	.001139	.000654
G&-DECALACTONE FEMA 2360D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000030	.000030	.000030
				12-23 MO.	.000030	.000090	.000030
				2-65+ YR.	.000060	.000120	.000060
G&-DECALACTONE FEMA 2360D	99	ALL CATEGORIES	23	0-5 MO.	.124403	.241722	.198657
				6-11 MO.	1.032183	2.655955	1.636782
				12-23 MO.	2.073162	4.428162	3.212317
				2-65+ YR.	4.583724	8.733966	6.979391
D&-DECALACTONE FEMA 2361D	01	BAKED GOODS(R)	14	0-5 MO.	.045975	.060850	.089753
				6-11 MO.	.343463	.700449	.670511
				12-23 MO.	.736958	1.214291	1.438696
				2-65+ YR.	1.855242	2.755819	3.621818
D&-DECALACTONE FEMA 2361D	04	FATS OILS(R)	*	0-5 MO.	.004530	.004530	.009849
				6-11 MO.	.025369	.067953	.055154

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
D6-DECALACTONE FEMA 2361D	04	FATS OILS(R)	*	12-23 MO.	.057081	.108725	.124097
				2-65+ YR.	.158557	.286309	.344714
D6-DECALACTONE FEMA 2361D	07	FROZN DAIRY(R)	12	0-5 MO.	.018780	.076998	.037055
				6-11 MO.	.178411	.495794	.352026
				12-23 MO.	.270433	.634767	.533598
				2-65+ YR.	.480770	1.158731	.948618
D6-DECALACTONE FEMA 2361D	16	SOFT CANDY(R)	13	0-5 MO.	.002654	.026536	.005127
				6-11 MO.	.029190	.090224	.056395
				12-23 MO.	.046439	.123394	.089720
				2-65+ YR.	.076956	.233520	.148678
D6-DECALACTONE FEMA 2361D	17	CONF FROST(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000050	.000100	.000500
				12-23 MO.	.000100	.000350	.001000
				2-65+ YR.	.000150	.000400	.001500
D6-DECALACTONE FEMA 2361D	19	SWEET SAUCE(R)	*	0-5 MO.	.000039	.000052	**********
				6-11 MO.	.000117	.000403	**********
				12-23 MO.	.000338	.000988	**********
				2-65+ YR.	.000884	.002327	**********
D6-DECALACTONE FEMA 2361D	20	GELATIN PUD(R)	6	0-5 MO.	.029272	.039518	.059234
				6-11 MO.	.187343	.567883	.379095
				12-23 MO.	.201979	.491775	.408712
				2-65+ YR.	.298578	.768399	.604182
D6-DECALACTONE FEMA 2361D	23	BEV TYPE I(R)	12	0-5 MO.	.012786	.019180	.032846
				6-11 MO.	.120939	.413962	.310666
				12-23 MO.	.288761	.865751	.741766
				2-65+ YR.	.554081	1.479502	1.423314
D6-DECALACTONE FEMA 2361D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
D&-DECALACTONE FEMA 2361D	24	BEV TYPE III(R)	*	2-65+ YR.	.097500	.283200	.211250
D&-DECALACTONE FEMA 2361D	27	GRAVIES(R)	*	0-5 MO.	.000400	.001200	.000800
				6-11 MO.	.005600	.015600	.011200
				12-23 MO.	.014400	.040800	.028800
				2-65+ YR.	.033200	.085200	.066400
D&-DECALACTONE FEMA 2361D	99	ALL CATEGORIES	21	0-5 MO.	.114437	.228914	.234664
				6-11 MO.	.890482	2.352668	1.835548
				12-23 MO.	1.616489	3.481442	3.366388
				2-65+ YR.	3.555918	7.053407	7.370475
DECANAL DIMETHYL ACETAL FEMA 2363D	01	BAKED GOODS(R)	*	0-5 MO.	.059704	.079020	.083368
				6-11 MO.	.446024	.909608	.622808
				12-23 MO.	.957020	1.576888	1.336340
				2-65+ YR.	2.409232	3.578728	3.364144
DECANAL DIMETHYL ACETAL FEMA 2363D	07	FROZN DAIRY(R)	*	0-5 MO.	.009875	.040488	.013500
				6-11 MO.	.093813	.260700	.128250
				12-23 MO.	.142200	.333775	.194400
				2-65+ YR.	.252800	.609288	.345600
DECANAL DIMETHYL ACETAL FEMA 2363D	16	SOFT CANDY(R)	*	0-5 MO.	.001680	.016800	.003188
				6-11 MO.	.018480	.057120	.035068
				12-23 MO.	.029400	.078120	.055790
				2-65+ YR.	.048720	.147840	.092452
DECANAL DIMETHYL ACETAL FEMA 2363D	20	GELATIN PUD(R)	*	0-5 MO.	.015500	.020925	.026500
				6-11 MO.	.099200	.300700	.169600
				12-23 MO.	.106950	.260400	.182850
				2-65+ YR.	.158100	.406875	.270300
DECANAL DIMETHYL ACETAL FEMA 2363D	23	BEV TYPE I(R)	4	0-5 MO.	.013520	.020280	.020448
				6-11 MO.	.127877	.437710	.193404
				12-23 MO.	.305327	.915417	.461784
				2-65+ YR.	.585867	1.564377	.886080

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DECANAL DIMETHYL ACETAL							
FEMA 2363D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000290	**********
				12-23 MO.	**********	.000580	**********
				2-65+ YR.	.094250	.273760	.162500
DECANAL DIMETHYL ACETAL							
FEMA 2363D	99	ALL CATEGORIES	4	0-5 MO.	.100279	.177512	.147004
				6-11 MO.	.785393	1.966128	1.149130
				12-23 MO.	1.540897	3.165160	2.231164
				2-65+ YR.	3.548969	6.580867	5.121076
1-DECANOL							
FEMA 2365D	01	BAKED GOODS(R)	10	0-5 MO.	.126179	.167001	.136706
				6-11 MO.	.942628	1.922368	1.021276
				12-23 MO.	2.022569	3.332599	2.191320
				2-65+ YR.	5.091677	7.563293	5.516498
1-DECANOL							
FEMA 2365D	07	FROZN DAIRY(R)	9	0-5 MO.	.026048	.106799	.032755
				6-11 MO.	.247460	.687678	.311169
				12-23 MO.	.375097	.880437	.471667
				2-65+ YR.	.666840	1.607188	.838520
1-DECANOL							
FEMA 2365D	16	SOFT CANDY(R)	11	0-5 MO.	.004285	.042855	.005054
				6-11 MO.	.047140	.145706	.055590
				12-23 MO.	.074996	.199275	.088439
				2-65+ YR.	.124279	.377122	.146556
1-DECANOL							
FEMA 2365D	20	GELATIN PUD(R)	5	0-5 MO.	.049569	.066918	.055948
				6-11 MO.	.317242	.961640	.358070
				12-23 MO.	.342027	.832760	.386044
				2-65+ YR.	.505605	1.301188	.570674
1-DECANOL							
FEMA 2365D	23	BEV TYPE I(R)	13	0-5 MO.	.029742	.044614	.040829
				6-11 MO.	.281314	.962912	.386176
				12-23 MO.	.671684	2.013812	.922060
				2-65+ YR.	1.288840	3.441449	1.769267
1-DECANOL							
FEMA 2365D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-DECANOL FEMA 2365D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.162500
1-DECANOL FEMA 2365D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000060	.000180	.000079
				12-23 MO.	.000180	.000540	.000237
				2-65+ YR.	.000360	.001020	.000474
1-DECANOL FEMA 2365D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000025	.000025	.000025
				12-23 MO.	.000025	.000075	.000025
				2-65+ YR.	.000050	.000100	.000050
1-DECANOL FEMA 2365D	99	ALL CATEGORIES	21	0-5 MO.	.235824	.428186	.271292
				6-11 MO.	1.835870	4.680709	2.132386
				12-23 MO.	3.486577	7.259897	4.059793
				2-65+ YR.	7.742649	14.480160	9.004539
2-DECENAL FEMA 2366D	01	BAKED GOODS(R)	*	0-5 MO.	.086360	.114300	.097240
				6-11 MO.	.645160	1.315720	.726440
				12-23 MO.	1.384300	2.280920	1.558700
				2-65+ YR.	3.484880	5.176520	3.923920
2-DECENAL FEMA 2366D	07	FROZN DAIRY(R)	*	0-5 MO.	.014200	.058220	.018340
				6-11 MO.	.134900	.374880	.174230
				12-23 MO.	.204480	.479960	.264096
				2-65+ YR.	.363520	.876140	.469504
2-DECENAL FEMA 2366D	16	SOFT CANDY(R)	4	0-5 MO.	.002318	.023180	.003960
				6-11 MO.	.025498	.078812	.043560
				12-23 MO.	.040565	.107787	.069300
				2-65+ YR.	.067222	.203984	.114840
2-DECENAL FEMA 2366D	20	GELATIN PUD(R)	*	0-5 MO.	.060000	.081000	.071000
				6-11 MO.	.384000	1.164000	.454400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-DECENAL FEMA 2366D	20	GELATIN PUD(R)	*	12-23 MO.	.414000	1.008000	.489900
				2-65+ YR.	.612000	1.575000	.724200
2-DECENAL FEMA 2366D	23	BEV TYPE I(R)	5	0-5 MO.	.011864	.017796	.017910
				6-11 MO.	.112214	.384097	.169399
				12-23 MO.	.267929	.803292	.404468
				2-65+ YR.	.514107	1.372764	.776100
2-DECENAL FEMA 2366D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
2-DECENAL FEMA 2366D	99	ALL CATEGORIES	5	0-5 MO.	.174742	.294496	.208450
				6-11 MO.	1.301772	3.317609	1.568029
				12-23 MO.	2.311274	4.680159	2.786464
				2-65+ YR.	5.074229	9.298808	6.106064
DECYL ACETATE FEMA 2367D	01	BAKED GOODS(R)	8	0-5 MO.	.081495	.107861	.126816
				6-11 MO.	.608814	1.241598	.947394
				12-23 MO.	1.306314	2.152423	2.032794
				2-65+ YR.	3.288557	4.884897	5.117419
DECYL ACETATE FEMA 2367D	07	FROZN DAIRY(R)	9	0-5 MO.	.012310	.050470	.028721
				6-11 MO.	.116943	.324979	.272846
				12-23 MO.	.177261	.416071	.413577
				2-65+ YR.	.315131	.759514	.735248
DECYL ACETATE FEMA 2367D	16	SOFT CANDY(R)	9	0-5 MO.	.002465	.024647	.004558
				6-11 MO.	.027112	.083800	.050136
				12-23 MO.	.043132	.114609	.079762
				2-65+ YR.	.071476	.216894	.132177
DECYL ACETATE FEMA 2367D	20	GELATIN PUD(R)	7	0-5 MO.	.028880	.038989	.051537
				6-11 MO.	.184635	.560280	.329837
				12-23 MO.	.199275	.485191	.355605

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DECYL ACETATE FEMA 2367D	20	GELATIN PUD(R)	7	2-65+ YR.	.294580	.758111	.525677
DECYL ACETATE FEMA 2367D	23	BEV TYPE I(R)	9	0-5 MO.	.015758	.023637	.026144
				6-11 MO.	.149046	.510169	.247281
				12-23 MO.	.355871	1.066957	.590425
				2-65+ YR.	.682852	1.823347	1.132920
DECYL ACETATE FEMA 2367D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000026	**********
				12-23 MO.	**********	.000051	**********
				2-65+ YR.	.008288	.024072	.081575
DECYL ACETATE FEMA 2367D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000052	.000156	.000052
				12-23 MO.	.000156	.000468	.000156
				2-65+ YR.	.000312	.000884	.000312
DECYL ACETATE FEMA 2367D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001100	.001100	.001100
				12-23 MO.	.001100	.003300	.001100
				2-65+ YR.	.002200	.004400	.002200
DECYL ACETATE FEMA 2367D	99	ALL CATEGORIES	12	0-5 MO.	.140908	.245604	.237776
				6-11 MO.	1.087902	2.722108	1.848646
				12-23 MO.	2.083110	4.239070	3.473419
				2-65+ YR.	4.663396	8.472120	7.727527
DECYL BUTYRATE FEMA 2368D	01	BAKED GOODS(R)	*	0-5 MO.	.107723	.142575	.140307
				6-11 MO.	.804757	1.641197	1.048173
				12-23 MO.	1.726742	2.845163	2.249033
				2-65+ YR.	4.346953	6.457063	5.661787
DECYL BUTYRATE FEMA 2368D	07	FROZN DAIRY(R)	*	0-5 MO.	.019933	.081727	.021500
				6-11 MO.	.189367	.526240	.204250
				12-23 MO.	.287040	.673747	.309600
				2-65+ YR.	.510293	1.229887	.550400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DECYL BUTYRATE FEMA 2368D	16	SOFT CANDY(R)	*	0-5 MO.	.003943	.039433	.004933
				6-11 MO.	.043377	.134073	.054267
				12-23 MO.	.069008	.183365	.086333
				2-65+ YR.	.114357	.347013	.143067
DECYL BUTYRATE FEMA 2368D	20	GELATIN PUD(R)	*	0-5 MO.	.045050	.060818	.056000
				6-11 MO.	.288320	.873970	.358400
				12-23 MO.	.310845	.756840	.386400
				2-65+ YR.	.459510	1.182563	.571200
DECYL BUTYRATE FEMA 2368D	23	BEV TYPE I(R)	4	0-5 MO.	.025290	.037935	.035440
				6-11 MO.	.239201	.818764	.335203
				12-23 MO.	.571133	1.712344	.800353
				2-65+ YR.	1.095900	2.926264	1.535733
DECYL BUTYRATE FEMA 2368D	99	ALL CATEGORIES	4	0-5 MO.	.201940	.362487	.258180
				6-11 MO.	1.565021	3.994244	2.000293
				12-23 MO.	2.964767	6.171459	3.831720
				2-65+ YR.	6.527013	12.142790	8.462187
DECYL PROPIONATE FEMA 2369D	01	BAKED GOODS(R)	*	0-5 MO.	.176800	.234000	.187170
				6-11 MO.	1.320800	2.693600	1.398270
				12-23 MO.	2.834000	4.669600	3.000225
				2-65+ YR.	7.134400	10.597600	7.552860
DECYL PROPIONATE FEMA 2369D	07	FROZN DAIRY(R)	*	0-5 MO.	.024250	.099425	.033250
				6-11 MO.	.230375	.640200	.315875
				12-23 MO.	.349200	.819650	.478800
				2-65+ YR.	.620800	1.496225	.851200
DECYL PROPIONATE FEMA 2369D	16	SOFT CANDY(R)	*	0-5 MO.	.007150	.071500	.007700
				6-11 MO.	.078650	.243100	.084700
				12-23 MO.	.125125	.332475	.134750
				2-65+ YR.	.207350	.629200	.223300
DECYL PROPIONATE FEMA 2369D	20	GELATIN PUD(R)	*	0-5 MO.	.094000	.126900	.114000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCUD CATEGORY NO.	CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DECYL PROPIONATE FEMA 2369D	20	GELATIN PUD(R)	*	6-11 MO.	.601600	1.823600	.729600
				12-23 MO.	.648600	1.579200	.786600
				2-65+ YR.	.958800	2.467500	1.162800
DECYL PROPIONATE FEMA 2369D	23	BEV TYPE I(R)	*	0-5 MO.	.040800	.061200	.093600
				6-11 MO.	.385900	1.320900	.885300
				12-23 MO.	.921400	2.762500	2.113800
				2-65+ YR.	1.768000	4.720900	4.056000
DECYL PROPIONATE FEMA 2369D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000113	.000113	.000129
				12-23 MO.	.000113	.000339	.000129
				2-65+ YR.	.000226	.000452	.000258
DECYL PROPIONATE FEMA 2369D	99	ALL CATEGORIES	5	0-5 MO.	.343000	.593025	.435720
				6-11 MO.	2.617438	6.721513	3.413874
				12-23 MO.	4.878438	10.163764	6.514304
				2-65+ YR.	10.689576	19.911877	13.846418
DIBENZYL ETHER FEMA 2371D	01	BAKED GOODS(R)	7	0-5 MO.	.163912	.216943	.179591
				6-11 MO.	1.224522	2.497254	1.341649
				12-23 MO.	2.627420	4.329217	2.878736
				2-65+ YR.	6.614349	9.825104	7.247019
DIBENZYL ETHER FEMA 2371D	07	FROZN DAIRY(R)	5	0-5 MO.	.019521	.080036	.025452
				6-11 MO.	.185450	.515357	.241790
				12-23 MO.	.281104	.659813	.366502
				2-65+ YR.	.499740	1.204451	.651560
DIBENZYL ETHER FEMA 2371D	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	.220000
				6-11 MO.	2.070000	5.580000	4.140000
				12-23 MO.	3.020000	5.190000	6.040000
				2-65+ YR.	7.840000	13.010000	15.680000
DIBENZYL ETHER FEMA 2371D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.014964	**********
				6-11 MO.	.119709	.329200	.131720

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIBENZYL ETHER FEMA 2371D	15	CONDM RELSH(R)	*	12-23 MO.	.418982	1.137236	.461020
				2-65+ YR.	1.316800	3.172291	1.448920
DIBENZYL ETHER FEMA 2371D	16	SOFT CANDY(R)	6	0-5 MO.	.006819	.068185	.009118
				6-11 MO.	.075004	.231830	.100296
				12-23 MO.	.119324	.317062	.159562
				2-65+ YR.	.197738	.600031	.264417
DIBENZYL ETHER FEMA 2371D	20	GELATIN PUD(R)	*	0-5 MO.	.052949	.071480	.062494
				6-11 MO.	.338871	1.027201	.399960
				12-23 MO.	.365345	.889535	.431206
				2-65+ YR.	.540075	1.389899	.637436
DIBENZYL ETHER FEMA 2371D	23	BEV TYPE I(R)	6	0-5 MO.	.047874	.071811	.055310
				6-11 MO.	.452807	1.549915	.523145
				12-23 MO.	1.081150	3.241457	1.249095
				2-65+ YR.	2.074532	5.539400	2.396788
DIBENZYL ETHER FEMA 2371D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002723	.008169	.005366
				12-23 MO.	.008169	.024507	.016098
				2-65+ YR.	.016338	.046291	.032196
DIBENZYL ETHER FEMA 2371D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.011996	.011996	.011996
				12-23 MO.	.011996	.035988	.011996
				2-65+ YR.	.023992	.047984	.023992
DIBENZYL ETHER FEMA 2371D	99	ALL CATEGORIES	14	0-5 MO.	.401074	.813420	.551964
				6-11 MO.	4.481082	11.750922	6.895922
				12-23 MO.	7.933490	15.824815	11.614216
				2-65+ YR.	19.123564	34.835451	28.382327
4,4-DIBUTYL-G&-BUTYROLACT FEMA 2372D	01	BAKED GOODS(R)	*	0-5 MO.	.190570	.252225	.205870
				6-11 MO.	1.423670	2.903390	1.537970
				12-23 MO.	3.054725	5.033290	3.299975

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4,4-DIBUTYL-GE-BUTYROLACT							
FEMA 2372D	01	BAKED GOODS(R)	*	2-65+ YR.	7.690060	11.422990	8.307460
4,4-DIBUTYL-GE-BUTYROLACT							
FEMA 2372D	07	FROZN DAIRY(R)	*	0-5 MO.	.078000	.319800	.090000
				6-11 MO.	.741000	2.059200	.855000
				12-23 MO.	1.123200	2.636400	1.296000
				2-65+ YR.	1.996800	4.812600	2.304000
4,4-DIBUTYL-GE-BUTYROLACT							
FEMA 2372D	16	SOFT CANDY(R)	*	0-5 MO.	.014000	.140000	.015000
				6-11 MO.	.154000	.476000	.165000
				12-23 MO.	.245000	.651000	.262500
				2-65+ YR.	.406000	1.232000	.435000
4,4-DIBUTYL-GE-BUTYROLACT							
FEMA 2372D	20	GELATIN PUD(R)	*	0-5 MO.	.082000	.110700	.094000
				6-11 MO.	.524800	1.590800	.601600
				12-23 MO.	.565800	1.377600	.648600
				2-65+ YR.	.836400	2.152500	.958800
4,4-DIBUTYL-GE-BUTYROLACT							
FEMA 2372D	23	BEV TYPE I(R)	*	0-5 MO.	.066120	.099180	.076920
				6-11 MO.	.625385	2.140635	.727535
				12-23 MO.	1.493210	4.476875	1.737110
				2-65+ YR.	2.865200	7.650635	3.333200
4,4-DIBUTYL-GE-BUTYROLACT							
FEMA 2372D	99	ALL CATEGORIES	*	0-5 MO.	.430690	.921905	.481790
				6-11 MO.	3.468855	9.170025	3.887105
				12-23 MO.	6.481935	14.175165	7.244185
				2-65+ YR.	13.794460	27.270725	15.338460
DIBUTYL SEBACATE							
FEMA 2373D	01	BAKED GOODS(R)	*	0-5 MO.	.056950	.075375	.071400
				6-11 MO.	.425450	.867650	.533400
				12-23 MO.	.912875	1.504150	1.144500
				2-65+ YR.	2.298100	3.413650	2.881200
DIBUTYL SEBACATE							
FEMA 2373D	07	FROZN DAIRY(R)	*	0-5 MO.	.006500	.026650	.008875
				6-11 MO.	.061750	.171600	.084313
				12-23 MO.	.093600	.219700	.127800
				2-65+ YR.	.166400	.401050	.227200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIBUTYL SEBACATE FEMA 2730	16	SOFT CANDY(R)	*	0-5 MO.	.002400	.024000	.003350
				6-11 MO.	.026400	.081600	.036850
				12-23 MO.	.042000	.111600	.058625
				2-65+ YR.	.069600	.211200	.097150
DIBUTYL SEBACATE FEMA 2730	20	GELATIN PUD(R)	*	0-5 MO.	.044000	.059400	.050000
				6-11 MO.	.281600	.853600	.320000
				12-23 MO.	.303600	.739200	.345000
				2-65+ YR.	.448800	1.155000	.510000
DIBUTYL SEBACATE FEMA 2730	23	BEV TYPE I(R)	*	0-5 MO.	.005400	.008100	.007500
				6-11 MO.	.051075	.174825	.070938
				12-23 MO.	.121950	.365625	.169375
				2-65+ YR.	.234000	.624825	.325000
DIBUTYL SEBACATE FEMA 2730	99	ALL CATEGORIES	*	0-5 MO.	.115250	.193525	.141125
				6-11 MO.	.846275	2.149275	1.045500
				12-23 MO.	1.474025	2.940275	1.845300
				2-65+ YR.	3.216900	5.805725	4.040550
DIETHYL MALATE FEMA 2740	01	BAKED GOODS(R)	4	0-5 MO.	.073100	.096750	.131467
				6-11 MO.	.546100	1.113700	.982133
				12-23 MO.	1.171750	1.930700	2.107333
				2-65+ YR.	2.949800	4.381700	5.305067
DIETHYL MALATE FEMA 2740	07	FROZN DAIRY(R)	4	0-5 MO.	.012500	.051250	.032250
				6-11 MO.	.118750	.330000	.306375
				12-23 MO.	.180000	.422500	.464400
				2-65+ YR.	.320000	.771250	.825600
DIETHYL MALATE FEMA 2740	16	SOFT CANDY(R)	4	0-5 MO.	.003533	.035333	.006867
				6-11 MO.	.038867	.120133	.075533
				12-23 MO.	.061833	.164300	.120167
				2-65+ YR.	.102467	.310933	.199133
DIETHYL MALATE FEMA 2740	20	GELATIN PUD(R)	*	0-5 MO.	.042000	.056700	.095333

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIETHYL MALATE FEMA 2374D	20	GELATIN PUD(R)	*	6-11 MO.	.268800	.814800	.610133
				12-23 MO.	.289800	.705600	.657800
				2-65+ YR.	.428400	1.102500	.972400
DIETHYL MALATE FEMA 2374D	23	BEV TYPE I(R)	4	0-5 MO.	.010800	.016200	.019400
				6-11 MO.	.102150	.349650	.183492
				12-23 MO.	.243900	.731250	.438117
				2-65+ YR.	.468000	1.249650	.840667
DIETHYL MALATE FEMA 2374D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.162500
DIETHYL MALATE FEMA 2374D	99	ALL CATEGORIES	4	0-5 MO.	.141933	.256233	.285317
				6-11 MO.	1.074667	2.728483	2.157667
				12-23 MO.	1.947283	3.954750	3.787817
				2-65+ YR.	4.333667	8.004833	8.305367
DIETHYL MALONATE FEMA 2375D	01	BAKED GOODS(R)	11	0-5 MO.	.222279	.294193	.300965
				6-11 MO.	1.660554	3.386484	2.248384
				12-23 MO.	3.563000	5.870778	4.824288
				2-65+ YR.	8.969607	13.323658	12.144814
DIETHYL MALONATE FEMA 2375D	07	FROZN DAIRY(R)	12	0-5 MO.	.033456	.137170	.049528
				6-11 MO.	.317832	.883240	.470515
				12-23 MO.	.481767	1.130814	.713201
				2-65+ YR.	.856475	2.064238	1.267914
DIETHYL MALONATE FEMA 2375D	16	SOFT CANDY(R)	12	0-5 MO.	.012863	.128635	.017076
				6-11 MO.	.141498	.437358	.187832
				12-23 MO.	.225111	.598151	.298824
				2-65+ YR.	.373041	1.131985	.495193
DIETHYL MALONATE FEMA 2375D	20	GELATIN PUD(R)	8	0-5 MO.	.028421	.038368	.095219
				6-11 MO.	.181893	.551363	.609402

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIETHYL MALONATE FEMA 2375D	20	GELATIN PUD(R)	8	12-23 MO.	.196103	.477469	.657012
				2-65+ YR.	.289892	.746045	.971235
DIETHYL MALONATE FEMA 2375D	23	BEV TYPE I(R)	15	0-5 MO.	.054014	.081021	.088615
				6-11 MO.	.510883	1.748706	.838154
				12-23 MO.	1.219818	3.657203	2.001232
				2-65+ YR.	2.340610	6.249876	3.840002
DIETHYL MALONATE FEMA 2375D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.162500
DIETHYL MALONATE FEMA 2375D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004031	.012093	.004062
				12-23 MO.	.012093	.036279	.012186
				2-65+ YR.	.024186	.068527	.024372
DIETHYL MALONATE FEMA 2375D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.008155	.008155	.008155
				12-23 MO.	.008155	.024465	.008155
				2-65+ YR.	.016310	.032620	.016310
DIETHYL MALONATE FEMA 2375D	99	ALL CATEGORIES	18	0-5 MO.	.351033	.679386	.551403
				6-11 MO.	2.824847	7.027598	4.366504
				12-23 MO.	5.706047	11.795559	8.514898
				2-65+ YR.	12.935120	23.805752	18.922340
DIETHYL SEBACATE FEMA 2376D	01	BAKED GOODS(R)	8	0-5 MO.	.053434	.070722	.065942
				6-11 MO.	.399185	.814087	.492627
				12-23 MO.	.856520	1.411293	1.057015
				2-65+ YR.	2.156229	3.202912	2.660962
DIETHYL SEBACATE FEMA 2376D	06	CHEESE(R)	*	0-5 MO.	**********	.003070	**********
				6-11 MO.	.082890	.297790	.375975
				12-23 MO.	.239460	.681540	1.086150

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIETHYL SEBACATE FEMA 2376D	06	CHEESE(R)	*	2-65+ YR.	.288580	.724520	1.308950
DIETHYL SEBACATE FEMA 2376D	07	FROZN DAIRY(R)	7	0-5 MO.	.009713	.039823	.013703
				6-11 MO.	.092272	.256420	.130180
				12-23 MO.	.139866	.328296	.197325
				2-65+ YR.	.248650	.599285	.350800
DIETHYL SEBACATE FEMA 2376D	16	SOFT CANDY(R)	9	0-5 MO.	.002233	.022330	.002931
				6-11 MO.	.024563	.075921	.032236
				12-23 MO.	.039077	.103833	.051285
				2-65+ YR.	.064756	.196501	.084986
DIETHYL SEBACATE FEMA 2376D	20	GELATIN PUD(R)	5	0-5 MO.	.016328	.022043	.021489
				6-11 MO.	.104500	.316766	.137529
				12-23 MO.	.112664	.274313	.148274
				2-65+ YR.	.166547	.428614	.219187
DIETHYL SEBACATE FEMA 2376D	23	BEV TYPE I(R)	8	0-5 MO.	.004356	.006534	.007138
				6-11 MO.	.041200	.141023	.067511
				12-23 MO.	.098371	.294931	.161193
				2-65+ YR.	.188756	.504015	.309301
DIETHYL SEBACATE FEMA 2376D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
DIETHYL SEBACATE FEMA 2376D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006214	.018642	.071580
				12-23 MO.	.018642	.055926	.214740
				2-65+ YR.	.037284	.105638	.429480
DIETHYL SEBACATE FEMA 2376D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000140	.000140	.000259
				12-23 MO.	.000140	.000420	.000259
				2-65+ YR.	.000280	.000560	.000518

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIETHYL SEBACATE FEMA 2376D	99	ALL CATEGORIES	16	0-5 MO.	.086064	.164521	.111203
				6-11 MO.	.750964	1.920798	1.307897
				12-23 MO.	1.504739	3.150571	2.916240
				2-65+ YR.	3.154332	5.771484	5.367433
DIETHYL SUCCINATE FEMA 2377D	01	BAKED GOODS(R)	6	0-5 MO.	.227116	.300595	.288579
				6-11 MO.	1.696689	3.460177	2.155854
				12-23 MO.	3.640534	5.998530	4.625751
				2-65+ YR.	9.164793	13.613591	11.645009
DIETHYL SUCCINATE FEMA 2377D	07	FROZN DAIRY(R)	7	0-5 MO.	.029977	.122905	.039962
				6-11 MO.	.284780	.791388	.379638
				12-23 MO.	.431666	1.013216	.575451
				2-65+ YR.	.767406	1.849569	1.023024
DIETHYL SUCCINATE FEMA 2377D	16	SOFT CANDY(R)	7	0-5 MO.	.013932	.139316	.018747
				6-11 MO.	.153248	.473676	.206217
				12-23 MO.	.243804	.647821	.328073
				2-65+ YR.	.404017	1.225984	.543664
DIETHYL SUCCINATE FEMA 2377D	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000
				6-11 MO.	.128000	.388000	.256000
				12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
DIETHYL SUCCINATE FEMA 2377D	23	BEV TYPE I(R)	8	0-5 MO.	.048810	.073216	.093074
				6-11 MO.	.461666	1.580239	.880328
				12-23 MO.	1.102303	3.304876	2.101928
				2-65+ YR.	2.115120	5.647778	4.033220
DIETHYL SUCCINATE FEMA 2377D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
DIETHYL SUCCINATE FEMA 2377D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIETHYL SUCCINATE FEMA 2377D	30	HARD CANDY(R)	*	6-11 MO.	.000459	.001377	.000713
				12-23 MO.	.001377	.004131	.002139
				2-65+ YR.	.002754	.007803	.004278
DIETHYL SUCCINATE FEMA 2377D	99	ALL CATEGORIES	11	0-5 MO.	.339835	.663032	.480362
				6-11 MO.	2.724841	6.695856	3.878751
				12-23 MO.	5.557683	11.306574	7.909342
				2-65+ YR.	12.983091	23.813726	18.307196
DIETHYL TARTRATE FEMA 2378D	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.680000
				6-11 MO.	.254000	.518000	5.080000
				12-23 MO.	.545000	.898000	10.900000
				2-65+ YR.	1.372000	2.038000	27.440000
DIETHYL TARTRATE FEMA 2378D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.100000
				6-11 MO.	.009500	.026400	.950000
				12-23 MO.	.014400	.033800	1.440000
				2-65+ YR.	.025600	.061700	2.560000
DIETHYL TARTRATE FEMA 2378D	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.010000
				6-11 MO.	.011000	.034000	.110000
				12-23 MO.	.017500	.046500	.175000
				2-65+ YR.	.029000	.088000	.290000
DIETHYL TARTRATE FEMA 2378D	20	GELATIN PUD(R)	*	0-5 MO.	1.000000	1.350000	**********
				6-11 MO.	6.400000	19.400000	**********
				12-23 MO.	6.900000	16.800000	**********
				2-65+ YR.	10.200000	26.250000	**********
DIETHYL TARTRATE FEMA 2378D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.120000
				6-11 MO.	.113500	.388500	1.135000
				12-23 MO.	.271000	.812500	2.710000
				2-65+ YR.	.520000	1.368500	5.200000
DIETHYL TARTRATE FEMA 2378D	99	ALL CATEGORIES	*	0-5 MO.	1.048000	1.427100	.910000
				6-11 MO.	6.788000	20.366900	7.275000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIETHYL TARTRATE FEMA 2378D	99	ALL CATEGORIES	*	12-23 MO.	7.747900	18.590800	15.225000
				2-65+ YR.	12.146600	29.826200	35.490000
DIHYDROCARVEOL FEMA 2379D	01	BAKED GOODS(R)	6	0-5 MO.	.550926	.729167	.630631
				6-11 MO.	4.115741	8.393519	4.711182
				12-23 MO.	8.831019	14.550926	10.108636
				2-65+ YR.	22.231481	33.023148	25.447800
DIHYDROCARVEOL FEMA 2379D	07	FROZN DAIRY(R)	5	0-5 MO.	.177411	.727384	.198418
				6-11 MO.	1.685402	4.683643	1.884974
				12-23 MO.	2.554714	5.996482	2.857224
				2-65+ YR.	4.541714	10.946241	5.079510
DIHYDROCARVEOL FEMA 2379D	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	**********
				6-11 MO.	.414000	1.116000	**********
				12-23 MO.	.604000	1.038000	**********
				2-65+ YR.	1.568000	2.602000	**********
DIHYDROCARVEOL FEMA 2379D	16	SOFT CANDY(R)	7	0-5 MO.	.026475	.264750	.032565
				6-11 MO.	.291225	.900150	.358216
				12-23 MO.	.463313	1.231088	.569888
				2-65+ YR.	.767775	2.329800	.944386
DIHYDROCARVEOL FEMA 2379D	20	GELATIN PUD(R)	*	0-5 MO.	.156000	.210600	.180000
				6-11 MO.	.998400	3.026400	1.152000
				12-23 MO.	1.076400	2.620800	1.242000
				2-65+ YR.	1.591200	4.095000	1.836000
DIHYDROCARVEOL FEMA 2379D	23	BEV TYPE I(R)	6	0-5 MO.	.133317	.199975	.156167
				6-11 MO.	1.260952	4.316122	1.477075
				12-23 MO.	3.010731	9.026638	3.526761
				2-65+ YR.	5.777049	15.425831	6.767216
DIHYDROCARVEOL FEMA 2379D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000345	**********
				12-23 MO.	**********	.000691	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIHYDROCARVEOL FEMA 23790	24	BEV TYPE II(R)	*	2-65+ YR.	.112273	.326109	.284818
DIHYDROCARVEOL FEMA 23790	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000547	.000547	.000547
				12-23 MO.	.000547	.001641	.000547
				2-65+ YR.	.001094	.002188	.001094
DIHYDROCARVEOL FEMA 23790	99	ALL CATEGORIES	8	0-5 MO.	1.066128	2.189875	1.197781
				6-11 MO.	8.766266	22.436726	9.583994
				12-23 MO.	16.540723	34.466266	18.305058
				2-65+ YR.	36.590586	68.750317	40.360825
DIHYDROCARVYL ACETATE FEMA 23800	01	BAKED GOODS(R)	*	0-5 MO.	.034315	.045417	.042963
				6-11 MO.	.256352	.522796	.470370
				12-23 MO.	.550046	.906315	1.009259
				2-65+ YR.	1.384704	2.056870	2.540741
DIHYDROCARVYL ACETATE FEMA 23800	07	FROZN DAIRY(R)	*	0-5 MO.	.010065	.041266	.018278
				6-11 MO.	.095616	.265711	.173639
				12-23 MO.	.144933	.340191	.263200
				2-65+ YR.	.257659	.620999	.467911
DIHYDROCARVYL ACETATE FEMA 23800	16	SOFT CANDY(R)	4	0-5 MO.	.001753	.017531	.003309
				6-11 MO.	.019284	.059606	.036403
				12-23 MO.	.030680	.081520	.057914
				2-65+ YR.	.050841	.154275	.095972
DIHYDROCARVYL ACETATE FEMA 23800	23	BEV TYPE I(R)	*	0-5 MO.	.005378	.008067	.012400
				6-11 MO.	.050865	.174106	.117283
				12-23 MO.	.121448	.364120	.280033
				2-65+ YR.	.233037	.622254	.537333
DIHYDROCARVYL ACETATE FEMA 23800	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.162500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIHYDROCARVYL ACETATE							
FEMA 2380D	99	ALL CATEGORIES	4	0-5 MO.	.051511	.112280	.096950
				6-11 MO.	.422117	1.022419	.797696
				12-23 MO.	.847108	1.692546	1.610407
				2-65+ YR.	1.991241	3.643198	3.804457
M-DIMETHOXYBENZENE							
FEMA 2385D	01	BAKED GODDS(R)	8	0-5 MO.	.028376	.037556	.036667
				6-11 MO.	.211984	.432313	.273922
				12-23 MO.	.454847	.749454	.587746
				2-65+ YR.	1.145045	1.700876	1.479609
M-DIMETHOXYBENZENE							
FEMA 2385D	07	FROZN DAIRY(R)	8	0-5 MO.	.005147	.021103	.009356
				6-11 MO.	.048897	.135883	.088880
				12-23 MO.	.074118	.173972	.134723
				2-65+ YR.	.131766	.317576	.239507
M-DIMETHOXYBENZENE							
FEMA 2385D	10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.025300
				6-11 MO.	.062100	.167400	.476100
				12-23 MO.	.090600	.155700	.694600
				2-65+ YR.	.235200	.390300	1.803200
M-DIMETHOXYBENZENE							
FEMA 2385D	16	SOFT CANDY(R)	8	0-5 MO.	.001047	.010475	.001811
				6-11 MO.	.011522	.035615	.019924
				12-23 MO.	.018331	.048708	.031697
				2-65+ YR.	.030377	.092179	.052527
M-DIMETHOXYBENZENE							
FEMA 2385D	20	GELATIN PUD(R)	4	0-5 MO.	.019315	.026075	.025486
				6-11 MO.	.123615	.374707	.163121
				12-23 MO.	.133272	.324489	.175865
				2-65+ YR.	.197011	.507014	.259974
M-DIMETHOXYBENZENE							
FEMA 2385D	23	BEV TYPE I(R)	8	0-5 MO.	.006357	.009535	.012285
				6-11 MO.	.060126	.205805	.116192
				12-23 MO.	.143560	.430415	.277427
				2-65+ YR.	.275466	.735546	.532331
M-DIMETHOXYBENZENE							
FEMA 2385D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
M2-DIMETHOXYBENZENE FEMA 2385D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
M2-DIMETHOXYBENZENE FEMA 2385D	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000600
				6-11 MO.	.002800	.007800	.008400
				12-23 MO.	.007200	.020400	.021600
				2-65+ YR.	.016600	.042600	.049800
M2-DIMETHOXYBENZENE FEMA 2385D	99	ALL CATEGORIES	10	0-5 MO.	.063742	.114045	.111506
				6-11 MO.	.521044	1.359623	1.146538
				12-23 MO.	.921928	1.903338	1.923657
				2-65+ YR.	2.063965	3.880491	4.579449
P2-DIMETHOXYBENZENE FEMA 2386D	01	BAKED GOODS(R)	10	0-5 MO.	.185664	.245732	.226207
				6-11 MO.	1.387021	2.828650	1.689901
				12-23 MO.	2.976089	4.903721	3.625968
				2-65+ YR.	7.492100	11.128936	9.128126
P2-DIMETHOXYBENZENE FEMA 2386D	04	FATS OILS(R)	*	0-5 MO.	.000050	.000050	.000050
				6-11 MO.	.000280	.000750	.000280
				12-23 MO.	.000630	.001200	.000630
				2-65+ YR.	.001750	.003160	.001750
P2-DIMETHOXYBENZENE FEMA 2386D	07	FROZN DAIRY(R)	8	0-5 MO.	.038468	.157720	.048766
				6-11 MO.	.365449	1.015564	.463282
				12-23 MO.	.553944	1.300229	.702237
				2-65+ YR.	.984789	2.373495	1.248422
P2-DIMETHOXYBENZENE FEMA 2386D	16	SOFT CANDY(R)	9	0-5 MO.	.009153	.091533	.009650
				6-11 MO.	.100686	.311212	.106150
				12-23 MO.	.160183	.425629	.168875
				2-65+ YR.	.265446	.805491	.279850
P2-DIMETHOXYBENZENE FEMA 2386D	17	CONF FROST(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000100	.000200	.001500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
P2-DIMETHOXYBENZENE FEMA 2386D	17	CONF FROST(R)	*	12-23 MO.	.000200	.000700	.003000
				2-65+ YR.	.000300	.000800	.004500
P2-DIMETHOXYBENZENE FEMA 2386D	20	GELATIN PUD(R)	4	0-5 MO.	.080383	.108517	.107368
				6-11 MO.	.514449	1.559425	.687158
				12-23 MO.	.554641	1.350430	.740842
				2-65+ YR.	.819904	2.110046	1.095158
P2-DIMETHOXYBENZENE FEMA 2386D	23	BEV TYPE II(R)	9	0-5 MO.	.027679	.041518	.033877
				6-11 MO.	.261796	.896105	.320423
				12-23 MO.	.625082	1.874093	.765064
				2-65+ YR.	1.199420	3.202682	1.468019
P2-DIMETHOXYBENZENE FEMA 2386D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000033	.000099	.000033
				12-23 MO.	.000099	.000297	.000099
				2-65+ YR.	.000198	.000561	.000198
P2-DIMETHOXYBENZENE FEMA 2386D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002194	.002194	.002194
				12-23 MO.	.002194	.006582	.002194
				2-65+ YR.	.004388	.008776	.004388
P2-DIMETHOXYBENZENE FEMA 2386D	99	ALL CATEGORIES	14	0-5 MO.	.341398	.645170	.425919
				6-11 MO.	2.632010	6.614199	3.270921
				12-23 MO.	4.873062	9.862881	6.008910
				2-65+ YR.	10.768294	19.633946	13.230411
2,4-DIMETHYLACETOPHENONE FEMA 2387D	01	BAKED GOODS(R)	5	0-5 MO.	.055232	.073102	.064937
				6-11 MO.	.412618	.841481	.485116
				12-23 MO.	.885342	1.458784	1.040899
				2-65+ YR.	2.228788	3.310692	2.620391
2,4-DIMETHYLACETOPHENONE FEMA 2387D	07	FROZN DAIRY(R)	5	0-5 MO.	.005747	.023561	.007442
				6-11 MO.	.054594	.151713	.070703
				12-23 MO.	.082752	.194238	.107171

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,4-DIMETHYLACETOPHENONE FEMA 2387D	07	FROZN DAIRY(R)	5	2-65+ YR.	.147115	.354571	.190527
2,4-DIMETHYLACETOPHENONE FEMA 2387D	16	SOFT CANDY(R)	5	0-5 MO.	.002036	.020358	.002514
				6-11 MO.	.022393	.069216	.027656
				12-23 MO.	.035626	.094663	.043998
				2-65+ YR.	.059037	.179146	.072910
2,4-DIMETHYLACETOPHENONE FEMA 2387D	20	GELATIN PUD(R)	*	0-5 MO.	.041832	.056473	.050653
				6-11 MO.	.267724	.811540	.324178
				12-23 MO.	.288640	.702777	.349504
				2-65+ YR.	.426686	1.098089	.516658
2,4-DIMETHYLACETOPHENONE FEMA 2387D	23	BEV TYPE I(R)	5	0-5 MO.	.006806	.010209	.009204
				6-11 MO.	.064376	.220354	.087051
				12-23 MO.	.153709	.460843	.207848
				2-65+ YR.	.294939	.787545	.398822
2,4-DIMETHYLACETOPHENONE FEMA 2387D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000005	**********
				12-23 MO.	**********	.000010	**********
				2-65+ YR.	.001625	.004720	.065000
2,4-DIMETHYLACETOPHENONE FEMA 2387D	99	ALL CATEGORIES	5	0-5 MO.	.111653	.183703	.134750
				6-11 MO.	.821706	2.094308	.994703
				12-23 MO.	1.446070	2.911314	1.749420
				2-65+ YR.	3.158191	5.734763	3.864309
A6-DIMETHYLBENZYL ISOBUTY FEMA 2388D	01	BAKED GOODS(R)	*	0-5 MO.	.041650	.055125	.074800
				6-11 MO.	.311150	.634550	.558800
				12-23 MO.	.667625	1.100050	1.199000
				2-65+ YR.	1.680700	2.496550	3.018400
A6-DIMETHYLBENZYL ISOBUTY FEMA 2388D	07	FROZN DAIRY(R)	*	0-5 MO.	.017000	.069700	.021500
				6-11 MO.	.161500	.448800	.204250
				12-23 MO.	.244800	.574600	.309600
				2-65+ YR.	.435200	1.048900	.550400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A6-DIMETHYLBENZYL ISOBUTY							
FEMA 2386D	16	SOFT CANDY(R)	*	0-5 MO.	.003050	.030500	.004800
				6-11 MO.	.033550	.103700	.052800
				12-23 MO.	.053375	.141825	.084000
				2-65+ YR.	.088450	.268400	.139200
A6-DIMETHYLBENZYL ISOBUTY							
FEMA 2386D	20	GELATIN PUD(R)	*	0-5 MO.	.025500	.034425	.035000
				6-11 MO.	.163200	.494700	.224000
				12-23 MO.	.175950	.428400	.241500
				2-65+ YR.	.260100	.669375	.357000
A6-DIMETHYLBENZYL ISOBUTY							
FEMA 2386D	23	BEV TYPE I(R)	*	0-5 MO.	.013200	.019800	.024000
				6-11 MO.	.124850	.427350	.227000
				12-23 MO.	.298100	.893750	.542000
				2-65+ YR.	.572000	1.527350	1.040000
A6-DIMETHYLBENZYL ISOBUTY							
FEMA 2386D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
A6-DIMETHYLBENZYL ISOBUTY							
FEMA 2386D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000001	.000003	.000001
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000017	.000006
A6-DIMETHYLBENZYL ISOBUTY							
FEMA 2386D	99	ALL CATEGORIES	*	0-5 MO.	.100400	.209550	.160100
				6-11 MO.	.794251	2.109603	1.266851
				12-23 MO.	1.439853	3.139634	2.376103
				2-65+ YR.	3.198956	6.482592	5.430006
2,6-DIMETHYL-5-HEPTENAL							
FEMA 2389D	01	BAKED GOODS(R)	5	0-5 MO.	.051081	.067607	.059620
				6-11 MO.	.381605	.776233	.445394
				12-23 MO.	.818798	1.349136	.955669
				2-65+ YR.	2.061267	3.061852	2.405831
2,6-DIMETHYL-5-HEPTENAL							
FEMA 2389D	07	FROZN DAIRY(R)	4	0-5 MO.	.015961	.065441	.019444

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,6-DIMETHYL-5-HEPTENAL FEMA 2389D	07	FROZN DAIRY(R)	4	6-11 MO.	.151632	.421377	.184715
				12-23 MO.	.229842	.539491	.279989
				2-65+ YR.	.408608	.984810	.497758
2,6-DIMETHYL-5-HEPTENAL FEMA 2389D	16	SOFT CANDY(R)	7	0-5 MO.	.001275	.012748	.001690
				6-11 MO.	.014022	.043342	.018592
				12-23 MO.	.022308	.059277	.029577
				2-65+ YR.	.036968	.112160	.049014
2,6-DIMETHYL-5-HEPTENAL FEMA 2389D	20	GELATIN PUD(R)	6	0-5 MO.	.019648	.026525	.024498
				6-11 MO.	.125746	.381169	.156785
				12-23 MO.	.135570	.330085	.169034
				2-65+ YR.	.200408	.515757	.249876
2,6-DIMETHYL-5-HEPTENAL FEMA 2389D	23	BEV TYPE I(R)	9	0-5 MO.	.008479	.012719	.013857
				6-11 MO.	.080198	.274509	.131067
				12-23 MO.	.191485	.574102	.312945
				2-65+ YR.	.367425	.981096	.600484
2,6-DIMETHYL-5-HEPTENAL FEMA 2389D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000605	.001815	.000605
				12-23 MO.	.001815	.005445	.001815
				2-65+ YR.	.003630	.010285	.003630
2,6-DIMETHYL-5-HEPTENAL FEMA 2389D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.023779	.023779	.023779
				12-23 MO.	.023779	.071337	.023779
				2-65+ YR.	.047558	.095116	.047558
2,6-DIMETHYL-5-HEPTENAL FEMA 2389D	99	ALL CATEGORIES	16	0-5 MO.	.096444	.185039	.119108
				6-11 MO.	.777587	1.924225	.960937
				12-23 MO.	1.423598	2.928874	1.772808
				2-65+ YR.	3.125865	5.761096	3.854151
2,6-DIMETHYLOCTANAL FEMA 2390D	01	BAKED GOODS(R)	*	0-5 MO.	.010200	.013500	.020400
				6-11 MO.	.076200	.155400	.152400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	AGE	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,6-DIMETHYLOCTANAL FEMA 23900	01	BAKED GOODS(R)	*	12-23 MO.	.163500	.269400	.327000
				2-65+ YR.	.411600	.611400	.823200
2,6-DIMETHYLOCTANAL FEMA 23900	07	FROZN DAIRY(R)	*	0-5 MO.	.003667	.015033	.005333
				6-11 MO.	.034833	.096800	.050667
				12-23 MO.	.052800	.123933	.076800
				2-65+ YR.	.093867	.226233	.136533
2,6-DIMETHYLOCTANAL FEMA 23900	16	SOFT CANDY(R)	*	0-5 MO.	.000867	.008667	.001400
				6-11 MO.	.009533	.029467	.015400
				12-23 MO.	.015167	.040300	.024500
				2-65+ YR.	.025133	.076267	.040600
2,6-DIMETHYLOCTANAL FEMA 23900	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.010000
				6-11 MO.	.051200	.155200	.064000
				12-23 MO.	.055200	.134400	.069000
				2-65+ YR.	.081600	.210000	.102000
2,6-DIMETHYLOCTANAL FEMA 23900	23	BEV TYPE I(R)	*	0-5 MO.	.002001	.003001	.003604
				6-11 MO.	.018924	.064776	.034088
				12-23 MO.	.045185	.135471	.081390
				2-65+ YR.	.086701	.231509	.156173
2,6-DIMETHYLOCTANAL FEMA 23900	99	ALL CATEGORIES	4	0-5 MO.	.024734	.051001	.040737
				6-11 MO.	.190691	.501643	.316555
				12-23 MO.	.331851	.703504	.578690
				2-65+ YR.	.698901	1.355409	1.258507
3,7-DIMETHYL OCTANOL-1 FEMA 23910	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	.102000
				6-11 MO.	.508000	1.036000	.762000
				12-23 MO.	1.090000	1.796000	1.635000
				2-65+ YR.	2.744000	4.076000	4.116000
3,7-DIMETHYL OCTANOL-1 FEMA 23910	99	ALL CATEGORIES	*	0-5 MO.	.068000	.090000	.102000
				6-11 MO.	.508000	1.036000	.762000
				12-23 MO.	1.090000	1.796000	1.635000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3,7-DIMETHYL OCTANOL-1 FEMA 2391D	99	ALL CATEGORIES	*	2-65+ YR.	2.744000	4.076000	4.116000
A&-DIMETHYLPHENETHYL ACET FEMA 2392D	01	BAKED GOODS(R)	7	0-5 MO.	.057847	.076563	.080940
				6-11 MO.	.432153	.881319	.604668
				12-23 MO.	.927257	1.527847	1.297417
				2-65+ YR.	2.334306	3.467431	3.266159
A&-DIMETHYLPHENETHYL ACET FEMA 2392D	07	FROZN DAIRY(R)	5	0-5 MO.	.013097	.053697	.019520
				6-11 MO.	.124421	.345759	.185444
				12-23 MO.	.188596	.442677	.281094
				2-65+ YR.	.335282	.808081	.499722
A&-DIMETHYLPHENETHYL ACET FEMA 2392D	16	SOFT CANDY(R)	7	0-5 MO.	.003165	.031653	.004224
				6-11 MO.	.034818	.107619	.046467
				12-23 MO.	.055392	.147185	.073925
				2-65+ YR.	.091793	.278544	.122504
A&-DIMETHYLPHENETHYL ACET FEMA 2392D	20	GELATIN PUD(R)	5	0-5 MO.	.024988	.033734	.035884
				6-11 MO.	.159926	.484774	.229656
				12-23 MO.	.172420	.419805	.247598
				2-65+ YR.	.254881	.655945	.366014
A&-DIMETHYLPHENETHYL ACET FEMA 2392D	23	BEV TYPE I(R)	8	0-5 MO.	.011607	.017411	.016078
				6-11 MO.	.109784	.375779	.152069
				12-23 MO.	.262127	.785896	.363090
				2-65+ YR.	.502973	1.343036	.696704
A&-DIMETHYLPHENETHYL ACET FEMA 2392D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
A&-DIMETHYLPHENETHYL ACET FEMA 2392D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000629	.000629	.000708
				12-23 MO.	.000629	.001887	.000708
				2-65+ YR.	.001258	.002516	.001416

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-DIMETHYLPHENETHYL ACET							
FEMA 2392D	99	ALL CATEGORIES	12	0-5 MO.	.110705	.213058	.156646
				6-11 MO.	.861730	2.195981	1.219012
				12-23 MO.	1.606421	3.325497	2.263832
				2-65+ YR.	3.552993	6.649953	5.115019
A&-DIMETHYLPHENETHYL ALCO							
FEMA 2393D	01	BAKED GOODS(A)	*	0-5 MO.	.051527	.068197	.080211
				6-11 MO.	.384935	.785025	.599225
				12-23 MO.	.825944	1.360913	1.285739
				2-65+ YR.	2.079256	3.088575	3.236761
A&-DIMETHYLPHENETHYL ALCO							
FEMA 2393D	07	FROZN DAIRY(R)	*	0-5 MO.	.013000	.053300	.020000
				6-11 MO.	.123500	.343200	.190000
				12-23 MO.	.187200	.439400	.288000
				2-65+ YR.	.332800	.802100	.512000
A&-DIMETHYLPHENETHYL ALCO							
FEMA 2393D	16	SOFT CANDY(R)	*	0-5 MO.	.003400	.034000	.004000
				6-11 MO.	.037400	.115600	.044000
				12-23 MO.	.059500	.158100	.070000
				2-65+ YR.	.098600	.299200	.116000
A&-DIMETHYLPHENETHYL ALCO							
FEMA 2393D	20	GELATIN PUD(R)	*	0-5 MO.	.032099	.043333	.038000
				6-11 MO.	.205431	.622713	.243200
				12-23 MO.	.221480	.539256	.262200
				2-65+ YR.	.327406	.842588	.387600
A&-DIMETHYLPHENETHYL ALCO							
FEMA 2393D	23	BEV TYPE I(R)	*	0-5 MO.	.017882	.026823	.026400
				6-11 MO.	.169131	.578920	.249700
				12-23 MO.	.403828	1.210739	.596200
				2-65+ YR.	.774873	2.069061	1.144000
A&-DIMETHYLPHENETHYL ALCO							
FEMA 2393D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.004987	.004987	.005022
				12-23 MO.	.004987	.014961	.005022
				2-65+ YR.	.009974	.019948	.010044
A&-DIMETHYLPHENETHYL ALCO							
FEMA 2393D	99	ALL CATEGORIES	4	0-5 MO.	.117907	.225653	.168611

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A6-DIMETHYLPHENETHYL ALCO FEMA 23930	99	ALL CATEGORIES	4	6-11 MO.	.925384	2.450445	1.331147
				12-23 MO.	1.702939	3.723369	2.507161
				2-65+ YR.	3.622909	7.121471	5.406405
A6-DIMETHYLPHENETHYL BUTY FEMA 23940	01	BAKED GOODS(R)	4	0-5 MO.	.033019	.043702	.095723
				6-11 MO.	.246673	.503058	.715108
				12-23 MO.	.529279	.872096	1.534385
				2-65+ YR.	1.332423	1.979211	3.862708
A6-DIMETHYLPHENETHYL BUTY FEMA 23940	07	FROZN DAIRY(R)	4	0-5 MO.	.008416	.034506	.029232
				6-11 MO.	.079952	.222182	.277700
				12-23 MO.	.121190	.284460	.420934
				2-65+ YR.	.215449	.519266	.748328
A6-DIMETHYLPHENETHYL BUTY FEMA 23940	16	SOFT CANDY(R)	4	0-5 MO.	.001122	.011221	.003934
				6-11 MO.	.012343	.038152	.043279
				12-23 MO.	.019637	.052179	.068852
				2-65+ YR.	.032542	.098748	.114098
A6-DIMETHYLPHENETHYL BUTY FEMA 23940	20	GELATIN PUD(R)	4	0-5 MO.	.011918	.016089	.048566
				6-11 MO.	.076275	.231210	.310820
				12-23 MO.	.082234	.200223	.335102
				2-65+ YR.	.121564	.312848	.495369
A6-DIMETHYLPHENETHYL BUTY FEMA 23940	23	BEV TYPE I(R)	5	0-5 MO.	.005102	.007653	.015610
				6-11 MO.	.048259	.165187	.147643
				12-23 MO.	.115227	.345469	.352522
				2-65+ YR.	.221100	.590380	.676426
A6-DIMETHYLPHENETHYL BUTY FEMA 23940	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
A6-DIMETHYLPHENETHYL BUTY FEMA 23940	99	ALL CATEGORIES	6	0-5 MO.	.059578	.113172	.193064
				6-11 MO.	.463503	1.159889	1.494549

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-DIMETHYLPHENETHYL BUTY FEMA 2394D	99	ALL CATEGORIES	6	12-23 MO.	.867568	1.754627	2.711796
				2-65+ YR.	1.955578	3.594853	6.059429
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	.102000
				6-11 MO.	.508000	1.036000	.762000
				12-23 MO.	1.090000	1.796000	1.635000
				2-65+ YR.	2.744000	4.076000	4.116000
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	07	FROZN DAIRY(R)	*	0-5 MO.	.009500	.038950	.015500
				6-11 MO.	.090250	.250800	.147250
				12-23 MO.	.136800	.321100	.223200
				2-65+ YR.	.243200	.586150	.396800
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	16	SOFT CANDY(R)	*	0-5 MO.	.001950	.019500	.002900
				6-11 MO.	.021450	.066300	.031900
				12-23 MO.	.034125	.090675	.050750
				2-65+ YR.	.056550	.171600	.084100
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	20	GELATIN PUD(R)	*	0-5 MO.	.036000	.048600	.044000
				6-11 MO.	.230400	.698400	.281600
				12-23 MO.	.248400	.604800	.303600
				2-65+ YR.	.367200	.945000	.448800
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	23	BEV TYPE I(R)	*	0-5 MO.	.011040	.016560	.015600
				6-11 MO.	.104420	.357420	.147550
				12-23 MO.	.249320	.747500	.352300
				2-65+ YR.	.478400	1.277420	.676000
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000457	.001371	.000500
				12-23 MO.	.001371	.004113	.001500
				2-65+ YR.	.002742	.007769	.003000
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	99	ALL CATEGORIES	4	0-5 MO.	.126490	.213610	.180000
				6-11 MO.	.954977	2.410291	1.370800
				12-23 MO.	1.760016	3.564188	2.566350

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A&-DIMETHYLPHENETHYL FORM FEMA 2395D	99	ALL CATEGORIES	4	2-65+ YR.	3.892092	7.063939	5.724700
DIMETHYL SUCCINATE FEMA 2396D	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.063750
				6-11 MO.	.254000	.518000	.476250
				12-23 MO.	.545000	.898000	1.021875
				2-65+ YR.	1.372000	2.038000	2.572500
DIMETHYL SUCCINATE FEMA 2396D	07	FROZN DAIRY(R)	*	0-5 MO.	.007500	.030750	.013125
				6-11 MO.	.071250	.198000	.124688
				12-23 MO.	.108000	.253500	.189000
				2-65+ YR.	.192000	.462750	.336000
DIMETHYL SUCCINATE FEMA 2396D	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.003750
				6-11 MO.	.022000	.068000	.041250
				12-23 MO.	.035000	.093000	.065625
				2-65+ YR.	.058000	.176000	.108750
DIMETHYL SUCCINATE FEMA 2396D	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.060000
				6-11 MO.	.128000	.388000	.384000
				12-23 MO.	.138000	.336000	.414000
				2-65+ YR.	.204000	.525000	.612000
DIMETHYL SUCCINATE FEMA 2396D	23	BEV TYPE 1(R)	*	0-5 MO.	.007584	.011376	.011664
				6-11 MO.	.071732	.245532	.110322
				12-23 MO.	.171272	.513500	.263412
				2-65+ YR.	.328640	.877532	.505440
DIMETHYL SUCCINATE FEMA 2396D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.009688	.029064	.009688
				12-23 MO.	.029064	.087192	.029064
				2-65+ YR.	.058128	.164696	.058128
DIMETHYL SUCCINATE FEMA 2396D	99	ALL CATEGORIES	4	0-5 MO.	.071084	.134126	.152289
				6-11 MO.	.556670	1.446596	1.146198
				12-23 MO.	1.026336	2.181192	1.982976
				2-65+ YR.	2.212768	4.243978	4.192818

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1,3-DIPHENYL PROPANONE-2							
FEMA 23970	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.061200
				6-11 MO.	.381000	.777000	.457200
				12-23 MO.	.817500	1.347000	.981000
				2-65+ YR.	2.058000	3.057000	2.469600
1,3-DIPHENYL PROPANONE-2							
FEMA 23970	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.009000
				6-11 MO.	.066500	.184800	.085500
				12-23 MO.	.100800	.236600	.129600
				2-65+ YR.	.179200	.431900	.230400
1,3-DIPHENYL PROPANONE-2							
FEMA 23970	16	SOFT CANDY(R)	*	0-5 MO.	.002400	.024000	.003200
				6-11 MO.	.026400	.081600	.035200
				12-23 MO.	.042000	.111600	.056000
				2-65+ YR.	.069600	.211200	.092800
1,3-DIPHENYL PROPANONE-2							
FEMA 23970	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.024000
				6-11 MO.	.102400	.310400	.153600
				12-23 MO.	.110400	.268800	.165600
				2-65+ YR.	.163200	.420000	.244800
1,3-DIPHENYL PROPANONE-2							
FEMA 23970	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.012000
				6-11 MO.	.090800	.310800	.113500
				12-23 MO.	.216800	.650000	.271000
				2-65+ YR.	.416000	1.110800	.520000
1,3-DIPHENYL PROPANONE-2							
FEMA 23970	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000005	.000015	.000005
				12-23 MO.	.000015	.000045	.000015
				2-65+ YR.	.000030	.000085	.000030
1,3-DIPHENYL PROPANONE-2							
FEMA 23970	99	ALL CATEGORIES	*	0-5 MO.	.086000	.156200	.109400
				6-11 MO.	.667105	1.664615	.845005
				12-23 MO.	1.287515	2.614045	1.603215
				2-65+ YR.	2.886030	5.230985	3.557630
G4-DODECALACTONE							
FEMA 24000	01	BAKED GOODS(R)	11	0-5 MO.	.063611	.084191	.087099

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
G&-DODECALACTONE FEMA 2400D	01	BAKED GOODS(R)	11	6-11 MO.	.475211	.969132	.650681
				12-23 MO.	1.019646	1.680078	1.396146
				2-65+ YR.	2.566890	3.812916	3.514701
G&-DODECALACTONE FEMA 2400D	04	FATS OILS(R)	*	0-5 MO.	.004736	.004736	.007491
				6-11 MO.	.026521	.071040	.041948
				12-23 MO.	.059673	.113663	.094382
				2-65+ YR.	.165759	.299314	.262173
G&-DODECALACTONE FEMA 2400D	06	CHEESE(R)	*	0-5 MO.	**********	.000001	**********
				6-11 MO.	.000027	.000097	**********
				12-23 MO.	.000078	.000222	**********
				2-65+ YR.	.000094	.000236	**********
G&-DODECALACTONE FEMA 2400D	07	FROZN DAIRY(R)	10	0-5 MO.	.017533	.071886	.026908
				6-11 MO.	.166565	.462875	.255624
				12-23 MO.	.252477	.592620	.387472
				2-65+ YR.	.448848	1.081794	.688839
G&-DODECALACTONE FEMA 2400D	16	SOFT CANDY(R)	9	0-5 MO.	.002967	.029673	.004314
				6-11 MO.	.032640	.100887	.047455
				12-23 MO.	.051927	.137977	.075497
				2-65+ YR.	.086050	.261119	.125109
G&-DODECALACTONE FEMA 2400D	20	GELATIN PUD(R)	9	0-5 MO.	.020475	.027642	.031092
				6-11 MO.	.131041	.397219	.198986
				12-23 MO.	.141279	.343983	.214532
				2-65+ YR.	.208847	.537474	.317134
G&-DODECALACTONE FEMA 2400D	23	BEV TYPE I(R)	10	0-5 MO.	.020684	.031025	.033326
				6-11 MO.	.195633	.669633	.315207
				12-23 MO.	.467105	1.400455	.752609
				2-65+ YR.	.896291	2.393269	1.444121
G&-DODECALACTONE FEMA 2400D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000067	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
G&-DODECALACTONE FEMA 2400D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000133	**********
				2-65+ YR.	.021667	.062933	.054167
G&-DODECALACTONE FEMA 2400D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000074	.000074	.000074
				12-23 MO.	.000074	.000222	.000074
				2-65+ YR.	.000148	.000296	.000148
G&-DODECALACTONE FEMA 2400D	99	ALL CATEGORIES	20	0-5 MO.	.130006	.249153	.190229
				6-11 MO.	1.027712	2.671022	1.509975
				12-23 MO.	1.992260	4.269354	2.920712
				2-65+ YR.	4.394594	8.449351	6.406391
D&-DODECALACTONE FEMA 2401D	01	BAKED GOODS(R)	12	0-5 MO.	.015324	.020281	.038990
				6-11 MO.	.114476	.233459	.291275
				12-23 MO.	.245627	.404722	.624980
				2-65+ YR.	.618350	.918511	1.573345
D&-DODECALACTONE FEMA 2401D	04	FATS OILS(R)	*	0-5 MO.	.001000	.001000	.005000
				6-11 MO.	.005600	.015000	.028000
				12-23 MO.	.012600	.024000	.063000
				2-65+ YR.	.035000	.063200	.175000
D&-DODECALACTONE FEMA 2401D	07	FROZN DAIRY(R)	8	0-5 MO.	.003677	.015075	.008119
				6-11 MO.	.034931	.097071	.077134
				12-23 MO.	.052948	.124280	.116919
				2-65+ YR.	.094129	.226866	.207857
D&-DODECALACTONE FEMA 2401D	10	MEAT PRODS(R)	*	0-5 MO.	.002750	.007250	.009900
				6-11 MO.	.051750	.139500	.186300
				12-23 MO.	.075500	.129750	.271800
				2-65+ YR.	.196000	.325250	.705600
D&-DODECALACTONE FEMA 2401D	16	SOFT CANDY(R)	9	0-5 MO.	.000834	.008337	.001786
				6-11 MO.	.009170	.028345	.019642
				12-23 MO.	.014589	.038766	.031248

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
D&-DODECALACTONE FEMA 2401D	16	SOFT CANDY(R)	9	2-65+ YR.	.024177	.073364	.051783
D&-DODECALACTONE FEMA 2401D	20	GELATIN PUD(R)	8	0-5 MO.	.005552	.007495	.013959
				6-11 MO.	.035534	.107712	.089338
				12-23 MO.	.038310	.093276	.096317
				2-65+ YR.	.056632	.145744	.142382
D&-DODECALACTONE FEMA 2401D	23	BEV TYPE I(R)	9	0-5 MO.	.004367	.006550	.010070
				6-11 MO.	.041301	.141369	.095249
				12-23 MO.	.098613	.295656	.227422
				2-65+ YR.	.189220	.505254	.436381
D&-DODECALACTONE FEMA 2401D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000081	**********
				12-23 MO.	**********	.000162	**********
				2-65+ YR.	.026336	.076497	.067241
D&-DODECALACTONE FEMA 2401D	99	ALL CATEGORIES	14	0-5 MO.	.033503	.065989	.087824
				6-11 MO.	.292762	.762537	.786937
				12-23 MO.	.538187	1.110613	1.431687
				2-65+ YR.	1.239844	2.334686	3.359589
2-DODECENAL FEMA 2402D	01	BAKED GOODS(R)	5	0-5 MO.	.010880	.014400	.024650
				6-11 MO.	.081280	.165760	.184150
				12-23 MO.	.174400	.287360	.395125
				2-65+ YR.	.439040	.652160	.994700
2-DODECENAL FEMA 2402D	07	FROZN DAIRY(R)	4	0-5 MO.	.003288	.013479	.005825
				6-11 MO.	.031231	.086790	.055338
				12-23 MO.	.047340	.111118	.083880
				2-65+ YR.	.084160	.202839	.149120
2-DODECENAL FEMA 2402D	16	SOFT CANDY(R)	4	0-5 MO.	.000525	.005250	.000950
				6-11 MO.	.005775	.017850	.010450
				12-23 MO.	.009188	.024413	.016625
				2-65+ YR.	.015225	.046200	.027550

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-DODECENAL FEMA 2402D	20	GELATIN PUD(R)	*	0-5 MO.	.004200	.005670	.008400
				6-11 MO.	.026880	.081480	.053760
				12-23 MO.	.028980	.070560	.057960
				2-65+ YR.	.042840	.110250	.085680
2-DODECENAL FEMA 2402D	23	BEV TYPE I(R)	5	0-5 MO.	.004344	.006516	.007860
				6-11 MO.	.041087	.140637	.074343
				12-23 MO.	.098102	.294125	.177505
				2-65+ YR.	.188240	.502637	.340600
2-DODECENAL FEMA 2402D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
2-DODECENAL FEMA 2402D	99	ALL CATEGORIES	5	0-5 MO.	.023237	.045315	.047685
				6-11 MO.	.186253	.492617	.378040
				12-23 MO.	.358010	.787775	.731095
				2-65+ YR.	.802005	1.608486	1.695150
ESTRAGOLE FEMA 2411D	01	BAKED GOODS(R)	8	0-5 MO.	1.234559	1.633975	1.403087
				6-11 MO.	9.222883	18.808672	10.481887
				12-23 MO.	19.789256	32.606867	22.490663
				2-65+ YR.	49.818094	74.000930	56.618698
ESTRAGOLE FEMA 2411D	04	FATS OILS(R)	*	0-5 MO.	.001500	.001500	.003000
				6-11 MO.	.008400	.022500	.016800
				12-23 MO.	.018900	.036000	.037800
				2-65+ YR.	.052500	.094800	.105000
ESTRAGOLE FEMA 2411D	07	FROZN DAIRY(R)	7	0-5 MO.	.105190	.431281	.120095
				6-11 MO.	.999310	2.777029	1.140904
				12-23 MO.	1.514743	3.555439	1.729370
				2-65+ YR.	2.692877	6.490254	3.074435
ESTRAGOLE FEMA 2411D	10	MEAT PRODS(R)	*	0-5 MO.	.004685	.012352	.011000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ESTRAGOLE FEMA 2411D	10	MEAT PRODS(R)	*	6-11 MO.	.088167	.237667	.207000
				12-23 MO.	.128630	.221056	.302000
				2-65+ YR.	.333926	.554130	.784000
ESTRAGOLE FEMA 2411D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000268	**********
				6-11 MO.	.002145	.005900	.004909
				12-23 MO.	.007509	.020382	.017182
				2-65+ YR.	.023600	.056855	.054000
ESTRAGOLE FEMA 2411D	16	SOFT CANDY(R)	9	0-5 MO.	.057504	.575040	.060023
				6-11 MO.	.632544	1.955137	.660249
				12-23 MO.	1.006321	2.673937	1.050395
				2-65+ YR.	1.667617	5.060355	1.740655
ESTRAGOLE FEMA 2411D	20	GELATIN PUD(R)	*	0-5 MO.	.295780	.399303	.331755
				6-11 MO.	1.892992	5.738132	2.123231
				12-23 MO.	2.040882	4.969104	2.289109
				2-65+ YR.	3.016956	7.764225	3.383900
ESTRAGOLE FEMA 2411D	23	BEV TYPE I(R)	8	0-5 MO.	.296980	.445471	.308992
				6-11 MO.	2.808940	9.614741	2.922550
				12-23 MO.	6.706808	20.108048	6.978071
				2-65+ YR.	12.869151	34.363108	13.389656
ESTRAGOLE FEMA 2411D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.003755	**********
				12-23 MO.	**********	.007511	**********
				2-65+ YR.	1.220527	3.545163	2.441055
ESTRAGOLE FEMA 2411D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000013	.000039	.000013
				12-23 MO.	.000039	.000117	.000039
				2-65+ YR.	.000078	.000221	.000078
ESTRAGOLE FEMA 2411D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.014880	.014880	.014880

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ESTRAGOLE							
FEMA 24110	31	CHEWING GUM(R)	*	12-23 MO.	.014880	.044640	.014880
				2-65+ YR.	.029760	.059520	.029760
ESTRAGOLE							
FEMA 24110	99	ALL CATEGORIES	19	0-5 MO.	1.996199	3.499190	2.237952
				6-11 MO.	15.670274	39.178653	17.572423
				12-23 MO.	31.227969	64.243121	34.909509
				2-65+ YR.	71.725086	131.989560	81.621237
P-ETHOXYBENZALDEHYDE							
FEMA 24130	01	BAKED GOODS(R)	*	0-5 MO.	.013600	.018000	.022950
				6-11 MO.	.101600	.207200	.171450
				12-23 MO.	.218000	.359200	.367875
				2-65+ YR.	.548800	.815200	.926100
P-ETHOXYBENZALDEHYDE							
FEMA 24130	07	FROZN DAIRY(R)	*	0-5 MO.	.002250	.009225	.003250
				6-11 MO.	.021375	.059400	.030875
				12-23 MO.	.032400	.076050	.046800
				2-65+ YR.	.057600	.138825	.083200
P-ETHOXYBENZALDEHYDE							
FEMA 24130	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
P-ETHOXYBENZALDEHYDE							
FEMA 24130	16	SOFT CANDY(R)	*	0-5 MO.	.000550	.005500	.000800
				6-11 MO.	.006050	.018700	.008800
				12-23 MO.	.009625	.025575	.014000
				2-65+ YR.	.015950	.048400	.023200
P-ETHOXYBENZALDEHYDE							
FEMA 24130	20	GELATIN PUD(R)	*	0-5 MO.	.005800	.007830	.007100
				6-11 MO.	.037120	.112520	.045440
				12-23 MO.	.040020	.097440	.048990
				2-65+ YR.	.059160	.152250	.072420
P-ETHOXYBENZALDEHYDE							
FEMA 24130	23	BEV TYPE I(R)	*	0-5 MO.	.002850	.004275	.003900
				6-11 MO.	.026956	.092269	.036888
				12-23 MO.	.064363	.192969	.088075

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PA-ETHOXYBENZALDEHYDE							
FEMA 2413D	23	BEV TYPE I(R)	*	2-65+ YR.	.123500	.329769	.169000
PA-ETHOXYBENZALDEHYDE							
FEMA 2413D	99	ALL CATEGORIES	*	0-5 MO.	.027250	.050630	.042400
				6-11 MO.	.234501	.601689	.376253
				12-23 MO.	.424808	.855034	.686540
				2-65+ YR.	.961810	1.744644	1.587520
ETHYL ACETOACETATE							
FEMA 2415D	01	BAKED GOODS(R)	13	0-5 MO.	.247434	.327486	.430688
				6-11 MO.	1.848477	3.769730	3.217492
				12-23 MO.	3.966221	6.535168	6.903674
				2-65+ YR.	9.984689	14.831484	17.379525
ETHYL ACETOACETATE							
FEMA 2415D	07	FROZN DAIRY(R)	12	0-5 MO.	.016507	.067679	.054373
				6-11 MO.	.156817	.435786	.516541
				12-23 MO.	.237701	.557938	.782967
				2-65+ YR.	.422580	1.018484	1.391942
ETHYL ACETOACETATE							
FEMA 2415D	10	MEAT PRODS(R)	*	0-5 MO.	.046860	.123540	.077550
				6-11 MO.	.881820	2.377080	1.459350
				12-23 MO.	1.286520	2.210940	2.129100
				2-65+ YR.	3.339840	5.542260	5.527200
ETHYL ACETOACETATE							
FEMA 2415D	16	SOFT CANDY(R)	14	0-5 MO.	.010688	.106877	.026585
				6-11 MO.	.117565	.363382	.292430
				12-23 MO.	.187035	.496978	.465229
				2-65+ YR.	.309943	.940518	.770951
ETHYL ACETOACETATE							
FEMA 2415D	20	GELATIN PUD(R)	13	0-5 MO.	.118166	.159524	.245479
				6-11 MO.	.756261	2.292417	1.571063
				12-23 MO.	.815344	1.985186	1.693802
				2-65+ YR.	1.205291	3.101853	2.503881
ETHYL ACETOACETATE							
FEMA 2415D	23	BEV TYPE I(R)	18	0-5 MO.	.027891	.041837	.098179
				6-11 MO.	.263806	.902983	.928614
				12-23 MO.	.629880	1.888478	2.217219
				2-65+ YR.	1.208626	3.227263	4.254442

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL ACETOACETATE FEMA 2415D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000389	**********
				12-23 MO.	**********	.000778	**********
				2-65+ YR.	.126389	.367111	.577778
ETHYL ACETOACETATE FEMA 2415D	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002579	.007737	.005322
				12-23 MO.	.007737	.023211	.015966
				2-65+ YR.	.015474	.043843	.031932
ETHYL ACETOACETATE FEMA 2415D	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.004814	.004814	.032347
				12-23 MO.	.004814	.014442	.032347
				2-65+ YR.	.009628	.019256	.064694
ETHYL ACETOACETATE FEMA 2415D	99	ALL CATEGORIES	36	0-5 MO.	.467546	.826943	.932853
				6-11 MO.	4.032139	10.154317	8.023158
				12-23 MO.	7.135252	13.713118	14.240305
				2-65+ YR.	16.622460	29.092072	32.502345
ETHYL 2-ACETYL-3-PHENYLPR FEMA 2416D	01	BAKED GOODS(R)	*	0-5 MO.	.076500	.101250	.090100
				6-11 MO.	.571500	1.165500	.673100
				12-23 MO.	1.226250	2.020500	1.444250
				2-65+ YR.	3.087000	4.585500	3.635800
ETHYL 2-ACETYL-3-PHENYLPR FEMA 2416D	07	FROZN DAIRY(R)	*	0-5 MO.	.023000	.094300	.025000
				6-11 MO.	.218500	.607200	.237500
				12-23 MO.	.331200	.777400	.360000
				2-65+ YR.	.588800	1.419100	.640000
ETHYL 2-ACETYL-3-PHENYLPR FEMA 2416D	16	SOFT CANDY(R)	*	0-5 MO.	.003700	.037000	.004300
				6-11 MO.	.040700	.125800	.047300
				12-23 MO.	.064750	.172050	.075250
				2-65+ YR.	.107300	.325600	.124700
ETHYL 2-ACETYL-3-PHENYLPR FEMA 2416D	20	GELATIN PUD(R)	*	0-5 MO.	.034000	.045900	.040000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL 2-ACETYL-3-PHENYLPR FEMA 2416D	20	GELATIN PUD(R)	*	6-11 MO.	.217600	.659600	.256000
				12-23 MO.	.234600	.571200	.276000
				2-65+ YR.	.346800	.892500	.408000
ETHYL 2-ACETYL-3-PHENYLPR FEMA 2416D	23	BEV TYPE I(R)	*	0-5 MO.	.043200	.064800	.048000
				6-11 MO.	.408600	1.398600	.454000
				12-23 MO.	.975600	2.925000	1.084000
				2-65+ YR.	1.872000	4.998600	2.080000
ETHYL 2-ACETYL-3-PHENYLPR FEMA 2416D	99	ALL CATEGORIES	*	0-5 MO.	.180400	.343250	.207400
				6-11 MO.	1.456900	3.956700	1.667900
				12-23 MO.	2.832400	6.466150	3.239500
				2-65+ YR.	6.001900	12.221300	6.888500
ETHYL ACONITATE FEMA 2417D	01	BAKED GOODS(R)	*	0-5 MO.	.052020	.068850	.072760
				6-11 MO.	.388620	.792540	.543560
				12-23 MO.	.833850	1.373940	1.166300
				2-65+ YR.	2.099160	3.118140	2.936080
ETHYL ACONITATE FEMA 2417D	07	FROZN DAIRY(R)	*	0-5 MO.	.003700	.015170	.007400
				6-11 MO.	.035150	.097680	.070300
				12-23 MO.	.053280	.125060	.106560
				2-65+ YR.	.094720	.228290	.189440
ETHYL ACONITATE FEMA 2417D	16	SOFT CANDY(R)	*	0-5 MO.	.002460	.024600	.003480
				6-11 MO.	.027060	.083640	.038280
				12-23 MO.	.043050	.114390	.060900
				2-65+ YR.	.071340	.216480	.100920
ETHYL ACONITATE FEMA 2417D	20	GELATIN PUD(R)	*	0-5 MO.	.003000	.004050	.010000
				6-11 MO.	.019200	.058200	.064000
				12-23 MO.	.020700	.050400	.069000
				2-65+ YR.	.030600	.078750	.102000
ETHYL ACONITATE FEMA 2417D	23	BEV TYPE I(R)	*	0-5 MO.	.005400	.008100	.015600
				6-11 MO.	.051075	.174825	.147550

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL ACONITATE FEMA 2417D	23	BEV TYPE I(R)	*	12-23 MO.	.121950	.365625	.352300
				2-65+ YR.	.234000	.624825	.676000
ETHYL ACONITATE FEMA 2417D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000575	**********
				12-23 MO.	**********	.001150	**********
				2-65+ YR.	.186875	.542800	.186875
ETHYL ACONITATE FEMA 2417D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000779	.002337	.000938
				12-23 MO.	.002337	.007011	.002814
				2-65+ YR.	.004674	.013243	.005628
ETHYL ACONITATE FEMA 2417D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002379	.002379	.002730
				12-23 MO.	.002379	.007137	.002730
				2-65+ YR.	.004758	.009516	.005460
ETHYL ACONITATE FEMA 2417D	99	ALL CATEGORIES	6	0-5 MO.	.066580	.120770	.109240
				6-11 MO.	.524263	1.212176	.867358
				12-23 MO.	1.077546	2.044713	1.760604
				2-65+ YR.	2.726127	4.832044	4.202403
ETHYL ACRYLATE FEMA 2418D	01	BAKED GOODS(R)	10	0-5 MO.	.039941	.052863	.046779
				6-11 MO.	.298383	.608513	.349466
				12-23 MO.	.640231	1.054913	.749838
				2-65+ YR.	1.611738	2.394112	1.887666
ETHYL ACRYLATE FEMA 2418D	07	FROZN DAIRY(R)	6	0-5 MO.	.010596	.043442	.015203
				6-11 MO.	.100659	.279727	.144431
				12-23 MO.	.152578	.358136	.218927
				2-65+ YR.	.271251	.653756	.389203
ETHYL ACRYLATE FEMA 2418D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL ACRYLATE FEMA 2418D	10	MEAT PRODS(R)	*	2-65+ YR.	.007840	.013010	.007840
ETHYL ACRYLATE FEMA 2418D	16	SOFT CANDY(R)	8	0-5 MO.	.002028	.020277	.002660
				6-11 MO.	.022304	.068941	.029262
				12-23 MO.	.035484	.094286	.046554
				2-65+ YR.	.058802	.178434	.077148
ETHYL ACRYLATE FEMA 2418D	20	GELATIN PUD(R)	7	0-5 MO.	.013530	.018266	.021689
				6-11 MO.	.086594	.262487	.138807
				12-23 MO.	.093359	.227309	.149651
				2-65+ YR.	.138009	.355170	.221223
ETHYL ACRYLATE FEMA 2418D	23	BEV TYPE I(R)	10	0-5 MO.	.011388	.017082	.020994
				6-11 MO.	.107714	.368694	.198566
				12-23 MO.	.257184	.771078	.474110
				2-65+ YR.	.493490	1.317713	.909731
ETHYL ACRYLATE FEMA 2418D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000038	**********
				12-23 MO.	**********	.000075	**********
				2-65+ YR.	.012188	.035400	.032500
ETHYL ACRYLATE FEMA 2418D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000007	.000007	.000011
				12-23 MO.	.000007	.000021	.000011
				2-65+ YR.	.000014	.000028	.000022
ETHYL ACRYLATE FEMA 2418D	99	ALL CATEGORIES	15	0-5 MO.	.077593	.152220	.107435
				6-11 MO.	.617731	1.593987	.862613
				12-23 MO.	1.181864	2.511008	1.642110
				2-65+ YR.	2.593331	4.947624	3.525332
ETHYL P-ANISATE FEMA 2420D	01	BAKED GOODS(R)	5	0-5 MO.	.042959	.056858	.062560
				6-11 MO.	.320929	.654493	.467360
				12-23 MO.	.688608	1.134623	1.002800
				2-65+ YR.	1.733522	2.575013	2.524480

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL Pa-ANISATE FEMA 2420D	07	FROZN DAIRY(R)	5	0-5 MO.	.004352	.017843	.006427
				6-11 MO.	.041343	.114891	.061056
				12-23 MO.	.062668	.147095	.092548
				2-65+ YR.	.111409	.268514	.164529
ETHYL Pa-ANISATE FEMA 2420D	16	SOFT CANDY(R)	6	0-5 MO.	.002128	.021282	.002850
				6-11 MO.	.023410	.072360	.031354
				12-23 MO.	.037244	.098962	.049881
				2-65+ YR.	.061718	.187284	.082661
ETHYL Pa-ANISATE FEMA 2420D	20	GELATIN PUD(R)	*	0-5 MO.	.008396	.011335	.014895
				6-11 MO.	.053735	.162883	.095326
				12-23 MO.	.057933	.141054	.102774
				2-65+ YR.	.085640	.220396	.151926
ETHYL Pa-ANISATE FEMA 2420D	23	BEV TYPE I(R)	6	0-5 MO.	.006047	.009071	.009942
				6-11 MO.	.057196	.195776	.094030
				12-23 MO.	.136565	.409442	.224513
				2-65+ YR.	.262043	.699705	.430800
ETHYL Pa-ANISATE FEMA 2420D	99	ALL CATEGORIES	7	0-5 MO.	.063882	.116388	.096674
				6-11 MO.	.496613	1.200403	.749127
				12-23 MO.	.983016	1.931176	1.472516
				2-65+ YR.	2.254332	3.950911	3.354396
ETHYL ANTHRANILATE FEMA 2421D	01	BAKED GOODS(R)	14	0-5 MO.	.107411	.142162	.157856
				6-11 MO.	.802424	1.636440	1.179278
				12-23 MO.	1.721737	2.836917	2.530340
				2-65+ YR.	4.334355	6.438349	6.369957
ETHYL ANTHRANILATE FEMA 2421D	07	FROZN DAIRY(R)	16	0-5 MO.	.028954	.118713	.038977
				6-11 MO.	.275068	.764398	.370278
				12-23 MO.	.416945	.978662	.561264
				2-65+ YR.	.741235	1.786492	.997802
ETHYL ANTHRANILATE FEMA 2421D	16	SOFT CANDY(R)	16	0-5 MO.	.006919	.069192	.009138

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL ANTHRANILATE FEMA 2421D	16	SOFT CANDY(R)	16	6-11 MO.	.076112	.235254	.100517
				12-23 MO.	.121086	.321744	.159913
				2-65+ YR.	.200658	.608892	.264999
ETHYL ANTHRANILATE FEMA 2421D	20	GELATIN PUD(R)	14	0-5 MO.	.045907	.061975	.065408
				6-11 MO.	.293807	.890603	.418614
				12-23 MO.	.316761	.771244	.451318
				2-65+ YR.	.468255	1.205068	.667166
ETHYL ANTHRANILATE FEMA 2421D	23	BEV TYPE I(R)	23	0-5 MO.	.041150	.061726	.053398
				6-11 MO.	.389214	1.332244	.505058
				12-23 MO.	.929313	2.786224	1.205910
				2-65+ YR.	1.783184	4.761443	2.313923
ETHYL ANTHRANILATE FEMA 2421D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000059	**********
				12-23 MO.	**********	.000118	**********
				2-65+ YR.	.019205	.055782	.082305
ETHYL ANTHRANILATE FEMA 2421D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.003550	.010650	.003550
				12-23 MO.	.010650	.031950	.010650
				2-65+ YR.	.021300	.060350	.021300
ETHYL ANTHRANILATE FEMA 2421D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.012642	.012642	.012642
				12-23 MO.	.012642	.037926	.012642
				2-65+ YR.	.025284	.050568	.025284
ETHYL ANTHRANILATE FEMA 2421D	99	ALL CATEGORIES	32	0-5 MO.	.230343	.453768	.324777
				6-11 MO.	1.852817	4.882290	2.589937
				12-23 MO.	3.529134	7.764785	4.932037
				2-65+ YR.	7.593475	14.966944	10.742736
ETHYL BENZOATE FEMA 2422D	01	BAKED GOODS(R)	18	0-5 MO.	.050795	.067229	.062583
				6-11 MO.	.379468	.773876	.467529

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL BENZOATE FEMA 2422D	01	BAKED GOODS(R)	18	12-23 MO.	.814213	1.341585	1.003162
				2-65+ YR.	2.049726	3.044710	2.525393
ETHYL BENZOATE FEMA 2422D	04	FATS OILS(R)	*	0-5 MO.	.000533	.000533	.000733
				6-11 MO.	.002987	.008000	.004107
				12-23 MO.	.006720	.012800	.009240
				2-65+ YR.	.018667	.033707	.025667
ETHYL BENZOATE FEMA 2422D	07	FROZN DAIRY(R)	16	0-5 MO.	.010352	.042443	.014117
				6-11 MO.	.098344	.273293	.134115
				12-23 MO.	.149069	.349898	.203290
				2-65+ YR.	.265012	.638719	.361405
ETHYL BENZOATE FEMA 2422D	16	SOFT CANDY(R)	17	0-5 MO.	.003075	.030755	.004020
				6-11 MO.	.033830	.104566	.044215
				12-23 MO.	.053821	.143009	.070342
				2-65+ YR.	.089188	.270640	.116567
ETHYL BENZOATE FEMA 2422D	20	GELATIN PUD(R)	14	0-5 MO.	.023121	.031214	.028474
				6-11 MO.	.147976	.448552	.182236
				12-23 MO.	.159537	.388437	.196473
				2-65+ YR.	.235837	.606932	.290438
ETHYL BENZOATE FEMA 2422D	23	BEV TYPE I(R)	19	0-5 MO.	.023480	.035220	.035331
				6-11 MO.	.222084	.760172	.334169
				12-23 MO.	.530261	1.589806	.797884
				2-65+ YR.	1.017476	2.716856	1.530995
ETHYL BENZOATE FEMA 2422D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000093	**********
				12-23 MO.	**********	.000186	**********
				2-65+ YR.	.030273	.087932	.106407
ETHYL BENZOATE FEMA 2422D	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000083	.000249	.001001
				12-23 MO.	.000249	.000747	.003003

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL BENZOATE FEMA 2422D	30	HARD CANDY(R)	8	2-65+ YR.	.000498	.001411	.006006
ETHYL BENZOATE FEMA 2422D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000209	.000209	.000682
				12-23 MO.	.000209	.000627	.000682
				2-65+ YR.	.000418	.000836	.001364
ETHYL BENZOATE FEMA 2422D	99	ALL CATEGORIES	37	0-5 MO.	.111357	.207394	.145258
				6-11 MO.	.884981	2.369010	1.168054
				12-23 MO.	1.714079	3.827094	2.284077
				2-65+ YR.	3.707094	7.401743	4.964243
ETHYL BENZOYLACETATE FEMA 2423D	01	BAKED GOODS(R)	*	0-5 MO.	.061200	.081000	.074800
				6-11 MO.	.457200	.932400	.558800
				12-23 MO.	.981000	1.616400	1.199000
				2-65+ YR.	2.469600	3.668400	3.018400
ETHYL BENZOYLACETATE FEMA 2423D	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.010000
				6-11 MO.	.076000	.211200	.095000
				12-23 MO.	.115200	.270400	.144000
				2-65+ YR.	.204800	.493600	.256000
ETHYL BENZOYLACETATE FEMA 2423D	16	SOFT CANDY(R)	*	0-5 MO.	.002200	.022000	.003400
				6-11 MO.	.024200	.074800	.037400
				12-23 MO.	.038500	.102300	.059500
				2-65+ YR.	.063800	.193600	.098600
ETHYL BENZOYLACETATE FEMA 2423D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.014000
				6-11 MO.	.076800	.232800	.089600
				12-23 MO.	.082800	.201600	.096600
				2-65+ YR.	.122400	.315000	.142800
ETHYL BENZOYLACETATE FEMA 2423D	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.009600
				6-11 MO.	.068100	.233100	.090800
				12-23 MO.	.162600	.487500	.216800
				2-65+ YR.	.312000	.833100	.416000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL BENZOYLACETATE							
FEMA 24230	99	ALL CATEGORIES	*	0-5 MO.	.090600	.162800	.111800
				6-11 MO.	.702300	1.684300	.871600
				12-23 MO.	1.360100	2.678200	1.715900
				2-65+ YR.	3.172600	5.503700	3.931800
A&-ETHYLBENZYL BUTYRATE							
FEMA 24240	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.061200
				6-11 MO.	.381000	.777000	.457200
				12-23 MO.	.817500	1.347000	.981000
				2-65+ YR.	2.058000	3.057000	2.469600
A&-ETHYLBENZYL BUTYRATE							
FEMA 24240	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.008000
				6-11 MO.	.066500	.184800	.076000
				12-23 MO.	.100800	.236600	.115200
				2-65+ YR.	.179200	.431900	.204800
A&-ETHYLBENZYL BUTYRATE							
FEMA 24240	16	SOFT CANDY(R)	*	0-5 MO.	.002200	.022000	.002600
				6-11 MO.	.024200	.074800	.028600
				12-23 MO.	.038500	.102300	.045500
				2-65+ YR.	.063800	.193600	.075400
A&-ETHYLBENZYL BUTYRATE							
FEMA 24240	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.014000
				6-11 MO.	.076800	.232800	.089600
				12-23 MO.	.082800	.201600	.096600
				2-65+ YR.	.122400	.315000	.142800
A&-ETHYLBENZYL BUTYRATE							
FEMA 24240	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.012000
				6-11 MO.	.090800	.310800	.113500
				12-23 MO.	.216800	.650000	.271000
				2-65+ YR.	.416000	1.110800	.520000
A&-ETHYLBENZYL BUTYRATE							
FEMA 24240	99	ALL CATEGORIES	*	0-5 MO.	.081800	.148800	.097800
				6-11 MO.	.639300	1.580200	.764900
				12-23 MO.	1.256400	2.537500	1.509300
				2-65+ YR.	2.839400	5.108300	3.412600
2-ETHYLBUTYL ACETATE							
FEMA 24250	01	BAKED GOODS(R)	*	0-5 MO.	.070550	.093375	.077350

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-ETHYLBUTYL ACETATE FEMA 2425D	01	BAKED GOODS(R)	*	6-11 MO.	.527050	1.074850	.577850
				12-23 MO.	1.130875	1.863350	1.239875
				2-65+ YR.	2.846900	4.228850	3.121300
2-ETHYLBUTYL ACETATE FEMA 2425D	07	FROZN DAIRY(R)	*	0-5 MO.	.009500	.038950	.021000
				6-11 MO.	.090250	.250800	.199500
				12-23 MO.	.136800	.321100	.302400
				2-65+ YR.	.243200	.586150	.537600
2-ETHYLBUTYL ACETATE FEMA 2425D	16	SOFT CANDY(R)	*	0-5 MO.	.003600	.036000	.004100
				6-11 MO.	.039600	.122400	.045100
				12-23 MO.	.063000	.167400	.071750
				2-65+ YR.	.104400	.316800	.118900
2-ETHYLBUTYL ACETATE FEMA 2425D	20	GELATIN PUD(R)	*	0-5 MO.	.009000	.012150	.012500
				6-11 MO.	.057600	.174600	.080000
				12-23 MO.	.062100	.151200	.086250
				2-65+ YR.	.091800	.236250	.127500
2-ETHYLBUTYL ACETATE FEMA 2425D	23	BEV TYPE II(R)	*	0-5 MO.	.013200	.019800	.017400
				6-11 MO.	.124850	.427350	.164575
				12-23 MO.	.298100	.893750	.392950
				2-65+ YR.	.572000	1.527350	.754000
2-ETHYLBUTYL ACETATE FEMA 2425D	99	ALL CATEGORIES	*	0-5 MO.	.105850	.200275	.132350
				6-11 MO.	.839350	2.050000	1.067025
				12-23 MO.	1.690875	3.396800	2.093225
				2-65+ YR.	3.858300	6.895400	4.659300
2-ETHYLBUTYRALDEHYDE FEMA 2426D	01	BAKED GOODS(R)	*	0-5 MO.	.125800	.166500	.153971
				6-11 MO.	.939800	1.916600	1.150257
				12-23 MO.	2.016500	3.322600	2.468071
				2-65+ YR.	5.076400	7.540600	6.213200
2-ETHYLBUTYRALDEHYDE FEMA 2426D	07	FROZN DAIRY(R)	*	0-5 MO.	.023714	.097229	.031143
				6-11 MO.	.225286	.626057	.295857

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-ETHYLBUTYRALDEHYDE FEMA 2426D	07	FROZN DAIRY(R)	*	12-23 MO.	.341486	.801543	.448457
				2-65+ YR.	.607086	1.463171	.797257
2-ETHYLBUTYRALDEHYDE FEMA 2426D	16	SOFT CANDY(R)	4	0-5 MO.	.002625	.026250	.004100
				6-11 MO.	.028875	.089250	.045100
				12-23 MO.	.045938	.122063	.071750
				2-65+ YR.	.076125	.231000	.118900
2-ETHYLBUTYRALDEHYDE FEMA 2426D	20	GELATIN PUD(R)	*	0-5 MO.	.024714	.033364	.030571
				6-11 MO.	.158171	.479457	.195657
				12-23 MO.	.170529	.415200	.210943
				2-65+ YR.	.252086	.648750	.311829
2-ETHYLBUTYRALDEHYDE FEMA 2426D	23	BEV TYPE I(R)	*	0-5 MO.	.026914	.040371	.034286
				6-11 MO.	.254564	.871350	.324286
				12-23 MO.	.607814	1.822321	.774286
				2-65+ YR.	1.166286	3.114207	1.485714
2-ETHYLBUTYRALDEHYDE FEMA 2426D	99	ALL CATEGORIES	4	0-5 MO.	.203768	.363714	.254071
				6-11 MO.	1.606696	3.982714	2.011157
				12-23 MO.	3.182266	6.483727	3.973507
				2-65+ YR.	7.177982	12.997729	8.926900
ETHYL ISOBUTYRATE FEMA 2428D	01	BAKED GOODS(R)	8	0-5 MO.	.119315	.157917	.232801
				6-11 MO.	.891355	1.817803	1.739161
				12-23 MO.	1.912554	3.151327	3.731665
				2-65+ YR.	4.814722	7.151898	9.394210
ETHYL ISOBUTYRATE FEMA 2428D	07	FROZN DAIRY(R)	9	0-5 MO.	.005637	.023113	.021802
				6-11 MO.	.053554	.148823	.207123
				12-23 MO.	.081176	.190538	.313955
				2-65+ YR.	.144313	.347817	.558142
ETHYL ISOBUTYRATE FEMA 2428D	10	MEAT PRODS(R)	*	0-5 MO.	.005720	.015080	**********
				6-11 MO.	.107640	.290160	**********
				12-23 MO.	.157040	.269880	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL ISOBUTYRATE FEMA 2428D	10	MEAT PRODS(R)	*	2-65+ YR.	.407680	.676520	**********
ETHYL ISOBUTYRATE FEMA 2428D	16	SOFT CANDY(R)	9	0-5 MO.	.001194	.011935	.003742
				6-11 MO.	.013129	.040579	.041164
				12-23 MO.	.020886	.055498	.065489
				2-65+ YR.	.034612	.105029	.108524
ETHYL ISOBUTYRATE FEMA 2428D	20	GELATIN PUD(R)	8	0-5 MO.	.010467	.014130	.044943
				6-11 MO.	.066987	.203055	.287633
				12-23 MO.	.072221	.175842	.310105
				2-65+ YR.	.106761	.274752	.458416
ETHYL ISOBUTYRATE FEMA 2428D	23	BEV TYPE I(R)	10	0-5 MO.	.007892	.011839	.021194
				6-11 MO.	.074649	.255516	.200456
				12-23 MO.	.178237	.534381	.478622
				2-65+ YR.	.342004	.913216	.918390
ETHYL ISOBUTYRATE FEMA 2428D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001500	**********
				12-23 MO.	**********	.003000	**********
				2-65+ YR.	.487500	1.416000	.812500
ETHYL ISOBUTYRATE FEMA 2428D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000096	.000288	.000096
				12-23 MO.	.000288	.000864	.000288
				2-65+ YR.	.000576	.001632	.000576
ETHYL ISOBUTYRATE FEMA 2428D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.012804	.012804	.015722
				12-23 MO.	.012804	.038412	.015722
				2-65+ YR.	.025608	.051216	.031444
ETHYL ISOBUTYRATE FEMA 2428D	99	ALL CATEGORIES	14	0-5 MO.	.150225	.234014	.324482
				6-11 MO.	1.220214	2.770528	2.491356
				12-23 MO.	2.435205	4.419741	4.915846
				2-65+ YR.	6.363775	10.938079	12.282202

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-ETHYLBUTYRIC ACID FEMA 2429D	01	BAKED GOODS(R)	5	0-5 MO.	.007309	.009673	.068712
				6-11 MO.	.054600	.111350	.513322
				12-23 MO.	.117154	.193035	1.101419
				2-65+ YR.	.294927	.438091	2.772745
2-ETHYLBUTYRIC ACID FEMA 2429D	04	FATS OILS(R)	*	0-5 MO.	.000500	.000500	.001000
				6-11 MO.	.002800	.007500	.005600
				12-23 MO.	.006300	.012000	.012600
				2-65+ YR.	.017500	.031600	.035000
2-ETHYLBUTYRIC ACID FEMA 2429D	07	FROZN DAIRY(R)	5	0-5 MO.	.002090	.008571	.020229
				6-11 MO.	.019859	.055186	.192175
				12-23 MO.	.030102	.070655	.291297
				2-65+ YR.	.053514	.128977	.517861
2-ETHYLBUTYRIC ACID FEMA 2429D	16	SOFT CANDY(R)	5	0-5 MO.	.000482	.004816	.002506
				6-11 MO.	.005297	.016373	.027565
				12-23 MO.	.008427	.022393	.043853
				2-65+ YR.	.013965	.042378	.072671
2-ETHYLBUTYRIC ACID FEMA 2429D	20	GELATIN PUD(R)	5	0-5 MO.	.002710	.003659	.038441
				6-11 MO.	.017345	.052577	.246025
				12-23 MO.	.018700	.045530	.265245
				2-65+ YR.	.027643	.071141	.392102
2-ETHYLBUTYRIC ACID FEMA 2429D	23	BEV TYPE I(R)	4	0-5 MO.	.002495	.003743	.013336
				6-11 MO.	.023603	.080789	.126136
				12-23 MO.	.056355	.168961	.301171
				2-65+ YR.	.108135	.288742	.577893
2-ETHYLBUTYRIC ACID FEMA 2429D	99	ALL CATEGORIES	7	0-5 MO.	.015586	.030961	.144225
				6-11 MO.	.123504	.323776	1.110822
				12-23 MO.	.237038	.512575	2.015584
				2-65+ YR.	.515685	1.000929	4.368271
ETHYL CIANAMATE FEMA 2430D	01	BAKED GOODS(R)	13	0-5 MO.	.145381	.192416	.184832

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL CINNAMATE FEMA 2430D	01	BAKED GOODS(R)	13	6-11 MO.	1.086080	2.214920	1.380806
				12-23 MO.	2.330369	3.839764	2.962754
				2-65+ YR.	5.866544	8.714298	7.458529
ETHYL CINNAMATE FEMA 2430D	07	FROZN DAIRY(R)	12	0-5 MO.	.034707	.142297	.041256
				6-11 MO.	.329713	.916254	.391933
				12-23 MO.	.499775	1.173083	.594088
				2-65+ YR.	.888489	2.141397	1.056156
ETHYL CINNAMATE FEMA 2430D	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.022000
				6-11 MO.	.207000	.558000	.414000
				12-23 MO.	.302000	.519000	.604000
				2-65+ YR.	.784000	1.301000	1.568000
ETHYL CINNAMATE FEMA 2430D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.016000
				12-23 MO.	.028000	.076000	.056000
				2-65+ YR.	.068000	.212000	.176000
ETHYL CINNAMATE FEMA 2430D	16	SOFT CANDY(R)	14	0-5 MO.	.006973	.069728	.009591
				6-11 MO.	.076701	.237077	.105496
				12-23 MO.	.122025	.324237	.167835
				2-65+ YR.	.202213	.613611	.278126
ETHYL CINNAMATE FEMA 2430D	20	GELATIN PUD(R)	12	0-5 MO.	.029221	.039448	.039454
				6-11 MO.	.187014	.566886	.252506
				12-23 MO.	.201625	.490912	.272233
				2-65+ YR.	.298054	.767050	.402431
ETHYL CINNAMATE FEMA 2430D	23	BEV TYPE I(R)	18	0-5 MO.	.037884	.056826	.050123
				6-11 MO.	.358317	1.226486	.474078
				12-23 MO.	.855541	2.565045	1.131941
				2-65+ YR.	1.641629	4.383465	2.171989
ETHYL CINNAMATE FEMA 2430D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001598	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL CINNAMATE FEMA 2430D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.003197	**********
				2-65+ YR.	.519476	1.508877	1.027419
ETHYL CINNAMATE FEMA 2430D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000465	.000465	.000982
				12-23 MO.	.000465	.001395	.000982
				2-65+ YR.	.000930	.001860	.001964
ETHYL CINNAMATE FEMA 2430D	99	ALL CATEGORIES	24	0-5 MO.	.265165	.530715	.347256
				6-11 MO.	2.253290	5.743687	3.035801
				12-23 MO.	4.339800	8.992633	5.789831
				2-65+ YR.	10.289334	19.643558	14.140614
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	01	BAKED GOODS(R)	4	0-5 MO.	.056990	.075429	.078524
				6-11 MO.	.425752	.868267	.586619
				12-23 MO.	.913524	1.505219	1.258690
				2-65+ YR.	2.299733	3.416076	3.168667
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	07	FROZN DAIRY(R)	4	0-5 MO.	.010857	.044514	.015762
				6-11 MO.	.103143	.286629	.149738
				12-23 MO.	.156343	.366971	.226971
				2-65+ YR.	.277943	.669886	.403505
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	16	SOFT CANDY(R)	*	0-5 MO.	.002330	.023295	.003523
				6-11 MO.	.025625	.079205	.038750
				12-23 MO.	.040767	.108324	.061648
				2-65+ YR.	.067557	.205000	.102159
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	20	GELATIN PUD(R)	*	0-5 MO.	.015977	.021569	.021250
				6-11 MO.	.102255	.309959	.136000
				12-23 MO.	.110243	.268418	.146625
				2-65+ YR.	.162968	.419403	.216750
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	23	BEV TYPE III(R)	4	0-5 MO.	.016137	.024206	.026400
				6-11 MO.	.152630	.522440	.249700
				12-23 MO.	.364431	1.092619	.596200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	23	BEV TYPE I(R)	4	2-65+ YR.	.699276	1.867202	1.144000
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000580	**********
				12-23 MO.	**********	.001159	**********
				2-65+ YR.	.188343	.547065	.325000
ETHYL CYCLOHEXANEPROPIONA FEMA 2431D	99	ALL CATEGORIES	4	0-5 MO.	.102292	.189013	.145458
				6-11 MO.	.809405	2.067078	1.160807
				12-23 MO.	1.585307	3.342711	2.290135
				2-65+ YR.	3.695821	7.124632	5.360081
ETHYL DECANOATE FEMA 2432D	01	BAKED GOODS(R)	10	0-5 MO.	.034500	.045662	.069824
				6-11 MO.	.257737	.525621	.521625
				12-23 MO.	.553018	.911212	1.119235
				2-65+ YR.	1.392185	2.067984	2.817598
ETHYL DECANOATE FEMA 2432D	07	FROZN DAIRY(R)	9	0-5 MO.	.011017	.045171	.023392
				6-11 MO.	.104664	.290857	.222221
				12-23 MO.	.158649	.372384	.336840
				2-65+ YR.	.282043	.679767	.598827
ETHYL DECANOATE FEMA 2432D	16	SOFT CANDY(R)	12	0-5 MO.	.001901	.019007	.003738
				6-11 MO.	.020907	.064623	.041116
				12-23 MO.	.033262	.088381	.065412
				2-65+ YR.	.055119	.167259	.108398
ETHYL DECANOATE FEMA 2432D	20	GELATIN PUD(R)	11	0-5 MO.	.016096	.021730	.030350
				6-11 MO.	.103017	.312271	.194241
				12-23 MO.	.111065	.270420	.209416
				2-65+ YR.	.164184	.422531	.309571
ETHYL DECANOATE FEMA 2432D	23	BEV TYPE I(R)	12	0-5 MO.	.005304	.007956	.010981
				6-11 MO.	.050164	.171708	.103859
				12-23 MO.	.119776	.359106	.247979
				2-65+ YR.	.229828	.613684	.475828

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL DECANOATE							
FEMA 2432D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000880	**********
				12-23 MO.	**********	.001760	**********
				2-65+ YR.	.285963	.830612	.356314
ETHYL DECANOATE							
FEMA 2432D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000002	.000006	.000009
				12-23 MO.	.000006	.000018	.000027
				2-65+ YR.	.000012	.000034	.000054
ETHYL DECANOATE							
FEMA 2432D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000091	.000091	.000350
				12-23 MO.	.000091	.000273	.000350
				2-65+ YR.	.000182	.000364	.000700
ETHYL DECANOATE							
FEMA 2432D	99	ALL CATEGORIES	18	0-5 MO.	.068818	.139525	.138284
				6-11 MO.	.536583	1.366056	1.083421
				12-23 MO.	.975867	2.003554	1.979260
				2-65+ YR.	2.409515	4.782235	4.667289
ETHYL 2-FURANPROPIONATE							
FEMA 2435D	01	BAKED GOODS(R)	*	0-5 MO.	.014484	.019170	.031688
				6-11 MO.	.108204	.220668	.236728
				12-23 MO.	.232170	.382548	.507940
				2-65+ YR.	.584472	.868188	1.278704
ETHYL 2-FURANPROPIONATE							
FEMA 2435D	07	FROZN DAIRY(R)	4	0-5 MO.	.003700	.015170	.009000
				6-11 MO.	.035150	.097680	.085500
				12-23 MO.	.053280	.125060	.129600
				2-65+ YR.	.094720	.228290	.230400
ETHYL 2-FURANPROPIONATE							
FEMA 2435D	16	SOFT CANDY(R)	4	0-5 MO.	.000750	.007500	.001640
				6-11 MO.	.008250	.025500	.018040
				12-23 MO.	.013125	.034875	.028700
				2-65+ YR.	.021750	.066000	.047560
ETHYL 2-FURANPROPIONATE							
FEMA 2435D	20	GELATIN PUD(R)	4	0-5 MO.	.002800	.003780	.010800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL 2-FURANPROPIONATE FEMA 2435D	20	GELATIN PUD(R)	4	6-11 MO.	.017920	.054320	.069120
				12-23 MO.	.019320	.047040	.074520
				2-65+ YR.	.028560	.073500	.110160
ETHYL 2-FURANPROPIONATE FEMA 2435D	23	BEV TYPE I(R)	4	0-5 MO.	.002340	.003510	.009840
				6-11 MO.	.022133	.075758	.093070
				12-23 MO.	.052845	.158438	.222220
				2-65+ YR.	.101400	.270758	.426400
ETHYL 2-FURANPROPIONATE FEMA 2435D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
ETHYL 2-FURANPROPIONATE FEMA 2435D	99	ALL CATEGORIES	5	0-5 MO.	.024074	.049130	.062968
				6-11 MO.	.191657	.474026	.502458
				12-23 MO.	.370740	.748161	.962980
				2-65+ YR.	.863402	1.601136	2.255724
4-ETHYLGUAIACOL FEMA 2436D	01	BAKED GOODS(R)	*	0-5 MO.	.047015	.062226	.060109
				6-11 MO.	.351229	.716286	.449048
				12-23 MO.	.753621	1.241746	.963509
				2-65+ YR.	1.897189	2.818127	2.425568
4-ETHYLGUAIACOL FEMA 2436D	07	FROZN DAIRY(R)	*	0-5 MO.	.002309	.009468	.003084
				6-11 MO.	.021938	.060966	.029295
				12-23 MO.	.033254	.078054	.044406
				2-65+ YR.	.059118	.142484	.078943
4-ETHYLGUAIACOL FEMA 2436D	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004900
				6-11 MO.	.041400	.111600	.092209
				12-23 MO.	.060400	.103800	.134527
				2-65+ YR.	.156800	.260200	.349236
4-ETHYLGUAIACOL FEMA 2436D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.009600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-ETHYLGUAIACOL FEMA 2436D	15	CONDM RELSH(R)	*	12-23 MO.	.028000	.076000	.033600
				2-65+ YR.	.088000	.212000	.105600
4-ETHYLGUAIACOL FEMA 2436D	16	SOFT CANDY(R)	*	0-5 MO.	.003301	.033008	.004343
				6-11 MO.	.036309	.112227	.047778
				12-23 MO.	.057764	.153487	.076010
				2-65+ YR.	.095723	.290469	.125959
4-ETHYLGUAIACOL FEMA 2436D	17	CONF FROST(R)	*	0-5 MO.	**********	.000005	**********
				6-11 MO.	.000005	.000010	.000010
				12-23 MO.	.000010	.000035	.000020
				2-65+ YR.	.000015	.000040	.000030
4-ETHYLGUAIACOL FEMA 2436D	20	GELATIN PUD(R)	*	0-5 MO.	.004619	.006235	.006167
				6-11 MO.	.029559	.089601	.039472
				12-23 MO.	.031868	.077593	.042555
				2-65+ YR.	.047110	.121238	.062908
4-ETHYLGUAIACOL FEMA 2436D	23	BEV TYPE I(R)	*	0-5 MO.	.003688	.005532	.005534
				6-11 MO.	.034881	.119396	.052342
				12-23 MO.	.083285	.249702	.124975
				2-65+ YR.	.159809	.426722	.239805
4-ETHYLGUAIACOL FEMA 2436D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000005	**********
				12-23 MO.	**********	.000010	**********
				2-65+ YR.	.001625	.004720	.003250
4-ETHYLGUAIACOL FEMA 2436D	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000600
				6-11 MO.	.002800	.007800	.008400
				12-23 MO.	.007200	.020400	.021600
				2-65+ YR.	.016600	.042600	.049800
4-ETHYLGUAIACOL FEMA 2436D	99	ALL CATEGORIES	6	0-5 MO.	.063331	.123874	.084737
				6-11 MO.	.526121	1.239890	.728154
				12-23 MO.	1.055402	2.000827	1.441202

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-ETHYLGUAIACOL							
FEMA 2436D	99	ALL CATEGORIES	6	2-65+ YR.	2.521989	4.318601	3.441100
ETHYL HEPTANOATE							
FEMA 2437D	01	BAKED GOODS(R)	16	0-5 MO.	.100842	.133468	.141912
				6-11 MO.	.753351	1.536362	1.060169
				12-23 MO.	1.616443	2.663424	2.274771
				2-65+ YR.	4.069284	6.044607	5.726580
ETHYL HEPTANOATE							
FEMA 2437D	06	CHEESE(R)	*	0-5 MO.	**********	.000570	**********
				6-11 MO.	.015390	.055290	.035280
				12-23 MO.	.044460	.126540	.101920
				2-65+ YR.	.053580	.134520	.122827
ETHYL HEPTANOATE							
FEMA 2437D	07	FROZN DAIRY(R)	13	0-5 MO.	.017990	.073757	.029844
				6-11 MO.	.170901	.474926	.283522
				12-23 MO.	.259050	.608049	.429760
				2-65+ YR.	.460534	1.109959	.764017
ETHYL HEPTANOATE							
FEMA 2437D	16	SOFT CANDY(R)	17	0-5 MO.	.005233	.052333	.007520
				6-11 MO.	.057566	.177931	.082719
				12-23 MO.	.091582	.243346	.131599
				2-65+ YR.	.151764	.460526	.218079
ETHYL HEPTANOATE							
FEMA 2437D	20	GELATIN PUD(R)	11	0-5 MO.	.073699	.099493	.104811
				6-11 MO.	.471671	1.429752	.670788
				12-23 MO.	.508520	1.238135	.723194
				2-65+ YR.	.751725	1.934587	1.069069
ETHYL HEPTANOATE							
FEMA 2437D	23	BEV TYPE II(R)	22	0-5 MO.	.024692	.037037	.033151
				6-11 MO.	.233542	.799391	.313556
				12-23 MO.	.557619	1.671828	.748666
				2-65+ YR.	1.069970	2.857026	1.436555
ETHYL HEPTANOATE							
FEMA 2437D	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000435	**********
				12-23 MO.	**********	.000869	**********
				2-65+ YR.	.141253	.410285	.453665

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL HEPTANOATE FEMA 2437D	30	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000838	.002514	.001462
				12-23 MO.	.002514	.007542	.004386
				2-65+ YR.	.005028	.014246	.008772
ETHYL HEPTANOATE FEMA 2437D	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********
				6-11 MO.	.015087	.015087	.024847
				12-23 MO.	.015087	.045261	.024847
				2-65+ YR.	.030174	.060348	.049694
ETHYL HEPTANOATE FEMA 2437D	99	ALL CATEGORIES	45	0-5 MO.	.222455	.396658	.317239
				6-11 MO.	1.718346	4.491687	2.472343
				12-23 MO.	3.095275	6.604995	4.439143
				2-65+ YR.	6.733313	13.026105	9.849257
2-ETHYL-2-HEPTENAL FEMA 2438D	01	BAKED GOODS(R)	*	0-5 MO.	.071400	.094500	.098600
				6-11 MO.	.533400	1.087800	.736600
				12-23 MO.	1.144500	1.885800	1.580500
				2-65+ YR.	2.881200	4.279800	3.978800
2-ETHYL-2-HEPTENAL FEMA 2438D	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200
				2-65+ YR.	.102400	.246800	.204800
2-ETHYL-2-HEPTENAL FEMA 2438D	16	SOFT CANDY(R)	*	0-5 MO.	.006600	.066000	.007400
				6-11 MO.	.072600	.224400	.081400
				12-23 MO.	.115500	.306900	.129500
				2-65+ YR.	.191400	.580800	.214600
2-ETHYL-2-HEPTENAL FEMA 2438D	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.016000
				6-11 MO.	.089600	.271600	.102400
				12-23 MO.	.096600	.235200	.110400
				2-65+ YR.	.142800	.367500	.163200
2-ETHYL-2-HEPTENAL FEMA 2438D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.014400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-ETHYL-2-HEPTENAL FEMA 2438D	23	BEV TYPE I(R)	*	6-11 MO.	.113500	.388500	.136200
				12-23 MO.	.271000	.812500	.325200
				2-65+ YR.	.520000	1.388500	.624000
2-ETHYL-2-HEPTENAL FEMA 2438D	99	ALL CATEGORIES	*	0-5 MO.	.108000	.213800	.144400
				6-11 MO.	.847100	2.077900	1.132600
				12-23 MO.	1.685200	3.375600	2.260800
				2-65+ YR.	3.837800	6.863400	5.185400
ETHYL HEXANOATE FEMA 2439D	01	BAKED GOODS(R)	16	0-5 MO.	.033155	.043882	.092400
				6-11 MO.	.247690	.505131	.690281
				12-23 MO.	.531460	.875691	1.481114
				2-65+ YR.	1.337915	1.987369	3.728602
ETHYL HEXANOATE FEMA 2439D	05	MILK PRODS(R)	*	0-5 MO.	.054000	.040000	.108000
				6-11 MO.	.624000	3.001000	1.248000
				12-23 MO.	.545000	1.744000	1.090000
				2-65+ YR.	.395000	1.206000	.790000
ETHYL HEXANOATE FEMA 2439D	06	CHEESE(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.001350	.004850	.004590
				12-23 MO.	.003900	.011100	.013260
				2-65+ YR.	.004700	.011800	.015980
ETHYL HEXANOATE FEMA 2439D	07	FROZN DAIRY(R)	10	0-5 MO.	.009643	.039538	.021682
				6-11 MO.	.091613	.254587	.205978
				12-23 MO.	.138866	.325949	.312219
				2-65+ YR.	.246873	.595001	.555056
ETHYL HEXANOATE FEMA 2439D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000220
				6-11 MO.	.002070	.005580	.004140
				12-23 MO.	.003020	.005190	.006040
				2-65+ YR.	.007840	.013010	.015680
ETHYL HEXANOATE FEMA 2439D	16	SOFT CANDY(R)	15	0-5 MO.	.001673	.016726	.003510
				6-11 MO.	.018398	.056867	.038614

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL HEXANOATE FEMA 2439D	16	SOFT CANDY(R)	15	12-23 MO.	.029270	.077774	.061432
				2-65+ YR.	.048504	.147185	.101801
ETHYL HEXANOATE FEMA 2439D	20	GELATIN PUD(R)	12	0-5 MO.	.012392	.016729	.035423
				6-11 MO.	.079308	.240402	.226708
				12-23 MO.	.085504	.208184	.244420
				2-65+ YR.	.126397	.325287	.361316
ETHYL HEXANOATE FEMA 2439D	23	BEV TYPE I(R)	20	0-5 MO.	.006309	.009463	.014374
				6-11 MO.	.059669	.204241	.135954
				12-23 MO.	.142469	.427145	.324613
				2-65+ YR.	.273373	.729959	.622874
ETHYL HEXANOATE FEMA 2439D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000237	**********
				12-23 MO.	**********	.000474	**********
				2-65+ YR.	.077037	.223763	.097500
ETHYL HEXANOATE FEMA 2439D	30	HARD CANDY(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.003591	.010773	.017011
				12-23 MO.	.010773	.032319	.051033
				2-65+ YR.	.021546	.061047	.102066
ETHYL HEXANOATE FEMA 2439D	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
				6-11 MO.	.010648	.010648	.012885
				12-23 MO.	.010648	.031944	.012885
				2-65+ YR.	.021296	.042592	.025770
ETHYL HEXANOATE FEMA 2439D	99	ALL CATEGORIES	37	0-5 MO.	.117282	.166678	.275609
				6-11 MO.	1.138337	4.294317	2.584161
				12-23 MO.	1.500910	3.739769	3.597015
				2-65+ YR.	2.560481	5.343013	6.416644
ETHYL LACTATE FEMA 2440D	01	BAKED GOODS(R)	19	0-5 MO.	.121969	.161429	2.085534
				6-11 MO.	.911179	1.858232	15.580164
				12-23 MO.	1.955089	3.221413	33.429880

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL LACTATE FEMA 2440D	01	BAKED GOODS(R)	19	2-65+ YR.	4.921803	7.310958	84.157422
ETHYL LACTATE FEMA 2440D	05	MILK PRODS(R)	*	0-5 MO.	.540000	.400000	.810000
				6-11 MO.	6.240000	30.010000	9.360000
				12-23 MO.	5.450000	17.440000	8.175000
				2-65+ YR.	3.950000	12.060000	5.925000
ETHYL LACTATE FEMA 2440D	07	FROZN DAIRY(R)	14	0-5 MO.	.026809	.109916	.339060
				6-11 MO.	.254684	.707754	3.221070
				12-23 MO.	.386047	.906139	4.882464
				2-65+ YR.	.686307	1.654106	8.679935
ETHYL LACTATE FEMA 2440D	10	MEAT PRODS(R)	*	0-5 MO.	.009130	.024070	.009130
				6-11 MO.	.171810	.463140	.171810
				12-23 MO.	.250660	.430770	.250660
				2-65+ YR.	.650720	1.079830	.650720
ETHYL LACTATE FEMA 2440D	16	SOFT CANDY(R)	16	0-5 MO.	.005119	.051186	.032350
				6-11 MO.	.056305	.174034	.355852
				12-23 MO.	.089576	.238016	.566128
				2-65+ YR.	.148440	.450440	.938154
ETHYL LACTATE FEMA 2440D	20	GELATIN PUD(R)	8	0-5 MO.	.111509	.150538	.194002
				6-11 MO.	.713660	2.163283	1.241613
				12-23 MO.	.769415	1.873358	1.338614
				2-65+ YR.	1.137396	2.927122	1.978820
ETHYL LACTATE FEMA 2440D	23	BEV TYPE I(R)	16	0-5 MO.	.027973	.041960	.194310
				6-11 MO.	.264578	.905626	1.837848
				12-23 MO.	.631724	1.894006	4.388165
				2-65+ YR.	1.212164	3.236710	8.420095
ETHYL LACTATE FEMA 2440D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000977	**********
				12-23 MO.	**********	.001955	**********
				2-65+ YR.	.317614	.922545	31.251239

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL LACTATE FEMA 2440D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006848	.020544	.009240
				12-23 MO.	.020544	.061632	.027720
				2-65+ YR.	.041088	.116416	.055440
ETHYL LACTATE FEMA 2440D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.018428	.018428	.144924
				12-23 MO.	.018428	.055284	.144924
				2-65+ YR.	.036856	.073712	.289848
ETHYL LACTATE FEMA 2440D	59	ALL CATEGORIES	36	0-5 MO.	.842509	.939099	3.664386
				6-11 MO.	8.637493	36.322017	31.922520
				12-23 MO.	9.571484	26.122574	53.203553
				2-65+ YR.	13.102387	29.831840	142.346673
ETHYL LAURATE FEMA 2441D	01	BAKED GOODS(R)	12	0-5 MO.	.093889	.124265	.173784
				6-11 MO.	.701408	1.430430	1.298267
				12-23 MO.	1.504989	2.479779	2.785651
				2-65+ YR.	3.788705	5.627829	7.012684
ETHYL LAURATE FEMA 2441D	07	FROZN DAIRY(R)	12	0-5 MO.	.005124	.021010	.009798
				6-11 MO.	.048681	.135281	.093084
				12-23 MO.	.073790	.173201	.141095
				2-65+ YR.	.131182	.316169	.250836
ETHYL LAURATE FEMA 2441D	16	SOFT CANDY(R)	12	0-5 MO.	.002501	.025008	.004383
				6-11 MO.	.027509	.085028	.048214
				12-23 MO.	.043764	.116288	.076704
				2-65+ YR.	.072524	.220072	.127110
ETHYL LAURATE FEMA 2441D	20	GELATIN PUD(R)	11	0-5 MO.	.007496	.010120	.016846
				6-11 MO.	.047976	.145427	.107816
				12-23 MO.	.051724	.125937	.116239
				2-65+ YR.	.076462	.196776	.171832
ETHYL LAURATE FEMA 2441D	23	BEV TYPE I(R)	13	0-5 MO.	.004447	.006670	.010015

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL LAURATE FEMA 2441D	23	BEV TYPE I(R)	13	6-11 MO.	.042060	.143968	.094727
				12-23 MO.	.100426	.301092	.226177
				2-65+ YR.	.192699	.514544	.433993
ETHYL LAURATE FEMA 2441D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
ETHYL LAURATE FEMA 2441D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001314	.003942	.002625
				12-23 MO.	.003942	.011826	.007875
				2-65+ YR.	.007884	.022338	.015750
ETHYL LAURATE FEMA 2441D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.006321	.006321	.006321
				12-23 MO.	.006321	.018963	.006321
				2-65+ YR.	.012642	.025284	.012642
ETHYL LAURATE FEMA 2441D	99	ALL CATEGORIES	18	0-5 MO.	.113457	.187073	.214827
				6-11 MO.	.875268	1.950497	1.651054
				12-23 MO.	1.784956	3.227287	3.360063
				2-65+ YR.	4.314598	7.017411	8.122348
ETHYL LEVULINATE FEMA 2442D	01	BAKED GOODS(R)	9	0-5 MO.	.031569	.041782	.164884
				6-11 MO.	.235838	.480962	1.231780
				12-23 MO.	.506031	.833790	2.642994
				2-65+ YR.	1.273898	1.892277	6.653554
ETHYL LEVULINATE FEMA 2442D	07	FROZN DAIRY(R)	6	0-5 MO.	.009193	.037692	.048531
				6-11 MO.	.087334	.242697	.461041
				12-23 MO.	.132380	.310726	.698841
				2-65+ YR.	.235343	.567213	1.242385
ETHYL LEVULINATE FEMA 2442D	16	SOFT CANDY(R)	7	0-5 MO.	.001507	.015074	.005571
				6-11 MO.	.016581	.051251	.061282

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL LEVULINATE FEMA 2442D	16	SOFT CANDY(R)	7	12-23 MO.	.026379	.070094	.097494
				2-65+ YR.	.043714	.132650	.161561
ETHYL LEVULINATE FEMA 2442D	20	GELATIN PUD(R)	5	0-5 MO.	.017500	.023625	.102036
				6-11 MO.	.111998	.339493	.653031
				12-23 MO.	.120748	.293994	.704049
				2-65+ YR.	.178496	.459365	1.040769
ETHYL LEVULINATE FEMA 2442D	23	BEV TYPE I(R)	7	0-5 MO.	.006077	.009115	.027065
				6-11 MO.	.057476	.196734	.255993
				12-23 MO.	.137232	.411444	.611226
				2-65+ YR.	.263324	.703126	1.172832
ETHYL LEVULINATE FEMA 2442D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000499	**********
				12-23 MO.	**********	.000999	**********
				2-65+ YR.	.162257	.471293	1.621349
ETHYL LEVULINATE FEMA 2442D	99	ALL CATEGORIES	9	0-5 MO.	.065846	.127288	.348087
				6-11 MO.	.509227	1.311636	2.663128
				12-23 MO.	.922771	1.921047	4.754605
				2-65+ YR.	2.157033	4.225926	11.892451
ETHYL 2-METHYLBUTYRATE FEMA 2443D	01	BAKED GOODS(R)	6	0-5 MO.	.084423	.111736	.158787
				6-11 MO.	.630690	1.286209	1.186230
				12-23 MO.	1.353251	2.229761	2.545258
				2-65+ YR.	3.406717	5.060415	6.407513
ETHYL 2-METHYLBUTYRATE FEMA 2443D	07	FROZN DAIRY(R)	7	0-5 MO.	.014842	.060850	.033676
				6-11 MO.	.140995	.391817	.319922
				12-23 MO.	.213718	.501644	.484935
				2-65+ YR.	.379944	.915723	.862106
ETHYL 2-METHYLBUTYRATE FEMA 2443D	16	SOFT CANDY(R)	9	0-5 MO.	.002927	.029270	.006113
				6-11 MO.	.032197	.099519	.067238
				12-23 MO.	.051223	.136107	.106969

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL 2-METHYLBUTYRATE FEMA 2443D	16	SOFT CANDY(R)	9	2-65+ YR.	.084884	.257579	.177264
ETHYL 2-METHYLBUTYRATE FEMA 2443D	20	GELATIN PUD(R)	8	0-5 MO.	.027360	.036936	.056748
				6-11 MO.	.175104	.530783	.363184
				12-23 MO.	.188784	.459647	.391558
				2-65+ YR.	.279071	.718198	.578825
ETHYL 2-METHYLBUTYRATE FEMA 2443D	23	BEV TYPE I(R)	9	0-5 MO.	.024530	.036795	.057104
				6-11 MO.	.232015	.794165	.540104
				12-23 MO.	.553974	1.660899	1.289588
				2-65+ YR.	1.062976	2.838349	2.474486
ETHYL 2-METHYLBUTYRATE FEMA 2443D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000398	**********
				12-23 MO.	**********	.000795	**********
				2-65+ YR.	.129261	.375455	.265909
ETHYL 2-METHYLBUTYRATE FEMA 2443D	30	HARD CANDY(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007533	.022599	.011366
				12-23 MO.	.022599	.067797	.034098
				2-65+ YR.	.045198	.128061	.068196
ETHYL 2-METHYLBUTYRATE FEMA 2443D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.050000	.050000	.050000
				12-23 MO.	.050000	.150000	.050000
				2-65+ YR.	.100000	.200000	.100000
ETHYL 2-METHYLBUTYRATE FEMA 2443D	99	ALL CATEGORIES	19	0-5 MO.	.154082	.275588	.312426
				6-11 MO.	1.268533	3.175490	2.538045
				12-23 MO.	2.433549	5.206651	4.902407
				2-65+ YR.	5.488051	10.493780	10.934299
ETHYL MYRISTATE FEMA 2445D	01	BAKED GOODS(R)	6	0-5 MO.	.185599	.245646	.526466
				6-11 MO.	1.386535	2.827658	3.933014
				12-23 MO.	2.975046	4.902002	8.438947
				2-65+ YR.	7.489473	11.125034	21.244469

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL MYRISTATE FEMA 2445D	07	FROZN DAIRY(R)	4	0-5 MO.	.068301	.280034	.195143
				6-11 MO.	.648858	1.803143	1.853856
				12-23 MO.	.983533	2.308570	2.810055
				2-65+ YR.	1.748502	4.214164	4.995654
ETHYL MYRISTATE FEMA 2445D	16	SOFT CANDY(R)	4	0-5 MO.	.010741	.107408	.031235
				6-11 MO.	.118149	.365187	.343589
				12-23 MO.	.187964	.499447	.546619
				2-65+ YR.	.311483	.945191	.905826
ETHYL MYRISTATE FEMA 2445D	20	GELATIN PUD(R)	*	0-5 MO.	.108292	.146194	.315020
				6-11 MO.	.693069	2.100866	2.016127
				12-23 MO.	.747215	1.819307	2.173637
				2-65+ YR.	1.104579	2.842667	3.213202
ETHYL MYRISTATE FEMA 2445D	23	BEV TYPE I(R)	7	0-5 MO.	.041756	.062634	.126047
				6-11 MO.	.394942	1.351851	1.192194
				12-23 MO.	.942990	2.827231	2.846561
				2-65+ YR.	1.809428	4.831521	5.462035
ETHYL MYRISTATE FEMA 2445D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002000	**********
				12-23 MO.	**********	.004000	**********
				2-65+ YR.	.650000	1.888000	.975000
ETHYL MYRISTATE FEMA 2445D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002878	.008634	.002878
				12-23 MO.	.008634	.025902	.008634
				2-65+ YR.	.017268	.048926	.017268
ETHYL MYRISTATE FEMA 2445D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000030	.000030	.000056
				12-23 MO.	.000030	.000090	.000056
				2-65+ YR.	.000060	.000120	.000112
ETHYL MYRISTATE FEMA 2445D	99	ALL CATEGORIES	12	0-5 MO.	.414689	.841916	1.193911

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL MYRISTATE FEMA 2445D	99	ALL CATEGORIES	12	6-11 MO.	3.244462	8.459370	9.341714
				12-23 MO.	5.845412	12.386549	16.824509
				2-65+ YR.	13.130794	25.895622	36.813565
ETHYL NITRITE FEMA 2446D	01	BAKED GOODS(R)	4	0-5 MO.	.014247	.018857	.024758
				6-11 MO.	.106435	.217061	.184959
				12-23 MO.	.228375	.376295	.396861
				2-65+ YR.	.574919	.853997	.999070
ETHYL NITRITE FEMA 2446D	07	FROZN DAIRY(R)	4	0-5 MO.	.005333	.021867	.008171
				6-11 MO.	.050668	.140803	.077626
				12-23 MO.	.076802	.180271	.117665
				2-65+ YR.	.136537	.329075	.209182
ETHYL NITRITE FEMA 2446D	16	SOFT CANDY(R)	4	0-5 MO.	.001598	.015980	.002084
				6-11 MO.	.017578	.054332	.022919
				12-23 MO.	.027965	.074307	.036462
				2-65+ YR.	.046342	.140624	.060423
ETHYL NITRITE FEMA 2446D	20	GELATIN PUD(R)	*	0-5 MO.	.013567	.018315	.040100
				6-11 MO.	.086827	.263193	.256640
				12-23 MO.	.093610	.227920	.276690
				2-65+ YR.	.138380	.356125	.409020
ETHYL NITRITE FEMA 2446D	23	BEV TYPE I(R)	11	0-5 MO.	.006902	.010353	.008747
				6-11 MO.	.065282	.223453	.082730
				12-23 MO.	.155871	.467325	.197531
				2-65+ YR.	.299088	.798622	.379026
ETHYL NITRITE FEMA 2446D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000070	**********
				12-23 MO.	**********	.000140	**********
				2-65+ YR.	.022750	.066080	.045500
ETHYL NITRITE FEMA 2446D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.005155	.005155	.005155

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL NITRITE FEMA 2446D	31	CHEWING GUM(R)	*	12-23 MO.	.005155	.015465	.005155
				2-65+ YR.	.010310	.020620	.010310
ETHYL NITRITE FEMA 2446D	99	ALL CATEGORIES	14	0-5 MO.	.041647	.085372	.083860
				6-11 MO.	.331945	.904068	.630029
				12-23 MO.	.587778	1.341723	1.030363
				2-65+ YR.	1.228325	2.565143	2.112530
ETHYL NONANOATE FEMA 2447D	01	BAKED GOODS(R)	14	0-5 MO.	.081184	.107450	.112613
				6-11 MO.	.606496	1.236869	.841286
				12-23 MO.	1.301339	2.144225	1.805123
				2-65+ YR.	3.276032	4.866293	4.544272
ETHYL NONANOATE FEMA 2447D	07	FROZN DAIRY(R)	14	0-5 MO.	.006575	.026959	.008546
				6-11 MO.	.062466	.173589	.081184
				12-23 MO.	.094685	.222246	.123058
				2-65+ YR.	.168329	.405698	.218769
ETHYL NONANOATE FEMA 2447D	16	SOFT CANDY(R)	14	0-5 MO.	.002652	.026524	.003264
				6-11 MO.	.029176	.090180	.035902
				12-23 MO.	.046416	.123335	.057116
				2-65+ YR.	.076919	.233408	.094650
ETHYL NONANOATE FEMA 2447D	20	GELATIN PUD(R)	9	0-5 MO.	.014263	.019255	.018809
				6-11 MO.	.091283	.276702	.120377
				12-23 MO.	.098415	.239619	.129782
				2-65+ YR.	.145483	.374404	.191851
ETHYL NONANOATE FEMA 2447D	23	BEV TYPE I(R)	14	0-5 MO.	.007925	.011887	.012506
				6-11 MO.	.074956	.256567	.118289
				12-23 MO.	.178970	.536579	.282436
				2-65+ YR.	.343410	.916972	.541943
ETHYL NONANOATE FEMA 2447D	24	BEV TYPE II(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000290	**********
				12-23 MO.	**********	.000580	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL NONANOATE FEMA 2447D	24	BEV TYPE II(R)	5	2-65+ YR.	.094318	.273958	.325000
ETHYL NONANOATE FEMA 2447D	30	HARD CANDY(R)	9	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000626	.001878	.003211
				12-23 MO.	.001878	.005634	.009633
				2-65+ YR.	.003756	.010642	.019266
ETHYL NONANOATE FEMA 2447D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.011591	.011591	.018506
				12-23 MO.	.011591	.034773	.018506
				2-65+ YR.	.023182	.046364	.037012
ETHYL NONANOATE FEMA 2447D	99	ALL CATEGORIES	36	0-5 MO.	.112600	.192075	.155738
				6-11 MO.	.876594	2.047667	1.218756
				12-23 MO.	1.733294	3.306991	2.425653
				2-65+ YR.	4.131428	7.127739	5.972764
ETHYL 2-NONYNOATE FEMA 2448D	01	BAKED GOODS(R)	4	0-5 MO.	.005383	.007125	.007508
				6-11 MO.	.040217	.082017	.056092
				12-23 MO.	.086292	.142183	.120354
				2-65+ YR.	.217233	.322683	.302983
ETHYL 2-NONYNOATE FEMA 2448D	07	FROZN DAIRY(R)	4	0-5 MO.	.000409	.001678	.000621
				6-11 MO.	.003889	.010808	.005898
				12-23 MO.	.005895	.013837	.008940
				2-65+ YR.	.010480	.025258	.015893
ETHYL 2-NONYNOATE FEMA 2448D	16	SOFT CANDY(R)	4	0-5 MO.	.000103	.001027	.000166
				6-11 MO.	.001130	.003492	.001824
				12-23 MO.	.001797	.004776	.002902
				2-65+ YR.	.002979	.009038	.004809
ETHYL 2-NONYNOATE FEMA 2448D	20	GELATIN PUD(R)	4	0-5 MO.	.000778	.001050	.001159
				6-11 MO.	.004976	.015084	.007419
				12-23 MO.	.005365	.013062	.007998
				2-65+ YR.	.007931	.020409	.011823

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL 2-NONYNOATE							
FEMA 2448D	23	BEV TYPE I(R)	5	0-5 MO.	.000415	.000622	.000891
				6-11 MO.	.003923	.013429	.008427
				12-23 MO.	.009367	.028085	.020122
				2-65+ YR.	.017974	.047995	.038610
ETHYL 2-NONYNOATE							
FEMA 2448D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
ETHYL 2-NONYNOATE							
FEMA 2448D	59	ALL CATEGORIES	5	0-5 MO.	.007088	.011502	.010345
				6-11 MO.	.054135	.124879	.079660
				12-23 MO.	.108716	.202043	.160316
				2-65+ YR.	.272847	.472584	.406619
ETHYL OCTANOATE							
FEMA 2449D	01	BAKED GOODS(R)	13	0-5 MO.	.027162	.035949	.048403
				6-11 MO.	.202912	.413814	.361599
				12-23 MO.	.435383	.717383	.775873
				2-65+ YR.	1.096047	1.628093	1.953206
ETHYL OCTANOATE							
FEMA 2449D	07	FROZN DAIRY(R)	15	0-5 MO.	.005838	.023937	.011533
				6-11 MO.	.055464	.154130	.109565
				12-23 MO.	.084071	.197333	.166077
				2-65+ YR.	.149460	.360221	.295248
ETHYL OCTANOATE							
FEMA 2449D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
ETHYL OCTANOATE							
FEMA 2449D	16	SOFT CANDY(R)	15	0-5 MO.	.001352	.013516	.002361
				6-11 MO.	.014868	.045955	.025966
				12-23 MO.	.023653	.062850	.041310
				2-65+ YR.	.039197	.118943	.068457
ETHYL OCTANOATE							
FEMA 2449D	20	GELATIN PUD(R)	11	0-5 MO.	.006995	.009444	.011832

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL OCTANOATE FEMA 2449D	20	GELATIN PUD(R)	11	6-11 MO.	.044769	.135707	.075725
				12-23 MO.	.048267	.117520	.081642
				2-65+ YR.	.071351	.183625	.120687
ETHYL OCTANOATE FEMA 2449D	23	BEV TYPE I(R)	17	0-5 MO.	.005675	.008512	.009600
				6-11 MO.	.053672	.183716	.090798
				12-23 MO.	.128152	.384218	.216795
				2-65+ YR.	.245900	.656600	.415991
ETHYL OCTANOATE FEMA 2449D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.170282
ETHYL OCTANOATE FEMA 2449D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000967	.002901	.000967
				12-23 MO.	.002901	.008703	.002901
				2-65+ YR.	.005802	.016439	.005802
ETHYL OCTANOATE FEMA 2449D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000031	.000031	.000673
				12-23 MO.	.000031	.000093	.000673
				2-65+ YR.	.000062	.000124	.001346
ETHYL OCTANOATE FEMA 2449D	99	ALL CATEGORIES	28	0-5 MO.	.047131	.091648	.083839
				6-11 MO.	.374754	.941934	.667364
				12-23 MO.	.725478	1.493491	1.288291
				2-65+ YR.	1.648158	3.071454	3.038859
ETHYL OLEATE FEMA 2450D	01	BAKED GOODS(R)	5	0-5 MO.	.060721	.080366	.092264
				6-11 MO.	.453621	.925101	.689264
				12-23 MO.	.973320	1.603746	1.478932
				2-65+ YR.	2.450267	3.639683	3.723109
ETHYL OLEATE FEMA 2450D	07	FROZN DAIRY(R)	*	0-5 MO.	.002717	.011138	.003500
				6-11 MO.	.025808	.071720	.033250

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL OLEATE FEMA 2450D	07	FROZN DAIRY(R)	*	12-23 MO.	.039120	.091823	.050400
				2-65+ YR.	.069547	.167618	.089600
ETHYL OLEATE FEMA 2450D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000060	**********
				6-11 MO.	.000480	.001320	.000480
				12-23 MO.	.001680	.004560	.001680
				2-65+ YR.	.005280	.012720	.005280
ETHYL OLEATE FEMA 2450D	16	SOFT CANDY(R)	4	0-5 MO.	.002209	.022090	.003230
				6-11 MO.	.024299	.075106	.035530
				12-23 MO.	.038658	.102719	.056525
				2-65+ YR.	.064061	.194392	.093670
ETHYL OLEATE FEMA 2450D	20	GELATIN PUD(R)	*	0-5 MO.	.005433	.007335	.007000
				6-11 MO.	.034773	.105407	.044800
				12-23 MO.	.037490	.091280	.048300
				2-65+ YR.	.055420	.142625	.071400
ETHYL OLEATE FEMA 2450D	23	BEV TYPE I(R)	4	0-5 MO.	.001451	.002176	.003011
				6-11 MO.	.013723	.046973	.028478
				12-23 MO.	.032766	.098239	.067996
				2-65+ YR.	.062873	.167882	.130473
ETHYL OLEATE FEMA 2450D	99	ALL CATEGORIES	6	0-5 MO.	.072531	.123166	.109005
				6-11 MO.	.552705	1.225627	.831802
				12-23 MO.	1.123034	1.992367	1.703833
				2-65+ YR.	2.707448	4.324920	4.113532
ETHYL PHENYLACETATE FEMA 2452D	01	BAKED GOODS(R)	14	0-5 MO.	.045815	.060638	.063148
				6-11 MO.	.342267	.698009	.471754
				12-23 MO.	.734392	1.210062	1.012227
				2-65+ YR.	1.848781	2.746222	2.548212
ETHYL PHENYLACETATE FEMA 2452D	07	FROZN DAIRY(R)	10	0-5 MO.	.006814	.027939	.009840
				6-11 MO.	.064737	.179900	.093477
				12-23 MO.	.098127	.230327	.141691

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL PHENYLACETATE FEMA 2452D	07	FROZN DAIRY(R)	10	2-65+ YR.	.174449	.420448	.251895
ETHYL PHENYLACETATE FEMA 2452D	16	SOFT CANDY(R)	12	0-5 MO.	.001712	.017125	.002706
				6-11 MO.	.018837	.058225	.029761
				12-23 MO.	.029969	.079631	.047347
				2-65+ YR.	.049662	.150699	.078461
ETHYL PHENYLACETATE FEMA 2452D	19	SWEET SAUCE(R)	*	0-5 MO.	.000300	.000400	.003000
				6-11 MO.	.000900	.003100	.009000
				12-23 MO.	.002600	.007600	.026000
				2-65+ YR.	.006800	.017900	.068000
ETHYL PHENYLACETATE FEMA 2452D	20	GELATIN PUD(R)	7	0-5 MO.	.015418	.020814	.025239
				6-11 MO.	.098673	.299102	.161528
				12-23 MO.	.106382	.259016	.174148
				2-65+ YR.	.157260	.404713	.257436
ETHYL PHENYLACETATE FEMA 2452D	23	BEV TYPE I(R)	10	0-5 MO.	.006589	.009883	.012049
				6-11 MO.	.062317	.213306	.113963
				12-23 MO.	.148792	.446103	.272106
				2-65+ YR.	.285506	.762356	.522122
ETHYL PHENYLACETATE FEMA 2452D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
ETHYL PHENYLACETATE FEMA 2452D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002032	.006096	.002032
				12-23 MO.	.006096	.018288	.006096
				2-65+ YR.	.012192	.034544	.012192
ETHYL PHENYLACETATE FEMA 2452D	99	ALL CATEGORIES	17	0-5 MO.	.076648	.136798	.115981
				6-11 MO.	.589763	1.457838	.881515
				12-23 MO.	1.126358	2.251227	1.679615
				2-65+ YR.	2.567150	4.631282	3.900819

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL 4-PHENYLBUTYRATE FEMA 2453D	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.040800
				6-11 MO.	.203200	.414400	.304800
				12-23 MO.	.436000	.718400	.654000
				2-65+ YR.	1.097600	1.630400	1.646400
ETHYL 4-PHENYLBUTYRATE FEMA 2453D	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.004000
				6-11 MO.	.019000	.052800	.038000
				12-23 MO.	.028800	.067600	.057600
				2-65+ YR.	.051200	.123400	.102400
ETHYL 4-PHENYLBUTYRATE FEMA 2453D	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.001600
				6-11 MO.	.013200	.040800	.017600
				12-23 MO.	.021000	.055800	.028000
				2-65+ YR.	.034800	.105600	.046400
ETHYL 4-PHENYLBUTYRATE FEMA 2453D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
ETHYL 4-PHENYLBUTYRATE FEMA 2453D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
ETHYL 4-PHENYLBUTYRATE FEMA 2453D	99	ALL CATEGORIES	*	0-5 MO.	.036800	.065200	.059200
				6-11 MO.	.283700	.663300	.457000
				12-23 MO.	.567600	1.071500	.903200
				2-65+ YR.	1.328400	2.242100	2.084800
ETHYL 3-PHENYLGLYCIDATE FEMA 2454D	01	BAKED GOODS(R)	11	0-5 MO.	.015400	.020382	.055385
				6-11 MO.	.115045	.234620	.413760
				12-23 MO.	.246849	.406735	.887792
				2-65+ YR.	.621426	.923081	2.234954
ETHYL 3-PHENYLGLYCIDATE FEMA 2454D	07	FROZN DAIRY(R)	10	0-5 MO.	.004140	.016975	.015780

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL 3-PHENYLGLYCIDATE FEMA 24540	07	FROZN DAIRY(R)	10	6-11 MO.	.039331	.109299	.149905
				12-23 MO.	.059618	.139936	.227225
				2-65+ YR.	.105987	.255446	.403956
ETHYL 3-PHENYLGLYCIDATE FEMA 24540	16	SOFT CANDY(R)	12	0-5 MO.	.000922	.009221	.002614
				6-11 MO.	.010143	.031352	.028754
				12-23 MO.	.016137	.042878	.045744
				2-65+ YR.	.026741	.081146	.075805
ETHYL 3-PHENYLGLYCIDATE FEMA 24540	20	GELATIN PUD(R)	9	0-5 MO.	.009204	.012425	.023066
				6-11 MO.	.058904	.178554	.147621
				12-23 MO.	.063506	.154624	.159154
				2-65+ YR.	.093879	.241600	.235271
ETHYL 3-PHENYLGLYCIDATE FEMA 24540	23	BEV TYPE I(R)	14	0-5 MO.	.003032	.004548	.011009
				6-11 MO.	.028675	.098152	.104129
				12-23 MO.	.068466	.205272	.248625
				2-65+ YR.	.131374	.350794	.477066
ETHYL 3-PHENYLGLYCIDATE FEMA 24540	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001374	.004122	.001374
				12-23 MO.	.004122	.012366	.004122
				2-65+ YR.	.008244	.023358	.008244
ETHYL 3-PHENYLGLYCIDATE FEMA 24540	99	ALL CATEGORIES	17	0-5 MO.	.032698	.063550	.107854
				6-11 MO.	.253473	.656099	.845543
				12-23 MO.	.458698	.961812	1.572662
				2-65+ YR.	.987651	1.875424	3.435296
ETHYL 3-PHENYLPROPIONATE FEMA 24550	01	BAKED GOODS(R)	*	0-5 MO.	.033357	.044149	.050286
				6-11 MO.	.249197	.508206	.375664
				12-23 MO.	.534695	.881021	.806050
				2-65+ YR.	1.346059	1.999466	2.029176
ETHYL 3-PHENYLPROPIONATE FEMA 24550	06	CHEESE(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.002700	.009700	.013500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL 3-PHENYLPROPIONATE FEMA 2455D	06	CHEESE(R)	*	12-23 MO.	.007800	.022200	.039000
				2-65+ YR.	.009400	.023600	.047000
ETHYL 3-PHENYLPROPIONATE FEMA 2455D	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.005000
				6-11 MO.	.038000	.105600	.047500
				12-23 MO.	.057600	.135200	.072000
				2-65+ YR.	.102400	.246800	.128000
ETHYL 3-PHENYLPROPIONATE FEMA 2455D	16	SOFT CANDY(R)	*	0-5 MO.	.001183	.011832	.001579
				6-11 MO.	.013015	.040229	.017369
				12-23 MO.	.020706	.055018	.027632
				2-65+ YR.	.034313	.104121	.045791
ETHYL 3-PHENYLPROPIONATE FEMA 2455D	20	GELATIN PUD(R)	*	0-5 MO.	.007874	.010630	.009874
				6-11 MO.	.050393	.152755	.063193
				12-23 MO.	.054330	.132282	.068130
				2-65+ YR.	.080314	.206691	.100714
ETHYL 3-PHENYLPROPIONATE FEMA 2455D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.007200
				6-11 MO.	.045400	.155400	.068100
				12-23 MO.	.108400	.325000	.162600
				2-65+ YR.	.208000	.555400	.312000
ETHYL 3-PHENYLPROPIONATE FEMA 2455D	99	ALL CATEGORIES	*	0-5 MO.	.051214	.090311	.073939
				6-11 MO.	.398706	.971889	.585326
				12-23 MO.	.783531	1.550722	1.175413
				2-65+ YR.	1.780486	3.136079	2.662682
ETHYL PROPIONATE FEMA 2456D	01	BAKED GOODS(R)	24	0-5 MO.	.204350	.270463	.288050
				6-11 MO.	1.526615	3.113332	2.151903
				12-23 MO.	3.275610	5.397244	4.617272
				2-65+ YR.	8.246123	12.248979	11.623665
ETHYL PROPIONATE FEMA 2456D	04	FATS OILS(R)	*	0-5 MO.	.000020	.000020	.000050
				6-11 MO.	.000112	.000300	.000280
				12-23 MO.	.000252	.000480	.000630

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL PROPIONATE FEMA 2456D	04	FATS OILS(R)	*	2-65+ YR.	.000700	.001264	.001750
ETHYL PROPIONATE FEMA 2456D	07	FROZN DAIRY(R)	17	0-5 MO.	.014155	.058036	.049469
				6-11 MO.	.134474	.373695	.469951
				12-23 MO.	.203834	.478443	.712347
				2-65+ YR.	.362371	.873370	1.266395
ETHYL PROPIONATE FEMA 2456D	10	MEAT PRODS(R)	*	0-5 MO.	.001650	.004350	**********
				6-11 MO.	.031050	.083700	**********
				12-23 MO.	.045300	.077850	**********
				2-65+ YR.	.117600	.195150	**********
ETHYL PROPIONATE FEMA 2456D	16	SOFT CANDY(R)	19	0-5 MO.	.005457	.054569	.010705
				6-11 MO.	.060026	.185535	.117754
				12-23 MO.	.095496	.253747	.187336
				2-65+ YR.	.158251	.480209	.310443
ETHYL PROPIONATE FEMA 2456D	20	GELATIN PUD(R)	16	0-5 MO.	.020644	.027870	.067328
				6-11 MO.	.132124	.400502	.430896
				12-23 MO.	.142447	.346827	.464560
				2-65+ YR.	.210573	.541917	.686741
ETHYL PROPIONATE FEMA 2456D	23	BEV TYPE I(R)	25	0-5 MO.	.018055	.027083	.047818
				6-11 MO.	.170771	.584532	.452280
				12-23 MO.	.407743	1.222477	1.079894
				2-65+ YR.	.782385	2.089119	2.072122
ETHYL PROPIONATE FEMA 2456D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	2.712711
ETHYL PROPIONATE FEMA 2456D	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000400
				6-11 MO.	.002800	.007800	.005600
				12-23 MO.	.007200	.020400	.014400
				2-65+ YR.	.016600	.042600	.033200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL PROPIONATE							
FEMA 2456D	20	HARD CANDY(R)	10	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007704	.023112	.007704
				12-23 MO.	.023112	.069336	.023112
				2-65+ YR.	.046224	.130968	.046224
ETHYL PROPIONATE							
FEMA 2456D	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********
				6-11 MO.	.034576	.034576	.067877
				12-23 MO.	.034576	.103728	.067877
				2-65+ YR.	.069152	.138304	.135754
ETHYL PROPIONATE							
FEMA 2456D	99	ALL CATEGORIES	54	0-5 MO.	.264532	.442991	.463819
				6-11 MO.	2.100251	4.807585	3.704246
				12-23 MO.	4.235570	7.971531	7.167429
				2-65+ YR.	10.172479	17.213880	18.889006
ETHYL PYRUVATE							
FEMA 2457D	01	BAKED GOODS(R)	5	0-5 MO.	.318305	.421286	.432610
				6-11 MO.	2.377924	4.849467	3.231848
				12-23 MO.	5.102238	8.406991	6.934476
				2-65+ YR.	12.844533	19.079562	17.457067
ETHYL PYRUVATE							
FEMA 2457D	07	FROZN DAIRY(R)	5	0-5 MO.	.086143	.353186	.110381
				6-11 MO.	.818357	2.274171	1.048619
				12-23 MO.	1.240457	2.911629	1.589486
				2-65+ YR.	2.205257	5.315014	2.825752
ETHYL PYRUVATE							
FEMA 2457D	16	SOFT CANDY(R)	6	0-5 MO.	.012180	.121803	.017867
				6-11 MO.	.133984	.414131	.196533
				12-23 MO.	.213156	.566385	.312667
				2-65+ YR.	.353230	1.071869	.518133
ETHYL PYRUVATE							
FEMA 2457D	20	GELATIN PUD(R)	4	0-5 MO.	.143182	.193295	.171932
				6-11 MO.	.916364	2.777727	1.100364
				12-23 MO.	.987955	2.405455	1.186330
				2-65+ YR.	1.460455	3.758523	1.753705
ETHYL PYRUVATE							
FEMA 2457D	23	BEV TYPE I(R)	5	0-5 MO.	.063109	.094663	.091497

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL PYRUVATE FEMA 24570	23	BEV TYPE I(R)	5	6-11 MO.	.596902	2.043140	.865410
				12-23 MO.	1.425202	4.272976	2.066311
				2-65+ YR.	2.734705	7.302188	3.964876
ETHYL PYRUVATE FEMA 24570	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ETHYL PYRUVATE FEMA 24570	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000150	.000450	.000150
				12-23 MO.	.000450	.001350	.000450
				2-65+ YR.	.000900	.002550	.000900
ETHYL PYRUVATE FEMA 24570	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000130	.000130	.001728
				12-23 MO.	.000130	.000390	.001728
				2-65+ YR.	.000260	.000520	.003456
ETHYL PYRUVATE FEMA 24570	99	ALL CATEGORIES	8	0-5 MO.	.622918	1.184233	.824286
				6-11 MO.	4.843810	12.359717	6.444652
				12-23 MO.	8.969587	18.566175	12.091447
				2-65+ YR.	19.761839	37.002225	26.848889
ETHYL SALICYLATE FEMA 24580	01	BAKED GOODS(R)	11	0-5 MO.	.110996	.146906	.183084
				6-11 MO.	.829203	1.691051	1.367743
				12-23 MO.	1.779195	2.931591	2.934725
				2-65+ YR.	4.479001	6.653209	7.387968
ETHYL SALICYLATE FEMA 24580	07	FROZN DAIRY(R)	10	0-5 MO.	.008440	.034606	.013170
				6-11 MO.	.080184	.222828	.125120
				12-23 MO.	.121543	.285288	.189655
				2-65+ YR.	.216076	.520777	.337164
ETHYL SALICYLATE FEMA 24580	16	SOFT CANDY(R)	13	0-5 MO.	.004991	.049908	.007550
				6-11 MO.	.054898	.169686	.083050

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL SALICYLATE FEMA 2458D	16	SOFT CANDY(R)	13	12-23 MO.	.087338	.232070	.132126
				2-65+ YR.	.144732	.439186	.218951
ETHYL SALICYLATE FEMA 2458D	20	GELATIN PUD(R)	9	0-5 MO.	.005771	.007790	.010256
				6-11 MO.	.036932	.111949	.065641
				12-23 MO.	.039817	.096946	.070770
				2-65+ YR.	.058860	.151478	.104616
ETHYL SALICYLATE FEMA 2458D	23	BEV TYPE I(R)	14	0-5 MO.	.007121	.010681	.015490
				6-11 MO.	.067349	.230530	.146511
				12-23 MO.	.160807	.482125	.349819
				2-65+ YR.	.308560	.823915	.671239
ETHYL SALICYLATE FEMA 2458D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
ETHYL SALICYLATE FEMA 2458D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000088	.000264	.003375
				12-23 MO.	.000264	.000792	.010125
				2-65+ YR.	.000528	.001496	.020250
ETHYL SALICYLATE FEMA 2458D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000437	.000437	.001766
				12-23 MO.	.000437	.001311	.001766
				2-65+ YR.	.000874	.001748	.003532
ETHYL SALICYLATE FEMA 2458D	99	ALL CATEGORIES	22	0-5 MO.	.137318	.249891	.229551
				6-11 MO.	1.069091	2.426846	1.793206
				12-23 MO.	2.189401	4.030323	3.688985
				2-65+ YR.	5.241131	8.686209	8.841220
ETHYL TIGLATE FEMA 2460D	01	BAKED GOODS(R)	*	0-5 MO.	.095200	.126000	.119000
				6-11 MO.	.711200	1.450400	.889000
				12-23 MO.	1.526000	2.514400	1.907500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL TIGLATE FEMA 2460D	01	BAKED GOODS(R)	*	2-65+ YR.	3.841600	5.706400	4.802000
ETHYL TIGLATE FEMA 2460D	07	FROZN DAIRY(R)	*	0-5 MO.	.007640	.031324	.009900
				6-11 MO.	.072580	.201696	.094050
				12-23 MO.	.110016	.258232	.142560
				2-65+ YR.	.195584	.471389	.253440
ETHYL TIGLATE FEMA 2460D	16	SOFT CANDY(R)	*	0-5 MO.	.004000	.040000	.005000
				6-11 MO.	.044000	.136000	.055000
				12-23 MO.	.070000	.186000	.087500
				2-65+ YR.	.116000	.352000	.145000
ETHYL TIGLATE FEMA 2460D	20	GELATIN PUD(R)	*	0-5 MO.	.024000	.032400	.030000
				6-11 MO.	.153600	.465600	.192000
				12-23 MO.	.165600	.403200	.207000
				2-65+ YR.	.244800	.630000	.306000
ETHYL TIGLATE FEMA 2460D	23	BEV TYPE I(R)	5	0-5 MO.	.010973	.016459	.016801
				6-11 MO.	.103782	.355237	.158911
				12-23 MO.	.247797	.742934	.379426
				2-65+ YR.	.475478	1.269617	.728049
ETHYL TIGLATE FEMA 2460D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000084	.000252	.000084
				12-23 MO.	.000252	.000756	.000252
				2-65+ YR.	.000504	.001428	.000504
ETHYL TIGLATE FEMA 2460D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000042	.000042	.000064
				12-23 MO.	.000042	.000126	.000064
				2-65+ YR.	.000084	.000168	.000128
ETHYL TIGLATE FEMA 2460D	99	ALL CATEGORIES	8	0-5 MO.	.141813	.246183	.180701
				6-11 MO.	1.085288	2.609227	1.389109
				12-23 MO.	2.119707	4.105648	2.724302
				2-65+ YR.	4.874050	8.431001	6.235121

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL 10-UNDECENOATE							
FEMA 2461D	C1	BAKED GOODS(R)	*	0-5 MO.	.102000	.135000	.119000
				6-11 MO.	.762000	1.554000	.889000
				12-23 MO.	1.635000	2.694000	1.907500
				2-65+ YR.	4.116000	6.114000	4.802000
ETHYL 10-UNDECENOATE							
FEMA 2461D	C7	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.010000
				6-11 MO.	.066500	.184800	.095000
				12-23 MO.	.100800	.236600	.144000
				2-65+ YR.	.179200	.431900	.256000
ETHYL 10-UNDECENOATE							
FEMA 2461D	16	SOFT CANDY(R)	*	0-5 MO.	.003800	.038000	.005000
				6-11 MO.	.041800	.129200	.055000
				12-23 MO.	.066500	.176700	.087500
				2-65+ YR.	.110200	.334400	.145000
ETHYL 10-UNDECENOATE							
FEMA 2461D	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.020000
				6-11 MO.	.089600	.271600	.128000
				12-23 MO.	.096600	.235200	.138000
				2-65+ YR.	.142800	.367500	.204000
ETHYL 10-UNDECENOATE							
FEMA 2461D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.007200
				6-11 MO.	.045400	.155400	.068100
				12-23 MO.	.108400	.325000	.162600
				2-65+ YR.	.208000	.555400	.312000
ETHYL 10-UNDECENOATE							
FEMA 2461D	99	ALL CATEGORIES	*	0-5 MO.	.131600	.227800	.161200
				6-11 MO.	1.005300	2.295000	1.235100
				12-23 MO.	2.007300	3.667500	2.439600
				2-65+ YR.	4.756200	7.803200	5.719000
ETHYL VALERATE							
FEMA 2462D	01	BAKED GOODS(R)	8	0-5 MO.	.113179	.149796	.135011
				6-11 MO.	.845516	1.724320	1.008611
				12-23 MO.	1.814197	2.989264	2.164145
				2-65+ YR.	4.567117	6.784099	5.448086
ETHYL VALERATE							
FEMA 2462D	07	FROZN DAIRY(R)	10	0-5 MO.	.010694	.043846	.014032

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL VALERATE FEMA 2462D	07	FROZN DAIRY(R)	10	6-11 MO.	.101594	.282323	.133306
				12-23 MO.	.153994	.361459	.202064
				2-65+ YR.	.273768	.659823	.359224
ETHYL VALERATE FEMA 2462D	16	SOFT CANDY(R)	7	0-5 MO.	.004888	.048884	.005927
				6-11 MO.	.053773	.166206	.065196
				12-23 MO.	.085547	.227311	.103721
				2-65+ YR.	.141764	.430181	.171881
ETHYL VALERATE FEMA 2462D	20	GELATIN PUD(R)	7	0-5 MO.	.021182	.028596	.027280
				6-11 MO.	.135564	.410930	.174592
				12-23 MO.	.146155	.355857	.188232
				2-65+ YR.	.216056	.556026	.278255
ETHYL VALERATE FEMA 2462D	23	BEV TYPE II(R)	13	0-5 MO.	.014523	.021785	.019165
				6-11 MO.	.137365	.470188	.181269
				12-23 MO.	.327982	.983340	.432810
				2-65+ YR.	.629337	1.680452	.830484
ETHYL VALERATE FEMA 2462D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000078	**********
				12-23 MO.	**********	.000157	**********
				2-65+ YR.	.025483	.074018	.127784
ETHYL VALERATE FEMA 2462D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000918	.002754	.001695
				12-23 MO.	.002754	.008262	.005085
				2-65+ YR.	.005508	.015606	.010170
ETHYL VALERATE FEMA 2462D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.003894	.003894	.010311
				12-23 MO.	.003894	.011682	.010311
				2-65+ YR.	.007788	.015576	.020622
ETHYL VALERATE FEMA 2462D	99	ALL CATEGORIES	27	0-5 MO.	.164467	.292906	.201415
				6-11 MO.	1.278623	3.060693	1.574980

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL VALERATE FEMA 2462D	99	ALL CATEGORIES	27	12-23 MO.	2.534524	4.937332	3.106368
				2-65+ YR.	5.866821	10.215782	7.246507
ETHYL ISOVALERATE FEMA 2463D	01	BAKED GOODS(R)	19	0-5 MO.	.063583	.084154	.119970
				6-11 MO.	.475005	.968712	.896245
				12-23 MO.	1.019204	1.679350	1.923046
				2-65+ YR.	2.565777	3.811263	4.841135
ETHYL ISOVALERATE FEMA 2463D	07	FROZN DAIRY(R)	21	0-5 MO.	.011163	.045768	.026775
				6-11 MO.	.106047	.294700	.254364
				12-23 MO.	.160745	.377305	.385562
				2-65+ YR.	.285769	.688749	.685443
ETHYL ISOVALERATE FEMA 2463D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
ETHYL ISOVALERATE FEMA 2463D	16	SOFT CANDY(R)	20	0-5 MO.	.003029	.030291	.005906
				6-11 MO.	.033320	.102991	.064971
				12-23 MO.	.053010	.140855	.103364
				2-65+ YR.	.087845	.266564	.171288
ETHYL ISOVALERATE FEMA 2463D	20	GELATIN PUD(R)	17	0-5 MO.	.019428	.026228	.043683
				6-11 MO.	.124339	.376903	.280849
				12-23 MO.	.134053	.326390	.302791
				2-65+ YR.	.198165	.509984	.447604
ETHYL ISOVALERATE FEMA 2463D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000200	.000550	.000400
				12-23 MO.	.000550	.001550	.001100
				2-65+ YR.	.000650	.001850	.001300
ETHYL ISOVALERATE FEMA 2463D	23	BEV TYPE I(R)	26	0-5 MO.	.010953	.016429	.025051
				6-11 MO.	.103596	.354601	.236938
				12-23 MO.	.247354	.741605	.565728

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL ISOVALERATE FEMA 2463D	23	BEV TYPE I(R)	26	2-65+ YR.	.474627	1.267345	1.085529
ETHYL ISOVALERATE FEMA 2463D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000055	**********
				12-23 MO.	**********	.000110	**********
				2-65+ YR.	.017875	.051920	.082875
ETHYL ISOVALERATE FEMA 2463D	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001098	.003294	.001308
				12-23 MO.	.003294	.009882	.003924
				2-65+ YR.	.006588	.018666	.007848
ETHYL ISOVALERATE FEMA 2463D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.003976	.003976	.013682
				12-23 MO.	.003976	.011928	.013682
				2-65+ YR.	.007952	.015904	.027364
ETHYL ISOVALERATE FEMA 2463D	99	ALL CATEGORIES	43	0-5 MO.	.108266	.203211	.221695
				6-11 MO.	.849653	2.111361	1.750827
				12-23 MO.	1.625206	3.294164	3.302216
				2-65+ YR.	3.653088	6.645255	7.358227
EUCALYPTOL FEMA 2465D	01	BAKED GOODS(R)	5	0-5 MO.	.019152	.025348	.033008
				6-11 MO.	.143074	.291781	.246588
				12-23 MO.	.306989	.505828	.529097
				2-65+ YR.	.772825	1.147971	1.331965
EUCALYPTOL FEMA 2465D	07	FROZN DAIRY(R)	4	0-5 MO.	.003760	.015415	.007138
				6-11 MO.	.035717	.099254	.067815
				12-23 MO.	.054139	.127076	.102794
				2-65+ YR.	.096247	.231970	.182745
EUCALYPTOL FEMA 2465D	10	MEAT PRODS(R)	*	0-5 MO.	.001837	.004842	.004410
				6-11 MO.	.034562	.093166	.082985
				12-23 MO.	.050423	.086654	.121070
				2-65+ YR.	.130900	.217221	.314300

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
EUCALYPTOL FEMA 2465D	16	SOFT CANDY(R)	10	0-5 MO.	.002814	.028136	.003899
				6-11 MO.	.030949	.095661	.042892
				12-23 MO.	.049237	.130831	.068238
				2-65+ YR.	.081593	.247594	.113080
EUCALYPTOL FEMA 2465D	20	GELATIN PUD(R)	*	0-5 MO.	.009273	.012518	.013182
				6-11 MO.	.059345	.179891	.084364
				12-23 MO.	.063982	.155782	.090955
				2-65+ YR.	.094582	.243409	.134455
EUCALYPTOL FEMA 2465D	23	BEV TYPE I(R)	10	0-5 MO.	.001035	.001553	.003697
				6-11 MO.	.009790	.033509	.034965
				12-23 MO.	.023375	.070080	.083485
				2-65+ YR.	.044851	.119762	.160193
EUCALYPTOL FEMA 2465D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000087	**********
				12-23 MO.	**********	.000174	**********
				2-65+ YR.	.028321	.082263	.190357
EUCALYPTOL FEMA 2465D	27	GRAVIES(R)	*	0-5 MO.	.000060	.000180	.000150
				6-11 MO.	.000840	.002340	.002100
				12-23 MO.	.002160	.006120	.005400
				2-65+ YR.	.004980	.012780	.012450
EUCALYPTOL FEMA 2465D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006344	.019032	.012945
				12-23 MO.	.019032	.057096	.038835
				2-65+ YR.	.038064	.107848	.077670
EUCALYPTOL FEMA 2465D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.011838	.011838	.046491
				12-23 MO.	.011838	.035514	.046491
				2-65+ YR.	.023676	.047352	.092982
EUCALYPTOL FEMA 2465D	99	ALL CATEGORIES	24	0-5 MO.	.037929	.087991	.065484

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
EUCALYPTOL FEMA 2465D	99	ALL CATEGORIES	24	6-11 MO.	.332459	.826560	.621146
				12-23 MO.	.581175	1.175156	1.086364
				2-65+ YR.	1.316040	2.458170	2.610197
ISOEUGENOL FEMA 2468D	01	BAKED GOODS(R)	10	0-5 MO.	.036984	.048949	.048902
				6-11 MO.	.276292	.563461	.365324
				12-23 MO.	.592831	.976811	.783864
				2-65+ YR.	1.492410	2.216860	1.973324
ISOEUGENOL FEMA 2468D	07	FROZN DAIRY(R)	10	0-5 MO.	.004253	.017437	.006634
				6-11 MO.	.040402	.112275	.063024
				12-23 MO.	.061241	.143746	.095531
				2-65+ YR.	.108873	.262400	.169833
ISOEUGENOL FEMA 2468D	10	MEAT PRODS(R)	4	0-5 MO.	.004769	.012572	.004769
				6-11 MO.	.089736	.241897	.089736
				12-23 MO.	.130919	.224990	.130919
				2-65+ YR.	.339870	.563993	.339870
ISOEUGENOL FEMA 2468D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000000	**********
				6-11 MO.	.000002	.000007	.000032
				12-23 MO.	.000008	.000023	.000112
				2-65+ YR.	.000026	.000064	.000352
ISOEUGENOL FEMA 2468D	16	SOFT CANDY(R)	9	0-5 MO.	.001244	.012440	.001923
				6-11 MO.	.013684	.042298	.021153
				12-23 MO.	.021771	.057848	.033653
				2-65+ YR.	.036077	.109476	.055768
ISOEUGENOL FEMA 2468D	20	GELATIN PUD(R)	7	0-5 MO.	.009120	.012312	.012834
				6-11 MO.	.058367	.176924	.082137
				12-23 MO.	.062926	.153212	.088554
				2-65+ YR.	.093022	.239394	.130906
ISOEUGENOL FEMA 2468D	23	BEV TYPE I(R)	11	0-5 MO.	.007839	.011758	.013471
				6-11 MO.	.074141	.253777	.127418

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOEUGENOL FEMA 2468D	23	BEV TYPE I(R)	11	12-23 MO.	.177023	.530743	.304231
				2-65+ YR.	.339676	.906999	.583765
ISOEUGENOL FEMA 2468D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000021	**********
				12-23 MO.	**********	.000043	**********
				2-65+ YR.	.006943	.020167	.011375
ISOEUGENOL FEMA 2468D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000360	.001080	.000360
				12-23 MO.	.001080	.003240	.001080
				2-65+ YR.	.002160	.006120	.002160
ISOEUGENOL FEMA 2468D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000014	.000014	.000017
				12-23 MO.	.000014	.000042	.000017
				2-65+ YR.	.000028	.000056	.000034
ISOEUGENOL FEMA 2468D	99	ALL CATEGORIES	18	0-5 MO.	.064208	.115468	.088533
				6-11 MO.	.552998	1.391753	.749201
				12-23 MO.	1.047814	2.090698	1.437962
				2-65+ YR.	2.419085	4.325530	3.267386
EUGENYL ACETATE FEMA 2469D	01	BAKED GOODS(R)	6	0-5 MO.	.054325	.071900	.064596
				6-11 MO.	.405837	.827652	.482570
				12-23 MO.	.870792	1.434810	1.035435
				2-65+ YR.	2.192160	3.256284	2.606637
EUGENYL ACETATE FEMA 2469D	07	FROZN DAIRY(R)	4	0-5 MO.	.005647	.023152	.007560
				6-11 MO.	.053646	.149078	.071825
				12-23 MO.	.081315	.190865	.108871
				2-65+ YR.	.144561	.348414	.193548
EUGENYL ACETATE FEMA 2469D	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	.027500
				6-11 MO.	.414000	1.116000	.517500
				12-23 MO.	.604000	1.038000	.755000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
EUGENYL ACETATE FEMA 2469D	10	MEAT PRODS(R)	*	2-65+ YR.	1.568000	2.602000	1.960000
EUGENYL ACETATE FEMA 2469D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.016000
				12-23 MO.	.028000	.076000	.056000
				2-65+ YR.	.088000	.212000	.176000
EUGENYL ACETATE FEMA 2469D	16	SOFT CANDY(R)	7	0-5 MO.	.001351	.013510	.002126
				6-11 MO.	.014861	.045934	.023386
				12-23 MO.	.023642	.062821	.037205
				2-65+ YR.	.039179	.118887	.061654
EUGENYL ACETATE FEMA 2469D	20	GELATIN PUD(R)	*	0-5 MO.	.011642	.015716	.015557
				6-11 MO.	.074506	.225846	.099562
				12-23 MO.	.080327	.195578	.107340
				2-65+ YR.	.118744	.305590	.158677
EUGENYL ACETATE FEMA 2469D	23	BEV TYPE I(R)	6	0-5 MO.	.004506	.006759	.006787
				6-11 MO.	.042618	.145877	.064197
				12-23 MO.	.101757	.305084	.153280
				2-65+ YR.	.195253	.521364	.294116
EUGENYL ACETATE FEMA 2469D	59	ALL CATEGORIES	8	0-5 MO.	.099470	.190037	.124126
				6-11 MO.	1.013467	2.532386	1.275039
				12-23 MO.	1.789834	3.303157	2.253131
				2-65+ YR.	4.345896	7.364539	5.450632
ISOEUGENYL ACETATE FEMA 2470D	01	BAKED GOODS(R)	4	0-5 MO.	.052617	.069640	.062872
				6-11 MO.	.393080	.801636	.469693
				12-23 MO.	.843420	1.389708	1.007807
				2-65+ YR.	2.123251	3.153925	2.537084
ISOEUGENYL ACETATE FEMA 2470D	07	FROZN DAIRY(R)	4	0-5 MO.	.005427	.022252	.007381
				6-11 MO.	.051561	.143284	.070120
				12-23 MO.	.078155	.183447	.106288
				2-65+ YR.	.138942	.334872	.188956

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOEUGENYL ACETATE FEMA 2470D	16	SOFT CANDY(R)	4	0-5 MO.	.001346	.013461	.002132
				6-11 MO.	.014807	.045768	.023453
				12-23 MO.	.023557	.062594	.037312
				2-65+ YR.	.039037	.118458	.061832
ISOEUGENYL ACETATE FEMA 2470D	20	GELATIN PUD(R)	*	0-5 MO.	.010943	.014773	.014735
				6-11 MO.	.070037	.212299	.094303
				12-23 MO.	.075508	.183846	.101670
				2-65+ YR.	.111621	.287260	.150295
ISOEUGENYL ACETATE FEMA 2470D	23	BEV TYPE I(R)	5	0-5 MO.	.004305	.006458	.006620
				6-11 MO.	.040720	.139379	.062617
				12-23 MO.	.097225	.291495	.149508
				2-65+ YR.	.186557	.498142	.286878
ISOEUGENYL ACETATE FEMA 2470D	99	ALL CATEGORIES	5	0-5 MO.	.074639	.126585	.093741
				6-11 MO.	.570204	1.342365	.720186
				12-23 MO.	1.117865	2.111090	1.402584
				2-65+ YR.	2.599408	4.392658	3.225044
EUGENYL BENZOATE FEMA 2471D	CL	BAKED GOODS(R)	*	0-5 MO.	.054400	.072000	.068000
				6-11 MO.	.406400	.828800	.508000
				12-23 MO.	.872000	1.436800	1.090000
				2-65+ YR.	2.195200	3.260800	2.744000
EUGENYL BENZOATE FEMA 2471D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004000
				6-11 MO.	.028500	.079200	.038000
				12-23 MO.	.043200	.101400	.057600
				2-65+ YR.	.076800	.185100	.102400
EUGENYL BENZOATE FEMA 2471D	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.002400
				6-11 MO.	.022000	.068000	.026400
				12-23 MO.	.035000	.093000	.042000
				2-65+ YR.	.058000	.176000	.069600
EUGENYL BENZOATE FEMA 2471D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
EUGENYL BENZOATE FEMA 2471D	20	GELATIN PUD(R)	*	6-11 MO.	.038400	.116400	.051200
				12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
EUGENYL BENZOATE FEMA 2471D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
EUGENYL BENZOATE FEMA 2471D	99	ALL CATEGORIES	*	0-5 MO.	.067800	.116000	.087200
				6-11 MO.	.518000	1.170100	.669000
				12-23 MO.	1.045800	1.894500	1.353200
				2-65+ YR.	2.495200	4.057100	3.205600
ISOEUGENYL ETHYL ETHER FEMA 2472D	01	BAKED GOODS(R)	*	0-5 MO.	.081600	.108000	.102000
				6-11 MO.	.609600	1.243200	.762000
				12-23 MO.	1.308000	2.155200	1.635000
				2-65+ YR.	3.292800	4.891200	4.116000
ISOEUGENYL ETHYL ETHER FEMA 2472D	07	FROZN DAIRY(R)	*	0-5 MO.	.012000	.049200	.015000
				6-11 MO.	.114000	.316800	.142500
				12-23 MO.	.172800	.405600	.216000
				2-65+ YR.	.307200	.740400	.384000
ISOEUGENYL ETHYL ETHER FEMA 2472D	16	SOFT CANDY(R)	*	0-5 MO.	.003800	.038000	.004400
				6-11 MO.	.041800	.129200	.048400
				12-23 MO.	.066500	.176700	.077000
				2-65+ YR.	.110200	.334400	.127600
ISOEUGENYL ETHYL ETHER FEMA 2472D	20	GELATIN PUD(R)	*	0-5 MO.	.024000	.032400	.030000
				6-11 MO.	.153600	.465600	.192000
				12-23 MO.	.165600	.403200	.207000
				2-65+ YR.	.244800	.630000	.306000
ISOEUGENYL ETHYL ETHER FEMA 2472D	23	BEV TYPE I(R)	*	0-5 MO.	.019200	.028800	.024000
				6-11 MO.	.181600	.621600	.227000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOEUGENYL ETHYL ETHER FEMA 24720	23	BEV TYPE I(R)	*	12-23 MO.	.433600	1.300000	.542000
				2-65+ YR.	.832000	2.221600	1.040000
ISOEUGENYL ETHYL ETHER FEMA 24720	99	ALL CATEGORIES	*	0-5 MO.	.140600	.256400	.175400
				6-11 MO.	1.100600	2.776400	1.371900
				12-23 MO.	2.146500	4.440700	2.677000
				2-65+ YR.	4.787000	8.817600	5.973600
EUGENYL FORMATE FEMA 24730	01	BAKED GOODS(R)	*	0-5 MO.	.030600	.040500	.040800
				6-11 MO.	.228600	.466200	.304800
				12-23 MO.	.490500	.808200	.654000
				2-65+ YR.	1.234800	1.834200	1.646400
EUGENYL FORMATE FEMA 24730	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004000
				6-11 MO.	.028500	.079200	.038000
				12-23 MO.	.043200	.101400	.057600
				2-65+ YR.	.076800	.185100	.102400
EUGENYL FORMATE FEMA 24730	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.001400
				6-11 MO.	.011000	.034000	.015400
				12-23 MO.	.017500	.046500	.024500
				2-65+ YR.	.029000	.088000	.040600
EUGENYL FORMATE FEMA 24730	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000
				6-11 MO.	.038400	.116400	.051200
				12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
EUGENYL FORMATE FEMA 24730	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
EUGENYL FORMATE FEMA 24730	99	ALL CATEGORIES	*	0-5 MO.	.043000	.074500	.059000
				6-11 MO.	.329200	.773500	.454800
				12-23 MO.	.646800	1.219400	.899700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
EUGENYL FORMATE							
FEMA 2473D	99	ALL CATEGORIES	*	2-65+ YR.	1.505800	2.542500	2.079000
ISOEUGENYL FORMATE							
FEMA 2474D	01	BAKED GOODS(R)	*	0-5 MO.	.030600	.040500	.040800
				6-11 MO.	.228600	.466200	.304800
				12-23 MO.	.490500	.808200	.654000
				2-65+ YR.	1.234800	1.834200	1.646400
ISOEUGENYL FORMATE							
FEMA 2474D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004000
				6-11 MO.	.028500	.079200	.038000
				12-23 MO.	.043200	.101400	.057600
				2-65+ YR.	.076800	.185100	.102400
ISOEUGENYL FORMATE							
FEMA 2474D	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.001400
				6-11 MO.	.011000	.034000	.015400
				12-23 MO.	.017500	.046500	.024500
				2-65+ YR.	.029000	.088000	.040600
ISOEUGENYL FORMATE							
FEMA 2474D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000
				6-11 MO.	.038400	.116400	.051200
				12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
ISOEUGENYL FORMATE							
FEMA 2474D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
ISOEUGENYL FORMATE							
FEMA 2474D	99	ALL CATEGORIES	*	0-5 MO.	.043000	.074500	.059000
				6-11 MO.	.329200	.773500	.454800
				12-23 MO.	.646800	1.219400	.899700
				2-65+ YR.	1.505800	2.542500	2.079000
EUGENYL METHYL ETHER							
FEMA 2475D	01	BAKED GOODS(R)	6	0-5 MO.	.093221	.123381	.135516
				6-11 MO.	.696415	1.420248	1.012383
				12-23 MO.	1.494276	2.462128	2.172238
				2-65+ YR.	3.761737	5.587769	5.468461

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
EUGENYL METHYL ETHER FEMA 2475D	07	FROZN DAIRY(R)	5	0-5 MO.	.015200	.062321	.017347
				6-11 MO.	.144403	.401287	.164801
				12-23 MO.	.218884	.513769	.249803
				2-65+ YR.	.389127	.937857	.444094
EUGENYL METHYL ETHER FEMA 2475D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000275	**********
				6-11 MO.	.002200	.006050	.005720
				12-23 MO.	.007700	.020900	.020020
				2-65+ YR.	.024200	.058300	.062920
EUGENYL METHYL ETHER FEMA 2475D	16	SOFT CANDY(R)	6	0-5 MO.	.003792	.037922	.004783
				6-11 MO.	.041714	.128934	.052614
				12-23 MO.	.066363	.176336	.083704
				2-65+ YR.	.109973	.333712	.138709
EUGENYL METHYL ETHER FEMA 2475D	20	GELATIN PUD(R)	4	0-5 MO.	.030525	.041209	.034681
				6-11 MO.	.195361	.592188	.221958
				12-23 MO.	.210624	.512823	.239298
				2-65+ YR.	.311357	.801286	.353745
EUGENYL METHYL ETHER FEMA 2475D	23	BEV TYPE I(R)	6	0-5 MO.	.020446	.030669	.027719
				6-11 MO.	.193388	.661948	.262179
				12-23 MO.	.461745	1.384384	.625995
				2-65+ YR.	.886006	2.365805	1.201171
EUGENYL METHYL ETHER FEMA 2475D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000060	.000180	.000060
				12-23 MO.	.000180	.000540	.000180
				2-65+ YR.	.000360	.001020	.000360
EUGENYL METHYL ETHER FEMA 2475D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.001040	.001040	.004461
				12-23 MO.	.001040	.003120	.004461
				2-65+ YR.	.002080	.004160	.008922
EUGENYL METHYL ETHER FEMA 2475D	99	ALL CATEGORIES	14	0-5 MO.	.163185	.295777	.220047

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
EUGENYL METHYL ETHER FEMA 2475D	99	ALL CATEGORIES	14	6-11 MO.	1.274580	3.211876	1.724174
				12-23 MO.	2.460812	5.074000	3.395699
				2-65+ YR.	5.484840	10.089910	7.678382
ISOEUGENYL METHYL ETHER FEMA 2476D	01	BAKED GOODS(R)	7	0-5 MO.	.024528	.032463	.066658
				6-11 MO.	.183236	.373686	.497974
				12-23 MO.	.393164	.647818	1.068487
				2-65+ YR.	.989762	1.470215	2.689844
ISOEUGENYL METHYL ETHER FEMA 2476D	07	FROZN DAIRY(R)	8	0-5 MO.	.004820	.019763	.010813
				6-11 MO.	.045791	.127252	.102721
				12-23 MO.	.069410	.162921	.155704
				2-65+ YR.	.123395	.297402	.276806
ISOEUGENYL METHYL ETHER FEMA 2476D	16	SOFT CANDY(R)	7	0-5 MO.	.001142	.011416	.002099
				6-11 MO.	.012558	.038816	.023086
				12-23 MO.	.019979	.053086	.036728
				2-65+ YR.	.033107	.100464	.060864
ISOEUGENYL METHYL ETHER FEMA 2476D	20	GELATIN PUD(R)	5	0-5 MO.	.020428	.027578	.030263
				6-11 MO.	.130741	.396309	.193682
				12-23 MO.	.140955	.343196	.208813
				2-65+ YR.	.208369	.536243	.308681
ISOEUGENYL METHYL ETHER FEMA 2476D	23	BEV TYPE I(R)	11	0-5 MO.	.005890	.008834	.010681
				6-11 MO.	.055706	.190675	.101028
				12-23 MO.	.133006	.398774	.241221
				2-65+ YR.	.255215	.681473	.462860
ISOEUGENYL METHYL ETHER FEMA 2476D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000900	.002700	.000900
				12-23 MO.	.002700	.008100	.002700
				2-65+ YR.	.005400	.015300	.005400
ISOEUGENYL METHYL ETHER FEMA 2476D	99	ALL CATEGORIES	13	0-5 MO.	.056807	.100055	.120514
				6-11 MO.	.428932	1.129437	.919392

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOEUGENYL METHYL ETHER FEMA 2476D	99	ALL CATEGORIES	13	12-23 MO.	.759214	1.613894	1.713654
				2-65+ YR.	1.615249	3.101098	3.804455
ISOEUGENYL PHENYLACETATE FEMA 2477D	01	BAKED GOODS(R)	*	0-5 MO.	.008069	.010680	.009407
				6-11 MO.	.060283	.122939	.070273
				12-23 MO.	.129347	.213125	.150783
				2-65+ YR.	.325621	.483685	.379587
ISOEUGENYL PHENYLACETATE FEMA 2477D	07	FROZN DAIRY(R)	*	0-5 MO.	.001505	.006171	.001505
				6-11 MO.	.014298	.039732	.014298
				12-23 MO.	.021672	.050869	.021672
				2-65+ YR.	.038528	.092859	.038528
ISOEUGENYL PHENYLACETATE FEMA 2477D	16	SOFT CANDY(R)	*	0-5 MO.	.000406	.004060	.000406
				6-11 MO.	.004466	.013804	.004466
				12-23 MO.	.007105	.018879	.007105
				2-65+ YR.	.011774	.035728	.011774
ISOEUGENYL PHENYLACETATE FEMA 2477D	20	GELATIN PUD(R)	*	0-5 MO.	.002020	.002727	.003100
				6-11 MO.	.012928	.039188	.019840
				12-23 MO.	.013938	.033936	.021390
				2-65+ YR.	.020604	.053025	.031620
ISOEUGENYL PHENYLACETATE FEMA 2477D	23	BEV TYPE I(R)	*	0-5 MO.	.001812	.002718	.001812
				6-11 MO.	.017139	.058664	.017139
				12-23 MO.	.040921	.122688	.040921
				2-65+ YR.	.078520	.209664	.078520
ISOEUGENYL PHENYLACETATE FEMA 2477D	99	ALL CATEGORIES	*	0-5 MO.	.013812	.026355	.016230
				6-11 MO.	.109113	.274326	.126015
				12-23 MO.	.212983	.439497	.241871
				2-65+ YR.	.475047	.874960	.540029
FARNESOL FEMA 2478D	01	BAKED GOODS(R)	5	0-5 MO.	.012453	.016483	.018834
				6-11 MO.	.093035	.189733	.140703
				12-23 MO.	.199622	.328919	.301901

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FARNESOL FEMA 2478D	01	BAKED GOODS(R)	5	2-65+ YR.	.502535	.746477	.760016
FARNESOL FEMA 2478D	07	FROZN DAIRY(R)	5	0-5 MO.	.001681	.006892	.002720
				6-11 MO.	.015968	.044375	.025844
				12-23 MO.	.024204	.056813	.039174
				2-65+ YR.	.043030	.103709	.069642
FARNESOL FEMA 2478D	16	SOFT CANDY(R)	6	0-5 MO.	.000483	.004829	.000724
				6-11 MO.	.005312	.016419	.007963
				12-23 MO.	.008451	.022455	.012669
				2-65+ YR.	.014004	.042496	.020995
FARNESOL FEMA 2478D	20	GELATIN PUD(R)	4	0-5 MO.	.003064	.004137	.004746
				6-11 MO.	.019613	.059451	.030377
				12-23 MO.	.021145	.051483	.032751
				2-65+ YR.	.031258	.080442	.048414
FARNESOL FEMA 2478D	23	BEV TYPE I(R)	5	0-5 MO.	.001667	.002500	.003442
				6-11 MO.	.015764	.053958	.032557
				12-23 MO.	.037639	.112847	.077734
				2-65+ YR.	.072222	.192647	.149158
FARNESOL FEMA 2478D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
FARNESOL FEMA 2478D	99	ALL CATEGORIES	7	0-5 MO.	.019348	.034840	.030467
				6-11 MO.	.149692	.363985	.237444
				12-23 MO.	.291061	.572617	.464229
				2-65+ YR.	.679299	1.213171	1.080725
(E)-FENCHONE FEMA 2479D	01	BAKED GOODS(R)	*	0-5 MO.	.033528	.044375	.044270
				6-11 MO.	.250472	.510806	.330723
				12-23 MO.	.537431	.885528	.709621
				2-65+ YR.	1.352944	2.009694	1.786423

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
/S/-FENCHONE							
FEMA 2479D	07	FROZN DAIRY(R)	*	0-5 MO.	.003149	.012912	.005350
				6-11 MO.	.029917	.083138	.050823
				12-23 MO.	.045348	.106442	.077037
				2-65+ YR.	.080619	.194304	.136955
/S/-FENCHONE							
FEMA 2479D	16	SOFT CANDY(R)	6	0-5 MO.	.001449	.014494	.001998
				6-11 MO.	.015944	.049280	.021983
				12-23 MO.	.025365	.067398	.034973
				2-65+ YR.	.042033	.127549	.057955
/S/-FENCHONE							
FEMA 2479D	20	GELATIN PUD(R)	*	0-5 MO.	.006420	.008667	.010882
				6-11 MO.	.041089	.124551	.069647
				12-23 MO.	.044299	.107859	.075088
				2-65+ YR.	.065486	.168529	.111000
/S/-FENCHONE							
FEMA 2479D	23	BEV TYPE I(R)	4	0-5 MO.	.002586	.003879	.007432
				6-11 MO.	.024462	.083731	.070297
				12-23 MO.	.058407	.175113	.167845
				2-65+ YR.	.112073	.299255	.322064
/S/-FENCHONE							
FEMA 2479D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.162500
/S/-FENCHONE							
FEMA 2479D	99	ALL CATEGORIES	7	0-5 MO.	.047133	.084327	.069933
				6-11 MO.	.361884	.851516	.543472
				12-23 MO.	.710850	1.342360	1.064565
				2-65+ YR.	1.656405	2.808772	2.576897
FENCHYL ALCOHOL							
FEMA 2480D	01	BAKED GOODS(R)	7	0-5 MO.	.007333	.009705	.013826
				6-11 MO.	.054780	.111716	.103286
				12-23 MO.	.117539	.193670	.221618
				2-65+ YR.	.295897	.439532	.557908
FENCHYL ALCOHOL							
FEMA 2480D	07	FROZN DAIRY(R)	4	0-5 MO.	.001256	.005148	.002346

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FENCHYL ALCOHOL FEMA 2480D	07	FROZN DAIRY(R)	4	6-11 MO.	.011928	.033148	.022288
				12-23 MO.	.018081	.042440	.033785
				2-65+ YR.	.032144	.077471	.060062
FENCHYL ALCOHOL FEMA 2480D	16	SOFT CANDY(R)	7	0-5 MO.	.000330	.003298	.000604
				6-11 MO.	.003628	.011214	.006648
				12-23 MO.	.005772	.015336	.010576
				2-65+ YR.	.009565	.029024	.017526
FENCHYL ALCOHOL FEMA 2480D	20	GELATIN PUD(R)	*	0-5 MO.	.009380	.012663	.016380
				6-11 MO.	.060030	.181967	.104830
				12-23 MO.	.064720	.157580	.113020
				2-65+ YR.	.095673	.246218	.167073
FENCHYL ALCOHOL FEMA 2480D	23	BEV TYPE 1(R)	8	0-5 MO.	.002208	.003312	.013200
				6-11 MO.	.020882	.071478	.124850
				12-23 MO.	.049860	.149487	.298100
				2-65+ YR.	.095671	.255461	.572000
FENCHYL ALCOHOL FEMA 2480D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000499	.001497	.000500
				12-23 MO.	.001497	.004491	.001500
				2-65+ YR.	.002994	.008483	.003000
FENCHYL ALCOHOL FEMA 2480D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000250	.000250	.000250
				12-23 MO.	.000250	.000750	.000250
				2-65+ YR.	.000500	.001000	.000500
FENCHYL ALCOHOL FEMA 2480D	99	ALL CATEGORIES	12	0-5 MO.	.020506	.034126	.046356
				6-11 MO.	.151998	.411270	.362653
				12-23 MO.	.257719	.563754	.678849
				2-65+ YR.	.532444	1.057190	1.378069
FORMIC ACID FEMA 2487D	01	BAKED GOODS(R)	*	0-5 MO.	.006504	.008608	.019534
				6-11 MO.	.048588	.099088	.145927

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FORMIC ACID FEMA 2487D	01	BAKED GOODS(R)	*	12-23 MO.	.104253	.171779	.313111
				2-65+ YR.	.262450	.389850	.788236
FORMIC ACID FEMA 2487D	07	FROZN DAIRY(R)	*	0-5 MO.	.001007	.004128	.004331
				6-11 MO.	.009566	.026582	.041145
				12-23 MO.	.014499	.034033	.062367
				2-65+ YR.	.025777	.062126	.110874
FORMIC ACID FEMA 2487D	16	SOFT CANDY(R)	*	0-5 MO.	.000381	.003807	.000994
				6-11 MO.	.004188	.012943	.010932
				12-23 MO.	.006662	.017702	.017391
				2-65+ YR.	.011040	.033501	.028820
FORMIC ACID FEMA 2487D	20	GELATIN PUD(R)	*	0-5 MO.	.000963	.001300	.006806
				6-11 MO.	.006163	.018681	.043556
				12-23 MO.	.006644	.016178	.046958
				2-65+ YR.	.009822	.025278	.069417
FORMIC ACID FEMA 2487D	23	BEV TYPE I(R)	4	0-5 MO.	.001984	.002976	.002125
				6-11 MO.	.018765	.064232	.020103
				12-23 MO.	.044805	.134333	.047999
				2-65+ YR.	.085973	.229565	.092102
FORMIC ACID FEMA 2487D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
FORMIC ACID FEMA 2487D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000600	.001800	.000600
				12-23 MO.	.001800	.005400	.001800
				2-65+ YR.	.003600	.010200	.003600
FORMIC ACID FEMA 2487D	99	ALL CATEGORIES	5	0-5 MO.	.010838	.020819	.033789
				6-11 MO.	.087869	.223427	.262262
				12-23 MO.	.178664	.379625	.489627

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FORMIC ACID							
FEMA 2487D	99	ALL CATEGORIES	5	2-65+ YR.	.431162	.844919	1.190549
/2-FURYL/-2-PROPANONE							
FEMA 2496D	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.044200
				6-11 MO.	.203200	.414400	.330200
				12-23 MO.	.436000	.718400	.708500
				2-65+ YR.	1.097600	1.630400	1.783600
/2-FURYL/-2-PROPANONE							
FEMA 2496D	07	FROZN DAIRY(R)	*	0-5 MO.	.006500	.026650	.011500
				6-11 MO.	.061750	.171600	.109250
				12-23 MO.	.093600	.219700	.165600
				2-65+ YR.	.166400	.401050	.294400
/2-FURYL/-2-PROPANONE							
FEMA 2496D	16	SOFT CANDY(R)	*	0-5 MO.	.001500	.015000	.002500
				6-11 MO.	.016500	.051000	.027500
				12-23 MO.	.026250	.069750	.043750
				2-65+ YR.	.043500	.132000	.072500
/2-FURYL/-2-PROPANONE							
FEMA 2496D	20	GELATIN PUD(R)	*	0-5 MO.	.022000	.029700	.036000
				6-11 MO.	.140800	.426800	.230400
				12-23 MO.	.151800	.369600	.248400
				2-65+ YR.	.224400	.577500	.367200
/2-FURYL/-2-PROPANONE							
FEMA 2496D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.019200
				6-11 MO.	.113500	.388500	.181600
				12-23 MO.	.271000	.812500	.433600
				2-65+ YR.	.520000	1.388500	.832000
/2-FURYL/-2-PROPANONE							
FEMA 2496D	99	ALL CATEGORIES	*	0-5 MO.	.069200	.125350	.113400
				6-11 MO.	.535750	1.452300	.878950
				12-23 MO.	.978650	2.189950	1.599850
				2-65+ YR.	2.051900	4.129450	3.349700
ISOAMYL FUSEL OIL							
FEMA 2497D	01	BAKED GOODS(R)	16	0-5 MO.	.125580	.166209	.190832
				6-11 MO.	.938157	1.913249	1.425631
				12-23 MO.	2.012974	3.316791	3.058932
				2-65+ YR.	5.067525	7.527416	7.700651

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOAMYL FUSEL OIL FEMA 2497D	07	FROZN DAIRY(R)	15	0-5 MO.	.016570	.067937	.029142
				6-11 MO.	.157416	.437450	.276850
				12-23 MO.	.238609	.560068	.419647
				2-65+ YR.	.424194	1.022373	.746039
ISOAMYL FUSEL OIL FEMA 2497D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
ISOAMYL FUSEL OIL FEMA 2497D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.016000	**********
				6-11 MO.	.128000	.352000	**********
				12-23 MO.	.448000	1.216000	**********
				2-65+ YR.	1.408000	3.392000	**********
ISOAMYL FUSEL OIL FEMA 2497D	16	SOFT CANDY(R)	16	0-5 MO.	.003404	.034040	.008871
				6-11 MO.	.037445	.115738	.097577
				12-23 MO.	.059571	.158288	.155236
				2-65+ YR.	.098717	.299556	.257248
ISOAMYL FUSEL OIL FEMA 2497D	20	GELATIN PUD(R)	13	0-5 MO.	.025952	.035036	.062383
				6-11 MO.	.166095	.503476	.399253
				12-23 MO.	.179072	.436000	.430445
				2-65+ YR.	.264714	.681250	.636310
ISOAMYL FUSEL OIL FEMA 2497D	23	BEV TYPE I(R)	17	0-5 MO.	.021513	.032270	.032021
				6-11 MO.	.203482	.696499	.302867
				12-23 MO.	.485846	1.456641	.723144
				2-65+ YR.	.932250	2.489288	1.387583
ISOAMYL FUSEL OIL FEMA 2497D	24	BEV TYPE II(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.013929	**********
				12-23 MO.	**********	.027857	**********
				2-65+ YR.	4.526815	13.148655	5.829005
ISOAMYL FUSEL OIL FEMA 2497D	27	GRAVIES(R)	*	0-5 MO.	.000300	.000900	.000600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL FUSEL OIL FEMA 2497D	27	GRAVIES(R)	*	6-11 MO.	.004200	.011700	.008400
				12-23 MO.	.010800	.030600	.021600
				2-65+ YR.	.024900	.063900	.049800
ISOAMYL FUSEL OIL FEMA 2497D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002252	.006756	.002252
				12-23 MO.	.006756	.020268	.006756
				2-65+ YR.	.013512	.038284	.013512
ISOAMYL FUSEL OIL FEMA 2497D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000223	.000223	.079900
				12-23 MO.	.000223	.000669	.079900
				2-65+ YR.	.000446	.000892	.159800
ISOAMYL FUSEL OIL FEMA 2497D	99	ALL CATEGORIES	34	0-5 MO.	.194420	.355293	.326050
				6-11 MO.	1.657969	4.106819	2.634130
				12-23 MO.	3.472051	7.275083	4.956060
				2-65+ YR.	12.839473	28.793715	16.936749
GERANYL ACETOACETATE FEMA 2510D	01	BAKED GOODS(R)	*	0-5 MO.	.125800	.166500	.139400
				6-11 MO.	.939800	1.916600	1.041400
				12-23 MO.	2.016500	3.322600	2.234500
				2-65+ YR.	5.076400	7.540600	5.625200
GERANYL ACETOACETATE FEMA 2510D	07	FROZN DAIRY(R)	*	0-5 MO.	.021000	.086100	.028000
				6-11 MO.	.199500	.554400	.266000
				12-23 MO.	.302400	.709800	.403200
				2-65+ YR.	.537600	1.295700	.716800
GERANYL ACETOACETATE FEMA 2510D	16	SOFT CANDY(R)	*	0-5 MO.	.006800	.068000	.008600
				6-11 MO.	.074800	.231200	.094600
				12-23 MO.	.119000	.316200	.150500
				2-65+ YR.	.197200	.598400	.249400
GERANYL ACETOACETATE FEMA 2510D	20	GELATIN PUD(R)	*	0-5 MO.	.046000	.062100	.058000
				6-11 MO.	.294400	.892400	.371200

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANYL ACETOACETATE FEMA 2510D	20	GELATIN PUD(R)	*	12-23 MO.	.317400	.772800	.400200
				2-65+ YR.	.469200	1.207500	.591600
GERANYL ACETOACETATE FEMA 2510D	23	BEV TYPE I(R)	*	0-5 MO.	.028800	.043200	.033600
				6-11 MO.	.272400	.932400	.317800
				12-23 MO.	.650400	1.950000	.758800
				2-65+ YR.	1.248000	3.332400	1.456000
GERANYL ACETOACETATE FEMA 2510D	99	ALL CATEGORIES	*	0-5 MO.	.228400	.425900	.267600
				6-11 MO.	1.780900	4.527000	2.091000
				12-23 MO.	3.405700	7.071400	3.947200
				2-65+ YR.	7.528400	13.974600	8.639000
GERANYL BENZOATE FEMA 2511D	01	BAKED GOODS(R)	*	0-5 MO.	.098600	.130500	.129200
				6-11 MO.	.736600	1.502200	.965200
				12-23 MO.	1.580500	2.604200	2.071000
				2-65+ YR.	3.978800	5.910200	5.213600
GERANYL BENZOATE FEMA 2511D	07	FROZN DAIRY(R)	*	0-5 MO.	.030000	.123000	.035000
				6-11 MO.	.285000	.792000	.332500
				12-23 MO.	.432000	1.014000	.504000
				2-65+ YR.	.768000	1.851000	.896000
GERANYL BENZOATE FEMA 2511D	16	SOFT CANDY(R)	*	0-5 MO.	.006200	.062000	.007000
				6-11 MO.	.068200	.210800	.077000
				12-23 MO.	.108500	.288300	.122500
				2-65+ YR.	.179800	.545600	.203000
GERANYL BENZOATE FEMA 2511D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.062000
				6-11 MO.	.256000	.776000	.396800
				12-23 MO.	.276000	.672000	.427800
				2-65+ YR.	.408000	1.050000	.632400
GERANYL BENZOATE FEMA 2511D	23	BEV TYPE I(R)	*	0-5 MO.	.026400	.039600	.045600
				6-11 MO.	.249700	.854700	.431300
				12-23 MO.	.596200	1.787500	1.029800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANYL BENZOATE FEMA 2511D	23	BEV TYPE I(R)	*	2-65+ YR.	1.144000	3.054700	1.976000
GERANYL BENZOATE FEMA 2511D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000073	.000219	.000138
				12-23 MO.	.000219	.000657	.000414
				2-65+ YR.	.000438	.001241	.000828
GERANYL BENZOATE FEMA 2511D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000070	.000070	.000506
				12-23 MO.	.000070	.000210	.000506
				2-65+ YR.	.000140	.000280	.001012
GERANYL BENZOATE FEMA 2511D	59	ALL CATEGORIES	4	0-5 MO.	.201200	.409100	.278800
				6-11 MO.	1.595643	4.135989	2.203444
				12-23 MO.	2.993489	6.366867	4.156020
				2-65+ YR.	6.479178	12.413021	8.922840
GERANYL BUTYRATE FEMA 2512D	01	BAKED GOODS(R)	17	0-5 MO.	.059315	.078506	.078276
				6-11 MO.	.443121	.903687	.584767
				12-23 MO.	.950790	1.566623	1.254716
				2-65+ YR.	2.393549	3.555432	3.158661
GERANYL BUTYRATE FEMA 2512D	07	FROZN DAIRY(R)	12	0-5 MO.	.015803	.064792	.020156
				6-11 MO.	.150127	.417195	.191478
				12-23 MO.	.227561	.534136	.290241
				2-65+ YR.	.404553	.975036	.515983
GERANYL BUTYRATE FEMA 2512D	10	MEAT PRODS(R)	*	0-5 MO.	.000342	.000902	.000342
				6-11 MO.	.006436	.017349	.006436
				12-23 MO.	.009389	.016136	.009389
				2-65+ YR.	.024375	.040449	.024375
GERANYL BUTYRATE FEMA 2512D	16	SOFT CANDY(R)	14	0-5 MO.	.003149	.031487	.004371
				6-11 MO.	.034636	.107056	.048085
				12-23 MO.	.055103	.146415	.076499
				2-65+ YR.	.091313	.277087	.126770

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANYL BUTYRATE FEMA 2512D	20	GELATIN PUD(R)	14	0-5 MO.	.036229	.048908	.045064
				6-11 MO.	.231862	.702833	.288410
				12-23 MO.	.249977	.608639	.310942
				2-65+ YR.	.369531	.950998	.459654
GERANYL BUTYRATE FEMA 2512D	23	BEV TYPE I(R)	20	0-5 MO.	.018671	.028007	.026298
				6-11 MO.	.176600	.604486	.248733
				12-23 MO.	.421662	1.264209	.593892
				2-65+ YR.	.809094	2.160436	1.139572
GERANYL BUTYRATE FEMA 2512D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
GERANYL BUTYRATE FEMA 2512D	27	GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000003
				6-11 MO.	.000014	.000039	.000042
				12-23 MO.	.000036	.000102	.000108
				2-65+ YR.	.000083	.000213	.000249
GERANYL BUTYRATE FEMA 2512D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000141	.000423	.000145
				12-23 MO.	.000423	.001269	.000435
				2-65+ YR.	.000846	.002397	.000870
GERANYL BUTYRATE FEMA 2512D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000534	.000534	.000534
				12-23 MO.	.000534	.001602	.000534
				2-65+ YR.	.001068	.002136	.001068
GERANYL BUTYRATE FEMA 2512D	99	ALL CATEGORIES	25	0-5 MO.	.133510	.252605	.174510
				6-11 MO.	1.043471	2.753702	1.368631
				12-23 MO.	1.915475	4.139332	2.536757
				2-65+ YR.	4.126911	8.058584	5.524702
GERANYL ISOBUTYRATE FEMA 2513D	01	BAKED GOODS(R)	6	0-5 MO.	.018099	.023954	.035037

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GERANYL ISOBUTYRATE FEMA 25130	01	BAKED GOODS(R)	6	6-11 MO.	.135209	.275740	.261744
				12-23 MO.	.290113	.478021	.561616
				2-65+ YR.	.730339	1.084862	1.413829
GERANYL ISOBUTYRATE FEMA 25130	07	FROZN DAIRY(R)	5	0-5 MO.	.003715	.015233	.007677
				6-11 MO.	.035296	.098086	.072931
				12-23 MO.	.053502	.125580	.110548
				2-65+ YR.	.095114	.229239	.196529
GERANYL ISOBUTYRATE FEMA 25130	16	SOFT CANDY(R)	5	0-5 MO.	.000782	.007823	.001674
				6-11 MO.	.008605	.026598	.018412
				12-23 MO.	.013690	.036377	.029292
				2-65+ YR.	.022687	.068843	.048542
GERANYL ISOBUTYRATE FEMA 25130	20	GELATIN PUD(R)	6	0-5 MO.	.006563	.008861	.013329
				6-11 MO.	.042006	.127330	.085307
				12-23 MO.	.045288	.110265	.091972
				2-65+ YR.	.066947	.172290	.135959
GERANYL ISOBUTYRATE FEMA 25130	23	BEV TYPE I(R)	7	0-5 MO.	.003521	.005281	.008093
				6-11 MO.	.033298	.113978	.076543
				12-23 MO.	.079506	.238370	.182760
				2-65+ YR.	.152557	.407356	.350683
GERANYL ISOBUTYRATE FEMA 25130	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
GERANYL ISOBUTYRATE FEMA 25130	99	ALL CATEGORIES	7	0-5 MO.	.032680	.061152	.065809
				6-11 MO.	.254414	.641833	.514938
				12-23 MO.	.482098	.988813	.976188
				2-65+ YR.	1.100143	2.056990	2.243041
GERANYL FORMATE FEMA 25140	01	BAKED GOODS(R)	9	0-5 MO.	.047186	.062453	.094291
				6-11 MO.	.352510	.718898	.704412

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GERANYL FORMATE FEMA 2514D	01	BAKED GOODS(R)	9	12-23 MO.	.756370	1.246275	1.511435
				2-65+ YR.	1.904109	2.828407	3.804935
GERANYL FORMATE FEMA 2514D	07	FROZN DAIRY(R)	7	0-5 MO.	.014101	.057814	.019664
				6-11 MO.	.133959	.372266	.186809
				12-23 MO.	.203054	.476614	.283164
				2-65+ YR.	.360986	.870032	.503402
GERANYL FORMATE FEMA 2514D	16	SOFT CANDY(R)	9	0-5 MO.	.003612	.036120	.004853
				6-11 MO.	.039732	.122809	.053381
				12-23 MO.	.063211	.167959	.084924
				2-65+ YR.	.104749	.317859	.140731
GERANYL FORMATE FEMA 2514D	20	GELATIN PUD(R)	9	0-5 MO.	.030769	.041538	.047575
				6-11 MO.	.196920	.596914	.304477
				12-23 MO.	.212304	.516915	.328264
				2-65+ YR.	.313841	.807680	.485260
GERANYL FORMATE FEMA 2514D	23	BEV TYPE I(R)	10	0-5 MO.	.029603	.044405	.038291
				6-11 MO.	.279997	.958405	.362166
				12-23 MO.	.668540	2.004385	.864730
				2-65+ YR.	1.282807	3.425340	1.659261
GERANYL FORMATE FEMA 2514D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
GERANYL FORMATE FEMA 2514D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000084	.000084	.000084
				12-23 MO.	.000084	.000252	.000084
				2-65+ YR.	.000168	.000336	.000168
GERANYL FORMATE FEMA 2514D	99	ALL CATEGORIES	12	0-5 MO.	.125271	.242330	.204673
				6-11 MO.	1.003203	2.769476	1.611329
				12-23 MO.	1.903563	4.412601	3.072601

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GERANYL FORMATE FEMA 2514D	99	ALL CATEGORIES	12	2-65+ YR.	3.999159	8.344053	6.691257
GERANYL HEXANOATE FEMA 2515D	01	BAKED GOODS(R)	5	0-5 MO.	.015261	.020198	.023042
				6-11 MO.	.114007	.232502	.172134
				12-23 MO.	.244621	.403064	.369342
				2-65+ YR.	.615817	.914749	.929794
GERANYL HEXANOATE FEMA 2515D	07	FROZN DAIRY(R)	5	0-5 MO.	.002766	.011341	.004886
				6-11 MO.	.026278	.073026	.046418
				12-23 MO.	.039833	.093496	.070361
				2-65+ YR.	.070814	.170672	.125086
GERANYL HEXANOATE FEMA 2515D	16	SOFT CANDY(R)	5	0-5 MO.	.000605	.006052	.001204
				6-11 MO.	.006658	.020578	.013247
				12-23 MO.	.010592	.028143	.021075
				2-65+ YR.	.017552	.053260	.034925
GERANYL HEXANOATE FEMA 2515D	20	GELATIN PUD(R)	4	0-5 MO.	.007567	.010215	.010896
				6-11 MO.	.048427	.146793	.069733
				12-23 MO.	.052210	.127120	.075181
				2-65+ YR.	.077180	.198625	.111138
GERANYL HEXANOATE FEMA 2515D	23	BEV TYPE I(R)	6	0-5 MO.	.003899	.005649	.006406
				6-11 MO.	.036880	.126237	.060592
				12-23 MO.	.088057	.264008	.144672
				2-65+ YR.	.168965	.451170	.277600
GERANYL HEXANOATE FEMA 2515D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
GERANYL HEXANOATE FEMA 2515D	99	ALL CATEGORIES	6	0-5 MO.	.030098	.053655	.046434
				6-11 MO.	.232250	.599237	.362125
				12-23 MO.	.435312	.916032	.680632
				2-65+ YR.	.982828	1.802876	1.576042

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANYL PHENYLACETATE							
FEMA 2516D	01	BAKED GOODS(R)	*	0-5 MO.	.030600	.040500	.051000
				6-11 MO.	.228600	.466200	.381000
				12-23 MO.	.490500	.808200	.817500
				2-65+ YR.	1.234800	1.834200	2.058000
GERANYL PHENYLACETATE							
FEMA 2516D	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.009750
				6-11 MO.	.066500	.184800	.092625
				12-23 MO.	.100800	.236600	.140400
				2-65+ YR.	.179200	.431900	.249600
GERANYL PHENYLACETATE							
FEMA 2516D	16	SOFT CANDY(R)	4	0-5 MO.	.001560	.015600	.002720
				6-11 MO.	.017160	.053040	.029920
				12-23 MO.	.027300	.072540	.047600
				2-65+ YR.	.045240	.137280	.078880
GERANYL PHENYLACETATE							
FEMA 2516D	20	GELATIN PUD(R)	*	0-5 MO.	.018000	.024300	.029000
				6-11 MO.	.115200	.349200	.185600
				12-23 MO.	.124200	.302400	.200100
				2-65+ YR.	.183600	.472500	.295800
GERANYL PHENYLACETATE							
FEMA 2516D	23	BEV TYPE I(R)	6	0-5 MO.	.005610	.008415	.009840
				6-11 MO.	.053061	.181624	.093070
				12-23 MO.	.126693	.379844	.222220
				2-65+ YR.	.243100	.649124	.426400
GERANYL PHENYLACETATE							
FEMA 2516D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
GERANYL PHENYLACETATE							
FEMA 2516D	99	ALL CATEGORIES	6	0-5 MO.	.062770	.117515	.102310
				6-11 MO.	.480521	1.234964	.782215
				12-23 MO.	.869493	1.799784	1.427820
				2-65+ YR.	1.918440	3.619404	3.206180
GERANYL PROPIONATE							
FEMA 2517D	01	BAKED GOODS(R)	7	0-5 MO.	.040931	.054174	.058082

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GERANYL PROPIONATE FEMA 2517D	C1	BAKED GOODS(R)	7	6-11 MO.	.305782	.623603	.439882
				12-23 MO.	.656108	1.081073	.943841
				2-65+ YR.	1.651706	2.453482	2.376055
GERANYL PROPIONATE FEMA 2517D	07	FROZN DAIRY(R)	7	0-5 MO.	.005199	.021317	.011379
				6-11 MO.	.049393	.137261	.108098
				12-23 MO.	.074865	.175735	.163853
				2-65+ YR.	.133101	.320795	.291295
GERANYL PROPIONATE FEMA 2517D	16	SOFT CANDY(R)	8	0-5 MO.	.001247	.012466	.002155
				6-11 MO.	.013713	.042385	.023700
				12-23 MO.	.021816	.057968	.037704
				2-65+ YR.	.036152	.109702	.062481
GERANYL PROPIONATE FEMA 2517D	20	GELATIN PUD(R)	7	0-5 MO.	.012816	.017302	.027331
				6-11 MO.	.082023	.248633	.174920
				12-23 MO.	.088431	.215311	.188586
				2-65+ YR.	.130725	.336424	.278779
GERANYL PROPIONATE FEMA 2517D	23	BEV TYPE I(R)	10	0-5 MO.	.005976	.008966	.010107
				6-11 MO.	.056538	.193526	.095595
				12-23 MO.	.134995	.404735	.228248
				2-65+ YR.	.259030	.691661	.437967
GERANYL PROPIONATE FEMA 2517D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
GERANYL PROPIONATE FEMA 2517D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000242	.000726	.000490
				12-23 MO.	.000726	.002178	.001470
				2-65+ YR.	.001452	.004114	.002940
GERANYL PROPIONATE FEMA 2517D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000938	.000938	.000938

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANYL PROPIONATE FEMA 2517D	31	CHEWING GUM(R)	*	12-23 MO.	.000938	.002814	.000938
				2-65+ YR.	.001876	.003752	.001876
GERANYL PROPIONATE FEMA 2517D	99	ALL CATEGORIES	14	0-5 MO.	.066171	.114225	.109853
				6-11 MO.	.508630	1.247172	.843622
				12-23 MO.	.977883	1.940014	1.564640
				2-65+ YR.	2.246542	4.014329	3.548893
GERANYL ISOVALERATE FEMA 2518D	01	BAKED GOODS(R)	7	0-5 MO.	.092157	.121973	.108707
				6-11 MO.	.688468	1.404042	.812108
				12-23 MO.	1.477225	2.434034	1.742514
				2-65+ YR.	3.718813	5.524010	4.386660
GERANYL ISOVALERATE FEMA 2518D	07	FROZN DAIRY(R)	6	0-5 MO.	.011327	.046439	.017074
				6-11 MO.	.107603	.299023	.162199
				12-23 MO.	.163104	.382840	.245860
				2-65+ YR.	.289962	.698854	.437085
GERANYL ISOVALERATE FEMA 2518D	16	SOFT CANDY(R)	6	0-5 MO.	.004430	.044298	.005040
				6-11 MO.	.048728	.150613	.055441
				12-23 MO.	.077521	.205986	.088202
				2-65+ YR.	.128464	.389822	.146164
GERANYL ISOVALERATE FEMA 2518D	20	GELATIN PUD(R)	5	0-5 MO.	.022503	.030379	.033850
				6-11 MO.	.144020	.436559	.216642
				12-23 MO.	.155271	.378051	.233567
				2-65+ YR.	.229531	.590705	.345273
GERANYL ISOVALERATE FEMA 2518D	23	BEV TYPE I(R)	8	0-5 MO.	.017277	.025915	.022261
				6-11 MO.	.163410	.559338	.210556
				12-23 MO.	.390169	1.169787	.502737
				2-65+ YR.	.748664	1.999076	.964662
GERANYL ISOVALERATE FEMA 2518D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GERANYL ISOVALERATE FEMA 2518D	24	BEV TYPE II(R)	*	2-65+ YR.	.032500	.094400	.097500
GERANYL ISOVALERATE FEMA 2518D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.015500	.046500	.015500
				12-23 MO.	.046500	.139500	.046500
				2-65+ YR.	.093000	.263500	.093000
GERANYL ISOVALERATE FEMA 2518D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003750	.003750	.003750
				12-23 MO.	.003750	.011250	.003750
				2-65+ YR.	.007500	.015000	.007500
GERANYL ISOVALERATE FEMA 2518D	99	ALL CATEGORIES	10	0-5 MO.	.147694	.269004	.186933
				6-11 MO.	1.171479	2.899926	1.476196
				12-23 MO.	2.313540	4.721648	2.863131
				2-65+ YR.	5.248434	9.575367	6.477844
GLYCERYL MONOOLEATE FEMA 2526D	01	BAKED GOODS(R)	*	0-5 MO.	.136000	.180000	.272000
				6-11 MO.	1.016000	2.072000	2.032000
				12-23 MO.	2.180000	3.592000	4.360000
				2-65+ YR.	5.488000	8.152000	10.976000
GLYCERYL MONOOLEATE FEMA 2526D	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	.220000
				6-11 MO.	2.070000	5.580000	4.140000
				12-23 MO.	3.020000	5.190000	6.040000
				2-65+ YR.	7.840000	13.010000	15.680000
GLYCERYL MONOOLEATE FEMA 2526D	23	BEV TYPE II(R)	*	0-5 MO.	.048000	.072000	.052800
				6-11 MO.	.454000	1.554000	.499400
				12-23 MO.	1.084000	3.250000	1.192400
				2-65+ YR.	2.080000	5.554000	2.288000
GLYCERYL MONOOLEATE FEMA 2526D	99	ALL CATEGORIES	*	0-5 MO.	.294000	.542000	.544800
				6-11 MO.	3.540000	9.206000	6.671400
				12-23 MO.	6.284000	12.032000	11.592400
				2-65+ YR.	15.408000	26.716000	28.944000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCDD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GUAIACOL FEMA 2532D	01	BAKED GOODS(R)	12	0-5 MO.	.005732	.007587	.011529
				6-11 MO.	.042823	.087333	.086129
				12-23 MO.	.091885	.151400	.184804
				2-65+ YR.	.231314	.343599	.465230
GUAIACOL FEMA 2532D	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000270
				12-23 MO.	.000780	.002220	.000780
				2-65+ YR.	.000940	.002360	.000940
GUAIACOL FEMA 2532D	07	FROZN DAIRY(R)	11	0-5 MO.	.000687	.002816	.001527
				6-11 MO.	.006525	.018133	.014509
				12-23 MO.	.009891	.023215	.021992
				2-65+ YR.	.017583	.042378	.039098
GUAIACOL FEMA 2532D	10	MEAT PRODS(R)	4	0-5 MO.	.003623	.009552	.006938
				6-11 MO.	.068182	.183794	.130553
				12-23 MO.	.099473	.170948	.190468
				2-65+ YR.	.258233	.428522	.494461
GUAIACOL FEMA 2532D	16	SOFT CANDY(R)	9	0-5 MO.	.000162	.001615	.000373
				6-11 MO.	.001777	.005492	.004104
				12-23 MO.	.002827	.007511	.006529
				2-65+ YR.	.004684	.014215	.010820
GUAIACOL FEMA 2532D	20	GELATIN PUD(R)	*	0-5 MO.	.001788	.002413	.003677
				6-11 MO.	.011442	.034683	.023536
				12-23 MO.	.012336	.030035	.025374
				2-65+ YR.	.018235	.046929	.037510
GUAIACOL FEMA 2532D	23	BEV TYPE I(R)	7	0-5 MO.	.001814	.002721	.003487
				6-11 MO.	.017159	.058733	.032980
				12-23 MO.	.040969	.122832	.078745
				2-65+ YR.	.078613	.209911	.151098
GUAIACOL FEMA 2532D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GUAIACOL FEMA 2532D	24	BEV TYPE III(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
GUAIACOL FEMA 2532D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000001	.000001	.000001
				12-23 MO.	.000001	.000003	.000001
				2-65+ YR.	.000002	.000004	.000002
GUAIACOL FEMA 2532D	99	ALL CATEGORIES	15	0-5 MO.	.013806	.026715	.027531
				6-11 MO.	.148178	.389238	.292081
				12-23 MO.	.258161	.508364	.508694
				2-65+ YR.	.642105	1.182319	1.296658
GUAIACYL PHENYLACETATE FEMA 2535D	01	BAKED GOODS(R)	4	0-5 MO.	.018601	.024619	.021979
				6-11 MO.	.138963	.283396	.164199
				12-23 MO.	.298168	.491293	.352316
				2-65+ YR.	.750617	1.114983	.886932
GUAIACYL PHENYLACETATE FEMA 2535D	07	FROZN DAIRY(R)	*	0-5 MO.	.002435	.009984	.003255
				6-11 MO.	.023135	.064290	.030918
				12-23 MO.	.035067	.082311	.046865
				2-65+ YR.	.062342	.150254	.083316
GUAIACYL PHENYLACETATE FEMA 2535D	16	SOFT CANDY(R)	4	0-5 MO.	.000628	.006275	.000949
				6-11 MO.	.006903	.021336	.010442
				12-23 MO.	.010982	.029180	.016612
				2-65+ YR.	.018198	.055222	.027528
GUAIACYL PHENYLACETATE FEMA 2535D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000
				6-11 MO.	.038400	.116400	.051200
				12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
GUAIACYL PHENYLACETATE FEMA 2535D	23	BEV TYPE I(R)	5	0-5 MO.	.001746	.002619	.003734
				6-11 MO.	.016515	.056531	.035314

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GUAIACYL PHENYLACETATE FEMA 2535D	23	BEV TYPE I(R)	5	12-23 MO.	.039433	.118227	.084318
				2-65+ YR.	.075665	.202041	.161791
GUAIACYL PHENYLACETATE FEMA 2535D	27	GRAVIES(R)	*	0-5 MO.	.000020	.000060	.000050
				6-11 MO.	.000280	.000780	.000700
				12-23 MO.	.000720	.002040	.001800
				2-65+ YR.	.001660	.004260	.004150
GUAIACYL PHENYLACETATE FEMA 2535D	99	ALL CATEGORIES	7	0-5 MO.	.029430	.051658	.037967
				6-11 MO.	.224195	.542733	.292773
				12-23 MO.	.425770	.823851	.557111
				2-65+ YR.	.969682	1.684260	1.245317
G&-HEPTALACTONE FEMA 2539D	01	BAKED GOODS(R)	7	0-5 MO.	.226833	.300220	.250028
				6-11 MO.	1.694575	3.455866	1.867853
				12-23 MO.	3.635998	5.991057	4.007795
				2-65+ YR.	9.153374	13.596630	10.089347
G&-HEPTALACTONE FEMA 2539D	07	FROZN DAIRY(R)	6	0-5 MO.	.032175	.131916	.043418
				6-11 MO.	.305660	.849413	.412472
				12-23 MO.	.463316	1.087506	.625221
				2-65+ YR.	.823673	1.985181	1.111504
G&-HEPTALACTONE FEMA 2539D	16	SOFT CANDY(R)	8	0-5 MO.	.008172	.081722	.009926
				6-11 MO.	.089894	.277856	.109185
				12-23 MO.	.143014	.380008	.173704
				2-65+ YR.	.236994	.719156	.287852
G&-HEPTALACTONE FEMA 2539D	20	GELATIN PUD(R)	6	0-5 MO.	.064390	.086927	.086654
				6-11 MO.	.412097	1.249168	.554585
				12-23 MO.	.444292	1.081754	.597912
				2-65+ YR.	.656779	1.690240	.883869
G&-HEPTALACTONE FEMA 2539D	23	BEV TYPE I(R)	9	0-5 MO.	.038957	.058436	.048504
				6-11 MO.	.368470	1.261239	.458769
				12-23 MO.	.879783	2.637727	1.095387

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
G&-HEPTALACTONE FEMA 2539D	23	BEV TYPE I(R)	9	2-65+ YR.	1.688145	4.507673	2.101850
G&-HEPTALACTONE FEMA 2539D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
G&-HEPTALACTONE FEMA 2539D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000067	.000201	.000067
				12-23 MO.	.000201	.000603	.000201
				2-65+ YR.	.000402	.001139	.000402
G&-HEPTALACTONE FEMA 2539D	99	ALL CATEGORIES	11	0-5 MO.	.370527	.659221	.438530
				6-11 MO.	2.870763	7.093792	3.402931
				12-23 MO.	5.566604	11.178755	6.500219
				2-65+ YR.	12.575618	22.547218	14.507324
HEPTANAL FEMA 2540D	01	BAKED GOODS(R)	11	0-5 MO.	.026317	.034831	.039424
				6-11 MO.	.196600	.400940	.294519
				12-23 MO.	.421838	.695066	.631940
				2-65+ YR.	1.061949	1.577443	1.590867
HEPTANAL FEMA 2540D	07	FROZN DAIRY(R)	9	0-5 MO.	.003311	.013577	.005240
				6-11 MO.	.031459	.087423	.049777
				12-23 MO.	.047685	.111928	.075451
				2-65+ YR.	.084774	.204318	.134135
HEPTANAL FEMA 2540D	10	MEAT PRODS(R)	*	0-5 MO.	.002805	.007395	.011000
				6-11 MO.	.052785	.142290	.207000
				12-23 MO.	.077010	.132345	.302000
				2-65+ YR.	.199920	.331755	.784000
HEPTANAL FEMA 2540D	16	SOFT CANDY(R)	10	0-5 MO.	.001301	.013012	.001753
				6-11 MO.	.014313	.044242	.019286
				12-23 MO.	.022771	.060507	.030683
				2-65+ YR.	.037736	.114508	.050845

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEPTANAL FEMA 2540D	20	GELATIN PUD(R)	6	0-5 MO.	.006628	.008948	.010203
				6-11 MO.	.042420	.128585	.065298
				12-23 MO.	.045734	.111352	.070399
				2-65+ YR.	.067606	.173987	.104069
HEPTANAL FEMA 2540D	23	BEV TYPE 1(R)	10	0-5 MO.	.007748	.011623	.012215
				6-11 MO.	.073286	.250853	.115535
				12-23 MO.	.174983	.524627	.275860
				2-65+ YR.	.335762	.896548	.529325
HEPTANAL FEMA 2540D	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007000	.011500	.070000
				12-23 MO.	.004000	.017000	.040000
				2-65+ YR.	.004500	.007500	.045000
HEPTANAL FEMA 2540D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000007	.000007	.000007
				12-23 MO.	.000007	.000021	.000007
				2-65+ YR.	.000014	.000028	.000014
HEPTANAL FEMA 2540D	99	ALL CATEGORIES	15	0-5 MO.	.048111	.089385	.079835
				6-11 MO.	.417870	1.065839	.821422
				12-23 MO.	.794029	1.652846	1.426341
				2-65+ YR.	1.792260	3.306087	3.238256
HEPTANAL DIMETHYL ACETAL FEMA 2541D	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.023800
				6-11 MO.	.127000	.259000	.177800
				12-23 MO.	.272500	.449000	.381500
				2-65+ YR.	.686000	1.019000	.960400
HEPTANAL DIMETHYL ACETAL FEMA 2541D	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.003000
				6-11 MO.	.019000	.052800	.028500
				12-23 MO.	.028800	.067600	.043200
				2-65+ YR.	.051200	.123400	.076800
HEPTANAL DIMETHYL ACETAL FEMA 2541D	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEPTANAL DIMETHYL ACETAL FEMA 2541D	16	SOFT CANDY(R)	*	6-11 MO.	.008800	.027200	.011000
				12-23 MO.	.014000	.037200	.017500
				2-65+ YR.	.023200	.070400	.029000
HEPTANAL DIMETHYL ACETAL FEMA 2541D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.006000
				6-11 MO.	.025600	.077600	.038400
				12-23 MO.	.027600	.067200	.041400
				2-65+ YR.	.040800	.105000	.061200
HEPTANAL DIMETHYL ACETAL FEMA 2541D	23	BEV TYPE I(R)	*	0-5 MO.	.002520	.003780	.007200
				6-11 MO.	.023835	.081585	.068100
				12-23 MO.	.056910	.170625	.162600
				2-65+ YR.	.109200	.291585	.312000
HEPTANAL DIMETHYL ACETAL FEMA 2541D	99	ALL CATEGORIES	*	0-5 MO.	.026320	.047880	.041000
				6-11 MO.	.204235	.498185	.323800
				12-23 MO.	.399810	.791625	.646200
				2-65+ YR.	.910400	1.609385	1.439400
HEPTANAL GLYCERYL ACETAL FEMA 2542D	01	BAKED GOODS(R)	*	0-5 MO.	.037400	.049500	.076500
				6-11 MO.	.279400	.569800	.571500
				12-23 MO.	.599500	.987800	1.226250
				2-65+ YR.	1.509200	2.241800	3.087000
HEPTANAL GLYCERYL ACETAL FEMA 2542D	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.012000
				6-11 MO.	.076000	.211200	.114000
				12-23 MO.	.115200	.270400	.172800
				2-65+ YR.	.204800	.493600	.307200
HEPTANAL GLYCERYL ACETAL FEMA 2542D	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.002400
				6-11 MO.	.017600	.054400	.026400
				12-23 MO.	.028000	.074400	.042000
				2-65+ YR.	.046400	.140800	.069600
HEPTANAL GLYCERYL ACETAL FEMA 2542D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.024000
				6-11 MO.	.102400	.310400	.153600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEPTANAL GLYCERYL ACETAL FEMA 2542D	20	GELATIN PUD(R)	*	12-23 MO.	.110400	.268800	.165600
				2-65+ YR.	.163200	.420000	.244800
HEPTANAL GLYCERYL ACETAL FEMA 2542D	21	SOUPS(R)	*	0-5 MO.	.000200	.001500	.002000
				6-11 MO.	.023300	.072700	.233000
				12-23 MO.	.034800	.096100	.348000
				2-65+ YR.	.031700	.084500	.317000
HEPTANAL GLYCERYL ACETAL FEMA 2542D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.016800
				6-11 MO.	.113500	.388500	.158900
				12-23 MO.	.271000	.812500	.379400
				2-65+ YR.	.520000	1.388500	.728000
HEPTANAL GLYCERYL ACETAL FEMA 2542D	99	ALL CATEGORIES	*	0-5 MO.	.075200	.139400	.133700
				6-11 MO.	.612200	1.607000	1.257400
				12-23 MO.	1.158900	2.510000	2.334050
				2-65+ YR.	2.475300	4.769200	4.753600
2,3-HEPTANEDIONE FEMA 2543D	01	BAKED GOODS(R)	8	0-5 MO.	.063292	.083769	.075766
				6-11 MO.	.472829	.964274	.566020
				12-23 MO.	1.014535	1.671656	1.214491
				2-65+ YR.	2.554022	3.793802	3.057399
2,3-HEPTANEDIONE FEMA 2543D	07	FROZN DAIRY(R)	8	0-5 MO.	.004840	.019844	.007051
				6-11 MO.	.045981	.127778	.066988
				12-23 MO.	.069697	.163594	.101540
				2-65+ YR.	.123906	.298632	.180515
2,3-HEPTANEDIONE FEMA 2543D	16	SOFT CANDY(R)	8	0-5 MO.	.001615	.016148	.002211
				6-11 MO.	.017763	.054904	.024322
				12-23 MO.	.028260	.075090	.038694
				2-65+ YR.	.046830	.142106	.064122
2,3-HEPTANEDIONE FEMA 2543D	20	GELATIN PUD(R)	*	0-5 MO.	.010294	.013897	.014556
				6-11 MO.	.065882	.199706	.093156
				12-23 MO.	.071029	.172941	.100433

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,3-HEPTANEDIONE FEMA 2543D	20	GELATIN PUD(R)	*	2-65+ YR.	.105000	.270221	.148467
2,3-HEPTANEDIONE FEMA 2543D	23	BEV TYPE I(R)	9	0-5 MO.	.004132	.006198	.006611
				6-11 MO.	.039079	.133764	.062527
				12-23 MO.	.093308	.279751	.149294
				2-65+ YR.	.179041	.478074	.286467
2,3-HEPTANEDIONE FEMA 2543D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000074	.000222	.000100
				12-23 MO.	.000222	.000666	.000300
				2-65+ YR.	.000444	.001258	.000600
2,3-HEPTANEDIONE FEMA 2543D	99	ALL CATEGORIES	14	0-5 MO.	.084173	.139856	.106195
				6-11 MO.	.641608	1.480648	.813113
				12-23 MO.	1.277051	2.363699	1.604752
				2-65+ YR.	3.009243	4.984092	3.737570
2-HEPTANONE FEMA 2544D	01	BAKED GOODS(R)	15	0-5 MO.	.029493	.039035	.050195
				6-11 MO.	.220333	.449340	.374987
				12-23 MO.	.472761	.778972	.804598
				2-65+ YR.	1.190144	1.767867	2.025520
2-HEPTANONE FEMA 2544D	02	BREAK CERLS(R)	*	0-5 MO.	.000060	.000170	.000060
				6-11 MO.	.002230	.005980	.002230
				12-23 MO.	.002610	.005090	.002610
				2-65+ YR.	.002000	.005180	.002000
2-HEPTANONE FEMA 2544D	04	FATS OILS(R)	*	0-5 MO.	.000250	.000250	.002500
				6-11 MO.	.001400	.003750	.014000
				12-23 MO.	.003150	.006000	.031500
				2-65+ YR.	.008750	.015800	.087500
2-HEPTANONE FEMA 2544D	07	FROZN DAIRY(R)	9	0-5 MO.	.003619	.014838	.008648
				6-11 MO.	.034382	.095545	.082154
				12-23 MO.	.052116	.122327	.124529
				2-65+ YR.	.092650	.223301	.221384

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-HEPTANONE FEMA 2544D	10	MEAT PRODS(R)	*	0-5 MO.	.000660	.001740	.002640
				6-11 MO.	.012420	.033480	.049680
				12-23 MO.	.018120	.031140	.072480
				2-65+ YR.	.047040	.078060	.188160
2-HEPTANONE FEMA 2544D	15	CONDM BELSH(R)	*	0-5 MO.	**********	.001500	**********
				6-11 MO.	.012000	.033000	.024000
				12-23 MO.	.042000	.114000	.084000
				2-65+ YR.	.132000	.318000	.264000
2-HEPTANONE FEMA 2544D	16	SOFT CANDY(R)	10	0-5 MO.	.001039	.010386	.001874
				6-11 MO.	.011425	.035314	.020611
				12-23 MO.	.018176	.048297	.032791
				2-65+ YR.	.030121	.091400	.054339
2-HEPTANONE FEMA 2544D	20	GELATIN PUD(R)	5	0-5 MO.	.008189	.011055	.017459
				6-11 MO.	.052408	.158862	.111739
				12-23 MO.	.056503	.137571	.120468
				2-65+ YR.	.083526	.214955	.178084
2-HEPTANONE FEMA 2544D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000986	**********
				6-11 MO.	.003945	.010850	.007891
				12-23 MO.	.010850	.030577	.021700
				2-65+ YR.	.012823	.036495	.025645
2-HEPTANONE FEMA 2544D	23	BEV TYPE I(R)	9	0-5 MO.	.004137	.006206	.008241
				6-11 MO.	.039131	.133941	.077949
				12-23 MO.	.093431	.280121	.186117
				2-65+ YR.	.179278	.478706	.357125
2-HEPTANONE FEMA 2544D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000067	**********
				12-23 MO.	**********	.000133	**********
				2-65+ YR.	.021667	.062933	.054167
2-HEPTANONE FEMA 2544D	27	GRAVIES(R)	*	0-5 MO.	.000400	.001200	.000800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-HEPTANONE FEMA 2544D	27	GRAVIES(R)	*	6-11 MO.	.005600	.015600	.011200
				12-23 MO.	.014400	.040800	.028800
				2-65+ YR.	.033200	.085200	.066400
2-HEPTANONE FEMA 2544D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000670	.002010	.000670
				12-23 MO.	.002010	.006030	.002010
				2-65+ YR.	.004020	.011390	.004020
2-HEPTANONE FEMA 2544D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000663	.000663	.000663
				12-23 MO.	.000663	.001989	.000663
				2-65+ YR.	.001326	.002652	.001326
2-HEPTANONE FEMA 2544D	99	ALL CATEGORIES	20	0-5 MO.	.047847	.087367	.092417
				6-11 MO.	.396607	.978402	.777775
				12-23 MO.	.786790	1.603048	1.512266
				2-65+ YR.	1.838543	3.391940	3.529670
3-HEPTANONE FEMA 2545D	01	BAKED GOODS(R)	5	0-5 MO.	.026208	.034687	.049640
				6-11 MO.	.195792	.399292	.370840
				12-23 MO.	.420104	.692208	.795700
				2-65+ YR.	1.057583	1.570958	2.003120
3-HEPTANONE FEMA 2545D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004000
				6-11 MO.	.028500	.079200	.038000
				12-23 MO.	.043200	.101400	.057600
				2-65+ YR.	.076800	.185100	.102400
3-HEPTANONE FEMA 2545D	10	MEAT PRODS(R)	*	0-5 MO.	.002338	.006163	.006600
				6-11 MO.	.043988	.118575	.124200
				12-23 MO.	.064175	.110288	.181200
				2-65+ YR.	.166600	.276463	.470400
3-HEPTANONE FEMA 2545D	16	SOFT CANDY(R)	*	0-5 MO.	.001467	.014667	.003000
				6-11 MO.	.016133	.049867	.033000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-HEPTANONE FEMA 2545D	16	SOFT CANDY(R)	*	12-23 MO.	.025667	.068200	.052500
				2-65+ YR.	.042533	.129067	.087000
3-HEPTANONE FEMA 2545D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000
				6-11 MO.	.038400	.116400	.051200
				12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
3-HEPTANONE FEMA 2545D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
3-HEPTANONE FEMA 2545D	99	ALL CATEGORIES	5	0-5 MO.	.041412	.079517	.076040
				6-11 MO.	.345512	.841033	.662640
				12-23 MO.	.648746	1.235396	1.250600
				2-65+ YR.	1.508717	2.596787	2.952520
4-HEPTANONE FEMA 2546D	01	BAKED GOODS(R)	4	0-5 MO.	.029827	.039477	.055791
				6-11 MO.	.222827	.454427	.416791
				12-23 MO.	.478114	.787791	.894295
				2-65+ YR.	1.203618	1.787862	2.251327
4-HEPTANONE FEMA 2546D	07	FROZN DAIRY(R)	*	0-5 MO.	.003936	.016137	.008897
				6-11 MO.	.037391	.103908	.084526
				12-23 MO.	.056677	.133033	.128123
				2-65+ YR.	.100759	.242845	.227774
4-HEPTANONE FEMA 2546D	16	SOFT CANDY(R)	4	0-5 MO.	.001066	.010659	.002391
				6-11 MO.	.011725	.036241	.026300
				12-23 MO.	.018653	.049565	.041841
				2-65+ YR.	.030911	.093800	.069336
4-HEPTANONE FEMA 2546D	20	GELATIN PUD(R)	*	0-5 MO.	.002673	.003608	.005718
				6-11 MO.	.017105	.051851	.036596
				12-23 MO.	.018442	.044902	.039455

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-HEPTANONE FEMA 2546D	20	GELATIN PUD(R)	*	2-65+ YR.	.027262	.070159	.058325
4-HEPTANONE FEMA 2546D	23	BEV TYPE I(R)	5	0-5 MO.	.002722	.004083	.007061
				6-11 MO.	.025748	.088132	.066782
				12-23 MO.	.061477	.184318	.159454
				2-65+ YR.	.117964	.314986	.305964
4-HEPTANONE FEMA 2546D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
4-HEPTANONE FEMA 2546D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000334	.001002	.000334
				12-23 MO.	.001002	.003006	.001002
				2-65+ YR.	.002004	.005678	.002004
4-HEPTANONE FEMA 2546D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.042935	.042935	.042935
				12-23 MO.	.042935	.128805	.042935
				2-65+ YR.	.085870	.171740	.085870
4-HEPTANONE FEMA 2546D	59	ALL CATEGORIES	7	0-5 MO.	.040224	.073965	.079858
				6-11 MO.	.358066	.778506	.674264
				12-23 MO.	.677300	1.331440	1.307106
				2-65+ YR.	1.571638	2.696529	3.003851
HEPTYL ACETATE FEMA 2547D	01	BAKED GOODS(R)	6	0-5 MO.	.007116	.009419	.012452
				6-11 MO.	.053164	.108420	.093022
				12-23 MO.	.114071	.187956	.199594
				2-65+ YR.	.287167	.426564	.502465
HEPTYL ACETATE FEMA 2547D	07	FROZN DAIRY(R)	7	0-5 MO.	.002375	.009737	.004231
				6-11 MO.	.022562	.062698	.040190
				12-23 MO.	.034199	.080272	.060919
				2-65+ YR.	.060796	.146532	.108301

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEPTYL ACETATE FEMA 2547D	16	SOFT CANDY(R)	9	0-5 MO.	.000384	.003842	.000573
				6-11 MO.	.004226	.013062	.006303
				12-23 MO.	.006723	.017864	.010027
				2-65+ YR.	.011141	.033807	.016616
HEPTYL ACETATE FEMA 2547D	20	GELATIN PUD(R)	6	0-5 MO.	.001871	.002526	.003533
				6-11 MO.	.011977	.036306	.022613
				12-23 MO.	.012913	.031440	.024378
				2-65+ YR.	.019089	.049126	.036037
HEPTYL ACETATE FEMA 2547D	23	BEV TYPE I(R)	8	0-5 MO.	.001857	.002786	.011147
				6-11 MO.	.017565	.060122	.105428
				12-23 MO.	.041939	.125738	.251727
				2-65+ YR.	.080473	.214877	.483019
HEPTYL ACETATE FEMA 2547D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000025	**********
				12-23 MO.	**********	.000050	**********
				2-65+ YR.	.008125	.023600	.008125
HEPTYL ACETATE FEMA 2547D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000426	.001278	.001539
				12-23 MO.	.001278	.003834	.004617
				2-65+ YR.	.002556	.007242	.009234
HEPTYL ACETATE FEMA 2547D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000246	.000246	.000333
				12-23 MO.	.000246	.000738	.000333
				2-65+ YR.	.000492	.000984	.000666
HEPTYL ACETATE FEMA 2547D	99	ALL CATEGORIES	14	0-5 MO.	.013604	.028310	.031935
				6-11 MO.	.110165	.282157	.269426
				12-23 MO.	.211369	.447893	.551596
				2-65+ YR.	.469840	.902732	1.164463
HEPTYL ALCOHOL FEMA 2548D	01	BAKED GOODS(R)	5	0-5 MO.	.032872	.043508	.038146

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEPTYL ALCOHOL FEMA 2548D	01	BAKED GOODS(R)	5	6-11 MO.	.245577	.500821	.284972
				12-23 MO.	.526926	.868219	.611457
				2-65+ YR.	1.326500	1.970413	1.539300
HEPTYL ALCOHOL FEMA 2548D	07	FROZN DAIRY(R)	*	0-5 MO.	.003388	.013891	.005276
				6-11 MO.	.032187	.089445	.050118
				12-23 MO.	.048788	.114517	.075968
				2-65+ YR.	.086735	.209044	.135055
HEPTYL ALCOHOL FEMA 2548D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000275
				6-11 MO.	.002070	.005580	.005175
				12-23 MO.	.003020	.005190	.007550
				2-65+ YR.	.007840	.013010	.019600
HEPTYL ALCOHOL FEMA 2548D	16	SOFT CANDY(R)	4	0-5 MO.	.001070	.010702	.001570
				6-11 MO.	.011772	.036387	.017275
				12-23 MO.	.018729	.049765	.027483
				2-65+ YR.	.031036	.094179	.045542
HEPTYL ALCOHOL FEMA 2548D	20	GELATIN PUD(R)	*	0-5 MO.	.006391	.008628	.009780
				6-11 MO.	.040902	.123984	.062589
				12-23 MO.	.044097	.107367	.067479
				2-65+ YR.	.065187	.167761	.099751
HEPTYL ALCOHOL FEMA 2548D	23	BEV TYPE I(R)	4	0-5 MO.	.005684	.008526	.009938
				6-11 MO.	.053760	.184015	.093999
				12-23 MO.	.128361	.384846	.224437
				2-65+ YR.	.246301	.657671	.430655
HEPTYL ALCOHOL FEMA 2548D	27	GRAVIES(R)	*	0-5 MO.	.000040	.000120	.000100
				6-11 MO.	.000560	.001560	.001400
				12-23 MO.	.001440	.004080	.003600
				2-65+ YR.	.003320	.008520	.008300
HEPTYL ALCOHOL FEMA 2548D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000438	.001314	.000438

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEPTYL ALCOHOL FEMA 2548D	20	HARD CANDY(R)	*	12-23 MO.	.001314	.003942	.001314
				2-65+ YR.	.002628	.007446	.002628
HEPTYL ALCOHOL FEMA 2548D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000079	.000079	.000079
				12-23 MO.	.000079	.000237	.000079
				2-65+ YR.	.000158	.000316	.000158
HEPTYL ALCOHOL FEMA 2548D	99	ALL CATEGORIES	8	0-5 MO.	.049556	.085664	.065085
				6-11 MO.	.387344	.943186	.516045
				12-23 MO.	.772754	1.538163	1.019366
				2-65+ YR.	1.769705	3.128361	2.280989
HEPTYL BUTYRATE FEMA 2549D	01	BAKED GOODS(R)	4	0-5 MO.	.019338	.025594	.025075
				6-11 MO.	.144463	.294613	.187325
				12-23 MO.	.309969	.510738	.401938
				2-65+ YR.	.780325	1.159113	1.011850
HEPTYL BUTYRATE FEMA 2549D	07	FROZN DAIRY(R)	4	0-5 MO.	.001625	.006663	.003563
				6-11 MO.	.015438	.042900	.033844
				12-23 MO.	.023400	.054925	.051300
				2-65+ YR.	.041600	.100263	.091200
HEPTYL BUTYRATE FEMA 2549D	16	SOFT CANDY(R)	4	0-5 MO.	.000688	.006875	.001113
				6-11 MO.	.007563	.023375	.012238
				12-23 MO.	.012031	.031969	.019469
				2-65+ YR.	.019938	.060500	.032263
HEPTYL BUTYRATE FEMA 2549D	20	GELATIN PUD(R)	*	0-5 MO.	.003400	.004590	.007200
				6-11 MO.	.021760	.065960	.046080
				12-23 MO.	.023460	.057120	.049680
				2-65+ YR.	.034680	.089250	.073440
HEPTYL BUTYRATE FEMA 2549D	23	BEV TYPE I(R)	5	0-5 MO.	.002133	.003200	.005550
				6-11 MO.	.020178	.069067	.052494
				12-23 MO.	.048178	.144444	.125338

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEPTYL BUTYRATE FEMA 2549D	23	BEV TYPE I(R)	5	2-65+ YR.	.092444	.246844	.240500
HEPTYL BUTYRATE FEMA 2549D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000073	.000219	.000138
				12-23 MO.	.000219	.000657	.000414
				2-65+ YR.	.000438	.001241	.000828
HEPTYL BUTYRATE FEMA 2549D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000041	.000041	.000506
				12-23 MO.	.000041	.000123	.000506
				2-65+ YR.	.000082	.000164	.001012
HEPTYL BUTYRATE FEMA 2549D	99	ALL CATEGORIES	8	0-5 MO.	.027183	.046921	.042500
				6-11 MO.	.209514	.496174	.332624
				12-23 MO.	.417298	.799976	.648644
				2-65+ YR.	.969507	1.657374	1.451093
HEPTYL ISOBUTYRATE FEMA 2550D	01	BAKED GOODS(R)	*	0-5 MO.	.026724	.035370	.031076
				6-11 MO.	.199644	.407148	.232156
				12-23 MO.	.428370	.705828	.498130
				2-65+ YR.	1.078392	1.601868	1.254008
HEPTYL ISOBUTYRATE FEMA 2550D	07	FROZN DAIRY(R)	*	0-5 MO.	.002750	.011275	.004750
				6-11 MO.	.026125	.072600	.045125
				12-23 MO.	.039600	.092950	.068400
				2-65+ YR.	.070400	.169675	.121600
HEPTYL ISOBUTYRATE FEMA 2550D	16	SOFT CANDY(R)	4	0-5 MO.	.000608	.006077	.001056
				6-11 MO.	.006684	.020661	.011616
				12-23 MO.	.010634	.028256	.018480
				2-65+ YR.	.017622	.053475	.030624
HEPTYL ISOBUTYRATE FEMA 2550D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.006500
				6-11 MO.	.025600	.077600	.041600
				12-23 MO.	.027600	.067200	.044850
				2-65+ YR.	.040800	.105000	.066300

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEPTYL ISOBUTYRATE FEMA 2550D	23	BEV TYPE I(R)	4	0-5 MO.	.002402	.003603	.005400
				6-11 MO.	.022719	.077765	.051075
				12-23 MO.	.054245	.162635	.121950
				2-65+ YR.	.104087	.277931	.234000
HEPTYL ISOBUTYRATE FEMA 2550D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001540	.001540	.002584
				12-23 MO.	.001540	.004620	.002584
				2-65+ YR.	.003080	.006160	.005168
HEPTYL ISOBUTYRATE FEMA 2550D	99	ALL CATEGORIES	7	0-5 MO.	.036484	.061725	.048782
				6-11 MO.	.282312	.657313	.384156
				12-23 MO.	.561989	1.061490	.754394
				2-65+ YR.	1.314381	2.214109	1.711700
HEPTYL CINNAMATE FEMA 2551D	01	BAKED GOODS(R)	*	0-5 MO.	.024140	.031950	.029580
				6-11 MO.	.180340	.367780	.220980
				12-23 MO.	.386950	.637580	.474150
				2-65+ YR.	.974120	1.446980	1.193640
HEPTYL CINNAMATE FEMA 2551D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.007000
				6-11 MO.	.047500	.132000	.066500
				12-23 MO.	.072000	.169000	.100800
				2-65+ YR.	.128000	.308500	.179200
HEPTYL CINNAMATE FEMA 2551D	16	SOFT CANDY(R)	*	0-5 MO.	.000840	.008400	.001070
				6-11 MO.	.009240	.028560	.011770
				12-23 MO.	.014700	.039060	.018725
				2-65+ YR.	.024360	.073920	.031030
HEPTYL CINNAMATE FEMA 2551D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.014000
				6-11 MO.	.064000	.194000	.089600
				12-23 MO.	.069000	.168000	.096600
				2-65+ YR.	.102000	.262500	.142800
HEPTYL CINNAMATE FEMA 2551D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEPTYL CINNAMATE FEMA 2551D	23	BEV TYPE I(R)	*	6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
HEPTYL CINNAMATE FEMA 2551D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.027500	.027500	.027500
				12-23 MO.	.027500	.082500	.027500
				2-65+ YR.	.055000	.110000	.055000
HEPTYL CINNAMATE FEMA 2551D	99	ALL CATEGORIES	4	0-5 MO.	.044780	.081550	.061250
				6-11 MO.	.373980	.905240	.507150
				12-23 MO.	.678550	1.421140	.934575
				2-65+ YR.	1.491480	2.757300	2.017670
HEPTYL FORMATE FEMA 2552D	01	BAKED GOODS(R)	*	0-5 MO.	.047600	.063000	.057800
				6-11 MO.	.355600	.725200	.431800
				12-23 MO.	.763000	1.257200	.926500
				2-65+ YR.	1.920800	2.853200	2.332400
HEPTYL FORMATE FEMA 2552D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.007000
				6-11 MO.	.047500	.132000	.066500
				12-23 MO.	.072000	.169000	.100800
				2-65+ YR.	.128000	.308500	.179200
HEPTYL FORMATE FEMA 2552D	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.002000
				6-11 MO.	.017600	.054400	.022000
				12-23 MO.	.028000	.074400	.035000
				2-65+ YR.	.046400	.140800	.058000
HEPTYL FORMATE FEMA 2552D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.014000
				6-11 MO.	.064000	.194000	.089600
				12-23 MO.	.069000	.168000	.096600
				2-65+ YR.	.102000	.262500	.142800
HEPTYL FORMATE FEMA 2552D	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.009600
				6-11 MO.	.034050	.116550	.090800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEPTYL FORMATE FEMA 2552D	23	BEV TYPE I(R)	*	12-23 MO.	.081300	.243750	.216800
				2-65+ YR.	.156000	.416550	.416000
HEPTYL FORMATE FEMA 2552D	99	ALL CATEGORIES	*	0-5 MO.	.067800	.118400	.090400
				6-11 MO.	.518750	1.222150	.700700
				12-23 MO.	1.013300	1.912350	1.375700
				2-65+ YR.	2.353200	3.981550	3.128400
HEPTYL OCTANOATE FEMA 2553D	01	BAKED GOODS(R)	*	0-5 MO.	.008047	.010650	.016207
				6-11 MO.	.060113	.122593	.121073
				12-23 MO.	.128983	.212527	.259783
				2-65+ YR.	.324707	.482327	.653987
HEPTYL OCTANOATE FEMA 2553D	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.003000
				6-11 MO.	.014250	.039600	.028500
				12-23 MO.	.021600	.050700	.043200
				2-65+ YR.	.038400	.092550	.076800
HEPTYL OCTANOATE FEMA 2553D	16	SOFT CANDY(R)	*	0-5 MO.	.000500	.005000	.001000
				6-11 MO.	.005500	.017000	.011000
				12-23 MO.	.008750	.023250	.017500
				2-65+ YR.	.014500	.044000	.029000
HEPTYL OCTANOATE FEMA 2553D	20	GELATIN PUD(R)	*	0-5 MO.	.003000	.004050	.006000
				6-11 MO.	.019200	.058200	.038400
				12-23 MO.	.020700	.050400	.041400
				2-65+ YR.	.030600	.078750	.061200
HEPTYL OCTANOATE FEMA 2553D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
HEPTYL OCTANOATE FEMA 2553D	99	ALL CATEGORIES	*	0-5 MO.	.015447	.029450	.031007
				6-11 MO.	.121763	.315093	.244373
				12-23 MO.	.234233	.499377	.470283

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEPTYL OCTANOATE FEMA 2553D	59	ALL CATEGORIES	*	2-65+ YR.	.512207	.975327	1.028987
W&-6-HEXADECENLACTONE FEMA 2555D	01	BAKED GOODS(R)	6	0-5 MO.	.007746	.010252	.011049
				6-11 MO.	.057866	.118011	.082542
				12-23 MO.	.124162	.204582	.177107
				2-65+ YR.	.312569	.464297	.445854
W&-6-HEXADECENLACTONE FEMA 2555D	07	FROZN DAIRY(R)	6	0-5 MO.	.001204	.004938	.001849
				6-11 MO.	.011442	.031796	.017566
				12-23 MO.	.017343	.040708	.026626
				2-65+ YR.	.030832	.074310	.047334
W&-6-HEXADECENLACTONE FEMA 2555D	16	SOFT CANDY(R)	7	0-5 MO.	.000241	.002409	.000450
				6-11 MO.	.002650	.008190	.004949
				12-23 MO.	.004216	.011201	.007873
				2-65+ YR.	.006986	.021198	.013047
W&-6-HEXADECENLACTONE FEMA 2555D	20	GELATIN PUD(R)	5	0-5 MO.	.001418	.001914	.002535
				6-11 MO.	.009073	.027504	.016226
				12-23 MO.	.009782	.023818	.017493
				2-65+ YR.	.014461	.037215	.025860
W&-6-HEXADECENLACTONE FEMA 2555D	23	BEV TYPE II(R)	6	0-5 MO.	.002393	.003569	.004165
				6-11 MO.	.022634	.077473	.039392
				12-23 MO.	.054042	.162025	.094055
				2-65+ YR.	.103696	.276888	.180475
W&-6-HEXADECENLACTONE FEMA 2555D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.009750
W&-6-HEXADECENLACTONE FEMA 2555D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000009	.000009	.000013
				12-23 MO.	.000009	.000027	.000013
				2-65+ YR.	.000018	.000036	.000026

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
N6-6-HEXADECENLACTONE							
FEMA 2555D	99	ALL CATEGORIES	9	0-5 MO.	.013002	.023102	.020048
				6-11 MO.	.103674	.262992	.160687
				12-23 MO.	.209553	.442381	.323167
				2-65+ YR.	.471811	.883384	.722346
G6-HEXALACTONE							
FEMA 2556D	01	BAKED GOODS(R)	7	0-5 MO.	.083300	.110250	.106005
				6-11 MO.	.622300	1.269100	.791923
				12-23 MO.	1.335250	2.200100	1.699205
				2-65+ YR.	3.361400	4.993100	4.277633
G6-HEXALACTONE							
FEMA 2556D	07	FROZN DAIRY(R)	7	0-5 MO.	.019890	.081551	.024596
				6-11 MO.	.188959	.525107	.233658
				12-23 MO.	.286422	.672296	.354176
				2-65+ YR.	.509195	1.227238	.629647
G6-HEXALACTONE							
FEMA 2556D	16	SOFT CANDY(R)	8	0-5 MO.	.004517	.045170	.006511
				6-11 MO.	.049687	.153580	.071621
				12-23 MO.	.079048	.210043	.113942
				2-65+ YR.	.130994	.397500	.188818
G6-HEXALACTONE							
FEMA 2556D	20	GELATIN PUD(R)	5	0-5 MO.	.044381	.059914	.060466
				6-11 MO.	.284038	.860990	.386979
				12-23 MO.	.306229	.745600	.417212
				2-65+ YR.	.452686	1.165000	.616748
G6-HEXALACTONE							
FEMA 2556D	23	BEV TYPE I(R)	7	0-5 MO.	.015938	.023908	.026206
				6-11 MO.	.150751	.516008	.247864
				12-23 MO.	.359944	1.079167	.591816
				2-65+ YR.	.690667	1.844213	1.135588
G6-HEXALACTONE							
FEMA 2556D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.009750
G6-HEXALACTONE							
FEMA 2556D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
G6-HEXALACTONE FEMA 2556D	30	HARD CANDY(R)	*	6-11 MO.	.000492	.001476	.000492
				12-23 MO.	.001476	.004428	.001476
				2-65+ YR.	.002952	.008364	.002952
G6-HEXALACTONE FEMA 2556D	99	ALL CATEGORIES	9	0-5 MO.	.168027	.320793	.223783
				6-11 MO.	1.296228	3.326271	1.732537
				12-23 MO.	2.368368	4.911653	3.177828
				2-65+ YR.	5.151143	9.644855	6.861136
HEXANAL FEMA 2557D	01	BAKED GOODS(R)	12	0-5 MO.	.018723	.024780	.034821
				6-11 MO.	.139869	.285245	.260131
				12-23 MO.	.300113	.494499	.558155
				2-65+ YR.	.755515	1.122259	1.405117
HEXANAL FEMA 2557D	07	FROZN DAIRY(R)	9	0-5 MO.	.001902	.007798	.009194
				6-11 MO.	.018069	.050212	.087340
				12-23 MO.	.027388	.064287	.132389
				2-65+ YR.	.048691	.117352	.235359
HEXANAL FEMA 2557D	10	MEAT PRODS(R)	*	0-5 MO.	.000996	.002626	.004692
				6-11 MO.	.018742	.050522	.088298
				12-23 MO.	.027343	.046991	.128822
				2-65+ YR.	.070984	.117793	.334425
HEXANAL FEMA 2557D	16	SOFT CANDY(R)	8	0-5 MO.	.000359	.003586	.001902
				6-11 MO.	.003945	.012193	.020921
				12-23 MO.	.006276	.016676	.033284
				2-65+ YR.	.010400	.031559	.055156
HEXANAL FEMA 2557D	20	GELATIN PUD(R)	9	0-5 MO.	.003314	.004474	.017621
				6-11 MO.	.021209	.064290	.112772
				12-23 MO.	.022866	.055674	.121582
				2-65+ YR.	.033802	.086991	.179730
HEXANAL FEMA 2557D	23	BEV TYPE I(R)	12	0-5 MO.	.001904	.002857	.005900
				6-11 MO.	.018013	.061656	.055803

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEXANAL FEMA 2557D	23	BEV TYPE I(R)	12	12-23 MO.	.043009	.128947	.133239
				2-65+ YR.	.082526	.220360	.255662
HEXANAL FEMA 2557D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
HEXANAL FEMA 2557D	27	GRAVIES(R)	*	0-5 MO.	.000400	.001200	.000800
				6-11 MO.	.005600	.015600	.011200
				12-23 MO.	.014400	.040800	.028800
				2-65+ YR.	.033200	.085200	.066400
HEXANAL FEMA 2557D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001053	.003159	.001148
				12-23 MO.	.003159	.009477	.003444
				2-65+ YR.	.006318	.017901	.006888
HEXANAL FEMA 2557D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000086	.000086	.000120
				12-23 MO.	.000086	.000258	.000120
				2-65+ YR.	.000172	.000344	.000240
HEXANAL FEMA 2557D	99	ALL CATEGORIES	20	0-5 MO.	.027598	.047320	.074929
				6-11 MO.	.226586	.543064	.637734
				12-23 MO.	.444641	.857808	1.139835
				2-65+ YR.	1.074107	1.894159	2.636476
2,3-HEXANEDIONE FEMA 2558D	01	BAKED GOODS(R)	8	0-5 MO.	.127675	.168981	.153484
				6-11 MO.	.953805	1.945162	1.146613
				12-23 MO.	2.046551	3.372115	2.460253
				2-65+ YR.	5.152051	7.652973	6.193517
2,3-HEXANEDIONE FEMA 2558D	07	FROZN DAIRY(R)	8	0-5 MO.	.029672	.121656	.040144
				6-11 MO.	.281886	.783348	.381369
				12-23 MO.	.427280	1.002922	.578076

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,3-HEXANEDIONE FEMA 2558D	07	FROZN DAIRY(R)	8	2-65+ YR.	.759610	1.830778	1.027690
2,3-HEXANEDIONE FEMA 2558D	16	SOFT CANDY(R)	8	0-5 MO.	.005234	.052339	.006117
				6-11 MO.	.057573	.177952	.067289
				12-23 MO.	.091593	.243376	.107051
				2-65+ YR.	.151783	.460582	.177398
2,3-HEXANEDIONE FEMA 2558D	20	GELATIN PUD(R)	4	0-5 MO.	.042630	.057550	.057587
				6-11 MO.	.272830	.827015	.368557
				12-23 MO.	.294145	.716178	.397350
				2-65+ YR.	.434822	1.119028	.587387
2,3-HEXANEDIONE FEMA 2558D	23	BEV TYPE I(R)	6	0-5 MO.	.051120	.076680	.065854
				6-11 MO.	.483510	1.655010	.622872
				12-23 MO.	1.154460	3.461250	1.487209
				2-65+ YR.	2.215200	5.915010	2.853686
2,3-HEXANEDIONE FEMA 2558D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
2,3-HEXANEDIONE FEMA 2558D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001347	.004041	.001347
				12-23 MO.	.004041	.012123	.004041
				2-65+ YR.	.008082	.022899	.008082
2,3-HEXANEDIONE FEMA 2558D	99	ALL CATEGORIES	12	0-5 MO.	.256331	.477206	.323186
				6-11 MO.	2.050951	5.392538	2.588047
				12-23 MO.	4.018070	8.807984	5.033980
				2-65+ YR.	8.724797	17.010711	10.851010
HEXANOIC ACID FEMA 2559D	01	BAKED GOODS(R)	18	0-5 MO.	.066115	.087505	.220099
				6-11 MO.	.493917	1.007279	1.644271
				12-23 MO.	1.059782	1.746209	3.528062
				2-65+ YR.	2.667927	3.963000	8.881654

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXANOIC ACID FEMA 2559D	04	FATS OILS(R)	*	0-5 MO.	.018071	.018071	.018071
				6-11 MO.	.101200	.271071	.101200
				12-23 MO.	.227700	.433714	.227700
				2-65+ YR.	.632500	1.142114	.632500
HEXANOIC ACID FEMA 2559D	06	CHEESE(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.005400	.019400	.013500
				12-23 MO.	.015600	.044400	.039000
				2-65+ YR.	.018800	.047200	.047000
HEXANOIC ACID FEMA 2559D	07	FROZN DAIRY(R)	11	0-5 MO.	.009959	.040833	.024314
				6-11 MO.	.094612	.262923	.230980
				12-23 MO.	.143412	.336621	.350118
				2-65+ YR.	.254955	.614482	.622431
HEXANOIC ACID FEMA 2559D	10	MEAT PRODS(R)	*	0-5 MO.	.006316	.016651	.028709
				6-11 MO.	.118856	.320395	.540249
				12-23 MO.	.173403	.298001	.788189
				2-65+ YR.	.450160	.747013	2.046160
HEXANOIC ACID FEMA 2559D	14	PROCSD VEGS(R)	*	0-5 MO.	.210000	.630000	.246400
				6-11 MO.	3.600000	8.400000	4.224000
				12-23 MO.	5.850000	9.795000	6.864000
				2-65+ YR.	12.750000	21.480000	14.960000
HEXANOIC ACID FEMA 2559D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.044748	**********
				6-11 MO.	.357981	.984448	.407823
				12-23 MO.	1.252934	3.400820	1.427362
				2-65+ YR.	3.937792	9.486498	4.486057
HEXANOIC ACID FEMA 2559D	16	SOFT CANDY(R)	16	0-5 MO.	.000952	.009519	.001768
				6-11 MO.	.010471	.032364	.019449
				12-23 MO.	.016658	.044262	.030942
				2-65+ YR.	.027605	.083766	.051276
HEXANOIC ACID FEMA 2559D	20	GELATIN PUD(R)	8	0-5 MO.	.004621	.006238	.012320

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEXANOIC ACID FEMA 2559D	20	GELATIN PUD(R)	8	6-11 MO.	.029575	.089649	.078851
				12-23 MO.	.031885	.077634	.085011
				2-65+ YR.	.047135	.121303	.125669
HEXANOIC ACID FEMA 2559D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.004000	.011000	.008000
				12-23 MO.	.011000	.031000	.022000
				2-65+ YR.	.013000	.037000	.026000
HEXANOIC ACID FEMA 2559D	23	BEV TYPE I(R)	13	0-5 MO.	.004201	.006301	.008381
				6-11 MO.	.039732	.136000	.079272
				12-23 MO.	.094867	.284427	.189274
				2-65+ YR.	.182033	.486063	.363183
HEXANOIC ACID FEMA 2559D	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000400
				6-11 MO.	.002800	.007800	.005600
				12-23 MO.	.007200	.020400	.014400
				2-65+ YR.	.016600	.042600	.033200
HEXANOIC ACID FEMA 2559D	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.007000	.011500	.014000
				12-23 MO.	.004000	.017000	.008000
				2-65+ YR.	.004500	.007500	.009000
HEXANOIC ACID FEMA 2559D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000281	.000843	.001762
				12-23 MO.	.000843	.002529	.005286
				2-65+ YR.	.001686	.004777	.010572
HEXANOIC ACID FEMA 2559D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000004	.000004	.000037
				12-23 MO.	.000004	.000012	.000037
				2-65+ YR.	.000008	.000016	.000074
HEXANOIC ACID FEMA 2559D	99	ALL CATEGORIES	34	0-5 MO.	.320435	.861666	.560463
				6-11 MO.	4.865829	11.554675	7.368995

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXANOIC ACID FEMA 25590	99	ALL CATEGORIES	34	12-23 MO.	8.889289	16.532030	13.579401
				2-65+ YR.	21.004701	38.263333	32.294776
2-HEXENAL FEMA 25600	01	BAKED GOODS(R)	10	0-5 MO.	.027341	.036187	.057356
				6-11 MO.	.204253	.416548	.428480
				12-23 MO.	.438260	.722124	.919375
				2-65+ YR.	1.103290	1.638851	2.314464
2-HEXENAL FEMA 25600	07	FROZN DAIRY(R)	9	0-5 MO.	.004645	.019044	.014685
				6-11 MO.	.044126	.122624	.139504
				12-23 MO.	.066886	.156996	.211459
				2-65+ YR.	.118908	.286587	.375928
2-HEXENAL FEMA 25600	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	**********
				6-11 MO.	.020700	.055800	**********
				12-23 MO.	.030200	.051900	**********
				2-65+ YR.	.078400	.130100	**********
2-HEXENAL FEMA 25600	16	SOFT CANDY(R)	11	0-5 MO.	.000921	.009211	.003283
				6-11 MO.	.010132	.031316	.036112
				12-23 MO.	.016119	.042830	.057450
				2-65+ YR.	.026711	.081054	.095203
2-HEXENAL FEMA 25600	20	GELATIN PUD(R)	10	0-5 MO.	.007096	.009580	.016999
				6-11 MO.	.045414	.137662	.108794
				12-23 MO.	.048962	.119213	.117294
				2-65+ YR.	.072379	.186270	.173391
2-HEXENAL FEMA 25600	23	BEV TYPE I(R)	15	0-5 MO.	.004670	.007005	.016069
				6-11 MO.	.044169	.151188	.151990
				12-23 MO.	.105462	.316191	.362900
				2-65+ YR.	.202362	.540346	.696340
2-HEXENAL FEMA 25600	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-HEXENAL FEMA 2560D	24	BEV TYPE II(R)	*	2-65+ YR.	.032500	.094400	.097500
2-HEXENAL FEMA 2560D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000355	.001065	.000381
				12-23 MO.	.001065	.003195	.001143
				2-65+ YR.	.002130	.006035	.002286
2-HEXENAL FEMA 2560D	99	ALL CATEGORIES	20	0-5 MO.	.045773	.083926	.108392
				6-11 MO.	.369150	.916304	.865260
				12-23 MO.	.706954	1.412649	1.669622
				2-65+ YR.	1.636680	2.963644	3.755112
2-HEXENOL-1 FEMA 2562D	01	BAKED GOODS(R)	7	0-5 MO.	.075793	.100315	.091895
				6-11 MO.	.566221	1.154735	.686512
				12-23 MO.	1.214923	2.001837	1.473028
				2-65+ YR.	3.058486	4.543145	3.708247
2-HEXENOL-1 FEMA 2562D	07	FROZN DAIRY(R)	6	0-5 MO.	.008465	.034706	.012509
				6-11 MO.	.080416	.223471	.118834
				12-23 MO.	.121893	.286111	.180127
				2-65+ YR.	.216699	.522279	.320226
2-HEXENOL-1 FEMA 2562D	16	SOFT CANDY(R)	7	0-5 MO.	.004032	.040325	.004780
				6-11 MO.	.044357	.137104	.052575
				12-23 MO.	.070568	.187510	.083643
				2-65+ YR.	.116942	.354857	.138608
2-HEXENOL-1 FEMA 2562D	20	GELATIN PUD(R)	6	0-5 MO.	.043122	.058215	.047500
				6-11 MO.	.275981	.836568	.304000
				12-23 MO.	.297542	.724451	.327750
				2-65+ YR.	.439845	1.131955	.484500
2-HEXENOL-1 FEMA 2562D	23	BEV TYPE I(R)	11	0-5 MO.	.017564	.026347	.023269
				6-11 MO.	.166129	.568646	.220083
				12-23 MO.	.396661	1.189252	.525484
				2-65+ YR.	.761122	2.032341	1.008308

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-HEXENOL-1							
FEMA 25620	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000163	.000163	.000392
				12-23 MO.	.000163	.000489	.000392
				2-65+ YR.	.000326	.000652	.000784
2-HEXENOL-1							
FEMA 25620	59	ALL CATEGORIES	13	0-5 MO.	.148977	.259907	.179952
				6-11 MO.	1.133268	2.920687	1.382396
				12-23 MO.	2.101752	4.389650	2.590423
				2-65+ YR.	4.593420	8.585229	5.660673
3-HEXENOL-1							
FEMA 25630	01	BAKED GOODS(R)	13	0-5 MO.	.036048	.047711	.049177
				6-11 MO.	.269301	.549205	.367380
				12-23 MO.	.577831	.952096	.788277
				2-65+ YR.	1.454650	2.160770	1.984433
3-HEXENOL-1							
FEMA 25630	04	FATS OILS(R)	*	0-5 MO.	.002900	.002900	.002900
				6-11 MO.	.016240	.043500	.016240
				12-23 MO.	.036540	.069600	.036540
				2-65+ YR.	.101500	.183280	.101500
3-HEXENOL-1							
FEMA 25630	07	FROZN DAIRY(R)	13	0-5 MO.	.008752	.035885	.015339
				6-11 MO.	.083149	.231066	.145721
				12-23 MO.	.126036	.295834	.220882
				2-65+ YR.	.224064	.540028	.392679
3-HEXENOL-1							
FEMA 25630	10	MEAT PRODS(R)	*	0-5 MO.	.031460	.082940	.063800
				6-11 MO.	.592020	1.595880	1.200600
				12-23 MO.	.863720	1.484340	1.751600
				2-65+ YR.	2.242240	3.720860	4.547200
3-HEXENOL-1							
FEMA 25630	16	SOFT CANDY(R)	13	0-5 MO.	.001907	.019067	.002863
				6-11 MO.	.020974	.064827	.031496
				12-23 MO.	.033367	.068661	.050107
				2-65+ YR.	.055294	.167789	.083035
3-HEXENOL-1							
FEMA 25630	20	GELATIN PUD(R)	12	0-5 MO.	.017110	.023098	.024007

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-HEXENOL-1 FEMA 2563D	20	GELATIN PUD(R)	12	6-11 MO.	.109503	.331930	.153642
				12-23 MO.	.118058	.287445	.165645
				2-65+ YR.	.174520	.449132	.244866
3-HEXENOL-1 FEMA 2563D	23	BEV TYPE I(R)	17	0-5 MO.	.014041	.021061	.021846
				6-11 MO.	.132802	.454569	.206623
				12-23 MO.	.317087	.950675	.493347
				2-65+ YR.	.608432	1.624630	.946644
3-HEXENOL-1 FEMA 2563D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001015	.003045	.001052
				12-23 MO.	.003045	.009135	.003156
				2-65+ YR.	.006090	.017255	.006312
3-HEXENOL-1 FEMA 2563D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.009848	.009848	.009848
				12-23 MO.	.009848	.029544	.009848
				2-65+ YR.	.019696	.039392	.019696
3-HEXENOL-1 FEMA 2563D	99	ALL CATEGORIES	27	0-5 MO.	.112218	.232662	.179931
				6-11 MO.	1.234851	3.283870	2.132602
				12-23 MO.	2.085531	4.167329	3.519402
				2-65+ YR.	4.886485	8.903136	8.326364
2-HEXENYL ACETATE FEMA 2564D	01	BAKED GOODS(R)	7	0-5 MO.	.024296	.032156	.037123
				6-11 MO.	.181504	.370154	.277334
				12-23 MO.	.389448	.641696	.595066
				2-65+ YR.	.980408	1.456321	1.498039
2-HEXENYL ACETATE FEMA 2564D	07	FROZN DAIRY(R)	8	0-5 MO.	.003954	.016209	.006548
				6-11 MO.	.037558	.104372	.062204
				12-23 MO.	.056930	.133628	.094289
				2-65+ YR.	.101210	.243931	.167624
2-HEXENYL ACETATE FEMA 2564D	16	SOFT CANDY(R)	9	0-5 MO.	.001208	.012083	.001801
				6-11 MO.	.013291	.041082	.019809

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-HEXENYL ACETATE FEMA 2564D	16	SOFT CANDY(R)	9	12-23 MO.	.021145	.056186	.031514
				2-65+ YR.	.035040	.106330	.052223
2-HEXENYL ACETATE FEMA 2564D	20	GELATIN PUD(R)	6	0-5 MO.	.010128	.013672	.014447
				6-11 MO.	.064817	.196477	.092460
				12-23 MO.	.069881	.170145	.099683
				2-65+ YR.	.103302	.265851	.147357
2-HEXENYL ACETATE FEMA 2564D	23	BEV TYPE I(R)	11	0-5 MO.	.005945	.008918	.009529
				6-11 MO.	.056233	.192479	.090129
				12-23 MO.	.134265	.402546	.215197
				2-65+ YR.	.257629	.687920	.412924
2-HEXENYL ACETATE FEMA 2564D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000758	.002274	.000865
				12-23 MO.	.002274	.006822	.002595
				2-65+ YR.	.004548	.012886	.005190
2-HEXENYL ACETATE FEMA 2564D	99	ALL CATEGORIES	13	0-5 MO.	.045531	.083039	.069448
				6-11 MO.	.354161	.906838	.542800
				12-23 MO.	.673943	1.411022	1.038344
				2-65+ YR.	1.482138	2.773239	2.283357
HEXYL ACETATE FEMA 2565D	01	BAKED GOODS(R)	11	0-5 MO.	.053502	.070811	.101848
				6-11 MO.	.399690	.815116	.760865
				12-23 MO.	.857603	1.413078	1.632564
				2-65+ YR.	2.158956	3.206963	4.109868
HEXYL ACETATE FEMA 2565D	07	FROZN DAIRY(R)	11	0-5 MO.	.007993	.032770	.017319
				6-11 MO.	.075931	.211007	.164526
				12-23 MO.	.115095	.270153	.249387
				2-65+ YR.	.204613	.493150	.443355
HEXYL ACETATE FEMA 2565D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	**********
				6-11 MO.	.020700	.055800	**********
				12-23 MO.	.030200	.051900	**********

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEXYL ACETATE FEMA 2565D	10	MEAT PRODS(R)	*	2-65+ YR.	.078400	.130100	**********
HEXYL ACETATE FEMA 2565D	16	SOFT CANDY(R)	15	0-5 MO.	.001927	.019274	.003651
				6-11 MO.	.021202	.065532	.040165
				12-23 MO.	.033730	.089625	.063900
				2-65+ YR.	.055895	.169613	.105891
HEXYL ACETATE FEMA 2565D	20	GELATIN PUD(R)	11	0-5 MO.	.018874	.025479	.034112
				6-11 MO.	.120791	.366149	.218314
				12-23 MO.	.130228	.317077	.235369
				2-65+ YR.	.192511	.495433	.347937
HEXYL ACETATE FEMA 2565D	23	BEV TYPE I(R)	19	0-5 MO.	.010256	.015384	.016875
				6-11 MO.	.097007	.332047	.159607
				12-23 MO.	.231621	.694435	.381088
				2-65+ YR.	.444438	1.186736	.731239
HEXYL ACETATE FEMA 2565D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
HEXYL ACETATE FEMA 2565D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004800	.014400	.005504
				12-23 MO.	.014400	.043200	.016512
				2-65+ YR.	.028800	.081600	.033024
HEXYL ACETATE FEMA 2565D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000212	.000212	.003899
				12-23 MO.	.000212	.000636	.003899
				2-65+ YR.	.000424	.000848	.007798
HEXYL ACETATE FEMA 2565D	99	ALL CATEGORIES	28	0-5 MO.	.093652	.166619	.173804
				6-11 MO.	.740333	1.860363	1.352880
				12-23 MO.	1.413089	2.880305	2.582719
				2-65+ YR.	3.196538	5.858843	5.876612

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL ALCOHOL FEMA 2567D	01	BAKED GOODS(R)	14	0-5 MO.	.077972	.103198	.123482
				6-11 MO.	.582496	1.187924	.922486
				12-23 MO.	1.249843	2.059375	1.979350
				2-65+ YR.	3.146394	4.673726	4.982878
HEXYL ALCOHOL FEMA 2567D	07	FROZN DAIRY(R)	14	0-5 MO.	.005227	.021433	.028733
				6-11 MO.	.049661	.138005	.272966
				12-23 MO.	.075275	.176688	.413759
				2-65+ YR.	.133823	.322533	.735572
HEXYL ALCOHOL FEMA 2567D	10	MEAT PRODS(R)	*	0-5 MO.	.000660	.001740	.001265
				6-11 MO.	.012420	.033480	.023805
				12-23 MO.	.018120	.031140	.034730
				2-65+ YR.	.047040	.078060	.090160
HEXYL ALCOHOL FEMA 2567D	16	SOFT CANDY(R)	13	0-5 MO.	.001114	.011145	.003758
				6-11 MO.	.012259	.037892	.041339
				12-23 MO.	.019503	.051823	.065767
				2-65+ YR.	.032320	.098074	.108985
HEXYL ALCOHOL FEMA 2567D	20	GELATIN PUD(R)	14	0-5 MO.	.014281	.019279	.062040
				6-11 MO.	.091399	.277053	.397055
				12-23 MO.	.098540	.239922	.428075
				2-65+ YR.	.145667	.374879	.632806
HEXYL ALCOHOL FEMA 2567D	23	BEV TYPE I(R)	15	0-5 MO.	.006883	.010325	.017545
				6-11 MO.	.065102	.222839	.165944
				12-23 MO.	.155443	.466041	.396218
				2-65+ YR.	.298266	.796429	.760270
HEXYL ALCOHOL FEMA 2567D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000055	**********
				12-23 MO.	**********	.000110	**********
				2-65+ YR.	.017875	.051920	.050375
HEXYL ALCOHOL FEMA 2567D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL ALCOHOL FEMA 2567D	30	HARD CANDY(R)	6	6-11 MO.	.004903	.014709	.007388
				12-23 MO.	.014709	.044127	.022164
				2-65+ YR.	.029418	.083351	.044328
HEXYL ALCOHOL FEMA 2567D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.012790	.012790	.012790
				12-23 MO.	.012790	.038370	.012790
				2-65+ YR.	.025580	.051160	.025580
HEXYL ALCOHOL FEMA 2567D	99	ALL CATEGORIES	27	0-5 MO.	.106138	.167119	.236823
				6-11 MO.	.831030	1.924748	1.843773
				12-23 MO.	1.644223	3.107596	3.352853
				2-65+ YR.	3.876384	6.530132	7.430954
HEXYL BUTYRATE FEMA 2568D	01	BAKED GOODS(R)	6	0-5 MO.	.050236	.066488	.082383
				6-11 MO.	.375289	.765353	.615449
				12-23 MO.	.805246	1.326808	1.320549
				2-65+ YR.	2.027150	3.011175	3.324392
HEXYL BUTYRATE FEMA 2568D	07	FROZN DAIRY(R)	5	0-5 MO.	.006299	.025827	.010775
				6-11 MO.	.059844	.166302	.102359
				12-23 MO.	.090710	.212917	.155155
				2-65+ YR.	.161263	.388668	.275831
HEXYL BUTYRATE FEMA 2568D	16	SOFT CANDY(R)	7	0-5 MO.	.002168	.021684	.003212
				6-11 MO.	.023852	.073725	.035330
				12-23 MO.	.037947	.100830	.056207
				2-65+ YR.	.062883	.190818	.093143
HEXYL BUTYRATE FEMA 2568D	20	GELATIN PUD(R)	4	0-5 MO.	.026704	.036051	.032521
				6-11 MO.	.170907	.518062	.208135
				12-23 MO.	.184259	.448631	.224396
				2-65+ YR.	.272383	.700986	.331715
HEXYL BUTYRATE FEMA 2568D	23	BEV TYPE I(R)	7	0-5 MO.	.013563	.020344	.020499
				6-11 MO.	.128283	.439101	.193890

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL BUTYRATE FEMA 2568D	23	BEV TYPE I(R)	7	12-23 MO.	.306297	.918326	.462944
				2-65+ YR.	.587728	1.569348	.888306
HEXYL BUTYRATE FEMA 2568D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
HEXYL BUTYRATE FEMA 2568D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000067	.000201	.000112
				12-23 MO.	.000201	.000603	.000336
				2-65+ YR.	.000402	.001139	.000672
HEXYL BUTYRATE FEMA 2568D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000070	.000070	.000219
				12-23 MO.	.000070	.000210	.000219
				2-65+ YR.	.000140	.000280	.000438
HEXYL BUTYRATE FEMA 2568D	99	ALL CATEGORIES	12	0-5 MO.	.098970	.170394	.149390
				6-11 MO.	.758312	1.962914	1.155494
				12-23 MO.	1.424730	3.008525	2.219806
				2-65+ YR.	3.144450	5.956814	5.011997
A6-HEXYLCINNAMALDEHYDE FEMA 2569D	01	BAKED GOODS(R)	4	0-5 MO.	.046807	.061950	.062684
				6-11 MO.	.349673	.713113	.468284
				12-23 MO.	.750283	1.236247	1.004782
				2-65+ YR.	1.888787	2.805647	2.529469
A6-HEXYLCINNAMALDEHYDE FEMA 2569D	07	FROZN DAIRY(R)	5	0-5 MO.	.007219	.029599	.012183
				6-11 MO.	.068583	.190588	.115742
				12-23 MO.	.103957	.244010	.175440
				2-65+ YR.	.184812	.445427	.311893
A6-HEXYLCINNAMALDEHYDE FEMA 2569D	16	SOFT CANDY(R)	4	0-5 MO.	.003072	.030721	.004115
				6-11 MO.	.033793	.104451	.045260
				12-23 MO.	.053761	.142852	.072005

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A6-HEXYLCINNAMALDEHYDE FEMA 25690	16	SOFT CANDY(R)	4	2-65+ YR.	.089090	.270343	.119322
A6-HEXYLCINNAMALDEHYDE FEMA 25690	20	GELATIN PUD(R)	4	0-5 MO.	.031118	.042010	.040327
				6-11 MO.	.199157	.603696	.258095
				12-23 MO.	.214717	.522788	.278258
				2-65+ YR.	.317407	.816856	.411338
A6-HEXYLCINNAMALDEHYDE FEMA 25690	23	BEV TYPE II(R)	5	0-5 MO.	.013996	.020994	.025220
				6-11 MO.	.132376	.453111	.238539
				12-23 MO.	.316069	.947625	.569552
				2-65+ YR.	.606480	1.619418	1.092867
A6-HEXYLCINNAMALDEHYDE FEMA 25690	99	ALL CATEGORIES	6	0-5 MO.	.102212	.185273	.144529
				6-11 MO.	.783582	2.064958	1.125919
				12-23 MO.	1.438788	3.093522	2.100036
				2-65+ YR.	3.086576	5.957691	4.464889
HEXYL FORMATE FEMA 25700	C1	BAKED GOODS(R)	4	0-5 MO.	.040105	.053081	.136914
				6-11 MO.	.299611	.611017	1.022828
				12-23 MO.	.642866	1.059254	2.194651
				2-65+ YR.	1.618370	2.403963	5.524882
HEXYL FORMATE FEMA 25700	07	FROZN DAIRY(R)	4	0-5 MO.	.011871	.048671	.026892
				6-11 MO.	.112774	.313394	.255478
				12-23 MO.	.170942	.401239	.387252
				2-65+ YR.	.303897	.732439	.688447
HEXYL FORMATE FEMA 25700	16	SOFT CANDY(R)	4	0-5 MO.	.002000	.020000	.004125
				6-11 MO.	.022000	.068000	.045372
				12-23 MO.	.035000	.093000	.072183
				2-65+ YR.	.058000	.176000	.119617
HEXYL FORMATE FEMA 25700	20	GELATIN PUD(R)	4	0-5 MO.	.023161	.031268	.054860
				6-11 MO.	.148232	.449329	.351105
				12-23 MO.	.159813	.389110	.378535
				2-65+ YR.	.236245	.607984	.559574

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL FORMATE FEMA 2570D	23	BEV TYPE I(R)	5	0-5 MO.	.014429	.021644	.023376
				6-11 MO.	.136478	.467151	.221093
				12-23 MO.	.325864	.976990	.527897
				2-65+ YR.	.625273	1.669600	1.012939
HEXYL FORMATE FEMA 2570D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.611092
HEXYL FORMATE FEMA 2570D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.003780	.011340	.003780
				12-23 MO.	.011340	.034020	.011340
				2-65+ YR.	.022680	.064260	.022680
HEXYL FORMATE FEMA 2570D	99	ALL CATEGORIES	6	0-5 MO.	.091567	.174663	.246167
				6-11 MO.	.722875	1.920331	1.899657
				12-23 MO.	1.345824	2.953812	3.571857
				2-65+ YR.	2.896965	5.748646	8.539231
HEXYL HEXANOATE FEMA 2572D	01	BAKED GOODS(R)	7	0-5 MO.	.031484	.041670	.049300
				6-11 MO.	.235204	.479668	.368300
				12-23 MO.	.504670	.831548	.790250
				2-65+ YR.	1.270472	1.887188	1.989400
HEXYL HEXANOATE FEMA 2572D	07	FRZN DAIRY(R)	7	0-5 MO.	.005018	.020575	.008050
				6-11 MO.	.047673	.132480	.076475
				12-23 MO.	.072262	.169615	.115920
				2-65+ YR.	.128465	.309622	.206080
HEXYL HEXANOATE FEMA 2572D	16	SOFT CANDY(R)	8	0-5 MO.	.001343	.013433	.002005
				6-11 MO.	.014777	.045673	.022060
				12-23 MO.	.023508	.062465	.035095
				2-65+ YR.	.038957	.118213	.058158
HEXYL HEXANOATE FEMA 2572D	20	GELATIN PUD(R)	5	0-5 MO.	.021000	.028350	.029333

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEXYL HEXANOATE FEMA 2572D	20	GELATIN PUD(R)	5	6-11 MO.	.134400	.407400	.187733
				12-23 MO.	.144900	.352800	.202400
				2-65+ YR.	.214200	.551250	.299200
HEXYL HEXANOATE FEMA 2572D	23	BEV TYPE I(R)	9	0-5 MO.	.007837	.011755	.015098
				6-11 MO.	.074124	.253720	.142804
				12-23 MO.	.176984	.530625	.340967
				2-65+ YR.	.339600	.906797	.654255
HEXYL HEXANOATE FEMA 2572D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000088	**********
				12-23 MO.	**********	.000175	**********
				2-65+ YR.	.028438	.082600	.113750
HEXYL HEXANOATE FEMA 2572D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000002	.000002	.000002
				12-23 MO.	.000002	.000006	.000002
				2-65+ YR.	.000004	.000008	.000004
HEXYL HEXANOATE FEMA 2572D	99	ALL CATEGORIES	10	0-5 MO.	.066682	.115783	.103787
				6-11 MO.	.506180	1.319031	.797374
				12-23 MO.	.922326	1.947234	1.484635
				2-65+ YR.	2.020136	3.855679	3.320847
2-HEXYLIDENECYCLOPENTANON FEMA 2573D	01	BAKED GOODS(R)	*	0-5 MO.	.095200	.126000	.102000
				6-11 MO.	.711200	1.450400	.762000
				12-23 MO.	1.526000	2.514400	1.635000
				2-65+ YR.	3.841600	5.706400	4.116000
2-HEXYLIDENECYCLOPENTANON FEMA 2573D	07	FROZN DAIRY(R)	*	0-5 MO.	.010259	.042061	.013388
				6-11 MO.	.097459	.270832	.127186
				12-23 MO.	.147727	.346747	.192787
				2-65+ YR.	.262625	.632968	.342733
2-HEXYLIDENECYCLOPENTANON FEMA 2573D	16	SOFT CANDY(R)	*	0-5 MO.	.003357	.033566	.003796
				6-11 MO.	.036922	.114123	.041756

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-HEXYLIDENECYCLOPENTANON FEMA 2573D	16	SOFT CANDY(R)	*	12-23 MO.	.058740	.156080	.066430
				2-65+ YR.	.097340	.295377	.110084
2-HEXYLIDENECYCLOPENTANON FEMA 2573D	20	GELATIN PUD(R)	*	0-5 MO.	.024246	.032732	.028640
				6-11 MO.	.155172	.470365	.183296
				12-23 MO.	.167295	.407326	.197616
				2-65+ YR.	.247305	.636447	.292128
2-HEXYLIDENECYCLOPENTANON FEMA 2573D	23	BEV TYPE I(R)	*	0-5 MO.	.010983	.016474	.013584
				6-11 MO.	.103878	.355564	.128482
				12-23 MO.	.248026	.743619	.306772
				2-65+ YR.	.475916	1.270788	.588640
2-HEXYLIDENECYCLOPENTANON FEMA 2573D	99	ALL CATEGORIES	*	0-5 MO.	.144044	.250832	.161408
				6-11 MO.	1.104630	2.661284	1.242720
				12-23 MO.	2.147787	4.168173	2.398605
				2-65+ YR.	4.924787	8.541980	5.449585
HEXYL OCTANOATE FEMA 2575D	01	BAKED GOODS(R)	*	0-5 MO.	.029376	.038880	.036584
				6-11 MO.	.219456	.447552	.273304
				12-23 MO.	.470880	.775872	.586420
				2-65+ YR.	1.185408	1.760832	1.476272
HEXYL OCTANOATE FEMA 2575D	07	FROZN DAIRY(R)	*	0-5 MO.	.006265	.025687	.008780
				6-11 MO.	.059518	.165396	.083410
				12-23 MO.	.090216	.211757	.126432
				2-65+ YR.	.160384	.386551	.224768
HEXYL OCTANOATE FEMA 2575D	16	SOFT CANDY(R)	*	0-5 MO.	.002003	.020030	.002356
				6-11 MO.	.022033	.068102	.025916
				12-23 MO.	.035053	.093140	.041230
				2-65+ YR.	.058087	.176264	.068324
HEXYL OCTANOATE FEMA 2575D	20	GELATIN PUD(R)	*	0-5 MO.	.022496	.030370	.026944
				6-11 MO.	.143974	.436422	.172442
				12-23 MO.	.155222	.377933	.185914

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEXYL OCTANOATE FEMA 2575D	20	GELATIN PUD(R)	*	2-65+ YR.	.229459	.590520	.274829
HEXYL OCTANOATE FEMA 2575D	23	BEV TYPE I(R)	*	0-5 MO.	.050400	.075600	.076800
				6-11 MO.	.476700	1.631700	.726400
				12-23 MO.	1.138200	3.412500	1.734400
				2-65+ YR.	2.184000	5.831700	3.328000
HEXYL OCTANOATE FEMA 2575D	99	ALL CATEGORIES	*	0-5 MO.	.110540	.190566	.151464
				6-11 MO.	.921681	2.749172	1.281472
				12-23 MO.	1.889571	4.871201	2.674396
				2-65+ YR.	3.817338	8.745867	5.372193
HEXYL PROPIONATE FEMA 2576D	01	BAKED GOODS(R)	5	0-5 MO.	.054461	.072081	.149305
				6-11 MO.	.406858	.829735	1.115399
				12-23 MO.	.872984	1.438421	2.393278
				2-65+ YR.	2.197677	3.264479	6.024913
HEXYL PROPIONATE FEMA 2576D	07	FROZN DAIRY(R)	5	0-5 MO.	.018682	.076597	.054239
				6-11 MO.	.177482	.493213	.515270
				12-23 MO.	.269025	.631462	.781041
				2-65+ YR.	.478267	1.152699	1.388518
HEXYL PROPIONATE FEMA 2576D	16	SOFT CANDY(R)	6	0-5 MO.	.003144	.031440	.008779
				6-11 MO.	.034584	.106895	.096570
				12-23 MO.	.055020	.146195	.153634
				2-65+ YR.	.091175	.276670	.254593
HEXYL PROPIONATE FEMA 2576D	20	GELATIN PUD(R)	5	0-5 MO.	.031102	.041988	.089808
				6-11 MO.	.199052	.603377	.574769
				12-23 MO.	.214603	.522512	.619673
				2-65+ YR.	.317239	.816425	.916038
HEXYL PROPIONATE FEMA 2576D	23	BEV TYPE I(R)	6	0-5 MO.	.012334	.018501	.036295
				6-11 MO.	.116659	.399315	.343286
				12-23 MO.	.278544	.835117	.819653
				2-65+ YR.	.534475	1.427151	1.572765

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL PROPIONATE FEMA 2576D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
HEXYL PROPIONATE FEMA 2576D	99	ALL CATEGORIES	6	0-5 MO.	.119724	.240607	.338426
				6-11 MO.	.934636	2.432634	2.645295
				12-23 MO.	1.690175	3.573907	4.767279
				2-65+ YR.	3.651333	7.031823	10.254327
HYDROXYCITRONELLAL FEMA 2583D	01	BAKED GOODS(R)	13	0-5 MO.	.016230	.021480	.025667
				6-11 MO.	.121245	.247264	.191748
				12-23 MO.	.260152	.428654	.411427
				2-65+ YR.	.654914	.972824	1.035739
HYDROXYCITRONELLAL FEMA 2583D	07	FROZN DAIRY(R)	12	0-5 MO.	.005224	.021420	.008311
				6-11 MO.	.049633	.137926	.078950
				12-23 MO.	.075233	.176587	.119672
				2-65+ YR.	.133747	.322350	.212750
HYDROXYCITRONELLAL FEMA 2583D	16	SOFT CANDY(R)	14	0-5 MO.	.000925	.009246	.001479
				6-11 MO.	.010171	.031437	.016265
				12-23 MO.	.016181	.042994	.025876
				2-65+ YR.	.026814	.081366	.042880
HYDROXYCITRONELLAL FEMA 2583D	20	GELATIN PUD(R)	11	0-5 MO.	.001805	.002437	.005203
				6-11 MO.	.011554	.035022	.033302
				12-23 MO.	.012456	.030328	.035904
				2-65+ YR.	.018413	.047388	.053075
HYDROXYCITRONELLAL FEMA 2583D	23	BEV TYPE I(R)	17	0-5 MO.	.004248	.006372	.010420
				6-11 MO.	.040178	.137526	.098552
				12-23 MO.	.095932	.287620	.235309
				2-65+ YR.	.184077	.491520	.451516
HYDROXYCITRONELLAL FEMA 2583D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HYDROXYCITRONELLAL FEMA 25830	24	BEV TYPE III(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032469	.094309	.097399
HYDROXYCITRONELLAL FEMA 25830	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000275	.000825	.000850
				12-23 MO.	.000825	.002475	.002550
				2-65+ YR.	.001650	.004675	.005100
HYDROXYCITRONELLAL FEMA 25830	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000912	.000912	.003253
				12-23 MO.	.000912	.002736	.003253
				2-65+ YR.	.001824	.003648	.006506
HYDROXYCITRONELLAL FEMA 25830	99	ALL CATEGORIES	23	0-5 MO.	.028432	.060956	.051079
				6-11 MO.	.233967	.591012	.422920
				12-23 MO.	.461690	.971594	.833991
				2-65+ YR.	1.053907	2.018080	1.904965
HYDROXYCITRONELLAL DIETHY FEMA 25840	01	BAKED GOODS(R)	*	0-5 MO.	.026714	.035357	.038857
				6-11 MO.	.199571	.407000	.290286
				12-23 MO.	.428214	.705571	.622857
				2-65+ YR.	1.078000	1.601286	1.568000
HYDROXYCITRONELLAL DIETHY FEMA 25840	07	FROZN DAIRY(R)	*	0-5 MO.	.004429	.018157	.007429
				6-11 MO.	.042071	.116914	.070571
				12-23 MO.	.063771	.149686	.106971
				2-65+ YR.	.113371	.273243	.190171
HYDROXYCITRONELLAL DIETHY FEMA 25840	16	SOFT CANDY(R)	*	0-5 MO.	.001029	.010286	.001771
				6-11 MO.	.011314	.034971	.019486
				12-23 MO.	.018000	.047829	.031000
				2-65+ YR.	.029829	.090514	.051371
HYDROXYCITRONELLAL DIETHY FEMA 25840	20	GELATIN PUD(R)	*	0-5 MO.	.007143	.009643	.011429
				6-11 MO.	.045714	.138571	.073143

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HYDROXYCITRONELLAL DIETHY FEMA 2584D	20	GELATIN PUD(R)	*	12-23 MO.	.049286	.120000	.078857
				2-65+ YR.	.072857	.187500	.116571
HYDROXYCITRONELLAL DIETHY FEMA 2584D	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.008571
				6-11 MO.	.034050	.116550	.081071
				12-23 MO.	.081300	.243750	.193571
				2-65+ YR.	.156000	.416550	.371429
HYDROXYCITRONELLAL DIETHY FEMA 2584D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
HYDROXYCITRONELLAL DIETHY FEMA 2584D	59	ALL CATEGORIES	*	0-5 MO.	.042914	.078843	.068057
				6-11 MO.	.332721	.814107	.534557
				12-23 MO.	.640571	1.267036	1.033257
				2-65+ YR.	1.482557	2.663493	2.395043
HYDROXYCITRONELLAL DIMETH FEMA 2585D	01	BAKED GOODS(R)	*	0-5 MO.	.187000	.247500	.204000
				6-11 MO.	1.397000	2.849000	1.524000
				12-23 MO.	2.997500	4.939000	3.270000
				2-65+ YR.	7.546000	11.209000	8.232000
HYDROXYCITRONELLAL DIMETH FEMA 2585D	07	FROZN DAIRY(R)	*	0-5 MO.	.018592	.076225	.023239
				6-11 MO.	.176620	.490818	.220775
				12-23 MO.	.267719	.628395	.334648
				2-65+ YR.	.475944	1.147100	.594930
HYDROXYCITRONELLAL DIMETH FEMA 2585D	16	SOFT CANDY(R)	*	0-5 MO.	.005673	.056732	.007673
				6-11 MO.	.062406	.192890	.084406
				12-23 MO.	.099282	.263806	.134282
				2-65+ YR.	.164524	.499245	.222524
HYDROXYCITRONELLAL DIMETH FEMA 2585D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.050000
				6-11 MO.	.256000	.776000	.320000
				12-23 MO.	.276000	.672000	.345000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HYDROXYCITRONELLAL DIMETH FEMA 2585D	20	GELATIN PUD(R)	*	2-65+ YR.	.408000	1.050000	.510000
HYDROXYCITRONELLAL DIMETH FEMA 2585D	23	BEV TYPE I(R)	*	0-5 MO.	.013890	.020835	.020903
				6-11 MO.	.131374	.449682	.197708
				12-23 MO.	.313678	.940455	.472061
				2-65+ YR.	.601891	1.607165	.905800
HYDROXYCITRONELLAL DIMETH FEMA 2585D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000200	.000200	.000200
				12-23 MO.	.000200	.000600	.000200
				2-65+ YR.	.000400	.000800	.000400
HYDROXYCITRONELLAL DIMETH FEMA 2585D	99	ALL CATEGORIES	5	0-5 MO.	.265155	.455293	.305816
				6-11 MO.	2.023600	4.758590	2.347089
				12-23 MO.	3.954378	7.444256	4.556191
				2-65+ YR.	9.196759	15.513310	10.465654
HYDROXYCITRONELLOL FEMA 2586D	01	BAKED GOODS(R)	*	0-5 MO.	.018020	.023850	.028900
				6-11 MO.	.134620	.274540	.215900
				12-23 MO.	.288850	.475940	.463250
				2-65+ YR.	.727160	1.080140	1.166200
HYDROXYCITRONELLOL FEMA 2586D	07	FROZN DAIRY(R)	*	0-5 MO.	.003400	.013940	.006500
				6-11 MO.	.032300	.089760	.061750
				12-23 MO.	.048960	.114920	.093600
				2-65+ YR.	.087040	.209780	.166400
HYDROXYCITRONELLOL FEMA 2586D	16	SOFT CANDY(R)	*	0-5 MO.	.000663	.006633	.001220
				6-11 MO.	.007297	.022553	.013420
				12-23 MO.	.011608	.030845	.021350
				2-65+ YR.	.019237	.058373	.035380
HYDROXYCITRONELLOL FEMA 2586D	20	GELATIN PUD(R)	*	0-5 MO.	.004517	.006097	.012000
				6-11 MO.	.028907	.087623	.076800
				12-23 MO.	.031165	.075880	.082800
				2-65+ YR.	.046070	.118562	.122400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HYDROXYCITRONELLOL FEMA 2586D	23	BEV TYPE I(R)	4	0-5 MO.	.002714	.004071	.010689
				6-11 MO.	.025668	.087861	.101102
				12-23 MO.	.061288	.189750	.241398
				2-65+ YR.	.117600	.314015	.463200
HYDROXYCITRONELLOL FEMA 2586D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
HYDROXYCITRONELLOL FEMA 2586D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000019	.000057	.000019
				12-23 MO.	.000057	.000171	.000057
				2-65+ YR.	.000114	.000323	.000114
HYDROXYCITRONELLOL FEMA 2586D	99	ALL CATEGORIES	6	0-5 MO.	.029314	.054592	.059309
				6-11 MO.	.228811	.562494	.468991
				12-23 MO.	.441928	.881706	.902455
				2-65+ YR.	1.029721	1.875593	2.051194
5-HYDROXY-4-OCTANONE FEMA 25870	01	BAKED GOODS(R)	*	0-5 MO.	.266184	.352303	.340000
				6-11 MO.	1.988553	4.055395	2.540000
				12-23 MO.	4.266776	7.030395	5.450000
				2-65+ YR.	10.741316	15.955395	13.720000
5-HYDROXY-4-OCTANONE FEMA 25870	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.012000
				6-11 MO.	.076000	.211200	.114000
				12-23 MO.	.115200	.270400	.172800
				2-65+ YR.	.204800	.493600	.307200
5-HYDROXY-4-OCTANONE FEMA 25870	16	SOFT CANDY(R)	*	0-5 MO.	.006000	.060000	.008000
				6-11 MO.	.066000	.204000	.088000
				12-23 MO.	.105000	.279000	.140000
				2-65+ YR.	.174000	.528000	.232000
5-HYDROXY-4-OCTANONE FEMA 25870	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.024000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
5-HYDROXY-4-OCTANONE FEMA 2587D	20	GELATIN PUD(R)	*	6-11 MO.	.102400	.310400	.153600
				12-23 MO.	.110400	.268800	.165600
				2-65+ YR.	.163200	.420000	.244800
5-HYDROXY-4-OCTANONE FEMA 2587D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.007200
				6-11 MO.	.045400	.155400	.068100
				12-23 MO.	.108400	.325000	.162600
				2-65+ YR.	.208000	.555400	.312000
5-HYDROXY-4-OCTANONE FEMA 2587D	99	ALL CATEGORIES	*	0-5 MO.	.300984	.473903	.391200
				6-11 MO.	2.278353	4.936395	2.963700
				12-23 MO.	4.705776	8.173595	6.091000
				2-65+ YR.	11.491316	17.952395	14.816000
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	01	BAKED GOODS(R)	12	0-5 MO.	.044385	.058745	.173912
				6-11 MO.	.331583	.676220	1.299225
				12-23 MO.	.711467	1.172288	2.787707
				2-65+ YR.	1.791068	2.660494	7.017861
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	07	FROZN DAIRY(R)	10	0-5 MO.	.009254	.037943	.030339
				6-11 MO.	.087918	.244318	.288223
				12-23 MO.	.133265	.312802	.436886
				2-65+ YR.	.236915	.571002	.776686
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	16	SOFT CANDY(R)	13	0-5 MO.	.002686	.026859	.007198
				6-11 MO.	.029545	.091320	.079176
				12-23 MO.	.047003	.124894	.125962
				2-65+ YR.	.077891	.236358	.208737
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	19	SWEET SAUCE(R)	*	0-5 MO.	.000270	.000360	.000420
				6-11 MO.	.000810	.002790	.001260
				12-23 MO.	.002340	.006640	.003640
				2-65+ YR.	.006120	.016110	.009520
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	20	GELATIN PUD(R)	14	0-5 MO.	.026994	.036442	.057741
				6-11 MO.	.172764	.523692	.369545

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	20	GELATIN PUD(R)	14	12-23 MO.	.186262	.453506	.398416
				2-65+ YR.	.275343	.708604	.588963
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	23	BEV TYPE I(R)	13	0-5 MO.	.006629	.009944	.027324
				6-11 MO.	.062699	.214615	.258442
				12-23 MO.	.149705	.448840	.617074
				2-65+ YR.	.287258	.767033	1.184054
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001674	.005022	.003369
				12-23 MO.	.005022	.015066	.010107
				2-65+ YR.	.010044	.028458	.020214
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.007085	.007085	.020955
				12-23 MO.	.007085	.021255	.020955
				2-65+ YR.	.014170	.028340	.041910
4-P-HYDROXYPHEN-BUTANONE FEMA 2588D	99	ALL CATEGORIES	28	0-5 MO.	.090219	.170293	.296935
				6-11 MO.	.694078	1.765062	2.320196
				12-23 MO.	1.242148	2.555491	4.400748
				2-65+ YR.	2.698809	5.016399	9.847945
INDOLE FEMA 2593D	01	BAKED GOODS(R)	14	0-5 MO.	.001670	.002211	.004583
				6-11 MO.	.012478	.025448	.034240
				12-23 MO.	.026775	.044117	.073468
				2-65+ YR.	.067403	.100122	.184951
INDOLE FEMA 2593D	07	FROZN DAIRY(R)	11	0-5 MO.	.000378	.001549	.001071
				6-11 MO.	.003590	.009976	.010177
				12-23 MO.	.005442	.012772	.015426
				2-65+ YR.	.009674	.023315	.027425
INDOLE FEMA 2593D	10	MEAT PRODS(R)	*	0-5 MO.	.000385	.001015	.000385
				6-11 MO.	.007245	.019530	.007245
				12-23 MO.	.010570	.018165	.010570

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
INDOLE FEMA 2593D	10	MEAT PRODS(R)	*	2-65+ YR.	.027440	.045535	.027440
INDOLE FEMA 2593D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000000	**********
				6-11 MO.	.000002	.000004	**********
				12-23 MO.	.000006	.000015	**********
				2-65+ YR.	.000018	.000042	**********
INDOLE FEMA 2593D	16	SOFT CANDY(R)	14	0-5 MO.	.000098	.000985	.000268
				6-11 MO.	.001083	.003347	.002944
				12-23 MO.	.001723	.004578	.004683
				2-65+ YR.	.002855	.008664	.007761
INDOLE FEMA 2593D	20	GELATIN PUD(R)	10	0-5 MO.	.000708	.000955	.002265
				6-11 MO.	.004528	.013726	.014493
				12-23 MO.	.004882	.011886	.015626
				2-65+ YR.	.007217	.018572	.023099
INDOLE FEMA 2593D	23	BEV TYPE I(R)	15	0-5 MO.	.000576	.000865	.001682
				6-11 MO.	.005452	.018661	.015911
				12-23 MO.	.013017	.039026	.037990
				2-65+ YR.	.024977	.066693	.072897
INDOLE FEMA 2593D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000002	**********
				12-23 MO.	**********	.000003	**********
				2-65+ YR.	.000508	.001475	.001117
INDOLE FEMA 2593D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000001	.000003	.000001
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000017	.000006
INDOLE FEMA 2593D	99	ALL CATEGORIES	19	0-5 MO.	.003816	.007580	.010254
				6-11 MO.	.034379	.090697	.085011
				12-23 MO.	.062416	.130573	.157767
				2-65+ YR.	.140097	.264437	.344695

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A&-IONONE FEMA 2594D	01	BAKED GOODS(R)	22	0-5 MO.	.016396	.021700	.032128
				6-11 MO.	.122484	.249790	.240015
				12-23 MO.	.262810	.433034	.514993
				2-65+ YR.	.661607	.982766	1.296460
A&-IONONE FEMA 2594D	07	FROZN DAIRY(R)	19	0-5 MO.	.001623	.006653	.003940
				6-11 MO.	.015415	.042838	.037433
				12-23 MO.	.023366	.054846	.056740
				2-65+ YR.	.041540	.100118	.100872
A&-IONONE FEMA 2594D	16	SOFT CANDY(R)	21	0-5 MO.	.001100	.011002	.002038
				6-11 MO.	.012102	.037408	.022422
				12-23 MO.	.019254	.051160	.035672
				2-65+ YR.	.031907	.096820	.059113
A&-IONONE FEMA 2594D	20	GELATIN PUD(R)	18	0-5 MO.	.005890	.007952	.016179
				6-11 MO.	.037699	.114275	.103543
				12-23 MO.	.040644	.098959	.111632
				2-65+ YR.	.060083	.154624	.165021
A&-IONONE FEMA 2594D	23	BEV TYPE I(R)	25	0-5 MO.	.002649	.003974	.005676
				6-11 MO.	.025059	.085773	.053681
				12-23 MO.	.059832	.179384	.128172
				2-65+ YR.	.114806	.306554	.245938
A&-IONONE FEMA 2594D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
A&-IONONE FEMA 2594D	30	HARD CANDY(R)	12	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000623	.001869	.000636
				12-23 MO.	.001869	.005607	.001908
				2-65+ YR.	.003738	.010591	.003816
A&-IONONE FEMA 2594D	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A4-IONONE FEMA 2594D	31	CHEWING GUM(R)	7	6-11 MO.	.005811	.005811	.005811
				12-23 MO.	.005811	.017433	.005811
				2-65+ YR.	.011622	.023244	.011622
A4-IONONE FEMA 2594D	99	ALL CATEGORIES	53	0-5 MO.	.027658	.051281	.059961
				6-11 MO.	.219193	.537864	.463541
				12-23 MO.	.413586	.840624	.854928
				2-65+ YR.	.957802	1.769116	1.980343
B4-IONONE FEMA 2595D	01	BAKED GOODS(R)	18	0-5 MO.	.015119	.020011	.036284
				6-11 MO.	.112950	.230346	.271062
				12-23 MO.	.242353	.399326	.581610
				2-65+ YR.	.610106	.906265	1.464163
B4-IONONE FEMA 2595D	07	FROZN DAIRY(R)	16	0-5 MO.	.003225	.013221	.006643
				6-11 MO.	.030635	.085133	.063112
				12-23 MO.	.046436	.108996	.095665
				2-65+ YR.	.082553	.198966	.170071
B4-IONONE FEMA 2595D	16	SOFT CANDY(R)	17	0-5 MO.	.001273	.012728	.002407
				6-11 MO.	.014001	.043275	.026472
				12-23 MO.	.022274	.059185	.042115
				2-65+ YR.	.036911	.112005	.069791
B4-IONONE FEMA 2595D	20	GELATIN PUD(R)	16	0-5 MO.	.006071	.008196	.013300
				6-11 MO.	.038853	.117774	.085119
				12-23 MO.	.041889	.101990	.091769
				2-65+ YR.	.061922	.159359	.135658
B4-IONONE FEMA 2595D	23	BEV TYPE I(R)	20	0-5 MO.	.003730	.005595	.007704
				6-11 MO.	.035278	.120754	.072862
				12-23 MO.	.084233	.252543	.173971
				2-65+ YR.	.161628	.431577	.333819
B4-IONONE FEMA 2595D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000019	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
B6-IONONE FEMA 2595D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000038	**********
				2-65+ YR.	.006228	.018089	.012844
B6-IONONE FEMA 2595D	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000100	.000300	.000352
				12-23 MO.	.000300	.000900	.001056
				2-65+ YR.	.000600	.001700	.002112
B6-IONONE FEMA 2595D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.001035	.001035	.027547
				12-23 MO.	.001035	.003105	.027547
				2-65+ YR.	.002070	.004140	.055094
B6-IONONE FEMA 2595D	99	ALL CATEGORIES	38	0-5 MO.	.029417	.059750	.066337
				6-11 MO.	.232852	.598636	.546527
				12-23 MO.	.438519	.926082	1.013732
				2-65+ YR.	.962017	1.832100	2.243552
A6-IRONE FEMA 2597D	01	BAKED GOODS(R)	13	0-5 MO.	.007883	.010434	.015485
				6-11 MO.	.058893	.120105	.115684
				12-23 MO.	.126366	.208214	.248220
				2-65+ YR.	.318117	.472538	.624877
A6-IRONE FEMA 2597D	07	FROZN DAIRY(R)	10	0-5 MO.	.001142	.004681	.002480
				6-11 MO.	.010846	.030140	.023560
				12-23 MO.	.016440	.038588	.035712
				2-65+ YR.	.029227	.070441	.063488
A6-IRONE FEMA 2597D	16	SOFT CANDY(R)	12	0-5 MO.	.000355	.003553	.000696
				6-11 MO.	.003908	.012079	.007654
				12-23 MO.	.006217	.016520	.012177
				2-65+ YR.	.010303	.031264	.020178
A6-IRONE FEMA 2597D	20	GELATIN PUD(R)	11	0-5 MO.	.002573	.003474	.005541
				6-11 MO.	.016469	.049923	.035464
				12-23 MO.	.017756	.043232	.038234

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AG-IRONE FEMA 2597D	20	GELATIN PUD(R)	11	2-65+ YR.	.026248	.067550	.056520
AG-IRONE FEMA 2597D	23	BEV TYPE I(R)	15	0-5 MO.	.001406	.002109	.003075
				6-11 MO.	.013299	.045521	.029083
				12-23 MO.	.031753	.095202	.069441
				2-65+ YR.	.060929	.162692	.133245
AG-IRONE FEMA 2597D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
AG-IRONE FEMA 2597D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000005	.000015	.000005
				12-23 MO.	.000015	.000045	.000015
				2-65+ YR.	.000030	.000085	.000030
AG-IRONE FEMA 2597D	99	ALL CATEGORIES	18	0-5 MO.	.013360	.024251	.027277
				6-11 MO.	.103420	.257883	.211450
				12-23 MO.	.198547	.402001	.403799
				2-65+ YR.	.477354	.898970	.995839
LAURIC ALDEHYDE FEMA 2615D	01	BAKED GOODS(R)	10	0-5 MO.	.014375	.019026	.021697
				6-11 MO.	.107393	.219014	.162089
				12-23 MO.	.230430	.379681	.347789
				2-65+ YR.	.580092	.861681	.875536
LAURIC ALDEHYDE FEMA 2615D	07	FROZN DAIRY(R)	9	0-5 MO.	.001837	.007530	.002745
				6-11 MO.	.017449	.048489	.026077
				12-23 MO.	.026448	.062080	.039527
				2-65+ YR.	.047019	.113324	.070271
LAURIC ALDEHYDE FEMA 2615D	10	MEAT PRODS(R)	*	0-5 MO.	.000080	.000212	.000080
				6-11 MO.	.001510	.004071	.001510
				12-23 MO.	.002203	.003787	.002203
				2-65+ YR.	.005720	.009492	.005720

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LAURIC ALDEHYDE FEMA 2615D	16	SOFT CANDY(R)	10	0-5 MO.	.000488	.004883	.000803
				6-11 MO.	.005372	.016603	.008836
				12-23 MO.	.008546	.022707	.014058
				2-65+ YR.	.014162	.042973	.023295
LAURIC ALDEHYDE FEMA 2615D	20	GELATIN PUD(R)	7	0-5 MO.	.004260	.005752	.006081
				6-11 MO.	.027267	.082652	.038920
				12-23 MO.	.029397	.071575	.041961
				2-65+ YR.	.043456	.111836	.062029
LAURIC ALDEHYDE FEMA 2615D	23	BEV TYPE I(R)	12	0-5 MO.	.001557	.002335	.003522
				6-11 MO.	.014724	.050400	.033315
				12-23 MO.	.035157	.105406	.079546
				2-65+ YR.	.067460	.180131	.152634
LAURIC ALDEHYDE FEMA 2615D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
LAURIC ALDEHYDE FEMA 2615D	27	GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000003
				6-11 MO.	.000014	.000039	.000042
				12-23 MO.	.000036	.000102	.000108
				2-65+ YR.	.000083	.000213	.000249
LAURIC ALDEHYDE FEMA 2615D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000431	.001293	.002657
				12-23 MO.	.001293	.003879	.007971
				2-65+ YR.	.002586	.007327	.015942
LAURIC ALDEHYDE FEMA 2615D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.008257	.008257	.008257
				12-23 MO.	.008257	.024771	.008257
				2-65+ YR.	.016514	.033028	.016514
LAURIC ALDEHYDE FEMA 2615D	99	ALL CATEGORIES	21	0-5 MO.	.022599	.039741	.034932

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCOU CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LAURIC ALDEHYDE FEMA 26150	99	ALL CATEGORIES	21	6-11 MO.	.182417	.430829	.281704
				12-23 MO.	.341768	.674009	.541420
				2-65+ YR.	.780342	1.369446	1.225440
LAURYL ACETATE FEMA 26160	01	BAKED GOODS(R)	4	0-5 MO.	.041113	.054414	.060207
				6-11 MO.	.307137	.626366	.449783
				12-23 MO.	.659014	1.085862	.965086
				2-65+ YR.	1.659022	2.464350	2.429538
LAURYL ACETATE FEMA 26160	07	FROZN DAIRY(R)	*	0-5 MO.	.005414	.022198	.007528
				6-11 MO.	.051435	.142934	.071519
				12-23 MO.	.077964	.182999	.108408
				2-65+ YR.	.138603	.334054	.192725
LAURYL ACETATE FEMA 26160	16	SOFT CANDY(R)	4	0-5 MO.	.001386	.013856	.002138
				6-11 MO.	.015242	.047110	.023514
				12-23 MO.	.024248	.064430	.037408
				2-65+ YR.	.040182	.121933	.061990
LAURYL ACETATE FEMA 26160	20	GELATIN PUD(R)	*	0-5 MO.	.011352	.015325	.015361
				6-11 MO.	.072652	.220226	.098311
				12-23 MO.	.078328	.190711	.105992
				2-65+ YR.	.115789	.297986	.156683
LAURYL ACETATE FEMA 26160	23	BEV TYPE I(R)	5	0-5 MO.	.005351	.008027	.008640
				6-11 MO.	.050613	.173242	.081720
				12-23 MO.	.120846	.362315	.195120
				2-65+ YR.	.231882	.619168	.374400
LAURYL ACETATE FEMA 26160	99	ALL CATEGORIES	6	0-5 MO.	.064616	.113820	.093874
				6-11 MO.	.497077	1.209878	.724847
				12-23 MO.	.960400	1.886317	1.412014
				2-65+ YR.	2.185478	3.837491	3.215337
LAURYL ALCOHOL FEMA 26170	01	BAKED GOODS(R)	5	0-5 MO.	.029561	.039125	.046070
				6-11 MO.	.220841	.450376	.344170

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LAURYL ALCOHOL FEMA 2617D	01	BAKED GOODS(R)	5	12-23 MO.	.473851	.780767	.738475
				2-65+ YR.	1.192887	1.771942	1.859060
LAURYL ALCOHOL FEMA 2617D	07	FROZN DAIRY(R)	4	0-5 MO.	.003898	.015984	.006678
				6-11 MO.	.037035	.102918	.063440
				12-23 MO.	.056137	.131767	.096162
				2-65+ YR.	.099800	.240533	.170955
LAURYL ALCOHOL FEMA 2617D	10	MEAT PRODS(R)	*	0-5 MO.	.000030	.000078	**********
				6-11 MO.	.000559	.001507	**********
				12-23 MO.	.000815	.001401	**********
				2-65+ YR.	.002117	.003513	**********
LAURYL ALCOHOL FEMA 2617D	16	SOFT CANDY(R)	6	0-5 MO.	.000959	.009590	.001668
				6-11 MO.	.010549	.032606	.018343
				12-23 MO.	.016783	.044594	.029182
				2-65+ YR.	.027811	.084392	.048359
LAURYL ALCOHOL FEMA 2617D	20	GELATIN PUD(R)	4	0-5 MO.	.007960	.010746	.013124
				6-11 MO.	.050943	.154421	.083996
				12-23 MO.	.054923	.133726	.090558
				2-65+ YR.	.081191	.208947	.133868
LAURYL ALCOHOL FEMA 2617D	23	BEV TYPE I(R)	9	0-5 MO.	.004121	.006181	.007459
				6-11 MO.	.038976	.133412	.070552
				12-23 MO.	.093062	.279015	.168454
				2-65+ YR.	.178570	.476816	.323233
LAURYL ALCOHOL FEMA 2617D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000579	.001737	.000579
				12-23 MO.	.001737	.005211	.001737
				2-65+ YR.	.003474	.009843	.003474
LAURYL ALCOHOL FEMA 2617D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002365	.002365	.002365
				12-23 MO.	.002365	.007095	.002365

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LAURYL ALCOHOL FEMA 2617D	31	CHEWING GUM(R)	*	2-65+ YR.	.004730	.009460	.004730
LAURYL ALCOHOL FEMA 2617D	99	ALL CATEGORIES	13	0-5 MO.	.046529	.081704	.074999
				6-11 MO.	.361847	.879343	.583445
				12-23 MO.	.699674	1.383576	1.126933
				2-65+ YR.	1.590579	2.805445	2.543679
LEVULINIC ACID FEMA 2627D	01	BAKED GOODS(R)	8	0-5 MO.	.143372	.189758	.223951
				6-11 MO.	1.071076	2.184321	1.673045
				12-23 MO.	2.298176	3.786719	3.589800
				2-65+ YR.	5.785499	8.593911	9.037075
LEVULINIC ACID FEMA 2627D	07	FROZN DAIRY(R)	7	0-5 MO.	.025719	.105447	.044241
				6-11 MO.	.244329	.678977	.420286
				12-23 MO.	.370351	.869297	.637066
				2-65+ YR.	.658402	1.586852	1.132561
LEVULINIC ACID FEMA 2627D	10	MEAT PRODS(R)	*	0-5 MO.	.220000	.580000	.440000
				6-11 MO.	4.140000	11.160000	8.280000
				12-23 MO.	6.040000	10.380000	12.080000
				2-65+ YR.	15.680000	26.020000	31.360000
LEVULINIC ACID FEMA 2627D	16	SOFT CANDY(R)	5	0-5 MO.	.014750	.147502	.020936
				6-11 MO.	.162252	.501506	.230299
				12-23 MO.	.258128	.685883	.366385
				2-65+ YR.	.427755	1.298016	.607153
LEVULINIC ACID FEMA 2627D	20	GELATIN PUD(R)	7	0-5 MO.	.012481	.016849	.025533
				6-11 MO.	.079877	.242126	.163413
				12-23 MO.	.086117	.209676	.176180
				2-65+ YR.	.127303	.327619	.260440
LEVULINIC ACID FEMA 2627D	23	BEV TYPE I(R)	9	0-5 MO.	.032767	.049151	.062708
				6-11 MO.	.309925	1.060844	.593115
				12-23 MO.	.739997	2.218625	1.416160
				2-65+ YR.	1.419920	3.791459	2.717354

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LEVULINIC ACID FEMA 2627D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
LEVULINIC ACID FEMA 2627D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000247	.000741	.000255
				12-23 MO.	.000741	.002223	.000765
				2-65+ YR.	.001482	.004199	.001530
LEVULINIC ACID FEMA 2627D	99	ALL CATEGORIES	12	0-5 MO.	.449090	1.088707	.817369
				6-11 MO.	6.007706	15.829515	11.360413
				12-23 MO.	9.793509	18.154422	18.266356
				2-65+ YR.	24.425361	42.566056	45.766114
LINALYL ANTHRANILATE FEMA 2637D	01	BAKED GOODS(R)	*	0-5 MO.	.017486	.023143	.031086
				6-11 MO.	.130629	.266400	.232229
				12-23 MO.	.280286	.461829	.498286
				2-65+ YR.	.705600	1.048114	1.254400
LINALYL ANTHRANILATE FEMA 2637D	07	FRCZN DAIRY(R)	4	0-5 MO.	.002000	.008200	.003750
				6-11 MO.	.019000	.052800	.035625
				12-23 MO.	.028800	.067600	.054000
				2-65+ YR.	.051200	.123401	.096000
LINALYL ANTHRANILATE FEMA 2637D	16	SOFT CANDY(R)	5	0-5 MO.	.000833	.008333	.001280
				6-11 MO.	.009167	.028333	.014080
				12-23 MO.	.014583	.038750	.022400
				2-65+ YR.	.024167	.073333	.037120
LINALYL ANTHRANILATE FEMA 2637D	20	GELATIN PUD(R)	*	0-5 MO.	.012500	.016875	.018000
				6-11 MO.	.080000	.242500	.115200
				12-23 MO.	.086250	.210000	.124200
				2-65+ YR.	.127500	.328125	.183600
LINALYL ANTHRANILATE FEMA 2637D	23	BEV TYPE I(R)	7	0-5 MO.	.003180	.004770	.006567

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LINALYL ANTHRANILATE FEMA 2637D	23	BEV TYPE I(R)	7	6-11 MO.	.030079	.102959	.062118
				12-23 MO.	.071819	.215326	.148316
				2-65+ YR.	.137809	.367976	.284591
LINALYL ANTHRANILATE FEMA 2637D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL ANTHRANILATE FEMA 2637D	99	ALL CATEGORIES	7	0-5 MO.	.035999	.061322	.060683
				6-11 MO.	.268875	.693093	.459251
				12-23 MO.	.481739	.993705	.847202
				2-65+ YR.	1.078776	2.035349	1.953212
LINALYL BENZOATE FEMA 2638D	01	BAKED GOODS(R)	*	0-5 MO.	.001530	.002025	.003570
				6-11 MO.	.011430	.023310	.026670
				12-23 MO.	.024525	.040410	.057225
				2-65+ YR.	.061740	.091710	.144060
LINALYL BENZOATE FEMA 2638D	07	FROZN DAIRY(R)	*	0-5 MO.	.000270	.001107	.000780
				6-11 MO.	.002565	.007128	.007410
				12-23 MO.	.003888	.009126	.011232
				2-65+ YR.	.006912	.016659	.019968
LINALYL BENZOATE FEMA 2638D	16	SOFT CANDY(R)	4	0-5 MO.	.000135	.001345	.000135
				6-11 MO.	.001480	.004573	.001480
				12-23 MO.	.002354	.006254	.002354
				2-65+ YR.	.003901	.011836	.003901
LINALYL BENZOATE FEMA 2638D	20	GELATIN PUD(R)	*	0-5 MO.	.000280	.000378	.001100
				6-11 MO.	.001792	.005432	.007040
				12-23 MO.	.001932	.004704	.007590
				2-65+ YR.	.002856	.007350	.011220
LINALYL BENZOATE FEMA 2638D	23	BEV TYPE I(R)	*	0-5 MO.	.001040	.001560	.001380
				6-11 MO.	.009837	.033670	.013053

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LINALYL BENZOATE FEMA 2638D	23	BEV TYPE I(R)	*	12-23 MO.	.023487	.070417	.031165
				2-65+ YR.	.045067	.120337	.059800
LINALYL BENZOATE FEMA 2638D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000020	**********
				12-23 MO.	**********	.000040	**********
				2-65+ YR.	.006500	.018880	.032500
LINALYL BENZOATE FEMA 2638D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000075	.000225	.000075
				12-23 MO.	.000225	.000675	.000225
				2-65+ YR.	.000450	.001275	.000450
LINALYL BENZOATE FEMA 2638D	99	ALL CATEGORIES	5	0-5 MO.	.003254	.006415	.006965
				6-11 MO.	.027178	.074358	.055727
				12-23 MO.	.056410	.131626	.109791
				2-65+ YR.	.127425	.268047	.271899
LINALYL BUTYRATE FEMA 2639D	01	BAKED GOODS(R)	7	0-5 MO.	.029261	.038727	.041573
				6-11 MO.	.218594	.445794	.310573
				12-23 MO.	.469030	.772824	.666386
				2-65+ YR.	1.180752	1.753915	1.677582
LINALYL BUTYRATE FEMA 2639D	07	FROZN DAIRY(R)	6	0-5 MO.	.005512	.022598	.010119
				6-11 MO.	.052361	.145509	.096127
				12-23 MO.	.079369	.186296	.145708
				2-65+ YR.	.141100	.340072	.259037
LINALYL BUTYRATE FEMA 2639D	16	SOFT CANDY(R)	7	0-5 MO.	.001115	.011154	.001897
				6-11 MO.	.012269	.037922	.020870
				12-23 MO.	.019519	.051864	.033202
				2-65+ YR.	.032345	.096151	.055021
LINALYL BUTYRATE FEMA 2639D	20	GELATIN PUD(R)	6	0-5 MO.	.017774	.023996	.026054
				6-11 MO.	.113757	.344825	.166747
				12-23 MO.	.122644	.298611	.179774

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALYL BUTYRATE FEMA 2639D	20	GELATIN PUD(R)	6	2-65+ YR.	.181300	.466580	.265753
LINALYL BUTYRATE FEMA 2639D	23	BEV TYPE I(R)	7	0-5 MO.	.007679	.011518	.012456
				6-11 MO.	.072629	.248603	.117811
				12-23 MO.	.173414	.519922	.281292
				2-65+ YR.	.332750	.888506	.539749
LINALYL BUTYRATE FEMA 2639D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL BUTYRATE FEMA 2639D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000031	.000093	.000031
				12-23 MO.	.000093	.000279	.000093
				2-65+ YR.	.000186	.000527	.000186
LINALYL BUTYRATE FEMA 2639D	99	ALL CATEGORIES	10	0-5 MO.	.061341	.107993	.092099
				6-11 MO.	.469641	1.222845	.712158
				12-23 MO.	.864068	1.829996	1.306456
				2-65+ YR.	1.900932	3.642152	2.894828
LINALYL ISOBUTYRATE FEMA 2640D	01	BAKED GOODS(R)	6	0-5 MO.	.053371	.070638	.069836
				6-11 MO.	.398712	.813121	.521719
				12-23 MO.	.855504	1.409620	1.119437
				2-65+ YR.	2.153673	3.199115	2.818106
LINALYL ISOBUTYRATE FEMA 2640D	07	FROZN DAIRY(R)	7	0-5 MO.	.009221	.037808	.016037
				6-11 MO.	.087603	.243445	.152356
				12-23 MO.	.132788	.311683	.230939
				2-65+ YR.	.236068	.568961	.410559
LINALYL ISOBUTYRATE FEMA 2640D	16	SOFT CANDY(R)	6	0-5 MO.	.002217	.022167	.003514
				6-11 MO.	.024383	.075367	.038652
				12-23 MO.	.038792	.103075	.061492
				2-65+ YR.	.064283	.195067	.101901

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LINALYL ISOBUTYRATE FEMA 2640D	20	GELATIN PUD(R)	5	0-5 MO.	.037810	.051043	.052865
				6-11 MO.	.241982	.733508	.338336
				12-23 MO.	.260887	.635203	.364769
				2-65+ YR.	.385659	.992504	.539224
LINALYL ISOBUTYRATE FEMA 2640D	23	BEV TYPE I(R)	9	0-5 MO.	.015021	.022532	.020290
				6-11 MO.	.142077	.486318	.191912
				12-23 MO.	.339233	1.017074	.458223
				2-65+ YR.	.650927	1.738101	.879247
LINALYL ISOBUTYRATE FEMA 2640D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL ISOBUTYRATE FEMA 2640D	99	ALL CATEGORIES	10	0-5 MO.	.117640	.204188	.162543
				6-11 MO.	.894758	2.351859	1.242976
				12-23 MO.	1.627204	3.476855	2.234860
				2-65+ YR.	3.523110	6.788148	4.846536
LINALYL CINNAMATE FEMA 2641D	01	BAKED GOODS(R)	*	0-5 MO.	.005950	.007875	.012750
				6-11 MO.	.044450	.090650	.095250
				12-23 MO.	.095375	.157150	.204375
				2-65+ YR.	.240100	.356650	.514500
LINALYL CINNAMATE FEMA 2641D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.003000
				6-11 MO.	.009500	.026400	.028500
				12-23 MO.	.014400	.033800	.043200
				2-65+ YR.	.025600	.061700	.076800
LINALYL CINNAMATE FEMA 2641D	16	SOFT CANDY(R)	*	0-5 MO.	.000286	.002860	.000612
				6-11 MO.	.003146	.009724	.006732
				12-23 MO.	.005005	.013299	.010710
				2-65+ YR.	.008294	.025168	.017748
LINALYL CINNAMATE FEMA 2641D	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.003000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LINALYL CINNAMATE FEMA 2641D	20	GELATIN PUD(R)	*	6-11 MO.	.006400	.019400	.019200
				12-23 MO.	.006900	.016800	.020700
				2-65+ YR.	.010200	.026250	.030600
LINALYL CINNAMATE FEMA 2641D	23	BEV TYPE I(R)	*	0-5 MO.	.002160	.003240	.006300
				6-11 MO.	.020430	.069930	.059588
				12-23 MO.	.048780	.146250	.142275
				2-65+ YR.	.093600	.249930	.273000
LINALYL CINNAMATE FEMA 2641D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.048750
LINALYL CINNAMATE FEMA 2641D	99	ALL CATEGORIES	4	0-5 MO.	.010396	.019425	.025662
				6-11 MO.	.083926	.216154	.209270
				12-23 MO.	.170460	.367399	.421260
				2-65+ YR.	.394044	.766898	.961398
LINALYL FORMATE FEMA 2642D	01	BAKED GOODS(R)	5	0-5 MO.	.042186	.055835	.058642
				6-11 MO.	.315157	.642722	.438088
				12-23 MO.	.676223	1.114217	.939993
				2-65+ YR.	1.702346	2.528703	2.366367
LINALYL FORMATE FEMA 2642D	07	FRCZN DAIRY(R)	5	0-5 MO.	.012571	.051543	.016594
				6-11 MO.	.119429	.331886	.157647
				12-23 MO.	.181029	.424914	.238959
				2-65+ YR.	.321829	.775657	.424816
LINALYL FORMATE FEMA 2642D	16	SOFT CANDY(R)	8	0-5 MO.	.002164	.021642	.002958
				6-11 MO.	.023806	.073581	.032542
				12-23 MO.	.037873	.100633	.051771
				2-65+ YR.	.062761	.190446	.085792
LINALYL FORMATE FEMA 2642D	20	GELATIN PUD(R)	5	0-5 MO.	.028347	.038268	.039480
				6-11 MO.	.181420	.549931	.252669

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALYL FORMATE FEMA 2642D	20	GELATIN PUD(R)	5	12-23 MO.	.195594	.476229	.272409
				2-65+ YR.	.289139	.744107	.402692
LINALYL FORMATE FEMA 2642D	23	BEV TYPE I(R)	9	0-5 MO.	.014705	.022058	.020222
				6-11 MO.	.139086	.476077	.191269
				12-23 MO.	.332090	.995657	.456685
				2-65+ YR.	.637220	1.701501	.876296
LINALYL FORMATE FEMA 2642D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL FORMATE FEMA 2642D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000219	.000657	.000219
				12-23 MO.	.000657	.001971	.000657
				2-65+ YR.	.001314	.003723	.001314
LINALYL FORMATE FEMA 2642D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000125	.000125	.000125
				12-23 MO.	.000125	.000375	.000125
				2-65+ YR.	.000250	.000500	.000250
LINALYL FORMATE FEMA 2642D	99	ALL CATEGORIES	12	0-5 MO.	.099974	.189345	.137896
				6-11 MO.	.779242	2.075079	1.072559
				12-23 MO.	1.423590	3.114197	1.960599
				2-65+ YR.	3.047358	6.039037	4.255027
LINALYL HEXANOATE FEMA 2643D	01	BAKED GOODS(R)	*	0-5 MO.	.035700	.047250	.054400
				6-11 MO.	.266700	.543900	.406400
				12-23 MO.	.572250	.942900	.872000
				2-65+ YR.	1.440600	2.139900	2.195200
LINALYL HEXANOATE FEMA 2643D	07	FROZN DAIRY(R)	*	0-5 MO.	.003200	.013120	.010200
				6-11 MO.	.030400	.084480	.096900
				12-23 MO.	.046080	.108160	.146880

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALYL HEXANOATE FEMA 2643D	07	FROZN DAIRY(R)	*	2-65+ YR.	.081920	.197440	.261120
LINALYL HEXANOATE FEMA 2643D	16	SOFT CANDY(R)	4	0-5 MO.	.000520	.005200	.001307
				6-11 MO.	.005720	.017680	.014373
				12-23 MO.	.009100	.024180	.022867
				2-65+ YR.	.015080	.045760	.037893
LINALYL HEXANOATE FEMA 2643D	20	GELATIN PUD(R)	*	0-5 MO.	.010400	.014040	.024400
				6-11 MO.	.066560	.201760	.156160
				12-23 MO.	.071760	.174720	.168360
				2-65+ YR.	.106080	.273000	.248880
LINALYL HEXANOATE FEMA 2643D	23	BEV TYPE I(R)	*	0-5 MO.	.004608	.006912	.009120
				6-11 MO.	.043584	.149184	.086260
				12-23 MO.	.104064	.312000	.205960
				2-65+ YR.	.199680	.533184	.395200
LINALYL HEXANOATE FEMA 2643D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL HEXANOATE FEMA 2643D	99	ALL CATEGORIES	4	0-5 MO.	.054428	.086522	.099427
				6-11 MO.	.412964	.997104	.760093
				12-23 MO.	.803254	1.562160	1.416067
				2-65+ YR.	1.875860	3.283684	3.235793
LINALYL OCTANOATE FEMA 2644D	01	BAKED GOODS(R)	*	0-5 MO.	.022100	.029250	.042500
				6-11 MO.	.165100	.336700	.317500
				12-23 MO.	.354250	.583700	.681250
				2-65+ YR.	.891800	1.324700	1.715000
LINALYL OCTANOATE FEMA 2644D	07	FROZN DAIRY(R)	*	0-5 MO.	.006000	.024600	.009500
				6-11 MO.	.057000	.158400	.090250
				12-23 MO.	.086400	.202800	.136800
				2-65+ YR.	.153600	.370200	.243200

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LINALYL OCTANOATE FEMA 2644D	16	SOFT CANDY(R)	*	0-5 MO.	.000803	.008033	.001673
				6-11 MO.	.008837	.027313	.018407
				12-23 MO.	.014058	.037355	.029283
				2-65+ YR.	.023297	.070693	.048527
LINALYL OCTANOATE FEMA 2644D	20	GELATIN PUD(R)	*	0-5 MO.	.022000	.029700	.028000
				6-11 MO.	.140800	.426800	.179200
				12-23 MO.	.151800	.369600	.193200
				2-65+ YR.	.224400	.577500	.285600
LINALYL OCTANOATE FEMA 2644D	23	BEV TYPE I(R)	*	0-5 MO.	.006000	.009000	.010800
				6-11 MO.	.056750	.194250	.102150
				12-23 MO.	.135500	.406250	.243900
				2-65+ YR.	.260000	.694250	.468000
LINALYL OCTANOATE FEMA 2644D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL OCTANOATE FEMA 2644D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.022472	.067416	.026080
				12-23 MO.	.067416	.202248	.078240
				2-65+ YR.	.134832	.382024	.156480
LINALYL OCTANOATE FEMA 2644D	99	ALL CATEGORIES	4	0-5 MO.	.056903	.100583	.092473
				6-11 MO.	.450959	1.210979	.733587
				12-23 MO.	.809424	1.802153	1.362673
				2-65+ YR.	1.720429	3.513767	3.014307
LINALYL PROPIONATE FEMA 2645D	01	BAKED GOODS(R)	5	0-5 MO.	.053223	.070442	.078671
				6-11 MO.	.397608	.810669	.587717
				12-23 MO.	.853135	1.405715	1.261046
				2-65+ YR.	2.147708	3.190254	3.174597
LINALYL PROPIONATE FEMA 2645D	07	FROZN DAIRY(R)	5	0-5 MO.	.007592	.031128	.013800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LINALYL PROPIONATE FEMA 2645D	07	FROZN DAIRY(R)	5	6-11 MO.	.072127	.200437	.131100
				12-23 MO.	.109329	.256620	.198720
				2-65+ YR.	.194363	.468445	.353280
LINALYL PROPIONATE FEMA 2645D	16	SOFT CANDY(R)	7	0-5 MO.	.001980	.019800	.003697
				6-11 MO.	.021780	.067320	.040669
				12-23 MO.	.034650	.092070	.064700
				2-65+ YR.	.057420	.174240	.107217
LINALYL PROPIONATE FEMA 2645D	20	GELATIN PUD(R)	5	0-5 MO.	.027528	.037163	.047417
				6-11 MO.	.176181	.534049	.303467
				12-23 MO.	.189945	.462475	.327175
				2-65+ YR.	.280789	.722618	.483650
LINALYL PROPIONATE FEMA 2645D	23	BEV TYPE I(R)	7	0-5 MO.	.011025	.016538	.019754
				6-11 MO.	.104278	.356934	.186838
				12-23 MO.	.248981	.746484	.446108
				2-65+ YR.	.477750	1.275684	.856000
LINALYL PROPIONATE FEMA 2645D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL PROPIONATE FEMA 2645D	99	ALL CATEGORIES	8	0-5 MO.	.101349	.175071	.163338
				6-11 MO.	.771974	1.969710	1.249791
				12-23 MO.	1.436040	2.963565	2.297749
				2-65+ YR.	3.190529	5.925642	5.072244
LINALYL ISOVALERATE FEMA 2646D	01	BAKED GOODS(R)	6	0-5 MO.	.028959	.038327	.046137
				6-11 MO.	.216337	.441192	.344670
				12-23 MO.	.464188	.764846	.739547
				2-65+ YR.	1.168562	1.735808	1.861759
LINALYL ISOVALERATE FEMA 2646D	07	FROZN DAIRY(R)	5	0-5 MO.	.005210	.021359	.009648
				6-11 MO.	.049490	.137531	.091652

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LINALYL ISOVALERATE FEMA 2646D	07	FROZN DAIRY(R)	5	12-23 MO.	.075017	.176082	.138926
				2-65+ YR.	.133364	.321428	.246979
LINALYL ISOVALERATE FEMA 2646D	16	SOFT CANDY(R)	6	0-5 MO.	.001947	.019473	.002996
				6-11 MO.	.021420	.066207	.032960
				12-23 MO.	.034077	.090548	.052436
				2-65+ YR.	.056471	.171360	.086895
LINALYL ISOVALERATE FEMA 2646D	20	GELATIN PUD(R)	6	0-5 MO.	.011372	.015352	.018870
				6-11 MO.	.072782	.220619	.120771
				12-23 MO.	.078468	.191052	.130206
				2-65+ YR.	.115996	.298518	.192479
LINALYL ISOVALERATE FEMA 2646D	23	BEV TYPE I(R)	9	0-5 MO.	.005225	.007838	.008766
				6-11 MO.	.049422	.169168	.082910
				12-23 MO.	.118004	.353794	.197961
				2-65+ YR.	.226428	.604606	.379851
LINALYL ISOVALERATE FEMA 2646D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
LINALYL ISOVALERATE FEMA 2646D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006563	.019689	.006563
				12-23 MO.	.019689	.059067	.019689
				2-65+ YR.	.039378	.111571	.039378
LINALYL ISOVALERATE FEMA 2646D	99	ALL CATEGORIES	11	0-5 MO.	.052713	.102350	.086417
				6-11 MO.	.416015	1.054507	.679526
				12-23 MO.	.789443	1.635589	1.278765
				2-65+ YR.	1.772698	3.337692	2.904840
MALTOL FEMA 2656D	01	BAKED GOODS(R)	23	0-5 MO.	.364785	.482803	1.087792
				6-11 MO.	2.725157	5.557604	8.126447
				12-23 MO.	5.847286	9.634611	17.436669

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MALTOL FEMA 2656D	01	BAKED GOODS(R)	23	2-65+ YR.	14.720140	21.865631	43.895614
MALTOL FEMA 2656D	04	FATS OILS(R)	*	0-5 MO.	.000200	.000200	.009000
				6-11 MO.	.001120	.003000	.050400
				12-23 MO.	.002520	.004800	.113400
				2-65+ YR.	.007000	.012640	.315000
MALTOL FEMA 2656D	07	FROZN DAIRY(R)	25	0-5 MO.	.120499	.494046	.286770
				6-11 MO.	1.144741	3.181176	2.724313
				12-23 MO.	1.735187	4.072869	4.129485
				2-65+ YR.	3.084777	7.434794	7.341307
MALTOL FEMA 2656D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
MALTOL FEMA 2656D	16	SOFT CANDY(R)	22	0-5 MO.	.022742	.227421	.053440
				6-11 MO.	.250163	.773232	.587838
				12-23 MO.	.397987	1.057509	.935197
				2-65+ YR.	.659522	2.001307	1.549755
MALTOL FEMA 2656D	19	SWEET SAUCE(R)	*	0-5 MO.	.000090	.000120	.000120
				6-11 MO.	.000270	.000930	.000360
				12-23 MO.	.000780	.002280	.001040
				2-65+ YR.	.002040	.005370	.002720
MALTOL FEMA 2656D	20	GELATIN PUD(R)	22	0-5 MO.	.223643	.301918	.487882
				6-11 MO.	1.431315	4.338673	3.122446
				12-23 MO.	1.543136	3.757201	3.366387
				2-65+ YR.	2.281158	5.870627	4.976398
MALTOL FEMA 2656D	23	BEV TYPE I(R)	32	0-5 MO.	.186978	.280467	.435859
				6-11 MO.	1.768500	6.053413	4.122496
				12-23 MO.	4.222586	12.659968	9.843140
				2-65+ YR.	8.102380	21.634912	18.887206

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MALTOL							
FEMA 2656D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000939	**********
				12-23 MO.	**********	.001879	**********
				2-65+ YR.	.305268	.886686	2.315625
MALTOL							
FEMA 2656D	30	HARD CANDY(R)	11	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000627	.001881	.000802
				12-23 MO.	.001881	.005643	.002406
				2-65+ YR.	.003762	.010659	.004812
MALTOL							
FEMA 2656D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.005340	.005340	.019192
				12-23 MO.	.005340	.016020	.019192
				2-65+ YR.	.010680	.021360	.038384
MALTOL							
FEMA 2656D	99	ALL CATEGORIES	57	0-5 MO.	.919047	1.787266	2.360973
				6-11 MO.	7.329304	19.921768	18.756364
				12-23 MO.	13.759724	31.217970	35.849936
				2-65+ YR.	29.184566	59.756995	79.334661
P-MENTHA-1,8-DIENOL-7							
FEMA 2664D	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.027200
				6-11 MO.	.050800	.103600	.203200
				12-23 MO.	.109000	.179600	.436000
				2-65+ YR.	.274400	.407600	1.097600
P-MENTHA-1,8-DIENOL-7							
FEMA 2664D	07	FROZN DAIRY(R)	*	0-5 MO.	.001050	.004305	.002250
				6-11 MO.	.009975	.027720	.021375
				12-23 MO.	.015120	.035490	.032400
				2-65+ YR.	.026880	.064785	.057600
P-MENTHA-1,8-DIENOL-7							
FEMA 2664D	16	SOFT CANDY(R)	*	0-5 MO.	.000535	.005353	.001139
				6-11 MO.	.005889	.018201	.012525
				12-23 MO.	.009368	.024893	.019927
				2-65+ YR.	.015525	.047109	.033021
P-MENTHA-1,8-DIENOL-7							
FEMA 2664D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
P-MENTHA-1,8-DIENOL-7 FEMA 2664D	20	GELATIN PUD(R)	*	6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
P-MENTHA-1,8-DIENOL-7 FEMA 2664D	23	BEV TYPE I(R)	*	0-5 MO.	.001320	.001980	.004200
				6-11 MO.	.012485	.042735	.039725
				12-23 MO.	.029810	.089375	.094850
				2-65+ YR.	.057200	.152735	.182000
P-MENTHA-1,8-DIENOL-7 FEMA 2664D	99	ALL CATEGORIES	*	0-5 MO.	.011705	.023338	.038789
				6-11 MO.	.091949	.231056	.302425
				12-23 MO.	.177098	.362958	.610777
				2-65+ YR.	.394405	.724729	1.411021
/&/-NEOMENTHOL FEMA 2666D	01	BAKED GOODS(R)	*	0-5 MO.	.152227	.201477	.180818
				6-11 MO.	1.137227	2.319227	1.350818
				12-23 MO.	2.440114	4.020591	2.898409
				2-65+ YR.	6.142818	9.124682	7.296545
/&/-NEOMENTHOL FEMA 2666D	07	FROZN DAIRY(R)	4	0-5 MO.	.034766	.142542	.063468
				6-11 MO.	.330281	.917834	.602946
				12-23 MO.	.500637	1.175106	.913939
				2-65+ YR.	.890021	2.145089	1.624780
/&/-NEOMENTHOL FEMA 2666D	16	SOFT CANDY(R)	4	0-5 MO.	.059241	.592407	.118296
				6-11 MO.	.651648	2.014185	1.301251
				12-23 MO.	1.036713	2.754694	2.070172
				2-65+ YR.	1.717981	5.213184	3.430570
/&/-NEOMENTHOL FEMA 2666D	20	GELATIN PUD(R)	*	0-5 MO.	.100000	.135000	.140000
				6-11 MO.	.640000	1.940000	.896000
				12-23 MO.	.690000	1.680000	.966000
				2-65+ YR.	1.020000	2.625000	1.428000
/&/-NEOMENTHOL FEMA 2666D	23	BEV TYPE I(R)	*	0-5 MO.	.012139	.018208	.038523
				6-11 MO.	.114811	.392987	.364365

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
/&/-NEOMENTHOL FEMA 2666C	23	BEV TYPE I(R)	*	12-23 MO.	.274130	.821883	.869982
				2-65+ YR.	.526005	1.404535	1.669338
/&/-NEOMENTHOL FEMA 2666D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.517884
/&/-NEOMENTHOL FEMA 2666D	99	ALL CATEGORIES	4	0-5 MO.	.358373	1.089635	.541105
				6-11 MO.	2.873967	7.584733	4.515380
				12-23 MO.	4.941593	10.453273	7.718501
				2-65+ YR.	10.459325	20.984490	15.967118
MENTHONE FEMA 2667D	C1	BAKED GOODS(R)	4	0-5 MO.	.162834	.215516	.231528
				6-11 MO.	1.216468	2.480829	1.729649
				12-23 MO.	2.610139	4.300743	3.711255
				2-65+ YR.	6.570846	9.760483	9.342828
MENTHONE FEMA 2667D	07	FROZN DAIRY(R)	6	0-5 MO.	.015321	.062815	.022988
				6-11 MO.	.145548	.404469	.218386
				12-23 MO.	.220620	.517843	.331027
				2-65+ YR.	.392213	.945293	.588493
MENTHONE FEMA 2667D	16	SOFT CANDY(R)	10	0-5 MO.	.006654	.066536	.010595
				6-11 MO.	.073190	.226224	.116541
				12-23 MO.	.116439	.309394	.185406
				2-65+ YR.	.192956	.585521	.307244
MENTHONE FEMA 2667D	20	GELATIN PUD(R)	*	0-5 MO.	.060000	.081000	.080000
				6-11 MO.	.384000	1.164000	.512000
				12-23 MO.	.414000	1.008000	.552000
				2-65+ YR.	.612000	1.575000	.816000
MENTHONE FEMA 2667D	23	BEV TYPE I(R)	4	0-5 MO.	.010119	.015178	.014066
				6-11 MO.	.095707	.327596	.133038
				12-23 MO.	.228516	.685126	.317650

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MENTHONE FEMA 26670	23	BEV TYPE I(R)	4	2-65+ YR.	.438481	1.170828	.609514
MENTHONE FEMA 26670	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000087	**********
				12-23 MO.	**********	.000175	**********
				2-65+ YR.	.028357	.082366	.084277
MENTHONE FEMA 26670	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000008	.000024	.000008
				12-23 MO.	.000024	.000072	.000024
				2-65+ YR.	.000048	.000136	.000048
MENTHONE FEMA 26670	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001434	.001434	.001434
				12-23 MO.	.001434	.004302	.001434
				2-65+ YR.	.002868	.005736	.002868
MENTHONE FEMA 26670	99	ALL CATEGORIES	12	0-5 MO.	.254928	.441046	.359176
				6-11 MO.	1.916355	4.604664	2.711056
				12-23 MO.	3.591171	6.825655	5.098796
				2-65+ YR.	8.237768	14.125364	11.751272
MENTHYL ISOVALERATE FEMA 26690	01	BAKED GOODS(R)	*	0-5 MO.	.045648	.060417	.081512
				6-11 MO.	.341019	.695463	.608941
				12-23 MO.	.731713	1.205648	1.306587
				2-65+ YR.	1.842037	2.736204	3.289243
MENTHYL ISOVALERATE FEMA 26690	07	FROZN DAIRY(R)	4	0-5 MO.	.007813	.032032	.012172
				6-11 MO.	.074220	.206252	.115637
				12-23 MO.	.112501	.264066	.175281
				2-65+ YR.	.200002	.482037	.311611
MENTHYL ISOVALERATE FEMA 26690	16	SOFT CANDY(R)	6	0-5 MO.	.002743	.027428	.004837
				6-11 MO.	.030170	.093254	.053206
				12-23 MO.	.047998	.127539	.084646
				2-65+ YR.	.079540	.241363	.140270

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MENTHYL ISOVALERATE FEMA 2669D	20	GELATIN PUD(R)	*	0-5 MO.	.037001	.049952	.049345
				6-11 MO.	.236808	.717823	.315810
				12-23 MO.	.255308	.621620	.340482
				2-65+ YR.	.377412	.971281	.503321
MENTHYL ISOVALERATE FEMA 2669D	23	BEV TYPE I(R)	4	0-5 MO.	.007607	.011411	.012292
				6-11 MO.	.071951	.246283	.116260
				12-23 MO.	.171796	.515070	.277591
				2-65+ YR.	.329645	.880215	.532647
MENTHYL ISOVALERATE FEMA 2669D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.022750
MENTHYL ISOVALERATE FEMA 2669D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000157	.000157	.000157
				12-23 MO.	.000157	.000471	.000157
				2-65+ YR.	.000314	.000628	.000314
MENTHYL ISOVALERATE FEMA 2669D	99	ALL CATEGORIES	8	0-5 MO.	.100812	.181238	.160158
				6-11 MO.	.754324	1.959282	1.210012
				12-23 MO.	1.319473	2.734513	2.184745
				2-65+ YR.	2.845200	5.358928	4.800157
P-METHOXYBENZALDEHYDE FEMA 2670D	01	BAKED GOODS(R)	17	0-5 MO.	.237559	.314416	.299241
				6-11 MO.	1.774706	3.619283	2.235505
				12-23 MO.	3.807932	6.274355	4.796655
				2-65+ YR.	9.586208	14.239571	12.075248
P-METHOXYBENZALDEHYDE FEMA 2670D	07	FROZN DAIRY(R)	14	0-5 MO.	.026939	.110451	.045094
				6-11 MO.	.255924	.711198	.428390
				12-23 MO.	.387926	.910549	.649349
				2-65+ YR.	.689647	1.662157	1.154397
P-METHOXYBENZALDEHYDE FEMA 2670D	16	SOFT CANDY(R)	17	0-5 MO.	.010521	.105207	.013389

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PA-METHOXYBENZALDEHYDE FEMA 2670D	16	SOFT CANDY(R)	17	6-11 MO.	.115728	.357705	.147282
				12-23 MO.	.184113	.489214	.234312
				2-65+ YR.	.305101	.925824	.388268
PA-METHOXYBENZALDEHYDE FEMA 2670D	17	CONF FROST(R)	*	0-5 MO.	**********	.000030	**********
				6-11 MO.	.000030	.000060	.000100
				12-23 MO.	.000060	.000210	.000200
				2-65+ YR.	.000090	.000240	.000300
PA-METHOXYBENZALDEHYDE FEMA 2670D	20	GELATIN PUD(R)	8	0-5 MO.	.057417	.077513	.095877
				6-11 MO.	.367471	1.113897	.613611
				12-23 MO.	.396180	.964612	.661550
				2-65+ YR.	.585657	1.507206	.977943
PA-METHOXYBENZALDEHYDE FEMA 2670D	23	BEV TYPE I(R)	19	0-5 MO.	.047606	.071409	.055543
				6-11 MO.	.450271	1.541237	.525347
				12-23 MO.	1.079097	3.223308	1.254353
				2-65+ YR.	2.062917	5.508386	2.406877
PA-METHOXYBENZALDEHYDE FEMA 2670D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
PA-METHOXYBENZALDEHYDE FEMA 2670D	30	HARD CANDY(R)	9	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000168	.000504	.000957
				12-23 MO.	.000504	.001512	.002871
				2-65+ YR.	.001008	.002856	.005742
PA-METHOXYBENZALDEHYDE FEMA 2670D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000175	.000175	.003054
				12-23 MO.	.000175	.000525	.003054
				2-65+ YR.	.000350	.000700	.006108
PA-METHOXYBENZALDEHYDE FEMA 2670D	99	ALL CATEGORIES	38	0-5 MO.	.380042	.679027	.509144
				6-11 MO.	2.964473	7.345059	3.954246

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
Pa-METHOXYBENZALDEHYDE							
FEMA 2670	99	ALL CATEGORIES	38	12-23 MO.	5.851988	11.866285	7.602343
				2-65+ YR.	13.555979	24.790940	17.664903
2-METHOXY-4-METHYLPHENOL							
FEMA 2710	01	BAKED GOODS(R)	4	0-5 MO.	.013688	.018116	.037959
				6-11 MO.	.102254	.208534	.283573
				12-23 MO.	.219403	.361512	.608454
				2-65+ YR.	.552333	.820448	1.531740
2-METHOXY-4-METHYLPHENOL							
FEMA 2710	07	FROZN DAIRY(R)	*	0-5 MO.	.001001	.004104	.001525
				6-11 MO.	.009510	.026426	.014488
				12-23 MO.	.014414	.033834	.021960
				2-65+ YR.	.025626	.061762	.039040
2-METHOXY-4-METHYLPHENOL							
FEMA 2710	10	MEAT PRODS(R)	*	0-5 MO.	.012650	.033350	.038500
				6-11 MO.	.238050	.641700	.724500
				12-23 MO.	.347300	.596850	1.057000
				2-65+ YR.	.901600	1.496150	2.744000
2-METHOXY-4-METHYLPHENOL							
FEMA 2710	16	SOFT CANDY(R)	4	0-5 MO.	.000750	.007501	.001927
				6-11 MO.	.008251	.025503	.021196
				12-23 MO.	.013126	.034878	.033720
				2-65+ YR.	.021752	.066007	.055879
2-METHOXY-4-METHYLPHENOL							
FEMA 2710	20	GELATIN PUD(R)	*	0-5 MO.	.013000	.017550	.036000
				6-11 MO.	.083200	.252200	.230400
				12-23 MO.	.089700	.218400	.248400
				2-65+ YR.	.132600	.341250	.367200
2-METHOXY-4-METHYLPHENOL							
FEMA 2710	23	BEV TYPE I(R)	*	0-5 MO.	.004848	.007272	.012960
				6-11 MO.	.045854	.156954	.122580
				12-23 MO.	.109484	.328250	.292680
				2-65+ YR.	.210080	.560954	.561600
2-METHOXY-4-METHYLPHENOL							
FEMA 2710	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000007	.000007	.000010
				12-23 MO.	.000007	.000021	.000010

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHOXY-4-METHYLPHENOL FEMA 2671D	31	CHEWING GUM(R)	*	2-65+ YR.	.000014	.000028	.000020
2-METHOXY-4-METHYLPHENOL FEMA 2671D	99	ALL CATEGORIES	9	0-5 MO.	.045937	.087893	.128870
				6-11 MO.	.487125	1.311324	1.396746
				12-23 MO.	.793435	1.573746	2.262224
				2-65+ YR.	1.844005	3.346598	5.299479
4-P-METHOXYPHENY-BUTANONE FEMA 2672D	01	BAKED GOODS(R)	8	0-5 MO.	.061334	.081178	.089059
				6-11 MO.	.458202	.934443	.665324
				12-23 MO.	.983150	1.619942	1.427565
				2-65+ YR.	2.475012	3.676440	3.593797
4-P-METHOXYPHENY-BUTANONE FEMA 2672D	07	FROZN DAIRY(R)	5	0-5 MO.	.004788	.019630	.011439
				6-11 MO.	.045484	.126399	.108672
				12-23 MO.	.068945	.161829	.164724
				2-65+ YR.	.122568	.295409	.292842
4-P-METHOXYPHENY-BUTANONE FEMA 2672D	16	SOFT CANDY(R)	6	0-5 MO.	.003735	.037355	.007447
				6-11 MO.	.041090	.127006	.081914
				12-23 MO.	.065371	.173699	.130317
				2-65+ YR.	.108329	.328721	.215954
4-P-METHOXYPHENY-BUTANONE FEMA 2672D	20	GELATIN PUD(R)	5	0-5 MO.	.024532	.033118	.047115
				6-11 MO.	.157004	.475920	.301538
				12-23 MO.	.169270	.412137	.328096
				2-65+ YR.	.250226	.643964	.480577
4-P-METHOXYPHENY-BUTANONE FEMA 2672D	23	BEV TYPE I(R)	8	0-5 MO.	.015706	.023560	.033784
				6-11 MO.	.148556	.508493	.319544
				12-23 MO.	.354702	1.063450	.762963
				2-65+ YR.	.680608	1.817355	1.463988
4-P-METHOXYPHENY-BUTANONE FEMA 2672D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.003232	.009696	.009576
				12-23 MO.	.009696	.029088	.028728
				2-65+ YR.	.019392	.054944	.057456

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-P-METHOXYPHENY-BUTANONE							
FEMA 2672D	95	ALL CATEGORIES	13	0-5 MO.	.110096	.194840	.188845
				6-11 MO.	.853569	2.181957	1.486567
				12-23 MO.	1.651133	3.460145	2.839393
				2-65+ YR.	3.656135	6.816832	6.104614
1-P-METHOXYPHEN-1-PENTENO							
FEMA 2673D	01	BAKED GOODS(R)	*	0-5 MO.	.003474	.004598	.006386
				6-11 MO.	.025954	.052930	.047706
				12-23 MO.	.055689	.091759	.102361
				2-65+ YR.	.140192	.208245	.257688
1-P-METHOXYPHEN-1-PENTENO							
FEMA 2673D	07	FROZN DAIRY(R)	*	0-5 MO.	.000364	.001492	.000406
				6-11 MO.	.003457	.009606	.003856
				12-23 MO.	.005240	.012299	.005845
				2-65+ YR.	.009315	.022451	.010391
1-P-METHOXYPHEN-1-PENTENO							
FEMA 2673D	16	SOFT CANDY(R)	*	0-5 MO.	.006645	.066447	.014839
				6-11 MO.	.073092	.225920	.163228
				12-23 MO.	.116282	.308979	.259681
				2-65+ YR.	.192696	.584734	.430328
1-P-METHOXYPHEN-1-PENTENO							
FEMA 2673D	19	SWEET SAUCE(R)	*	0-5 MO.	.007650	.010200	.015300
				6-11 MO.	.022950	.079050	.045900
				12-23 MO.	.066300	.193800	.132600
				2-65+ YR.	.173400	.456450	.346800
1-P-METHOXYPHEN-1-PENTENO							
FEMA 2673D	20	GELATIN PUD(R)	*	0-5 MO.	.000532	.000718	.000616
				6-11 MO.	.003404	.010319	.003942
				12-23 MO.	.003670	.008936	.004250
				2-65+ YR.	.005426	.013963	.006283
1-P-METHOXYPHEN-1-PENTENO							
FEMA 2673D	23	BEV TYPE I(R)	*	0-5 MO.	.002524	.003786	.004937
				6-11 MO.	.023871	.081709	.046692
				12-23 MO.	.056997	.170885	.111486
				2-65+ YR.	.109367	.292030	.213921
1-P-METHOXYPHEN-1-PENTENO							
FEMA 2673D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-P-METHOXYPHEN-1-PENTENO FEMA 2673D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
1-P-METHOXYPHEN-1-PENTENO FEMA 2673D	99	ALL CATEGORIES	5	0-5 MO.	.021189	.087241	.042483
				6-11 MO.	.152728	.459545	.311325
				12-23 MO.	.304178	.786678	.616223
				2-65+ YR.	.633646	1.587313	1.268661
1-P-METHOXYPHEN-PROPANONE FEMA 2674D	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.036550
				6-11 MO.	.203200	.414400	.273050
				12-23 MO.	.436000	.718400	.585875
				2-65+ YR.	1.097600	1.630400	1.474900
1-P-METHOXYPHEN-PROPANONE FEMA 2674D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
1-P-METHOXYPHEN-PROPANONE FEMA 2674D	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.001800
				6-11 MO.	.013200	.040800	.019800
				12-23 MO.	.021000	.055800	.031500
				2-65+ YR.	.034800	.105600	.052200
1-P-METHOXYPHEN-PROPANONE FEMA 2674D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.010000
				6-11 MO.	.038400	.116400	.064000
				12-23 MO.	.041400	.100800	.069000
				2-65+ YR.	.061200	.157500	.102000
1-P-METHOXYPHEN-PROPANONE FEMA 2674D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.007200
				6-11 MO.	.045400	.155400	.068100
				12-23 MO.	.108400	.325000	.162600
				2-65+ YR.	.208000	.555400	.312000
1-P-METHOXYPHEN-PROPANONE FEMA 2674D	99	ALL CATEGORIES	*	0-5 MO.	.042200	.075600	.060550
				6-11 MO.	.328700	.806200	.472450

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-P-METHOXYPHEN-PROPANONE							
FEMA 2674D	99	ALL CATEGORIES	*	12-23 MO.	.650000	1.301400	.920975
				2-65+ YR.	1.478400	2.634000	2.069100
2-METHOXY-4-VINYLPHENOL							
FEMA 2675D	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	.081600
				6-11 MO.	.508000	1.036000	.609600
				12-23 MO.	1.090000	1.796000	1.308000
				2-65+ YR.	2.744000	4.076000	3.292800
2-METHOXY-4-VINYLPHENOL							
FEMA 2675D	07	FROZN DAIRY(R)	*	0-5 MO.	.004005	.016421	.006050
				6-11 MO.	.038048	.105732	.057475
				12-23 MO.	.057672	.135369	.087120
				2-65+ YR.	.102528	.247109	.154880
2-METHOXY-4-VINYLPHENOL							
FEMA 2675D	10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.007150
				6-11 MO.	.062100	.167400	.134550
				12-23 MO.	.090600	.155700	.196300
				2-65+ YR.	.235200	.390300	.509600
2-METHOXY-4-VINYLPHENOL							
FEMA 2675D	16	SOFT CANDY(R)	*	0-5 MO.	.001601	.016010	.001810
				6-11 MO.	.017611	.054434	.019910
				12-23 MO.	.028018	.074447	.031675
				2-65+ YR.	.046429	.140888	.052490
2-METHOXY-4-VINYLPHENOL							
FEMA 2675D	20	GELATIN PUD(R)	*	0-5 MO.	.008010	.010814	.012100
				6-11 MO.	.051264	.155394	.077440
				12-23 MO.	.055269	.134568	.083490
				2-65+ YR.	.081702	.210263	.123420
2-METHOXY-4-VINYLPHENOL							
FEMA 2675D	23	BEV TYPE I(R)	*	0-5 MO.	.003612	.005418	.004920
				6-11 MO.	.034164	.116939	.046535
				12-23 MO.	.081571	.244563	.111110
				2-65+ YR.	.156520	.417939	.213200
2-METHOXY-4-VINYLPHENOL							
FEMA 2675D	27	GRAVIES(R)	*	0-5 MO.	.000300	.000900	.000600
				6-11 MO.	.004200	.011700	.008400
				12-23 MO.	.010800	.030600	.021600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHOXY-4-VINYLPHENOL FEMA 2675D	27	GRAVIES(R)	*	2-65+ YR.	.024900	.063900	.049800
2-METHOXY-4-VINYLPHENOL FEMA 2675D	99	ALL CATEGORIES	4	0-5 MO.	.088828	.148262	.114230
				6-11 MO.	.715386	1.647599	.953910
				12-23 MO.	1.413930	2.571246	1.839295
				2-65+ YR.	3.391279	5.546398	4.396190
METHYL ACETATE FEMA 2676D	01	BAKED GOODS(R)	7	0-5 MO.	.082163	.108745	.106484
				6-11 MO.	.613807	1.251779	.795496
				12-23 MO.	1.317027	2.170073	1.706872
				2-65+ YR.	3.315524	4.924954	4.296933
METHYL ACETATE FEMA 2676D	02	BREAK CERLS(R)	*	0-5 MO.	.006200	.017567	.006200
				6-11 MO.	.230433	.617933	.230433
				12-23 MO.	.269700	.525967	.269700
				2-65+ YR.	.206667	.535267	.206667
METHYL ACETATE FEMA 2676D	07	FROZN DAIRY(R)	5	0-5 MO.	.016667	.068333	.022459
				6-11 MO.	.158333	.440000	.213363
				12-23 MO.	.240000	.563333	.323413
				2-65+ YR.	.426667	1.028333	.574957
METHYL ACETATE FEMA 2676D	16	SOFT CANDY(R)	5	0-5 MO.	.004119	.041185	.005507
				6-11 MO.	.045304	.140030	.060573
				12-23 MO.	.072074	.191511	.096367
				2-65+ YR.	.119437	.362430	.159693
METHYL ACETATE FEMA 2676D	20	GELATIN PUD(R)	5	0-5 MO.	.025807	.034840	.035719
				6-11 MO.	.165167	.500664	.228599
				12-23 MO.	.178071	.433564	.246458
				2-65+ YR.	.263236	.677444	.364329
METHYL ACETATE FEMA 2676D	23	BEV TYPE II(R)	5	0-5 MO.	.023575	.035363	.038677
				6-11 MO.	.222984	.763253	.365819
				12-23 MO.	.532411	1.596250	.873454
				2-65+ YR.	1.021600	2.727868	1.676000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL ACETATE FEMA 2676D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.325000
METHYL ACETATE FEMA 2676D	99	ALL CATEGORIES	7	0-5 MO.	.158531	.306034	.215045
				6-11 MO.	1.436029	3.713759	1.894284
				12-23 MO.	2.609283	5.480899	3.516264
				2-65+ YR.	5.385630	10.350697	7.603578
P2-METHYL ACETOPHENONE FEMA 2677D	01	BAKED GOODS(R)	10	0-5 MO.	.018317	.024243	.034699
				6-11 MO.	.136836	.279059	.259221
				12-23 MO.	.293605	.483775	.556202
				2-65+ YR.	.739130	1.097921	1.400200
P2-METHYL ACETOPHENONE FEMA 2677D	07	FROZN DAIRY(R)	8	0-5 MO.	.002042	.008372	.004906
				6-11 MO.	.019399	.053907	.046607
				12-23 MO.	.029404	.069018	.070646
				2-65+ YR.	.052274	.125988	.125593
P2-METHYL ACETOPHENONE FEMA 2677D	16	SOFT CANDY(R)	10	0-5 MO.	.000985	.009849	.001949
				6-11 MO.	.010833	.033485	.021436
				12-23 MO.	.017235	.045796	.034102
				2-65+ YR.	.028561	.086668	.056512
P2-METHYL ACETOPHENONE FEMA 2677D	20	GELATIN PUD(R)	7	0-5 MO.	.005839	.007883	.008057
				6-11 MO.	.037371	.113281	.051562
				12-23 MO.	.040291	.098099	.055591
				2-65+ YR.	.059560	.153280	.082177
P2-METHYL ACETOPHENONE FEMA 2677D	23	BEV TYPE I(R)	15	0-5 MO.	.002450	.003676	.007061
				6-11 MO.	.023177	.079333	.066786
				12-23 MO.	.055339	.165915	.159463
				2-65+ YR.	.106185	.283536	.305981
P2-METHYL ACETOPHENONE FEMA 2677D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
P2-METHYL ACETOPHENONE FEMA 2677D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
P2-METHYL ACETOPHENONE FEMA 2677D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000073	.000219	.000189
				12-23 MO.	.000219	.000657	.000567
				2-65+ YR.	.000438	.001241	.001134
P2-METHYL ACETOPHENONE FEMA 2677D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000516	.000516	.002891
				12-23 MO.	.000516	.001548	.002891
				2-65+ YR.	.001032	.002064	.005782
P2-METHYL ACETOPHENONE FEMA 2677D	99	ALL CATEGORIES	22	0-5 MO.	.029633	.054022	.056671
				6-11 MO.	.228205	.559811	.448692
				12-23 MO.	.436609	.864828	.879462
				2-65+ YR.	.990431	1.760137	1.980630
2-METHYLALLYL BUTYRATE FEMA 2678D	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
2-METHYLALLYL BUTYRATE FEMA 2678D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
2-METHYLALLYL BUTYRATE FEMA 2678D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
2-METHYLALLYL BUTYRATE FEMA 2678D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLALLYL BUTYRATE FEMA 2678D	20	GELATIN PUD(R)	*	12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
2-METHYLALLYL BUTYRATE FEMA 2678D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
2-METHYLALLYL BUTYRATE FEMA 2678D	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400
				2-65+ YR.	.293000	.613300	.293000
METHYL ANISATE FEMA 2679D	01	BAKED GOODS(R)	6	0-5 MO.	.025283	.033463	.038521
				6-11 MO.	.188879	.385194	.287777
				12-23 MO.	.405271	.667768	.617473
				2-65+ YR.	1.020243	1.515491	1.554447
METHYL ANISATE FEMA 2679D	07	FROZN DAIRY(R)	5	0-5 MO.	.002671	.010950	.004461
				6-11 MO.	.025372	.070509	.042376
				12-23 MO.	.038459	.090273	.064234
				2-65+ YR.	.068372	.164768	.114193
METHYL ANISATE FEMA 2679D	16	SOFT CANDY(R)	7	0-5 MO.	.001143	.011428	.001824
				6-11 MO.	.012571	.038856	.020067
				12-23 MO.	.019999	.053142	.031924
				2-65+ YR.	.033142	.100569	.052903
METHYL ANISATE FEMA 2679D	20	GELATIN PUD(R)	*	0-5 MO.	.008005	.010807	.010436
				6-11 MO.	.051233	.155299	.066790
				12-23 MO.	.055235	.134486	.072008
				2-65+ YR.	.081652	.210135	.106446
METHYL ANISATE FEMA 2679D	23	BEV TYPE I(R)	6	0-5 MO.	.003398	.005097	.006216
				6-11 MO.	.032142	.110020	.058790
				12-23 MO.	.076745	.230093	.140372

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL ANISATE FEMA 2675D	23	BEV TYPE I(R)	6	2-65+ YR.	.147260	.393211	.269348
METHYL ANISATE FEMA 2675D	99	ALL CATEGORIES	8	0-5 MO.	.040500	.071746	.061458
				6-11 MO.	.310197	.759878	.475800
				12-23 MO.	.595710	1.175761	.926011
				2-65+ YR.	1.350669	2.384194	2.097338
O-METHYLANISOLE FEMA 2680D	01	BAKED GOODS(R)	*	0-5 MO.	.020400	.027000	.035292
				6-11 MO.	.152400	.310800	.263652
				12-23 MO.	.327000	.538800	.565710
				2-65+ YR.	.823200	1.222800	1.424136
O-METHYLANISOLE FEMA 2680D	07	FROZN DAIRY(R)	*	0-5 MO.	.002400	.009840	.003680
				6-11 MO.	.022800	.063360	.034960
				12-23 MO.	.034560	.081120	.052992
				2-65+ YR.	.061440	.148080	.094208
O-METHYLANISOLE FEMA 2680D	10	MEAT PRODS(R)	*	0-5 MO.	.006600	.017400	**********
				6-11 MO.	.124200	.334800	**********
				12-23 MO.	.181200	.311400	**********
				2-65+ YR.	.470400	.780600	**********
O-METHYLANISOLE FEMA 2680D	16	SOFT CANDY(R)	4	0-5 MO.	.000978	.009783	.001387
				6-11 MO.	.010762	.033263	.015260
				12-23 MO.	.017121	.045493	.024277
				2-65+ YR.	.028372	.086093	.040231
O-METHYLANISOLE FEMA 2680D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.006000
				6-11 MO.	.025600	.077600	.038400
				12-23 MO.	.027600	.067200	.041400
				2-65+ YR.	.040800	.105000	.061200
O-METHYLANISOLE FEMA 2680D	23	BEV TYPE I(R)	*	0-5 MO.	.003216	.004824	.007248
				6-11 MO.	.030418	.104118	.068554
				12-23 MO.	.072626	.217750	.163684
				2-65+ YR.	.139360	.372118	.314080

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
O2-METHYLANISOLE FEMA 2680D	99	ALL CATEGORIES	4	0-5 MO.	.037594	.074247	.053607
				6-11 MO.	.366180	.923941	.420826
				12-23 MO.	.660109	1.261763	.848063
				2-65+ YR.	1.563572	2.714691	1.933855
P2-METHYLANISOLE FEMA 2681D	01	BAKED GOODS(R)	5	0-5 MO.	.023862	.031582	.040137
				6-11 MO.	.178265	.363548	.299844
				12-23 MO.	.382497	.630243	.643366
				2-65+ YR.	.962910	1.430328	1.619629
P2-METHYLANISOLE FEMA 2681D	07	FROZN DAIRY(R)	6	0-5 MO.	.002640	.010825	.004848
				6-11 MO.	.025082	.069702	.046052
				12-23 MO.	.038020	.089240	.069805
				2-65+ YR.	.067590	.162903	.124098
P2-METHYLANISOLE FEMA 2681D	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
P2-METHYLANISOLE FEMA 2681D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.008000
				12-23 MO.	.014000	.038000	.028000
				2-65+ YR.	.044000	.106000	.088000
P2-METHYLANISOLE FEMA 2681D	16	SOFT CANDY(R)	7	0-5 MO.	.001026	.010261	.001493
				6-11 MO.	.011287	.034887	.016428
				12-23 MO.	.017957	.047713	.026136
				2-65+ YR.	.029757	.090296	.043311
P2-METHYLANISOLE FEMA 2681D	20	GELATIN PUD(R)	4	0-5 MO.	.004790	.006467	.008050
				6-11 MO.	.030656	.092926	.051520
				12-23 MO.	.033051	.080472	.055545
				2-65+ YR.	.048858	.125738	.082110
P2-METHYLANISOLE FEMA 2681D	23	BEV TYPE I(R)	4	0-5 MO.	.003925	.005888	.009250

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PA-METHYLANISOLE FEMA 2681D	23	BEV TYPE I(R)	4	6-11 MO.	.037124	.127072	.087490
				12-23 MO.	.088640	.265755	.208896
				2-65+ YR.	.170083	.454155	.400833
PA-METHYLANISOLE FEMA 2681D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
PA-METHYLANISOLE FEMA 2681D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000180	.000540	.000204
				12-23 MO.	.000540	.001620	.000612
				2-65+ YR.	.001080	.003060	.001224
PA-METHYLANISOLE FEMA 2681D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000098	.000098	.000098
				12-23 MO.	.000098	.000294	.000098
				2-65+ YR.	.000196	.000392	.000196
PA-METHYLANISOLE FEMA 2681D	99	ALL CATEGORIES	10	0-5 MO.	.041744	.080022	.074778
				6-11 MO.	.390192	.978873	.716636
				12-23 MO.	.725802	1.413037	1.334457
				2-65+ YR.	1.748974	3.117772	3.240901
METHYL BENZOATE FEMA 2683D	01	BAKED GOODS(R)	11	0-5 MO.	.036435	.048223	.058126
				6-11 MO.	.272189	.555095	.434234
				12-23 MO.	.584028	.962307	.931723
				2-65+ YR.	1.470251	2.183944	2.345548
METHYL BENZOATE FEMA 2683D	07	FROZN DAIRY(R)	11	0-5 MO.	.003506	.014374	.006966
				6-11 MO.	.033305	.092552	.066178
				12-23 MO.	.050483	.118495	.100312
				2-65+ YR.	.089748	.216306	.178332
METHYL BENZOATE FEMA 2683D	16	SOFT CANDY(R)	13	0-5 MO.	.001175	.011754	.001934
				6-11 MO.	.012929	.039962	.021274

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL BENZOATE FEMA 2683D	16	SOFT CANDY(R)	13	12-23 MO.	.020569	.054654	.033844
				2-65+ YR.	.034086	.103432	.056085
METHYL BENZOATE FEMA 2683D	20	GELATIN PUD(R)	9	0-5 MO.	.005157	.006962	.008645
				6-11 MO.	.033006	.100050	.055328
				12-23 MO.	.035585	.086641	.059651
				2-65+ YR.	.052603	.135377	.088179
METHYL BENZOATE FEMA 2683D	23	BEV TYPE I(R)	14	0-5 MO.	.004948	.007422	.009153
				6-11 MO.	.046800	.160193	.086577
				12-23 MO.	.111743	.335024	.206716
				2-65+ YR.	.214415	.572530	.396650
METHYL BENZOATE FEMA 2683D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
METHYL BENZOATE FEMA 2683D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001259	.003777	.001949
				12-23 MO.	.003777	.011331	.005847
				2-65+ YR.	.007554	.021403	.011694
METHYL BENZOATE FEMA 2683D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.004563	.004563	.004563
				12-23 MO.	.004563	.013689	.004563
				2-65+ YR.	.009126	.018252	.009126
METHYL BENZOATE FEMA 2683D	99	ALL CATEGORIES	24	0-5 MO.	.051221	.088734	.084824
				6-11 MO.	.404052	.956292	.670102
				12-23 MO.	.810748	1.582342	1.342656
				2-65+ YR.	1.910283	3.345645	3.183115
AC-METHYLBENZYL ACETATE FEMA 2684D	01	BAKED GOODS(R)	9	0-5 MO.	.022552	.029848	.055294
				6-11 MO.	.168474	.343561	.413079
				12-23 MO.	.361489	.595628	.886330

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A&-METHYLBENZYL ACETATE FEMA 2684D	01	BAKED GOODS(R)	9	2-65+ YR.	.910025	1.351772	2.231276
A&-METHYLBENZYL ACETATE FEMA 2684D	07	FROZN DAIRY(R)	8	0-5 MO.	.002129	.008729	.011322
				6-11 MO.	.020227	.056209	.107557
				12-23 MO.	.030660	.071965	.163034
				2-65+ YR.	.054506	.131368	.289839
A&-METHYLBENZYL ACETATE FEMA 2684D	16	SOFT CANDY(R)	10	0-5 MO.	.000846	.008457	.001889
				6-11 MO.	.009303	.028753	.020779
				12-23 MO.	.014800	.039325	.033057
				2-65+ YR.	.024525	.074421	.054780
A&-METHYLBENZYL ACETATE FEMA 2684D	20	GELATIN PUD(R)	6	0-5 MO.	.004063	.005485	.022213
				6-11 MO.	.026003	.078823	.142162
				12-23 MO.	.028035	.068259	.153269
				2-65+ YR.	.041443	.106654	.226571
A&-METHYLBENZYL ACETATE FEMA 2684D	23	BEV TYPE II(R)	11	0-5 MO.	.003101	.004651	.007375
				6-11 MO.	.029326	.100379	.069756
				12-23 MO.	.070020	.209931	.166554
				2-65+ YR.	.134356	.358756	.319586
A&-METHYLBENZYL ACETATE FEMA 2684D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
A&-METHYLBENZYL ACETATE FEMA 2684D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000191	.000573	.000783
				12-23 MO.	.000573	.001719	.002349
				2-65+ YR.	.001146	.003247	.004698
A&-METHYLBENZYL ACETATE FEMA 2684D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.009720	.009720	.009720
				12-23 MO.	.009720	.029160	.009720
				2-65+ YR.	.019440	.038880	.019440

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AS-METHYLBENZYL ACETATE FEMA 2684D	99	ALL CATEGORIES	18	0-5 MO.	.032690	.057170	.098093
				6-11 MO.	.263244	.618139	.763836
				12-23 MO.	.515297	1.016187	1.414313
				2-65+ YR.	1.217941	2.159498	3.308690
AS-METHYLBENZYL ALCOHOL FEMA 2685D	01	BAKED GOODS(R)	4	0-5 MO.	.030474	.040333	.050307
				6-11 MO.	.227659	.464281	.375820
				12-23 MO.	.488481	.804874	.806385
				2-65+ YR.	1.229719	1.826652	2.030018
AS-METHYLBENZYL ALCOHOL FEMA 2685D	07	FROZN DAIRY(R)	4	0-5 MO.	.005735	.023512	.009563
				6-11 MO.	.054478	.151393	.090852
				12-23 MO.	.082578	.193828	.137713
				2-65+ YR.	.146805	.353823	.244823
AS-METHYLBENZYL ALCOHOL FEMA 2685D	16	SOFT CANDY(R)	4	0-5 MO.	.001548	.015481	.002423
				6-11 MO.	.017030	.052637	.026648
				12-23 MO.	.027093	.071989	.042394
				2-65+ YR.	.044896	.136237	.070254
AS-METHYLBENZYL ALCOHOL FEMA 2685D	20	GELATIN PUD(R)	4	0-5 MO.	.009877	.013333	.019577
				6-11 MO.	.063210	.191605	.125296
				12-23 MO.	.068148	.165926	.135085
				2-65+ YR.	.100741	.259259	.199690
AS-METHYLBENZYL ALCOHOL FEMA 2685D	23	BEV TYPE I(R)	4	0-5 MO.	.005665	.008498	.012744
				6-11 MO.	.053583	.163410	.120534
				12-23 MO.	.127939	.383580	.287794
				2-65+ YR.	.245491	.655509	.552225
AS-METHYLBENZYL ALCOHOL FEMA 2685D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000122	.000122	.000149
				12-23 MO.	.000122	.000366	.000149
				2-65+ YR.	.000244	.000488	.000298
AS-METHYLBENZYL ALCOHOL FEMA 2685D	99	ALL CATEGORIES	7	0-5 MO.	.053299	.101158	.094614

TABLE 13, PART 8 — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-METHYLBENZYL ALCOHOL FEMA 2685D	99	ALL CATEGORIES	7	6-11 MO.	.416082	1.043448	.739298
				12-23 MO.	.794361	1.620564	1.409520
				2-65+ YR.	1.767896	3.231968	3.097308
A&-METHYLBENZYL BUTYRATE FEMA 2686D	01	BAKED GOODS(R)	*	0-5 MO.	.018265	.024174	.030837
				6-11 MO.	.136451	.278274	.230372
				12-23 MO.	.292779	.482414	.494302
				2-65+ YR.	.737051	1.094833	1.244372
A&-METHYLBENZYL BUTYRATE FEMA 2686D	07	FROZN DAIRY(R)	*	0-5 MO.	.003279	.013444	.005860
				6-11 MO.	.031151	.086567	.055674
				12-23 MO.	.047219	.110833	.084391
				2-65+ YR.	.083944	.202319	.150028
A&-METHYLBENZYL BUTYRATE FEMA 2686D	16	SOFT CANDY(R)	*	0-5 MO.	.000995	.009953	.001512
				6-11 MO.	.010949	.033842	.016628
				12-23 MO.	.017419	.046284	.026453
				2-65+ YR.	.028865	.087591	.043837
A&-METHYLBENZYL BUTYRATE FEMA 2686D	20	GELATIN PUD(R)	*	0-5 MO.	.004558	.006153	.009023
				6-11 MO.	.029172	.088428	.057749
				12-23 MO.	.031451	.076577	.062260
				2-65+ YR.	.046493	.119651	.092037
A&-METHYLBENZYL BUTYRATE FEMA 2686D	23	BEV TYPE I(R)	*	0-5 MO.	.003516	.005274	.008874
				6-11 MO.	.033258	.113840	.083937
				12-23 MO.	.079409	.238081	.200414
				2-65+ YR.	.152372	.406863	.384558
A&-METHYLBENZYL BUTYRATE FEMA 2686D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
A&-METHYLBENZYL BUTYRATE FEMA 2686D	99	ALL CATEGORIES	*	0-5 MO.	.030614	.059000	.056107
				6-11 MO.	.240981	.601051	.444360

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A6-METHYLBENZYL BUTYRATE FEMA 2686D	99	ALL CATEGORIES	*	12-23 MO.	.468277	.954388	.867821
				2-65+ YR.	1.081226	2.005656	2.077332
A6-METHYLBENZYL ISOBUTYRA FEMA 2687D	01	BAKED GOODS(R)	4	0-5 MO.	.011587	.015336	.031763
				6-11 MO.	.086561	.176529	.237289
				12-23 MO.	.185730	.306029	.509145
				2-65+ YR.	.467563	.694529	1.281737
A6-METHYLBENZYL ISOBUTYRA FEMA 2687D	07	FROZN DAIRY(R)	4	0-5 MO.	.002158	.008847	.007592
				6-11 MO.	.020500	.056968	.072125
				12-23 MO.	.031074	.072937	.109326
				2-65+ YR.	.055242	.133142	.194358
A6-METHYLBENZYL ISOBUTYRA FEMA 2687D	16	SOFT CANDY(R)	4	0-5 MO.	.000593	.005934	.001363
				6-11 MO.	.006528	.020176	.014995
				12-23 MO.	.010385	.027594	.023855
				2-65+ YR.	.017209	.052221	.039532
A6-METHYLBENZYL ISOBUTYRA FEMA 2687D	20	GELATIN PUD(R)	4	0-5 MO.	.003184	.004299	.013658
				6-11 MO.	.020379	.061774	.087411
				12-23 MO.	.021971	.053495	.094239
				2-65+ YR.	.032479	.083586	.139311
A6-METHYLBENZYL ISOBUTYRA FEMA 2687D	23	BEV TYPE I(R)	4	0-5 MO.	.002040	.003060	.006947
				6-11 MO.	.019295	.066045	.065711
				12-23 MO.	.046070	.138125	.156895
				2-65+ YR.	.088400	.236045	.301053
A6-METHYLBENZYL ISOBUTYRA FEMA 2687D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
A6-METHYLBENZYL ISOBUTYRA FEMA 2687D	99	ALL CATEGORIES	4	0-5 MO.	.019562	.037476	.061324
				6-11 MO.	.153262	.381592	.477530
				12-23 MO.	.295230	.598380	.893461

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
AE-METHYLBENZYL ISOBUTYRA FEMA 2687D	99	ALL CATEGORIES	4	2-65+ YR.	.693393	1.293923	2.118489
AE-METHYLBENZYL FORMATE FEMA 2688D	01	BAKED GOODS(R)	*	0-5 MO.	.056100	.074250	.071400
				6-11 MO.	.419100	.854700	.533400
				12-23 MO.	.899250	1.481700	1.144500
				2-65+ YR.	2.263800	3.362700	2.881200
AE-METHYLBENZYL FORMATE FEMA 2688D	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.012500
				6-11 MO.	.076000	.211200	.118750
				12-23 MO.	.115200	.270400	.180000
				2-65+ YR.	.204800	.493600	.320000
AE-METHYLBENZYL FORMATE FEMA 2688D	16	SOFT CANDY(R)	*	0-5 MO.	.002300	.023000	.003300
				6-11 MO.	.025300	.078200	.036300
				12-23 MO.	.040250	.106950	.057750
				2-65+ YR.	.066700	.202400	.095700
AE-METHYLBENZYL FORMATE FEMA 2688D	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.020000
				6-11 MO.	.089600	.271600	.128000
				12-23 MO.	.096600	.235200	.138000
				2-65+ YR.	.142800	.367500	.204000
AE-METHYLBENZYL FORMATE FEMA 2688D	23	BEV TYPE I(R)	*	0-5 MO.	.008400	.012600	.015600
				6-11 MO.	.079450	.271950	.147550
				12-23 MO.	.189700	.568750	.352300
				2-65+ YR.	.364000	.971950	.676000
AE-METHYLBENZYL FORMATE FEMA 2688D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
AE-METHYLBENZYL FORMATE FEMA 2688D	99	ALL CATEGORIES	*	0-5 MO.	.088800	.161550	.122800
				6-11 MO.	.689450	1.687750	.964000
				12-23 MO.	1.341000	2.663200	1.872550
				2-65+ YR.	3.074600	5.492550	4.339400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AS-METHYLBENZYL PROPIONAT							
FEMA 2689D	01	BAKED GOODS(R)	*	0-5 MO.	.079764	.105570	.094588
				6-11 MO.	.595884	1.215228	.706628
				12-23 MO.	1.278570	2.106708	1.516190
				2-65+ YR.	3.218712	4.781148	3.816904
AS-METHYLBENZYL PROPIONAT							
FEMA 2689D	07	FROZN DAIRY(R)	*	0-5 MO.	.007620	.031242	.012640
				6-11 MO.	.072390	.201168	.120080
				12-23 MO.	.109728	.257556	.182016
				2-65+ YR.	.195072	.470154	.323584
AS-METHYLBENZYL PROPIONAT							
FEMA 2689D	16	SOFT CANDY(R)	*	0-5 MO.	.003108	.031080	.003848
				6-11 MO.	.034188	.105672	.042328
				12-23 MO.	.054390	.144522	.067340
				2-65+ YR.	.090132	.273504	.111592
AS-METHYLBENZYL PROPIONAT							
FEMA 2689D	20	GELATIN PUD(R)	*	0-5 MO.	.013880	.018738	.021880
				6-11 MO.	.088832	.269272	.140032
				12-23 MO.	.095772	.233184	.150972
				2-65+ YR.	.141576	.364350	.223176
AS-METHYLBENZYL PROPIONAT							
FEMA 2689D	23	BEV TYPE I(R)	*	0-5 MO.	.010320	.015480	.015168
				6-11 MO.	.097610	.334110	.143464
				12-23 MO.	.233060	.698750	.342544
				2-65+ YR.	.447200	1.194110	.657280
AS-METHYLBENZYL PROPIONAT							
FEMA 2689D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
AS-METHYLBENZYL PROPIONAT							
FEMA 2689D	99	ALL CATEGORIES	*	0-5 MO.	.114692	.202110	.148124
				6-11 MO.	.888904	2.125550	1.152532
				12-23 MO.	1.771520	3.440920	2.259062
				2-65+ YR.	4.125192	7.177666	5.295036
METHYL P-TERT-BUTYLPHENY							
FEMA 2690D	01	BAKED GOODS(R)	4	0-5 MO.	.026067	.034500	.044767

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	01	BAKED GOODS(R)	4	6-11 MO.	.194733	.397133	.334433
				12-23 MO.	.417833	.688467	.717583
				2-65+ YR.	1.051867	1.562467	1.806467
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	04	FATS OILS(R)	*	0-5 MO.	.000500	.000500	.001000
				6-11 MO.	.002800	.007500	.005600
				12-23 MO.	.006300	.012000	.012600
				2-65+ YR.	.017500	.031600	.035000
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	07	FROZN DAIRY(R)	*	0-5 MO.	.007200	.029520	.011400
				6-11 MO.	.068400	.190080	.108300
				12-23 MO.	.103680	.243360	.164160
				2-65+ YR.	.184320	.444240	.291840
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	16	SOFT CANDY(R)	*	0-5 MO.	.001720	.017200	.002920
				6-11 MO.	.018920	.058480	.032120
				12-23 MO.	.030100	.079980	.051100
				2-65+ YR.	.049880	.151360	.084680
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	20	GELATIN PUD(R)	*	0-5 MO.	.006800	.009180	.020800
				6-11 MO.	.043520	.131920	.133120
				12-23 MO.	.046920	.114240	.143520
				2-65+ YR.	.069360	.178500	.212160
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	23	BEV TYPE I(R)	*	0-5 MO.	.008160	.012240	.014400
				6-11 MO.	.077180	.264180	.136200
				12-23 MO.	.184280	.552500	.325200
				2-65+ YR.	.353600	.944180	.624000
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
METHYL P6-TERT-BUTYLPHENY FEMA 2690D	99	ALL CATEGORIES	4	0-5 MO.	.050447	.103140	.095287
				6-11 MO.	.405553	1.049393	.749773

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL P-TERT-BUTYLPHENY FEMA 2690D	99	ALL CATEGORIES	4	12-23 MO.	.789113	1.690747	1.414163
				2-65+ YR.	1.759027	3.406747	3.216647
2-METHYLBUTYRALDEHYDE FEMA 2691D	01	BAKED GOODS(R)	5	0-5 MO.	.082529	.109230	.101605
				6-11 MO.	.616541	1.257355	.759047
				12-23 MO.	1.322892	2.179738	1.626663
				2-65+ YR.	3.330291	4.946890	4.100047
2-METHYLBUTYRALDEHYDE FEMA 2691D	07	FROZN DAIRY(R)	5	0-5 MO.	.008837	.036233	.012000
				6-11 MO.	.083953	.233302	.114000
				12-23 MO.	.127256	.298698	.172800
				2-65+ YR.	.226233	.545256	.307200
2-METHYLBUTYRALDEHYDE FEMA 2691D	16	SOFT CANDY(R)	6	0-5 MO.	.002546	.025462	.003418
				6-11 MO.	.028008	.086569	.037593
				12-23 MO.	.044558	.118396	.059808
				2-65+ YR.	.073838	.224062	.099110
2-METHYLBUTYRALDEHYDE FEMA 2691D	20	GELATIN PUD(R)	4	0-5 MO.	.017160	.023167	.022395
				6-11 MO.	.109827	.332914	.143328
				12-23 MO.	.118407	.288296	.154526
				2-65+ YR.	.175037	.450463	.228430
2-METHYLBUTYRALDEHYDE FEMA 2691D	23	BEV TYPE I(R)	5	0-5 MO.	.004409	.006614	.008386
				6-11 MO.	.041705	.142751	.079318
				12-23 MO.	.099577	.298546	.189385
				2-65+ YR.	.191070	.510193	.363395
2-METHYLBUTYRALDEHYDE FEMA 2691D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
2-METHYLBUTYRALDEHYDE FEMA 2691D	99	ALL CATEGORIES	6	0-5 MO.	.115482	.200704	.147803
				6-11 MO.	.880034	2.052991	1.133286
				12-23 MO.	1.712690	3.183875	2.205181

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLBUTYRALDEHYDE FEMA 2691D	99	ALL CATEGORIES	6	2-65+ YR.	4.028969	6.771263	5.260681
3-METHYLBUTYRALDEHYDE FEMA 2692D	01	BAKED GOODS(R)	9	0-5 MO.	.070855	.093779	.098567
				6-11 MO.	.529328	1.079495	.736355
				12-23 MO.	1.135762	1.871403	1.579975
				2-65+ YR.	2.859203	4.247126	3.977477
3-METHYLBUTYRALDEHYDE FEMA 2692D	07	FROZN DAIRY(R)	7	0-5 MO.	.007950	.032595	.011612
				6-11 MO.	.075525	.209880	.110317
				12-23 MO.	.114480	.268710	.167218
				2-65+ YR.	.203520	.490515	.297276
3-METHYLBUTYRALDEHYDE FEMA 2692D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000550
				6-11 MO.	.002070	.005580	.010350
				12-23 MO.	.003020	.005190	.015100
				2-65+ YR.	.007840	.013010	.039200
3-METHYLBUTYRALDEHYDE FEMA 2692D	16	SOFT CANDY(R)	9	0-5 MO.	.002403	.024032	.003362
				6-11 MO.	.026435	.081708	.036987
				12-23 MO.	.042056	.111748	.058843
				2-65+ YR.	.069692	.211480	.097511
3-METHYLBUTYRALDEHYDE FEMA 2692D	20	GELATIN PUD(R)	6	0-5 MO.	.016920	.022843	.022525
				6-11 MO.	.108290	.328255	.144163
				12-23 MO.	.116751	.284262	.155426
				2-65+ YR.	.172588	.444160	.229760
3-METHYLBUTYRALDEHYDE FEMA 2692D	23	BEV TYPE I(R)	6	0-5 MO.	.004655	.006983	.008821
				6-11 MO.	.044030	.150711	.083435
				12-23 MO.	.105129	.315194	.199215
				2-65+ YR.	.201724	.538642	.382257
3-METHYLBUTYRALDEHYDE FEMA 2692D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000250	.000750	.000250
				12-23 MO.	.000750	.002250	.000750
				2-65+ YR.	.001500	.004250	.001500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-METHYLBUTYRALDEHYDE							
FEMA 2692D	99	ALL CATEGORIES	11	0-5 MO.	.102894	.180521	.145439
				6-11 MO.	.785928	1.856380	1.121858
				12-23 MO.	1.517948	2.858757	2.176526
				2-65+ YR.	3.516067	5.949183	5.024982
METHYL BUTYRATE							
FEMA 2693D	01	BAKED GOODS(R)	7	0-5 MO.	.118261	.156522	.181890
				6-11 MO.	.883478	1.801739	1.358826
				12-23 MO.	1.895652	3.123478	2.915591
				2-65+ YR.	4.772174	7.088696	7.339799
METHYL BUTYRATE							
FEMA 2693D	07	FROZN DAIRY(R)	6	0-5 MO.	.017529	.071870	.037628
				6-11 MO.	.166528	.462772	.357463
				12-23 MO.	.252421	.592489	.541839
				2-65+ YR.	.448749	1.081555	.963269
METHYL BUTYRATE							
FEMA 2693D	10	MEAT PRODS(R)	*	0-5 MO.	.005764	.015196	**********
				6-11 MO.	.108468	.292392	**********
				12-23 MO.	.158248	.271956	**********
				2-65+ YR.	.410816	.681724	**********
METHYL BUTYRATE							
FEMA 2693D	16	SOFT CANDY(R)	8	0-5 MO.	.003748	.037480	.006693
				6-11 MO.	.041228	.127433	.073620
				12-23 MO.	.065590	.174283	.117122
				2-65+ YR.	.108693	.329826	.194089
METHYL BUTYRATE							
FEMA 2693D	20	GELATIN PUD(R)	7	0-5 MO.	.028598	.038607	.057800
				6-11 MO.	.183026	.554798	.369920
				12-23 MO.	.197325	.480443	.398820
				2-65+ YR.	.291698	.750693	.589560
METHYL BUTYRATE							
FEMA 2693D	23	BEV TYPE I(R)	7	0-5 MO.	.014384	.021576	.030660
				6-11 MO.	.136048	.465679	.289996
				12-23 MO.	.324837	.973911	.692412
				2-65+ YR.	.623303	1.664339	1.328614
METHYL BUTYRATE							
FEMA 2693D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL BUTYRATE FEMA 26930	24	BEV TYPE II(R)	*	6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
METHYL BUTYRATE FEMA 26930	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.008575	.008575	.008575
				12-23 MO.	.008575	.025725	.008575
				2-65+ YR.	.017150	.034300	.017150
METHYL BUTYRATE FEMA 26930	99	ALL CATEGORIES	11	0-5 MO.	.188284	.341251	.314671
				6-11 MO.	1.527351	3.714388	2.458399
				12-23 MO.	2.902649	5.644285	4.674359
				2-65+ YR.	6.997582	12.575132	11.082480
METHYL ISOBUTYRATE FEMA 26940	01	BAKED GOODS(R)	5	0-5 MO.	.092986	.123070	.124930
				6-11 MO.	.694660	1.416670	.933302
				12-23 MO.	1.490512	2.455926	2.002558
				2-65+ YR.	3.752260	5.573693	5.041302
METHYL ISOBUTYRATE FEMA 26940	07	FROZN DAIRY(R)	4	0-5 MO.	.009074	.037204	.014272
				6-11 MO.	.086204	.239556	.135580
				12-23 MO.	.130667	.306704	.205511
				2-65+ YR.	.232296	.559870	.365353
METHYL ISOBUTYRATE FEMA 26940	16	SOFT CANDY(R)	5	0-5 MO.	.002686	.026860	.003700
				6-11 MO.	.029547	.091326	.040700
				12-23 MO.	.047006	.124901	.064750
				2-65+ YR.	.077895	.236372	.107300
METHYL ISOBUTYRATE FEMA 26940	20	GELATIN PUD(R)	5	0-5 MO.	.014221	.019198	.022864
				6-11 MO.	.091014	.275886	.146331
				12-23 MO.	.098124	.238912	.157763
				2-65+ YR.	.145053	.373299	.233215
METHYL ISOBUTYRATE FEMA 26940	23	BEV TYPE II(R)	5	0-5 MO.	.010716	.016074	.018667
				6-11 MO.	.101358	.346940	.176556

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL ISOBUTYRATE FEMA 2694D	23	BEV TYPE I(R)	5	12-23 MO.	.242009	.725581	.421556
				2-65+ YR.	.464372	1.239963	.808889
METHYL ISOBUTYRATE FEMA 2694D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
METHYL ISOBUTYRATE FEMA 2694D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002579	.007737	.011916
				12-23 MO.	.007737	.023211	.035748
				2-65+ YR.	.015474	.043843	.071496
METHYL ISOBUTYRATE FEMA 2694D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.037500	.037500	.037500
				12-23 MO.	.037500	.112500	.037500
				2-65+ YR.	.075000	.150000	.075000
METHYL ISOBUTYRATE FEMA 2694D	99	ALL CATEGORIES	12	0-5 MO.	.129683	.222407	.184433
				6-11 MO.	1.042862	2.416613	1.481885
				12-23 MO.	2.053555	3.989734	2.925386
				2-65+ YR.	5.087352	9.121041	7.352555
2-METHYLBUTYRIC ACID FEMA 2695D	01	BAKED GOODS(R)	4	0-5 MO.	.027389	.036250	.059500
				6-11 MO.	.204611	.417278	.444500
				12-23 MO.	.439028	.723389	.953750
				2-65+ YR.	1.105222	1.641722	2.401000
2-METHYLBUTYRIC ACID FEMA 2695D	06	CHEESE(R)	*	0-5 MO.	**********	.003000	**********
				6-11 MO.	.081000	.291000	.135000
				12-23 MO.	.234000	.666000	.390000
				2-65+ YR.	.282000	.708000	.470000
2-METHYLBUTYRIC ACID FEMA 2695D	07	FROZN DAIRY(R)	4	0-5 MO.	.002671	.010953	.008616
				6-11 MO.	.025376	.070525	.081855
				12-23 MO.	.038468	.090293	.124075

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLBUTYRIC ACID FEMA 2695D	07	FROZN DAIRY(R)	4	2-65+ YR.	.068387	.164824	.220579
2-METHYLBUTYRIC ACID FEMA 2695D	16	SOFT CANDY(R)	5	0-5 MO.	.000465	.004647	.001210
				6-11 MO.	.005112	.015800	.013311
				12-23 MO.	.008132	.021609	.021176
				2-65+ YR.	.013476	.040894	.035092
2-METHYLBUTYRIC ACID FEMA 2695D	20	GELATIN PUD(R)	5	0-5 MO.	.004477	.006044	.011849
				6-11 MO.	.028651	.086850	.075834
				12-23 MO.	.030890	.075210	.081758
				2-65+ YR.	.045663	.117515	.120860
2-METHYLBUTYRIC ACID FEMA 2695D	23	BEV TYPE I(R)	5	0-5 MO.	.000727	.001091	.002490
				6-11 MO.	.006879	.023545	.023547
				12-23 MO.	.016424	.049241	.056222
				2-65+ YR.	.031514	.084148	.107880
2-METHYLBUTYRIC ACID FEMA 2695D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
2-METHYLBUTYRIC ACID FEMA 2695D	99	ALL CATEGORIES	8	0-5 MO.	.035729	.061984	.083665
				6-11 MO.	.351631	.905096	.774047
				12-23 MO.	.766941	1.625941	1.626982
				2-65+ YR.	1.578763	2.851505	3.452911
A6-METHYLCINNAMALDEHYDE FEMA 2697D	01	BAKED GOODS(R)	8	0-5 MO.	.132645	.175559	.168549
				6-11 MO.	.990934	2.020882	1.259163
				12-23 MO.	2.126217	3.503382	2.701747
				2-65+ YR.	5.352605	7.950882	6.801461
A6-METHYLCINNAMALDEHYDE FEMA 2697D	07	FROZN DAIRY(R)	5	0-5 MO.	.012334	.050571	.014698
				6-11 MO.	.117176	.325627	.139632
				12-23 MO.	.177615	.416902	.211653
				2-65+ YR.	.315760	.761030	.376272

, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

NAME NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	AVERAGE	HIGH A	HIGH B
				**********	POSSIBLE DAILY INTAKE, MG.	**********	
CINNAMALDEHYDE 970	21	CHEWING GUM(R)	*	6-11 MO.	.106620	.106620	.116919
				12-23 MO.	.106620	.319860	.116919
				2-65+ YR.	.213240	.426480	.233838
CINNAMALDEHYDE 970	99	ALL CATEGORIES	10	0-5 MO.	.199295	.340359	.254730
				6-11 MO.	1.667702	3.873361	2.151350
				12-23 MO.	3.155861	6.247149	4.089456
				2-65+ YR.	7.277996	12.731934	9.487307
NNAMATE 980	01	BAKED GOODS(R)	10	0-5 MO.	.021966	.029073	.041563
				6-11 MO.	.164102	.334664	.310499
				12-23 MO.	.352108	.580170	.666229
				2-65+ YR.	.886407	1.316689	1.677185
NNAMATE 980	07	FROZN DAIRY(R)	10	0-5 MO.	.003505	.014370	.007605
				6-11 MO.	.033295	.092526	.072251
				12-23 MO.	.050469	.118461	.109517
				2-65+ YR.	.089722	.216245	.194697
NNAMATE 980	16	SOFT CANDY(R)	12	0-5 MO.	.000963	.009630	.002279
				6-11 MO.	.010593	.032742	.025068
				12-23 MO.	.016852	.044779	.039880
				2-65+ YR.	.027927	.084743	.066087
NNAMATE 980	20	GELATIN PUD(R)	8	0-5 MO.	.004535	.006123	.014777
				6-11 MO.	.029026	.087985	.094571
				12-23 MO.	.031294	.076193	.101959
				2-65+ YR.	.046260	.119052	.150723
NNAMATE 980	23	BEV TYPE I(R)	14	0-5 MO.	.002507	.003760	.005009
				6-11 MO.	.023709	.081154	.047373
				12-23 MO.	.056610	.169724	.113111
				2-65+ YR.	.108623	.290045	.217039
NNAMATE 980	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000055	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.005500
				6-11 MO.	.041400	.111600	.103500
				12-23 MO.	.060400	.103800	.151000
				2-65+ YR.	.156800	.260200	.392000
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.001600	.004400	.004000
				12-23 MO.	.005600	.015200	.014000
				2-65+ YR.	.017600	.042400	.044000
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	16	SOFT CANDY(R)	6	0-5 MO.	.004102	.041022	.005833
				6-11 MO.	.045124	.139475	.064162
				12-23 MO.	.071788	.190752	.102075
				2-65+ YR.	.118964	.360993	.169153
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	20	GELATIN PUD(R)	4	0-5 MO.	.032089	.043320	.038642
				6-11 MO.	.205368	.622521	.247309
				12-23 MO.	.221412	.539090	.266630
				2-65+ YR.	.327305	.842329	.394148
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	23	BEV TYPE I(R)	4	0-5 MO.	.015925	.023887	.021508
				6-11 MO.	.150619	.515557	.203426
				12-23 MO.	.359629	1.078223	.485712
				2-65+ YR.	.690063	1.842601	.931994
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.008860	.026580	.013240
				12-23 MO.	.026580	.079740	.039720
				2-65+ YR.	.053160	.150620	.079440
A&-METHYLCINNAMALDEHYDE							
FEMA 2697D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL CINNAMATE FEMA 2698D	24	BEV TYPE III(R)	*	12-23 MO.	**********	.000110	**********
				2-65+ YR.	.017875	.051920	.082875
METHYL CINNAMATE FEMA 2698D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000015	.000045	.000016
				12-23 MO.	.000045	.000135	.000048
				2-65+ YR.	.000090	.000255	.000096
METHYL CINNAMATE FEMA 2698D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000483	.000483	.003418
				12-23 MO.	.000483	.001449	.003418
				2-65+ YR.	.000966	.001932	.006836
METHYL CINNAMATE FEMA 2698D	99	ALL CATEGORIES	19	0-5 MO.	.033476	.062955	.071232
				6-11 MO.	.261223	.629654	.553196
				12-23 MO.	.507860	.991022	1.034162
				2-65+ YR.	1.177870	2.080881	2.395538
METHYLCYCLOPENTENOLONE FEMA 2700D	01	BAKED GOODS(R)	23	0-5 MO.	.040953	.054203	.089774
				6-11 MO.	.305946	.623936	.670661
				12-23 MO.	.656458	1.081650	1.439017
				2-65+ YR.	1.652588	2.454792	3.622627
METHYLCYCLOPENTENOLONE FEMA 2700D	02	BREAK CERLS(R)	*	0-5 MO.	.024000	.068000	.060000
				6-11 MO.	.892000	2.392000	2.230000
				12-23 MO.	1.044000	2.036000	2.610000
				2-65+ YR.	.800000	2.072000	2.000000
METHYLCYCLOPENTENOLONE FEMA 2700D	07	FROZN DAIRY(R)	21	0-5 MO.	.005068	.020779	.016584
				6-11 MO.	.048147	.133799	.157549
				12-23 MO.	.072981	.171303	.238811
				2-65+ YR.	.129744	.312704	.424553
METHYLCYCLOPENTENOLONE FEMA 2700D	10	MEAT PRODS(R)	*	0-5 MO.	.002145	.005655	.004070
				6-11 MO.	.040365	.108810	.076590
				12-23 MO.	.058890	.101205	.111740

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYLCYCLOPENTENOLONE FEMA 2700D	10	MEAT PRODS(R)	*	2-65+ YR.	.152880	.253695	.290080
METHYLCYCLOPENTENOLONE FEMA 2700D	16	SOFT CANDY(R)	22	0-5 MO.	.001869	.018694	.005114
				6-11 MO.	.020563	.063560	.056256
				12-23 MO.	.032715	.086927	.089499
				2-65+ YR.	.054213	.164508	.148312
METHYLCYCLOPENTENOLONE FEMA 2700D	19	SWEET SAUCE(R)	*	0-5 MO.	.002475	.003300	.004725
				6-11 MO.	.007425	.025575	.014175
				12-23 MO.	.021450	.062700	.040950
				2-65+ YR.	.056100	.147675	.107100
METHYLCYCLOPENTENOLONE FEMA 2700D	20	GELATIN PUD(R)	16	0-5 MO.	.009695	.013088	.017368
				6-11 MO.	.062045	.188074	.111158
				12-23 MO.	.066892	.162868	.119842
				2-65+ YR.	.098884	.254481	.177158
METHYLCYCLOPENTENOLONE FEMA 2700D	23	BEV TYPE I(R)	16	0-5 MO.	.004863	.007294	.013589
				6-11 MO.	.045996	.157439	.128532
				12-23 MO.	.109823	.329265	.306890
				2-65+ YR.	.210730	.562689	.588867
METHYLCYCLOPENTENOLONE FEMA 2700D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000093	**********
				12-23 MO.	**********	.000186	**********
				2-65+ YR.	.030273	.087932	.284471
METHYLCYCLOPENTENOLONE FEMA 2700D	30	HARD CANDY(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001692	.005076	.001692
				12-23 MO.	.005076	.015228	.005076
				2-65+ YR.	.010152	.028764	.010152
METHYLCYCLOPENTENOLONE FEMA 2700D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000183	.000183	.000759
				12-23 MO.	.000183	.000549	.000759
				2-65+ YR.	.000366	.000732	.001518

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYLCYCLOPENTENOLONE FEMA 2700C	99	ALL CATEGORIES	44	0-5 MO.	.091068	.191013	.211225
				6-11 MO.	1.424362	3.698545	3.447372
				12-23 MO.	2.068468	4.047882	4.962585
				2-65+ YR.	3.195930	6.339972	7.654839
METHYL HEPTANOATE FEMA 2705D	C1	BAKED GOODS(R)	*	0-5 MO.	.005343	.007071	.011026
				6-11 MO.	.039914	.081400	.082369
				12-23 MO.	.085643	.141114	.176736
				2-65+ YR.	.215600	.320257	.444920
METHYL HEPTANOATE FEMA 2705D	C7	FROZN DAIRY(R)	*	0-5 MO.	.001250	.005125	.002500
				6-11 MO.	.011875	.033000	.023750
				12-23 MO.	.018000	.042250	.036000
				2-65+ YR.	.032000	.077125	.064000
METHYL HEPTANOATE FEMA 2705D	16	SOFT CANDY(R)	4	0-5 MO.	.000290	.002900	.000533
				6-11 MO.	.003190	.009860	.005858
				12-23 MO.	.005075	.013485	.009319
				2-65+ YR.	.008410	.025520	.015443
METHYL HEPTANOATE FEMA 2705D	20	GELATIN PUD(R)	*	0-5 MO.	.002157	.002912	.004314
				6-11 MO.	.013806	.041849	.027611
				12-23 MO.	.014684	.036240	.029769
				2-65+ YR.	.022003	.056625	.044006
METHYL HEPTANOATE FEMA 2705D	23	BEV TYPE I(R)	4	0-5 MO.	.001950	.002925	.004800
				6-11 MO.	.018444	.063131	.045400
				12-23 MO.	.044038	.132031	.108400
				2-65+ YR.	.084500	.225631	.208000
METHYL HEPTANOATE FEMA 2705D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.065000
METHYL HEPTANOATE FEMA 2705D	99	ALL CATEGORIES	5	0-5 MO.	.010990	.020934	.023172

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL HEPTANOATE FEMA 2705D	99	ALL CATEGORIES	5	6-11 MO.	.087229	.229290	.184987
				12-23 MO.	.167640	.365221	.360223
				2-65+ YR.	.378763	.752358	.841368
2-METHYLHEPTANOIC ACID FEMA 2706D	01	BAKED GOODS(R)	*	0-5 MO.	.005794	.007669	.034958
				6-11 MO.	.043287	.088279	.261155
				12-23 MO.	.092880	.153039	.560352
				2-65+ YR.	.233820	.347321	1.410648
2-METHYLHEPTANOIC ACID FEMA 2706D	07	FROZN DAIRY(R)	*	0-5 MO.	.001141	.004677	.009577
				6-11 MO.	.010838	.030116	.090986
				12-23 MO.	.016428	.038561	.137915
				2-65+ YR.	.029206	.070390	.245183
2-METHYLHEPTANOIC ACID FEMA 2706D	16	SOFT CANDY(R)	4	0-5 MO.	.000206	.002056	.000989
				6-11 MO.	.002261	.006989	.010878
				12-23 MO.	.003597	.009558	.017306
				2-65+ YR.	.005961	.018089	.028678
2-METHYLHEPTANOIC ACID FEMA 2706D	20	GELATIN PUD(R)	*	0-5 MO.	.002282	.003080	.019155
				6-11 MO.	.014603	.044265	.122592
				12-23 MO.	.015744	.038332	.132169
				2-65+ YR.	.023273	.059894	.195380
2-METHYLHEPTANOIC ACID FEMA 2706D	23	BEV TYPE I(R)	*	0-5 MO.	.000524	.000786	.002716
				6-11 MO.	.004958	.016971	.025687
				12-23 MO.	.011838	.035493	.061332
				2-65+ YR.	.022716	.060656	.117684
2-METHYLHEPTANOIC ACID FEMA 2706D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000001	.000001	.000001
				12-23 MO.	.000001	.000003	.000001
				2-65+ YR.	.000002	.000004	.000002
2-METHYLHEPTANOIC ACID FEMA 2706D	99	ALL CATEGORIES	5	0-5 MO.	.009947	.018269	.067395
				6-11 MO.	.075948	.186623	.511298

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-METHYLHEPTANOIC ACID FEMA 2706D	99	ALL CATEGORIES	5	12-23 MO.	.140489	.274987	.909075
				2-65+ YR.	.314977	.556354	1.997575
6-METHYL-5-HEPTENONE-2 FEMA 2707D	01	BAKED GOODS(R)	8	0-5 MO.	.005964	.007893	.011367
				6-11 MO.	.044552	.090857	.084920
				12-23 MO.	.095593	.157510	.182211
				2-65+ YR.	.240649	.357466	.458704
6-METHYL-5-HEPTENONE-2 FEMA 2707D	07	FROZN DAIRY(R)	7	0-5 MO.	.001601	.006563	.003034
				6-11 MO.	.015207	.042259	.028823
				12-23 MO.	.023050	.054104	.043689
				2-65+ YR.	.040978	.098763	.077669
6-METHYL-5-HEPTENONE-2 FEMA 2707D	16	SOFT CANDY(R)	7	0-5 MO.	.000355	.003548	.000667
				6-11 MO.	.003903	.012063	.007342
				12-23 MO.	.006209	.016498	.011681
				2-65+ YR.	.010289	.031222	.019357
6-METHYL-5-HEPTENONE-2 FEMA 2707D	20	GELATIN PUD(R)	7	0-5 MO.	.001878	.002536	.003348
				6-11 MO.	.012021	.036437	.021427
				12-23 MO.	.012960	.031554	.023101
				2-65+ YR.	.019158	.049303	.034150
6-METHYL-5-HEPTENONE-2 FEMA 2707D	23	BEV TYPE I(R)	9	0-5 MO.	.003797	.005696	.006723
				6-11 MO.	.035917	.122939	.063587
				12-23 MO.	.085757	.257112	.151825
				2-65+ YR.	.164552	.439384	.291324
6-METHYL-5-HEPTENONE-2 FEMA 2707D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
6-METHYL-5-HEPTENONE-2 FEMA 2707D	27	GRAVIES(R)	*	0-5 MO.	.000800	.002400	.001000
				6-11 MO.	.011200	.031200	.014000
				12-23 MO.	.028800	.081600	.036000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
6-METHYL-5-HEPTENONE-2 FEMA 2707D	27	GRAVIES(R)	*	2-65+ YR.	.066400	.170400	.083000
6-METHYL-5-HEPTENONE-2 FEMA 2707D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000110	.000330	.000110
				12-23 MO.	.000330	.000990	.000330
				2-65+ YR.	.000660	.001870	.000660
6-METHYL-5-HEPTENONE-2 FEMA 2707D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000421	.000421	.000778
				12-23 MO.	.000421	.001263	.000778
				2-65+ YR.	.000842	.001684	.001556
6-METHYL-5-HEPTENONE-2 FEMA 2707D	99	ALL CATEGORIES	15	0-5 MO.	.014395	.028636	.026140
				6-11 MO.	.123329	.336517	.220988
				12-23 MO.	.253120	.600651	.449615
				2-65+ YR.	.546778	1.159534	.982671
METHYL HEXANOATE FEMA 2708D	01	BAKED GOODS(R)	5	0-5 MO.	.037508	.049643	.109526
				6-11 MO.	.280208	.571448	.818226
				12-23 MO.	.601234	.990657	1.755643
				2-65+ YR.	1.513565	2.248285	4.419711
METHYL HEXANOATE FEMA 2708D	07	FROZN DAIRY(R)	4	0-5 MO.	.013795	.056560	.040667
				6-11 MO.	.131055	.364194	.386333
				12-23 MO.	.198651	.466279	.585600
				2-65+ YR.	.353158	.851166	1.041067
METHYL HEXANOATE FEMA 2708D	16	SOFT CANDY(R)	6	0-5 MO.	.001869	.018689	.005572
				6-11 MO.	.020558	.063543	.061288
				12-23 MO.	.032706	.086904	.097504
				2-65+ YR.	.054198	.164463	.161578
METHYL HEXANOATE FEMA 2708D	20	GELATIN PUD(R)	5	0-5 MO.	.019105	.025791	.061700
				6-11 MO.	.122269	.370628	.394880
				12-23 MO.	.131821	.320956	.425730
				2-65+ YR.	.194866	.501494	.629340

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL HEXANOATE FEMA 2708D	23	BEV TYPE I(R)	5	0-5 MO.	.007588	.011381	.024374
				6-11 MO.	.071765	.245647	.230535
				12-23 MO.	.171352	.513740	.550441
				2-65+ YR.	.328793	.877942	1.056197
METHYL HEXANOATE FEMA 2708D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
METHYL HEXANOATE FEMA 2708D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000375	.001125	.000375
				12-23 MO.	.001125	.003375	.001125
				2-65+ YR.	.002250	.006375	.002250
METHYL HEXANOATE FEMA 2708D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001783	.001783	.002650
				12-23 MO.	.001783	.005349	.002650
				2-65+ YR.	.003566	.007132	.005300
METHYL HEXANOATE FEMA 2708D	99	ALL CATEGORIES	10	0-5 MO.	.079864	.162065	.241838
				6-11 MO.	.628013	1.618468	1.894288
				12-23 MO.	1.138673	2.387460	3.418693
				2-65+ YR.	2.482897	4.751257	7.477942
METHYL 2-HEXENOATE FEMA 2709D	01	BAKED GOODS(R)	*	0-5 MO.	.015300	.020250	.022100
				6-11 MO.	.114300	.233100	.165100
				12-23 MO.	.245250	.404100	.354250
				2-65+ YR.	.617400	.917100	.891800
METHYL 2-HEXENOATE FEMA 2709D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
METHYL 2-HEXENOATE FEMA 2709D	16	SOFT CANDY(R)	*	0-5 MO.	.000537	.005367	.000740

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL 2-HEXENOATE FEMA 27090	16	SOFT CANDY(R)	*	6-11 MO.	.005903	.018247	.008140
				12-23 MO.	.009392	.024955	.012950
				2-65+ YR.	.015563	.047227	.021460
METHYL 2-HEXENOATE FEMA 27090	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
METHYL 2-HEXENOATE FEMA 27090	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.008400
				6-11 MO.	.045400	.155400	.079450
				12-23 MO.	.108400	.325000	.189700
				2-65+ YR.	.208000	.555400	.364000
METHYL 2-HEXENOATE FEMA 27090	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
METHYL 2-HEXENOATE FEMA 27090	99	ALL CATEGORIES	*	0-5 MO.	.027637	.050517	.044240
				6-11 MO.	.219703	.563647	.351390
				12-23 MO.	.433842	.922855	.684100
				2-65+ YR.	.991063	1.904227	1.584360
METHYL-A6-IONONE FEMA 27110	01	BAKED GOODS(R)	11	0-5 MO.	.136483	.180639	.155466
				6-11 MO.	1.019609	2.079360	1.161426
				12-23 MO.	2.187744	3.604759	2.492035
				2-65+ YR.	5.507494	8.180957	6.273528
METHYL-A6-IONONE FEMA 27110	07	FROZN DAIRY(R)	12	0-5 MO.	.016220	.066501	.019314
				6-11 MO.	.154087	.428199	.183488
				12-23 MO.	.233563	.548224	.278129
				2-65+ YR.	.415223	1.000753	.494451
METHYL-A6-IONONE FEMA 27110	16	SOFT CANDY(R)	12	0-5 MO.	.007275	.072754	.008195
				6-11 MO.	.080030	.247365	.090147

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL-A6-IONONE FEMA 27110	16	SOFT CANDY(R)	12	12-23 MO.	.127320	.338307	.143416
				2-65+ YR.	.210987	.640238	.237660
METHYL-A6-IONONE FEMA 27110	20	GELATIN PUD(R)	8	0-5 MO.	.058037	.078350	.065257
				6-11 MO.	.371439	1.125926	.417642
				12-23 MO.	.400458	.975028	.450270
				2-65+ YR.	.591981	1.523482	.665616
METHYL-A6-IONONE FEMA 27110	23	BEV TYPE I(R)	13	0-5 MO.	.032233	.048350	.039191
				6-11 MO.	.304871	1.043544	.370679
				12-23 MO.	.727929	2.182445	.885057
				2-65+ YR.	1.396765	3.729630	1.698264
METHYL-A6-IONONE FEMA 27110	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000089	**********
				12-23 MO.	**********	.000179	**********
				2-65+ YR.	.029018	.084286	.086280
METHYL-A6-IONONE FEMA 27110	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000024	.000072	.000032
				12-23 MO.	.000072	.000216	.000096
				2-65+ YR.	.000144	.000408	.000192
METHYL-A6-IONONE FEMA 27110	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000685	.000685	.002034
				12-23 MO.	.000685	.002055	.002034
				2-65+ YR.	.001370	.002740	.004068
METHYL-A6-IONONE FEMA 27110	99	ALL CATEGORIES	22	0-5 MO.	.250249	.446594	.287423
				6-11 MO.	1.930744	4.925239	2.225447
				12-23 MO.	3.677771	7.651213	4.251036
				2-65+ YR.	8.152983	15.162493	9.460058
METHYL-B6-IONONE FEMA 27120	01	BAKED GOODS(R)	7	0-5 MO.	.154075	.203923	.164183
				6-11 MO.	1.151032	2.347380	1.226545
				12-23 MO.	2.469734	4.069396	2.631761

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL-B6-IONONE FEMA 2712D	C1	BAKED GOODS(R)	7	2-65+ YR.	6.217385	9.235445	6.625277
METHYL-B6-IONONE FEMA 2712D	C7	FROZN DAIRY(R)	5	0-5 MO.	.020287	.083177	.023194
				6-11 MO.	.192726	.535576	.220341
				12-23 MO.	.292133	.685700	.333991
				2-65+ YR.	.519347	1.251707	.593762
METHYL-B6-IONONE FEMA 2712D	16	SOFT CANDY(R)	8	0-5 MO.	.007045	.070454	.008228
				6-11 MO.	.077499	.239543	.090506
				12-23 MO.	.123294	.327610	.143987
				2-65+ YR.	.204316	.619992	.238607
METHYL-B6-IONONE FEMA 2712D	20	GELATIN PUD(R)	6	0-5 MO.	.072651	.098079	.078463
				6-11 MO.	.464965	1.409425	.502161
				12-23 MO.	.501290	1.220533	.541392
				2-65+ YR.	.741038	1.907082	.800318
METHYL-B6-IONONE FEMA 2712D	23	BEV TYPE I(R)	9	0-5 MO.	.031286	.046929	.047097
				6-11 MO.	.295915	1.012889	.445462
				12-23 MO.	.706545	2.118332	1.063614
				2-65+ YR.	1.355733	3.620067	2.040882
METHYL-B6-IONONE FEMA 2712D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
METHYL-B6-IONONE FEMA 2712D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000011	.000033	.000012
				12-23 MO.	.000033	.000099	.000036
				2-65+ YR.	.000066	.000187	.000072
METHYL-B6-IONONE FEMA 2712D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.004800	.004800	.004800
				12-23 MO.	.004800	.014400	.004800
				2-65+ YR.	.009600	.019200	.009600

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL-B6-ICNONE							
FEMA 2712D	99	ALL CATEGORIES	14	0-5 MO.	.285344	.502561	.321165
				6-11 MO.	2.186948	5.549745	2.489827
				12-23 MO.	4.097829	8.436270	4.719581
				2-65+ YR.	9.079984	16.748080	10.406019
METHYL-D6-ICNONE							
FEMA 2713D	01	BAKED GOODS(R)	6	0-5 MO.	.063116	.083536	.075480
				6-11 MO.	.471516	.961596	.563880
				12-23 MO.	1.011718	1.667015	1.209900
				2-65+ YR.	2.546931	3.783269	3.045840
METHYL-D6-IONONE							
FEMA 2713D	07	FROZN DAIRY(R)	5	0-5 MO.	.008871	.036373	.010919
				6-11 MO.	.084279	.234206	.103731
				12-23 MO.	.127749	.299854	.157234
				2-65+ YR.	.227109	.547367	.279528
METHYL-D6-IONONE							
FEMA 2713D	16	SOFT CANDY(R)	7	0-5 MO.	.002922	.029217	.003733
				6-11 MO.	.032139	.099339	.041063
				12-23 MO.	.051130	.135861	.065328
				2-65+ YR.	.084730	.257113	.108258
METHYL-D6-IONONE							
FEMA 2713D	20	GELATIN PUD(R)	6	0-5 MO.	.021589	.029145	.025232
				6-11 MO.	.138170	.418828	.161484
				12-23 MO.	.148965	.362697	.174100
				2-65+ YR.	.220209	.566714	.257365
METHYL-D6-IONONE							
FEMA 2713D	23	BEV TYPE I(R)	8	0-5 MO.	.012490	.018735	.015680
				6-11 MO.	.118133	.404357	.148304
				12-23 MO.	.282061	.845663	.354100
				2-65+ YR.	.541225	1.445174	.679455
METHYL-D6-IONONE							
FEMA 2713D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.065000
METHYL-D6-IONONE							
FEMA 2713D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL-D&-IONONE FEMA 27130	30	HARD CANDY(R)	*	6-11 MO.	.000206	.000618	.000691
				12-23 MO.	.000618	.001854	.002073
				2-65+ YR.	.001236	.003502	.004146
METHYL-D&-IONONE FEMA 27130	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000100	.000100	.000100
				12-23 MO.	.000100	.000300	.000100
				2-65+ YR.	.000200	.000400	.000200
METHYL-D&-IONONE FEMA 27130	99	ALL CATEGORIES	13	0-5 MO.	.108988	.197007	.131044
				6-11 MO.	.844543	2.119095	1.019253
				12-23 MO.	1.622341	3.313344	1.962835
				2-65+ YR.	3.637889	6.650739	4.439791
ISOMETHYLIONONE, A&- FEMA 27140	01	BAKED GOODS(R)	5	0-5 MO.	.091604	.121240	.107675
				6-11 MO.	.684335	1.395612	.804398
				12-23 MO.	1.468356	2.419419	1.725973
				2-65+ YR.	3.696485	5.490842	4.345018
ISOMETHYLIONONE, A&- FEMA 27140	07	FROZN DAIRY(R)	*	0-5 MO.	.011745	.048156	.015436
				6-11 MO.	.111582	.310080	.146645
				12-23 MO.	.169135	.396996	.222284
				2-65+ YR.	.300684	.724695	.395171
ISOMETHYLIONONE, A&- FEMA 27140	16	SOFT CANDY(R)	5	0-5 MO.	.005312	.053123	.006180
				6-11 MO.	.058435	.180618	.067980
				12-23 MO.	.092965	.247022	.108150
				2-65+ YR.	.154057	.467483	.179220
ISOMETHYLIONONE, A&- FEMA 27140	20	GELATIN PUD(R)	4	0-5 MO.	.042500	.057375	.047050
				6-11 MO.	.272000	.824500	.301120
				12-23 MO.	.293250	.714000	.324645
				2-65+ YR.	.433500	1.115625	.479910
ISOMETHYLIONONE, A&- FEMA 27140	23	BEV TYPE I(R)	4	0-5 MO.	.027785	.041677	.035380
				6-11 MO.	.262800	.899539	.334636

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOMETHYLIONONE, A&- FEMA 2714D	23	BEV TYPE 1(R)	4	12-23 MO.	.627478	1.881276	.798998
				2-65+ YR.	1.204017	3.214956	1.533133
ISOMETHYLIONONE, A&- FEMA 2714D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000004	.000012	.000006
				12-23 MO.	.000012	.000036	.000018
				2-65+ YR.	.000024	.000068	.000036
ISOMETHYLIONONE, A&- FEMA 2714D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002790	.002790	.003300
				12-23 MO.	.002790	.008370	.003300
				2-65+ YR.	.005580	.011160	.006600
ISOMETHYLIONONE, A&- FEMA 2714D	99	ALL CATEGORIES	9	0-5 MO.	.178947	.321572	.211722
				6-11 MO.	1.391946	3.613151	1.658086
				12-23 MO.	2.653986	5.667120	3.183368
				2-65+ YR.	5.794346	11.024829	6.939089
METHYL LAURATE FEMA 2715D	01	BAKED GOODS(R)	*	0-5 MO.	.057177	.075676	.063570
				6-11 MO.	.427149	.871115	.474908
				12-23 MO.	.916521	1.510158	1.018996
				2-65+ YR.	2.307279	3.427284	2.565254
METHYL LAURATE FEMA 2715D	07	FROZN DAIRY(R)	*	0-5 MO.	.035000	.143500	.039000
				6-11 MO.	.332500	.924000	.370500
				12-23 MO.	.504000	1.183000	.561600
				2-65+ YR.	.896000	2.159500	.998400
METHYL LAURATE FEMA 2715D	16	SOFT CANDY(R)	*	0-5 MO.	.002418	.024183	.002796
				6-11 MO.	.026601	.082223	.030754
				12-23 MO.	.042320	.112451	.048926
				2-65+ YR.	.070131	.212811	.081077
METHYL LAURATE FEMA 2715D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.046000
				6-11 MO.	.256000	.776000	.294400
				12-23 MO.	.276000	.672000	.317400

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL LAURATE FEMA 2715D	20	GELATIN PUD(R)	*	2-65+ YR.	.408000	1.050000	.469200
METHYL LAURATE FEMA 2715D	23	BEV TYPE I(R)	*	0-5 MO.	.072000	.108000	.084000
				6-11 MO.	.681000	2.331000	.794500
				12-23 MO.	1.626000	4.875000	1.897000
				2-65+ YR.	3.120000	8.331000	3.640000
METHYL LAURATE FEMA 2715D	99	ALL CATEGORIES	*	0-5 MO.	.206596	.405359	.235366
				6-11 MO.	1.723251	4.984338	1.965062
				12-23 MO.	3.364842	8.352609	3.843923
				2-65+ YR.	6.801410	15.180596	7.753931
METHYL MERCAPTAN FEMA 2716D	01	BAKED GOODS(R)	7	0-5 MO.	.006546	.008664	.014069
				6-11 MO.	.048905	.099736	.105103
				12-23 MO.	.104934	.172901	.225517
				2-65+ YR.	.264164	.392396	.567724
METHYL MERCAPTAN FEMA 2716D	04	FATS OILS(R)	*	0-5 MO.	.000500	.000500	.002500
				6-11 MO.	.002800	.007500	.014000
				12-23 MO.	.006300	.012000	.031500
				2-65+ YR.	.017500	.031600	.087500
METHYL MERCAPTAN FEMA 2716D	07	FROZN DAIRY(R)	4	0-5 MO.	.002782	.011407	.005797
				6-11 MO.	.026432	.073453	.055070
				12-23 MO.	.040065	.094041	.083475
				2-65+ YR.	.071227	.171667	.148400
METHYL MERCAPTAN FEMA 2716D	10	MEAT PRODS(R)	*	0-5 MO.	.000450	.001186	.001100
				6-11 MO.	.008468	.022827	.020700
				12-23 MO.	.012355	.021232	.030200
				2-65+ YR.	.032073	.053223	.078400
METHYL MERCAPTAN FEMA 2716D	16	SOFT CANDY(R)	5	0-5 MO.	.000324	.003238	.000642
				6-11 MO.	.003562	.011008	.007057
				12-23 MO.	.005666	.015055	.011226
				2-65+ YR.	.009389	.028492	.018604

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL MERCAPTAN FEMA 2716D	20	GELATIN PUD(R)	4	0-5 MO.	.003156	.004261	.006448
				6-11 MO.	.020200	.061231	.041267
				12-23 MO.	.021778	.053025	.044491
				2-65+ YR.	.032194	.082852	.065769
METHYL MERCAPTAN FEMA 2716D	23	BEV TYPE I(R)	6	0-5 MO.	.003416	.005124	.007713
				6-11 MO.	.032308	.110589	.072947
				12-23 MO.	.077142	.231282	.174174
				2-65+ YR.	.148021	.395244	.334208
METHYL MERCAPTAN FEMA 2716D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
METHYL MERCAPTAN FEMA 2716D	99	ALL CATEGORIES	10	0-5 MO.	.017175	.034381	.038268
				6-11 MO.	.142675	.386393	.316144
				12-23 MO.	.268239	.599637	.600583
				2-65+ YR.	.590818	1.202673	1.333105
METHYL O2-METHOXYBENZOATE FEMA 2717D	01	BAKED GOODS(R)	5	0-5 MO.	.074233	.098250	.094067
				6-11 MO.	.554567	1.130967	.702733
				12-23 MO.	1.189917	1.960633	1.507833
				2-65+ YR.	2.995533	4.449633	3.795867
METHYL O2-METHOXYBENZOATE FEMA 2717D	07	FROZN DAIRY(R)	5	0-5 MO.	.016600	.068060	.022400
				6-11 MO.	.157700	.438240	.212800
				12-23 MO.	.239040	.561080	.322560
				2-65+ YR.	.424960	1.024220	.573440
METHYL O2-METHOXYBENZOATE FEMA 2717D	16	SOFT CANDY(R)	6	0-5 MO.	.003371	.033714	.004829
				6-11 MO.	.037086	.114629	.053114
				12-23 MO.	.059000	.156771	.084500
				2-65+ YR.	.097771	.296686	.140029
METHYL O2-METHOXYBENZOATE FEMA 2717D	20	GELATIN PUD(R)	5	0-5 MO.	.031333	.042300	.040000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL O-METHOXYBENZOATE FEMA 2717D	20	GELATIN PUD(R)	5	6-11 MO.	.200533	.607867	.256000
				12-23 MO.	.216200	.526400	.276000
				2-65+ YR.	.319600	.822500	.408000
METHYL O-METHOXYBENZOATE FEMA 2717D	23	BEV TYPE I(R)	5	0-5 MO.	.039840	.059760	.052800
				6-11 MO.	.376820	1.289820	.499400
				12-23 MO.	.899720	2.697500	1.192400
				2-65+ YR.	1.726400	4.609820	2.288000
METHYL O-METHOXYBENZOATE FEMA 2717D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.325000
METHYL O-METHOXYBENZOATE FEMA 2717D	99	ALL CATEGORIES	6	0-5 MO.	.165378	.302084	.214095
				6-11 MO.	1.326706	3.581722	1.724048
				12-23 MO.	2.603877	5.902785	3.383293
				2-65+ YR.	5.629265	11.391659	7.530335
METHYL N-METHYLANTHRANILA FEMA 2718D	01	BAKED GOODS(R)	11	0-5 MO.	.061164	.080952	.111641
				6-11 MO.	.456929	.931848	.834026
				12-23 MO.	.980419	1.615443	1.789544
				2-65+ YR.	2.468138	3.666228	4.505054
METHYL N-METHYLANTHRANILA FEMA 2718D	07	FROZN DAIRY(R)	10	0-5 MO.	.016341	.066999	.029002
				6-11 MO.	.155241	.431408	.275517
				12-23 MO.	.235313	.552333	.417626
				2-65+ YR.	.418335	1.008252	.742446
METHYL N-METHYLANTHRANILA FEMA 2718D	16	SOFT CANDY(R)	14	0-5 MO.	.003620	.036198	.006434
				6-11 MO.	.039818	.123073	.070769
				12-23 MO.	.063346	.168320	.112587
				2-65+ YR.	.104974	.318541	.186573
METHYL N-METHYLANTHRANILA FEMA 2718D	20	GELATIN PUD(R)	10	0-5 MO.	.034244	.046230	.060947
				6-11 MO.	.219163	.664337	.390060

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL N-METHYLANTHRANILA FEMA 2718D	20	GELATIN PUD(R)	10	12-23 MO.	.236285	.575302	.420534
				2-65+ YR.	.349290	.898909	.621659
METHYL N-METHYLANTHRANILA FEMA 2718D	23	BEV TYPE I(R)	17	0-5 MO.	.032389	.048583	.051749
				6-11 MO.	.306345	1.048590	.489458
				12-23 MO.	.731449	2.192998	1.168661
				2-65+ YR.	1.403518	3.747664	2.242449
METHYL N-METHYLANTHRANILA FEMA 2718D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000374	**********
				12-23 MO.	**********	.000748	**********
				2-65+ YR.	.121532	.353004	.253072
METHYL N-METHYLANTHRANILA FEMA 2718D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001475	.004425	.001475
				12-23 MO.	.004425	.013275	.004425
				2-65+ YR.	.008850	.025075	.008850
METHYL N-METHYLANTHRANILA FEMA 2718D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002546	.002546	.009154
				12-23 MO.	.002546	.007638	.009154
				2-65+ YR.	.005092	.010184	.018308
METHYL N-METHYLANTHRANILA FEMA 2718D	99	ALL CATEGORIES	28	0-5 MO.	.147758	.278962	.259772
				6-11 MO.	1.181517	3.206600	2.070459
				12-23 MO.	2.253783	5.126056	3.922531
				2-65+ YR.	4.879729	10.027857	8.578411
METHYL 2-METHYLBUTYRATE FEMA 2719D	01	BAKED GOODS(R)	5	0-5 MO.	.159794	.211492	.210728
				6-11 MO.	1.193755	2.434508	1.574259
				12-23 MO.	2.561403	4.220441	3.377838
				2-65+ YR.	6.448156	9.578238	8.503476
METHYL 2-METHYLBUTYRATE FEMA 2719D	07	FROZN DAIRY(R)	6	0-5 MO.	.035820	.146861	.051217
				6-11 MO.	.340287	.945641	.486566
				12-23 MO.	.515804	1.210707	.737531

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 2-METHYLBUTYRATE FEMA 2719D	07	FROZN DAIRY(R)	6	2-65+ YR.	.916985	2.210077	1.311167
METHYL 2-METHYLBUTYRATE FEMA 2719D	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	**********
				6-11 MO.	.414000	1.116000	**********
				12-23 MO.	.604000	1.038000	**********
				2-65+ YR.	1.568000	2.602000	**********
METHYL 2-METHYLBUTYRATE FEMA 2719D	16	SOFT CANDY(R)	7	0-5 MO.	.007277	.072767	.010226
				6-11 MO.	.080043	.247406	.112485
				12-23 MO.	.127341	.338364	.178953
				2-65+ YR.	.211023	.640346	.296551
METHYL 2-METHYLBUTYRATE FEMA 2719D	20	GELATIN PUD(R)	5	0-5 MO.	.060637	.081860	.074619
				6-11 MO.	.388075	1.176352	.477560
				12-23 MO.	.418393	1.018697	.514869
				2-65+ YR.	.618494	1.591714	.761111
METHYL 2-METHYLBUTYRATE FEMA 2719D	23	BEV TYPE I(R)	5	0-5 MO.	.059292	.088937	.069779
				6-11 MO.	.560799	1.919563	.659993
				12-23 MO.	1.339000	4.014531	1.575843
				2-65+ YR.	2.569300	6.860524	3.023757
METHYL 2-METHYLBUTYRATE FEMA 2719D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000389	**********
				12-23 MO.	**********	.000779	**********
				2-65+ YR.	.126550	.367579	.392100
METHYL 2-METHYLBUTYRATE FEMA 2719D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.021630	.021630	.021630
				12-23 MO.	.021630	.064890	.021630
				2-65+ YR.	.043260	.086520	.043260
METHYL 2-METHYLBUTYRATE FEMA 2719D	99	ALL CATEGORIES	8	0-5 MO.	.344819	.659916	.416569
				6-11 MO.	2.998589	7.861490	3.332492
				12-23 MO.	5.587572	11.906408	6.406665
				2-65+ YR.	12.501768	23.936997	14.331421

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	01	BAKED GOODS(R)	12	0-5 MO.	.012934	.017118	.023620
				6-11 MO.	.096622	.197047	.176455
				12-23 MO.	.207318	.341599	.378615
				2-65+ YR.	.521909	.775255	.953136
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	07	FROZN DAIRY(R)	11	0-5 MO.	.002679	.010986	.005614
				6-11 MO.	.025454	.070736	.053337
				12-23 MO.	.038583	.090564	.080847
				2-65+ YR.	.068592	.165319	.143728
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000875
				6-11 MO.	.002070	.005580	.016466
				12-23 MO.	.003020	.005190	.024023
				2-65+ YR.	.007840	.013010	.062364
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000080	.000220	.000800
				12-23 MO.	.000280	.000760	.002800
				2-65+ YR.	.000880	.002120	.008800
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	16	SOFT CANDY(R)	12	0-5 MO.	.000761	.007614	.001430
				6-11 MO.	.008375	.025887	.015727
				12-23 MO.	.013324	.035405	.025020
				2-65+ YR.	.022080	.067003	.041462
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	20	GELATIN PUD(R)	11	0-5 MO.	.004497	.006071	.013336
				6-11 MO.	.028779	.087237	.085348
				12-23 MO.	.031027	.075545	.092016
				2-65+ YR.	.045867	.118039	.136024
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	23	BEV TYPE I(R)	15	0-5 MO.	.003770	.005655	.008375
				6-11 MO.	.035657	.122050	.079217
				12-23 MO.	.085137	.255253	.189143
				2-65+ YR.	.163362	.436208	.362932
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000178	.000534	.000249
				12-23 MO.	.000534	.001602	.000747
				2-65+ YR.	.001068	.003026	.001494
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000247	.000247	.000314
				12-23 MO.	.000247	.000741	.000314
				2-65+ YR.	.000494	.000988	.000628
METHYL 3-METHYLTHIOPROPIO FEMA 2720D	99	ALL CATEGORIES	21	0-5 MO.	.024751	.047743	.053250
				6-11 MO.	.197462	.509548	.427913
				12-23 MO.	.379471	.806679	.793525
				2-65+ YR.	.835342	1.590408	1.726818
METHYL 4-METHYLVALERATE FEMA 2721D	01	BAKED GOODS(R)	*	0-5 MO.	.136000	.180000	.158100
				6-11 MO.	1.016000	2.072000	1.181100
				12-23 MO.	2.180000	3.592000	2.534250
				2-65+ YR.	5.488000	8.152000	6.379800
METHYL 4-METHYLVALERATE FEMA 2721D	07	FROZN DAIRY(R)	*	0-5 MO.	.060000	.246000	.065000
				6-11 MO.	.570000	1.584000	.617500
				12-23 MO.	.864000	2.028000	.936000
				2-65+ YR.	1.536000	3.702000	1.664000
METHYL 4-METHYLVALERATE FEMA 2721D	16	SOFT CANDY(R)	*	0-5 MO.	.008000	.080000	.009600
				6-11 MO.	.088000	.272000	.105600
				12-23 MO.	.140000	.372000	.168000
				2-65+ YR.	.232000	.704000	.278400
METHYL 4-METHYLVALERATE FEMA 2721D	20	GELATIN PUD(R)	*	0-5 MO.	.073000	.098550	.081000
				6-11 MO.	.467200	1.416200	.518400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL 4-METHYLVALERATE FEMA 2721D	20	GELATIN PUD(R)	*	12-23 MO.	.503700	1.226400	.558900
				2-65+ YR.	.744600	1.916250	.826200
METHYL 4-METHYLVALERATE FEMA 2721D	23	BEV TYPE I(R)	*	0-5 MO.	.060000	.090000	.072000
				6-11 MO.	.567500	1.942500	.681000
				12-23 MO.	1.355000	4.062500	1.626000
				2-65+ YR.	2.600000	6.942500	3.120000
METHYL 4-METHYLVALERATE FEMA 2721D	99	ALL CATEGORIES	*	0-5 MO.	.337000	.694550	.385700
				6-11 MO.	2.708700	7.286700	3.103600
				12-23 MO.	5.042700	11.280900	5.823150
				2-65+ YR.	10.600600	21.416750	12.268400
METHYL MYRISTATE FEMA 2722D	01	BAKED GOODS(R)	*	0-5 MO.	3.329071	4.406124	3.662071
				6-11 MO.	24.870122	50.719382	27.357828
				12-23 MO.	53.363057	87.926651	58.700851
				2-65+ YR.	134.337823	199.548458	147.775353
METHYL MYRISTATE FEMA 2722D	07	FROZN DAIRY(R)	*	0-5 MO.	.009000	.036900	.011000
				6-11 MO.	.085500	.237600	.104500
				12-23 MO.	.129600	.304200	.158400
				2-65+ YR.	.230400	.555300	.281600
METHYL MYRISTATE FEMA 2722D	16	SOFT CANDY(R)	*	0-5 MO.	.137109	1.371092	.195861
				6-11 MO.	1.508202	4.661714	2.154475
				12-23 MO.	2.399412	6.375580	3.427574
				2-65+ YR.	3.976168	12.065613	5.679979
METHYL MYRISTATE FEMA 2722D	20	GELATIN PUD(R)	*	0-5 MO.	.007200	.009720	.009200
				6-11 MO.	.046080	.139680	.058880
				12-23 MO.	.049680	.120960	.063480
				2-65+ YR.	.073440	.189000	.093840
METHYL MYRISTATE FEMA 2722D	23	BEV TYPE I(R)	*	0-5 MO.	.009720	.014580	.012120
				6-11 MO.	.091935	.314685	.114635
				12-23 MO.	.219510	.658125	.273710

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL MYRISTATE FEMA 2722D	23	BEV TYPE I(R)	*	2-65+ YR.	.421200	1.124685	.525200
METHYL MYRISTATE FEMA 2722D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006552	.019656	.006552
				12-23 MO.	.019656	.058968	.019656
				2-65+ YR.	.039312	.111384	.039312
METHYL MYRISTATE FEMA 2722D	99	ALL CATEGORIES	4	0-5 MO.	3.492101	5.838416	3.890253
				6-11 MO.	26.608391	56.092718	29.796870
				12-23 MO.	56.180914	95.444484	62.643670
				2-65+ YR.	139.078344	213.594440	154.395284
METHYL BE-NAPHTHYL KETONE FEMA 2723D	01	BAKED GOODS(R)	9	0-5 MO.	.001045	.001383	.002601
				6-11 MO.	.007804	.015915	.019431
				12-23 MO.	.016745	.027591	.041693
				2-65+ YR.	.042155	.062617	.104959
METHYL BE-NAPHTHYL KETONE FEMA 2723D	07	FROZN DAIRY(R)	8	0-5 MO.	.000306	.001254	.000973
				6-11 MO.	.002904	.008071	.009244
				12-23 MO.	.004403	.010334	.014013
				2-65+ YR.	.007827	.018864	.024911
METHYL BE-NAPHTHYL KETONE FEMA 2723D	16	SOFT CANDY(R)	10	0-5 MO.	.000080	.000804	.000196
				6-11 MO.	.000884	.002734	.002159
				12-23 MO.	.001407	.003739	.003434
				2-65+ YR.	.002332	.007076	.005691
METHYL BE-NAPHTHYL KETONE FEMA 2723D	20	GELATIN PUD(R)	8	0-5 MO.	.000584	.000789	.001494
				6-11 MO.	.003740	.011336	.009558
				12-23 MO.	.004032	.009817	.010305
				2-65+ YR.	.005960	.015338	.015234
METHYL BE-NAPHTHYL KETONE FEMA 2723D	23	BEV TYPE I(R)	10	0-5 MO.	.000860	.001291	.002256
				6-11 MO.	.008139	.027857	.021334
				12-23 MO.	.019432	.058260	.050939
				2-65+ YR.	.037287	.099562	.097742

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL BG-NAPHTHYL KETONE FEMA 2723D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.015977
METHYL BG-NAPHTHYL KETONE FEMA 2723D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004332	.012996	.004332
				12-23 MO.	.012996	.038988	.012996
				2-65+ YR.	.025992	.073644	.025992
METHYL BG-NAPHTHYL KETONE FEMA 2723D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.020493	.020493	.025340
				12-23 MO.	.020493	.061479	.025340
				2-65+ YR.	.040986	.081972	.050680
METHYL BG-NAPHTHYL KETONE FEMA 2723D	99	ALL CATEGORIES	18	0-5 MO.	.002876	.005520	.007519
				6-11 MO.	.048296	.099413	.091399
				12-23 MO.	.079508	.210228	.158720
				2-65+ YR.	.165788	.368514	.341187
METHYL NONANOATE FEMA 2724D	01	BAKED GOODS(R)	*	0-5 MO.	.042500	.056250	.057800
				6-11 MO.	.317500	.647500	.431800
				12-23 MO.	.681250	1.122500	.926500
				2-65+ YR.	1.715000	2.547500	2.332400
METHYL NONANOATE FEMA 2724D	07	FROZN DAIRY(R)	*	0-5 MO.	.008571	.035143	.013571
				6-11 MO.	.081429	.226286	.128929
				12-23 MO.	.123429	.289714	.195429
				2-65+ YR.	.219429	.528857	.347429
METHYL NONANOATE FEMA 2724D	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.002425
				6-11 MO.	.017600	.054400	.026675
				12-23 MO.	.028000	.074400	.042438
				2-65+ YR.	.046400	.140800	.070325
METHYL NONANOATE FEMA 2724D	20	GELATIN PUD(R)	*	0-5 MO.	.025800	.034830	.030520

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL NONANOATE FEMA 2724D	20	GELATIN PUD(R)	*	6-11 MO.	.165120	.500520	.195328
				12-23 MO.	.178020	.433440	.210588
				2-65+ YR.	.263160	.677250	.311304
METHYL NONANOATE FEMA 2724D	23	BEV TYPE I(R)	*	0-5 MO.	.020400	.030600	.027000
				6-11 MO.	.192950	.660450	.255375
				12-23 MO.	.460700	1.381250	.609750
				2-65+ YR.	.884000	2.360450	1.170000
METHYL NONANOATE FEMA 2724D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.162500
METHYL NONANOATE FEMA 2724D	59	ALL CATEGORIES	*	0-5 MO.	.098871	.172823	.131316
				6-11 MO.	.774599	2.089456	1.038107
				12-23 MO.	1.471399	3.301904	1.984704
				2-65+ YR.	3.225489	6.538057	4.393958
METHYL 2-NONENOATE FEMA 2725D	01	BAKED GOODS(R)	*	0-5 MO.	.083980	.111150	.139400
				6-11 MO.	.627380	1.279460	1.041400
				12-23 MO.	1.346150	2.218060	2.234500
				2-65+ YR.	3.388840	5.033860	5.625200
METHYL 2-NONENOATE FEMA 2725D	07	FROZN DAIRY(R)	*	0-5 MO.	.033000	.135300	.038000
				6-11 MO.	.313500	.871200	.361000
				12-23 MO.	.475200	1.115400	.547200
				2-65+ YR.	.844800	2.036100	.972800
METHYL 2-NONENOATE FEMA 2725D	16	SOFT CANDY(R)	4	0-5 MO.	.002747	.027467	.002747
				6-11 MO.	.030213	.093387	.030213
				12-23 MO.	.048067	.127720	.048067
				2-65+ YR.	.079653	.241707	.079653
METHYL 2-NONENOATE FEMA 2725D	20	GELATIN PUD(R)	*	0-5 MO.	.062500	.084375	.066300
				6-11 MO.	.400000	1.212500	.424320

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL 2-NONENOATE FEMA 27250	20	GELATIN PUD(R)	*	12-23 MO.	.431250	1.050000	.457470
				2-65+ YR.	.637500	1.640625	.676260
METHYL 2-NONENOATE FEMA 27250	23	BEV TYPE I(R)	*	0-5 MO.	.024160	.036240	.026560
				6-11 MO.	.228513	.782180	.251213
				12-23 MO.	.545613	1.635833	.599813
				2-65+ YR.	1.046933	2.795513	1.150933
METHYL 2-NONENOATE FEMA 27250	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000747	.002241	.000747
				12-23 MO.	.002241	.006723	.002241
				2-65+ YR.	.004482	.012699	.004482
METHYL 2-NONENOATE FEMA 27250	99	ALL CATEGORIES	7	0-5 MO.	.206387	.394532	.273007
				6-11 MO.	1.600354	4.240968	2.108894
				12-23 MO.	2.848521	6.153736	3.889291
				2-65+ YR.	6.002209	11.760504	8.509329
METHYL 2-NONYNOATE FEMA 27260	01	BAKED GOODS(R)	5	0-5 MO.	.008981	.011887	.016634
				6-11 MO.	.067095	.136832	.124265
				12-23 MO.	.143964	.237210	.266631
				2-65+ YR.	.362419	.538345	.671225
METHYL 2-NONYNOATE FEMA 27260	07	FROZN DAIRY(R)	5	0-5 MO.	.001436	.005888	.004177
				6-11 MO.	.013643	.037914	.039681
				12-23 MO.	.020681	.048542	.060148
				2-65+ YR.	.036766	.088611	.106929
METHYL 2-NONYNOATE FEMA 27260	16	SOFT CANDY(R)	7	0-5 MO.	.000279	.002795	.001027
				6-11 MO.	.003074	.009502	.011299
				12-23 MO.	.004891	.012995	.017975
				2-65+ YR.	.008105	.024593	.029787
METHYL 2-NONYNOATE FEMA 27260	20	GELATIN PUD(R)	9	0-5 MO.	.001871	.002525	.004137
				6-11 MO.	.011972	.036289	.026475
				12-23 MO.	.012907	.031425	.028543

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL 2-NONYNOATE FEMA 2726D	20	GELATIN PUD(R)	9	2-65+ YR.	.019080	.049102	.042194
METHYL 2-NONYNOATE FEMA 2726D	23	BEV TYPE I(R)	9	0-5 MO.	.002515	.003772	.005627
				6-11 MO.	.023785	.081412	.053219
				12-23 MO.	.056790	.170264	.127069
				2-65+ YR.	.108969	.290968	.243822
METHYL 2-NONYNOATE FEMA 2726D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
METHYL 2-NONYNOATE FEMA 2726D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000415	.001245	.000445
				12-23 MO.	.001245	.003735	.001335
				2-65+ YR.	.002490	.007055	.002670
METHYL 2-NONYNOATE FEMA 2726D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001886	.001886	.002982
				12-23 MO.	.001886	.005658	.002982
				2-65+ YR.	.003772	.007544	.005964
METHYL 2-NONYNOATE FEMA 2726D	99	ALL CATEGORIES	15	0-5 MO.	.015082	.026867	.031601
				6-11 MO.	.121870	.305090	.258365
				12-23 MO.	.242363	.509850	.504682
				2-65+ YR.	.544850	1.015658	1.135091
2-METHYLOCTANAL FEMA 2727D	01	BAKED GOODS(R)	*	0-5 MO.	.017340	.022950	.021080
				6-11 MO.	.129540	.264180	.157480
				12-23 MO.	.277950	.457980	.337900
				2-65+ YR.	.699720	1.039380	.850640
2-METHYLOCTANAL FEMA 2727D	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.012000
				6-11 MO.	.095000	.264000	.114000
				12-23 MO.	.144000	.338000	.172800
				2-65+ YR.	.256000	.617000	.307200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLOCTANAL FEMA 2727D	16	SOFT CANDY(R)	*	0-5 MO.	.001050	.010500	.001580
				6-11 MO.	.011550	.035700	.017380
				12-23 MO.	.018375	.048825	.027650
				2-65+ YR.	.030450	.092400	.045820
2-METHYLOCTANAL FEMA 2727D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.014300
				6-11 MO.	.076800	.232800	.091520
				12-23 MO.	.082800	.201600	.098670
				2-65+ YR.	.122400	.315000	.145860
2-METHYLOCTANAL FEMA 2727D	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.012000
				6-11 MO.	.068100	.233100	.113500
				12-23 MO.	.162600	.487500	.271000
				2-65+ YR.	.312000	.833100	.520000
2-METHYLOCTANAL FEMA 2727D	99	ALL CATEGORIES	*	0-5 MO.	.047590	.101450	.060960
				6-11 MO.	.380990	1.029780	.493880
				12-23 MO.	.685725	1.533905	.908020
				2-65+ YR.	1.420570	2.896880	1.869520
METHYL OCTANOATE FEMA 2728D	01	BAKED GOODS(R)	6	0-5 MO.	.083098	.109983	.116013
				6-11 MO.	.620794	1.266029	.866684
				12-23 MO.	1.332019	2.194776	1.859618
				2-65+ YR.	3.353266	4.981018	4.681460
METHYL OCTANOATE FEMA 2728D	07	FROZN DAIRY(R)	4	0-5 MO.	.012078	.049518	.020456
				6-11 MO.	.114737	.318849	.194332
				12-23 MO.	.173917	.408223	.294566
				2-65+ YR.	.309187	.745188	.523674
METHYL OCTANOATE FEMA 2728D	16	SOFT CANDY(R)	5	0-5 MO.	.003041	.030411	.005026
				6-11 MO.	.033452	.103397	.055288
				12-23 MO.	.053219	.141410	.087958
				2-65+ YR.	.088191	.267615	.145758
METHYL OCTANOATE FEMA 2728D	20	GELATIN PUD(R)	5	0-5 MO.	.036934	.049861	.042969

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL OCTANOATE FEMA 2728D	20	GELATIN PUD(R)	5	6-11 MO.	.236377	.716517	.275003
				12-23 MO.	.254844	.620489	.296488
				2-65+ YR.	.376725	.969513	.438286
METHYL OCTANOATE FEMA 2728D	23	BEV TYPE I(R)	5	0-5 MO.	.009502	.014253	.016666
				6-11 MO.	.089875	.307632	.157629
				12-23 MO.	.214590	.643375	.376365
				2-65+ YR.	.411760	1.099478	.722176
METHYL OCTANOATE FEMA 2728D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
METHYL OCTANOATE FEMA 2728D	99	ALL CATEGORIES	7	0-5 MO.	.144653	.254026	.201130
				6-11 MO.	1.095234	2.712433	1.548936
				12-23 MO.	2.028589	4.008293	2.914994
				2-65+ YR.	4.542379	8.072252	6.543854
METHYL 2-OCTYNOATE FEMA 2729D	01	BAKED GOODS(R)	13	0-5 MO.	.020945	.027722	.028548
				6-11 MO.	.156473	.319106	.213271
				12-23 MO.	.335739	.553199	.457610
				2-65+ YR.	.845199	1.255478	1.152002
METHYL 2-OCTYNOATE FEMA 2729D	07	FROZN DAIRY(R)	14	0-5 MO.	.005677	.023274	.007420
				6-11 MO.	.053928	.149864	.070489
				12-23 MO.	.081744	.191872	.106847
				2-65+ YR.	.145323	.350251	.189949
METHYL 2-OCTYNOATE FEMA 2729D	10	MEAT PRODS(R)	*	0-5 MO.	.000330	.000870	**********
				6-11 MO.	.006210	.016740	**********
				12-23 MO.	.009060	.015570	**********
				2-65+ YR.	.023520	.039030	**********
METHYL 2-OCTYNOATE FEMA 2729D	16	SOFT CANDY(R)	16	0-5 MO.	.000800	.007999	.001340
				6-11 MO.	.008799	.027196	.014744

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 2-OCTYNOATE FEMA 2729D	16	SOFT CANDY(R)	16	12-23 MO.	.013998	.037195	.023457
				2-65+ YR.	.023197	.070391	.038871
METHYL 2-OCTYNOATE FEMA 2729D	20	GELATIN PUD(R)	12	0-5 MO.	.009676	.013063	.012503
				6-11 MO.	.061927	.187717	.080017
				12-23 MO.	.066765	.162559	.086268
				2-65+ YR.	.098697	.253999	.127527
METHYL 2-OCTYNOATE FEMA 2729D	23	BEV TYPE I(R)	19	0-5 MO.	.008448	.012672	.012064
				6-11 MO.	.079903	.273500	.114109
				12-23 MO.	.190781	.571991	.272454
				2-65+ YR.	.366074	.977488	.522790
METHYL 2-OCTYNOATE FEMA 2729D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000009	**********
				12-23 MO.	**********	.000018	**********
				2-65+ YR.	.002925	.008496	.010725
METHYL 2-OCTYNOATE FEMA 2729D	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000025	.000075	.000066
				12-23 MO.	.000075	.000225	.000198
				2-65+ YR.	.000150	.000425	.000396
METHYL 2-OCTYNOATE FEMA 2729D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.000197	.000197	.003202
				12-23 MO.	.000197	.000591	.003202
				2-65+ YR.	.000394	.000788	.006404
METHYL 2-OCTYNOATE FEMA 2729D	99	ALL CATEGORIES	34	0-5 MO.	.045876	.085599	.061875
				6-11 MO.	.367462	.974404	.495898
				12-23 MO.	.698359	1.533220	.950035
				2-65+ YR.	1.505479	2.956346	2.048664
4-METHYL-2,3-PENTANEDIONE FEMA 2730D	01	BAKED GOODS(R)	6	0-5 MO.	.070335	.093090	.091023
				6-11 MO.	.525441	1.071569	.679994
				12-23 MO.	1.127423	1.857663	1.459043

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-METHYL-2,3-PENTANEDIONE FEMA 2730D	01	BAKED GOODS(R)	6	2-65+ YR.	2.838211	4.215943	3.673040
4-METHYL-2,3-PENTANEDIONE FEMA 2730D	07	FROZN DAIRY(R)	4	0-5 MO.	.017446	.071528	.023671
				6-11 MO.	.165735	.460570	.224873
				12-23 MO.	.251220	.589669	.340860
				2-65+ YR.	.446613	1.076408	.605973
4-METHYL-2,3-PENTANEDIONE FEMA 2730D	16	SOFT CANDY(R)	5	0-5 MO.	.003532	.035321	.004524
				6-11 MO.	.038854	.120093	.049759
				12-23 MO.	.061812	.164245	.079162
				2-65+ YR.	.102432	.310829	.131184
4-METHYL-2,3-PENTANEDIONE FEMA 2730D	20	GELATIN PUD(R)	5	0-5 MO.	.037979	.051271	.049464
				6-11 MO.	.243063	.736784	.316571
				12-23 MO.	.262052	.638040	.341304
				2-65+ YR.	.387381	.996938	.504536
4-METHYL-2,3-PENTANEDIONE FEMA 2730D	23	BEV TYPE I(R)	*	0-5 MO.	.053455	.080182	.064756
				6-11 MO.	.505591	1.730591	.612487
				12-23 MO.	1.207182	3.619318	1.462415
				2-65+ YR.	2.316364	6.185136	2.806109
4-METHYL-2,3-PENTANEDIONE FEMA 2730D	99	ALL CATEGORIES	6	0-5 MO.	.182746	.331392	.233438
				6-11 MO.	1.478684	4.119607	1.883685
				12-23 MO.	2.909690	6.868935	3.682783
				2-65+ YR.	6.091001	12.785253	7.720842
4-METHYL-2-PENTANONE FEMA 2731D	01	BAKED GOODS(R)	4	0-5 MO.	.037060	.049050	.072930
				6-11 MO.	.276860	.564620	.544830
				12-23 MO.	.594050	.978820	1.169025
				2-65+ YR.	1.495480	2.221420	2.942940
4-METHYL-2-PENTANONE FEMA 2731D	07	FROZN DAIRY(R)	*	0-5 MO.	.011500	.047150	.025000
				6-11 MO.	.109250	.303600	.237500
				12-23 MO.	.165600	.388700	.360000
				2-65+ YR.	.294400	.709550	.640000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-METHYL-2-PENTANONE							
FEMA 2731D	10	MEAT PRODS(R)	*	0-5 MO.	.002860	.007540	**********
				6-11 MO.	.053820	.145080	**********
				12-23 MO.	.078520	.134940	**********
				2-65+ YR.	.203840	.338260	**********
4-METHYL-2-PENTANONE							
FEMA 2731D	16	SOFT CANDY(R)	*	0-5 MO.	.002451	.024514	.002754
				6-11 MO.	.026966	.083349	.030297
				12-23 MO.	.042900	.113991	.048200
				2-65+ YR.	.071091	.215726	.079874
4-METHYL-2-PENTANONE							
FEMA 2731D	20	GELATIN PUD(R)	*	0-5 MO.	.021743	.029353	.024171
				6-11 MO.	.139154	.421811	.154697
				12-23 MO.	.150026	.365280	.166783
				2-65+ YR.	.221777	.570750	.246549
4-METHYL-2-PENTANONE							
FEMA 2731D	23	BEV TYPE 3(R)	*	0-5 MO.	.024480	.036720	.060000
				6-11 MO.	.231540	.792540	.567500
				12-23 MO.	.552840	1.657500	1.355000
				2-65+ YR.	1.060800	2.832540	2.600000
4-METHYL-2-PENTANONE							
FEMA 2731D	99	ALL CATEGORIES	4	0-5 MO.	.100094	.194327	.184856
				6-11 MO.	.837590	2.311000	1.534824
				12-23 MO.	1.583936	3.639231	3.099008
				2-65+ YR.	3.347389	6.888246	6.509363
B&-METHYLPHENETHYL ALCOHO							
FEMA 2732D	01	BAKED GOODS(R)	*	0-5 MO.	.059589	.078868	.068537
				6-11 MO.	.445168	.907863	.512011
				12-23 MO.	.955184	1.573863	1.098605
				2-65+ YR.	2.404611	3.571863	2.765663
B&-METHYLPHENETHYL ALCOHO							
FEMA 2732D	07	FROZN DAIRY(R)	*	0-5 MO.	.016000	.065600	.019000
				6-11 MO.	.152000	.422400	.180500
				12-23 MO.	.230400	.540800	.273600
				2-65+ YR.	.409600	.987200	.486400
B&-METHYLPHENETHYL ALCOHO							
FEMA 2732D	16	SOFT CANDY(R)	*	0-5 MO.	.002271	.022711	.003147

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
B&-METHYLPHENETHYL ALCOHO FEMA 27320	16	SOFT CANDY(R)	*	6-11 MO.	.024982	.077216	.034621
				12-23 MO.	.039743	.105604	.055079
				2-65+ YR.	.065861	.199853	.091274
B&-METHYLPHENETHYL ALCOHO FEMA 27320	20	GELATIN PUD(R)	*	0-5 MO.	.027868	.037622	.031421
				6-11 MO.	.178358	.540647	.201095
				12-23 MO.	.192292	.468189	.216805
				2-65+ YR.	.284258	.731546	.320495
B&-METHYLPHENETHYL ALCOHO FEMA 27320	23	BEV TYPE I(R)	*	0-5 MO.	.033600	.050400	.040800
				6-11 MO.	.317800	1.087800	.385900
				12-23 MO.	.758800	2.275000	.921400
				2-65+ YR.	1.456000	3.887800	1.768000
B&-METHYLPHENETHYL ALCOHO FEMA 27320	99	ALL CATEGORIES	*	0-5 MO.	.139329	.255201	.162905
				6-11 MO.	1.118308	3.035926	1.314126
				12-23 MO.	2.176420	4.963457	2.565489
				2-65+ YR.	4.620329	9.378262	5.431832
METHYL PHENYLACETATE FEMA 27330	01	BAKED GOODS(R)	13	0-5 MO.	.154954	.205086	.190755
				6-11 MO.	1.157594	2.360762	1.425052
				12-23 MO.	2.483814	4.092596	3.057691
				2-65+ YR.	6.252830	9.288096	7.697527
METHYL PHENYLACETATE FEMA 27330	07	FROZN DAIRY(R)	6	0-5 MO.	.043362	.177784	.049637
				6-11 MO.	.411939	1.144758	.471552
				12-23 MO.	.624413	1.465637	.714773
				2-65+ YR.	1.110068	2.675438	1.270708
METHYL PHENYLACETATE FEMA 27330	16	SOFT CANDY(R)	11	0-5 MO.	.007675	.076745	.009117
				6-11 MO.	.084420	.260933	.100292
				12-23 MO.	.134304	.356865	.159556
				2-65+ YR.	.222561	.675357	.264407
METHYL PHENYLACETATE FEMA 27330	19	SWEET SAUCE(R)	*	0-5 MO.	.000300	.000400	.003000
				6-11 MO.	.000900	.003100	.009000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL PHENYLACETATE FEMA 2733D	19	SWEET SAUCE(R)	*	12-23 MO.	.002600	.007600	.026000
				2-65+ YR.	.006800	.017900	.068000
METHYL PHENYLACETATE FEMA 2733D	20	GELATIN PUD(R)	6	0-5 MO.	.044285	.059785	.051567
				6-11 MO.	.283425	.859133	.330027
				12-23 MO.	.305568	.743991	.355810
				2-65+ YR.	.451709	1.162486	.525980
METHYL PHENYLACETATE FEMA 2733D	23	BEV TYPE I(R)	8	0-5 MO.	.106943	.160414	.119356
				6-11 MO.	1.011500	3.462272	1.128907
				12-23 MO.	2.415124	7.240916	2.695452
				2-65+ YR.	4.634186	12.374168	5.172084
METHYL PHENYLACETATE FEMA 2733D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000107	**********
				12-23 MO.	**********	.000213	**********
				2-65+ YR.	.034667	.100693	.056333
METHYL PHENYLACETATE FEMA 2733D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001114	.003342	.001114
				12-23 MO.	.003342	.010026	.003342
				2-65+ YR.	.006684	.018938	.006684
METHYL PHENYLACETATE FEMA 2733D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000563	.000563	.000835
				12-23 MO.	.000563	.001689	.000835
				2-65+ YR.	.001126	.002252	.001670
METHYL PHENYLACETATE FEMA 2733D	99	ALL CATEGORIES	17	0-5 MO.	.357518	.680214	.423432
				6-11 MO.	2.951455	8.094969	3.466779
				12-23 MO.	5.969728	13.919532	7.013459
				2-65+ YR.	12.720630	26.315328	15.063394
3-METHYL-4-PHENYL-3-BUTEN FEMA 2734D	01	BAKED GOODS(R)	*	0-5 MO.	.043633	.057750	.048393
				6-11 MO.	.325967	.664767	.361527
				12-23 MO.	.699417	1.152433	.775717

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-METHYL-4-PHENYL-3-BUTEN FEMA 2734D	01	BAKED GOODS(R)	*	2-65+ YR.	1.760733	2.615433	1.952813
3-METHYL-4-PHENYL-3-BUTEN FEMA 2734D	07	FROZN DAIRY(R)	*	0-5 MO.	.012650	.051865	.015800
				6-11 MO.	.120175	.333960	.150100
				12-23 MO.	.182160	.427570	.227520
				2-65+ YR.	.323840	.780505	.404480
3-METHYL-4-PHENYL-3-BUTEN FEMA 2734D	16	SOFT CANDY(R)	*	0-5 MO.	.002380	.023800	.002627
				6-11 MO.	.026180	.080920	.028893
				12-23 MO.	.041650	.110670	.045967
				2-65+ YR.	.069020	.209440	.076173
3-METHYL-4-PHENYL-3-BUTEN FEMA 2734D	20	GELATIN PUD(R)	*	0-5 MO.	.033100	.044685	.038200
				6-11 MO.	.211840	.642140	.244480
				12-23 MO.	.228390	.556080	.263580
				2-65+ YR.	.337620	.868875	.389640
3-METHYL-4-PHENYL-3-BUTEN FEMA 2734D	23	BEV TYPE I(R)	*	0-5 MO.	.018300	.027450	.024600
				6-11 MO.	.173088	.592463	.232675
				12-23 MO.	.413275	1.239063	.555550
				2-65+ YR.	.793000	2.117463	1.066000
3-METHYL-4-PHENYL-3-BUTEN FEMA 2734D	99	ALL CATEGORIES	*	0-5 MO.	.110063	.205550	.129620
				6-11 MO.	.857249	2.314249	1.017675
				12-23 MO.	1.564892	3.485816	1.868333
				2-65+ YR.	3.284213	6.591716	3.889107
2-METHYL-4-PHENYL-2-BUTYL FEMA 2736D	01	BAKED GOODS(R)	*	0-5 MO.	.346800	.459000	.367200
				6-11 MO.	2.590800	5.283600	2.743200
				12-23 MO.	5.559000	9.159600	5.886000
				2-65+ YR.	13.994400	20.787600	14.817600
2-METHYL-4-PHENYL-2-BUTYL FEMA 2736D	07	FROZN DAIRY(R)	*	0-5 MO.	.015000	.061500	.020000
				6-11 MO.	.142500	.396000	.190000
				12-23 MO.	.216000	.507000	.288000
				2-65+ YR.	.384000	.925500	.512000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYL-4-PHENYL-2-BUTYL FEMA 2736D	16	SOFT CANDY(R)	*	0-5 MO.	.018600	.186000	.019000
				6-11 MO.	.204600	.632400	.209000
				12-23 MO.	.325500	.864900	.332500
				2-65+ YR.	.539400	1.636800	.551000
2-METHYL-4-PHENYL-2-BUTYL FEMA 2736D	20	GELATIN PUD(R)	*	0-5 MO.	.170000	.229500	.186000
				6-11 MO.	1.088000	3.298000	1.190400
				12-23 MO.	1.173000	2.856000	1.283400
				2-65+ YR.	1.734000	4.462500	1.897200
2-METHYL-4-PHENYL-2-BUTYL FEMA 2736D	23	BEV TYPE I(R)	*	0-5 MO.	.052800	.079200	.062400
				6-11 MO.	.499400	1.709400	.590200
				12-23 MO.	1.192400	3.575000	1.409200
				2-65+ YR.	2.288000	6.109400	2.704000
2-METHYL-4-PHENYL-2-BUTYL FEMA 2736D	99	ALL CATEGORIES	*	0-5 MO.	.603200	1.015200	.654600
				6-11 MO.	4.525300	11.319400	4.922800
				12-23 MO.	8.465900	16.962500	9.199100
				2-65+ YR.	18.939800	33.921800	20.481800
3-METHYL-2-PHENYLBUTYRALD FEMA 2738D	01	BAKED GOODS(R)	*	0-5 MO.	.023800	.031500	.034000
				6-11 MO.	.177800	.362600	.254000
				12-23 MO.	.381500	.628600	.545000
				2-65+ YR.	.960400	1.426600	1.372000
3-METHYL-2-PHENYLBUTYRALD FEMA 2738D	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.010000
				6-11 MO.	.076000	.211200	.095000
				12-23 MO.	.115200	.270400	.144000
				2-65+ YR.	.204800	.493600	.256000
3-METHYL-2-PHENYLBUTYRALD FEMA 2738D	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.002400
				6-11 MO.	.022000	.068000	.026400
				12-23 MO.	.035000	.093000	.042000
				2-65+ YR.	.058000	.176000	.069600
3-METHYL-2-PHENYLBUTYRALD FEMA 2738D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.016000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-METHYL-2-PHENYLBUTYRALD FEMA 2738D	20	GELATIN PUD(R)	*	6-11 MO.	.076800	.232800	.102400
				12-23 MO.	.082800	.201600	.110400
				2-65+ YR.	.122400	.315000	.163200
3-METHYL-2-PHENYLBUTYRALD FEMA 2738D	23	BEV TYPE I(R)	*	0-5 MO.	.014400	.021600	.019200
				6-11 MO.	.136200	.466200	.181600
				12-23 MO.	.325200	.975000	.433600
				2-65+ YR.	.624000	1.666200	.832000
3-METHYL-2-PHENYLBUTYRALD FEMA 2738D	99	ALL CATEGORIES	*	0-5 MO.	.060200	.122100	.081600
				6-11 MO.	.488800	1.340800	.659400
				12-23 MO.	.939700	2.168600	1.275000
				2-65+ YR.	1.969600	4.077400	2.692800
METHYL 4-PHENYLBUTYRATE FEMA 2739D	01	BAKED GOODS(R)	*	0-5 MO.	.040800	.054000	.047600
				6-11 MO.	.304800	.621600	.355600
				12-23 MO.	.654000	1.077600	.763000
				2-65+ YR.	1.646400	2.445600	1.920800
METHYL 4-PHENYLBUTYRATE FEMA 2739D	07	FROZN DAIRY(R)	*	0-5 MO.	.009000	.036900	.013000
				6-11 MO.	.085500	.237600	.123500
				12-23 MO.	.129600	.304200	.187200
				2-65+ YR.	.230400	.555300	.332800
METHYL 4-PHENYLBUTYRATE FEMA 2739D	16	SOFT CANDY(R)	*	0-5 MO.	.002600	.026000	.003000
				6-11 MO.	.028600	.088400	.033000
				12-23 MO.	.045500	.120900	.052500
				2-65+ YR.	.075400	.228800	.087000
METHYL 4-PHENYLBUTYRATE FEMA 2739D	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.018000
				6-11 MO.	.089600	.271600	.115200
				12-23 MO.	.096600	.235200	.124200
				2-65+ YR.	.142800	.367500	.183600
METHYL 4-PHENYLBUTYRATE FEMA 2739D	23	BEV TYPE I(R)	*	0-5 MO.	.019200	.028800	.021600
				6-11 MO.	.181600	.621600	.204300

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 4-PHENYLBUTYRATE FEMA 2739D	23	BEV TYPE I(R)	*	12-23 MO.	.433600	1.300000	.487800
				2-65+ YR.	.832000	2.221600	.936000
METHYL 4-PHENYLBUTYRATE FEMA 2739D	99	ALL CATEGORIES	*	0-5 MO.	.085600	.166600	.103200
				6-11 MO.	.690100	1.840800	.831600
				12-23 MO.	1.359300	3.037900	1.614700
				2-65+ YR.	2.927000	5.818800	3.460200
4-METHYL-1-PHENYLPENTANON FEMA 2740D	01	BAKED GOODS(R)	*	0-5 MO.	.022950	.030375	.034000
				6-11 MO.	.171450	.349650	.254000
				12-23 MO.	.367875	.606150	.545000
				2-65+ YR.	.926100	1.375650	1.372000
4-METHYL-1-PHENYLPENTANON FEMA 2740D	07	FROZN DAIRY(R)	*	0-5 MO.	.006750	.027675	.010000
				6-11 MO.	.064125	.178200	.095000
				12-23 MO.	.097200	.228150	.144000
				2-65+ YR.	.172800	.416475	.256000
4-METHYL-1-PHENYLPENTANON FEMA 2740D	16	SOFT CANDY(R)	*	0-5 MO.	.001225	.012250	.001850
				6-11 MO.	.013475	.041650	.020350
				12-23 MO.	.021438	.056963	.032375
				2-65+ YR.	.035525	.107800	.053650
4-METHYL-1-PHENYLPENTANON FEMA 2740D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
4-METHYL-1-PHENYLPENTANON FEMA 2740D	23	BEV TYPE I(R)	*	0-5 MO.	.000240	.000360	.002400
				6-11 MO.	.002270	.007770	.022700
				12-23 MO.	.005420	.016250	.054200
				2-65+ YR.	.010400	.027770	.104000
4-METHYL-1-PHENYLPENTANON FEMA 2740D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-METHYL-1-PHENYLPENTANON FEMA 2740D	24	BEV TYPE II(R)	*	2-65+ YR.	.016250	.047200	.162500
4-METHYL-1-PHENYLPENTANON FEMA 2740D	99	ALL CATEGORIES	*	0-5 MO.	.047165	.092260	.068250
				6-11 MO.	.353720	.887720	.520050
				12-23 MO.	.602333	1.176413	.913575
				2-65+ YR.	1.324275	2.394895	2.152150
METHYL 3-PHENYLPROPIONATE FEMA 2741D	01	BAKED GOODS(R)	*	0-5 MO.	.027916	.036947	.040621
				6-11 MO.	.208547	.425305	.303463
				12-23 MO.	.447474	.737305	.651132
				2-65+ YR.	1.126484	1.673305	1.639179
METHYL 3-PHENYLPROPIONATE FEMA 2741D	07	FROZN DAIRY(R)	*	0-5 MO.	.010816	.044345	.012816
				6-11 MO.	.102750	.285537	.121750
				12-23 MO.	.155747	.365574	.184547
				2-65+ YR.	.276884	.667334	.328084
METHYL 3-PHENYLPROPIONATE FEMA 2741D	16	SOFT CANDY(R)	*	0-5 MO.	.001560	.015600	.002084
				6-11 MO.	.017160	.053040	.022920
				12-23 MO.	.027300	.072540	.036464
				2-65+ YR.	.045240	.137280	.060425
METHYL 3-PHENYLPROPIONATE FEMA 2741D	20	GELATIN PUD(R)	*	0-5 MO.	.015895	.021458	.019895
				6-11 MO.	.101726	.308358	.127326
				12-23 MO.	.109674	.267032	.137274
				2-65+ YR.	.162126	.417237	.202926
METHYL 3-PHENYLPROPIONATE FEMA 2741D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.007200
				6-11 MO.	.022700	.077700	.068100
				12-23 MO.	.054200	.162500	.162600
				2-65+ YR.	.104000	.277700	.312000
METHYL 3-PHENYLPROPIONATE FEMA 2741D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 3-PHENYLPROPIONATE							
FEMA 2741D	59	ALL CATEGORIES	*	0-5 MO.	.058586	.121950	.082615
				6-11 MO.	.452884	1.150040	.643559
				12-23 MO.	.794395	1.605150	1.172016
				2-65+ YR.	1.747235	3.267256	2.640115
METHYL PROPIONATE							
FEMA 2742D	01	BAKED GOODS(R)	5	0-5 MO.	.157125	.207960	.186865
				6-11 MO.	1.173816	2.393846	1.395992
				12-23 MO.	2.518621	4.149949	2.995337
				2-65+ YR.	6.340456	9.418257	7.540555
METHYL PROPIONATE							
FEMA 2742D	07	FROZN DAIRY(R)	*	0-5 MO.	.023157	.094944	.034628
				6-11 MO.	.219992	.611345	.328967
				12-23 MO.	.333461	.782707	.498645
				2-65+ YR.	.592820	1.428768	.886479
METHYL PROPIONATE							
FEMA 2742D	16	SOFT CANDY(R)	*	0-5 MO.	.006893	.068926	.009570
				6-11 MO.	.075818	.234347	.105273
				12-23 MO.	.120620	.320504	.167479
				2-65+ YR.	.199884	.606545	.277537
METHYL PROPIONATE							
FEMA 2742D	20	GELATIN PUD(R)	*	0-5 MO.	.056314	.076024	.064298
				6-11 MO.	.360410	1.092493	.411504
				12-23 MO.	.388567	.946076	.443653
				2-65+ YR.	.574403	1.478244	.655835
METHYL PROPIONATE							
FEMA 2742D	23	BEV TYPE I(R)	*	0-5 MO.	.033759	.050638	.041157
				6-11 MO.	.319301	1.092937	.389277
				12-23 MO.	.762383	2.285744	.929463
				2-65+ YR.	1.462876	3.906160	1.783471
METHYL PROPIONATE							
FEMA 2742D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
METHYL PROPIONATE							
FEMA 2742D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL PROPIONATE FEMA 2742D	31	CHEWING GUM(R)	*	6-11 MO.	.011250	.011250	.011250
				12-23 MO.	.011250	.033750	.011250
				2-65+ YR.	.022500	.045000	.022500
METHYL PROPIONATE FEMA 2742D	99	ALL CATEGORIES	6	0-5 MO.	.277247	.498491	.336518
				6-11 MO.	2.160587	5.436718	2.642263
				12-23 MO.	4.134903	8.519730	5.045827
				2-65+ YR.	9.355439	17.354995	11.491378
VIOLET ALPINE FEMA 2743D	01	BAKED GOODS(R)	7	0-5 MO.	.035293	.046711	.041969
				6-11 MO.	.263657	.537695	.313531
				12-23 MO.	.565721	.932143	.672734
				2-65+ YR.	1.424165	2.115486	1.693563
VIOLET ALPINE FEMA 2743D	07	FROZN DAIRY(R)	5	0-5 MO.	.011029	.045219	.013472
				6-11 MO.	.104776	.291167	.127986
				12-23 MO.	.158819	.372783	.194000
				2-65+ YR.	.282344	.680494	.344889
VIOLET ALPINE FEMA 2743D	16	SOFT CANDY(R)	9	0-5 MO.	.001996	.019959	.002774
				6-11 MO.	.021955	.067862	.030514
				12-23 MO.	.034929	.092811	.048544
				2-65+ YR.	.057882	.175643	.080445
VIOLET ALPINE FEMA 2743D	20	GELATIN PUD(R)	4	0-5 MO.	.017537	.023675	.022062
				6-11 MO.	.112237	.340219	.141195
				12-23 MO.	.121006	.294622	.152226
				2-65+ YR.	.178878	.460347	.225030
VIOLET ALPINE FEMA 2743D	23	BEV TYPE I(R)	8	0-5 MO.	.002118	.003177	.003860
				6-11 MO.	.020033	.068570	.036509
				12-23 MO.	.047832	.143406	.087172
				2-65+ YR.	.091780	.245070	.167267
VIOLET ALPINE FEMA 2743D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000591	.001773	.000703

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VIOLET ALPINE FEMA 2743D	30	HARD CANDY(R)	*	12-23 MO.	.001773	.005319	.002109
				2-65+ YR.	.003546	.010047	.004218
VIOLET ALPINE FEMA 2743D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000497	.000497	.000497
				12-23 MO.	.000497	.001491	.000497
				2-65+ YR.	.000994	.001988	.000994
VIOLET ALPINE FEMA 2743D	99	ALL CATEGORIES	12	0-5 MO.	.067973	.138742	.084137
				6-11 MO.	.523747	1.307783	.650935
				12-23 MO.	.930576	1.842575	1.157282
				2-65+ YR.	2.039589	3.689076	2.516404
6-METHYLQUINOLINE FEMA 2744D	01	BAKED GOODS(R)	4	0-5 MO.	.004250	.005625	.013600
				6-11 MO.	.031750	.064750	.101600
				12-23 MO.	.068125	.112250	.218000
				2-65+ YR.	.171500	.254750	.548800
6-METHYLQUINOLINE FEMA 2744D	07	FROZN DAIRY(R)	5	0-5 MO.	.001100	.004510	.003583
				6-11 MO.	.010450	.029040	.034042
				12-23 MO.	.015840	.037180	.051600
				2-65+ YR.	.028160	.067870	.091733
6-METHYLQUINOLINE FEMA 2744D	16	SOFT CANDY(R)	5	0-5 MO.	.000284	.002838	.000943
				6-11 MO.	.003121	.009648	.010371
				12-23 MO.	.004966	.013194	.016500
				2-65+ YR.	.008229	.024970	.027343
6-METHYLQUINOLINE FEMA 2744D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008667
				6-11 MO.	.025600	.077600	.055467
				12-23 MO.	.027600	.067200	.059800
				2-65+ YR.	.040800	.105000	.088400
6-METHYLQUINOLINE FEMA 2744D	23	BEV TYPE I(R)	4	0-5 MO.	.002760	.004140	.007416
				6-11 MO.	.026105	.089355	.070143
				12-23 MO.	.062330	.186875	.167478

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
6-METHYLQUINOLINE FEMA 2744D	23	BEV TYPE I(R)	4	2-65+ YR.	.119600	.319355	.321360
6-METHYLQUINOLINE FEMA 2744D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000003	.000003	.000003
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000012	.000006
6-METHYLQUINOLINE FEMA 2744D	99	ALL CATEGORIES	6	0-5 MO.	.012394	.022513	.034209
				6-11 MO.	.097029	.270396	.271626
				12-23 MO.	.178864	.416708	.513381
				2-65+ YR.	.368295	.771957	1.077642
DIMETHYL SULFIDE FEMA 2746D	01	BAKED GOODS(R)	10	0-5 MO.	.014745	.019515	.019302
				6-11 MO.	.110154	.224645	.144196
				12-23 MO.	.236354	.389442	.309397
				2-65+ YR.	.595006	.883835	.778885
DIMETHYL SULFIDE FEMA 2746D	04	FATS OILS(R)	*	0-5 MO.	.000010	.000010	.000020
				6-11 MO.	.000056	.000150	.000112
				12-23 MO.	.000126	.000240	.000252
				2-65+ YR.	.000350	.000632	.000700
DIMETHYL SULFIDE FEMA 2746D	07	FROZN DAIRY(R)	8	0-5 MO.	.000739	.003032	.001829
				6-11 MO.	.007025	.019522	.017376
				12-23 MO.	.010648	.024994	.026339
				2-65+ YR.	.018931	.045626	.046824
DIMETHYL SULFIDE FEMA 2746D	10	MEAT PRODS(R)	*	0-5 MO.	.004412	.011631	.048657
				6-11 MO.	.083019	.223790	.915637
				12-23 MO.	.121119	.208149	1.335856
				2-65+ YR.	.314429	.521776	3.467918
DIMETHYL SULFIDE FEMA 2746D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000177	**********
				6-11 MO.	.001419	.003902	.001419
				12-23 MO.	.004967	.013481	.004967
				2-65+ YR.	.015610	.037605	.015610

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIMETHYL SULFIDE FEMA 2746D	16	SOFT CANDY(R)	10	0-5 MO.	.000232	.002320	.000488
				6-11 MO.	.002552	.007889	.005367
				12-23 MO.	.004061	.010790	.008539
				2-65+ YR.	.006729	.020419	.014150
DIMETHYL SULFIDE FEMA 2746D	20	GELATIN PUD(R)	9	0-5 MO.	.001083	.001463	.002593
				6-11 MO.	.006934	.021019	.016592
				12-23 MO.	.007476	.018202	.017888
				2-65+ YR.	.011051	.028440	.026444
DIMETHYL SULFIDE FEMA 2746D	23	BEV TYPE I(R)	12	0-5 MO.	.001764	.002646	.004000
				6-11 MO.	.016682	.057101	.037836
				12-23 MO.	.039831	.119420	.090340
				2-65+ YR.	.076429	.204079	.173346
DIMETHYL SULFIDE FEMA 2746D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000044	**********
				12-23 MO.	**********	.000089	**********
				2-65+ YR.	.014401	.041829	.058556
DIMETHYL SULFIDE FEMA 2746D	27	GRAVIES(R)	*	0-5 MO.	.000052	.000156	.000105
				6-11 MO.	.000728	.002028	.001470
				12-23 MO.	.001872	.005304	.003780
				2-65+ YR.	.004316	.011076	.008715
DIMETHYL SULFIDE FEMA 2746D	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000028	.000046	.000168
				12-23 MO.	.000016	.000068	.000096
				2-65+ YR.	.000018	.000030	.000108
DIMETHYL SULFIDE FEMA 2746D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000003	.000009	.000003
				12-23 MO.	.000009	.000027	.000009
				2-65+ YR.	.000018	.000051	.000018
DIMETHYL SULFIDE FEMA 2746D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DIMETHYL SULFIDE FEMA 2746D	31	CHEWING GUM(R)	*	6-11 MO.	.001283	.001283	.001283
				12-23 MO.	.001283	.003849	.001283
				2-65+ YR.	.002566	.005132	.002566
DIMETHYL SULFIDE FEMA 2746D	99	ALL CATEGORIES	21	0-5 MO.	.023037	.040950	.076994
				6-11 MO.	.229884	.561429	1.141459
				12-23 MO.	.427762	.794054	1.798745
				2-65+ YR.	1.059653	1.800530	4.593840
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	01	BAKED GOODS(R)	10	0-5 MO.	.008323	.011016	.015511
				6-11 MO.	.062178	.126805	.115873
				12-23 MO.	.133414	.219827	.248626
				2-65+ YR.	.335861	.498896	.625899
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	04	FATS OILS(R)	*	0-5 MO.	.000030	.000030	.000050
				6-11 MO.	.000168	.000450	.000280
				12-23 MO.	.000378	.000720	.000630
				2-65+ YR.	.001050	.001896	.001750
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	05	MILK PRODS(R)	*	0-5 MO.	.001966	.001456	.003931
				6-11 MO.	.022714	.109236	.045427
				12-23 MO.	.019838	.063482	.039676
				2-65+ YR.	.014378	.043898	.028756
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	07	FROZN DAIRY(R)	5	0-5 MO.	.002947	.012082	.005803
				6-11 MO.	.027995	.077796	.055129
				12-23 MO.	.042434	.099602	.083564
				2-65+ YR.	.075439	.181819	.148558
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	10	MEAT PRODS(R)	8	0-5 MO.	.003726	.009822	.007118
				6-11 MO.	.070109	.188989	.133947
				12-23 MO.	.102284	.175780	.195420
				2-65+ YR.	.265532	.440635	.507317
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000244	**********
				6-11 MO.	.001956	.005378	.002655

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	15	CONDM RELSH(R)	*	12-23 MO.	.006844	.018578	.009291
				2-65+ YR.	.021511	.051822	.029200
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	16	SOFT CANDY(R)	7	0-5 MO.	.000464	.004636	.000920
				6-11 MO.	.005099	.015761	.010117
				12-23 MO.	.008112	.021555	.016096
				2-65+ YR.	.013443	.040793	.026673
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	20	GELATIN PUD(R)	4	0-5 MO.	.012700	.017145	.023094
				6-11 MO.	.081280	.246380	.147800
				12-23 MO.	.087630	.213360	.159347
				2-65+ YR.	.129540	.333375	.235556
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	23	BEV TYPE I(R)	9	0-5 MO.	.002461	.003691	.004537
				6-11 MO.	.023272	.079659	.042911
				12-23 MO.	.055566	.166597	.102457
				2-65+ YR.	.106622	.284701	.196597
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.016250
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	27	GRAVIES(R)	*	0-5 MO.	.000785	.002355	.001198
				6-11 MO.	.010988	.030610	.016767
				12-23 MO.	.028256	.080058	.043116
				2-65+ YR.	.065145	.167180	.099407
2-METHYLTHIOPROPIONALDEHY FEMA 2747D	99	ALL CATEGORIES	14	0-5 MO.	.033400	.062476	.062161
				6-11 MO.	.305759	.881094	.570907
				12-23 MO.	.484757	1.059619	.898223
				2-65+ YR.	1.038271	2.073335	1.915962
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	01	BAKED GOODS(R)	*	0-5 MO.	.010347	.013495	.013679
				6-11 MO.	.077301	.157645	.102193
				12-23 MO.	.165862	.273291	.219272

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	01	BAKED GOODS(R)	*	2-65+ YR.	.417545	.620231	.552001
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	07	FROZN DAIRY(R)	*	0-5 MO.	.002550	.010455	.004000
				6-11 MO.	.024225	.067320	.038000
				12-23 MO.	.036720	.086190	.057600
				2-65+ YR.	.065280	.157335	.102400
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	16	SOFT CANDY(R)	*	0-5 MO.	.000471	.004707	.000653
				6-11 MO.	.005177	.016003	.007187
				12-23 MO.	.008237	.021886	.011433
				2-65+ YR.	.013649	.041419	.018947
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	20	GELATIN PUD(R)	*	0-5 MO.	.005407	.007299	.007533
				6-11 MO.	.034603	.104889	.048213
				12-23 MO.	.037306	.090832	.051980
				2-65+ YR.	.055148	.141925	.076840
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	23	BEV TYPE I(R)	*	0-5 MO.	.002424	.003636	.005400
				6-11 MO.	.022927	.078477	.051075
				12-23 MO.	.054742	.164125	.121950
				2-65+ YR.	.105040	.280477	.234000
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000003	.000003	.000003
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000012	.000006
2-METHYL-3-TOLYL PROPIONA FEMA 2748D	99	ALL CATEGORIES	4	0-5 MO.	.021199	.039792	.031266
				6-11 MO.	.164236	.424337	.246671
				12-23 MO.	.302869	.636333	.462238
				2-65+ YR.	.656669	1.241399	.984194
2-METHYLNONANAL FEMA 2749D	01	BAKED GOODS(R)	5	0-5 MO.	.027579	.036502	.034890
				6-11 MO.	.206033	.420178	.260645
				12-23 MO.	.442079	.728416	.559259
				2-65+ YR.	1.112903	1.653131	1.407895

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLUNDECANAL FEMA 2749D	07	FROZN DAIRY(R)	4	0-5 MO.	.005741	.023540	.007901
				6-11 MO.	.054543	.151572	.075063
				12-23 MO.	.082676	.194058	.113779
				2-65+ YR.	.146979	.354242	.202274
2-METHYLUNDECANAL FEMA 2749D	16	SOFT CANDY(R)	6	0-5 MO.	.001199	.011991	.001740
				6-11 MO.	.013190	.040770	.019135
				12-23 MO.	.020984	.055759	.030442
				2-65+ YR.	.034774	.105522	.050447
2-METHYLUNDECANAL FEMA 2749D	20	GELATIN PUD(R)	6	0-5 MO.	.013182	.017796	.016948
				6-11 MO.	.084366	.255734	.108467
				12-23 MO.	.090957	.221461	.116941
				2-65+ YR.	.134458	.346032	.172869
2-METHYLUNDECANAL FEMA 2749D	23	BEV TYPE I(R)	8	0-5 MO.	.005706	.008559	.010436
				6-11 MO.	.053972	.184742	.098708
				12-23 MO.	.128868	.386365	.235683
				2-65+ YR.	.247274	.660268	.452232
2-METHYLUNDECANAL FEMA 2749D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.017875
2-METHYLUNDECANAL FEMA 2749D	21	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000220	.000220	.000220
				12-23 MO.	.000220	.000660	.000220
				2-65+ YR.	.000440	.000880	.000440
2-METHYLUNDECANAL FEMA 2749D	99	ALL CATEGORIES	11	0-5 MO.	.053408	.098388	.071914
				6-11 MO.	.412324	1.053245	.562238
				12-23 MO.	.765783	1.586778	1.056323
				2-65+ YR.	1.686578	3.148395	2.304032
METHYL 9-UNDECENOATE FEMA 2750D	01	BAKED GOODS(R)	*	0-5 MO.	.135715	.179623	.162439

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 9-UNDECENOATE FEMA 2750D	01	BAKED GOODS(R)	*	6-11 MO.	1.013873	2.067663	1.213518
				12-23 MO.	2.175437	3.584482	2.603809
				2-65+ YR.	5.476513	8.134938	6.554911
METHYL 9-UNDECENOATE FEMA 2750D	07	FROZN DAIRY(R)	*	0-5 MO.	.023000	.094300	.025000
				6-11 MO.	.218500	.607200	.237500
				12-23 MO.	.331200	.777400	.360000
				2-65+ YR.	.588800	1.419100	.640000
METHYL 9-UNDECENOATE FEMA 2750D	16	SOFT CANDY(R)	*	0-5 MO.	.006908	.069081	.008689
				6-11 MO.	.075990	.234877	.095584
				12-23 MO.	.120892	.321228	.152066
				2-65+ YR.	.200336	.607916	.251995
METHYL 9-UNDECENOATE FEMA 2750D	20	GELATIN PUD(R)	*	0-5 MO.	.069484	.093804	.078179
				6-11 MO.	.444699	1.347994	.500345
				12-23 MO.	.479441	1.167335	.539435
				2-65+ YR.	.708739	1.823961	.797425
METHYL 9-UNDECENOATE FEMA 2750D	23	BEV TYPE II(R)	*	0-5 MO.	.036000	.054000	.043200
				6-11 MO.	.340500	1.165500	.408600
				12-23 MO.	.813000	2.437500	.975600
				2-65+ YR.	1.560000	4.165500	1.872000
METHYL 9-UNDECENOATE FEMA 2750D	99	ALL CATEGORIES	*	0-5 MO.	.271108	.490808	.317508
				6-11 MO.	2.093562	5.423234	2.455548
				12-23 MO.	3.919971	8.287945	4.630910
				2-65+ YR.	8.534388	16.151414	10.116331
METHYL 2-UNDECYNOATE FEMA 2751D	01	BAKED GOODS(R)	*	0-5 MO.	.065847	.087150	.097467
				6-11 MO.	.491913	1.003193	.728133
				12-23 MO.	1.055483	1.739127	1.562333
				2-65+ YR.	2.657107	3.946927	3.933067
METHYL 2-UNDECYNOATE FEMA 2751D	07	FROZN DAIRY(R)	*	0-5 MO.	.014067	.057673	.025500
				6-11 MO.	.133633	.371360	.242250

TABLE 13, PART 6 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL 2-UNDECYNOATE FEMA 2751D	07	FROZN DAIRY(R)	*	12-23 MO.	.202560	.475453	.367200
				2-65+ YR.	.360107	.867913	.652800
METHYL 2-UNDECYNOATE FEMA 2751D	16	SOFT CANDY(R)	*	0-5 MO.	.003540	.035400	.005433
				6-11 MO.	.038940	.120360	.059767
				12-23 MO.	.061950	.164610	.095083
				2-65+ YR.	.102660	.311520	.157567
METHYL 2-UNDECYNOATE FEMA 2751D	20	GELATIN PUD(R)	*	0-5 MO.	.046000	.062100	.077000
				6-11 MO.	.294400	.892400	.492800
				12-23 MO.	.317400	.772800	.531300
				2-65+ YR.	.469200	1.207500	.785400
METHYL 2-UNDECYNOATE FEMA 2751D	23	BEV TYPE I(R)	4	0-5 MO.	.014480	.021720	.017160
				6-11 MO.	.136957	.468790	.162305
				12-23 MO.	.327007	.980417	.387530
				2-65+ YR.	.627467	1.675457	.743600
METHYL 2-UNDECYNOATE FEMA 2751D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
METHYL 2-UNDECYNOATE FEMA 2751D	99	ALL CATEGORIES	4	0-5 MO.	.143933	.264043	.222560
				6-11 MO.	1.095843	2.856113	1.685255
				12-23 MO.	1.964400	4.132427	2.943447
				2-65+ YR.	4.219790	8.018757	6.288683
METHYL VALERATE FEMA 2752D	01	BAKED GOODS(R)	5	0-5 MO.	.059063	.078171	.141667
				6-11 MO.	.441234	.899840	1.058333
				12-23 MO.	.946743	1.559954	2.270833
				2-65+ YR.	2.383360	3.540297	5.716667
METHYL VALERATE FEMA 2752D	07	FROZN DAIRY(R)	*	0-5 MO.	.022520	.092332	.073500
				6-11 MO.	.213940	.594528	.698250
				12-23 MO.	.324288	.761176	1.058400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL VALERATE FEMA 2752D	07	FROZN DAIRY(R)	*	2-65+ YR.	.576512	1.389484	1.881600
METHYL VALERATE FEMA 2752D	16	SOFT CANDY(R)	4	0-5 MO.	.004000	.040000	.009800
				6-11 MO.	.044000	.136000	.107800
				12-23 MO.	.070000	.186000	.171500
				2-65+ YR.	.116000	.352000	.284200
METHYL VALERATE FEMA 2752D	20	GELATIN PUD(R)	4	0-5 MO.	.036533	.049320	.095600
				6-11 MO.	.233813	.708747	.611840
				12-23 MO.	.252080	.613760	.659640
				2-65+ YR.	.372640	.959000	.975120
METHYL VALERATE FEMA 2752D	23	BEV TYPE I(R)	*	0-5 MO.	.021178	.031766	.053400
				6-11 MO.	.200305	.685625	.505075
				12-23 MO.	.478261	1.433900	1.205950
				2-65+ YR.	.917696	2.450425	2.314000
METHYL VALERATE FEMA 2752D	99	ALL CATEGORIES	5	0-5 MO.	.143294	.291590	.373967
				6-11 MO.	1.133292	3.024740	2.981298
				12-23 MO.	2.071372	4.554790	5.366323
				2-65+ YR.	4.366208	8.691206	11.171587
METHYL ISOVALERATE FEMA 2753D	01	BAKED GOODS(R)	7	0-5 MO.	.101065	.133763	.135023
				6-11 MO.	.755015	1.539755	1.008698
				12-23 MO.	1.620013	2.669305	2.164331
				2-65+ YR.	4.078270	6.057955	5.448555
METHYL ISOVALERATE FEMA 2753D	07	FROZN DAIRY(R)	7	0-5 MO.	.022431	.091968	.033025
				6-11 MO.	.213097	.592185	.313738
				12-23 MO.	.323010	.758176	.475560
				2-65+ YR.	.574240	1.384008	.845440
METHYL ISOVALERATE FEMA 2753D	16	SOFT CANDY(R)	9	0-5 MO.	.004827	.048271	.007047
				6-11 MO.	.053098	.164122	.077518
				12-23 MO.	.084474	.224461	.123324
				2-65+ YR.	.139986	.424786	.204365

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL ISOVALERATE FEMA 2753D	20	GELATIN PUD(R)	8	0-5 MO.	.041181	.055595	.059625
				6-11 MO.	.263560	.798915	.381600
				12-23 MO.	.284150	.691844	.411413
				2-65+ YR.	.420048	1.081006	.608175
METHYL ISOVALERATE FEMA 2753D	23	BEV TYPE I(R)	8	0-5 MO.	.025667	.038501	.037560
				6-11 MO.	.242770	.830979	.355255
				12-23 MO.	.579653	1.737890	.848230
				2-65+ YR.	1.112249	2.969920	1.627600
METHYL ISOVALERATE FEMA 2753D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000491	**********
				12-23 MO.	**********	.000981	**********
				2-65+ YR.	.159491	.463259	.325000
METHYL ISOVALERATE FEMA 2753D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000959	.002877	.001155
				12-23 MO.	.002877	.008631	.003465
				2-65+ YR.	.005754	.016303	.006930
METHYL ISOVALERATE FEMA 2753D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003042	.003042	.004087
				12-23 MO.	.003042	.009126	.004087
				2-65+ YR.	.006084	.012168	.008174
METHYL ISOVALERATE FEMA 2753D	99	ALL CATEGORIES	17	0-5 MO.	.195172	.368097	.272280
				6-11 MO.	1.531540	3.932365	2.142050
				12-23 MO.	2.897219	6.100414	4.030409
				2-65+ YR.	6.496122	12.409405	9.074239
2-METHYLVALERIC ACID FEMA 2754D	01	BAKED GOODS(R)	*	0-5 MO.	.016150	.021375	.020400
				6-11 MO.	.120650	.246050	.152400
				12-23 MO.	.258875	.426550	.327000
				2-65+ YR.	.651700	.968050	.823200
2-METHYLVALERIC ACID FEMA 2754D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.007000

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-METHYLVALERIC ACID FEMA 2754D	C7	FROZN DAIRY(R)	*	6-11 MO.	.047500	.132000	.066500
				12-23 MO.	.072000	.169000	.100800
				2-65+ YR.	.128000	.308500	.179200
2-METHYLVALERIC ACID FEMA 2754D	16	SOFT CANDY(R)	*	0-5 MO.	.000244	.002442	.000405
				6-11 MO.	.002686	.008303	.004458
				12-23 MO.	.004274	.011356	.007092
				2-65+ YR.	.007082	.021491	.011753
2-METHYLVALERIC ACID FEMA 2754D	20	GELATIN PUD(R)	*	0-5 MO.	.009000	.012150	.012000
				6-11 MO.	.057600	.174600	.076800
				12-23 MO.	.062100	.151200	.082800
				2-65+ YR.	.091800	.236250	.122400
2-METHYLVALERIC ACID FEMA 2754D	23	BEV TYPE I(R)	*	0-5 MO.	.010800	.016200	.014400
				6-11 MO.	.102150	.349650	.136200
				12-23 MO.	.243900	.731250	.325200
				2-65+ YR.	.468000	1.249650	.624000
2-METHYLVALERIC ACID FEMA 2754D	99	ALL CATEGORIES	4	0-5 MO.	.041194	.072667	.054205
				6-11 MO.	.330586	.910603	.436358
				12-23 MO.	.641149	1.489356	.842892
				2-65+ YR.	1.346582	2.783941	1.760553
MYRCENE FEMA 2762D	01	BAKED GOODS(R)	7	0-5 MO.	.034178	.045236	.050720
				6-11 MO.	.255331	.520714	.378912
				12-23 MO.	.547855	.902705	.813019
				2-65+ YR.	1.379188	2.048677	2.046719
MYRCENE FEMA 2762D	07	FROZN DAIRY(R)	5	0-5 MO.	.012319	.050507	.015682
				6-11 MO.	.117028	.325214	.148979
				12-23 MO.	.177389	.416372	.225821
				2-65+ YR.	.315359	.760064	.401460
MYRCENE FEMA 2762D	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MYRCENE FEMA 2762D	10	MEAT PRODS(R)	*	12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
MYRCENE FEMA 2762D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.008000
				12-23 MO.	.014000	.038000	.028000
				2-65+ YR.	.044000	.106000	.088000
MYRCENE FEMA 2762D	16	SOFT CANDY(R)	7	0-5 MO.	.001243	.012434	.001615
				6-11 MO.	.013677	.042274	.017761
				12-23 MO.	.021759	.057816	.028257
				2-65+ YR.	.036057	.109415	.046825
MYRCENE FEMA 2762D	20	GELATIN PUD(R)	4	0-5 MO.	.039923	.053896	.045828
				6-11 MO.	.255507	.774505	.293298
				12-23 MO.	.275468	.670706	.316212
				2-65+ YR.	.407214	1.047977	.467444
MYRCENE FEMA 2762D	23	BEV TYPE I(R)	10	0-5 MO.	.018526	.027790	.026772
				6-11 MO.	.175229	.599791	.253218
				12-23 MO.	.418387	1.254389	.604599
				2-65+ YR.	.802809	2.143655	1.160117
MYRCENE FEMA 2762D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000112	**********
				12-23 MO.	**********	.000224	**********
				2-65+ YR.	.036369	.105638	.162500
MYRCENE FEMA 2762D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.011621	.011621	.012600
				12-23 MO.	.011621	.034863	.012600
				2-65+ YR.	.023242	.046484	.025200
MYRCENE FEMA 2762D	99	ALL CATEGORIES	14	0-5 MO.	.111690	.204862	.151617
				6-11 MO.	.935892	2.564231	1.319768
				12-23 MO.	1.617480	3.634575	2.330508

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MYRCENE							
FEMA 2762D	99	ALL CATEGORIES	14	2-65+ YR.	3.436238	7.018411	5.182265
MYRISTALDEHYDE							
FEMA 2763D	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.020400
				6-11 MO.	.050800	.103600	.152400
				12-23 MO.	.109000	.179600	.327000
				2-65+ YR.	.274400	.407600	.823200
MYRISTALDEHYDE							
FEMA 2763D	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.008000
				6-11 MO.	.019000	.052800	.076000
				12-23 MO.	.028800	.067600	.115200
				2-65+ YR.	.051200	.123400	.204800
MYRISTALDEHYDE							
FEMA 2763D	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001200
				6-11 MO.	.004400	.013600	.013200
				12-23 MO.	.007000	.018600	.021000
				2-65+ YR.	.011600	.035200	.034800
MYRISTALDEHYDE							
FEMA 2763D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.012000
				6-11 MO.	.025600	.077600	.076800
				12-23 MO.	.027600	.067200	.082800
				2-65+ YR.	.040800	.105000	.122400
MYRISTALDEHYDE							
FEMA 2763D	23	BEV TYPE 1(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
MYRISTALDEHYDE							
FEMA 2763D	99	ALL CATEGORIES	*	0-5 MO.	.015600	.030200	.046400
				6-11 MO.	.122500	.325300	.363800
				12-23 MO.	.226600	.495500	.654400
				2-65+ YR.	.482000	.948900	1.393200
NEROL							
FEMA 2770D	01	BAKED GOODS(R)	10	0-5 MO.	.051731	.068467	.083518
				6-11 MO.	.386458	.788132	.623930
				12-23 MO.	.829212	1.366297	1.338747
				2-65+ YR.	2.087483	3.100795	3.370204

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NEROL FEMA 2770D	04	FATS OILS(R)	*	0-5 MO.	.004000	.004000	.005000
				6-11 MO.	.022400	.060000	.028000
				12-23 MO.	.050400	.096000	.063000
				2-65+ YR.	.140000	.252800	.175000
NEROL FEMA 2770D	07	FROZN DAIRY(R)	10	0-5 MO.	.013618	.055833	.020499
				6-11 MO.	.129370	.359511	.194739
				12-23 MO.	.196097	.460283	.295183
				2-65+ YR.	.348617	.840221	.524770
NEROL FEMA 2770D	16	SOFT CANDY(R)	12	0-5 MO.	.002983	.029827	.004886
				6-11 MO.	.032810	.101412	.053742
				12-23 MO.	.052197	.138695	.085499
				2-65+ YR.	.086498	.262477	.141684
NEROL FEMA 2770D	20	GELATIN PUD(R)	10	0-5 MO.	.010322	.013935	.016511
				6-11 MO.	.066061	.200248	.105668
				12-23 MO.	.071222	.173410	.113924
				2-65+ YR.	.105285	.270953	.168409
NEROL FEMA 2770D	23	BEV TYPE I(R)	13	0-5 MO.	.007585	.011378	.011833
				6-11 MO.	.071742	.245567	.111925
				12-23 MO.	.171297	.513574	.267239
				2-65+ YR.	.328687	.877658	.512783
NEROL FEMA 2770D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000089	**********
				12-23 MO.	**********	.000179	**********
				2-65+ YR.	.029018	.084286	.086280
NEROL FEMA 2770D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000121	.000363	.000906
				12-23 MO.	.000363	.001089	.002718
				2-65+ YR.	.000726	.002057	.005436
NEROL FEMA 2770D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
NEROL FEMA 2770D	31	CHEWING GUM(R)	*	6-11 MO.	.002690	.002690	.003821
				12-23 MO.	.002690	.008070	.003821
				2-65+ YR.	.005380	.010760	.007642
NEROL FEMA 2770D	99	ALL CATEGORIES	22	0-5 MO.	.090238	.183440	.142247
				6-11 MO.	.711652	1.758011	1.122731
				12-23 MO.	1.373478	2.757598	2.170131
				2-65+ YR.	3.131694	5.702008	4.992208
NEROLIDOL FEMA 2772D	01	BAKED GOODS(R)	7	0-5 MO.	.041775	.055290	.054491
				6-11 MO.	.312081	.636449	.407077
				12-23 MO.	.669623	1.103343	.873453
				2-65+ YR.	1.685731	2.504023	2.198859
NEROLIDOL FEMA 2772D	07	FROZN DAIRY(R)	6	0-5 MO.	.006318	.025903	.008654
				6-11 MO.	.060020	.166791	.082209
				12-23 MO.	.090977	.213544	.124611
				2-65+ YR.	.161737	.389812	.221531
NEROLIDOL FEMA 2772D	16	SOFT CANDY(R)	8	0-5 MO.	.001764	.017644	.002660
				6-11 MO.	.019408	.059989	.029260
				12-23 MO.	.030877	.082043	.046550
				2-65+ YR.	.051167	.155265	.077140
NEROLIDOL FEMA 2772D	20	GELATIN PUD(R)	6	0-5 MO.	.015571	.021021	.020138
				6-11 MO.	.099657	.302086	.128886
				12-23 MO.	.107443	.261600	.138955
				2-65+ YR.	.158829	.408750	.205412
NEROLIDOL FEMA 2772D	23	BEV TYPE I(R)	7	0-5 MO.	.008057	.012086	.011811
				6-11 MO.	.076207	.260850	.111716
				12-23 MO.	.181957	.545536	.266741
				2-65+ YR.	.349143	.932279	.511829
NEROLIDOL FEMA 2772D	99	ALL CATEGORIES	9	0-5 MO.	.073485	.131944	.097754
				6-11 MO.	.567373	1.426165	.759149

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NEROLIDOL FEMA 2772C	99	ALL CATEGORIES	9	12-23 MO.	1.080877	2.206065	1.450312
				2-65+ YR.	2.406606	4.390128	3.214771
NERYL ACETATE FEMA 2773D	01	BAKED GOODS(R)	10	0-5 MO.	.043269	.057268	.071280
				6-11 MO.	.323245	.659217	.532501
				12-23 MO.	.693577	1.142812	1.142571
				2-65+ YR.	1.746033	2.593598	2.876345
NERYL ACETATE FEMA 2773D	07	FROZN DAIRY(R)	8	0-5 MO.	.007107	.029138	.013122
				6-11 MO.	.067515	.187621	.124664
				12-23 MO.	.102338	.240211	.188964
				2-65+ YR.	.181935	.438492	.335935
NERYL ACETATE FEMA 2773D	16	SOFT CANDY(R)	8	0-5 MO.	.002225	.022250	.003806
				6-11 MO.	.024475	.075650	.041868
				12-23 MO.	.038938	.103463	.066607
				2-65+ YR.	.064525	.195800	.110378
NERYL ACETATE FEMA 2773D	20	GELATIN PUD(R)	7	0-5 MO.	.015431	.020832	.023645
				6-11 MO.	.098761	.299368	.151329
				12-23 MO.	.106476	.259247	.163152
				2-65+ YR.	.157400	.405073	.241181
NERYL ACETATE FEMA 2773D	23	BEV TYPE I(R)	12	0-5 MO.	.006725	.010067	.011453
				6-11 MO.	.063605	.217714	.108323
				12-23 MO.	.151868	.455323	.258640
				2-65+ YR.	.291407	.778112	.496283
NERYL ACETATE FEMA 2773D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
NERYL ACETATE FEMA 2773D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000710	.002130	.001620
				12-23 MO.	.002130	.006390	.004860

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NERYL ACETATE FEMA 2773D	30	HARD CANDY(R)	*	2-65+ YR.	.004260	.012070	.009720
NERYL ACETATE FEMA 2773D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003222	.003222	.003222
				12-23 MO.	.003222	.009666	.003222
				2-65+ YR.	.006444	.012888	.006444
NERYL ACETATE FEMA 2773D	99	ALL CATEGORIES	18	0-5 MO.	.074757	.139575	.123306
				6-11 MO.	.581533	1.445022	.963527
				12-23 MO.	1.098549	2.217311	1.828016
				2-65+ YR.	2.484504	4.530433	4.173787
NERYL BUTYRATE FEMA 2774D	01	BAKED GOODS(R)	5	0-5 MO.	.048571	.064286	.087298
				6-11 MO.	.362857	.740000	.652166
				12-23 MO.	.778571	1.282857	1.399332
				2-65+ YR.	1.960000	2.911429	3.522723
NERYL BUTYRATE FEMA 2774D	07	FROZN DAIRY(R)	4	0-5 MO.	.008975	.036799	.016926
				6-11 MO.	.085265	.236948	.160796
				12-23 MO.	.129244	.303365	.243733
				2-65+ YR.	.229768	.553777	.433304
NERYL BUTYRATE FEMA 2774D	16	SOFT CANDY(R)	5	0-5 MO.	.002615	.026154	.004904
				6-11 MO.	.028769	.088923	.053948
				12-23 MO.	.045769	.121615	.085827
				2-65+ YR.	.075846	.230154	.142227
NERYL BUTYRATE FEMA 2774D	20	GELATIN PUD(R)	5	0-5 MO.	.014448	.019505	.020396
				6-11 MO.	.092469	.280298	.130532
				12-23 MO.	.099694	.242732	.140730
				2-65+ YR.	.147373	.379269	.208035
NERYL BUTYRATE FEMA 2774D	23	BEV TYPE I(R)	5	0-5 MO.	.008898	.013348	.013096
				6-11 MO.	.084165	.288088	.123869
				12-23 MO.	.200957	.602500	.295758
				2-65+ YR.	.385600	1.029626	.567506

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
NERYL BUTYRATE FEMA 2774D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
NERYL BUTYRATE FEMA 2774D	99	ALL CATEGORIES	6	0-5 MO.	.083509	.160091	.142620
				6-11 MO.	.653526	1.634757	1.121312
				12-23 MO.	1.254236	2.554070	2.165380
				2-65+ YR.	2.961087	5.576254	5.198796
NERYL ISOBUTYRATE FEMA 2775D	01	BAKED GOODS(R)	*	0-5 MO.	.047600	.063000	.065733
				6-11 MO.	.355600	.725200	.491067
				12-23 MO.	.763000	1.257200	1.053667
				2-65+ YR.	1.920800	2.853200	2.652533
NERYL ISOBUTYRATE FEMA 2775D	07	FROZN DAIRY(R)	*	0-5 MO.	.012000	.049200	.019000
				6-11 MO.	.114000	.316800	.180500
				12-23 MO.	.172800	.405600	.273600
				2-65+ YR.	.307200	.740400	.486400
NERYL ISOBUTYRATE FEMA 2775D	16	SOFT CANDY(R)	*	0-5 MO.	.002533	.025333	.003467
				6-11 MO.	.027867	.086133	.038133
				12-23 MO.	.044333	.117800	.060667
				2-65+ YR.	.073467	.222933	.100533
NERYL ISOBUTYRATE FEMA 2775D	20	GELATIN PUD(R)	*	0-5 MO.	.023333	.031500	.030000
				6-11 MO.	.149333	.452667	.192000
				12-23 MO.	.161000	.392000	.207000
				2-65+ YR.	.238000	.612500	.306000
NERYL ISOBUTYRATE FEMA 2775D	23	BEV TYPE I(R)	*	0-5 MO.	.014400	.021600	.030000
				6-11 MO.	.136200	.466200	.283750
				12-23 MO.	.325200	.975000	.677500
				2-65+ YR.	.624000	1.666200	1.300000
NERYL ISOBUTYRATE FEMA 2775D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NERYL ISOBUTYRATE FEMA 2775D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
NERYL ISOBUTYRATE FEMA 2775D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000013	.000039	.000013
				12-23 MO.	.000039	.000117	.000039
				2-65+ YR.	.000078	.000221	.000078
NERYL ISOBUTYRATE FEMA 2775D	99	ALL CATEGORIES	5	0-5 MO.	.099867	.190633	.148200
				6-11 MO.	.783013	2.047539	1.185463
				12-23 MO.	1.466372	3.148717	2.272472
				2-65+ YR.	3.326045	6.567454	5.170545
NERYL FORMATE FEMA 2776D	01	BAKED GOODS(R)	4	0-5 MO.	.054400	.072000	.072675
				6-11 MO.	.406400	.828800	.542925
				12-23 MO.	.872000	1.436800	1.164938
				2-65+ YR.	2.195200	3.260800	2.932650
NERYL FORMATE FEMA 2776D	07	FROZN DAIRY(R)	*	0-5 MO.	.013500	.055350	.020133
				6-11 MO.	.128250	.356400	.191267
				12-23 MO.	.194400	.456300	.289920
				2-65+ YR.	.345600	.832950	.515413
NERYL FORMATE FEMA 2776D	16	SOFT CANDY(R)	4	0-5 MO.	.002350	.023500	.003275
				6-11 MO.	.025850	.079900	.036025
				12-23 MO.	.041125	.109275	.057313
				2-65+ YR.	.068150	.206800	.094975
NERYL FORMATE FEMA 2776D	20	GELATIN PUD(R)	4	0-5 MO.	.026000	.035100	.032750
				6-11 MO.	.166400	.504400	.209600
				12-23 MO.	.179400	.436800	.225975
				2-65+ YR.	.265200	.682500	.334050
NERYL FORMATE FEMA 2776D	23	BEV TYPE I(R)	4	0-5 MO.	.023220	.034830	.038480
				6-11 MO.	.219623	.751748	.363957

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NERYL FORMATE FEMA 2776D	23	BEV TYPE I(R)	4	12-23 MO.	.524385	1.572188	.869007
				2-65+ YR.	1.006200	2.686748	1.667467
NERYL FORMATE FEMA 2776D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
NERYL FORMATE FEMA 2776D	59	ALL CATEGORIES	5	0-5 MO.	.119470	.220780	.167313
				6-11 MO.	.946523	2.521748	1.343773
				12-23 MO.	1.811310	4.012363	2.607152
				2-65+ YR.	4.042850	8.141798	5.869555
NERYL PROPIONATE FEMA 2777D	01	BAKED GOODS(R)	4	0-5 MO.	.106873	.141450	.118717
				6-11 MO.	.798407	1.628247	.886883
				12-23 MO.	1.713117	2.822713	1.902958
				2-65+ YR.	4.312653	6.406113	4.790567
NERYL PROPIONATE FEMA 2777D	07	FROZN DAIRY(R)	*	0-5 MO.	.018100	.074210	.024280
				6-11 MO.	.171950	.477840	.230660
				12-23 MO.	.260640	.611780	.349632
				2-65+ YR.	.463360	1.116770	.621568
NERYL PROPIONATE FEMA 2777D	16	SOFT CANDY(R)	4	0-5 MO.	.003785	.037850	.004582
				6-11 MO.	.041635	.128690	.050398
				12-23 MO.	.066238	.176003	.080179
				2-65+ YR.	.109765	.333080	.132868
NERYL PROPIONATE FEMA 2777D	20	GELATIN PUD(R)	4	0-5 MO.	.045183	.060998	.052483
				6-11 MO.	.289173	.876557	.335893
				12-23 MO.	.311765	.759080	.362135
				2-65+ YR.	.460870	1.186063	.535330
NERYL PROPIONATE FEMA 2777D	23	BEV TYPE I(R)	4	0-5 MO.	.042280	.063420	.061968
				6-11 MO.	.399898	1.368815	.586114
				12-23 MO.	.954823	2.862708	1.399444

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NERYL PROPIONATE FEMA 2777D	23	BEV TYPE I(R)	4	2-65+ YR.	1.832133	4.892148	2.685280
NERYL PROPIONATE FEMA 2777D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
NERYL PROPIONATE FEMA 2777D	99	ALL CATEGORIES	5	0-5 MO.	.216222	.377928	.262030
				6-11 MO.	1.701063	4.480648	2.089949
				12-23 MO.	3.306583	7.233284	4.094349
				2-65+ YR.	7.341282	14.406174	9.090613
NERYL ISOVALERATE FEMA 2778D	01	BAKED GOODS(R)	4	0-5 MO.	.032776	.043380	.042007
				6-11 MO.	.244856	.499352	.313817
				12-23 MO.	.525380	.865672	.673348
				2-65+ YR.	1.322608	1.964632	1.695106
NERYL ISOVALERATE FEMA 2778D	07	FROZN DAIRY(R)	*	0-5 MO.	.007500	.030750	.011467
				6-11 MO.	.071250	.198000	.108933
				12-23 MO.	.108000	.253500	.165120
				2-65+ YR.	.192000	.462750	.293547
NERYL ISOVALERATE FEMA 2778D	16	SOFT CANDY(R)	4	0-5 MO.	.001327	.013265	.001970
				6-11 MO.	.014592	.045101	.021670
				12-23 MO.	.023214	.061682	.034475
				2-65+ YR.	.038469	.116732	.057130
NERYL ISOVALERATE FEMA 2778D	20	GELATIN PUD(R)	4	0-5 MO.	.016015	.021620	.020700
				6-11 MO.	.102496	.310691	.132480
				12-23 MO.	.110504	.269052	.142830
				2-65+ YR.	.163353	.420394	.211140
NERYL ISOVALERATE FEMA 2778D	23	BEV TYPE I(R)	4	0-5 MO.	.009720	.014580	.016080
				6-11 MO.	.091935	.314685	.152090
				12-23 MO.	.219510	.658125	.363140
				2-65+ YR.	.421200	1.124685	.696800

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
NERYL ISOVALERATE FEMA 2778D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000150	**********
				12-23 MO.	**********	.000300	**********
				2-65+ YR.	.048750	.141600	.097500
NERYL ISOVALERATE FEMA 2778D	99	ALL CATEGORIES	5	0-5 MO.	.067338	.123595	.092224
				6-11 MO.	.525129	1.367979	.728990
				12-23 MO.	.986607	2.108331	1.378913
				2-65+ YR.	2.186380	4.230793	3.051223
2,6-NONADIENOL-1 FEMA 2780D	03	BAKED GOODS(R)	5	0-5 MO.	.000863	.001142	.002137
				6-11 MO.	.006445	.013144	.015966
				12-23 MO.	.013829	.022787	.034257
				2-65+ YR.	.034815	.051714	.086240
2,6-NONADIENOL-1 FEMA 2780D	04	FATS OILS(R)	*	0-5 MO.	.000001	.000001	.000025
				6-11 MO.	.000003	.000008	.000140
				12-23 MO.	.000006	.000012	.000315
				2-65+ YR.	.000018	.000032	.000875
2,6-NONADIENOL-1 FEMA 2780D	07	FROZN DAIRY(R)	4	0-5 MO.	.000418	.001712	.000890
				6-11 MO.	.003967	.011024	.008455
				12-23 MO.	.006013	.014114	.012816
				2-65+ YR.	.010690	.025764	.022784
2,6-NONADIENOL-1 FEMA 2780D	14	PROCSD VEGS(R)	*	0-5 MO.	.000028	.000084	.000042
				6-11 MO.	.000480	.001120	.000720
				12-23 MO.	.000780	.001306	.001170
				2-65+ YR.	.001700	.002864	.002550
2,6-NONADIENOL-1 FEMA 2780D	16	SOFT CANDY(R)	5	0-5 MO.	.000088	.000881	.000207
				6-11 MO.	.000970	.002997	.002277
				12-23 MO.	.001543	.004099	.003623
				2-65+ YR.	.002556	.007757	.006003
2,6-NONADIENOL-1 FEMA 2780D	20	GELATIN PUD(R)	*	0-5 MO.	.000336	.000454	.001075

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,6-NONADIENOL-1 FEMA 27800	20	GELATIN PUD(R)	*	6-11 MO.	.002153	.006525	.006880
				12-23 MO.	.002321	.005650	.007418
				2-65+ YR.	.003431	.008829	.010965
2,6-NONADIENOL-1 FEMA 27800	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000002	**********
				6-11 MO.	.000008	.000022	.000012
				12-23 MO.	.000022	.000062	.000033
				2-65+ YR.	.000026	.000074	.000039
2,6-NONADIENOL-1 FEMA 27800	23	BEV TYPE 1(R)	6	0-5 MO.	.000365	.000547	.001279
				6-11 MO.	.003448	.011803	.012096
				12-23 MO.	.008234	.024686	.028881
				2-65+ YR.	.015799	.042186	.055417
2,6-NONADIENOL-1 FEMA 27800	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000019	**********
				12-23 MO.	**********	.000038	**********
				2-65+ YR.	.006245	.018141	.015600
2,6-NONADIENOL-1 FEMA 27800	27	GRAVIES(R)	*	0-5 MO.	.000000	.000001	.000001
				6-11 MO.	.000003	.000008	.000014
				12-23 MO.	.000007	.000020	.000036
				2-65+ YR.	.000017	.000043	.000083
2,6-NONADIENOL-1 FEMA 27800	99	ALL CATEGORIES	9	0-5 MO.	.002098	.004823	.005656
				6-11 MO.	.017476	.046670	.046560
				12-23 MO.	.032755	.072774	.088548
				2-65+ YR.	.075295	.157402	.200556
G6-NONALACTONE FEMA 27810	01	BAKED GOODS(R)	23	0-5 MO.	.098004	.129712	.171410
				6-11 MO.	.732151	1.493127	1.280535
				12-23 MO.	1.570954	2.588471	2.747605
				2-65+ YR.	3.954769	5.874504	6.916906
G6-NONALACTONE FEMA 27810	07	FROZN DAIRY(R)	15	0-5 MO.	.012087	.049557	.022678
				6-11 MO.	.114827	.319097	.215444

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
G&-NONALACTONE FEMA 2781D	07	FROZN DAIRY(R)	15	12-23 MO.	.174053	.408541	.326567
				2-65+ YR.	.309428	.745769	.580564
G&-NONALACTONE FEMA 2781D	16	SOFT CANDY(R)	19	0-5 MO.	.005584	.055840	.008103
				6-11 MO.	.061424	.189857	.089136
				12-23 MO.	.097720	.259657	.141807
				2-65+ YR.	.161937	.491394	.234994
G&-NONALACTONE FEMA 2781D	19	SWEET SAUCE(R)	*	0-5 MO.	.000093	.000124	.000093
				6-11 MO.	.000279	.000961	.000279
				12-23 MO.	.000806	.002356	.000806
				2-65+ YR.	.002108	.005549	.002108
G&-NONALACTONE FEMA 2781D	20	GELATIN PUD(R)	12	0-5 MO.	.032138	.043386	.053238
				6-11 MO.	.205684	.623479	.340725
				12-23 MO.	.221753	.539920	.367344
				2-65+ YR.	.327808	.843624	.543030
G&-NONALACTONE FEMA 2781D	23	BEV TYPE I(R)	17	0-5 MO.	.017339	.026008	.032277
				6-11 MO.	.163994	.561336	.305287
				12-23 MO.	.391563	1.173966	.728923
				2-65+ YR.	.751338	2.006218	1.398672
G&-NONALACTONE FEMA 2781D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000023	**********
				12-23 MO.	**********	.000046	**********
				2-65+ YR.	.007484	.021737	.011760
G&-NONALACTONE FEMA 2781D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000661	.001983	.001759
				12-23 MO.	.001983	.005949	.005277
				2-65+ YR.	.003966	.011237	.010554
G&-NONALACTONE FEMA 2781D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000054	.000054	.000290
				12-23 MO.	.000054	.000162	.000290

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GB-NONALACTONE FEMA 27810	31	CHEWING GUM(R)	4	2-65+ YR.	.000108	.000216	.000580
GB-NONALACTONE FEMA 27810	99	ALL CATEGORIES	40	0-5 MO.	.165245	.304627	.287800
				6-11 MO.	1.279074	3.189917	2.233454
				12-23 MO.	2.458886	4.979068	4.318619
				2-65+ YR.	5.518946	10.000248	9.699168
NONANAL FEMA 27820	01	BAKED GOODS(R)	10	0-5 MO.	.021696	.028715	.034501
				6-11 MO.	.162079	.330540	.257739
				12-23 MO.	.347769	.573021	.553024
				2-65+ YR.	.875484	1.300464	1.392199
NONANAL FEMA 27820	07	FROZN DAIRY(R)	11	0-5 MO.	.003293	.013503	.006668
				6-11 MO.	.031288	.086947	.063341
				12-23 MO.	.047426	.111319	.096012
				2-65+ YR.	.084312	.203206	.170688
NONANAL FEMA 27820	16	SOFT CANDY(R)	12	0-5 MO.	.000807	.008066	.001469
				6-11 MO.	.008873	.027425	.016161
				12-23 MO.	.014116	.037508	.025711
				2-65+ YR.	.023392	.070983	.042606
NONANAL FEMA 27820	20	GELATIN PUD(R)	11	0-5 MO.	.005475	.007392	.011165
				6-11 MO.	.035042	.106220	.071454
				12-23 MO.	.037779	.091984	.077036
				2-65+ YR.	.055847	.143725	.113879
NONANAL FEMA 27820	23	BEV TYPE I(R)	17	0-5 MO.	.003397	.005096	.005351
				6-11 MO.	.032134	.109992	.050612
				12-23 MO.	.076726	.230035	.120845
				2-65+ YR.	.147222	.393112	.231880
NONANAL FEMA 27820	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000055	**********
				12-23 MO.	**********	.000110	**********
				2-65+ YR.	.017875	.051920	.050375

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
NONANAL							
FEMA 2782D	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000087	.000261	.000130
				12-23 MO.	.000261	.000783	.000390
				2-65+ YR.	.000522	.001479	.000780
NONANAL							
FEMA 2782D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000511	.000511	.000605
				12-23 MO.	.000511	.001533	.000605
				2-65+ YR.	.001022	.002044	.001210
NONANAL							
FEMA 2782D	99	ALL CATEGORIES	31	0-5 MO.	.034668	.062772	.059153
				6-11 MO.	.270014	.661951	.460043
				12-23 MO.	.524587	1.046293	.873622
				2-65+ YR.	1.205678	2.166934	2.003617
1,3-NONANEDIOL ACETATE							
FEMA 2783D	01	BAKED GOODS(R)	*	0-5 MO.	.002805	.003713	.004505
				6-11 MO.	.020955	.042735	.033655
				12-23 MO.	.044963	.074085	.072213
				2-65+ YR.	.113190	.168135	.181790
1,3-NONANEDIOL ACETATE							
FEMA 2783D	07	FROZN DAIRY(R)	*	0-5 MO.	.000325	.001333	.000575
				6-11 MO.	.003088	.008580	.005463
				12-23 MO.	.004680	.010985	.008280
				2-65+ YR.	.008320	.020053	.014720
1,3-NONANEDIOL ACETATE							
FEMA 2783D	16	SOFT CANDY(R)	*	0-5 MO.	.000147	.001467	.000213
				6-11 MO.	.001613	.004987	.002347
				12-23 MO.	.002567	.006820	.003733
				2-65+ YR.	.004253	.012907	.006187
1,3-NONANEDIOL ACETATE							
FEMA 2783D	20	GELATIN PUD(R)	*	0-5 MO.	.000800	.001080	.001467
				6-11 MO.	.005120	.015520	.009387
				12-23 MO.	.005520	.013440	.010120
				2-65+ YR.	.008160	.021000	.014960
1,3-NONANEDIOL ACETATE							
FEMA 2783D	23	BEV TYPE I(R)	*	0-5 MO.	.001042	.001562	.002314

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1,3-NONANEDIOL ACETATE FEMA 2783D	23	BEV TYPE I(R)	*	6-11 MO.	.009852	.033722	.021883
				12-23 MO.	.023523	.070525	.052249
				2-65+ YR.	.045136	.120522	.100256
1,3-NONANEDIOL ACETATE FEMA 2783D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
1,3-NONANEDIOL ACETATE FEMA 2783D	99	ALL CATEGORIES	*	0-5 MO.	.005118	.009154	.009074
				6-11 MO.	.040628	.105553	.072734
				12-23 MO.	.081252	.175875	.146595
				2-65+ YR.	.182309	.352056	.321163
NONANOIC ACID FEMA 2784D	01	BAKED GOODS(R)	7	0-5 MO.	.034120	.045159	.080038
				6-11 MO.	.254898	.519831	.597930
				12-23 MO.	.546926	.901174	1.282959
				2-65+ YR.	1.376849	2.045203	3.229762
NONANOIC ACID FEMA 2784D	04	FATS OILS(R)	*	0-5 MO.	.000500	.000500	.005000
				6-11 MO.	.002800	.007500	.028000
				12-23 MO.	.006300	.012000	.063000
				2-65+ YR.	.017500	.031600	.175000
NONANOIC ACID FEMA 2784D	07	FROZN DAIRY(R)	*	0-5 MO.	.002143	.008786	.009375
				6-11 MO.	.020357	.056571	.089063
				12-23 MO.	.030857	.072429	.135000
				2-65+ YR.	.054857	.132214	.240000
NONANOIC ACID FEMA 2784D	10	MEAT PRODS(R)	*	0-5 MO.	.007150	.018850	.014410
				6-11 MO.	.134550	.362700	.271170
				12-23 MO.	.196300	.337350	.395620
				2-65+ YR.	.509600	.845650	1.027040
NONANOIC ACID FEMA 2784D	16	SOFT CANDY(R)	6	0-5 MO.	.000313	.003133	.000997
				6-11 MO.	.003446	.010651	.010972

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NONANOIC ACID FEMA 2784D	16	SOFT CANDY(R)	6	12-23 MO.	.005482	.014566	.017455
				2-65+ YR.	.009084	.027566	.028926
NONANOIC ACID FEMA 2784D	20	GELATIN PUD(R)	*	0-5 MO.	.003818	.005155	.011455
				6-11 MO.	.024436	.074073	.073309
				12-23 MO.	.026345	.064145	.079036
				2-65+ YR.	.038945	.100227	.116836
NONANOIC ACID FEMA 2784D	23	BEV TYPE I(R)	4	0-5 MO.	.002482	.003723	.005723
				6-11 MO.	.023474	.080349	.054131
				12-23 MO.	.056048	.168040	.129246
				2-65+ YR.	.107545	.287167	.248000
NONANOIC ACID FEMA 2784D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
NONANOIC ACID FEMA 2784D	99	ALL CATEGORIES	8	0-5 MO.	.050526	.085305	.126998
				6-11 MO.	.463961	1.111774	1.124574
				12-23 MO.	.868259	1.569904	2.102317
				2-65+ YR.	2.146882	3.564028	5.163064
2-NONANONE FEMA 2785D	01	BAKED GOODS(R)	8	0-5 MO.	.008045	.010648	.022373
				6-11 MO.	.060099	.122565	.167137
				12-23 MO.	.128953	.212477	.358620
				2-65+ YR.	.324631	.482214	.902801
2-NONANONE FEMA 2785D	06	CHEESE(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.002700	.009700	.021600
				12-23 MO.	.007800	.022200	.062400
				2-65+ YR.	.009400	.023600	.075200
2-NONANONE FEMA 2785D	07	FROZN DAIRY(R)	4	0-5 MO.	.003256	.013349	.008793
				6-11 MO.	.030931	.085957	.083534
				12-23 MO.	.046886	.110051	.126620

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-NONANONE FEMA 2785D	C7	FROZN DAIRY(R)	4	2-65+ YR.	.083352	.200892	.225103
2-NONANONE FEMA 2785D	16	SOFT CANDY(R)	5	0-5 MO.	.000474	.004742	.001348
				6-11 MO.	.005217	.016124	.014831
				12-23 MO.	.008299	.022052	.023595
				2-65+ YR.	.013753	.041734	.039101
2-NONANONE FEMA 2785D	20	GELATIN PUD(R)	5	0-5 MO.	.004419	.005966	.014016
				6-11 MO.	.028282	.085731	.089699
				12-23 MO.	.030492	.074241	.096707
				2-65+ YR.	.045075	.116001	.142958
2-NONANONE FEMA 2785D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000061	**********
				6-11 MO.	.000245	.000675	.000610
				12-23 MO.	.000675	.001902	.001678
				2-65+ YR.	.000798	.002270	.001983
2-NONANONE FEMA 2785D	23	BEV TYPE I(R)	5	0-5 MO.	.002961	.004442	.006801
				6-11 MO.	.028008	.095869	.064322
				12-23 MO.	.066874	.200497	.153580
				2-65+ YR.	.128318	.342635	.294691
2-NONANONE FEMA 2785D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
2-NONANONE FEMA 2785D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000085	.000255	.000085
				12-23 MO.	.000255	.000765	.000255
				2-65+ YR.	.000510	.001445	.000510
2-NONANONE FEMA 2785D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000020	.000020	.000020
				12-23 MO.	.000020	.000060	.000020
				2-65+ YR.	.000040	.000080	.000040

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-NONANONE							
FEMA 2785D	59	ALL CATEGORIES	14	0-5 MO.	.019155	.039308	.053330
				6-11 MO.	.155588	.416905	.441839
				12-23 MO.	.290254	.644266	.823475
				2-65+ YR.	.609127	1.220311	1.714887
N-/4-HYDROXY-3-METHOXYBEN							
FEMA 2787D	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.034000
				6-11 MO.	.025400	.051800	.254000
				12-23 MO.	.054500	.089800	.545000
				2-65+ YR.	.137200	.203800	1.372000
N-/4-HYDROXY-3-METHOXYBEN							
FEMA 2787D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.011000
				6-11 MO.	.020700	.055800	.207000
				12-23 MO.	.030200	.051900	.302000
				2-65+ YR.	.078400	.130100	.784000
N-/4-HYDROXY-3-METHOXYBEN							
FEMA 2787D	21	SOUPS(R)	*	0-5 MO.	.000200	.001500	.002000
				6-11 MO.	.023300	.072700	.233000
				12-23 MO.	.034800	.096100	.348000
				2-65+ YR.	.031700	.084500	.317000
N-/4-HYDROXY-3-METHOXYBEN							
FEMA 2787D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.005796	.005796	.009310
				12-23 MO.	.005796	.017388	.009310
				2-65+ YR.	.011592	.023184	.018620
N-/4-HYDROXY-3-METHOXYBEN							
FEMA 2787D	99	ALL CATEGORIES	*	0-5 MO.	.004700	.008900	.047000
				6-11 MO.	.075196	.186096	.703310
				12-23 MO.	.125296	.255188	1.204310
				2-65+ YR.	.258892	.441584	2.491620
NONYL ACETATE							
FEMA 2788D	01	BAKED GOODS(R)	7	0-5 MO.	.009353	.012379	.021842
				6-11 MO.	.069874	.142498	.163171
				12-23 MO.	.149925	.247033	.350112
				2-65+ YR.	.377427	.560639	.881383
NONYL ACETATE							
FEMA 2788D	07	FROZN DAIRY(R)	6	0-5 MO.	.003565	.014618	.011619

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NONYL ACETATE FEMA 2788D	07	FROZN DAIRY(R)	6	6-11 MO.	.033872	.094129	.110381
				12-23 MO.	.051343	.120513	.167314
				2-65+ YR.	.091276	.219990	.297448
NONYL ACETATE FEMA 2788D	16	SOFT CANDY(R)	6	0-5 MO.	.000350	.003504	.000977
				6-11 MO.	.003854	.011913	.010750
				12-23 MO.	.006132	.016293	.017102
				2-65+ YR.	.010161	.030834	.028341
NONYL ACETATE FEMA 2788D	20	GELATIN PUD(R)	6	0-5 MO.	.002764	.003732	.009025
				6-11 MO.	.017690	.053623	.057762
				12-23 MO.	.019072	.046437	.062274
				2-65+ YR.	.028194	.072557	.092057
NONYL ACETATE FEMA 2788D	23	BEV TYPE I(R)	7	0-5 MO.	.003296	.004944	.008657
				6-11 MO.	.031176	.106713	.081882
				12-23 MO.	.074438	.223178	.195507
				2-65+ YR.	.142834	.381394	.375143
NONYL ACETATE FEMA 2788D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000005	**********
				12-23 MO.	**********	.000010	**********
				2-65+ YR.	.001625	.004720	.016250
NONYL ACETATE FEMA 2788D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000269	.000807	.000269
				12-23 MO.	.000807	.002421	.000807
				2-65+ YR.	.001614	.004573	.001614
NONYL ACETATE FEMA 2788D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001971	.001971	.002664
				12-23 MO.	.001971	.005913	.002664
				2-65+ YR.	.003942	.007884	.005328
NONYL ACETATE FEMA 2788D	99	ALL CATEGORIES	12	0-5 MO.	.019329	.039177	.052121
				6-11 MO.	.158706	.411659	.426879

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NONYL ACETATE FEMA 2788D	99	ALL CATEGORIES	12	12-23 MO.	.303689	.661798	.795781
				2-65+ YR.	.657073	1.282591	1.697564
NONYL ALCOHOL FEMA 2789D	01	BAKED GOODS(R)	8	0-5 MO.	.024660	.032638	.035676
				6-11 MO.	.184226	.375704	.266522
				12-23 MO.	.395288	.651318	.571868
				2-65+ YR.	.995109	1.478156	1.439637
NONYL ALCOHOL FEMA 2789D	06	CHEESE(R)	*	0-5 MO.	**********	.000137	**********
				6-11 MO.	.003690	.013257	.006750
				12-23 MO.	.010660	.030340	.019500
				2-65+ YR.	.012847	.032253	.023500
NONYL ALCOHOL FEMA 2789D	07	FROZN DAIRY(R)	5	0-5 MO.	.001437	.005892	.003209
				6-11 MO.	.013653	.037941	.030490
				12-23 MO.	.020695	.048576	.046217
				2-65+ YR.	.036791	.088672	.082163
NONYL ALCOHOL FEMA 2789D	16	SOFT CANDY(R)	7	0-5 MO.	.000645	.006448	.001134
				6-11 MO.	.007092	.021922	.012472
				12-23 MO.	.011283	.029982	.019842
				2-65+ YR.	.018698	.056739	.032881
NONYL ALCOHOL FEMA 2789D	20	GELATIN PUD(R)	7	0-5 MO.	.002664	.003596	.005996
				6-11 MO.	.017049	.051679	.038378
				12-23 MO.	.018381	.044753	.041376
				2-65+ YR.	.027171	.069926	.061164
NONYL ALCOHOL FEMA 2789D	23	BEV TYPE I(R)	10	0-5 MO.	.002703	.004055	.003436
				6-11 MO.	.025570	.087524	.032497
				12-23 MO.	.061053	.183047	.077592
				2-65+ YR.	.117150	.312813	.148884
NONYL ALCOHOL FEMA 2789D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000092	.000276	.000189
				12-23 MO.	.000276	.000828	.000567

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
NONYL ALCOHOL FEMA 2789D	30	HARD CANDY(R)	6	2-65+ YR.	.000552	.001564	.001134
NONYL ALCOHOL FEMA 2789D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000726	.000726	.000789
				12-23 MO.	.000726	.002178	.000789
				2-65+ YR.	.001452	.002904	.001578
NONYL ALCOHOL FEMA 2789D	99	ALL CATEGORIES	20	0-5 MO.	.032109	.052766	.049452
				6-11 MO.	.252098	.589029	.388086
				12-23 MO.	.518362	.991021	.777749
				2-65+ YR.	1.209770	2.043030	1.790941
NONYL OCTANOATE FEMA 2790D	01	BAKED GOODS(R)	*	0-5 MO.	.013702	.018135	.020706
				6-11 MO.	.102362	.208754	.154686
				12-23 MO.	.219635	.361894	.331905
				2-65+ YR.	.552916	.821314	.835548
NONYL OCTANOATE FEMA 2790D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
NONYL OCTANOATE FEMA 2790D	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.001800
				6-11 MO.	.015400	.047600	.019800
				12-23 MO.	.024500	.065100	.031500
				2-65+ YR.	.040600	.123200	.052200
NONYL OCTANOATE FEMA 2790D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.010000
				6-11 MO.	.038400	.116400	.064000
				12-23 MO.	.041400	.100800	.069000
				2-65+ YR.	.061200	.157500	.102000
NONYL OCTANOATE FEMA 2790D	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.004800
				6-11 MO.	.034050	.116550	.045400
				12-23 MO.	.081300	.243750	.108400
				2-65+ YR.	.156000	.416550	.208000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
NONYL OCTANOATE							
FEMA 2790D	99	ALL CATEGORIES	*	0-5 MO.	.027702	.057935	.042306
				6-11 MO.	.218712	.568504	.331386
				12-23 MO.	.410035	.872944	.612805
				2-65+ YR.	.887516	1.703664	1.325748
NONYL ISOVALERATE							
FEMA 2791D	01	BAKED GOODS(R)	*	0-5 MO.	.014620	.019350	.022270
				6-11 MO.	.109220	.222740	.166370
				12-23 MO.	.234350	.386140	.356975
				2-65+ YR.	.589960	.876340	.898660
NONYL ISOVALERATE							
FEMA 2791D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
NONYL ISOVALERATE							
FEMA 2791D	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.001800
				6-11 MO.	.015400	.047600	.019800
				12-23 MO.	.024500	.065100	.031500
				2-65+ YR.	.040600	.123200	.052200
NONYL ISOVALERATE							
FEMA 2791D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.010000
				6-11 MO.	.038400	.116400	.064000
				12-23 MO.	.041400	.100800	.069000
				2-65+ YR.	.061200	.157500	.102000
NONYL ISOVALERATE							
FEMA 2791D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
NONYL ISOVALERATE							
FEMA 2791D	99	ALL CATEGORIES	*	0-5 MO.	.027420	.057350	.043870
				6-11 MO.	.214220	.543640	.343070
				12-23 MO.	.397650	.815940	.637875
				2-65+ YR.	.872560	1.619840	1.388860
G6-OCTALACTONE							
FEMA 2796D	01	BAKED GOODS(R)	15	0-5 MO.	.031950	.042286	.068991

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
G&-OCTALACTONE FEMA 2796D	01	BAKED GOODS(R)	15	6-11 MO.	.238683	.486764	.515402
				12-23 MO.	.512135	.843849	1.105881
				2-65+ YR.	1.289266	1.915105	2.783980
G&-OCTALACTONE FEMA 2796D	07	FROZN DAIRY(R)	11	0-5 MO.	.009271	.038012	.020872
				6-11 MO.	.088076	.244757	.198289
				12-23 MO.	.133504	.313363	.300564
				2-65+ YR.	.237340	.572027	.534336
G&-OCTALACTONE FEMA 2796D	16	SOFT CANDY(R)	11	0-5 MO.	.001325	.013254	.003122
				6-11 MO.	.014579	.045064	.034347
				12-23 MO.	.023195	.061631	.054643
				2-65+ YR.	.038437	.116636	.090550
G&-OCTALACTONE FEMA 2796D	20	GELATIN PUD(R)	10	0-5 MO.	.010652	.014381	.042786
				6-11 MO.	.068175	.206657	.273828
				12-23 MO.	.073502	.178961	.295221
				2-65+ YR.	.108655	.279626	.436413
G&-OCTALACTONE FEMA 2796D	23	BEV TYPE I(R)	13	0-5 MO.	.007736	.011603	.015600
				6-11 MO.	.073165	.250437	.147550
				12-23 MO.	.174694	.523759	.352300
				2-65+ YR.	.335206	.895063	.676000
G&-OCTALACTONE FEMA 2796D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
G&-OCTALACTONE FEMA 2796D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001513	.004539	.001513
				12-23 MO.	.004539	.013617	.004539
				2-65+ YR.	.009078	.025721	.009078
G&-OCTALACTONE FEMA 2796D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000647	.000647	.000647

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GG-OCTALACTONE FEMA 2796D	31	CHEWING GUM(R)	*	12-23 MO.	.000647	.001941	.000647
				2-65+ YR.	.001294	.002588	.001294
GG-OCTALACTONE FEMA 2796D	99	ALL CATEGORIES	23	0-5 MO.	.060934	.119536	.151371
				6-11 MO.	.484839	1.238875	1.171575
				12-23 MO.	.922215	1.937141	2.113795
				2-65+ YR.	2.022525	3.816206	4.564152
OCTANAL FEMA 2797D	01	BAKED GOODS(R)	16	0-5 MO.	.026382	.034917	.035338
				6-11 MO.	.197086	.401932	.283996
				12-23 MO.	.422882	.696786	.566448
				2-65+ YR.	1.064577	1.581347	1.425994
OCTANAL FEMA 2797D	07	FROZN DAIRY(R)	13	0-5 MO.	.004649	.019060	.007022
				6-11 MO.	.044164	.122731	.066712
				12-23 MO.	.066944	.157132	.101122
				2-65+ YR.	.119011	.286836	.179772
OCTANAL FEMA 2797D	10	MEAT PRODS(R)	*	0-5 MO.	.000011	.000029	.000110
				6-11 MO.	.000207	.000558	.002070
				12-23 MO.	.000302	.000519	.003020
				2-65+ YR.	.000784	.001301	.007840
OCTANAL FEMA 2797D	16	SOFT CANDY(R)	15	0-5 MO.	.001021	.010209	.001649
				6-11 MO.	.011230	.034710	.018143
				12-23 MO.	.017865	.047471	.028865
				2-65+ YR.	.029605	.089837	.047833
OCTANAL FEMA 2797D	20	GELATIN PUD(R)	14	0-5 MO.	.008783	.011857	.013146
				6-11 MO.	.056210	.170386	.084134
				12-23 MO.	.060601	.147551	.090707
				2-65+ YR.	.089584	.230548	.134089
OCTANAL FEMA 2797D	23	BEV TYPE I(R)	18	0-5 MO.	.004204	.006307	.008360
				6-11 MO.	.039766	.136116	.079073
				12-23 MO.	.094948	.284670	.188801

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OCTANAL FEMA 2797D	23	BEV TYPE I(R)	18	2-65+ YR.	.182189	.486479	.362274
OCTANAL FEMA 2797D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000069	**********
				12-23 MO.	**********	.000137	**********
				2-65+ YR.	.022269	.064681	.097500
OCTANAL FEMA 2797D	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000016	.000048	.000102
				12-23 MO.	.000048	.000144	.000306
				2-65+ YR.	.000096	.000272	.000612
OCTANAL FEMA 2797D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000255	.000255	.000771
				12-23 MO.	.000255	.000765	.000771
				2-65+ YR.	.000510	.001020	.001542
OCTANAL FEMA 2797D	99	ALL CATEGORIES	33	0-5 MO.	.045050	.082378	.065626
				6-11 MO.	.348934	.866804	.515002
				12-23 MO.	.663846	1.335175	.980039
				2-65+ YR.	1.508626	2.742322	2.257456
OCTANAL DIMETHYL ACETAL FEMA 2798D	01	BAKED GOODS(R)	*	0-5 MO.	.028900	.038250	.035700
				6-11 MO.	.215900	.440300	.266700
				12-23 MO.	.463250	.763300	.572250
				2-65+ YR.	1.166200	1.732300	1.440600
OCTANAL DIMETHYL ACETAL FEMA 2798D	07	FROZN DAIRY(R)	*	0-5 MO.	.009000	.036900	.013000
				6-11 MO.	.085500	.237600	.123500
				12-23 MO.	.129600	.304200	.187200
				2-65+ YR.	.230400	.555300	.332800
OCTANAL DIMETHYL ACETAL FEMA 2798D	16	SOFT CANDY(R)	*	0-5 MO.	.001220	.012200	.001540
				6-11 MO.	.013420	.041480	.016940
				12-23 MO.	.021350	.056730	.026950
				2-65+ YR.	.035380	.107360	.044660

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OCTANAL DIMETHYL ACETAL FEMA 27980	20	GELATIN PUD(R)	*	0-5 MO.	.009600	.012960	.014200
				6-11 MO.	.061440	.186240	.090880
				12-23 MO.	.066240	.161280	.097980
				2-65+ YR.	.097920	.252000	.144840
OCTANAL DIMETHYL ACETAL FEMA 27980	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.016800
				6-11 MO.	.113500	.388500	.158900
				12-23 MO.	.271000	.812500	.379400
				2-65+ YR.	.520000	1.388500	.728000
OCTANAL DIMETHYL ACETAL FEMA 27980	99	ALL CATEGORIES	*	0-5 MO.	.060720	.118310	.081240
				6-11 MO.	.489760	1.294120	.656920
				12-23 MO.	.951440	2.098010	1.263780
				2-65+ YR.	2.049900	4.035460	2.690900
1-OCTANOL FEMA 28000	01	BAKED GOODS(R)	10	0-5 MO.	.024352	.032231	.031437
				6-11 MO.	.181927	.371016	.234851
				12-23 MO.	.390355	.643190	.503912
				2-65+ YR.	.982692	1.459713	1.268564
1-OCTANOL FEMA 28000	07	FROZN DAIRY(R)	6	0-5 MO.	.004404	.018055	.006404
				6-11 MO.	.041835	.116257	.060835
				12-23 MO.	.063413	.148844	.092213
				2-65+ YR.	.112734	.271706	.163935
1-OCTANOL FEMA 28000	10	MEAT PRODS(R)	*	0-5 MO.	.000286	.000754	**********
				6-11 MO.	.005382	.014508	**********
				12-23 MO.	.007852	.013494	**********
				2-65+ YR.	.020384	.033626	**********
1-OCTANOL FEMA 28000	16	SOFT CANDY(R)	11	0-5 MO.	.000866	.008657	.001374
				6-11 MO.	.009523	.029435	.015119
				12-23 MO.	.015150	.040256	.024053
				2-65+ YR.	.025106	.076184	.039860
1-OCTANOL FEMA 28000	20	GELATIN PUD(R)	9	0-5 MO.	.006297	.008501	.009330

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-OCTANOL FEMA 2800D	20	GELATIN PUD(R)	9	6-11 MO.	.040301	.122163	.059711
				12-23 MO.	.043450	.105790	.064376
				2-65+ YR.	.064230	.165297	.095164
1-OCTANOL FEMA 2800D	23	BEV TYPE (R)	10	0-5 MO.	.003287	.004930	.005978
				6-11 MO.	.031087	.106408	.056543
				12-23 MO.	.074225	.222539	.135005
				2-65+ YR.	.142425	.380302	.259050
1-OCTANOL FEMA 2800D	30	PARC CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000060	.000180	.000392
				12-23 MO.	.000180	.000540	.001176
				2-65+ YR.	.000360	.001020	.002352
1-OCTANOL FEMA 2800D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000638	.000638	.001559
				12-23 MO.	.000638	.001914	.001559
				2-65+ YR.	.001276	.002552	.003118
1-OCTANOL FEMA 2800D	59	ALL CATEGORIES	23	0-5 MO.	.039492	.073129	.054523
				6-11 MO.	.310753	.760604	.429010
				12-23 MO.	.595263	1.176566	.822294
				2-65+ YR.	1.349206	2.390600	1.832043
2-OCTANOL FEMA 2801D	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.057800
				6-11 MO.	.381000	.777000	.431800
				12-23 MO.	.817500	1.347000	.926500
				2-65+ YR.	2.058000	3.057000	2.332400
2-OCTANOL FEMA 2801D	07	FROZN DAIRY(R)	*	0-5 MO.	.009000	.036900	.013000
				6-11 MO.	.085500	.237600	.123500
				12-23 MO.	.129600	.304200	.187200
				2-65+ YR.	.230400	.555300	.332800
2-OCTANOL FEMA 2801D	16	SOFT CANDY(R)	*	0-5 MO.	.002200	.022000	.002800
				6-11 MO.	.024200	.074800	.030800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCO CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-OCTANOL FEMA 2801D	16	SOFT CANDY(R)	*	12-23 MO.	.038500	.102300	.049000
				2-65+ YR.	.063800	.193600	.081200
2-OCTANOL FEMA 2801D	20	GELATIN PUD(R)	*	0-5 MO.	.018000	.024300	.026000
				6-11 MO.	.115200	.349200	.166400
				12-23 MO.	.124200	.302400	.179400
				2-65+ YR.	.183600	.472500	.265200
2-OCTANOL FEMA 2801D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.016800
				6-11 MO.	.113500	.388500	.158900
				12-23 MO.	.271000	.812500	.379400
				2-65+ YR.	.520000	1.388500	.728000
2-OCTANOL FEMA 2801D	99	ALL CATEGORIES	*	0-5 MO.	.092200	.168700	.116400
				6-11 MO.	.719400	1.827100	.911400
				12-23 MO.	1.380800	2.868400	1.721500
				2-65+ YR.	3.055800	5.666900	3.739600
2-OCTANONE FEMA 2802D	01	BAKED GOODS(R)	7	0-5 MO.	.038617	.051104	.860011
				6-11 MO.	.288453	.568262	6.424786
				12-23 MO.	.618924	1.019805	13.785466
				2-65+ YR.	1.558099	2.314435	34.703961
2-OCTANONE FEMA 2802D	06	CHEESE(R)	*	0-5 MO.	**********	.005191	**********
				6-11 MO.	.140147	.503491	.900534
				12-23 MO.	.404869	1.152319	2.601544
				2-65+ YR.	.487919	1.224988	3.135194
2-OCTANONE FEMA 2802D	07	FROZN DAIRY(R)	*	0-5 MO.	.008000	.032800	.023500
				6-11 MO.	.076000	.211200	.223250
				12-23 MO.	.115200	.270400	.338400
				2-65+ YR.	.204800	.493600	.601600
2-OCTANONE FEMA 2802D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000400	.001100	.000800
				12-23 MO.	.001400	.003800	.002800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-OCTANONE FEMA 28020	15	CONDM RELSH(R)	*	2-65+ YR.	.004400	.010600	.008800
2-OCTANONE FEMA 28020	16	SOFT CANDY(R)	5	0-5 MO.	.001202	.012020	.003333
				6-11 MO.	.013222	.040867	.036667
				12-23 MO.	.021035	.055892	.058333
				2-65+ YR.	.034857	.105774	.096667
2-OCTANONE FEMA 28020	20	GELATIN PUD(R)	*	0-5 MO.	.010354	.013978	.030076
				6-11 MO.	.066268	.200876	.192486
				12-23 MO.	.071446	.173954	.207524
				2-65+ YR.	.105615	.271804	.306775
2-OCTANONE FEMA 28020	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000400	.001100	.000800
				12-23 MO.	.001100	.003100	.002200
				2-65+ YR.	.001300	.003700	.002600
2-OCTANONE FEMA 28020	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.016800
				6-11 MO.	.068100	.233100	.158900
				12-23 MO.	.162600	.487500	.379400
				2-65+ YR.	.312000	.833100	.728000
2-OCTANONE FEMA 28020	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
2-OCTANONE FEMA 28020	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000208	.000208	.000295
				12-23 MO.	.000208	.000624	.000295
				2-65+ YR.	.000416	.000832	.000590
2-OCTANONE FEMA 28020	99	ALL CATEGORIES	12	0-5 MO.	.065368	.126043	.933720
				6-11 MO.	.653198	1.780214	7.938518
				12-23 MO.	1.396781	3.167414	17.375962
				2-65+ YR.	2.712656	5.268273	39.587436

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-OCTANONE FEMA 2803D	01	BAKED GOODS(R)	9	0-5 MO.	.020818	.027554	.052048
				6-11 MO.	.155526	.317175	.388832
				12-23 MO.	.333708	.549852	.834304
				2-65+ YR.	.840086	1.247883	2.100303
3-OCTANONE FEMA 2803D	04	FATS OILS(R)	*	0-5 MO.	.000050	.000050	.002500
				6-11 MO.	.000280	.000750	.014000
				12-23 MO.	.000630	.001200	.031500
				2-65+ YR.	.001750	.003160	.087500
3-OCTANONE FEMA 2803D	06	CHEESE(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.002700	.009700	.018900
				12-23 MO.	.007800	.022200	.054600
				2-65+ YR.	.009400	.023600	.065800
3-OCTANONE FEMA 2803D	07	FROZN DAIRY(R)	*	0-5 MO.	.007167	.029383	.022179
				6-11 MO.	.068083	.189200	.210705
				12-23 MO.	.103200	.242233	.319385
				2-65+ YR.	.183467	.442183	.567795
3-OCTANONE FEMA 2803D	16	SOFT CANDY(R)	6	0-5 MO.	.001918	.019184	.003639
				6-11 MO.	.021102	.065224	.040028
				12-23 MO.	.033571	.089204	.063681
				2-65+ YR.	.055633	.168816	.105528
3-OCTANONE FEMA 2803D	20	GELATIN PUD(R)	4	0-5 MO.	.012466	.016829	.030545
				6-11 MO.	.079782	.241839	.195491
				12-23 MO.	.086015	.209427	.210764
				2-65+ YR.	.127152	.327230	.311564
3-OCTANONE FEMA 2803D	23	BEV TYPE I(R)	*	0-5 MO.	.008677	.013015	.018400
				6-11 MO.	.082069	.280915	.174033
				12-23 MO.	.195954	.587500	.415533
				2-65+ YR.	.376000	1.003992	.797333
3-OCTANONE FEMA 2803D	99	ALL CATEGORIES	11	0-5 MO.	.051096	.106115	.129312

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-OCTANONE FEMA 2803D	99	ALL CATEGORIES	11	6-11 MO.	.409543	1.104804	1.041989
				12-23 MO.	.760878	1.701617	1.929766
				2-65+ YR.	1.593488	3.216865	4.035823
3-OCTANONOL-1 FEMA 2804D	01	BAKED GOODS(R)	*	0-5 MO.	.002040	.002700	.003060
				6-11 MO.	.015240	.031080	.022860
				12-23 MO.	.032700	.053880	.049050
				2-65+ YR.	.082320	.122260	.123480
3-OCTANONOL-1 FEMA 2804D	06	CHEESE(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.001350	.004850	.005400
				12-23 MO.	.003900	.011100	.015600
				2-65+ YR.	.004700	.011800	.018800
3-OCTANONOL-1 FEMA 2804D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
3-OCTANONOL-1 FEMA 2804D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006600	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
3-OCTANONOL-1 FEMA 2804D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
3-OCTANONOL-1 FEMA 2804D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
3-OCTANONOL-1 FEMA 2804D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-OCTANONOL-1 FEMA 2804D	31	CHEWING GUM(R)	*	12-23 MO.	.000000	.000000	.000000
				2-65+ YR.	.000000	.000000	.000000
3-OCTANONOL-1 FEMA 2804D	99	ALL CATEGORIES	4	0-5 MO.	.007640	.015150	.008660
				6-11 MO.	.063790	.185630	.075460
				12-23 MO.	.122500	.304180	.150550
				2-65+ YR.	.242820	.543580	.298080
1-OCTENOL-3 FEMA 2805D	01	BAKED GOODS(R)	7	0-5 MO.	.012951	.017141	.035700
				6-11 MO.	.096751	.197311	.266700
				12-23 MO.	.207595	.342056	.572250
				2-65+ YR.	.522607	.776293	1.440600
1-OCTENOL-3 FEMA 2805D	07	FROZN DAIRY(R)	4	0-5 MO.	.000633	.002597	.001333
				6-11 MO.	.006017	.016720	.012667
				12-23 MO.	.009120	.021407	.019200
				2-65+ YR.	.016213	.039077	.034133
1-OCTENOL-3 FEMA 2805D	10	MEAT PRODS(R)	4	0-5 MO.	.004112	.010840	.006295
				6-11 MO.	.077379	.208586	.118466
				12-23 MO.	.112890	.194007	.172834
				2-65+ YR.	.293067	.486326	.448681
1-OCTENOL-3 FEMA 2805D	14	PROCSD VEGS(R)	*	0-5 MO.	.016583	.049750	.025729
				6-11 MO.	.284285	.663331	.441072
				12-23 MO.	.461963	.773492	.716742
				2-65+ YR.	1.006842	1.696233	1.562130
1-OCTENOL-3 FEMA 2805D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.001600	.004400	.004000
				12-23 MO.	.005600	.015200	.014000
				2-65+ YR.	.017600	.042400	.044000
1-OCTENOL-3 FEMA 2805D	16	SOFT CANDY(R)	6	0-5 MO.	.000228	.002275	.000367
				6-11 MO.	.002503	.007735	.004033
				12-23 MO.	.003981	.010579	.006417

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-OCTENOL-3 FEMA 2805D	16	SOFT CANDY(R)	6	2-65+ YR.	.006598	.020020	.010633
1-OCTENOL-3 FEMA 2805D	20	GELATIN PUD(R)	*	0-5 MO.	.001120	.001512	.003600
				6-11 MO.	.007168	.021728	.023040
				12-23 MO.	.007728	.018816	.024840
				2-65+ YR.	.011424	.029400	.036720
1-OCTENOL-3 FEMA 2805D	21	SOUPS(R)	*	0-5 MO.	.000400	.003000	.000800
				6-11 MO.	.046600	.145400	.093200
				12-23 MO.	.069600	.192200	.139200
				2-65+ YR.	.063400	.169000	.126800
1-OCTENOL-3 FEMA 2805D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000035	**********
				6-11 MO.	.000140	.000385	.000280
				12-23 MO.	.000385	.001085	.000770
				2-65+ YR.	.000455	.001295	.000910
1-OCTENOL-3 FEMA 2805D	23	BEV TYPE I(R)	6	0-5 MO.	.001337	.002006	.002920
				6-11 MO.	.012647	.043290	.027618
				12-23 MO.	.030197	.090536	.065943
				2-65+ YR.	.057943	.154719	.126533
1-OCTENOL-3 FEMA 2805D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.032500
1-OCTENOL-3 FEMA 2805D	27	GRAVIES(R)	*	0-5 MO.	.000170	.000510	.000300
				6-11 MO.	.002380	.006630	.004200
				12-23 MO.	.006120	.017340	.010800
				2-65+ YR.	.014110	.036210	.024900
1-OCTENOL-3 FEMA 2805D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000002	.000002	.000002
				12-23 MO.	.000002	.000006	.000002
				2-65+ YR.	.000004	.000008	.000004

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-OCTENOL-3							
FEMA 2805D	99	ALL CATEGORIES	14	0-5 MO.	.037534	.089866	.077044
				6-11 MO.	.537471	1.315548	.995278
				12-23 MO.	.915182	1.676783	1.742998
				2-65+ YR.	2.020013	3.479300	3.888545
OCTYL ACETATE							
FEMA 2806D	01	BAKED GOODS(R)	9	0-5 MO.	.023859	.031578	.041957
				6-11 MO.	.178238	.363492	.313440
				12-23 MO.	.382439	.630147	.672538
				2-65+ YR.	.962763	1.430111	1.693069
OCTYL ACETATE							
FEMA 2806D	07	FROZN DAIRY(R)	7	0-5 MO.	.003867	.015855	.006795
				6-11 MO.	.036736	.102088	.064555
				12-23 MO.	.055684	.130703	.097851
				2-65+ YR.	.098994	.238591	.173958
OCTYL ACETATE							
FEMA 2806D	16	SOFT CANDY(R)	10	0-5 MO.	.001090	.010899	.002011
				6-11 MO.	.011989	.037058	.022117
				12-23 MO.	.019074	.050682	.035186
				2-65+ YR.	.031608	.095914	.058309
OCTYL ACETATE							
FEMA 2806D	17	CONF FROST(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.000200	.000400	.000500
				12-23 MO.	.000400	.001400	.001000
				2-65+ YR.	.000600	.001600	.001500
OCTYL ACETATE							
FEMA 2806D	20	GELATIN PUD(R)	7	0-5 MO.	.005849	.007896	.011336
				6-11 MO.	.037431	.113464	.072552
				12-23 MO.	.040356	.098257	.078220
				2-65+ YR.	.059656	.153527	.115629
OCTYL ACETATE							
FEMA 2806D	23	BEV TYPE I(R)	9	0-5 MO.	.002540	.003809	.004936
				6-11 MO.	.024020	.082218	.046689
				12-23 MO.	.057352	.171949	.111479
				2-65+ YR.	.110047	.293848	.213907
OCTYL ACETATE							
FEMA 2806D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OCTYL ACETATE FEMA 2806D	24	BEV TYPE III(R)	*	6-11 MO.	**********	.000039	**********
				12-23 MO.	**********	.000078	**********
				2-65+ YR.	.012743	.037015	.019500
OCTYL ACETATE FEMA 2806D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000073	.000219	.000073
				12-23 MO.	.000219	.000657	.000219
				2-65+ YR.	.000438	.001241	.000438
OCTYL ACETATE FEMA 2806D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000213	.000213	.000555
				12-23 MO.	.000213	.000639	.000555
				2-65+ YR.	.000426	.000852	.001110
OCTYL ACETATE FEMA 2806D	99	ALL CATEGORIES	15	0-5 MO.	.037204	.070236	.067035
				6-11 MO.	.288900	.699191	.520481
				12-23 MO.	.555736	1.084512	.997048
				2-65+ YR.	1.277276	2.252698	2.277420
OCTYL BUTYRATE FEMA 2807D	01	BAKED GOODS(R)	4	0-5 MO.	.041628	.055095	.061379
				6-11 MO.	.310983	.634209	.458537
				12-23 MO.	.667266	1.099459	.983868
				2-65+ YR.	1.679797	2.495209	2.476821
OCTYL BUTYRATE FEMA 2807D	07	FROZN DAIRY(R)	4	0-5 MO.	.003660	.015007	.005730
				6-11 MO.	.034772	.096630	.054431
				12-23 MO.	.052707	.123716	.082505
				2-65+ YR.	.093702	.225836	.146676
OCTYL BUTYRATE FEMA 2807D	16	SOFT CANDY(R)	4	0-5 MO.	.001883	.018830	.003034
				6-11 MO.	.020713	.064020	.033375
				12-23 MO.	.032952	.087557	.053097
				2-65+ YR.	.054606	.165700	.087989
OCTYL BUTYRATE FEMA 2807D	20	GELATIN PUD(R)	4	0-5 MO.	.007341	.009910	.011866
				6-11 MO.	.046982	.142414	.076073

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OCTYL BUTYRATE FEMA 2807D	20	GELATIN PUD(R)	4	12-23 MO.	.050652	.123327	.082016
				2-65+ YR.	.074877	.192699	.121241
OCTYL BUTYRATE FEMA 2807D	23	BEV TYPE I(R)	4	0-5 MO.	.003404	.005106	.006139
				6-11 MO.	.032198	.110211	.058061
				12-23 MO.	.076878	.230493	.138630
				2-65+ YR.	.147516	.393896	.266006
OCTYL BUTYRATE FEMA 2807D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.019500
OCTYL BUTYRATE FEMA 2807D	99	ALL CATEGORIES	6	0-5 MO.	.057916	.103948	.088168
				6-11 MO.	.445648	1.047515	.680476
				12-23 MO.	.880456	1.664613	1.340116
				2-65+ YR.	2.060248	3.501660	3.118233
OCTYL ISOBUTYRATE FEMA 2808D	01	BAKED GOODS(R)	5	0-5 MO.	.024833	.032867	.045730
				6-11 MO.	.185518	.378339	.341630
				12-23 MO.	.398060	.655885	.733025
				2-65+ YR.	1.002068	1.488524	1.845340
OCTYL ISOBUTYRATE FEMA 2808D	07	FROZN DAIRY(R)	*	0-5 MO.	.002284	.009363	.003585
				6-11 MO.	.021695	.060288	.034062
				12-23 MO.	.032884	.077187	.051631
				2-65+ YR.	.058461	.140900	.091788
OCTYL ISOBUTYRATE FEMA 2808D	16	SOFT CANDY(R)	5	0-5 MO.	.001522	.015223	.002903
				6-11 MO.	.016745	.051758	.031930
				12-23 MO.	.026640	.070787	.050798
				2-65+ YR.	.044147	.133963	.084180
OCTYL ISOBUTYRATE FEMA 2808D	20	GELATIN PUD(R)	*	0-5 MO.	.004600	.006210	.008473
				6-11 MO.	.029440	.089240	.054225
				12-23 MO.	.031740	.077280	.058462

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OCTYL ISOBUTYRATE FEMA 2808D	20	GELATIN PUD(R)	*	2-65+ YR.	.046920	.120750	.086422
OCTYL ISOBUTYRATE FEMA 2808D	23	BEV TYPE I(R)	4	0-5 MO.	.002292	.003438	.004346
				6-11 MO.	.021679	.074204	.041108
				12-23 MO.	.051761	.155188	.098151
				2-65+ YR.	.099320	.265204	.188335
OCTYL ISOBUTYRATE FEMA 2808D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.019500
OCTYL ISOBUTYRATE FEMA 2808D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000234	.000702	.000234
				12-23 MO.	.000702	.002106	.000702
				2-65+ YR.	.001404	.003978	.001404
OCTYL ISOBUTYRATE FEMA 2808D	99	ALL CATEGORIES	7	0-5 MO.	.035531	.067101	.065037
				6-11 MO.	.275310	.654561	.503189
				12-23 MO.	.541787	1.038493	.992769
				2-65+ YR.	1.262090	2.181639	2.316968
OCTYL FORMATE FEMA 2809D	01	BAKED GOODS(R)	4	0-5 MO.	.031521	.041719	.057800
				6-11 MO.	.235479	.480229	.431800
				12-23 MO.	.505260	.832521	.926500
				2-65+ YR.	1.271958	1.889396	2.332400
OCTYL FORMATE FEMA 2809D	07	FROZN DAIRY(R)	*	0-5 MO.	.001832	.007509	.003137
				6-11 MO.	.017400	.048354	.029800
				12-23 MO.	.026375	.061907	.045171
				2-65+ YR.	.046888	.113008	.080303
OCTYL FORMATE FEMA 2809D	16	SOFT CANDY(R)	4	0-5 MO.	.001671	.016708	.003196
				6-11 MO.	.018379	.056808	.035154
				12-23 MO.	.029240	.077694	.055927
				2-65+ YR.	.048454	.147033	.092679

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OCTYL FORMATE FEMA 2809D	20	GELATIN PUD(R)	*	0-5 MO.	.004605	.006216	.008419
				6-11 MO.	.029470	.089330	.053879
				12-23 MO.	.031772	.077358	.058088
				2-65+ YR.	.046967	.120872	.085870
OCTYL FORMATE FEMA 2809D	23	BEV TYPE I(R)	*	0-5 MO.	.001021	.001532	.001680
				6-11 MO.	.009661	.033068	.015890
				12-23 MO.	.023066	.069157	.037940
				2-65+ YR.	.044260	.118184	.072800
OCTYL FORMATE FEMA 2809D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.019500
OCTYL FORMATE FEMA 2809D	99	ALL CATEGORIES	5	0-5 MO.	.040649	.073685	.074231
				6-11 MO.	.310389	.707819	.566523
				12-23 MO.	.615713	1.118697	1.123626
				2-65+ YR.	1.468279	2.416813	2.683552
OCTYL HEPTANOATE FEMA 2810D	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
OCTYL HEPTANOATE FEMA 2810D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
OCTYL HEPTANOATE FEMA 2810D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
OCTYL HEPTANOATE FEMA 2810D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OCTYL HEPTANOATE FEMA 28100	26	GELATIN PUD(R)	*	6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
OCTYL HEPTANOATE FEMA 28100	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
OCTYL HEPTANOATE FEMA 28100	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400
				2-65+ YR.	.293000	.613300	.293000
OCTYL OCTANOATE FEMA 28110	01	BAKED GOODS(R)	*	0-5 MO.	.001700	.002250	.003944
				6-11 MO.	.012700	.025900	.029464
				12-23 MO.	.027250	.044900	.063220
				2-65+ YR.	.068600	.101900	.159152
OCTYL OCTANOATE FEMA 28110	07	FROZN DAIRY(R)	*	0-5 MO.	.000325	.001333	.001000
				6-11 MO.	.003088	.008580	.009500
				12-23 MO.	.004680	.010985	.014400
				2-65+ YR.	.008320	.020053	.025600
OCTYL OCTANOATE FEMA 28110	16	SOFT CANDY(R)	*	0-5 MO.	.000108	.001080	.000240
				6-11 MO.	.001188	.003672	.002640
				12-23 MO.	.001890	.005022	.004200
				2-65+ YR.	.003132	.009504	.006960
OCTYL OCTANOATE FEMA 28110	20	GELATIN PUD(R)	*	0-5 MO.	.000840	.001134	.002040
				6-11 MO.	.005376	.016296	.013056
				12-23 MO.	.005796	.014112	.014076
				2-65+ YR.	.006568	.022050	.020808
OCTYL OCTANOATE FEMA 28110	23	BEV TYPE I(R)	*	0-5 MO.	.000780	.001170	.002400
				6-11 MO.	.007378	.025253	.022700

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OCTYL OCTANOATE FEMA 2811D	23	BEV TYPE I(R)	*	12-23 MO.	.017615	.052813	.054200
				2-65+ YR.	.033800	.090253	.104000
OCTYL OCTANOATE FEMA 2811D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
OCTYL OCTANOATE FEMA 2811D	59	ALL CATEGORIES	*	0-5 MO.	.003753	.006967	.009624
				6-11 MO.	.029729	.079711	.077360
				12-23 MO.	.057231	.127852	.150096
				2-65+ YR.	.125670	.253199	.349020
OCTYL PHENYLACETATE FEMA 2812D	01	BAKED GOODS(R)	*	0-5 MO.	.005780	.007650	.009067
				6-11 MO.	.043180	.088060	.067733
				12-23 MO.	.092650	.152660	.145333
				2-65+ YR.	.233240	.346460	.365867
OCTYL PHENYLACETATE FEMA 2812D	07	FROZN DAIRY(R)	*	0-5 MO.	.001700	.006970	.002667
				6-11 MO.	.016150	.044880	.025333
				12-23 MO.	.024480	.057460	.038400
				2-65+ YR.	.043520	.104890	.068267
OCTYL PHENYLACETATE FEMA 2812D	16	SOFT CANDY(R)	4	0-5 MO.	.000465	.004650	.000640
				6-11 MO.	.005115	.015810	.007040
				12-23 MO.	.008138	.021623	.011200
				2-65+ YR.	.013485	.040920	.018560
OCTYL PHENYLACETATE FEMA 2812D	20	GELATIN PUD(R)	4	0-5 MO.	.002100	.002835	.003600
				6-11 MO.	.013440	.040740	.023040
				12-23 MO.	.014490	.035280	.024840
				2-65+ YR.	.021420	.055125	.036720
OCTYL PHENYLACETATE FEMA 2812D	23	BEV TYPE I(R)	*	0-5 MO.	.002480	.003720	.003600
				6-11 MO.	.023457	.080290	.034050
				12-23 MO.	.056007	.167917	.081300

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OCTYL PHENYLACETATE FEMA 28120	23	BEV TYPE I(R)	*	2-65+ YR.	.107467	.286957	.156000
OCTYL PHENYLACETATE FEMA 28120	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
OCTYL PHENYLACETATE FEMA 28120	99	ALL CATEGORIES	5	0-5 MO.	.012525	.025825	.019573
				6-11 MO.	.101342	.269790	.157197
				12-23 MO.	.195764	.434959	.301073
				2-65+ YR.	.422382	.843792	.677913
OCTYL PROPIONATE FEMA 28130	01	BAKED GOODS(R)	*	0-5 MO.	.015300	.020250	.028050
				6-11 MO.	.114300	.233100	.209550
				12-23 MO.	.245250	.404100	.449625
				2-65+ YR.	.617400	.917100	1.131900
OCTYL PROPIONATE FEMA 28130	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004750
				6-11 MO.	.028500	.079200	.045125
				12-23 MO.	.043200	.101400	.068400
				2-65+ YR.	.076800	.185100	.121600
OCTYL PROPIONATE FEMA 28130	16	SOFT CANDY(R)	*	0-5 MO.	.000992	.009920	.001528
				6-11 MO.	.010912	.033728	.016808
				12-23 MO.	.017360	.046128	.026740
				2-65+ YR.	.028768	.087296	.044312
OCTYL PROPIONATE FEMA 28130	20	GELATIN PUD(R)	*	0-5 MO.	.003120	.004212	.005360
				6-11 MO.	.019968	.060528	.034304
				12-23 MO.	.021528	.052416	.036984
				2-65+ YR.	.031824	.081900	.054672
OCTYL PROPIONATE FEMA 28130	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.004800
				6-11 MO.	.034050	.116550	.045400
				12-23 MO.	.081300	.243750	.108400
				2-65+ YR.	.156000	.416550	.208000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
OCTYL PROPIONATE							
FEMA 2813D	99	ALL CATEGORIES	4	0-5 MO.	.026012	.052082	.044488
				6-11 MO.	.207730	.523106	.351187
				12-23 MO.	.408638	.847794	.690149
				2-65+ YR.	.910792	1.687946	1.560484
OCTYL ISOVALERATE							
FEMA 2814D	01	BAKED GOODS(R)	*	0-5 MO.	.030600	.040500	.040800
				6-11 MO.	.228600	.466200	.304800
				12-23 MO.	.490500	.808200	.654000
				2-65+ YR.	1.234800	1.834200	1.646400
OCTYL ISOVALERATE							
FEMA 2814D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.004000
				6-11 MO.	.028500	.079200	.038000
				12-23 MO.	.043200	.101400	.057600
				2-65+ YR.	.076800	.185100	.102400
OCTYL ISOVALERATE							
FEMA 2814D	16	SOFT CANDY(R)	*	0-5 MO.	.000680	.006800	.000820
				6-11 MO.	.007480	.023120	.009020
				12-23 MO.	.011900	.031620	.014350
				2-65+ YR.	.019720	.059840	.023780
OCTYL ISOVALERATE							
FEMA 2814D	20	GELATIN PUD(R)	*	0-5 MO.	.003400	.004590	.004700
				6-11 MO.	.021760	.065960	.030080
				12-23 MO.	.023460	.057120	.032430
				2-65+ YR.	.034680	.089250	.047940
OCTYL ISOVALERATE							
FEMA 2814D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
OCTYL ISOVALERATE							
FEMA 2814D	99	ALL CATEGORIES	*	0-5 MO.	.040080	.067790	.055120
				6-11 MO.	.309040	.712180	.427300
				12-23 MO.	.623260	1.160840	.866780
				2-65+ YR.	1.470000	2.446090	2.028520
N8-PENTADECALACTONE							
FEMA 2840D	01	BAKED GOODS(R)	6	0-5 MO.	.004598	.006086	.238094

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
W6-PENTADECALACTONE FEMA 28400	01	BAKED GOODS(R)	6	6-11 MO.	.034352	.070057	1.778706
				12-23 MO.	.073708	.121449	3.816514
				2-65+ YR.	.185555	.275628	9.607811
W6-PENTADECALACTONE FEMA 28400	07	FROZN DAIRY(R)	6	0-5 MO.	.000809	.003317	.001621
				6-11 MO.	.007686	.021358	.015395
				12-23 MO.	.011650	.027344	.023336
				2-65+ YR.	.020710	.049915	.041486
W6-PENTADECALACTONE FEMA 28400	16	SOFT CANDY(R)	6	0-5 MO.	.000274	.002743	.000544
				6-11 MO.	.003018	.009327	.005981
				12-23 MO.	.004801	.012757	.009516
				2-65+ YR.	.007956	.024141	.015769
W6-PENTADECALACTONE FEMA 28400	20	GELATIN PUD(R)	8	0-5 MO.	.000664	.000896	.001648
				6-11 MO.	.004250	.012882	.010545
				12-23 MO.	.004582	.011155	.011368
				2-65+ YR.	.006773	.017430	.016806
W6-PENTADECALACTONE FEMA 28400	23	BEV TYPE I(R)	7	0-5 MO.	.000852	.001278	.001873
				6-11 MO.	.008061	.027591	.017715
				12-23 MO.	.019246	.057704	.042298
				2-65+ YR.	.036930	.098611	.081162
W6-PENTADECALACTONE FEMA 28400	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000067	**********
				12-23 MO.	**********	.000134	**********
				2-65+ YR.	.021775	.063248	.043550
W6-PENTADECALACTONE FEMA 28400	99	ALL CATEGORIES	8	0-5 MO.	.007198	.014321	.243779
				6-11 MO.	.057366	.141281	1.828342
				12-23 MO.	.113987	.230543	3.903032
				2-65+ YR.	.279700	.528974	9.806583
2,3-PENTANEDIONE FEMA 28410	01	BAKED GOODS(R)	16	0-5 MO.	.015872	.021007	.036353
				6-11 MO.	.118571	.241810	.271579

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,3-PENTANEDIONE FEMA 2841D	01	BAKED GOODS(R)	16	12-23 MO.	.254414	.419199	.582718
				2-65+ YR.	.640469	.951367	1.466953
2,3-PENTANEDIONE FEMA 2841D	02	BREAK CERLS(R)	*	0-5 MO.	.006960	.019720	.006960
				6-11 MO.	.258680	.693680	.258680
				12-23 MO.	.302760	.590440	.302760
				2-65+ YR.	.232000	.600880	.232000
2,3-PENTANEDIONE FEMA 2841D	07	FROZN DAIRY(R)	10	0-5 MO.	.004437	.018193	.009695
				6-11 MO.	.042155	.117146	.092104
				12-23 MO.	.063898	.149982	.139610
				2-65+ YR.	.113596	.273784	.248196
2,3-PENTANEDIONE FEMA 2841D	10	MEAT PRODS(R)	*	0-5 MO.	.004841	.012763	.006290
				6-11 MO.	.091099	.245572	.118373
				12-23 MO.	.132908	.228408	.172699
				2-65+ YR.	.345033	.572560	.448332
2,3-PENTANEDIONE FEMA 2841D	16	SOFT CANDY(R)	15	0-5 MO.	.000900	.009004	.002196
				6-11 MO.	.009904	.030612	.024151
				12-23 MO.	.015756	.041867	.038422
				2-65+ YR.	.026111	.079232	.063671
2,3-PENTANEDIONE FEMA 2841D	19	SWEET SAUCE(R)	*	0-5 MO.	.000090	.000120	.000180
				6-11 MO.	.000270	.000930	.000540
				12-23 MO.	.000780	.002280	.001560
				2-65+ YR.	.002040	.005370	.004080
2,3-PENTANEDIONE FEMA 2841D	20	GELATIN PUD(R)	10	0-5 MO.	.007398	.009987	.016890
				6-11 MO.	.047346	.143519	.108098
				12-23 MO.	.051045	.124264	.116543
				2-65+ YR.	.075458	.194194	.172282
2,3-PENTANEDIONE FEMA 2841D	23	BEV TYPE II(R)	8	0-5 MO.	.002536	.003805	.003798
				6-11 MO.	.023991	.082118	.035924
				12-23 MO.	.057282	.171741	.085774

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,3-PENTANEDIONE FEMA 2841D	23	BEV TYPE I(R)	8	2-65+ YR.	.109914	.293492	.164585
2,3-PENTANEDIONE FEMA 2841D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000062	**********
				12-23 MO.	**********	.000124	**********
				2-65+ YR.	.020141	.058501	.036391
2,3-PENTANEDIONE FEMA 2841D	27	GRAVIES(R)	*	0-5 MO.	.000020	.000060	.000040
				6-11 MO.	.000280	.000780	.000560
				12-23 MO.	.000720	.002040	.001440
				2-65+ YR.	.001660	.004260	.003320
2,3-PENTANEDIONE FEMA 2841D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004039	.012117	.005825
				12-23 MO.	.012117	.036351	.017475
				2-65+ YR.	.024234	.068663	.034950
2,3-PENTANEDIONE FEMA 2841D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000004	.000004	.000004
				12-23 MO.	.000004	.000012	.000004
				2-65+ YR.	.000008	.000016	.000008
2,3-PENTANEDIONE FEMA 2841D	99	ALL CATEGORIES	18	0-5 MO.	.043055	.094658	.082403
				6-11 MO.	.596339	1.568350	.915838
				12-23 MO.	.891684	1.766728	1.459006
				2-65+ YR.	1.590663	3.102320	2.874767
2-PENTANONE FEMA 2842D	01	BAKED GOODS(R)	8	0-5 MO.	.088198	.116733	.166567
				6-11 MO.	.658893	1.343727	1.244353
				12-23 MO.	1.413767	2.329473	2.669971
				2-65+ YR.	3.559061	5.286710	6.721468
2-PENTANONE FEMA 2842D	04	FATS OILS(R)	*	0-5 MO.	.000100	.000100	.000200
				6-11 MO.	.000560	.001500	.001120
				12-23 MO.	.001260	.002400	.002520
				2-65+ YR.	.003500	.006320	.007000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-PENTANONE FEMA 2842D	07	FROZN DAIRY(R)	5	0-5 MO.	.013020	.053384	.020153
				6-11 MO.	.123694	.343738	.191451
				12-23 MO.	.187494	.440089	.290199
				2-65+ YR.	.333322	.803358	.515909
2-PENTANONE FEMA 2842D	16	SOFT CANDY(R)	6	0-5 MO.	.004167	.041667	.006785
				6-11 MO.	.045833	.141667	.074631
				12-23 MO.	.072917	.193750	.118731
				2-65+ YR.	.120833	.366667	.196754
2-PENTANONE FEMA 2842D	20	GELATIN PUD(R)	6	0-5 MO.	.030829	.041619	.047938
				6-11 MO.	.197303	.598074	.306806
				12-23 MO.	.212717	.517920	.330775
				2-65+ YR.	.314451	.809250	.488972
2-PENTANONE FEMA 2842D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002200	.006200	.004400
				2-65+ YR.	.002600	.007400	.005200
2-PENTANONE FEMA 2842D	23	BEV TYPE I(R)	5	0-5 MO.	.019218	.028828	.029240
				6-11 MO.	.181775	.622198	.276562
				12-23 MO.	.434017	1.301250	.660337
				2-65+ YR.	.832800	2.223736	1.267067
2-PENTANONE FEMA 2842D	99	ALL CATEGORIES	10	0-5 MO.	.155532	.282530	.270883
				6-11 MO.	1.208858	3.053104	2.096523
				12-23 MO.	2.324371	4.791082	4.076932
				2-65+ YR.	5.166568	9.503441	9.202370
4-PENTENOIC ACID FEMA 2843D	01	BAKED GOODS(R)	4	0-5 MO.	.018445	.024413	.051068
				6-11 MO.	.137795	.281015	.381508
				12-23 MO.	.295663	.487165	.818590
				2-65+ YR.	.744310	1.105615	2.060744
4-PENTENOIC ACID 2843D	04	FATS OILS(R)	*	0-5 MO.	.000100	.000100	.001000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-PENTENOIC ACID FEMA 2843D	04	FATS OILS(R)	*	6-11 MO.	.000560	.001500	.005600
				12-23 MO.	.001260	.002400	.012600
				2-65+ YR.	.003500	.006320	.035000
4-PENTENOIC ACID FEMA 2843D	07	FROZN DAIRY(R)	*	0-5 MO.	.005120	.020992	.014600
				6-11 MO.	.048640	.135168	.138700
				12-23 MO.	.073728	.173056	.210240
				2-65+ YR.	.131072	.315904	.373760
4-PENTENOIC ACID FEMA 2843D	16	SOFT CANDY(R)	*	0-5 MO.	.001230	.012300	.003180
				6-11 MO.	.013530	.041820	.034980
				12-23 MO.	.021525	.057195	.055650
				2-65+ YR.	.035670	.108240	.092220
4-PENTENOIC ACID FEMA 2843D	20	GELATIN PUD(R)	*	0-5 MO.	.011040	.014904	.030000
				6-11 MO.	.070656	.214176	.192000
				12-23 MO.	.076176	.185472	.207000
				2-65+ YR.	.112608	.289800	.306000
4-PENTENOIC ACID FEMA 2843D	23	BEV TYPE I(R)	*	0-5 MO.	.004944	.007416	.013920
				6-11 MO.	.046762	.160062	.131660
				12-23 MO.	.111652	.334750	.314360
				2-65+ YR.	.214240	.572062	.603200
4-PENTENOIC ACID FEMA 2843D	99	ALL CATEGORIES	4	0-5 MO.	.040879	.080125	.113768
				6-11 MO.	.317943	.833741	.884448
				12-23 MO.	.580004	1.240038	1.618440
				2-65+ YR.	1.241400	2.397941	3.470924
A6-PHELLANDRENE FEMA 2856D	01	BAKED GOODS(R)	10	0-5 MO.	.038940	.051539	.097331
				6-11 MO.	.290908	.593269	.727122
				12-23 MO.	.624193	1.028486	1.560162
				2-65+ YR.	1.571362	2.334138	3.927601
A6-PHELLANDRENE FEMA 2856D	07	FROZN DAIRY(R)	9	0-5 MO.	.010667	.043736	.020497
				6-11 MO.	.101341	.281620	.194726

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A&-PHELLANDRENE FEMA 2856D	07	FROZN DAIRY(R)	9	12-23 MO.	.153611	.360559	.295163
				2-65+ YR.	.273086	.658181	.524734
A&-PHELLANDRENE FEMA 2856D	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
A&-PHELLANDRENE FEMA 2856D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.008000
				12-23 MO.	.014000	.038000	.028000
				2-65+ YR.	.044000	.106000	.088000
A&-PHELLANDRENE FEMA 2856D	16	SOFT CANDY(R)	10	0-5 MO.	.012889	.128890	.027371
				6-11 MO.	.141779	.438227	.301081
				12-23 MO.	.225558	.599340	.478993
				2-65+ YR.	.373782	1.134235	.793760
A&-PHELLANDRENE FEMA 2856D	20	GELATIN PUD(R)	5	0-5 MO.	.002122	.002864	.009049
				6-11 MO.	.013578	.041158	.057916
				12-23 MO.	.014639	.035642	.062440
				2-65+ YR.	.021640	.055690	.092303
A&-PHELLANDRENE FEMA 2856D	23	BEV TYPE I(R)	11	0-5 MO.	.010289	.015434	.025511
				6-11 MO.	.097319	.333115	.241294
				12-23 MO.	.232366	.696669	.576126
				2-65+ YR.	.445868	1.190554	1.105486
A&-PHELLANDRENE FEMA 2856D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000530	**********
				12-23 MO.	**********	.001060	**********
				2-65+ YR.	.172285	.500421	.359073
A&-PHELLANDRENE FEMA 2856D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.011389	.034167	.011389
				12-23 MO.	.034167	.102501	.034167

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AG-PHELLANDRENE FEMA 2856D	30	HARD CANDY(R)	6	2-65+ YR.	.068334	.193613	.068334
AG-PHELLANDRENE FEMA 2856D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.004284	.004284	.005074
				12-23 MO.	.004284	.012852	.005074
				2-65+ YR.	.008568	.017136	.010148
AG-PHELLANDRENE FEMA 2856D	99	ALL CATEGORIES	22	0-5 MO.	.080408	.257464	.190760
				6-11 MO.	.768098	2.016371	1.753601
				12-23 MO.	1.453818	3.134610	3.342128
				2-65+ YR.	3.370926	6.840468	7.753440
PHENETHYL ACETATE FEMA 2857D	01	BAKED GOODS(R)	12	0-5 MO.	.042981	.056886	.075853
				6-11 MO.	.321093	.654827	.566666
				12-23 MO.	.688959	1.135201	1.215879
				2-65+ YR.	1.734406	2.576326	3.060891
PHENETHYL ACETATE FEMA 2857D	07	FROZEN DAIRY(R)	12	0-5 MO.	.004146	.016997	.007572
				6-11 MO.	.039383	.109442	.071932
				12-23 MO.	.059696	.140119	.109033
				2-65+ YR.	.106126	.255780	.193837
PHENETHYL ACETATE FEMA 2857D	16	SOFT CANDY(R)	15	0-5 MO.	.002105	.021049	.004047
				6-11 MO.	.023154	.071566	.044521
				12-23 MO.	.036836	.097878	.070829
				2-65+ YR.	.061042	.185231	.117374
PHENETHYL ACETATE FEMA 2857D	19	SWEET SAUCE(R)	*	0-5 MO.	.000900	.001200	.001800
				6-11 MO.	.002700	.009300	.005400
				12-23 MO.	.007800	.022800	.015600
				2-65+ YR.	.020400	.053700	.040800
PHENETHYL ACETATE FEMA 2857D	20	GELATIN PUD(R)	7	0-5 MO.	.014613	.019727	.020767
				6-11 MO.	.093521	.283485	.132910
				12-23 MO.	.100827	.245492	.143293
				2-65+ YR.	.149049	.383581	.211825

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL ACETATE FEMA 2857D	23	BEV TYPE I(R)	15	0-5 MO.	.006063	.009095	.010217
				6-11 MO.	.057346	.196290	.096633
				12-23 MO.	.136923	.410516	.230726
				2-65+ YR.	.262730	.701540	.442722
PHENETHYL ACETATE FEMA 2857D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000394	**********
				12-23 MO.	**********	.000788	**********
				2-65+ YR.	.128029	.371874	.201393
PHENETHYL ACETATE FEMA 2857D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000015	.000045	.000016
				12-23 MO.	.000045	.000135	.000048
				2-65+ YR.	.000090	.000255	.000096
PHENETHYL ACETATE FEMA 2857D	99	ALL CATEGORIES	20	0-5 MO.	.070807	.124954	.120256
				6-11 MO.	.537211	1.325349	.918077
				12-23 MO.	1.031085	2.052929	1.785409
				2-65+ YR.	2.461871	4.528286	4.268938
PHENETHYL ALCOHOL FEMA 2858D	01	BAKED GOODS(R)	15	0-5 MO.	.092567	.122515	.111655
				6-11 MO.	.691527	1.410279	.834132
				12-23 MO.	1.483787	2.444846	1.789772
				2-65+ YR.	3.735332	5.548548	4.505627
PHENETHYL ALCOHOL FEMA 2858D	04	FATS OILS(R)	*	0-5 MO.	.000025	.000025	.000050
				6-11 MO.	.000140	.000375	.000280
				12-23 MO.	.000315	.000600	.000630
				2-65+ YR.	.000875	.001580	.001750
PHENETHYL ALCOHOL FEMA 2858D	07	FROZN DAIRY(R)	14	0-5 MO.	.018915	.077553	.023367
				6-11 MO.	.179696	.499365	.221989
				12-23 MO.	.272381	.639339	.336469
				2-65+ YR.	.464233	1.167077	.598203
PHENETHYL ALCOHOL FEMA 2858D	16	SOFT CANDY(R)	17	0-5 MO.	.005123	.051233	.006002

TABLE 13, PART D -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL ALCOHOL FEMA 2858D	16	SOFT CANDY(R)	17	6-11 MO.	.056357	.174193	.066025
				12-23 MO.	.089658	.238235	.105039
				2-65+ YR.	.148577	.450853	.174065
PHENETHYL ALCOHOL FEMA 2858D	20	GELATIN PUD(R)	11	0-5 MO.	.011412	.015406	.019742
				6-11 MO.	.073035	.221387	.126350
				12-23 MO.	.078741	.191717	.136221
				2-65+ YR.	.116399	.299557	.201371
PHENETHYL ALCOHOL FEMA 2858D	23	BEV TYPE I(R)	19	0-5 MO.	.031627	.047441	.042815
				6-11 MO.	.299140	1.023927	.404960
				12-23 MO.	.714245	2.141417	.966909
				2-65+ YR.	1.370507	3.659517	1.855324
PHENETHYL ALCOHOL FEMA 2858D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000267	**********
				12-23 MO.	**********	.000535	**********
				2-65+ YR.	.086872	.252331	.214381
PHENETHYL ALCOHOL FEMA 2858D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000175	.000525	.000245
				12-23 MO.	.000525	.001575	.000735
				2-65+ YR.	.001050	.002975	.001470
PHENETHYL ALCOHOL FEMA 2858D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002495	.002495	.007878
				12-23 MO.	.002495	.007485	.007878
				2-65+ YR.	.004990	.009980	.015756
PHENETHYL ALCOHOL FEMA 2858D	99	ALL CATEGORIES	30	0-5 MO.	.159669	.314172	.203632
				6-11 MO.	1.302563	3.332813	1.661860
				12-23 MO.	2.642147	5.665748	3.343674
				2-65+ YR.	5.948836	11.392418	7.567948
PHENETHYL ANTHRANILATE FEMA 2859D	01	BAKED GOODS(R)	6	0-5 MO.	.032369	.042841	.049817
				6-11 MO.	.241815	.493150	.372161

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL ANTHRANILATE FEMA 2859D	01	BAKED GOODS(R)	6	12-23 MO.	.518855	.854920	.798535
				2-65+ YR.	1.306181	1.940231	2.010258
PHENETHYL ANTHRANILATE FEMA 2859D	07	FROZN DAIRY(R)	5	0-5 MO.	.003047	.012492	.005143
				6-11 MO.	.028945	.080437	.048862
				12-23 MO.	.043875	.102984	.074064
				2-65+ YR.	.077999	.187991	.131670
PHENETHYL ANTHRANILATE FEMA 2859D	16	SOFT CANDY(R)	6	0-5 MO.	.001857	.018574	.003215
				6-11 MO.	.020432	.063153	.035364
				12-23 MO.	.032505	.086371	.056260
				2-65+ YR.	.053866	.163454	.093231
PHENETHYL ANTHRANILATE FEMA 2859D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.022205
				6-11 MO.	.102400	.310400	.142113
				12-23 MO.	.110400	.268800	.153215
				2-65+ YR.	.163200	.420000	.226492
PHENETHYL ANTHRANILATE FEMA 2859D	23	BEV TYPE I(R)	5	0-5 MO.	.006050	.009076	.011580
				6-11 MO.	.057226	.195880	.109531
				12-23 MO.	.136637	.409659	.261524
				2-65+ YR.	.262182	.700076	.501818
PHENETHYL ANTHRANILATE FEMA 2859D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000186	**********
				12-23 MO.	**********	.000372	**********
				2-65+ YR.	.060377	.175372	.157737
PHENETHYL ANTHRANILATE FEMA 2859D	99	ALL CATEGORIES	6	0-5 MO.	.059324	.104583	.091961
				6-11 MO.	.450818	1.143205	.708031
				12-23 MO.	.842272	1.723105	1.343600
				2-65+ YR.	1.923805	3.587124	3.121207
PHENETHYL BENZOATE FEMA 2860D	01	BAKED GOODS(R)	*	0-5 MO.	.023172	.030669	.039754
				6-11 MO.	.173111	.353037	.296985
				12-23 MO.	.371438	.612022	.637231

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL BENZOATE FEMA 2860D	01	BAKED GOODS(R)	*	2-65+ YR.	.935071	1.388975	1.604185
PHENETHYL BENZOATE FEMA 2860D	07	FROZN DAIRY(R)	*	0-5 MO.	.001725	.007073	.003450
				6-11 MO.	.016388	.045540	.032775
				12-23 MO.	.024840	.058305	.049680
				2-65+ YR.	.044160	.106433	.088320
PHENETHYL BENZOATE FEMA 2860D	16	SOFT CANDY(R)	*	0-5 MO.	.000685	.006846	.001452
				6-11 MO.	.007531	.023277	.015975
				12-23 MO.	.011981	.031835	.025415
				2-65+ YR.	.019854	.060246	.042117
PHENETHYL BENZOATE FEMA 2860D	20	GELATIN PUD(R)	*	0-5 MO.	.011000	.014850	.014300
				6-11 MO.	.070400	.213400	.091520
				12-23 MO.	.075900	.184800	.098670
				2-65+ YR.	.112200	.288750	.145860
PHENETHYL BENZOATE FEMA 2860D	23	BEV TYPE I(R)	4	0-5 MO.	.003840	.005760	.007292
				6-11 MO.	.036320	.124320	.068973
				12-23 MO.	.086720	.260000	.164685
				2-65+ YR.	.166400	.444320	.316000
PHENETHYL BENZOATE FEMA 2860D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000157	**********
				12-23 MO.	**********	.000313	**********
				2-65+ YR.	.050917	.147893	.084500
PHENETHYL BENZOATE FEMA 2860D	99	ALL CATEGORIES	5	0-5 MO.	.040422	.065198	.066248
				6-11 MO.	.303749	.759731	.506228
				12-23 MO.	.570879	1.147275	.975681
				2-65+ YR.	1.328601	2.436617	2.280982
PHENETHYL BUTYRATE FEMA 2861D	01	BAKED GOODS(R)	9	0-5 MO.	.030624	.040532	.050237
				6-11 MO.	.228778	.466563	.375303
				12-23 MO.	.490882	.808829	.805276
				2-65+ YR.	1.235762	1.835628	2.027226

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL BUTYRATE FEMA 2861D	07	FROZN DAIRY(R)	9	0-5 MO.	.004103	.016822	.008044
				6-11 MO.	.038979	.108320	.076417
				12-23 MO.	.059083	.138682	.115833
				2-65+ YR.	.105037	.253156	.205925
PHENETHYL BUTYRATE FEMA 2861D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.002860	**********
				6-11 MO.	.022880	.062920	.022880
				12-23 MO.	.080080	.217360	.080080
				2-65+ YR.	.251680	.606320	.251680
PHENETHYL BUTYRATE FEMA 2861D	16	SOFT CANDY(R)	9	0-5 MO.	.001498	.014981	.002611
				6-11 MO.	.016479	.050936	.028719
				12-23 MO.	.026217	.069663	.045689
				2-65+ YR.	.043446	.131836	.075713
PHENETHYL BUTYRATE FEMA 2861D	20	GELATIN PUD(R)	6	0-5 MO.	.012362	.016689	.021747
				6-11 MO.	.079117	.239824	.139182
				12-23 MO.	.085298	.207683	.150055
				2-65+ YR.	.126093	.324504	.221821
PHENETHYL BUTYRATE FEMA 2861D	23	BEV TYPE I(R)	11	0-5 MO.	.004229	.006344	.008573
				6-11 MO.	.040003	.136926	.081089
				12-23 MO.	.095513	.286364	.193612
				2-65+ YR.	.183273	.489374	.371507
PHENETHYL BUTYRATE FEMA 2861D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000217	**********
				12-23 MO.	**********	.000434	**********
				2-65+ YR.	.070586	.205025	.160977
PHENETHYL BUTYRATE FEMA 2861D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000170	.000510	.000170
				12-23 MO.	.000510	.001530	.000510
				2-65+ YR.	.001020	.002890	.001020
PHENETHYL BUTYRATE FEMA 2861D	99	ALL CATEGORIES	14	0-5 MO.	.052816	.098228	.091212

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL BUTYRATE FEMA 2862D	99	ALL CATEGORIES	14	6-11 MO.	.426406	1.066216	.723759
				12-23 MO.	.837584	1.730545	1.391055
				2-65+ YR.	2.016897	3.848733	3.315868
PHENETHYL ISOBUTYRATE FEMA 2862D	01	BAKED GOODS(R)	8	0-5 MO.	.037570	.049725	.060611
				6-11 MO.	.280670	.572390	.452797
				12-23 MO.	.602225	.992290	.971553
				2-65+ YR.	1.516060	2.251990	2.445819
PHENETHYL ISOBUTYRATE FEMA 2862D	07	FROZN DAIRY(R)	6	0-5 MO.	.006696	.027454	.011846
				6-11 MO.	.063613	.176778	.112538
				12-23 MO.	.096425	.226330	.170585
				2-65+ YR.	.171422	.413153	.303262
PHENETHYL ISOBUTYRATE FEMA 2862D	16	SOFT CANDY(R)	7	0-5 MO.	.001844	.018441	.003170
				6-11 MO.	.020265	.062700	.034866
				12-23 MO.	.032272	.085752	.055468
				2-65+ YR.	.053480	.162283	.091918
PHENETHYL ISOBUTYRATE FEMA 2862D	20	GELATIN PUD(R)	5	0-5 MO.	.011014	.014869	.022857
				6-11 MO.	.070491	.213677	.146286
				12-23 MO.	.075999	.185040	.157714
				2-65+ YR.	.112346	.289125	.233143
PHENETHYL ISOBUTYRATE FEMA 2862D	23	BEV TYPE I(R)	8	0-5 MO.	.007038	.010556	.012832
				6-11 MO.	.066564	.227844	.121369
				12-23 MO.	.158934	.476507	.289789
				2-65+ YR.	.304965	.814314	.556053
PHENETHYL ISOBUTYRATE FEMA 2862D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000333	**********
				12-23 MO.	**********	.000667	**********
				2-65+ YR.	.108333	.314667	.238333
PHENETHYL ISOBUTYRATE FEMA 2862D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.015000	.015000	.015000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL ISOBUTYRATE FEMA 2862D	31	CHEWING GUM(R)	*	12-23 MO.	.015000	.045000	.015000
				2-65+ YR.	.030000	.060000	.030000
PHENETHYL ISOBUTYRATE FEMA 2862D	99	ALL CATEGORIES	10	0-5 MO.	.064162	.121046	.111316
				6-11 MO.	.516625	1.268723	.882856
				12-23 MO.	.980854	2.011586	1.660110
				2-65+ YR.	2.296605	4.305532	3.898528
PHENETHYL CINNAMATE FEMA 2663D	01	BAKED GOODS(R)	5	0-5 MO.	.012300	.016279	.023514
				6-11 MO.	.091888	.187394	.175666
				12-23 MO.	.197162	.324865	.376920
				2-65+ YR.	.496341	.737276	.948871
PHENETHYL CINNAMATE FEMA 2663D	07	FROZN DAIRY(R)	4	0-5 MO.	.001507	.006179	.003131
				6-11 MO.	.014317	.039785	.029742
				12-23 MO.	.021701	.050937	.045082
				2-65+ YR.	.038580	.092983	.080146
PHENETHYL CINNAMATE FEMA 2663D	16	SOFT CANDY(R)	5	0-5 MO.	.000736	.007361	.001429
				6-11 MO.	.008097	.025029	.015724
				12-23 MO.	.012882	.034230	.025015
				2-65+ YR.	.021348	.064780	.041453
PHENETHYL CINNAMATE FEMA 2663D	20	GELATIN PUD(R)	*	0-5 MO.	.005333	.007200	.007867
				6-11 MO.	.034133	.103467	.050347
				12-23 MO.	.036800	.089600	.054280
				2-65+ YR.	.054400	.140000	.080240
PHENETHYL CINNAMATE FEMA 2663D	23	BEV TYPE II(R)	6	0-5 MO.	.004152	.006227	.007319
				6-11 MO.	.039267	.134408	.069225
				12-23 MO.	.093757	.281099	.165287
				2-65+ YR.	.179903	.480376	.317156
PHENETHYL CINNAMATE FEMA 2663D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000183	**********
				12-23 MO.	**********	.000367	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL CINNAMATE FEMA 2863D	24	BEV TYPE II(R)	*	2-65+ YR.	.059583	.173067	.151667
PHENETHYL CINNAMATE FEMA 2863D	99	ALL CATEGORIES	7	0-5 MO.	.024028	.043247	.043260
				6-11 MO.	.187703	.490266	.340703
				12-23 MO.	.362302	.781098	.666584
				2-65+ YR.	.850155	1.688482	1.619532
PHENETHYL FORMATE FEMA 2864D	01	BAKED GOODS(R)	6	0-5 MO.	.041016	.054286	.075344
				6-11 MO.	.306416	.624896	.562864
				12-23 MO.	.657468	1.083315	1.207720
				2-65+ YR.	1.655131	2.458569	3.040352
PHENETHYL FORMATE FEMA 2864D	07	FROZN DAIRY(R)	5	0-5 MO.	.008522	.034941	.014027
				6-11 MO.	.080961	.224987	.133253
				12-23 MO.	.122720	.288051	.201984
				2-65+ YR.	.218169	.525821	.359083
PHENETHYL FORMATE FEMA 2864D	16	SOFT CANDY(R)	6	0-5 MO.	.002385	.023848	.004210
				6-11 MO.	.026233	.081083	.046310
				12-23 MO.	.041734	.110893	.073675
				2-65+ YR.	.069159	.209862	.122090
PHENETHYL FORMATE FEMA 2864D	20	GELATIN PUD(R)	6	0-5 MO.	.011325	.015289	.023835
				6-11 MO.	.072480	.219705	.152544
				12-23 MO.	.078143	.190260	.164462
				2-65+ YR.	.115515	.297281	.243117
PHENETHYL FORMATE FEMA 2864D	23	BEV TYPE I(R)	5	0-5 MO.	.005493	.008240	.010650
				6-11 MO.	.051958	.177847	.100731
				12-23 MO.	.124058	.371944	.240513
				2-65+ YR.	.238044	.635624	.461500
PHENETHYL FORMATE FEMA 2864D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000187	**********
				12-23 MO.	**********	.000373	**********
				2-65+ YR.	.060667	.176213	.121875

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL FORMATE FEMA 2864D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000039	.000039	.000039
				12-23 MO.	.000039	.000117	.000039
				2-65+ YR.	.000078	.000156	.000078
PHENETHYL FORMATE FEMA 2864D	99	ALL CATEGORIES	9	0-5 MO.	.068742	.136604	.128066
				6-11 MO.	.538087	1.328744	.995742
				12-23 MO.	1.024161	2.044954	1.888392
				2-65+ YR.	2.356763	4.303528	4.348095
PHENETHYL PHENYLACETATE FEMA 2866D	01	BAKED GOODS(R)	7	0-5 MO.	.027689	.036647	.059081
				6-11 MO.	.206853	.421850	.441372
				12-23 MO.	.443839	.731316	.947038
				2-65+ YR.	1.117333	1.659712	2.384104
PHENETHYL PHENYLACETATE FEMA 2866D	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000270
				12-23 MO.	.000780	.002220	.000780
				2-65+ YR.	.000940	.002360	.000940
PHENETHYL PHENYLACETATE FEMA 2866D	07	FROZN DAIRY(R)	5	0-5 MO.	.007872	.032275	.017675
				6-11 MO.	.074784	.207820	.167911
				12-23 MO.	.113356	.266072	.254517
				2-65+ YR.	.201522	.485699	.452475
PHENETHYL PHENYLACETATE FEMA 2866D	16	SOFT CANDY(R)	7	0-5 MO.	.001649	.016494	.003507
				6-11 MO.	.018144	.056081	.038579
				12-23 MO.	.028865	.076699	.061376
				2-65+ YR.	.047834	.145151	.101709
PHENETHYL PHENYLACETATE FEMA 2866D	20	GELATIN PUD(R)	6	0-5 MO.	.015895	.021458	.035526
				6-11 MO.	.101726	.308357	.227365
				12-23 MO.	.109673	.267031	.245128
				2-65+ YR.	.162126	.417235	.362364
PHENETHYL PHENYLACETATE FEMA 2866D	23	BEV TYPE I(R)	7	0-5 MO.	.007247	.010870	.015327

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP (II), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL PHENYLACETATE FEMA 2866D	23	BEV TYPE I(R)	7	6-11 MO.	.068544	.234619	.144966
				12-23 MO.	.163660	.490677	.346131
				2-65+ YR.	.314033	.838529	.664163
PHENETHYL PHENYLACETATE FEMA 2866D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000217	**********
				12-23 MO.	**********	.000433	**********
				2-65+ YR.	.070417	.204533	.124583
PHENETHYL PHENYLACETATE FEMA 2866D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000223	.000669	.000244
				12-23 MO.	.000669	.002007	.000732
				2-65+ YR.	.001338	.003791	.001464
PHENETHYL PHENYLACETATE FEMA 2866D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000775	.000775	.001040
				12-23 MO.	.000775	.002325	.001040
				2-65+ YR.	.001550	.003100	.002080
PHENETHYL PHENYLACETATE FEMA 2866D	99	ALL CATEGORIES	18	0-5 MO.	.060352	.117755	.131116
				6-11 MO.	.471318	1.231357	1.021748
				12-23 MO.	.861617	1.838780	1.856743
				2-65+ YR.	1.917093	3.760111	4.093882
PHENETHYL PROPIONATE FEMA 2867D	01	BAKED GOODS(R)	5	0-5 MO.	.053112	.070295	.089198
				6-11 MO.	.396779	.809179	.666365
				12-23 MO.	.851356	1.402785	1.429799
				2-65+ YR.	2.143230	3.183603	3.599421
PHENETHYL PROPIONATE FEMA 2867D	07	FROZN DAIRY(R)	4	0-5 MO.	.006768	.027748	.011102
				6-11 MO.	.064293	.178668	.105472
				12-23 MO.	.097455	.228749	.159874
				2-65+ YR.	.173254	.417568	.284220
PHENETHYL PROPIONATE FEMA 2867D	16	SOFT CANDY(R)	5	0-5 MO.	.002636	.026364	.004833
				6-11 MO.	.029000	.089636	.053167

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL PROPIONATE FEMA 2867D	16	SOFT CANDY(R)	5	12-23 MO.	.046136	.122591	.084583
				2-65+ YR.	.076455	.232000	.140167
PHENETHYL PROPIONATE FEMA 2867D	20	GELATIN PUD(R)	5	0-5 MO.	.009547	.012888	.019570
				6-11 MO.	.061098	.185202	.125247
				12-23 MO.	.065871	.160381	.135031
				2-65+ YR.	.097374	.250596	.199612
PHENETHYL PROPIONATE FEMA 2867D	23	BEV TYPE I(R)	7	0-5 MO.	.005603	.008405	.009654
				6-11 MO.	.052997	.181403	.091313
				12-23 MO.	.126539	.379382	.218024
				2-65+ YR.	.242805	.648335	.418349
PHENETHYL PROPIONATE FEMA 2867D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000294	**********
				12-23 MO.	**********	.000587	**********
				2-65+ YR.	.095438	.277212	.208194
PHENETHYL PROPIONATE FEMA 2867D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000169	.000169	.000169
				12-23 MO.	.000169	.000507	.000169
				2-65+ YR.	.000338	.000676	.000338
PHENETHYL PROPIONATE FEMA 2867D	99	ALL CATEGORIES	9	0-5 MO.	.077666	.145699	.134358
				6-11 MO.	.604336	1.444551	1.041733
				12-23 MO.	1.187526	2.294982	2.027481
				2-65+ YR.	2.828894	5.009990	4.850301
PHENETHYL SALICYLATE FEMA 2868D	01	BAKED GOODS(R)	*	0-5 MO.	.008262	.010935	.016524
				6-11 MO.	.061722	.125874	.123444
				12-23 MO.	.132435	.218214	.264870
				2-65+ YR.	.333396	.495234	.666792
PHENETHYL SALICYLATE FEMA 2868D	07	FROZN DAIRY(R)	*	0-5 MO.	.001067	.004373	.002067
				6-11 MO.	.010133	.028160	.019633
				12-23 MO.	.015360	.036053	.029760

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL SALICYLATE FEMA 2868D	07	FROZN DAIRY(R)	*	2-65+ YR.	.027307	.065813	.052907
PHENETHYL SALICYLATE FEMA 2868D	16	SOFT CANDY(R)	*	0-5 MO.	.000344	.003440	.000650
				6-11 MO.	.003784	.011696	.007150
				12-23 MO.	.006020	.015996	.011375
				2-65+ YR.	.009976	.030272	.018850
PHENETHYL SALICYLATE FEMA 2868D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.003600
				6-11 MO.	.012800	.038800	.023040
				12-23 MO.	.013800	.033600	.024840
				2-65+ YR.	.020400	.052500	.036720
PHENETHYL SALICYLATE FEMA 2868D	23	BEV TYPE I(R)	*	0-5 MO.	.002000	.003000	.002904
				6-11 MO.	.018917	.064750	.027467
				12-23 MO.	.045167	.135417	.065582
				2-65+ YR.	.086667	.231417	.125840
PHENETHYL SALICYLATE FEMA 2868D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000090	**********
				12-23 MO.	**********	.000180	**********
				2-65+ YR.	.029250	.084960	.061750
PHENETHYL SALICYLATE FEMA 2868D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000001	.000003	.000001
				12-23 MO.	.000003	.000009	.000003
				2-65+ YR.	.000006	.000017	.000006
PHENETHYL SALICYLATE FEMA 2868D	99	ALL CATEGORIES	4	0-5 MO.	.013673	.024448	.025745
				6-11 MO.	.107357	.269373	.200735
				12-23 MO.	.212785	.439469	.396430
				2-65+ YR.	.507001	.960213	.962865
PHENETHYL SENECIOATE FEMA 2869D	01	BAKED GOODS(R)	*	0-5 MO.	.002040	.002700	.004080
				6-11 MO.	.015240	.031080	.030480
				12-23 MO.	.032700	.053880	.065400
				2-65+ YR.	.082320	.122280	.164640

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL SENECIOATE FEMA 2869D	07	FROZN DAIRY(R)	*	0-5 MO.	.000500	.002050	.005000
				6-11 MO.	.004750	.013200	.047500
				12-23 MO.	.007200	.016900	.072000
				2-65+ YR.	.012800	.030850	.128000
PHENETHYL SENECIOATE FEMA 2869D	16	SOFT CANDY(R)	*	0-5 MO.	.000100	.001000	.000300
				6-11 MO.	.001100	.003400	.003300
				12-23 MO.	.001750	.004650	.005250
				2-65+ YR.	.002900	.008800	.008700
PHENETHYL SENECIOATE FEMA 2869D	20	GELATIN PUD(R)	*	0-5 MO.	.001200	.001620	.002600
				6-11 MO.	.007680	.023280	.016640
				12-23 MO.	.008280	.020160	.017940
				2-65+ YR.	.012240	.031500	.026520
PHENETHYL SENECIOATE FEMA 2869D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.162500
PHENETHYL SENECIOATE FEMA 2869D	99	ALL CATEGORIES	*	0-5 MO.	.003840	.007370	.011980
				6-11 MO.	.028770	.071010	.097920
				12-23 MO.	.049930	.095690	.160590
				2-65+ YR.	.126510	.240630	.490360
PHENETHYL TIGLATE FEMA 2870D	01	BAKED GOODS(R)	*	0-5 MO.	.047909	.063409	.072698
				6-11 MO.	.357909	.729909	.543098
				12-23 MO.	.767955	1.265364	1.165309
				2-65+ YR.	1.933273	2.871727	2.933585
PHENETHYL TIGLATE FEMA 2870D	07	FROZN DAIRY(R)	*	0-5 MO.	.003370	.013817	.005380
				6-11 MO.	.032015	.088968	.051110
				12-23 MO.	.048528	.113906	.077472
				2-65+ YR.	.086272	.207929	.137728
PHENETHYL TIGLATE FEMA 2870D	16	SOFT CANDY(R)	*	0-5 MO.	.002755	.027545	.004158

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL TIGLATE FEMA 2870D	16	SOFT CANDY(R)	*	6-11 MO.	.030300	.093655	.045740
				12-23 MO.	.048205	.128086	.072768
				2-65+ YR.	.079862	.242400	.120587
PHENETHYL TIGLATE FEMA 2870D	20	GELATIN PUD(R)	*	0-5 MO.	.019836	.026779	.024218
				6-11 MO.	.126953	.384825	.154996
				12-23 MO.	.136871	.333251	.167105
				2-65+ YR.	.202331	.520705	.247025
PHENETHYL TIGLATE FEMA 2870D	23	BEV TYPE I(R)	*	0-5 MO.	.004032	.006048	.007248
				6-11 MO.	.038136	.130536	.068554
				12-23 MO.	.091056	.273000	.163684
				2-65+ YR.	.174720	.466536	.314080
PHENETHYL TIGLATE FEMA 2870D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.186800	.130000
PHENETHYL TIGLATE FEMA 2870D	59	ALL CATEGORIES	*	0-5 MO.	.077902	.137599	.113703
				6-11 MO.	.585313	1.428093	.863499
				12-23 MO.	1.092614	2.114007	1.646339
				2-65+ YR.	2.541477	4.498097	3.883006
PHENETHYL ISOVALERATE FEMA 2871D	01	BAKED GOODS(R)	10	0-5 MO.	.014098	.018659	.029528
				6-11 MO.	.105319	.214785	.220589
				12-23 MO.	.225980	.372349	.473312
				2-65+ YR.	.568890	.845042	1.191529
PHENETHYL ISOVALERATE FEMA 2871D	07	FROZN DAIRY(R)	5	0-5 MO.	.001817	.007448	.004800
				6-11 MO.	.017258	.047960	.045600
				12-23 MO.	.026160	.061403	.069120
				2-65+ YR.	.046507	.112088	.122880
PHENETHYL ISOVALERATE FEMA 2871D	16	SOFT CANDY(R)	7	0-5 MO.	.000873	.008727	.001740
				6-11 MO.	.009600	.029673	.019140

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYL ISOVALERATE FEMA 2871D	16	SOFT CANDY(R)	7	12-23 MO.	.015273	.040582	.030450
				2-65+ YR.	.025309	.076800	.050460
PHENETHYL ISOVALERATE FEMA 2871D	20	GELATIN PUD(R)	7	0-5 MO.	.004809	.006492	.010236
				6-11 MO.	.030778	.093296	.065513
				12-23 MO.	.033183	.080793	.070631
				2-65+ YR.	.049053	.126239	.104411
PHENETHYL ISOVALERATE FEMA 2871D	23	BEV TYPE I(R)	8	0-5 MO.	.002350	.003525	.005200
				6-11 MO.	.022227	.076081	.049183
				12-23 MO.	.053071	.159115	.117433
				2-65+ YR.	.101833	.271915	.225333
PHENETHYL ISOVALERATE FEMA 2871D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
PHENETHYL ISOVALERATE FEMA 2871D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.004400	.004400	.004400
				12-23 MO.	.004400	.013200	.004400
				2-65+ YR.	.008800	.017600	.008800
PHENETHYL ISOVALERATE FEMA 2871D	99	ALL CATEGORIES	12	0-5 MO.	.023946	.044852	.051504
				6-11 MO.	.189583	.466395	.404425
				12-23 MO.	.358067	.727842	.765346
				2-65+ YR.	.865392	1.638484	1.833413
PHENOXYACETIC ACID FEMA 2872D	01	BAKED GOODS(R)	*	0-5 MO.	.009782	.012946	.019171
				6-11 MO.	.073074	.149025	.143217
				12-23 MO.	.156792	.258348	.307296
				2-65+ YR.	.394714	.586317	.773597
PHENOXYACETIC ACID FEMA 2872D	07	FROZN DAIRY(R)	*	0-5 MO.	.001375	.005638	.002750
				6-11 MO.	.013063	.036300	.026125
				12-23 MO.	.019800	.046475	.039600

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENOXYACETIC ACID FEMA 2872D	07	FROZN DAIRY(R)	*	2-65+ YR.	.035200	.084838	.070400
PHENOXYACETIC ACID FEMA 2872D	16	SOFT CANDY(R)	*	0-5 MO.	.000650	.006500	.001200
				6-11 MO.	.007150	.022100	.013200
				12-23 MO.	.011375	.030225	.021000
				2-65+ YR.	.018850	.057200	.034800
PHENOXYACETIC ACID FEMA 2872D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
PHENOXYACETIC ACID FEMA 2872D	23	BEV TYPE I(R)	*	0-5 MO.	.001080	.001620	.003000
				6-11 MO.	.010215	.034965	.028375
				12-23 MO.	.024390	.073125	.067750
				2-65+ YR.	.046800	.124965	.130000
PHENOXYACETIC ACID FEMA 2872D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000088	**********
				12-23 MO.	**********	.000175	**********
				2-65+ YR.	.028438	.082600	.048750
PHENOXYACETIC ACID FEMA 2872D	99	ALL CATEGORIES	*	0-5 MO.	.014887	.029404	.030121
				6-11 MO.	.116301	.281277	.236517
				12-23 MO.	.226157	.441948	.463246
				2-65+ YR.	.544401	.988419	1.098347
2-PHENOXYETHYL ISOBUTYRAT FEMA 2873D	01	BAKED GOODS(R)	4	0-5 MO.	.099893	.132211	.152497
				6-11 MO.	.746259	1.521899	1.139244
				12-23 MO.	1.601225	2.638349	2.444440
				2-65+ YR.	4.030975	5.987701	6.153710
2-PHENOXYETHYL ISOBUTYRAT FEMA 2873D	07	FROZN DAIRY(R)	*	0-5 MO.	.023197	.095108	.038723
				6-11 MO.	.220372	.612403	.367865
				12-23 MO.	.334038	.784061	.557606
				2-65+ YR.	.593645	1.431260	.991299

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-PHENOXYETHYL ISOBUTYRAT FEMA 2873D	16	SOFT CANDY(R)	*	0-5 MO.	.005940	.059401	.007648
				6-11 MO.	.065342	.201965	.084130
				12-23 MO.	.103953	.276217	.133843
				2-65+ YR.	.172264	.522733	.221797
2-PHENOXYETHYL ISOBUTYRAT FEMA 2873D	20	GELATIN PUD(R)	*	0-5 MO.	.058847	.079443	.067825
				6-11 MO.	.376619	1.141626	.562079
				12-23 MO.	.406042	.988625	.605991
				2-65+ YR.	.600237	1.544726	.895813
2-PHENOXYETHYL ISOBUTYRAT FEMA 2873D	23	BEV TYPE I(R)	4	0-5 MO.	.023113	.034669	.030490
				6-11 MO.	.218607	.748273	.288386
				12-23 MO.	.521961	1.564921	.688569
				2-65+ YR.	1.001549	2.674329	1.321239
2-PHENOXYETHYL ISOBUTYRAT FEMA 2873D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
2-PHENOXYETHYL ISOBUTYRAT FEMA 2873D	99	ALL CATEGORIES	5	0-5 MO.	.210990	.400833	.317183
				6-11 MO.	1.627199	4.226266	2.441703
				12-23 MO.	2.967220	6.252373	4.430449
				2-65+ YR.	6.431370	12.255150	9.648859
PHENYLACETALDEHYDE FEMA 2874D	01	BAKED GOODS(R)	14	0-5 MO.	.009278	.012279	.016275
				6-11 MO.	.069311	.141350	.121586
				12-23 MO.	.148718	.245044	.260884
				2-65+ YR.	.374388	.556124	.656758
PHENYLACETALDEHYDE FEMA 2874D	07	FROZN DAIRY(R)	10	0-5 MO.	.001640	.006725	.003391
				6-11 MO.	.015583	.043305	.032212
				12-23 MO.	.023621	.055444	.048826
				2-65+ YR.	.041993	.101209	.086802
PHENYLACETALDEHYDE FEMA 2874D	16	SOFT CANDY(R)	13	0-5 MO.	.000487	.004873	.000883

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENYLACETALDEHYDE FEMA 2874D	16	SOFT CANDY(R)	13	6-11 MO.	.005360	.016568	.009711
				12-23 MO.	.008528	.022659	.015450
				2-65+ YR.	.014131	.042882	.025603
PHENYLACETALDEHYDE FEMA 2874D	20	GELATIN PUD(R)	10	0-5 MO.	.004384	.005918	.007834
				6-11 MO.	.028057	.085049	.050137
				12-23 MO.	.030249	.073651	.054054
				2-65+ YR.	.044716	.115079	.079907
PHENYLACETALDEHYDE FEMA 2874D	23	BEV TYPE I(R)	13	0-5 MO.	.004186	.006279	.008435
				6-11 MO.	.039593	.135525	.079783
				12-23 MO.	.094536	.283433	.190494
				2-65+ YR.	.181397	.484365	.365524
PHENYLACETALDEHYDE FEMA 2874D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000054	**********
				12-23 MO.	**********	.000109	**********
				2-65+ YR.	.017693	.051391	.034209
PHENYLACETALDEHYDE FEMA 2874D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000609	.000609	.000609
				12-23 MO.	.000609	.001827	.000609
				2-65+ YR.	.001218	.002436	.001218
PHENYLACETALDEHYDE FEMA 2874D	99	ALL CATEGORIES	18	0-5 MO.	.019976	.036075	.036818
				6-11 MO.	.158514	.422460	.294039
				12-23 MO.	.306261	.682166	.570318
				2-65+ YR.	.675536	1.353486	1.250021
PHENYLACETALDEHYDE 2,3-BU FEMA 2875D	01	BAKED GOODS(R)	*	0-5 MO.	.019040	.025200	.022780
				6-11 MO.	.142240	.290080	.170180
				12-23 MO.	.305200	.502080	.365150
				2-65+ YR.	.768320	1.141280	.919240
PHENYLACETALDEHYDE 2,3-BU FEMA 2875D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000
				6-11 MO.	.028500	.079200	.047500

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENYLACETALDEHYDE 2,3-BU FEMA 2875D	07	FROZN DAIRY(R)	*	12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
PHENYLACETALDEHYDE 2,3-BU FEMA 2875D	16	SOFT CANDY(R)	*	0-5 MO.	.000720	.007200	.001895
				6-11 MO.	.007920	.024480	.020840
				12-23 MO.	.012600	.033480	.033155
				2-65+ YR.	.020880	.063360	.054942
PHENYLACETALDEHYDE 2,3-BU FEMA 2875D	20	GELATIN PUD(R)	*	0-5 MO.	.009800	.013230	.012600
				6-11 MO.	.062720	.190120	.080640
				12-23 MO.	.067620	.164640	.086940
				2-65+ YR.	.099960	.257250	.128520
PHENYLACETALDEHYDE 2,3-BU FEMA 2875D	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310800	.181600
				12-23 MO.	.216800	.650000	.433600
				2-65+ YR.	.416000	1.110800	.832000
PHENYLACETALDEHYDE 2,3-BU FEMA 2875D	59	ALL CATEGORIES	*	0-5 MO.	.042160	.072330	.061475
				6-11 MO.	.332180	.894680	.500760
				12-23 MO.	.645420	1.452400	.990845
				2-65+ YR.	1.381960	2.757790	2.062702
PHENYLACETALDEHYDE DIMETH FEMA 2876D	01	BAKED GOODS(R)	5	0-5 MO.	.026683	.035316	.039499
				6-11 MO.	.199340	.406528	.295081
				12-23 MO.	.427718	.704753	.633147
				2-65+ YR.	1.076750	1.599429	1.593903
PHENYLACETALDEHYDE DIMETH FEMA 2876D	07	FROZN DAIRY(R)	4	0-5 MO.	.002777	.011384	.003753
				6-11 MO.	.026378	.073304	.035649
				12-23 MO.	.039984	.093851	.054036
				2-65+ YR.	.071083	.171320	.096064
PHENYLACETALDEHYDE DIMETH FEMA 2876D	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	.066000
				6-11 MO.	.414000	1.116000	1.242000
				12-23 MO.	.604000	1.038000	1.812000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENYLACETALDEHYDE DIMETH FEMA 2876D	10	MEAT PRODS(R)	*	2-65+ YR.	1.568000	2.602000	4.704000
PHENYLACETALDEHYDE DIMETH FEMA 2876D	16	SOFT CANDY(R)	5	0-5 MO.	.000928	.009278	.001123
				6-11 MO.	.010206	.031547	.012349
				12-23 MO.	.016237	.043145	.019646
				2-65+ YR.	.026907	.081650	.032556
PHENYLACETALDEHYDE DIMETH FEMA 2876D	20	GELATIN PUD(R)	4	0-5 MO.	.005848	.007895	.007825
				6-11 MO.	.037430	.113459	.050080
				12-23 MO.	.040354	.098253	.053993
				2-65+ YR.	.059654	.153520	.079816
PHENYLACETALDEHYDE DIMETH FEMA 2876D	23	BEV TYPE I(R)	5	0-5 MO.	.002296	.003444	.004585
				6-11 MO.	.021719	.074342	.043366
				12-23 MO.	.051858	.155477	.103542
				2-65+ YR.	.099506	.265699	.198679
PHENYLACETALDEHYDE DIMETH FEMA 2876D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000071	**********
				12-23 MO.	**********	.000141	**********
				2-65+ YR.	.022982	.066754	.047647
PHENYLACETALDEHYDE DIMETH FEMA 2876D	27	GRAVIES(R)	*	0-5 MO.	.002000	.006000	.006000
				6-11 MO.	.028000	.078000	.084000
				12-23 MO.	.072000	.204000	.216000
				2-65+ YR.	.166000	.426000	.498000
PHENYLACETALDEHYDE DIMETH FEMA 2876D	99	ALL CATEGORIES	7	0-5 MO.	.062532	.131319	.128784
				6-11 MO.	.737073	1.893250	1.762525
				12-23 MO.	1.252151	2.337621	2.892364
				2-65+ YR.	3.090881	5.366373	7.250665
PH-ACETALD. GLYCERYL ACET FEMA 2877D	01	BAKED GOODS(R)	*	0-5 MO.	.028900	.038250	.039100
				6-11 MO.	.215900	.440300	.292100
				12-23 MO.	.463250	.763300	.626750
				2-65+ YR.	1.166200	1.732300	1.577800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PH-ACETALD. GLYCERYL ACET FEMA 2877D	07	FROZN DAIRY(R)	*	0-5 MO.	.011250	.046125	.017000
				6-11 MO.	.106875	.297000	.161500
				12-23 MO.	.162000	.380250	.244800
				2-65+ YR.	.288000	.694125	.435200
PH-ACETALD. GLYCERYL ACET FEMA 2877D	16	SOFT CANDY(R)	4	0-5 MO.	.000487	.004867	.002667
				6-11 MO.	.005353	.016547	.029333
				12-23 MO.	.008517	.022630	.046667
				2-65+ YR.	.014113	.042827	.077333
PH-ACETALD. GLYCERYL ACET FEMA 2877D	20	GELATIN PUD(R)	*	0-5 MO.	.005600	.007560	.028800
				6-11 MO.	.035840	.108640	.184320
				12-23 MO.	.038640	.094080	.198720
				2-65+ YR.	.057120	.147000	.293760
PH-ACETALD. GLYCERYL ACET FEMA 2877D	23	BEV TYPE I(R)	*	0-5 MO.	.008880	.013320	.014880
				6-11 MO.	.083990	.287490	.140740
				12-23 MO.	.200540	.601250	.336040
				2-65+ YR.	.384800	1.027490	.644800
PH-ACETALD. GLYCERYL ACET FEMA 2877D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000700	**********
				12-23 MO.	**********	.001400	**********
				2-65+ YR.	.227500	.660800	.346667
PH-ACETALD. GLYCERYL ACET FEMA 2877D	99	ALL CATEGORIES	4	0-5 MO.	.055117	.110122	.102447
				6-11 MO.	.447958	1.150677	.807993
				12-23 MO.	.872947	1.862910	1.452977
				2-65+ YR.	2.137733	4.304542	3.375560
PHENYLACETIC ACID FEMA 2878D	01	BAKED GOODS(R)	15	0-5 MO.	.022987	.030424	.041895
				6-11 MO.	.171724	.350210	.312980
				12-23 MO.	.368464	.607120	.671552
				2-65+ YR.	.927582	1.377851	1.690586
PHENYLACETIC ACID FEMA 2878D	07	FROZN DAIRY(R)	9	0-5 MO.	.004091	.016772	.008611

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FDOU CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	AVERAGE	HIGH A	HIGH B
PHENYLACETIC ACID FEMA 2878D	07	FROZN DAIRY(R)	9	6-11 MO.	.038861	.107993	.081805
				12-23 MO.	.058905	.138263	.124000
				2-65+ YR.	.104720	.252392	.220444
PHENYLACETIC ACID FEMA 2878D	10	MEAT PRODS(R)	*	0-5 MO.	.000880	.002320	.001430
				6-11 MO.	.016560	.044640	.026910
				12-23 MO.	.024160	.041520	.039260
				2-65+ YR.	.062720	.104080	.101920
PHENYLACETIC ACID FEMA 2878D	16	SOFT CANDY(R)	13	0-5 MO.	.001440	.014398	.002776
				6-11 MO.	.015837	.048952	.030536
				12-23 MO.	.025196	.066949	.048580
				2-65+ YR.	.041753	.126699	.080504
PHENYLACETIC ACID FEMA 2878D	19	SWEET SAUCE(R)	*	0-5 MO.	.000300	.000400	.006000
				6-11 MO.	.000900	.003100	.018000
				12-23 MO.	.002600	.007600	.052000
				2-65+ YR.	.006800	.017900	.136000
PHENYLACETIC ACID FEMA 2878D	20	GELATIN PUD(R)	8	0-5 MO.	.005659	.007639	.010197
				6-11 MO.	.036215	.109775	.065260
				12-23 MO.	.039044	.095063	.070358
				2-65+ YR.	.057717	.148536	.104008
PHENYLACETIC ACID FEMA 2878D	23	BEV TYPE II(R)	10	0-5 MO.	.002614	.003922	.005078
				6-11 MO.	.024729	.084644	.048031
				12-23 MO.	.059044	.177022	.114682
				2-65+ YR.	.113294	.302517	.220053
PHENYLACETIC ACID FEMA 2878D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.154586
PHENYLACETIC ACID FEMA 2878D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000317	.000951	.000317

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENYLACETIC ACID FEMA 2878D	30	HARD CANDY(R)	*	12-23 MO.	.000951	.002853	.000951
				2-65+ YR.	.001902	.005389	.001902
PHENYLACETIC ACID FEMA 2878D	99	ALL CATEGORIES	20	0-5 MO.	.037970	.075873	.075987
				6-11 MO.	.305143	.750464	.583839
				12-23 MO.	.578363	1.136790	1.121382
				2-65+ YR.	1.381488	2.524164	2.710002
4-PHENYLBUTANOL-2 FEMA 2879D	01	BAKED GOODS(R)	*	0-5 MO.	.006120	.008100	.008160
				6-11 MO.	.045720	.093240	.060960
				12-23 MO.	.098100	.161640	.130800
				2-65+ YR.	.246960	.366840	.329280
4-PHENYLBUTANOL-2 FEMA 2879D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
4-PHENYLBUTANOL-2 FEMA 2879D	16	SOFT CANDY(R)	*	0-5 MO.	.000320	.003200	.000460
				6-11 MO.	.003520	.010880	.005060
				12-23 MO.	.005600	.014880	.008050
				2-65+ YR.	.009280	.028160	.013340
4-PHENYLBUTANOL-2 FEMA 2879D	20	GELATIN PUD(R)	*	0-5 MO.	.001800	.002430	.001900
				6-11 MO.	.011520	.034920	.012160
				12-23 MO.	.012420	.030240	.013110
				2-65+ YR.	.018360	.047250	.019380
4-PHENYLBUTANOL-2 FEMA 2879D	23	BEV TYPE 1(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
4-PHENYLBUTANOL-2 FEMA 2879D	99	ALL CATEGORIES	*	0-5 MO.	.011640	.021430	.013920
				6-11 MO.	.092960	.243140	.110380
				12-23 MO.	.184720	.403060	.220560

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-PHENYLBUTANOL-2							
FEMA 2879D	99	ALL CATEGORIES	*	2-65+ YR.	.404200	.781650	.491600
4-PHENYL-3-BUTENOL-2							
FEMA 2880D	01	BAKED GOODS(R)	*	0-5 MO.	.013242	.017526	.017089
				6-11 MO.	.098926	.201747	.127668
				12-23 MO.	.212263	.349747	.273934
				2-65+ YR.	.534358	.793747	.689611
4-PHENYL-3-BUTENOL-2							
FEMA 2880D	07	FROZN DAIRY(R)	*	0-5 MO.	.003763	.015429	.020658
				6-11 MO.	.035750	.099347	.196250
				12-23 MO.	.054189	.127195	.297474
				2-65+ YR.	.096337	.232187	.528842
4-PHENYL-3-BUTENOL-2							
FEMA 2880D	16	SOFT CANDY(R)	*	0-5 MO.	.000613	.006132	.002395
				6-11 MO.	.006745	.020847	.026342
				12-23 MO.	.010730	.028512	.041908
				2-65+ YR.	.017782	.053958	.069447
4-PHENYL-3-BUTENOL-2							
FEMA 2880D	20	GELATIN PUD(R)	*	0-5 MO.	.006658	.008988	.023947
				6-11 MO.	.042611	.129163	.153263
				12-23 MO.	.045939	.111853	.165237
				2-65+ YR.	.067911	.174770	.244263
4-PHENYL-3-BUTENOL-2							
FEMA 2880D	23	BEV TYPE I(R)	*	0-5 MO.	.001364	.002046	.005432
				6-11 MO.	.012903	.044166	.051374
				12-23 MO.	.030808	.092368	.122663
				2-65+ YR.	.059116	.157851	.235368
4-PHENYL-3-BUTENOL-2							
FEMA 2880D	99	ALL CATEGORIES	*	0-5 MO.	.025641	.050121	.069521
				6-11 MO.	.196935	.495272	.554897
				12-23 MO.	.353931	.709675	.901216
				2-65+ YR.	.775503	1.412512	1.767532
4-PHENYL-3-BUTENONE-2							
FEMA 2881D	01	BAKED GOODS(R)	7	0-5 MO.	.017861	.023639	.033985
				6-11 MO.	.133431	.272115	.253887
				12-23 MO.	.286299	.471737	.544758
				2-65+ YR.	.720738	1.070600	1.371390

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-PHENYL-3-BUTENONE-2 FEMA 2881D	04	FATS OILS(R)	*	0-5 MO.	.000010	.000010	.000100
				6-11 MO.	.000056	.000150	.000560
				12-23 MO.	.000126	.000240	.001260
				2-65+ YR.	.000350	.000632	.003500
4-PHENYL-3-BUTENONE-2 FEMA 2881D	07	FROZN DAIRY(R)	6	0-5 MO.	.001183	.004851	.002531
				6-11 MO.	.011241	.031238	.024041
				12-23 MO.	.017039	.039994	.036442
				2-65+ YR.	.030291	.073007	.064785
4-PHENYL-3-BUTENONE-2 FEMA 2881D	16	SOFT CANDY(R)	6	0-5 MO.	.000889	.008888	.001745
				6-11 MO.	.009777	.030219	.019193
				12-23 MO.	.015554	.041328	.030534
				2-65+ YR.	.025775	.078213	.050599
4-PHENYL-3-BUTENONE-2 FEMA 2881D	20	GELATIN PUD(R)	5	0-5 MO.	.003184	.004298	.003790
				6-11 MO.	.020378	.061770	.037057
				12-23 MO.	.021970	.053491	.039953
				2-65+ YR.	.032477	.083580	.059060
4-PHENYL-3-BUTENONE-2 FEMA 2881D	23	BEV TYPE I(R)	7	0-5 MO.	.002132	.003198	.004127
				6-11 MO.	.020165	.069023	.039033
				12-23 MO.	.048148	.144354	.093198
				2-65+ YR.	.092387	.246690	.178829
4-PHENYL-3-BUTENONE-2 FEMA 2881D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000128	**********
				12-23 MO.	**********	.000256	**********
				2-65+ YR.	.041554	.120697	.062272
4-PHENYL-3-BUTENONE-2 FEMA 2881D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000008	.000024	.000030
				12-23 MO.	.000024	.000072	.000090
				2-65+ YR.	.000048	.000136	.000180
4-PHENYL-3-BUTENONE-2 FEMA 2881D	99	ALL CATEGORIES	12	0-5 MO.	.025259	.044865	.048277

TABLE 13, PART d -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-PHENYL-3-BUTENONE-2 FEMA 2881D	99	ALL CATEGORIES	12	6-11 MO.	.195055	.464667	.373801
				12-23 MO.	.389159	.751472	.746233
				2-65+ YR.	.943619	1.673556	1.790616
4-PHENYLBUTYL-2 ACETATE FEMA 2882D	01	BAKED GOODS(R)	4	0-5 MO.	.053678	.071044	.105069
				6-11 MO.	.401005	.817798	.784927
				12-23 MO.	.860425	1.417727	1.684195
				2-65+ YR.	2.166060	3.217515	4.239844
4-PHENYLBUTYL-2 ACETATE FEMA 2882D	07	FROZN DAIRY(R)	*	0-5 MO.	.007463	.030598	.014648
				6-11 MO.	.070898	.197022	.139157
				12-23 MO.	.107467	.252248	.210933
				2-65+ YR.	.191052	.460465	.374993
4-PHENYLBUTYL-2 ACETATE FEMA 2882D	16	SOFT CANDY(R)	4	0-5 MO.	.003106	.031062	.006135
				6-11 MO.	.034168	.105611	.067480
				12-23 MO.	.054358	.144438	.107354
				2-65+ YR.	.090080	.273345	.177901
4-PHENYLBUTYL-2 ACETATE FEMA 2882D	20	GELATIN PUD(R)	4	0-5 MO.	.008752	.011815	.016947
				6-11 MO.	.056014	.169793	.108460
				12-23 MO.	.060390	.147037	.116934
				2-65+ YR.	.089273	.229746	.172858
4-PHENYLBUTYL-2 ACETATE FEMA 2882D	23	BEV TYPE I(R)	*	0-5 MO.	.007378	.011067	.014644
				6-11 MO.	.069781	.238856	.138512
				12-23 MO.	.166615	.499537	.330720
				2-65+ YR.	.319704	.853670	.634593
4-PHENYLBUTYL-2 ACETATE FEMA 2882D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000436	**********
				12-23 MO.	**********	.000872	**********
				2-65+ YR.	.141675	.411511	.283350
4-PHENYLBUTYL-2 ACETATE FEMA 2882D	99	ALL CATEGORIES	4	0-5 MO.	.080377	.155586	.157443
				6-11 MO.	.631867	1.529515	1.238537

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-PHENYLBUTYL-2 ACETATE FEMA 28820	99	ALL CATEGORIES	4	12-23 MO.	1.249255	2.461860	2.450136
				2-65+ YR.	2.997843	5.446252	5.883538
1-PHENYL-3-METHYLPENTANOL FEMA 28830	01	BAKED GOODS(R)	4	0-5 MO.	.111241	.147231	.222165
				6-11 MO.	.831035	1.694787	1.659702
				12-23 MO.	1.783126	2.938068	3.561171
				2-65+ YR.	4.488896	6.667908	8.965004
1-PHENYL-3-METHYLPENTANOL FEMA 28830	07	FROZN DAIRY(R)	*	0-5 MO.	.010500	.043050	.020928
				6-11 MO.	.099750	.277200	.198813
				12-23 MO.	.151200	.354900	.301358
				2-65+ YR.	.268800	.647850	.535747
1-PHENYL-3-METHYLPENTANOL FEMA 28830	16	SOFT CANDY(R)	*	0-5 MO.	.006963	.069632	.013912
				6-11 MO.	.076595	.236747	.153030
				12-23 MO.	.121855	.323787	.243457
				2-65+ YR.	.201932	.612758	.403443
1-PHENYL-3-METHYLPENTANOL FEMA 28830	20	GELATIN PUD(R)	*	0-5 MO.	.014053	.018971	.027961
				6-11 MO.	.089937	.272621	.178947
				12-23 MO.	.096963	.236084	.192928
				2-65+ YR.	.143337	.368882	.285197
1-PHENYL-3-METHYLPENTANOL FEMA 28830	23	BEV TYPE I(R)	*	0-5 MO.	.008542	.012813	.016895
				6-11 MO.	.080794	.276551	.159796
				12-23 MO.	.192909	.578372	.381539
				2-65+ YR.	.370158	.988393	.732105
1-PHENYL-3-METHYLPENTANOL FEMA 28830	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
1-PHENYL-3-METHYLPENTANOL FEMA 28830	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000053	.000159	.000083
				12-23 MO.	.000159	.000477	.000249

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-PHENYL-3-METHYLPENTANOL FEMA 28830	30	HARD CANDY(R)	*	2-65+ YR.	.000318	.000901	.000498
1-PHENYL-3-METHYLPENTANOL FEMA 28830	99	ALL CATEGORIES	6	0-5 MO.	.151299	.291696	.301860
				6-11 MO.	1.178163	2.758865	2.350371
				12-23 MO.	2.346212	4.433287	4.680703
				2-65+ YR.	5.733440	10.041892	11.441995
1-PHENYLPROPANOL-1 FEMA 28840	01	BAKED GOODS(R)	*	0-5 MO.	.008500	.011250	.011050
				6-11 MO.	.063500	.129500	.082550
				12-23 MO.	.136250	.224500	.177125
				2-65+ YR.	.343000	.509500	.445900
1-PHENYLPROPANOL-1 FEMA 28840	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
1-PHENYLPROPANOL-1 FEMA 28840	16	SOFT CANDY(R)	*	0-5 MO.	.000300	.003000	.000450
				6-11 MO.	.003300	.010200	.004950
				12-23 MO.	.005250	.013950	.007875
				2-65+ YR.	.008700	.026400	.013050
1-PHENYLPROPANOL-1 FEMA 28840	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
1-PHENYLPROPANOL-1 FEMA 28840	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
1-PHENYLPROPANOL-1 FEMA 28840	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.105200	.105200	.105200
				12-23 MO.	.105200	.315600	.105200
				2-65+ YR.	.210400	.420800	.210400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-PHENYLPROPANOL-1 FEMA 2884D	99	ALL CATEGORIES	*	0-5 MO.	.014200	.024650	.019900
				6-11 MO.	.217000	.387800	.260000
				12-23 MO.	.329100	.783950	.400800
				2-65+ YR.	.712100	1.348600	.865350
3-PHENYLPROPANOL-1 FEMA 2885D	01	BAKED GOODS(R)	7	0-5 MO.	.016815	.022255	.024473
				6-11 MO.	.125615	.256175	.182831
				12-23 MO.	.269527	.444102	.392294
				2-65+ YR.	.678516	1.007884	.987573
3-PHENYLPROPANOL-1 FEMA 2885D	07	FROZN DAIRY(R)	5	0-5 MO.	.001781	.007303	.003865
				6-11 MO.	.016922	.047025	.036714
				12-23 MO.	.025650	.060206	.055650
				2-65+ YR.	.045600	.109903	.098933
3-PHENYLPROPANOL-1 FEMA 2885D	16	SOFT CANDY(R)	5	0-5 MO.	.000660	.006599	.001031
				6-11 MO.	.007259	.022437	.011343
				12-23 MO.	.011549	.030686	.018046
				2-65+ YR.	.019138	.058073	.029905
3-PHENYLPROPANOL-1 FEMA 2885D	20	GELATIN PUD(R)	*	0-5 MO.	.003727	.005032	.006841
				6-11 MO.	.023855	.072309	.056582
				12-23 MO.	.025718	.062618	.061002
				2-65+ YR.	.038018	.097841	.090177
3-PHENYLPROPANOL-1 FEMA 2885D	23	BEV TYPE II(R)	4	0-5 MO.	.002312	.003468	.008089
				6-11 MO.	.021867	.074849	.076510
				12-23 MO.	.052211	.156538	.182681
				2-65+ YR.	.100184	.267511	.350532
3-PHENYLPROPANOL-1 FEMA 2885D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000669	**********
				12-23 MO.	**********	.001339	**********
				2-65+ YR.	.217518	.631806	.335156
3-PHENYLPROPANOL-1 FEMA 2885D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPANOL-1 FEMA 2885D	31	CHEWING GUM(R)	*	6-11 MO.	.000008	.000008	.000008
				12-23 MO.	.000008	.000024	.000008
				2-65+ YR.	.000016	.000032	.000016
3-PHENYLPROPANOL-1 FEMA 2885D	99	ALL CATEGORIES	8	0-5 MO.	.025295	.044657	.046299
				6-11 MO.	.195525	.473472	.363988
				12-23 MO.	.384663	.755513	.709682
				2-65+ YR.	1.098990	2.173050	1.892293
2-PHENYLPROPIONALDEHYDE FEMA 2886D	01	BAKED GOODS(R)	6	0-5 MO.	.016283	.021551	.023184
				6-11 MO.	.121643	.248074	.173202
				12-23 MO.	.261005	.430059	.371634
				2-65+ YR.	.657062	.976015	.935562
2-PHENYLPROPIONALDEHYDE FEMA 2886D	07	FROZN DAIRY(R)	5	0-5 MO.	.002283	.009362	.003814
				6-11 MO.	.021693	.060283	.036235
				12-23 MO.	.032881	.077180	.054924
				2-65+ YR.	.058456	.140888	.097644
2-PHENYLPROPIONALDEHYDE FEMA 2886D	16	SOFT CANDY(R)	7	0-5 MO.	.000853	.008529	.001135
				6-11 MO.	.009382	.028999	.012481
				12-23 MO.	.014926	.039661	.019856
				2-65+ YR.	.024735	.075057	.032905
2-PHENYLPROPIONALDEHYDE FEMA 2886D	20	GELATIN PWD(R)	4	0-5 MO.	.005525	.007459	.009746
				6-11 MO.	.035363	.107193	.062373
				12-23 MO.	.038125	.092827	.067246
				2-65+ YR.	.056359	.145042	.099407
2-PHENYLPROPIONALDEHYDE FEMA 2886D	23	BEV TYPE I(R)	6	0-5 MO.	.001777	.002665	.003637
				6-11 MO.	.016803	.057516	.034396
				12-23 MO.	.040121	.120289	.082126
				2-65+ YR.	.076985	.205564	.157585
2-PHENYLPROPIONALDEHYDE FEMA 2886D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000092	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-PHENYLPROPIONALDEHYDE FEMA 2886D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000183	**********
				2-65+ YR.	.029783	.086507	.054984
2-PHENYLPROPIONALDEHYDE FEMA 2886D	99	ALL CATEGORIES	8	0-5 MO.	.026721	.049566	.041516
				6-11 MO.	.204884	.502158	.318687
				12-23 MO.	.387059	.760199	.595786
				2-65+ YR.	.903379	1.629073	1.378086
3-PHENYLPROPIONALDEHYDE FEMA 2887D	01	BAKED GOODS(R)	11	0-5 MO.	.017747	.023488	.026008
				6-11 MO.	.132579	.270377	.194295
				12-23 MO.	.284470	.468723	.416893
				2-65+ YR.	.716134	1.063762	1.049500
3-PHENYLPROPIONALDEHYDE FEMA 2887D	07	FROZN DAIRY(R)	9	0-5 MO.	.002377	.009747	.003581
				6-11 MO.	.022584	.062760	.034021
				12-23 MO.	.034233	.080352	.051569
				2-65+ YR.	.060858	.146678	.091678
3-PHENYLPROPIONALDEHYDE FEMA 2887D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.001100
				6-11 MO.	.002070	.005580	.020700
				12-23 MO.	.003020	.005190	.030200
				2-65+ YR.	.007840	.013010	.078400
3-PHENYLPROPIONALDEHYDE FEMA 2887D	15	CONDM PELSH(R)	*	0-5 MO.	**********	.000089	**********
				6-11 MO.	.000710	.001954	.001600
				12-23 MO.	.002487	.006750	.005600
				2-65+ YR.	.007815	.018828	.017600
3-PHENYLPROPIONALDEHYDE FEMA 2887D	16	SOFT CANDY(R)	10	0-5 MO.	.000788	.007875	.001185
				6-11 MO.	.008663	.026776	.013039
				12-23 MO.	.013782	.036620	.020744
				2-65+ YR.	.022838	.069302	.034376
3-PHENYLPROPIONALDEHYDE FEMA 2887D	20	GELATIN PUD(R)	9	0-5 MO.	.004645	.006270	.006896
				6-11 MO.	.029727	.090109	.044135
				12-23 MO.	.032049	.078033	.047583

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPIONALDEHYDE FEMA 2887D	20	GELATIN PUD(R)	9	2-65+ YR.	.047377	.121926	.070340
3-PHENYLPROPIONALDEHYDE FEMA 2887D	23	BEV TYPE I(R)	9	0-5 MO.	.002070	.003105	.004445
				6-11 MO.	.019582	.067027	.042047
				12-23 MO.	.046755	.140178	.100394
				2-65+ YR.	.089714	.239553	.192637
3-PHENYLPROPIONALDEHYDE FEMA 2887D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000110	**********
				12-23 MO.	**********	.000219	**********
				2-65+ YR.	.035613	.103441	.085049
3-PHENYLPROPIONALDEHYDE FEMA 2887D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000188	.000188	.000188
				12-23 MO.	.000188	.000564	.000188
				2-65+ YR.	.000376	.000752	.000376
3-PHENYLPROPIONALDEHYDE FEMA 2887D	99	ALL CATEGORIES	13	0-5 MO.	.027737	.050865	.043216
				6-11 MO.	.216103	.524880	.350025
				12-23 MO.	.416983	.816628	.673171
				2-65+ YR.	.988565	1.777252	1.619956
2-PHENYLPROPIONALD DIMET FEMA 2888D	01	BAKED GOODS(R)	7	0-5 MO.	.028275	.037422	.042676
				6-11 MO.	.211228	.430772	.318815
				12-23 MO.	.453226	.746783	.684072
				2-65+ YR.	1.140965	1.694815	1.722105
2-PHENYLPROPIONALD DIMET FEMA 2888D	07	FROZN DAIRY(R)	4	0-5 MO.	.003094	.012686	.004398
				6-11 MO.	.029395	.081688	.041782
				12-23 MO.	.044557	.104585	.063332
				2-65+ YR.	.079212	.190914	.112591
2-PHENYLPROPIONALD DIMET FEMA 2888D	10	MEAT PRODS(R)	*	0-5 MO.	.055000	.145000	.110000
				6-11 MO.	1.035000	2.790000	2.070000
				12-23 MO.	1.510000	2.595000	3.020000
				2-65+ YR.	3.920000	6.505000	7.840000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-PHENYLPROPIONALD DIMET FEMA 2888D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.003000	**********
				6-11 MO.	.024000	.066000	**********
				12-23 MO.	.084000	.228000	**********
				2-65+ YR.	.264000	.636000	**********
2-PHENYLPROPIONALD DIMET FEMA 2888D	16	SOFT CANDY(R)	7	0-5 MO.	.001184	.011841	.001860
				6-11 MO.	.013025	.040260	.020464
				12-23 MO.	.020722	.055061	.032556
				2-65+ YR.	.034339	.104201	.053950
2-PHENYLPROPIONALD DIMET FEMA 2888D	20	GELATIN PUD(R)	4	0-5 MO.	.005927	.008001	.008265
				6-11 MO.	.037932	.114982	.052898
				12-23 MO.	.040896	.099572	.057031
				2-65+ YR.	.060455	.155582	.084307
2-PHENYLPROPIONALD DIMET FEMA 2888D	23	BEV TYPE I(R)	6	0-5 MO.	.002723	.004084	.005964
				6-11 MO.	.025754	.088154	.056414
				12-23 MO.	.061492	.184364	.134697
				2-65+ YR.	.117993	.315063	.258459
2-PHENYLPROPIONALD DIMET FEMA 2888D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000230	**********
				12-23 MO.	**********	.000459	**********
				2-65+ YR.	.074648	.216825	.155898
2-PHENYLPROPIONALD DIMET FEMA 2888D	99	ALL CATEGORIES	9	0-5 MO.	.096203	.222035	.173164
				6-11 MO.	1.376335	3.612086	2.560373
				12-23 MO.	2.214893	4.013824	3.991689
				2-65+ YR.	5.691612	9.818401	10.227311
3-PHENYLPROPIONIC ACID FEMA 2889D	01	BAKED GOODS(R)	5	0-5 MO.	.005537	.007329	.031571
				6-11 MO.	.041366	.084360	.235857
				12-23 MO.	.088757	.146246	.506071
				2-65+ YR.	.223440	.331903	1.274000
3-PHENYLPROPIONIC ACID FEMA 2889D	04	FATS OILS(R)	*	0-5 MO.	.001500	.001500	.002500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPIONIC ACID FEMA 2889D	04	FATS OILS(R)	*	6-11 MO.	.008400	.022500	.014000
				12-23 MO.	.018900	.036000	.031500
				2-65+ YR.	.052500	.094800	.087500
3-PHENYLPROPIONIC ACID FEMA 2889D	07	FROZN DAIRY(R)	*	0-5 MO.	.002150	.008815	.006000
				6-11 MO.	.020425	.056760	.057000
				12-23 MO.	.030960	.072670	.086400
				2-65+ YR.	.055040	.132655	.153600
3-PHENYLPROPIONIC ACID FEMA 2889D	14	SOFT CANDY(R)	*	0-5 MO.	.000330	.003300	.000900
				6-11 MO.	.003630	.011220	.009900
				12-23 MO.	.005775	.015345	.015750
				2-65+ YR.	.009570	.029040	.026100
3-PHENYLPROPIONIC ACID FEMA 2889D	20	GELATIN PUD(R)	*	0-5 MO.	.001440	.001944	.003720
				6-11 MO.	.009216	.027936	.023808
				12-23 MO.	.009936	.024192	.025668
				2-65+ YR.	.014688	.037800	.037944
3-PHENYLPROPIONIC ACID FEMA 2889D	23	BEV TYPE I(R)	*	0-5 MO.	.001170	.001755	.002280
				6-11 MO.	.011066	.037879	.021565
				12-23 MO.	.026423	.079219	.051490
				2-65+ YR.	.050700	.135379	.098800
3-PHENYLPROPIONIC ACID FEMA 2889D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.032500
3-PHENYLPROPIONIC ACID FEMA 2889D	99	ALL CATEGORIES	6	0-5 MO.	.012127	.024643	.046971
				6-11 MO.	.094103	.240685	.362130
				12-23 MO.	.180751	.373731	.716879
				2-65+ YR.	.415688	.789897	1.710444
3-PHENYLPROPYL ACETATE FEMA 2890D	01	BAKED GOODS(R)	10	0-5 MO.	.032618	.043170	.060068
				6-11 MO.	.243673	.496939	.448744

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPYL ACETATE FEMA 2890D	01	BAKED GOODS(R)	10	12-23 MO.	.522841	.861489	.962857
				2-65+ YR.	1.316217	1.955139	2.423927
3-PHENYLPROPYL ACETATE FEMA 2890D	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000270
				12-23 MO.	.000780	.002220	.000780
				2-65+ YR.	.000940	.002360	.000940
3-PHENYLPROPYL ACETATE FEMA 2890D	07	FROZN DAIRY(R)	6	0-5 MO.	.005328	.021845	.008752
				6-11 MO.	.050616	.140660	.083148
				12-23 MO.	.076724	.180087	.126035
				2-65+ YR.	.136398	.328739	.224063
3-PHENYLPROPYL ACETATE FEMA 2890D	16	SOFT CANDY(R)	10	0-5 MO.	.002001	.020011	.003417
				6-11 MO.	.022012	.068036	.037585
				12-23 MO.	.035018	.093049	.059795
				2-65+ YR.	.058031	.176093	.099088
3-PHENYLPROPYL ACETATE FEMA 2890D	20	GELATIN PUD(R)	5	0-5 MO.	.010108	.013646	.014915
				6-11 MO.	.064693	.196100	.095455
				12-23 MO.	.069747	.169819	.102912
				2-65+ YR.	.103104	.265342	.152131
3-PHENYLPROPYL ACETATE FEMA 2890D	23	BEV TYPE I(R)	9	0-5 MO.	.006645	.009967	.009545
				6-11 MO.	.062849	.215125	.090280
				12-23 MO.	.150061	.449908	.215560
				2-65+ YR.	.287941	.768857	.413620
3-PHENYLPROPYL ACETATE FEMA 2890D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000600	**********
				12-23 MO.	**********	.001200	**********
				2-65+ YR.	.195000	.566400	.390000
3-PHENYLPROPYL ACETATE FEMA 2890D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000763	.000763	.000996
				12-23 MO.	.000763	.002289	.000996

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPYL ACETATE FEMA 2890D	31	CHEWING GUM(R)	*	2-65+ YR.	.001526	.003052	.001992
3-PHENYLPROPYL ACETATE FEMA 2890D	99	ALL CATEGORIES	15	0-5 MO.	.056700	.108649	.096697
				6-11 MO.	.444075	1.119193	.756479
				12-23 MO.	.855935	1.760061	1.468935
				2-65+ YR.	2.099157	4.065983	3.705761
2-PHENYLPROPYL BUTYRATE FEMA 2891D	01	BAKED GOODS(R)	4	0-5 MO.	.066751	.088347	.130380
				6-11 MO.	.498669	1.016971	.974012
				12-23 MO.	1.069980	1.763012	2.089908
				2-65+ YR.	2.693600	4.001135	5.261200
2-PHENYLPROPYL BUTYRATE FEMA 2891D	07	FROZN DAIRY(R)	*	0-5 MO.	.007727	.031682	.014091
				6-11 MO.	.073409	.204000	.133864
				12-23 MO.	.111273	.261182	.202909
				2-65+ YR.	.197818	.476773	.360727
2-PHENYLPROPYL BUTYRATE FEMA 2891D	16	SOFT CANDY(R)	4	0-5 MO.	.003759	.037592	.007461
				6-11 MO.	.041351	.127812	.082073
				12-23 MO.	.065786	.174802	.130571
				2-65+ YR.	.109016	.330808	.216376
2-PHENYLPROPYL BUTYRATE FEMA 2891D	20	GELATIN PUD(R)	5	0-5 MO.	.026200	.035370	.028652
				6-11 MO.	.167680	.508280	.183374
				12-23 MO.	.180780	.440160	.197700
				2-65+ YR.	.267240	.687750	.292252
2-PHENYLPROPYL BUTYRATE FEMA 2891D	23	BEV TYPE I(R)	*	0-5 MO.	.005455	.008182	.010909
				6-11 MO.	.051591	.176591	.103182
				12-23 MO.	.123182	.369318	.246364
				2-65+ YR.	.236364	.631136	.472727
2-PHENYLPROPYL BUTYRATE FEMA 2891D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000509	**********
				12-23 MO.	**********	.001018	**********
				2-65+ YR.	.165455	.480582	.338295

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-PHENYLPROPYL BUTYRATE							
FEMA 2891D	99	ALL CATEGORIES	5	0-5 MO.	.109892	.201172	.191493
				6-11 MO.	.832700	2.034164	1.476505
				12-23 MO.	1.551000	3.009492	2.867452
				2-65+ YR.	3.669493	6.608184	6.941578
2-PHENYLPROPYL ISOBUTYRAT							
FEMA 2892D	01	BAKED GOODS(R)	*	0-5 MO.	.069632	.092160	.133144
				6-11 MO.	.520192	1.060864	.994664
				12-23 MO.	1.116160	1.839104	2.134220
				2-65+ YR.	2.809856	4.173824	5.372752
2-PHENYLPROPYL ISOBUTYRAT							
FEMA 2892D	07	FROZN DAIRY(R)	4	0-5 MO.	.003863	.015836	.009650
				6-11 MO.	.036694	.101970	.091675
				12-23 MO.	.055620	.130553	.138960
				2-65+ YR.	.098880	.238316	.247040
2-PHENYLPROPYL ISOBUTYRAT							
FEMA 2892D	16	SOFT CANDY(R)	5	0-5 MO.	.002149	.021489	.004413
				6-11 MO.	.023638	.073062	.048547
				12-23 MO.	.037606	.099923	.077233
				2-65+ YR.	.062318	.189102	.127987
2-PHENYLPROPYL ISOBUTYRAT							
FEMA 2892D	20	GELATIN PUD(R)	4	0-5 MO.	.007100	.009585	.019567
				6-11 MO.	.045440	.137740	.125227
				12-23 MO.	.048990	.119280	.135010
				2-65+ YR.	.072420	.186375	.199580
2-PHENYLPROPYL ISOBUTYRAT							
FEMA 2892D	23	BEV TYPE I(R)	4	0-5 MO.	.003375	.005063	.007650
				6-11 MO.	.031922	.109266	.072356
				12-23 MO.	.076219	.228516	.172763
				2-65+ YR.	.146250	.390516	.331500
2-PHENYLPROPYL ISOBUTYRAT							
FEMA 2892D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000600	**********
				12-23 MO.	**********	.001200	**********
				2-65+ YR.	.195000	.566400	.390000
2-PHENYLPROPYL ISOBUTYRAT							
FEMA 2892D	99	ALL CATEGORIES	5	0-5 MO.	.086118	.144133	.174424

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-PHENYLPROPYL ISOBUTYRAT FEMA 2892D	99	ALL CATEGORIES	5	6-11 MO.	.657885	1.483502	1.332469
				12-23 MO.	1.334594	2.418575	2.658186
				2-65+ YR.	3.384724	5.744533	6.668859
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	01	BAKED GOODS(R)	4	0-5 MO.	.042775	.056614	.068583
				6-11 MO.	.319556	.651693	.512354
				12-23 MO.	.685662	1.129769	1.099343
				2-65+ YR.	1.726107	2.563998	2.767520
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	07	FROZN DAIRY(R)	*	0-5 MO.	.004340	.017794	.008720
				6-11 MO.	.041230	.114576	.082840
				12-23 MO.	.062496	.146692	.125568
				2-65+ YR.	.111104	.267778	.223232
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	16	SOFT CANDY(R)	4	0-5 MO.	.001870	.018695	.003242
				6-11 MO.	.020565	.063564	.035661
				12-23 MO.	.032717	.086933	.056733
				2-65+ YR.	.054216	.164518	.094015
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	20	GELATIN PUD(R)	4	0-5 MO.	.007324	.009887	.014733
				6-11 MO.	.046872	.142082	.094293
				12-23 MO.	.050534	.123040	.101660
				2-65+ YR.	.074703	.192250	.150280
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	23	BEV TYPE I(R)	4	0-5 MO.	.006058	.009086	.009257
				6-11 MO.	.057295	.196115	.087557
				12-23 MO.	.136801	.410150	.209057
				2-65+ YR.	.262496	.700915	.401143
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000600	**********
				12-23 MO.	**********	.001200	**********
				2-65+ YR.	.195000	.566400	.390000
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	99	ALL CATEGORIES	5	0-5 MO.	.062366	.112077	.104535
				6-11 MO.	.485518	1.168630	.812706

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPYL ISOBUTYRAT FEMA 2893D	99	ALL CATEGORIES	5	12-23 MO.	.968210	1.897784	1.592361
				2-65+ YR.	2.423626	4.455859	4.026190
3-PHENYLPROPYL CINNAMATE FEMA 2894D	01	BAKED GOODS(R)	*	0-5 MO.	.039979	.052913	.046664
				6-11 MO.	.298663	.609085	.348610
				12-23 MO.	.640833	1.055905	.748001
				2-65+ YR.	1.613253	2.396363	1.883041
3-PHENYLPROPYL CINNAMATE FEMA 2894D	07	FROZN DAIRY(R)	*	0-5 MO.	.005257	.021554	.006873
				6-11 MO.	.049942	.138786	.084296
				12-23 MO.	.075701	.177688	.127775
				2-65+ YR.	.134580	.324359	.227155
3-PHENYLPROPYL CINNAMATE FEMA 2894D	16	SOFT CANDY(R)	*	0-5 MO.	.001372	.013718	.001766
				6-11 MO.	.015090	.046643	.019421
				12-23 MO.	.024007	.063791	.030897
				2-65+ YR.	.039784	.120723	.051201
3-PHENYLPROPYL CINNAMATE FEMA 2894D	20	GELATIN PUD(R)	*	0-5 MO.	.009048	.012215	.014869
				6-11 MO.	.057910	.175540	.095158
				12-23 MO.	.062434	.152014	.102593
				2-65+ YR.	.092294	.237522	.151659
3-PHENYLPROPYL CINNAMATE FEMA 2894D	23	BEV TYPE I(R)	*	0-5 MO.	.007399	.011099	.011037
				6-11 MO.	.069985	.239553	.104388
				12-23 MO.	.167101	.500995	.249244
				2-65+ YR.	.320637	.856162	.478254
3-PHENYLPROPYL CINNAMATE FEMA 2894D	99	ALL CATEGORIES	4	0-5 MO.	.063055	.111500	.083208
				6-11 MO.	.491591	1.209606	.651873
				12-23 MO.	.970077	1.950392	1.258509
				2-65+ YR.	2.200548	3.935128	2.791309
3-PHENYLPROPYL FORMATE FEMA 2895D	01	BAKED GOODS(R)	*	0-5 MO.	.014110	.018675	.018020
				6-11 MO.	.105410	.214970	.134620
				12-23 MO.	.226175	.372670	.288850

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPYL FORMATE FEMA 2895D	01	BAKED GOODS(R)	*	2-65+ YR.	.569380	.845770	.727160
3-PHENYLPROPYL FORMATE FEMA 2895D	07	FROZN DAIRY(R)	*	0-5 MO.	.014250	.058425	.028000
				6-11 MO.	.135375	.376200	.266000
				12-23 MO.	.205200	.481650	.403200
				2-65+ YR.	.364800	.879225	.716800
3-PHENYLPROPYL FORMATE FEMA 2895D	16	SOFT CANDY(R)	*	0-5 MO.	.000520	.005200	.000770
				6-11 MO.	.005720	.017680	.008470
				12-23 MO.	.009100	.024180	.013475
				2-65+ YR.	.015080	.045760	.022330
3-PHENYLPROPYL FORMATE FEMA 2895D	20	GELATIN PUD(R)	*	0-5 MO.	.022880	.030888	.030680
				6-11 MO.	.146432	.443872	.196352
				12-23 MO.	.157872	.384384	.211692
				2-65+ YR.	.233376	.600600	.312936
3-PHENYLPROPYL FORMATE FEMA 2895D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.023400
				6-11 MO.	.113500	.388500	.221325
				12-23 MO.	.271000	.812500	.528450
				2-65+ YR.	.520000	1.388500	1.014000
3-PHENYLPROPYL FORMATE FEMA 2895D	99	ALL CATEGORIES	*	0-5 MO.	.063760	.131188	.100870
				6-11 MO.	.506437	1.441222	.826767
				12-23 MO.	.869347	2.075384	1.445667
				2-65+ YR.	1.702636	3.759855	2.793226
3-PHENYLPROPYL HEXANOATE FEMA 2896D	01	BAKED GOODS(R)	*	0-5 MO.	.012410	.016425	.016320
				6-11 MO.	.092710	.189070	.121920
				12-23 MO.	.198925	.327770	.261600
				2-65+ YR.	.500780	.743870	.658560
3-PHENYLPROPYL HEXANOATE FEMA 2896D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPYL HEXANOATE FEMA 2896D	16	SOFT CANDY(R)	*	0-5 MO.	.000420	.004200	.000570
				6-11 MO.	.004620	.014280	.006270
				12-23 MO.	.007350	.019530	.009975
				2-65+ YR.	.012180	.036960	.016530
3-PHENYLPROPYL HEXANOATE FEMA 2896D	20	GELATIN PUD(R)	*	0-5 MO.	.001200	.001620	.002700
				6-11 MO.	.007680	.023280	.017280
				12-23 MO.	.008280	.020160	.018630
				2-65+ YR.	.012240	.031500	.027540
3-PHENYLPROPYL HEXANOATE FEMA 2896D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
3-PHENYLPROPYL HEXANOATE FEMA 2896D	99	ALL CATEGORIES	*	0-5 MO.	.017430	.029945	.023990
				6-11 MO.	.137210	.330730	.187170
				12-23 MO.	.283155	.563760	.373205
				2-65+ YR.	.654800	1.151730	.857830
3-PHENYLPROPYL PROPIONATE FEMA 2897D	01	BAKED GOODS(R)	*	0-5 MO.	.017068	.022590	.030804
				6-11 MO.	.127508	.260036	.230124
				12-23 MO.	.273590	.450796	.493770
				2-65+ YR.	.688744	1.023076	1.243032
3-PHENYLPROPYL PROPIONATE FEMA 2897D	07	FROZN DAIRY(R)	*	0-5 MO.	.000813	.003331	.001625
				6-11 MO.	.007719	.021450	.015438
				12-23 MO.	.011700	.027463	.023400
				2-65+ YR.	.020800	.050131	.041600
3-PHENYLPROPYL PROPIONATE FEMA 2897D	16	SOFT CANDY(R)	*	0-5 MO.	.000884	.008840	.001632
				6-11 MO.	.009724	.030056	.018172
				12-23 MO.	.015470	.041106	.028910
				2-65+ YR.	.025636	.077792	.047908
3-PHENYLPROPYL PROPIONATE FEMA 2897D	20	GELATIN PUD(R)	*	0-5 MO.	.001880	.002538	.003800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPYL PROPIONATE FEMA 2897D	20	GELATIN PUD(R)	*	6-11 MO.	.012032	.036472	.024320
				12-23 MO.	.012972	.031584	.026220
				2-65+ YR.	.019176	.049350	.038760
3-PHENYLPROPYL PROPIONATE FEMA 2897D	23	BEV TYPE I(R)	*	0-5 MO.	.001680	.002520	.002760
				6-11 MO.	.015890	.054390	.026105
				12-23 MO.	.037940	.113750	.062330
				2-65+ YR.	.072800	.194390	.119600
3-PHENYLPROPYL PROPIONATE FEMA 2897D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000120	**********
				12-23 MO.	**********	.000240	**********
				2-65+ YR.	.039000	.113280	.078000
3-PHENYLPROPYL PROPIONATE FEMA 2897D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000050	.000150	.000050
				12-23 MO.	.000150	.000450	.000150
				2-65+ YR.	.000300	.000850	.000300
3-PHENYLPROPYL PROPIONATE FEMA 2897D	59	ALL CATEGORIES	4	0-5 MO.	.022325	.039819	.040641
				6-11 MO.	.172923	.402674	.314209
				12-23 MO.	.351822	.665389	.634780
				2-65+ YR.	.866456	1.508869	1.569200
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	01	BAKED GOODS(R)	*	0-5 MO.	.002040	.002700	.004080
				6-11 MO.	.015240	.031080	.030480
				12-23 MO.	.032700	.053880	.065400
				2-65+ YR.	.082320	.122280	.164640
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	07	FROZN DAIRY(R)	*	0-5 MO.	.000305	.001252	.002000
				6-11 MO.	.002900	.008059	.019000
				12-23 MO.	.004396	.010318	.028800
				2-65+ YR.	.007815	.018835	.051200
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	16	SOFT CANDY(R)	*	0-5 MO.	.000043	.000433	.000209
				6-11 MO.	.000476	.001471	.002302

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	16	SOFT CANDY(R)	*	12-23 MO.	.000757	.002011	.003663
				2-65+ YR.	.001254	.003807	.006070
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	20	GELATIN PUD(R)	*	0-5 MO.	.000586	.000791	.003628
				6-11 MO.	.003751	.011369	.023219
				12-23 MO.	.004044	.009846	.025033
				2-65+ YR.	.005978	.015384	.037005
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	23	BEV TYPE I(R)	*	0-5 MO.	.000420	.000630	.001674
				6-11 MO.	.003973	.013598	.015830
				12-23 MO.	.009485	.028438	.037797
				2-65+ YR.	.018200	.048598	.072526
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000034	.000034	.000119
				12-23 MO.	.000034	.000102	.000119
				2-65+ YR.	.000068	.000136	.000238
2-/3-PHENYLPROPYL/-TETRAH FEMA 2898D	99	ALL CATEGORIES	5	0-5 MO.	.003395	.005805	.011591
				6-11 MO.	.026373	.065710	.090950
				12-23 MO.	.051415	.104794	.160812
				2-65+ YR.	.148135	.303438	.396679
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	01	BAKED GOODS(R)	*	0-5 MO.	.002210	.002925	.006120
				6-11 MO.	.016510	.033670	.045720
				12-23 MO.	.035425	.058370	.098100
				2-65+ YR.	.089180	.132470	.246960
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.003000
				6-11 MO.	.009500	.026400	.028500
				12-23 MO.	.014400	.035800	.043200

TABLE 13, PART 2 — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	07	FROZN DAIRY(R)	*	2-65+ YR.	.025600	.061700	.076800
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000600
				6-11 MO.	.002200	.006800	.006600
				12-23 MO.	.003500	.009300	.010500
				2-65+ YR.	.005800	.017600	.017400
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.002000
				6-11 MO.	.006400	.019400	.012800
				12-23 MO.	.006900	.016800	.013800
				2-65+ YR.	.010200	.026250	.020400
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	23	BEV TYPE II(R)	*	0-5 MO.	.001200	.001800	.002400
				6-11 MO.	.011350	.038850	.022700
				12-23 MO.	.027100	.081250	.054200
				2-65+ YR.	.052000	.138850	.104000
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
3-PHENYLPROPYL ISOVALERAT FEMA 2899D	99	ALL CATEGORIES	*	0-5 MO.	.005610	.012175	.014120
				6-11 MO.	.045960	.125170	.116320
				12-23 MO.	.087325	.199620	.219800
				2-65+ YR.	.199030	.424070	.498060
A6-PINENE FEMA 2902D	01	BAKED GOODS(R)	12	0-5 MO.	.119218	.157789	.376538
				6-11 MO.	.890630	1.816324	2.812964
				12-23 MO.	1.910997	3.148763	6.035690
				2-65+ YR.	4.810804	7.146078	15.194435
A6-PINENE FEMA 2902D	07	FROZN DAIRY(R)	9	0-5 MO.	.013049	.053501	.038936
				6-11 MO.	.123965	.344492	.369887
				12-23 MO.	.187905	.441054	.560671
				2-65+ YR.	.334053	.805120	.996749

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A&-PINENE FEMA 2902D	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.022000
				6-11 MO.	.207000	.558000	.414000
				12-23 MO.	.302000	.519000	.604000
				2-65+ YR.	.784000	1.301000	1.568000
A&-PINENE FEMA 2902D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.004671	**********
				6-11 MO.	.037365	.102754	.074730
				12-23 MO.	.130777	.354967	.261555
				2-65+ YR.	.411015	.990172	.822030
A&-PINENE FEMA 2902D	16	SOFT CANDY(R)	8	0-5 MO.	.006202	.062019	.012544
				6-11 MO.	.068220	.210863	.137989
				12-23 MO.	.108533	.288387	.219527
				2-65+ YR.	.179854	.545764	.363788
A&-PINENE FEMA 2902D	20	GELATIN PUD(R)	7	0-5 MO.	.012284	.016583	.024266
				6-11 MO.	.078616	.238304	.155305
				12-23 MO.	.084758	.206366	.167438
				2-65+ YR.	.125294	.322448	.247517
A&-PINENE FEMA 2902D	23	BEV TYPE I(R)	11	0-5 MO.	.022609	.033913	.054926
				6-11 MO.	.213843	.731964	.519513
				12-23 MO.	.510585	1.530814	1.240423
				2-65+ YR.	.979721	2.616043	2.380147
A&-PINENE FEMA 2902D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000552	**********
				12-23 MO.	**********	.001105	**********
				2-65+ YR.	.179484	.521333	.342841
A&-PINENE FEMA 2902D	30	HARD CANDY(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.025258	.075774	.026533
				12-23 MO.	.075774	.227322	.079599
				2-65+ YR.	.151548	.429386	.159198
A&-PINENE FEMA 2902D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********

TABLE 14, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A6-PINENE FEMA 29020	21	CHEWING GUM(R)	*	6-11 MO.	.015991	.015991	.027965
				12-23 MO.	.015991	.047973	.027965
				2-65+ YR.	.031982	.063964	.055930
A6-PINENE FEMA 29020	99	ALL CATEGORIES	24	0-5 MO.	.184362	.357475	.529211
				6-11 MO.	1.660888	4.095019	4.538885
				12-23 MO.	3.327320	6.765751	9.196868
				2-65+ YR.	7.987755	14.741308	22.130635
NOPINENE FEMA 29030	01	BAKED GOODS(R)	11	0-5 MO.	.088818	.117554	.333746
				6-11 MO.	.663525	1.353172	2.493280
				12-23 MO.	1.423704	2.345847	5.349754
				2-65+ YR.	3.584078	5.323871	13.467637
NOPINENE FEMA 29030	07	FROZN DAIRY(R)	8	0-5 MO.	.020124	.082509	.049725
				6-11 MO.	.191178	.531275	.472388
				12-23 MO.	.289786	.680192	.716040
				2-65+ YR.	.515175	1.241653	1.272960
NOPINENE FEMA 29030	10	MEAT PRODS(R)	*	0-5 MO.	.009692	.025551	.019391
				6-11 MO.	.182382	.491638	.364911
				12-23 MO.	.266084	.457276	.532383
				2-65+ YR.	.690760	1.146274	1.382080
NOPINENE FEMA 29030	15	CONDM RELSH(R)	*	0-5 MO.	**********	.002000	**********
				6-11 MO.	.016000	.044000	.032000
				12-23 MO.	.056000	.152000	.112000
				2-65+ YR.	.176000	.424000	.352000
NOPINENE FEMA 29030	16	SOFT CANDY(R)	8	0-5 MO.	.004068	.040678	.014886
				6-11 MO.	.044746	.138307	.163744
				12-23 MO.	.071187	.189155	.260502
				2-65+ YR.	.117967	.357970	.431688
NOPINENE FEMA 29030	20	GELATIN PUD(R)	6	0-5 MO.	.019547	.026389	.029763
				6-11 MO.	.125104	.379221	.190483

TABLE 33, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NOPINENE FEMA 2903D	20	GELATIN PUD(R)	6	12-23 MO.	.134878	.328398	.205365
				2-65+ YR.	.199384	.513122	.303582
NOPINENE FEMA 2903D	23	BEV TYPE I(R)	7	0-5 MO.	.026985	.040477	.050906
				6-11 MO.	.255231	.873632	.481486
				12-23 MO.	.609406	1.827095	1.149628
				2-65+ YR.	1.169341	3.122364	2.205929
NOPINENE FEMA 2903D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000964	**********
				12-23 MO.	**********	.001927	**********
				2-65+ YR.	.313154	.909591	.504524
NOPINENE FEMA 2903D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001490	.004470	.007654
				12-23 MO.	.004470	.013410	.022962
				2-65+ YR.	.008940	.025330	.045924
NOPINENE FEMA 2903D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001724	.001724	.002331
				12-23 MO.	.001724	.005172	.002331
				2-65+ YR.	.003448	.006896	.004662
NOPINENE FEMA 2903D	99	ALL CATEGORIES	16	0-5 MO.	.169234	.335158	.498417
				6-11 MO.	1.481380	3.818403	4.208277
				12-23 MO.	2.857239	6.000472	8.350964
				2-65+ YR.	6.778248	13.071071	19.970986
PINE TAR, OIL FEMA 2907D	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
PINE TAR, OIL FEMA 2907D	07	FROZN DAIRY(R)	*	0-5 MO.	.001070	.004389	.001211
				6-11 MO.	.010169	.028259	.011507
				12-23 MO.	.015414	.036180	.017442

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PINE TAR, OIL FEMA 2907D	07	FROZN DAIRY(R)	*	2-65+ YR.	.027403	.066045	.031008
PINE TAR, OIL FEMA 2907D	16	SOFT CANDY(R)	*	0-5 MO.	.000327	.003268	.000383
				6-11 MO.	.003594	.011110	.004214
				12-23 MO.	.005718	.015194	.006704
				2-65+ YR.	.009476	.028755	.011110
PINE TAR, OIL FEMA 2907D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
PINE TAR, OIL FEMA 2907D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
PINE TAR, OIL FEMA 2907D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.032500
PINE TAR, OIL FEMA 2907D	99	ALL CATEGORIES	*	0-5 MO.	.009197	.018456	.009394
				6-11 MO.	.074663	.207769	.076621
				12-23 MO.	.143632	.337475	.146646
				2-65+ YR.	.330979	.723200	.336218
PIPERIDINE FEMA 2908D	01	BAKED GOODS(R)	5	0-5 MO.	.032961	.043625	.032961
				6-11 MO.	.246237	.502169	.246237
				12-23 MO.	.528343	.870555	.528343
				2-65+ YR.	1.330068	1.975714	1.330068
PIPERIDINE FEMA 2908D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIPERICINE FEMA 2908D	10	MEAT PRODS(R)	5	0-5 MO.	.001014	.002674	.001821
				6-11 MO.	.019085	.051448	.034259
				12-23 MO.	.027844	.047852	.049981
				2-65+ YR.	.072285	.119952	.129752
PIPERICINE FEMA 2908D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000004	**********
				6-11 MO.	.000028	.000077	.000060
				12-23 MO.	.000098	.000266	.000210
				2-65+ YR.	.000308	.000742	.000660
PIPERIDINE FEMA 2908D	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001133
				6-11 MO.	.008800	.027200	.012467
				12-23 MO.	.014000	.037200	.019833
				2-65+ YR.	.023200	.070400	.032867
PIPERIDINE FEMA 2908D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
PIPERIDINE FEMA 2908D	21	SOUPS(R)	*	0-5 MO.	.000001	.000008	.000010
				6-11 MO.	.000117	.000364	.001165
				12-23 MO.	.000174	.000481	.001740
				2-65+ YR.	.000159	.000423	.001585
PIPERICINE FEMA 2908D	23	BEV TYPE I(R)	*	0-5 MO.	.006000	.009000	.008000
				6-11 MO.	.056750	.194250	.075667
				12-23 MO.	.135500	.406250	.180667
				2-65+ YR.	.260000	.694250	.346667
PIPERIDINE FEMA 2908D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000367	**********
				12-23 MO.	**********	.000733	**********
				2-65+ YR.	.119167	.346133	.162500
PIPERICINE FEMA 2908D	27	GRAVIES(R)	*	0-5 MO.	.000600	.001800	.001200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIPERIDINE FEMA 2908D	27	GRAVIES(R)	*	6-11 MO.	.008400	.023400	.016800
				12-23 MO.	.021600	.061200	.043200
				2-65+ YR.	.049800	.127800	.099600
PIPERIDINE FEMA 2908D	99	ALL CATEGORIES	8	0-5 MO.	.044376	.071909	.048125
				6-11 MO.	.361717	.864473	.408954
				12-23 MO.	.755760	1.491937	.852174
				2-65+ YR.	1.900986	3.449614	2.149699
PIPERINE FEMA 2909D	01	BAKED GOODS(R)	*	0-5 MO.	.002108	.002790	.002210
				6-11 MO.	.015748	.032116	.016510
				12-23 MO.	.033790	.055676	.035425
				2-65+ YR.	.085064	.126356	.089180
PIPERINE FEMA 2909D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
PIPERINE FEMA 2909D	10	MEAT PRODS(R)	*	0-5 MO.	.002481	.006540	.003314
				6-11 MO.	.046679	.125829	.062359
				12-23 MO.	.068101	.117035	.090978
				2-65+ YR.	.176792	.293376	.236180
PIPERINE FEMA 2909D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000002	**********
				6-11 MO.	.000016	.000044	.000040
				12-23 MO.	.000056	.000152	.000140
				2-65+ YR.	.000176	.000424	.000440
PIPERINE FEMA 2909D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
PIPERINE FEMA 2909D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIPERINE FEMA 29090	20	GELATIN PUD(R)	*	12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
PIPERINE FEMA 29090	23	BEV TYPE I(R)	*	0-5 MO.	.001493	.002239	.001690
				6-11 MO.	.014119	.048329	.015981
				12-23 MO.	.033712	.101075	.038157
				2-65+ YR.	.064688	.172729	.073216
PIPERINE FEMA 29090	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000088	**********
				12-23 MO.	**********	.000175	**********
				2-65+ YR.	.028438	.082600	.032500
PIPERINE FEMA 29090	99	ALL CATEGORIES	6	0-5 MO.	.009281	.020371	.010413
				6-11 MO.	.101062	.278406	.119390
				12-23 MO.	.167359	.350813	.196399
				2-65+ YR.	.406958	.807285	.483316
/8/-PIPERITONE FEMA 29100	01	BAKED GOODS(R)	5	0-5 MO.	.066461	.087963	.132852
				6-11 MO.	.496502	1.012551	.992481
				12-23 MO.	1.065329	1.755350	2.129537
				2-65+ YR.	2.681893	3.983745	5.360963
/8/-PIPERITONE FEMA 29100	07	FROZN DAIRY(R)	4	0-5 MO.	.006177	.025325	.012364
				6-11 MO.	.058679	.163065	.117456
				12-23 MO.	.088945	.208773	.178039
				2-65+ YR.	.158124	.381103	.316514
/8/-PIPERITONE FEMA 29100	16	SOFT CANDY(R)	4	0-5 MO.	.003948	.039480	.007890
				6-11 MO.	.043428	.134233	.086788
				12-23 MO.	.069090	.183583	.138072
				2-65+ YR.	.114493	.347426	.228805
/8/-PIPERITONE FEMA 29100	20	GELATIN PUD(R)	*	0-5 MO.	.008127	.010972	.016531
				6-11 MO.	.052015	.157671	.105797
				12-23 MO.	.056079	.136540	.114062

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
/&/-PIPERITONE FEMA 2910D	20	GELATIN PUD(R)	*	2-65+ YR.	.082899	.213344	.168614
/&/-PIPERITONE FEMA 2910D	23	BEV TYPE I(R)	*	0-5 MO.	.004850	.007276	.009953
				6-11 MO.	.045877	.157032	.094138
				12-23 MO.	.109539	.328414	.224771
				2-65+ YR.	.210185	.561234	.431294
/&/-PIPERITONE FEMA 2910D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000394	**********
				12-23 MO.	**********	.000788	**********
				2-65+ YR.	.128122	.372146	.260683
/&/-PIPERITONE FEMA 2910D	99	ALL CATEGORIES	5	0-5 MO.	.089563	.171015	.179589
				6-11 MO.	.696501	1.624947	1.396661
				12-23 MO.	1.388982	2.613448	2.784481
				2-65+ YR.	3.375716	5.858998	6.766872
PIPERONYL ACETATE FEMA 2912D	01	BAKED GOODS(R)	5	0-5 MO.	.063067	.083471	.088049
				6-11 MO.	.471149	.960848	.657777
				12-23 MO.	1.010930	1.665716	1.411371
				2-65+ YR.	2.544947	3.780323	3.553030
PIPERONYL ACETATE FEMA 2912D	07	FROZN DAIRY(R)	*	0-5 MO.	.036513	.149703	.051103
				6-11 MO.	.346872	.963938	.485474
				12-23 MO.	.525785	1.234133	.735877
				2-65+ YR.	.934728	2.252841	1.308226
PIPERONYL ACETATE FEMA 2912D	16	SOFT CANDY(R)	*	0-5 MO.	.006554	.065538	.009621
				6-11 MO.	.072092	.222831	.105826
				12-23 MO.	.114692	.304754	.168359
				2-65+ YR.	.190062	.576738	.278995
PIPERONYL ACETATE FEMA 2912D	20	GELATIN PUD(R)	*	0-5 MO.	.002566	.003464	.003888
				6-11 MO.	.016423	.049782	.024880
				12-23 MO.	.017706	.043110	.026824
				2-65+ YR.	.026174	.067359	.039653

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PIPERONYL ACETATE FEMA 2912D	23	BEV TYPE I(R)	5	0-5 MO.	.016462	.024692	.030652
				6-11 MO.	.155699	.532942	.289920
				12-23 MO.	.371756	1.114583	.692231
				2-65+ YR.	.713333	1.904737	1.328267
PIPERONYL ACETATE FEMA 2912D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002500	**********
				12-23 MO.	**********	.005000	**********
				2-65+ YR.	.812500	2.360000	1.625000
PIPERONYL ACETATE FEMA 2912D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000415	.001245	.001264
				12-23 MO.	.001245	.003735	.003792
				2-65+ YR.	.002490	.007055	.007584
PIPERONYL ACETATE FEMA 2912D	99	ALL CATEGORIES	8	0-5 MO.	.125161	.326869	.183312
				6-11 MO.	1.062650	2.734086	1.565140
				12-23 MO.	2.042115	4.371032	3.038454
				2-65+ YR.	5.224234	10.949054	8.140754
PIPERONYL ISOBUTYRATE FEMA 2913D	01	BAKED GOODS(R)	*	0-5 MO.	.008500	.011250	.011900
				6-11 MO.	.063500	.129500	.088900
				12-23 MO.	.136250	.224500	.190750
				2-65+ YR.	.343000	.509500	.480200
PIPERONYL ISOBUTYRATE FEMA 2913D	07	FROZN DAIRY(R)	*	0-5 MO.	.001125	.004613	.002000
				6-11 MO.	.010688	.029700	.019000
				12-23 MO.	.016200	.038025	.028800
				2-65+ YR.	.028800	.069413	.051200
PIPERONYL ISOBUTYRATE FEMA 2913D	16	SOFT CANDY(R)	*	0-5 MO.	.000425	.004250	.000600
				6-11 MO.	.004675	.014450	.006600
				12-23 MO.	.007438	.019763	.010500
				2-65+ YR.	.012325	.037400	.017400
PIPERONYL ISOBUTYRATE FEMA 2913D	20	GELATIN PUD(R)	*	0-5 MO.	.004250	.005738	.006000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PIPERONYL ISOBUTYRATE FEMA 2913D	20	GELATIN PUD(R)	*	6-11 MO.	.027200	.082450	.038400
				12-23 MO.	.029325	.071400	.041400
				2-65+ YR.	.043350	.111563	.061200
PIPERONYL ISOBUTYRATE FEMA 2913D	23	BEV TYPE I(R)	*	0-5 MO.	.005040	.007560	.009000
				6-11 MO.	.047670	.163170	.085125
				12-23 MO.	.113820	.341250	.203250
				2-65+ YR.	.218400	.583170	.390000
PIPERONYL ISOBUTYRATE FEMA 2913D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
PIPERONYL ISOBUTYRATE FEMA 2913D	99	ALL CATEGORIES	4	0-5 MO.	.019340	.033410	.029500
				6-11 MO.	.153733	.419320	.238025
				12-23 MO.	.303033	.695038	.474700
				2-65+ YR.	.662125	1.358245	1.032500
POLYSORBATE 20 FEMA 2915D	C1	BAKED GOODS(R)	*	0-5 MO.	.164193	.217314	.286149
				6-11 MO.	1.226615	2.501522	2.137702
				12-23 MO.	2.631910	4.336615	4.586801
				2-65+ YR.	6.625652	9.841894	11.546957
POLYSORBATE 20 FEMA 2915D	C7	FROZN DAIRY(R)	*	0-5 MO.	.024789	.101634	.073646
				6-11 MO.	.235493	.654423	.699634
				12-23 MO.	.356958	.837859	1.060498
				2-65+ YR.	.634592	1.529465	1.885329
POLYSORBATE 20 FEMA 2915D	10	MEAT PRODS(R)	*	0-5 MO.	.027500	.072500	.055000
				6-11 MO.	.517500	1.395000	1.035000
				12-23 MO.	.755000	1.297500	1.510000
				2-65+ YR.	1.960000	3.252500	3.920000
POLYSORBATE 20 FEMA 2915D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.041136	**********
				6-11 MO.	.329091	.905000	.800000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
POLYSORBATE 20 FEMA 2915D	15	CONDM RELSH(R)	*	12-23 MO.	1.151818	3.126364	2.800000
				2-65+ YR.	3.620000	8.720909	8.800000
POLYSORBATE 20 FEMA 2915D	16	SOFT CANDY(R)	*	0-5 MO.	.005871	.058712	.012738
				6-11 MO.	.064583	.199619	.140117
				12-23 MO.	.102745	.273009	.222914
				2-65+ YR.	.170264	.516662	.369400
POLYSORBATE 20 FEMA 2915D	20	GELATIN PUD(R)	*	0-5 MO.	.050000	.067500	.100000
				6-11 MO.	.320000	.970000	.640000
				12-23 MO.	.345000	.840000	.690000
				2-65+ YR.	.510000	1.312500	1.020000
POLYSORBATE 20 FEMA 2915D	23	BEV TYPE I(R)	7	0-5 MO.	.049806	.074709	.229786
				6-11 MO.	.471080	1.612464	2.173397
				12-23 MO.	1.124782	3.372270	5.189344
				2-65+ YR.	2.158253	5.762950	9.957412
POLYSORBATE 20 FEMA 2915D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005000	.015000	.005000
				12-23 MO.	.015000	.045000	.015000
				2-65+ YR.	.030000	.085000	.030000
POLYSORBATE 20 FEMA 2915D	99	ALL CATEGORIES	9	0-5 MO.	.322158	.633504	.757319
				6-11 MO.	3.169362	8.253027	7.630850
				12-23 MO.	6.483213	14.128616	16.074556
				2-65+ YR.	15.708760	31.021880	37.529098
POLYSORBATE 60 FEMA 2916D NAS 0393	01	BAKED GOODS(R)	*	0-5 MO.	.078206	.103508	.095209
				6-11 MO.	.584247	1.191496	.711267
				12-23 MO.	1.253601	2.065566	1.526144
				2-65+ YR.	3.155854	4.687777	3.841963
POLYSORBATE 60 FEMA 2916D NAS 0393	07	FROZN DAIRY(R)	6	0-5 MO.	.563640	2.310923	.779508
				6-11 MO.	5.354578	14.880091	7.405327
				12-23 MO.	8.116413	19.051026	11.224917

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
POLYSORBATE 60 FEMA 2916D NAS 0393	07	FROZN DAIRY(R)	6	2-65+ YR.	14.429179	34.776576	19.955407
POLYSORBATE 60 FEMA 2916D NAS 0393	10	MEAT PRODS(R)	*	0-5 MO.	.027500	.072500	.055000
				6-11 MO.	.517500	1.395000	1.035000
				12-23 MO.	.755000	1.297500	1.510000
				2-65+ YR.	1.960000	3.252500	3.920000
POLYSORBATE 60 FEMA 2916D NAS 0393	15	CONDM RELSH(R)	*	0-5 MO.	**********	.042500	**********
				6-11 MO.	.340000	.935000	.800000
				12-23 MO.	1.190000	3.230000	2.800000
				2-65+ YR.	3.740000	9.010000	8.800000
POLYSORBATE 60 FEMA 2916D NAS 0393	16	SOFT CANDY(R)	6	0-5 MO.	.553578	5.535781	.554223
				6-11 MO.	6.089359	18.821656	6.096456
				12-23 MO.	9.687617	25.741382	9.698907
				2-65+ YR.	16.053765	48.714874	16.072475
POLYSORBATE 60 FEMA 2916D NAS 0393	17	CONF FROST(R)	*	0-5 MO.	**********	.141069	**********
				6-11 MO.	.141069	.282138	.275540
				12-23 MO.	.282138	.987483	.551079
				2-65+ YR.	.423207	1.128552	.826619
POLYSORBATE 60 FEMA 2916D NAS 0393	19	SWEET SAUCE(R)	*	0-5 MO.	1.079245	1.438994	2.040000
				6-11 MO.	3.237736	11.152201	6.120000
				12-23 MO.	9.353459	27.340681	17.680000
				2-65+ YR.	24.462893	64.394969	46.240000
POLYSORBATE 60 FEMA 2916D NAS 0393	20	GELATIN PUD(R)	*	0-5 MO.	1.207509	1.630138	2.402972
				6-11 MO.	7.728061	23.425683	15.379022
				12-23 MO.	8.331815	20.286159	16.580508
				2-65+ YR.	12.316596	31.697123	24.510317
POLYSORBATE 60 FEMA 2916D NAS 0393	23	BEV TYPE 1(R)	6	0-5 MO.	.027283	.040925	.262751
				6-11 MO.	.258056	.883301	2.485190
				12-23 MO.	.616151	1.847316	5.933801
				2-65+ YR.	1.182282	3.156920	11.385891

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
POLYSORBATE 60 FEMA 2916D	NAS 0393	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.004800	**********
					12-23 MO.	**********	.009600	**********
					2-65+ YR.	1.560000	4.531200	1.560000
POLYSORBATE 60 FEMA 2916D	NAS 0393	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	3.901333	6.409333	3.901333
					12-23 MO.	2.229333	9.474667	2.229333
					2-65+ YR.	2.508000	4.180000	2.508000
POLYSORBATE 60 FEMA 2916D	NAS 0393	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.010350	.031050	.024000
					12-23 MO.	.031050	.093150	.072000
					2-65+ YR.	.062100	.175950	.144000
POLYSORBATE 60 FEMA 2916D	NAS 0393	99	ALL CATEGORIES	21	0-5 MO.	3.536962	11.316338	6.189664
					6-11 MO.	28.162289	79.411749	44.233135
					12-23 MO.	41.846577	111.424728	69.806689
					2-65+ YR.	81.853876	209.706440	139.764671
POLYSORBATE 80 FEMA 2917D	NAS 0394	01	BAKED GOODS(R)	13	0-5 MO.	.462102	.611606	.917739
					6-11 MO.	3.452177	7.040266	6.856049
					12-23 MO.	7.407230	12.204941	14.710814
					2-65+ YR.	18.647192	27.698963	37.033462
POLYSORBATE 80 FEMA 2917D	NAS 0394	04	FATS OILS(R)	*	0-5 MO.	.000050	.000050	.000100
					6-11 MO.	.000280	.000750	.000560
					12-23 MO.	.000630	.001200	.001260
					2-65+ YR.	.001750	.003160	.003500
POLYSORBATE 80 FEMA 2917D	NAS 0394	05	MILK PRODS(R)	*	0-5 MO.	8.100000	6.000000	8.100000
					6-11 MO.	93.600000	450.150000	93.600000
					12-23 MO.	81.750000	261.600000	81.750000
					2-65+ YR.	59.250000	180.900000	59.250000
POLYSORBATE 80 FEMA 2917D	NAS 0394	07	FROZN DAIRY(R)	9	0-5 MO.	.220542	.904223	.331063

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
POLYSORBATE 80 FEMA 2917D NAS 0394	07	FROZN DAIRY(R)	9	6-11 MO.	2.095152	5.822316	3.145099
				12-23 MO.	3.175809	7.454329	4.767307
				2-65+ YR.	5.645882	13.607459	8.475213
POLYSORBATE 80 FEMA 2917D NAS 0394	09	FRUIT ICES(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001200	.003200	.002700
				12-23 MO.	.002400	.008400	.005400
				2-65+ YR.	.002800	.010000	.006300
POLYSORBATE 80 FEMA 2917D NAS 0394	10	MEAT PRODS(R)	6	0-5 MO.	.011805	.031123	.023568
				6-11 MO.	.222154	.598851	.443501
				12-23 MO.	.324109	.556995	.647040
				2-65+ YR.	.841396	1.396245	1.679733
POLYSORBATE 80 FEMA 2917D NAS 0394	15	CONDM RELSH(R)	6	0-5 MO.	**********	.017299	**********
				6-11 MO.	.138389	.380569	.138389
				12-23 MO.	.484361	1.314693	.484361
				2-65+ YR.	1.522276	3.667301	1.522276
POLYSORBATE 80 FEMA 2917D NAS 0394	16	SOFT CANDY(R)	6	0-5 MO.	.024758	.247576	.041097
				6-11 MO.	.272333	.841758	.452067
				12-23 MO.	.433258	1.151227	.719197
				2-65+ YR.	.717970	2.178667	1.191812
POLYSORBATE 80 FEMA 2917D NAS 0394	19	SWEET SAUCE(R)	*	0-5 MO.	.180000	.240000	.270000
				6-11 MO.	.540000	1.860000	.810000
				12-23 MO.	1.560000	4.560000	2.340000
				2-65+ YR.	4.080000	10.740000	6.120000
POLYSORBATE 80 FEMA 2917D NAS 0394	20	GELATIN PUD(R)	*	0-5 MO.	.050000	.067500	.100000
				6-11 MO.	.320000	.970000	.640000
				12-23 MO.	.345000	.840000	.690000
				2-65+ YR.	.510000	1.312500	1.020000
POLYSORBATE 80 FEMA 2917D NAS 0394	23	BEV TYPE I(R)	17	0-5 MO.	.236292	.354438	.351546
				6-11 MO.	2.234930	7.649958	3.325037

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
POLYSORBATE 80 FEMA 2917D NAS 0394	23	BEV TYPE I(R)	17	12-23 MO.	5.336264	15.998946	7.939075
				2-65+ YR.	10.239326	27.340968	15.233649
POLYSORBATE 80 FEMA 2917D NAS 0394	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002680	**********
				12-23 MO.	**********	.005360	**********
				2-65+ YR.	.871000	2.529920	.871000
POLYSORBATE 80 FEMA 2917D NAS 0394	27	GRAVIES(R)	*	0-5 MO.	.001000	.003000	.002000
				6-11 MO.	.014000	.039000	.028000
				12-23 MO.	.036000	.102000	.072000
				2-65+ YR.	.083000	.213000	.166000
POLYSORBATE 80 FEMA 2917D NAS 0394	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004736	.014208	.017937
				12-23 MO.	.014208	.042624	.053811
				2-65+ YR.	.028416	.080512	.107622
POLYSORBATE 80 FEMA 2917D NAS 0394	99	ALL CATEGORIES	40	0-5 MO.	9.286550	8.476815	10.137112
				6-11 MO.	102.895351	475.373555	109.459338
				12-23 MO.	100.869268	305.840715	114.180265
				2-65+ YR.	102.441008	271.678695	132.680567
POTASSIUM ACETATE FEMA 2920D	23	BEV TYPE I(R)	*	0-5 MO.	.000600	.000900	.002400
				6-11 MO.	.005675	.019425	.022700
				12-23 MO.	.013550	.040625	.054200
				2-65+ YR.	.026000	.069425	.104000
POTASSIUM ACETATE FEMA 2920D	99	ALL CATEGORIES	*	0-5 MO.	.000600	.000900	.002400
				6-11 MO.	.005675	.019425	.022700
				12-23 MO.	.013550	.040625	.054200
				2-65+ YR.	.026000	.069425	.104000
PROPENYLGUAETHOL FEMA 2922D	01	BAKED GOODS(R)	20	0-5 MO.	.027393	.036255	.090553
				6-11 MO.	.204641	.417339	.676483
				12-23 MO.	.439092	.723495	1.451508

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPENYLGUAETHOL FEMA 2922D	01	BAKED GOODS(R)	20	2-65+ YR.	1.105384	1.641962	3.654072
PROPENYLGUAETHOL FEMA 2922D	07	FROZN DAIRY(R)	18	0-5 MO.	.001350	.005536	.002860
				6-11 MO.	.012827	.035645	.027171
				12-23 MO.	.019442	.045636	.041186
				2-65+ YR.	.034564	.083306	.073219
PROPENYLGUAETHOL FEMA 2922D	16	SOFT CANDY(R)	14	0-5 MO.	.001342	.013415	.003075
				6-11 MO.	.014757	.045612	.033825
				12-23 MO.	.023477	.062382	.053813
				2-65+ YR.	.038905	.118055	.089175
PROPENYLGUAETHOL FEMA 2922D	19	SWEET SAUCE(R)	*	0-5 MO.	.006000	.008000	.006000
				6-11 MO.	.018000	.062000	.018000
				12-23 MO.	.052000	.152000	.052000
				2-65+ YR.	.136000	.358000	.136000
PROPENYLGUAETHOL FEMA 2922D	20	GELATIN PUD(R)	10	0-5 MO.	.003077	.004153	.007113
				6-11 MO.	.019691	.059687	.045522
				12-23 MO.	.021229	.051688	.049079
				2-65+ YR.	.031382	.080762	.072551
PROPENYLGUAETHOL FEMA 2922D	23	BEV TYPE I(R)	17	0-5 MO.	.002184	.003275	.004435
				6-11 MO.	.020652	.070691	.041945
				12-23 MO.	.049311	.147842	.100151
				2-65+ YR.	.094619	.252651	.192173
PROPENYLGUAETHOL FEMA 2922D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
PROPENYLGUAETHOL FEMA 2922D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000216	.000648	.000216
				12-23 MO.	.000648	.001944	.000648
				2-65+ YR.	.001296	.003672	.001296

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PROPENYLGUAETHOL FEMA 29220	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000020	.000020	.001403
				12-23 MO.	.000020	.000060	.001403
				2-65+ YR.	.000040	.000080	.002806
PROPENYLGUAETHOL FEMA 29220	99	ALL CATEGORIES	31	0-5 MO.	.041345	.070635	.114036
				6-11 MO.	.290804	.691652	.844565
				12-23 MO.	.605219	1.185066	1.749788
				2-65+ YR.	1.445440	2.547928	4.224542
PROPIONALDEHYDE FEMA 29230	01	BAKED GOODS(R)	9	0-5 MO.	.035967	.047604	.055670
				6-11 MO.	.268698	.547974	.415884
				12-23 MO.	.576537	.949963	.892350
				2-65+ YR.	1.451391	2.155929	2.246430
PROPIONALDEHYDE FEMA 29230	07	FROZN DAIRY(R)	8	0-5 MO.	.008097	.033199	.014053
				6-11 MO.	.076924	.213767	.133508
				12-23 MO.	.116600	.273686	.202370
				2-65+ YR.	.207289	.499599	.359769
PROPIONALDEHYDE FEMA 29230	16	SOFT CANDY(R)	9	0-5 MO.	.001670	.016702	.002740
				6-11 MO.	.018372	.056786	.030140
				12-23 MO.	.029228	.077664	.047950
				2-65+ YR.	.048435	.146976	.079460
PROPIONALDEHYDE FEMA 29230	20	GELATIN PUD(R)	6	0-5 MO.	.017698	.023892	.035775
				6-11 MO.	.113268	.343343	.228962
				12-23 MO.	.122117	.297328	.246849
				2-65+ YR.	.180521	.464575	.364908
PROPIONALDEHYDE FEMA 29230	23	BEV TYPE I(R)	7	0-5 MO.	.008528	.012791	.014343
				6-11 MO.	.080657	.276080	.135664
				12-23 MO.	.192581	.577387	.323920
				2-65+ YR.	.369528	.986710	.621543
PROPIONALDEHYDE FEMA 29230	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PROPIONALDEHYDE FEMA 2923D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.198611
PROPIONALDEHYDE FEMA 2923D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000152	.000456	.000152
				12-23 MO.	.000456	.001368	.000456
				2-65+ YR.	.000912	.002584	.000912
PROPIONALDEHYDE FEMA 2923D	99	ALL CATEGORIES	11	0-5 MO.	.071960	.134188	.122582
				6-11 MO.	.558070	1.438706	.944310
				12-23 MO.	1.037519	2.177996	1.713895
				2-65+ YR.	2.355576	4.539574	3.871633
PROPYL ACETATE FEMA 2925D	01	BAKED GOODS(R)	7	0-5 MO.	.037604	.049769	.056744
				6-11 MO.	.280921	.572901	.423913
				12-23 MO.	.602763	.993176	.909576
				2-65+ YR.	1.517414	2.254001	2.289796
PROPYL ACETATE FEMA 2925D	07	FROZN DAIRY(R)	7	0-5 MO.	.007624	.031260	.013626
				6-11 MO.	.072432	.201285	.129449
				12-23 MO.	.109792	.257705	.196217
				2-65+ YR.	.195185	.470427	.348830
PROPYL ACETATE FEMA 2925D	16	SOFT CANDY(R)	8	0-5 MO.	.000973	.009734	.001724
				6-11 MO.	.018708	.033097	.018961
				12-23 MO.	.017035	.045265	.030166
				2-65+ YR.	.028230	.085662	.049989
PROPYL ACETATE FEMA 2925D	20	GELATIN PUD(R)	5	0-5 MO.	.002710	.003658	.005821
				6-11 MO.	.017341	.052566	.037257
				12-23 MO.	.018696	.045521	.040168
				2-65+ YR.	.027638	.071127	.059379
PROPYL ACETATE FEMA 2925D	23	BEV TYPE I(R)	10	0-5 MO.	.004643	.006965	.010664
				6-11 MO.	.043916	.150319	.100863

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL ACETATE FEMA 2925D	23	BEV TYPE I(R)	10	12-23 MO.	.104856	.314374	.240827
				2-65+ YR.	.201199	.537241	.462104
PROPYL ACETATE FEMA 2925D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000692	**********
				12-23 MO.	**********	.001385	**********
				2-65+ YR.	.225000	.653538	.729167
PROPYL ACETATE FEMA 2925D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000167	.000501	.000202
				12-23 MO.	.000501	.001503	.000606
				2-65+ YR.	.001002	.002839	.001212
PROPYL ACETATE FEMA 2925D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000660	.000660	.011480
				12-23 MO.	.000660	.001980	.011480
				2-65+ YR.	.001320	.002640	.022960
PROPYL ACETATE FEMA 2925D	99	ALL CATEGORIES	15	0-5 MO.	.053554	.101386	.088579
				6-11 MO.	.426144	1.012021	.722125
				12-23 MO.	.854303	1.660909	1.429040
				2-65+ YR.	2.196988	4.077476	3.963436
ISOPROPYL ACETATE FEMA 2926D	01	BAKED GOODS(R)	6	0-5 MO.	.180483	.238875	.240833
				6-11 MO.	1.348317	2.749717	1.799167
				12-23 MO.	2.893042	4.766883	3.860417
				2-65+ YR.	7.283033	10.818383	9.718333
ISOPROPYL ACETATE FEMA 2926D	07	FROZN DAIRY(R)	5	0-5 MO.	.019182	.078645	.029273
				6-11 MO.	.182227	.506400	.278091
				12-23 MO.	.276218	.648345	.421527
				2-65+ YR.	.491055	1.183518	.749382
ISOPROPYL ACETATE FEMA 2926D	16	SOFT CANDY(R)	5	0-5 MO.	.008618	.086182	.013218
				6-11 MO.	.094800	.293018	.145400
				12-23 MO.	.150818	.400745	.231318

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL ACETATE FEMA 2926D	16	SOFT CANDY(R)	5	2-65+ YR.	.249927	.758400	.363327
ISOPROPYL ACETATE FEMA 2926D	20	GELATIN PUD(R)	4	0-5 MO.	.026500	.035775	.046500
				6-11 MO.	.169600	.514100	.297600
				12-23 MO.	.182850	.445200	.320850
				2-65+ YR.	.270300	.695625	.474300
ISOPROPYL ACETATE FEMA 2926D	23	BEV TYPE I(R)	6	0-5 MO.	.031527	.047291	.042982
				6-11 MO.	.298195	1.020695	.406536
				12-23 MO.	.711991	2.134659	.970673
				2-65+ YR.	1.366182	3.647968	1.862545
ISOPROPYL ACETATE FEMA 2926D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001525	**********
				12-23 MO.	**********	.003050	**********
				2-65+ YR.	.495625	1.439600	1.235000
ISOPROPYL ACETATE FEMA 2926D	59	ALL CATEGORIES	8	0-5 MO.	.266311	.486768	.372806
				6-11 MO.	2.093139	5.085455	2.926794
				12-23 MO.	4.214919	8.398883	5.804785
				2-65+ YR.	10.156122	18.543495	14.422888
P-ISOPROPYLACETOPHENONE FEMA 2927D	01	BAKED GOODS(R)	*	0-5 MO.	.005270	.006975	.013260
				6-11 MO.	.039370	.080290	.099060
				12-23 MO.	.084475	.139190	.212550
				2-65+ YR.	.212660	.315890	.535080
P-ISOPROPYLACETOPHENONE FEMA 2927D	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
P-ISOPROPYLACETOPHENONE FEMA 2927D	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.002000
				6-11 MO.	.013200	.040800	.022000
				12-23 MO.	.021000	.055800	.035000
				2-65+ YR.	.034800	.105600	.058000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
Pa-ISOPROPYLACETOPHENONE FEMA 2927D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.006000
				6-11 MO.	.012800	.038800	.038400
				12-23 MO.	.013800	.033600	.041400
				2-65+ YR.	.020400	.052500	.061200
Pa-ISOPROPYLACETOPHENONE FEMA 2927D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
Pa-ISOPROPYLACETOPHENONE FEMA 2927D	99	ALL CATEGORIES	*	0-5 MO.	.015270	.037075	.038260
				6-11 MO.	.129770	.368090	.320460
				12-23 MO.	.256475	.621190	.631950
				2-65+ YR.	.527060	1.152790	1.302280
PROPYL ALCOHOL FEMA 2928D	01	BAKED GOODS(R)	5	0-5 MO.	.006241	.008260	.012602
				6-11 MO.	.046623	.095081	.094148
				12-23 MO.	.100037	.164831	.202010
				2-65+ YR.	.251836	.374082	.508547
PROPYL ALCOHOL FEMA 2928D	07	FROZN DAIRY(R)	*	0-5 MO.	.000927	.003800	.002422
				6-11 MO.	.008804	.024466	.023013
				12-23 MO.	.013345	.031323	.034883
				2-65+ YR.	.023724	.057179	.062014
PROPYL ALCOHOL FEMA 2928D	16	SOFT CANDY(R)	4	0-5 MO.	.000307	.003072	.001060
				6-11 MO.	.003379	.010444	.011659
				12-23 MO.	.005376	.014284	.018549
				2-65+ YR.	.008908	.027031	.030738
PROPYL ALCOHOL FEMA 2928D	20	GELATIN PUD(R)	*	0-5 MO.	.005830	.007870	.010159
				6-11 MO.	.037309	.113093	.065018
				12-23 MO.	.040224	.097936	.070098
				2-65+ YR.	.059461	.153026	.103623
PROPYL ALCOHOL FEMA 2928D	23	BEV TYPE I(R)	4	0-5 MO.	.009365	.014048	.022385

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL ALCOHOL FEMA 2928D	23	BEV TYPE I(R)	4	6-11 MO.	.088582	.303207	.211729
				12-23 MO.	.211503	.634119	.505538
				2-65+ YR.	.405836	1.083661	.970036
PROPYL ALCOHOL FEMA 2928D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000249	**********
				12-23 MO.	**********	.000498	**********
				2-65+ YR.	.080858	.234863	.265090
PROPYL ALCOHOL FEMA 2928D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000013	.000013	.000013
				12-23 MO.	.000013	.000039	.000013
				2-65+ YR.	.000026	.000052	.000026
PROPYL ALCOHOL FEMA 2928D	99	ALL CATEGORIES	6	0-5 MO.	.022670	.037049	.048629
				6-11 MO.	.184709	.546552	.405580
				12-23 MO.	.370497	.943030	.831091
				2-65+ YR.	.830650	1.929894	1.940074
ISOPROPYL ALCOHOL FEMA 2929D	01	BAKED GOODS(R)	6	0-5 MO.	.036388	.048160	.069615
				6-11 MO.	.271838	.554378	.520064
				12-23 MO.	.583274	.961065	1.115886
				2-65+ YR.	1.468353	2.181125	2.809167
ISOPROPYL ALCOHOL FEMA 2929D	07	FROZN DAIRY(R)	4	0-5 MO.	.001798	.007373	.001932
				6-11 MO.	.017084	.047476	.018351
				12-23 MO.	.025896	.060783	.027817
				2-65+ YR.	.046037	.110956	.049452
ISOPROPYL ALCOHOL FEMA 2929D	16	SOFT CANDY(R)	6	0-5 MO.	.001308	.013084	.002731
				6-11 MO.	.014393	.044487	.030037
				12-23 MO.	.022898	.060843	.047786
				2-65+ YR.	.037945	.115143	.079189
ISOPROPYL ALCOHOL FEMA 2929D	20	GELATIN PUD(R)	4	0-5 MO.	.000845	.001140	.000925
				6-11 MO.	.005406	.016386	.005919

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL ALCOHOL FEMA 2929D	20	GELATIN PUD(R)	4	12-23 MO.	.005828	.014190	.006381
				2-65+ YR.	.008615	.022171	.009433
ISOPROPYL ALCOHOL FEMA 2929D	23	BEV TYPE I(R)	6	0-5 MO.	.000980	.001470	.001092
				6-11 MO.	.009268	.031725	.010328
				12-23 MO.	.022130	.066349	.024661
				2-65+ YR.	.042463	.113385	.047320
ISOPROPYL ALCOHOL FEMA 2929D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000011	**********
				12-23 MO.	**********	.000022	**********
				2-65+ YR.	.003639	.010570	.004215
ISOPROPYL ALCOHOL FEMA 2929D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.120291	.360873	.124960
				12-23 MO.	.360873	1.082619	.374880
				2-65+ YR.	.721746	2.044947	.749760
ISOPROPYL ALCOHOL FEMA 2929D	99	ALL CATEGORIES	8	0-5 MO.	.041319	.071228	.076294
				6-11 MO.	.438280	1.055336	.709660
				12-23 MO.	1.020899	2.245871	1.597412
				2-65+ YR.	2.328799	4.598298	3.748536
P#-PROPYL ANISOLE FEMA 2930D	01	BAKED GOODS(R)	4	0-5 MO.	.284016	.375904	.306526
				6-11 MO.	2.121770	4.327075	2.289932
				12-23 MO.	4.552617	7.501377	4.913438
				2-65+ YR.	11.460901	17.024283	12.369242
P#-PROPYL ANISOLE FEMA 2930D	07	FROZN DAIRY(R)	4	0-5 MO.	.012708	.052104	.017583
				6-11 MO.	.120728	.335497	.167041
				12-23 MO.	.182998	.429538	.253200
				2-65+ YR.	.325330	.784097	.450133
P#-PROPYL ANISOLE FEMA 2930D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PA-PROPYL ANISOLE FEMA 2930D	10	MEAT PRODS(R)	*	2-65+ YR.	.078400	.130100	.156800
PA-PROPYL ANISOLE FEMA 2930D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001850	**********
				6-11 MO.	.014800	.040700	.027800
				12-23 MO.	.051800	.140600	.097300
				2-65+ YR.	.162800	.392200	.305800
PA-PROPYL ANISOLE FEMA 2930D	16	SOFT CANDY(R)	8	0-5 MO.	.015165	.151653	.021701
				6-11 MO.	.166818	.515620	.238712
				12-23 MO.	.265393	.705187	.379769
				2-65+ YR.	.439794	1.334547	.629332
PA-PROPYL ANISOLE FEMA 2930D	20	GELATIN PUD(R)	*	0-5 MO.	.037947	.051229	.047474
				6-11 MO.	.242863	.736179	.303832
				12-23 MO.	.261837	.637516	.327568
				2-65+ YR.	.387063	.996118	.484232
PA-PROPYL ANISOLE FEMA 2930D	23	BEV TYPE I(R)	11	0-5 MO.	.030581	.045871	.108372
				6-11 MO.	.289241	.990046	1.025015
				12-23 MO.	.690611	2.070559	2.447392
				2-65+ YR.	1.325158	3.538426	4.696103
PA-PROPYL ANISOLE FEMA 2930D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000550	**********
				12-23 MO.	**********	.001100	**********
				2-65+ YR.	.178750	.519200	.406250
PA-PROPYL ANISOLE FEMA 2930D	27	GRAVIES(R)	*	0-5 MO.	.000030	.000090	.000060
				6-11 MO.	.000420	.001170	.000840
				12-23 MO.	.001080	.003060	.002160
				2-65+ YR.	.002490	.006390	.004980
PA-PROPYL ANISOLE FEMA 2930D	30	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.022534	.067602	.039325
				12-23 MO.	.067602	.202806	.117975
				2-65+ YR.	.135204	.383078	.235950

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
P-PROPYL ANISOLE FEMA 2930D	99	ALL CATEGORIES	16	0-5 MO.	.381548	.681601	.503916
				6-11 MO.	2.999875	7.070239	4.133897
				12-23 MO.	6.104138	11.743642	8.599202
				2-65+ YR.	14.495890	25.108440	19.738821
PROPYL BENZOATE FEMA 2931D	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.068000
				6-11 MO.	.381000	.777000	.508000
				12-23 MO.	.817500	1.347000	1.090000
				2-65+ YR.	2.058000	3.057000	2.744000
PROPYL BENZOATE FEMA 2931D	99	ALL CATEGORIES	*	0-5 MO.	.051000	.067500	.068000
				6-11 MO.	.381000	.777000	.508000
				12-23 MO.	.817500	1.347000	1.090000
				2-65+ YR.	2.058000	3.057000	2.744000
ISOPROPYL BENZOATE FEMA 2932D	01	BAKED GOODS(R)	*	0-5 MO.	.000340	.000450	.003060
				6-11 MO.	.002540	.005180	.022860
				12-23 MO.	.005450	.008980	.049050
				2-65+ YR.	.013720	.020380	.123480
ISOPROPYL BENZOATE FEMA 2932D	99	ALL CATEGORIES	*	0-5 MO.	.000340	.000450	.003060
				6-11 MO.	.002540	.005180	.022860
				12-23 MO.	.005450	.008980	.049050
				2-65+ YR.	.013720	.020380	.123480
P-ISOPROPYLBENZYL ALCOHO FEMA 2933D	01	BAKED GOODS(R)	4	0-5 MO.	.145414	.192460	.188855
				6-11 MO.	1.086328	2.215425	1.410855
				12-23 MO.	2.330901	3.840640	3.027227
				2-65+ YR.	5.867882	8.716285	7.620836
P-ISOPROPYLBENZYL ALCOHO FEMA 2933D	07	FROZN DAIRY(R)	*	0-5 MO.	.001693	.006940	.005078
				6-11 MO.	.016081	.044689	.048244
				12-23 MO.	.024376	.057216	.073128
				2-65+ YR.	.043335	.104444	.130005
P-ISOPROPYLBENZYL ALCOHO FEMA 2933D	16	SOFT CANDY(R)	*	0-5 MO.	.008908	.089084	.009841

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
Pa-ISOPROPYLBENZYL ALCOHO FEMA 2933D	16	SOFT CANDY(R)	*	6-11 MO.	.097993	.302887	.108251
				12-23 MO.	.155898	.414242	.172217
				2-65+ YR.	.258345	.783942	.285388
Pa-ISOPROPYLBENZYL ALCOHO FEMA 2933D	20	GELATIN PUD(R)	*	0-5 MO.	.038000	.051300	.044000
				6-11 MO.	.243200	.737200	.281600
				12-23 MO.	.262200	.638400	.303600
				2-65+ YR.	.387600	.997500	.448800
Pa-ISOPROPYLBENZYL ALCOHO FEMA 2933D	23	BEV TYPE I(R)	*	0-5 MO.	.064569	.096853	.077986
				6-11 MO.	.610712	2.090411	.737613
				12-23 MO.	1.458176	4.371837	1.761173
				2-65+ YR.	2.797976	7.471134	3.379374
Pa-ISOPROPYLBENZYL ALCOHO FEMA 2933D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.975000
Pa-ISOPROPYLBENZYL ALCOHO FEMA 2933D	99	ALL CATEGORIES	4	0-5 MO.	.258584	.436637	.325759
				6-11 MO.	2.054314	5.391611	2.586562
				12-23 MO.	4.231550	9.324335	5.337345
				2-65+ YR.	9.680137	19.017305	12.839403
PROPYL BUTYRATE FEMA 2934D	01	BAKED GOODS(R)	5	0-5 MO.	.068884	.091170	.197900
				6-11 MO.	.514602	1.049464	1.478427
				12-23 MO.	1.104166	1.819342	3.172215
				2-65+ YR.	2.779662	4.128973	7.985832
PROPYL BUTYRATE FEMA 2934D	07	FROZN DAIRY(R)	4	0-5 MO.	.023047	.094494	.074386
				6-11 MO.	.218951	.608452	.706671
				12-23 MO.	.331883	.779003	1.071164
				2-65+ YR.	.590014	1.422026	1.904292
PROPYL BUTYRATE FEMA 2934D	16	SOFT CANDY(R)	5	0-5 MO.	.004055	.040549	.011611
				6-11 MO.	.044604	.137866	.127719

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL BUTYRATE FEMA 2934D	16	SOFT CANDY(R)	5	12-23 MO.	.070960	.188552	.203190
				2-65+ YR.	.117591	.356829	.336714
PROPYL BUTYRATE FEMA 2934D	20	GELATIN PUD(R)	*	0-5 MO.	.039383	.053167	.122091
				6-11 MO.	.252049	.764025	.781379
				12-23 MO.	.271741	.661630	.842425
				2-65+ YR.	.401704	1.033796	1.245323
PROPYL BUTYRATE FEMA 2934D	23	BEV TYPE I(R)	5	0-5 MO.	.016156	.024235	.046844
				6-11 MO.	.152813	.523064	.443067
				12-23 MO.	.364865	1.093923	1.057896
				2-65+ YR.	.700111	1.869430	2.029912
PROPYL BUTYRATE FEMA 2934D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.487500
PROPYL BUTYRATE FEMA 2934D	59	ALL CATEGORIES	6	0-5 MO.	.151525	.303614	.452832
				6-11 MO.	1.183018	3.083670	3.537263
				12-23 MO.	2.143615	4.544049	6.346889
				2-65+ YR.	4.849082	9.566255	13.989573
ISOPROPYL BUTYRATE FEMA 2935D	01	BAKED GOODS(R)	5	0-5 MO.	.131191	.173636	.220514
				6-11 MO.	.980077	1.998740	1.647371
				12-23 MO.	2.102921	3.464997	3.534714
				2-65+ YR.	5.293960	7.863769	8.898400
ISOPROPYL BUTYRATE FEMA 2935D	07	FROZN DAIRY(R)	4	0-5 MO.	.019017	.077968	.034833
				6-11 MO.	.180658	.502040	.330917
				12-23 MO.	.273840	.642765	.501600
				2-65+ YR.	.486827	1.173328	.891733
ISOPROPYL BUTYRATE FEMA 2935D	16	SOFT CANDY(R)	5	0-5 MO.	.007689	.076886	.012914
				6-11 MO.	.084574	.261411	.142057
				12-23 MO.	.134550	.357519	.226000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL BUTYRATE FEMA 2935D	16	SOFT CANDY(R)	5	2-65+ YR.	.222969	.676594	.374514
ISOPROPYL BUTYRATE FEMA 2935D	20	GELATIN PUD(R)	4	0-5 MO.	.024550	.033143	.055000
				6-11 MO.	.157120	.476270	.352000
				12-23 MO.	.169395	.412440	.379500
				2-65+ YR.	.250410	.644438	.561000
ISOPROPYL BUTYRATE FEMA 2935D	23	BEV TYPE I(R)	5	0-5 MO.	.026606	.039909	.046971
				6-11 MO.	.251646	.861360	.444271
				12-23 MO.	.600846	1.801429	1.060771
				2-65+ YR.	1.152914	3.078503	2.035429
ISOPROPYL BUTYRATE FEMA 2935D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001800	**********
				12-23 MO.	**********	.003600	**********
				2-65+ YR.	.585000	1.699200	.975000
ISOPROPYL BUTYRATE FEMA 2935D	99	ALL CATEGORIES	6	0-5 MO.	.209052	.401541	.370233
				6-11 MO.	1.654075	4.101621	2.916617
				12-23 MO.	3.281552	6.682748	5.702586
				2-65+ YR.	7.992079	15.135831	13.738076
PROPYL ISOBUTYRATE FEMA 2936D	01	BAKED GOODS(R)	4	0-5 MO.	.064033	.084750	.146767
				6-11 MO.	.478367	.975567	1.096433
				12-23 MO.	1.026417	1.691233	2.352583
				2-65+ YR.	2.583933	3.838233	5.922467
PROPYL ISOBUTYRATE FEMA 2936D	07	FROZN DAIRY(R)	4	0-5 MO.	.009286	.038071	.028600
				6-11 MO.	.088214	.245143	.271700
				12-23 MO.	.133714	.313857	.411840
				2-65+ YR.	.237714	.572929	.732160
PROPYL ISOBUTYRATE FEMA 2936D	16	SOFT CANDY(R)	5	0-5 MO.	.003775	.037750	.007800
				6-11 MO.	.041525	.128350	.085800
				12-23 MO.	.066063	.175538	.136500
				2-65+ YR.	.109475	.332200	.226200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL ISOBUTYRATE FEMA 2936D	20	GELATIN PUD(R)	*	0-5 MO.	.029333	.039600	.062000
				6-11 MO.	.187733	.569067	.396800
				12-23 MO.	.202400	.492800	.427800
				2-65+ YR.	.299200	.770000	.632400
PROPYL ISOBUTYRATE FEMA 2936D	23	BEV TYPE I(R)	5	0-5 MO.	.015600	.023400	.036000
				6-11 MO.	.147550	.505050	.340500
				12-23 MO.	.352300	1.056250	.813000
				2-65+ YR.	.676000	1.805050	1.560000
PROPYL ISOBUTYRATE FEMA 2936D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.487500
PROPYL ISOBUTYRATE FEMA 2936D	99	ALL CATEGORIES	6	0-5 MO.	.122027	.223571	.281167
				6-11 MO.	.943389	2.423976	2.191233
				12-23 MO.	1.780893	3.731278	4.141723
				2-65+ YR.	4.166323	8.073612	9.560727
ISOPROPYL ISOBUTYRATE FEMA 2937D	01	BAKED GOODS(R)	*	0-5 MO.	.223040	.295200	.317560
				6-11 MO.	1.666240	3.398080	2.372360
				12-23 MO.	3.575200	5.890880	5.090300
				2-65+ YR.	9.000320	13.369280	12.814480
ISOPROPYL ISOBUTYRATE FEMA 2937D	07	FROZN DAIRY(R)	*	0-5 MO.	.026250	.107625	.031000
				6-11 MO.	.249375	.693000	.294500
				12-23 MO.	.378000	.887250	.446400
				2-65+ YR.	.672000	1.619625	.793600
ISOPROPYL ISOBUTYRATE FEMA 2937D	16	SOFT CANDY(R)	*	0-5 MO.	.012960	.129600	.018680
				6-11 MO.	.142560	.440640	.205480
				12-23 MO.	.226800	.602640	.326900
				2-65+ YR.	.375840	1.140480	.541720
ISOPROPYL ISOBUTYRATE FEMA 2937D	20	GELATIN PUD(R)	*	0-5 MO.	.046000	.062100	.057000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL ISOBUTYRATE FEMA 2937D	20	GELATIN PUD(R)	*	6-11 MO.	.294400	.892400	.364800
				12-23 MO.	.317400	.772800	.393300
				2-65+ YR.	.469200	1.207500	.581400
ISOPROPYL ISOBUTYRATE FEMA 2937D	23	BEV TYPE I(R)	*	0-5 MO.	.036720	.055080	.059520
				6-11 MO.	.347310	1.188810	.562960
				12-23 MO.	.829260	2.486250	1.344160
				2-65+ YR.	1.591200	4.248810	2.579200
ISOPROPYL ISOBUTYRATE FEMA 2937D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001500	**********
				12-23 MO.	**********	.003000	**********
				2-65+ YR.	.487500	1.416000	.975000
ISOPROPYL ISOBUTYRATE FEMA 2937D	99	ALL CATEGORIES	4	0-5 MO.	.344970	.649605	.483760
				6-11 MO.	2.699885	6.614430	3.800100
				12-23 MO.	5.326660	10.642820	7.601060
				2-65+ YR.	12.596060	23.001695	18.285400
PROPYL CINNAMATE FEMA 2938D	01	BAKED GOODS(R)	4	0-5 MO.	.018983	.025125	.039667
				6-11 MO.	.141817	.289217	.296333
				12-23 MO.	.304292	.501383	.635833
				2-65+ YR.	.766033	1.137883	1.600667
PROPYL CINNAMATE FEMA 2938D	07	FROZN DAIRY(R)	*	0-5 MO.	.004400	.018040	.010600
				6-11 MO.	.041800	.116160	.100700
				12-23 MO.	.063360	.148720	.152640
				2-65+ YR.	.112640	.271480	.271360
PROPYL CINNAMATE FEMA 2938D	16	SOFT CANDY(R)	4	0-5 MO.	.000992	.009917	.003300
				6-11 MO.	.010908	.033717	.036300
				12-23 MO.	.017354	.046112	.057750
				2-65+ YR.	.028758	.087267	.095700
PROPYL CINNAMATE FEMA 2938D	20	GELATIN PUD(R)	*	0-5 MO.	.000891	.001203	.003218
				6-11 MO.	.005702	.017284	.020596

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PROPYL CINNAMATE FEMA 2938D	20	GELATIN PUD(R)	*	12-23 MO.	.006147	.014967	.022205
				2-65+ YR.	.009087	.023386	.032825
PROPYL CINNAMATE FEMA 2938D	23	BEV TYPE I(R)	*	0-5 MO.	.008182	.012273	.013964
				6-11 MO.	.077386	.264886	.132073
				12-23 MO.	.184773	.553977	.315345
				2-65+ YR.	.354545	.946705	.605091
PROPYL CINNAMATE FEMA 2938D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000450	**********
				12-23 MO.	**********	.000900	**********
				2-65+ YR.	.146250	.424800	.314167
PROPYL CINNAMATE FEMA 2938D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000595	.001785	.000595
				12-23 MO.	.001785	.005355	.001785
				2-65+ YR.	.003570	.010115	.003570
PROPYL CINNAMATE FEMA 2938D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002070	.002070	.002070
				12-23 MO.	.002070	.006210	.002070
				2-65+ YR.	.004140	.008280	.004140
PROPYL CINNAMATE FEMA 2938D	99	ALL CATEGORIES	8	0-5 MO.	.033448	.066557	.070748
				6-11 MO.	.280278	.725568	.588667
				12-23 MO.	.579781	1.277625	1.187629
				2-65+ YR.	1.425024	2.909916	2.927520
ISOPROPYL CINNAMATE FEMA 2939D	01	BAKED GOODS(R)	*	0-5 MO.	.009988	.013219	.015725
				6-11 MO.	.074613	.152163	.117475
				12-23 MO.	.160094	.263788	.252063
				2-65+ YR.	.403025	.598663	.634550
ISOPROPYL CINNAMATE FEMA 2939D	07	FROZN DAIRY(R)	*	0-5 MO.	.001200	.004920	.002929
				6-11 MO.	.011400	.031680	.027821
				12-23 MO.	.017280	.040560	.042171

TABLE 13, PART D -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOPROPYL CINNAMATE FEMA 2939D	07	FROZN DAIRY(R)	*	2-65+ YR.	.030720	.074040	.074971
ISOPROPYL CINNAMATE FEMA 2939D	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000700
				6-11 MO.	.004400	.013600	.007700
				12-23 MO.	.007000	.018600	.012250
				2-65+ YR.	.011600	.035200	.020300
ISOPROPYL CINNAMATE FEMA 2939D	20	GELATIN PUD(R)	*	0-5 MO.	.003500	.004725	.007000
				6-11 MO.	.022400	.067900	.044800
				12-23 MO.	.024150	.058800	.048300
				2-65+ YR.	.035700	.091875	.071400
ISOPROPYL CINNAMATE FEMA 2939D	23	BEV TYPE I(R)	*	0-5 MO.	.001650	.002475	.004650
				6-11 MO.	.015606	.053419	.043981
				12-23 MO.	.037263	.111719	.105013
				2-65+ YR.	.071500	.190919	.201500
ISOPROPYL CINNAMATE FEMA 2939D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000085	**********
				12-23 MO.	**********	.000170	**********
				2-65+ YR.	.027625	.080240	.056875
ISOPROPYL CINNAMATE FEMA 2939D	99	ALL CATEGORIES	4	0-5 MO.	.016738	.029339	.031004
				6-11 MO.	.128419	.316846	.241778
				12-23 MO.	.245786	.493636	.459796
				2-65+ YR.	.580170	1.070936	1.059596
PROPYL FORMATE FEMA 2943D	01	BAKED GOODS(R)	4	0-5 MO.	.221000	.292500	.262933
				6-11 MO.	1.651000	3.367000	1.964267
				12-23 MO.	3.542500	5.837000	4.214667
				2-65+ YR.	8.918000	13.247000	10.610133
PROPYL FORMATE FEMA 2943D	07	FROZN DAIRY(R)	*	0-5 MO.	.049500	.202950	.061800
				6-11 MO.	.470250	1.306800	.587100
				12-23 MO.	.712800	1.673100	.889920
				2-65+ YR.	1.267200	3.054150	1.582080

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL FORMATE FEMA 2943D	16	SOFT CANDY(R)	4	0-5 MO.	.010700	.107000	.013200
				6-11 MO.	.117700	.363800	.145200
				12-23 MO.	.187250	.497550	.231000
				2-65+ YR.	.310300	.941600	.382800
PROPYL FORMATE FEMA 2943D	20	GELATIN PUD(R)	*	0-5 MO.	.045000	.060750	.060000
				6-11 MO.	.288000	.873000	.384000
				12-23 MO.	.310500	.756000	.414000
				2-65+ YR.	.459000	1.181250	.612000
PROPYL FORMATE FEMA 2943D	23	BEV TYPE I(R)	*	0-5 MO.	.043920	.065880	.064320
				6-11 MO.	.415410	1.421910	.608360
				12-23 MO.	.991860	2.973750	1.452560
				2-65+ YR.	1.903200	5.081910	2.787200
PROPYL FORMATE FEMA 2943D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002500	**********
				12-23 MO.	**********	.005000	**********
				2-65+ YR.	.812500	2.360000	1.300000
PROPYL FORMATE FEMA 2943D	99	ALL CATEGORIES	4	0-5 MO.	.370120	.729080	.462253
				6-11 MO.	2.942360	7.335010	3.688927
				12-23 MO.	5.744910	11.742400	7.202147
				2-65+ YR.	13.670200	25.865910	17.274213
ISOPROPYL FORMATE FEMA 2944D	01	BAKED GOODS(R)	4	0-5 MO.	.176800	.234000	.258400
				6-11 MO.	1.320800	2.693600	1.930400
				12-23 MO.	2.834000	4.669600	4.142000
				2-65+ YR.	7.134400	10.597600	10.427200
ISOPROPYL FORMATE FEMA 2944D	07	FROZN DAIRY(R)	*	0-5 MO.	.026300	.107830	.037200
				6-11 MO.	.249850	.694320	.353400
				12-23 MO.	.378720	.888940	.535680
				2-65+ YR.	.673280	1.622710	.952320
ISOPROPYL FORMATE FEMA 2944D	16	SOFT CANDY(R)	4	0-5 MO.	.009600	.096000	.014567

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL FORMATE FEMA 2944D	16	SOFT CANDY(R)	4	6-11 MO.	.105600	.326400	.160233
				12-23 MO.	.168000	.446400	.254917
				2-65+ YR.	.278400	.844800	.422433
ISOPROPYL FORMATE FEMA 2944D	20	GELATIN PUD(R)	*	0-5 MO.	.039000	.052650	.054000
				6-11 MO.	.249600	.756600	.345600
				12-23 MO.	.269100	.655200	.372600
				2-65+ YR.	.397800	1.023750	.550800
ISOPROPYL FORMATE FEMA 2944D	23	BEV TYPE I(R)	*	0-5 MO.	.040080	.060120	.055200
				6-11 MO.	.379090	1.297590	.522100
				12-23 MO.	.905140	2.713750	1.246600
				2-65+ YR.	1.736800	4.637590	2.392000
ISOPROPYL FORMATE FEMA 2944D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002000	**********
				12-23 MO.	**********	.004000	**********
				2-65+ YR.	.650000	1.888000	.975000
ISOPROPYL FORMATE FEMA 2944D	99	ALL CATEGORIES	4	0-5 MO.	.291780	.550600	.419367
				6-11 MO.	2.304940	5.770510	3.311733
				12-23 MO.	4.554960	9.377890	6.551797
				2-65+ YR.	10.870680	20.614450	15.719753
PROPYL 2-FURANACRYLATE FEMA 2945D	01	BAKED GOODS(R)	*	0-5 MO.	.001190	.001575	.005270
				6-11 MO.	.008890	.018130	.039370
				12-23 MO.	.019075	.031430	.084475
				2-65+ YR.	.048020	.071330	.212660
PROPYL 2-FURANACRYLATE FEMA 2945D	99	ALL CATEGORIES	*	0-5 MO.	.001190	.001575	.005270
				6-11 MO.	.008890	.018130	.039370
				12-23 MO.	.019075	.031430	.084475
				2-65+ YR.	.048020	.071330	.212660
PROPYL HEPTANOATE FEMA 2948D	01	BAKED GOODS(R)	*	0-5 MO.	.025670	.033975	.031960
				6-11 MO.	.191770	.391090	.238760

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL HEPTANOATE FEMA 2948D	01	BAKED GOODS(R)	*	12-23 MO.	.411475	.677990	.512300
				2-65+ YR.	1.035860	1.538690	1.289680
PROPYL HEPTANOATE FEMA 2948D	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.009000
				6-11 MO.	.066500	.184800	.085500
				12-23 MO.	.100800	.236600	.129600
				2-65+ YR.	.179200	.431900	.230400
PROPYL HEPTANOATE FEMA 2948D	16	SOFT CANDY(R)	*	0-5 MO.	.001800	.018000	.002400
				6-11 MO.	.019800	.061200	.026400
				12-23 MO.	.031500	.083700	.042000
				2-65+ YR.	.052200	.158400	.069600
PROPYL HEPTANOATE FEMA 2948D	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.018000
				6-11 MO.	.089600	.271600	.115200
				12-23 MO.	.096600	.235200	.124200
				2-65+ YR.	.142800	.367500	.183600
PROPYL HEPTANOATE FEMA 2948D	23	SEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.012000
				6-11 MO.	.068100	.233100	.113500
				12-23 MO.	.162600	.487500	.271000
				2-65+ YR.	.312000	.833100	.520000
PROPYL HEPTANOATE FEMA 2948D	59	ALL CATEGORIES	*	0-5 MO.	.055670	.110375	.073360
				6-11 MO.	.435770	1.141790	.579360
				12-23 MO.	.802975	1.720990	1.079100
				2-65+ YR.	1.722060	3.329590	2.293280
PROPYL HEXANOATE FEMA 2949D	01	BAKED GOODS(R)	*	0-5 MO.	.066300	.087750	.112200
				6-11 MO.	.495300	1.010100	.838200
				12-23 MO.	1.062750	1.751100	1.798500
				2-65+ YR.	2.675400	3.974100	4.527600
PROPYL HEXANOATE FEMA 2949D	07	FROZN DAIRY(R)	*	0-5 MO.	.008500	.034850	.014500
				6-11 MO.	.080750	.224400	.137750
				12-23 MO.	.122400	.287300	.208800

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL HEXANOATE FEMA 2949D	07	FROZN DAIRY(R)	*	2-65+ YR.	.217600	.524450	.371200
PROPYL HEXANOATE FEMA 2949D	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.002800
				6-11 MO.	.017600	.054400	.030800
				12-23 MO.	.028000	.074400	.049000
				2-65+ YR.	.046400	.140800	.081200
PROPYL HEXANOATE FEMA 2949D	20	GELATIN PUD(R)	*	0-5 MO.	.031000	.041850	.057000
				6-11 MO.	.198400	.601400	.364800
				12-23 MO.	.213900	.520800	.393300
				2-65+ YR.	.316200	.813750	.581400
PROPYL HEXANOATE FEMA 2949D	23	BEV TYPE I(R)	*	0-5 MO.	.010800	.016200	.021600
				6-11 MO.	.102150	.349650	.204300
				12-23 MO.	.243900	.731250	.487800
				2-65+ YR.	.468000	1.249650	.936000
PROPYL HEXANOATE FEMA 2949D	99	ALL CATEGORIES	*	0-5 MO.	.118200	.196650	.208100
				6-11 MO.	.894200	2.239950	1.575850
				12-23 MO.	1.670950	3.364850	2.937400
				2-65+ YR.	3.723600	6.702750	6.497400
ISOPROPYL HEXANOATE FEMA 2950D	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.061200
				6-11 MO.	.381000	.777000	.457200
				12-23 MO.	.817500	1.347000	.981000
				2-65+ YR.	2.058000	3.057000	2.469600
ISOPROPYL HEXANOATE FEMA 2950D	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.009000
				6-11 MO.	.066500	.184800	.085500
				12-23 MO.	.100800	.236600	.129600
				2-65+ YR.	.179200	.431900	.230400
ISOPROPYL HEXANOATE FEMA 2950D	16	SOFT CANDY(R)	*	0-5 MO.	.001300	.013000	.002000
				6-11 MO.	.014300	.044200	.022000
				12-23 MO.	.022750	.060450	.035000
				2-65+ YR.	.037700	.114400	.058000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOPROPYL HEXANOATE FEMA 2950D	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.018000
				6-11 MO.	.089600	.271600	.115200
				12-23 MO.	.096600	.235200	.124200
				2-65+ YR.	.142800	.367500	.183600
ISOPROPYL HEXANOATE FEMA 2950D	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.012000
				6-11 MO.	.068100	.233100	.113500
				12-23 MO.	.162600	.487500	.271000
				2-65+ YR.	.312000	.833100	.520000
ISOPROPYL HEXANOATE FEMA 2950D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000316	.000948	.000373
				12-23 MO.	.000948	.002844	.001119
				2-65+ YR.	.001896	.005372	.002238
ISOPROPYL HEXANOATE FEMA 2950D	99	ALL CATEGORIES	4	0-5 MO.	.080500	.138900	.102200
				6-11 MO.	.619816	1.511648	.793773
				12-23 MO.	1.201198	2.369594	1.541919
				2-65+ YR.	2.731596	4.809272	3.463838
3-PROPYLIDENEPHTHALIDE FEMA 2952D	01	BAKED GOODS(R)	*	0-5 MO.	.000776	.001027	.016553
				6-11 MO.	.005799	.011825	.123658
				12-23 MO.	.012442	.020500	.265329
				2-65+ YR.	.031321	.046525	.667947
3-PROPYLIDENEPHTHALIDE FEMA 2952D	07	FROZN DAIRY(R)	*	0-5 MO.	.000107	.000439	.004930
				6-11 MO.	.001017	.002826	.046831
				12-23 MO.	.001541	.003618	.070986
				2-65+ YR.	.002740	.006604	.126197
3-PROPYLIDENEPHTHALIDE FEMA 2952D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	**********
				12-23 MO.	.028000	.076000	**********
				2-65+ YR.	.088000	.212000	**********
3-PROPYLIDENEPHTHALIDE FEMA 2952D	16	SOFT CANDY(R)	*	0-5 MO.	.000020	.000200	.000500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-PROPYLIDENEPHTHALIDE FEMA 2952D	16	SOFT CANDY(R)	*	6-11 MO.	.000220	.000680	.005500
				12-23 MO.	.000350	.000930	.008750
				2-65+ YR.	.000580	.001760	.014500
3-PROPYLIDENEPHTHALIDE FEMA 2952D	23	BEV TYPE I(R)	*	0-5 MO.	.005040	.007560	.007440
				6-11 MO.	.047670	.163170	.070370
				12-23 MO.	.113820	.341250	.168020
				2-65+ YR.	.218400	.583170	.322400
3-PROPYLIDENEPHTHALIDE FEMA 2952D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000008	.000008	.000008
				12-23 MO.	.000008	.000024	.000008
				2-65+ YR.	.000016	.000032	.000016
3-PROPYLIDENEPHTHALIDE FEMA 2952D	99	ALL CATEGORIES	7	0-5 MO.	.005943	.010226	.029422
				6-11 MO.	.062713	.200509	.246367
				12-23 MO.	.156161	.442322	.513093
				2-65+ YR.	.341058	.850092	1.131061
A6-PROPYLPHENETHYL ALCOHO FEMA 2953D	01	BAKED GOODS(R)	*	0-5 MO.	.015300	.020250	.020400
				6-11 MO.	.114300	.233100	.152400
				12-23 MO.	.245250	.404100	.327000
				2-65+ YR.	.617400	.917100	.823200
A6-PROPYLPHENETHYL ALCOHO FEMA 2953D	07	FROZN DAIRY(R)	*	0-5 MO.	.001250	.005125	.004000
				6-11 MO.	.011875	.033000	.038000
				12-23 MO.	.018000	.042250	.057600
				2-65+ YR.	.032000	.077125	.102400
A6-PROPYLPHENETHYL ALCOHO FEMA 2953D	16	SOFT CANDY(R)	*	0-5 MO.	.000483	.004833	.000900
				6-11 MO.	.005317	.016433	.009900
				12-23 MO.	.008458	.022475	.015750
				2-65+ YR.	.014017	.042533	.026100
A6-PROPYLPHENETHYL ALCOHO FEMA 2953D	20	GELATIN PUD(R)	*	0-5 MO.	.003000	.004050	.007333
				6-11 MO.	.019200	.058200	.046933

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
A&-PROPYLPHENETHYL ALCOHO FEMA 2953D	20	GELATIN PUD(R)	*	12-23 MO.	.020700	.050400	.050600
				2-65+ YR.	.030600	.078750	.074800
A&-PROPYLPHENETHYL ALCOHO FEMA 2953D	23	BEV TYPE I(R)	*	0-5 MO.	.001320	.001980	.002400
				6-11 MO.	.012485	.042735	.022700
				12-23 MO.	.029810	.089375	.054200
				2-65+ YR.	.057200	.152735	.104000
A&-PROPYLPHENETHYL ALCOHO FEMA 2953D	99	ALL CATEGORIES	*	0-5 MO.	.021353	.036238	.035033
				6-11 MO.	.163177	.383468	.269933
				12-23 MO.	.322218	.608600	.505150
				2-65+ YR.	.751217	1.268243	1.130500
Pa-ISOPROPYLPHENYLACETALD FEMA 2954D	01	BAKED GOODS(R)	*	0-5 MO.	.002040	.002700	.003570
				6-11 MO.	.015240	.031080	.026670
				12-23 MO.	.032700	.053880	.057225
				2-65+ YR.	.082320	.122280	.144060
Pa-ISOPROPYLPHENYLACETALD FEMA 2954D	07	FROZN DAIRY(R)	*	0-5 MO.	.000505	.002071	.000750
				6-11 MO.	.004798	.013332	.007125
				12-23 MO.	.007272	.017069	.010800
				2-65+ YR.	.012928	.031159	.019200
Pa-ISOPROPYLPHENYLACETALD FEMA 2954D	16	SOFT CANDY(R)	*	0-5 MO.	.000081	.000810	.000162
				6-11 MO.	.000891	.002754	.001778
				12-23 MO.	.001418	.003767	.002829
				2-65+ YR.	.002349	.007128	.004688
Pa-ISOPROPYLPHENYLACETALD FEMA 2954D	20	GELATIN PUD(R)	*	0-5 MO.	.000807	.001089	.001667
				6-11 MO.	.005163	.015649	.010667
				12-23 MO.	.005566	.013552	.011500
				2-65+ YR.	.008228	.021175	.017000
Pa-ISOPROPYLPHENYLACETALD FEMA 2954D	23	BEV TYPE I(R)	*	0-5 MO.	.001212	.001818	.001320
				6-11 MO.	.011464	.039239	.012485
				12-23 MO.	.027371	.082063	.029810

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
P-ISOPROPYLPHENYLACETALD FEMA 2954D	23	BEV TYPE I(R)	*	2-65+ YR.	.052520	.140239	.057200
P-ISOPROPYLPHENYLACETALD FEMA 2954D	99	ALL CATEGORIES	*	0-5 MO.	.004645	.008487	.007468
				6-11 MO.	.037555	.102054	.058725
				12-23 MO.	.074326	.170330	.112164
				2-65+ YR.	.158345	.321980	.242148
PROPYL PHENYLACETATE FEMA 2955D	01	BAKED GOODS(R)	*	0-5 MO.	.006347	.008400	.012807
				6-11 MO.	.047413	.096693	.095673
				12-23 MO.	.101733	.167627	.205283
				2-65+ YR.	.256107	.380427	.516787
PROPYL PHENYLACETATE FEMA 2955D	07	FROZN DAIRY(R)	*	0-5 MO.	.001150	.004715	.001750
				6-11 MO.	.010925	.030360	.016625
				12-23 MO.	.016560	.038870	.025200
				2-65+ YR.	.029440	.070955	.044800
PROPYL PHENYLACETATE FEMA 2955D	16	SOFT CANDY(R)	*	0-5 MO.	.000387	.003867	.000640
				6-11 MO.	.004253	.013147	.007040
				12-23 MO.	.006767	.017980	.011200
				2-65+ YR.	.011213	.034027	.018560
PROPYL PHENYLACETATE FEMA 2955D	20	GELATIN PUD(R)	*	0-5 MO.	.001600	.002160	.003300
				6-11 MO.	.010240	.031040	.021120
				12-23 MO.	.011040	.026880	.022770
				2-65+ YR.	.016320	.042000	.033660
PROPYL PHENYLACETATE FEMA 2955D	23	BEV TYPE I(R)	*	0-5 MO.	.001840	.002760	.002400
				6-11 MO.	.017403	.059570	.022700
				12-23 MO.	.041553	.124583	.054200
				2-65+ YR.	.079733	.212903	.104000
PROPYL PHENYLACETATE FEMA 2955D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.048750

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL PHENYLACETATE FEMA 2955D	99	ALL CATEGORIES	4	0-5 MO.	.011323	.021902	.020897
				6-11 MO.	.090235	.230860	.163158
				12-23 MO.	.177653	.376040	.318653
				2-65+ YR.	.409063	.787512	.766557
ISOPROPYL PHENYLACETATE FEMA 2956D	01	BAKED GOODS(R)	*	0-5 MO.	.010767	.014250	.019267
				6-11 MO.	.080433	.164033	.143933
				12-23 MO.	.172583	.284367	.308833
				2-65+ YR.	.434467	.645367	.777467
ISOPROPYL PHENYLACETATE FEMA 2956D	07	FROZN DAIRY(R)	*	0-5 MO.	.001900	.007790	.002500
				6-11 MO.	.018050	.050160	.023750
				12-23 MO.	.027360	.064220	.036000
				2-65+ YR.	.048640	.117230	.064000
ISOPROPYL PHENYLACETATE FEMA 2956D	16	SOFT CANDY(R)	*	0-5 MO.	.000267	.002667	.000600
				6-11 MO.	.002933	.009067	.006600
				12-23 MO.	.004667	.012400	.010500
				2-65+ YR.	.007733	.023467	.017400
ISOPROPYL PHENYLACETATE FEMA 2956D	20	GELATIN PUD(R)	*	0-5 MO.	.001500	.002025	.004000
				6-11 MO.	.009600	.029100	.025600
				12-23 MO.	.010350	.025200	.027600
				2-65+ YR.	.015300	.039375	.040800
ISOPROPYL PHENYLACETATE FEMA 2956D	23	BEV TYPE I(R)	*	0-5 MO.	.001440	.002160	.002400
				6-11 MO.	.013620	.046620	.022700
				12-23 MO.	.032520	.097500	.054200
				2-65+ YR.	.062400	.166620	.104000
ISOPROPYL PHENYLACETATE FEMA 2956D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000180	**********
				12-23 MO.	**********	.000360	**********
				2-65+ YR.	.058500	.169920	.081250
ISOPROPYL PHENYLACETATE FEMA 2956D	99	ALL CATEGORIES	*	0-5 MO.	.015873	.028892	.028767

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOPROPYL PHENYLACETATE FEMA 2956D	99	ALL CATEGORIES	*	6-11 MO.	.124637	.299160	.222583
				12-23 MO.	.247480	.484047	.437133
				2-65+ YR.	.627040	1.161978	1.084917
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	01	BAKED GOODS(R)	*	0-5 MO.	.040142	.053129	.079996
				6-11 MO.	.299081	.611568	.597615
				12-23 MO.	.643445	1.060209	1.282285
				2-65+ YR.	1.619830	2.406132	3.228065
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	07	FROZN DAIRY(R)	*	0-5 MO.	.001482	.006075	.002964
				6-11 MO.	.014077	.039118	.028153
				12-23 MO.	.021337	.050083	.042674
				2-65+ YR.	.037933	.091424	.075866
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	16	SOFT CANDY(R)	*	0-5 MO.	.002349	.023486	.004687
				6-11 MO.	.025835	.079852	.051553
				12-23 MO.	.041100	.109210	.082016
				2-65+ YR.	.068109	.206676	.135912
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	20	GELATIN PUD(R)	*	0-5 MO.	.004754	.006417	.009542
				6-11 MO.	.030423	.092218	.061070
				12-23 MO.	.032799	.079859	.065842
				2-65+ YR.	.048486	.124780	.097331
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	23	BEV TYPE I(R)	*	0-5 MO.	.002927	.004391	.005716
				6-11 MO.	.027688	.094772	.054064
				12-23 MO.	.066109	.198204	.129088
				2-65+ YR.	.126851	.338716	.247696
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000250	**********
				12-23 MO.	**********	.000500	**********
				2-65+ YR.	.081250	.236000	.162500
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000225	.000225	.000288

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	31	CHEWING GUM(R)	*	12-23 MO.	.000225	.000675	.000288
				2-65+ YR.	.000450	.000900	.000576
3 P-ISOPROPYL-PHENYLPROPI FEMA 2957D	99	ALL CATEGORIES	5	0-5 MO.	.051653	.093498	.102904
				6-11 MO.	.398127	.918004	.792744
				12-23 MO.	.805016	1.498740	1.602193
				2-65+ YR.	1.982908	3.404627	3.947945
PROPYL PROPIONATE FEMA 2958D	01	BAKED GOODS(R)	7	0-5 MO.	.030165	.039924	.057399
				6-11 MO.	.225350	.459572	.428807
				12-23 MO.	.483527	.796710	.920077
				2-65+ YR.	1.217246	1.808125	2.316232
PROPYL PROPIONATE FEMA 2958D	07	FROZN DAIRY(R)	5	0-5 MO.	.004323	.017723	.008188
				6-11 MO.	.041066	.114119	.077783
				12-23 MO.	.062247	.146107	.117903
				2-65+ YR.	.110661	.266710	.209606
PROPYL PROPIONATE FEMA 2958D	16	SOFT CANDY(R)	8	0-5 MO.	.001095	.010947	.002077
				6-11 MO.	.012042	.037220	.022852
				12-23 MO.	.019157	.050904	.036355
				2-65+ YR.	.031746	.096334	.060246
PROPYL PROPIONATE FEMA 2958D	20	GELATIN PUD(R)	4	0-5 MO.	.010656	.014386	.017563
				6-11 MO.	.068200	.206731	.112400
				12-23 MO.	.073528	.179025	.121181
				2-65+ YR.	.108694	.279727	.179138
PROPYL PROPIONATE FEMA 2958D	23	BEV TYPE I(R)	8	0-5 MO.	.005651	.008476	.010844
				6-11 MO.	.053445	.182936	.102563
				12-23 MO.	.127608	.382588	.244885
				2-65+ YR.	.244856	.653813	.469891
PROPYL PROPIONATE FEMA 2958D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000538	**********
				12-23 MO.	**********	.001077	**********

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PROPYL PROPIONATE FEMA 2958D	24	BEV TYPE III(R)	*	2-65+ YR.	.175000	.508308	.345833
PROPYL PROPIONATE FEMA 2958D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000075	.000225	.000075
				12-23 MO.	.000225	.000675	.000225
				2-65+ YR.	.000450	.001275	.000450
PROPYL PROPIONATE FEMA 2958D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000001	.000001	.000003
				12-23 MO.	.000001	.000003	.000003
				2-65+ YR.	.000002	.000004	.000006
PROPYL PROPIONATE FEMA 2958D	99	ALL CATEGORIES	11	0-5 MO.	.051889	.091456	.096071
				6-11 MO.	.400178	1.001343	.744483
				12-23 MO.	.766293	1.557089	1.440631
				2-65+ YR.	1.888655	3.614295	3.581401
ISOPROPYL PROPIONATE FEMA 2959D	01	BAKED GOODS(R)	4	0-5 MO.	.079787	.105600	.122513
				6-11 MO.	.596053	1.215573	.915247
				12-23 MO.	1.278933	2.107307	1.963817
				2-65+ YR.	3.219627	4.782507	4.943773
ISOPROPYL PROPIONATE FEMA 2959D	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.032600
				6-11 MO.	.095000	.264000	.309700
				12-23 MO.	.144000	.338000	.469440
				2-65+ YR.	.256000	.617000	.834560
ISOPROPYL PROPIONATE FEMA 2959D	16	SOFT CANDY(R)	4	0-5 MO.	.004720	.047200	.006873
				6-11 MO.	.051920	.160480	.075607
				12-23 MO.	.082600	.219480	.120283
				2-65+ YR.	.136880	.415360	.199327
ISOPROPYL PROPIONATE FEMA 2959D	20	GELATIN PUD(R)	*	0-5 MO.	.013867	.018720	.019467
				6-11 MO.	.088747	.269013	.124587
				12-23 MO.	.095680	.232960	.134320
				2-65+ YR.	.141440	.364000	.198560

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL PROPIONATE FEMA 2959D	23	BEV TYPE I(R)	4	0-5 MO.	.017760	.026640	.028200
				6-11 MO.	.167980	.574980	.266725
				12-23 MO.	.401080	1.202500	.636850
				2-65+ YR.	.769600	2.054980	1.222000
ISOPROPYL PROPIONATE FEMA 2959D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000750	**********
				12-23 MO.	**********	.001500	**********
				2-65+ YR.	.243750	.708000	.406250
ISOPROPYL PROPIONATE FEMA 2959D	99	ALL CATEGORIES	5	0-5 MO.	.126133	.239160	.209653
				6-11 MO.	.999700	2.484797	1.691865
				12-23 MO.	2.002293	4.101747	3.324710
				2-65+ YR.	4.767297	8.941847	7.804470
PROPYL ISOVALERATE FEMA 2960D	01	BAKED GOODS(R)	*	0-5 MO.	.049300	.065250	.072250
				6-11 MO.	.368300	.751100	.539750
				12-23 MO.	.790250	1.302100	1.158125
				2-65+ YR.	1.989400	2.955100	2.915500
PROPYL ISOVALERATE FEMA 2960D	07	FROZN DAIRY(R)	*	0-5 MO.	.012667	.051933	.020000
				6-11 MO.	.120333	.334400	.190000
				12-23 MO.	.182400	.428133	.288000
				2-65+ YR.	.324267	.781533	.512000
PROPYL ISOVALERATE FEMA 2960D	16	SOFT CANDY(R)	*	0-5 MO.	.002550	.025500	.003900
				6-11 MO.	.028050	.086700	.042900
				12-23 MO.	.044625	.118575	.068250
				2-65+ YR.	.073950	.224400	.113100
PROPYL ISOVALERATE FEMA 2960D	20	GELATIN PUD(R)	4	0-5 MO.	.013600	.018360	.020600
				6-11 MO.	.087040	.263840	.131840
				12-23 MO.	.093840	.228480	.142140
				2-65+ YR.	.138720	.357000	.210120
PROPYL ISOVALERATE FEMA 2960D	23	BEV TYPE I(R)	4	0-5 MO.	.009120	.013680	.019500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL ISOVALERATE FEMA 29600	23	BEV TYPE I(R)	4	6-11 MO.	.086260	.295260	.184438
				12-23 MO.	.205960	.617500	.440375
				2-65+ YR.	.395200	1.055260	.845000
PROPYL ISOVALERATE FEMA 29600	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
PROPYL ISOVALERATE FEMA 29600	99	ALL CATEGORIES	5	0-5 MO.	.087237	.174723	.136250
				6-11 MO.	.689983	1.731800	1.088928
				12-23 MO.	1.317075	2.695788	2.046890
				2-65+ YR.	3.084037	5.845293	4.920720
ISOPROPYL ISOVALERATE FEMA 29610	01	BAKED GOODS(R)	5	0-5 MO.	.034971	.046286	.091314
				6-11 MO.	.261257	.532800	.682171
				12-23 MO.	.560571	.923657	1.463714
				2-65+ YR.	1.411200	2.096229	3.684800
ISOPROPYL ISOVALERATE FEMA 29610	07	FROZN DAIRY(R)	*	0-5 MO.	.007200	.029520	.011000
				6-11 MO.	.068400	.190080	.104500
				12-23 MO.	.103680	.243360	.158400
				2-65+ YR.	.184320	.444240	.281600
ISOPROPYL ISOVALERATE FEMA 29610	16	SOFT CANDY(R)	4	0-5 MO.	.002000	.020000	.003100
				6-11 MO.	.022000	.068000	.034100
				12-23 MO.	.035000	.093000	.054250
				2-65+ YR.	.058000	.176000	.089900
ISOPROPYL ISOVALERATE FEMA 29610	20	GELATIN PUD(R)	*	0-5 MO.	.013200	.017820	.018000
				6-11 MO.	.084480	.256080	.115200
				12-23 MO.	.091080	.221760	.124200
				2-65+ YR.	.134640	.346500	.183600
ISOPROPYL ISOVALERATE FEMA 29610	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310800	.181600

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL ISOVALERATE FEMA 2961D	23	BEV TYPE I(R)	*	12-23 MO.	.216800	.650000	.433600
				2-65+ YR.	.416000	1.110800	.832000
ISOPROPYL ISOVALERATE FEMA 2961D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.325000
ISOPROPYL ISOVALERATE FEMA 2961D	59	ALL CATEGORIES	5	0-5 MO.	.066971	.128026	.142614
				6-11 MO.	.526937	1.358060	1.117571
				12-23 MO.	1.007131	2.132377	2.234164
				2-65+ YR.	2.301660	4.456969	5.396900
ISOPULEGOL FEMA 2962D	01	BAKED GOODS(R)	7	0-5 MO.	.047384	.062713	.064454
				6-11 MO.	.353983	.721902	.481506
				12-23 MO.	.759530	1.251482	1.053153
				2-65+ YR.	1.912064	2.840224	2.600891
ISOPULEGOL FEMA 2962D	07	FROZN DAIRY(R)	8	0-5 MO.	.011669	.047845	.014951
				6-11 MO.	.110860	.308074	.142035
				12-23 MO.	.168041	.394429	.215296
				2-65+ YR.	.298739	.720007	.382748
ISOPULEGOL FEMA 2962D	16	SOFT CANDY(R)	10	0-5 MO.	.002515	.025150	.003462
				6-11 MO.	.027665	.085509	.038079
				12-23 MO.	.044012	.116947	.060580
				2-65+ YR.	.072934	.221318	.100389
ISOPULEGOL FEMA 2962D	20	GELATIN PUD(R)	4	0-5 MO.	.017558	.023703	.020000
				6-11 MO.	.112369	.340619	.128000
				12-23 MO.	.121148	.294969	.138000
				2-65+ YR.	.179088	.460889	.204000
ISOPULEGOL FEMA 2962D	23	BEV TYPE I(R)	8	0-5 MO.	.009058	.013587	.012155
				6-11 MO.	.085671	.293243	.114962
				12-23 MO.	.204553	.613281	.274492

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPULEGOL FEMA 2962D	23	BEV TYPE I(R)	8	2-65+ YR.	.392500	1.048050	.526700
ISOPULEGOL FEMA 2962D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000201	**********
				12-23 MO.	**********	.000402	**********
				2-65+ YR.	.065255	.189541	.103030
ISOPULEGOL FEMA 2962D	99	ALL CATEGORIES	10	0-5 MO.	.088183	.172998	.115021
				6-11 MO.	.690548	1.749548	.904583
				12-23 MO.	1.297284	2.671510	1.721520
				2-65+ YR.	2.920581	5.480031	3.917758
PULEGONE FEMA 2963D	01	BAKED GOODS(R)	5	0-5 MO.	.102278	.135367	.120249
				6-11 MO.	.764073	1.558229	.898331
				12-23 MO.	1.639449	2.701331	1.927520
				2-65+ YR.	4.127200	6.130637	4.852400
PULEGONE FEMA 2963D	07	FROZN DAIRY(R)	6	0-5 MO.	.020068	.082279	.027981
				6-11 MO.	.190646	.529794	.265816
				12-23 MO.	.288979	.678297	.402920
				2-65+ YR.	.513740	1.238193	.716303
PULEGONE FEMA 2963D	16	SOFT CANDY(R)	7	0-5 MO.	.004631	.046315	.005478
				6-11 MO.	.050946	.157470	.060256
				12-23 MO.	.081051	.215364	.095861
				2-65+ YR.	.134313	.407570	.158856
PULEGONE FEMA 2963D	20	GELATIN PUD(R)	*	0-5 MO.	.050487	.068157	.054553
				6-11 MO.	.323116	.979445	.349137
				12-23 MO.	.348359	.848179	.376413
				2-65+ YR.	.514966	1.325280	.556437
PULEGONE FEMA 2963D	23	BEV TYPE I(R)	5	0-5 MO.	.016929	.025393	.021759
				6-11 MO.	.160116	.548062	.205806
				12-23 MO.	.382304	1.146205	.491395
				2-65+ YR.	.733571	1.958777	.942898

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PULEGONE FEMA 2963D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000693	**********
				12-23 MO.	**********	.001385	**********
				2-65+ YR.	.225093	.653807	.341852
PULEGONE FEMA 2963D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000115	.000115	.000196
				12-23 MO.	.000115	.000345	.000196
				2-65+ YR.	.000230	.000460	.000392
PULEGONE FEMA 2963D	99	ALL CATEGORIES	8	0-5 MO.	.194392	.357511	.230019
				6-11 MO.	1.489012	3.773808	1.779540
				12-23 MO.	2.740256	5.591106	3.294306
				2-65+ YR.	6.249113	11.714724	7.569137
ISOPULEGONE FEMA 2964D	01	BAKED GOODS(R)	6	0-5 MO.	.037400	.049500	.049613
				6-11 MO.	.279400	.569800	.370638
				12-23 MO.	.599500	.987800	.795266
				2-65+ YR.	1.509200	2.241800	2.002028
ISOPULEGONE FEMA 2964D	07	FROZN DAIRY(R)	5	0-5 MO.	.006379	.026152	.010681
				6-11 MO.	.060596	.168394	.101466
				12-23 MO.	.091851	.215596	.153801
				2-65+ YR.	.163291	.393558	.273424
ISOPULEGONE FEMA 2964D	16	SOFT CANDY(R)	6	0-5 MO.	.001890	.018896	.002445
				6-11 MO.	.020785	.064245	.026893
				12-23 MO.	.033067	.087864	.042784
				2-65+ YR.	.054797	.166281	.070899
ISOPULEGONE FEMA 2964D	20	GELATIN PUD(R)	*	0-5 MO.	.012276	.016572	.013989
				6-11 MO.	.078566	.238152	.089526
				12-23 MO.	.084703	.206234	.096521
				2-65+ YR.	.125214	.322241	.142683
ISOPULEGONE FEMA 2964D	23	BEV TYPE I(R)	4	0-5 MO.	.005227	.007841	.007238

TABLE 13, PART d -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPULEGONE FEMA 2964D	23	BEV TYPE I(R)	4	6-11 MO.	.049441	.169231	.068457
				12-23 MO.	.118048	.353927	.163451
				2-65+ YR.	.226513	.604833	.313634
ISOPULEGONE FEMA 2964D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000159	**********
				12-23 MO.	**********	.000318	**********
				2-65+ YR.	.051714	.150209	.085031
ISOPULEGONE FEMA 2964D	99	ALL CATEGORIES	6	0-5 MO.	.063171	.118961	.083965
				6-11 MO.	.488788	1.209981	.656979
				12-23 MO.	.927170	1.851739	1.251823
				2-65+ YR.	2.130729	3.878922	2.887698
ISOPULEGYL ACETATE FEMA 2965D	01	BAKED GOODS(R)	5	0-5 MO.	.022197	.029378	.033208
				6-11 MO.	.165822	.338172	.248083
				12-23 MO.	.355798	.586251	.532304
				2-65+ YR.	.895698	1.330490	1.340039
ISOPULEGYL ACETATE FEMA 2965D	07	FROZN DAIRY(R)	4	0-5 MO.	.005074	.020802	.006668
				6-11 MO.	.048200	.133945	.063344
				12-23 MO.	.073061	.171491	.096017
				2-65+ YR.	.129886	.313046	.170697
ISOPULEGYL ACETATE FEMA 2965D	16	SOFT CANDY(R)	5	0-5 MO.	.001213	.012125	.001691
				6-11 MO.	.013338	.041225	.018600
				12-23 MO.	.021219	.056381	.029591
				2-65+ YR.	.035163	.106700	.049036
ISOPULEGYL ACETATE FEMA 2965D	20	GELATIN PUD(R)	4	0-5 MO.	.006201	.008372	.008767
				6-11 MO.	.039688	.120304	.056111
				12-23 MO.	.042789	.104181	.060494
				2-65+ YR.	.063253	.162783	.089426
ISOPULEGYL ACETATE FEMA 2965D	23	BEV TYPE I(R)	5	0-5 MO.	.003395	.005093	.006239
				6-11 MO.	.032115	.109928	.059007

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOPULEGYL ACETATE FEMA 2965D	23	BEV TYPE I(R)	5	12-23 MO.	.076681	.229901	.140889
				2-65+ YR.	.147136	.392882	.270341
ISOPULEGYL ACETATE FEMA 2965D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000136	**********
				12-23 MO.	**********	.000272	**********
				2-65+ YR.	.044279	.128612	.070017
ISOPULEGYL ACETATE FEMA 2965D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000315	.000945	.000315
				12-23 MO.	.000945	.002835	.000945
				2-65+ YR.	.001890	.005355	.001890
ISOPULEGYL ACETATE FEMA 2965D	99	ALL CATEGORIES	8	0-5 MO.	.038079	.075770	.056573
				6-11 MO.	.299477	.744655	.445460
				12-23 MO.	.570492	1.151312	.860240
				2-65+ YR.	1.317304	2.439869	1.991446
PYRIDINE FEMA 2966D	01	BAKED GOODS(R)	10	0-5 MO.	.005053	.006687	.005053
				6-11 MO.	.037746	.076978	.037746
				12-23 MO.	.080991	.133449	.080991
				2-65+ YR.	.203889	.302861	.203889
PYRIDINE FEMA 2966D	07	FROZN DAIRY(R)	4	0-5 MO.	.000998	.004092	.001842
				6-11 MO.	.009482	.026350	.017498
				12-23 MO.	.014373	.033736	.026523
				2-65+ YR.	.025551	.061582	.047153
PYRIDINE FEMA 2966D	10	MEAT PRODS(R)	*	0-5 MO.	.001155	.003045	.003520
				6-11 MO.	.021735	.058590	.066240
				12-23 MO.	.031710	.054495	.096640
				2-65+ YR.	.082320	.136605	.250880
PYRIDINE FEMA 2966D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000005	**********
				6-11 MO.	.000040	.000110	.000080
				12-23 MO.	.000140	.000380	.000280

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PYRIDINE FEMA 29660	15	CONDM RELSH(R)	*	2-65+ YR.	.000440	.001060	.000880
PYRIDINE FEMA 29660	16	SOFT CANDY(R)	6	0-5 MO.	.000337	.003370	.000337
				6-11 MO.	.003707	.011457	.003707
				12-23 MO.	.005897	.015668	.005897
				2-65+ YR.	.009772	.029652	.009772
PYRIDINE FEMA 29660	20	GELATIN PUD(R)	*	0-5 MO.	.000774	.001045	.001208
				6-11 MO.	.004954	.015016	.007731
				12-23 MO.	.005341	.013003	.008335
				2-65+ YR.	.007895	.020318	.012322
PYRIDINE FEMA 29660	23	BEV TYPE I(R)	5	0-5 MO.	.000811	.001216	.001368
				6-11 MO.	.007666	.026241	.012939
				12-23 MO.	.018305	.054881	.030894
				2-65+ YR.	.035124	.093787	.059280
PYRIDINE FEMA 29660	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000033	**********
				12-23 MO.	**********	.000066	**********
				2-65+ YR.	.010784	.031324	.021568
PYRIDINE FEMA 29660	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000600
				6-11 MO.	.002800	.007800	.008400
				12-23 MO.	.007200	.020400	.021600
				2-65+ YR.	.016600	.042600	.049800
PYRIDINE FEMA 29660	99	ALL CATEGORIES	14	0-5 MO.	.009327	.020060	.013928
				6-11 MO.	.088130	.222575	.154341
				12-23 MO.	.163956	.326078	.271160
				2-65+ YR.	.392374	.719789	.655543
PYROLIGNEOUS ACID, EXT FEMA 29680	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.177556
				6-11 MO.	.381000	.777000	1.326444
				12-23 MO.	.817500	1.347000	2.846111
				2-65+ YR.	2.058000	3.057000	7.164889

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PYRULIGNEOUS ACID, EXT FEMA 2968D	07	FROZN DAIRY(R)	*	0-5 MO.	.000100	.000410	.000200
				6-11 MO.	.000950	.002640	.001900
				12-23 MO.	.001440	.003380	.002880
				2-65+ YR.	.002560	.006170	.005120
PYRULIGNEOUS ACID, EXT FEMA 2968D	10	MEAT PRODS(R)	5	0-5 MO.	.010381	.027369	.030516
				6-11 MO.	.195358	.526616	.574262
				12-23 MO.	.285015	.489810	.837812
				2-65+ YR.	.739905	1.227827	2.174983
PYRULIGNEOUS ACID, EXT FEMA 2968D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.001600	.004400	.004000
				12-23 MO.	.005600	.015200	.014000
				2-65+ YR.	.017600	.042400	.044000
PYRULIGNEOUS ACID, EXT FEMA 2968D	16	SOFT CANDY(R)	*	0-5 MO.	.000020	.000200	.000040
				6-11 MO.	.000220	.000680	.000440
				12-23 MO.	.000350	.000930	.000700
				2-65+ YR.	.000580	.001760	.001160
PYRULIGNEOUS ACID, EXT FEMA 2968D	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.002000
				6-11 MO.	.006400	.019400	.012800
				12-23 MO.	.006900	.016800	.013800
				2-65+ YR.	.010200	.026250	.020400
PYRULIGNEOUS ACID, EXT FEMA 2968D	23	BEV TYPE I(R)	*	0-5 MO.	.013389	.020083	.026777
				6-11 MO.	.126635	.433460	.253270
				12-23 MO.	.302362	.906528	.604724
				2-65+ YR.	.580178	1.549187	1.160356
PYRULIGNEOUS ACID, EXT FEMA 2968D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.005000	**********
				12-23 MO.	**********	.010000	**********
				2-65+ YR.	1.625000	4.720000	3.250000
PYRULIGNEOUS ACID, EXT FEMA 2968D	27	GRAVIES(R)	*	0-5 MO.	.001515	.004545	.003030

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PYROLIGNEOUS ACID, EXT FEMA 29680	27	GRAVIES(R)	*	6-11 MO.	.021210	.059085	.042420
				12-23 MO.	.054540	.154530	.109080
				2-65+ YR.	.125745	.322695	.251490
PYROLIGNEOUS ACID, EXT FEMA 29680	99	ALL CATEGORIES	5	0-5 MO.	.077405	.121657	.240119
				6-11 MO.	.733373	1.828281	2.215537
				12-23 MO.	1.473707	2.944178	4.429107
				2-65+ YR.	5.159768	10.953289	14.072398
PYRUVALDEHYDE FEMA 29690	01	BAKED GOODS(R)	4	0-5 MO.	.028711	.038000	.037883
				6-11 MO.	.214489	.437422	.283006
				12-23 MO.	.460222	.758311	.607238
				2-65+ YR.	1.158578	1.720978	1.528679
PYRUVALDEHYDE FEMA 29690	07	FROZN DAIRY(R)	*	0-5 MO.	.002859	.011723	.003930
				6-11 MO.	.027162	.075482	.037331
				12-23 MO.	.041172	.096639	.056586
				2-65+ YR.	.073194	.176410	.100597
PYRUVALDEHYDE FEMA 29690	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.016000
				12-23 MO.	.028000	.076000	.056000
				2-65+ YR.	.088000	.212000	.176000
PYRUVALDEHYDE FEMA 29690	16	SOFT CANDY(R)	*	0-5 MO.	.000884	.008842	.001262
				6-11 MO.	.009726	.030063	.013880
				12-23 MO.	.015474	.041116	.022082
				2-65+ YR.	.025642	.077811	.036593
PYRUVALDEHYDE FEMA 29690	20	GELATIN PUD(R)	*	0-5 MO.	.005718	.007720	.007859
				6-11 MO.	.036597	.110935	.050299
				12-23 MO.	.039456	.096068	.054228
				2-65+ YR.	.058327	.150106	.080163
PYRUVALDEHYDE FEMA 29690	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PYRUVALDEHYDE FEMA 2969D	23	BEV TYPE I(R)	*	12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
PYRUVALDEHYDE FEMA 2969D	99	ALL CATEGORIES	5	0-5 MO.	.040573	.070884	.055733
				6-11 MO.	.318674	.753602	.445916
				12-23 MO.	.638524	1.230634	.904534
				2-65+ YR.	1.507741	2.615004	2.130033
PYRUVIC ACID FEMA 2970D	01	BAKED GOODS(R)	8	0-5 MO.	.114621	.151704	.165325
				6-11 MO.	.856285	1.746282	1.235075
				12-23 MO.	1.837304	3.027338	2.650063
				2-65+ YR.	4.625286	6.870506	6.671350
PYRUVIC ACID FEMA 2970D	07	FROZN DAIRY(R)	*	0-5 MO.	.009352	.038343	.020113
				6-11 MO.	.083844	.246894	.191077
				12-23 MO.	.134670	.316099	.289633
				2-65+ YR.	.239413	.577022	.514903
PYRUVIC ACID FEMA 2970D	10	MEAT PRODS(R)	*	0-5 MO.	.013750	.036250	.037400
				6-11 MO.	.258750	.697500	.703800
				12-23 MO.	.377500	.648750	1.026800
				2-65+ YR.	.980000	1.626250	2.665600
PYRUVIC ACID FEMA 2970D	16	SOFT CANDY(R)	4	0-5 MO.	.005240	.052397	.007604
				6-11 MO.	.057637	.178151	.083640
				12-23 MO.	.091696	.243648	.133064
				2-65+ YR.	.151953	.461097	.220505
PYRUVIC ACID FEMA 2970D	20	GELATIN PUD(R)	4	0-5 MO.	.034639	.046763	.040030
				6-11 MO.	.221690	.671999	.256191
				12-23 MO.	.239010	.581937	.276206
				2-65+ YR.	.353319	.909277	.408304
PYRUVIC ACID FEMA 2970D	23	BEV TYPE I(R)	*	0-5 MO.	.006391	.009587	.013902
				6-11 MO.	.060452	.206920	.131493
				12-23 MO.	.144338	.432748	.313962

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PYRUVIC ACID FEMA 2970D	23	BEV TYPE I(R)	*	2-65+ YR.	.276959	.739534	.602436
PYRUVIC ACID FEMA 2970D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000083	**********
				12-23 MO.	**********	.000167	**********
				2-65+ YR.	.027083	.078667	.140833
PYRUVIC ACID FEMA 2970D	99	ALL CATEGORIES	10	0-5 MO.	.183993	.335045	.284374
				6-11 MO.	1.543658	3.747829	2.601276
				12-23 MO.	2.824517	5.250687	4.689727
				2-65+ YR.	6.654013	11.262352	11.223932
ISOQUINOLINE FEMA 2978D	01	BAKED GOODS(R)	*	0-5 MO.	.002040	.002700	.002550
				6-11 MO.	.015240	.031080	.019050
				12-23 MO.	.032700	.053880	.040875
				2-65+ YR.	.082320	.122280	.102900
ISOQUINOLINE FEMA 2978D	07	FROZN DAIRY(R)	*	0-5 MO.	.000600	.002460	.000750
				6-11 MO.	.005700	.015840	.007125
				12-23 MO.	.008640	.020280	.010800
				2-65+ YR.	.015360	.037020	.019200
ISOQUINOLINE FEMA 2978D	16	SOFT CANDY(R)	*	0-5 MO.	.000120	.001200	.000150
				6-11 MO.	.001320	.004080	.001650
				12-23 MO.	.002100	.005580	.002625
				2-65+ YR.	.003480	.010560	.004350
ISOQUINOLINE FEMA 2978D	20	GELATIN PUD(R)	*	0-5 MO.	.001200	.001620	.001500
				6-11 MO.	.007680	.023280	.009600
				12-23 MO.	.008280	.020160	.010350
				2-65+ YR.	.012240	.031500	.015300
ISOQUINOLINE FEMA 2978D	23	BEV TYPE I(R)	*	0-5 MO.	.001440	.002160	.001800
				6-11 MO.	.013620	.046620	.017025
				12-23 MO.	.032520	.097500	.040650
				2-65+ YR.	.062400	.166620	.078000

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOQUINOLINE FEMA 2978D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000020	**********
				12-23 MO.	**********	.000040	**********
				2-65+ YR.	.006500	.018880	.016250
ISOQUINOLINE FEMA 2978D	99	ALL CATEGORIES	*	0-5 MO.	.005400	.010140	.006750
				6-11 MO.	.043560	.120920	.054450
				12-23 MO.	.084240	.197440	.105300
				2-65+ YR.	.182300	.386860	.236000
RHODINOL FEMA 2980D	01	BAKED GOODS(R)	11	0-5 MO.	.020382	.026976	.027080
				6-11 MO.	.152262	.310518	.202303
				12-23 MO.	.326704	.538312	.434075
				2-65+ YR.	.822454	1.221692	1.092753
RHODINOL FEMA 2980D	07	FROZN DAIRY(R)	12	0-5 MO.	.002229	.009139	.003813
				6-11 MO.	.021175	.058844	.036226
				12-23 MO.	.032097	.075338	.054910
				2-65+ YR.	.057061	.137525	.097618
RHODINOL FEMA 2980D	16	SOFT CANDY(R)	15	0-5 MO.	.000930	.009301	.001251
				6-11 MO.	.010231	.031624	.013762
				12-23 MO.	.016277	.043251	.021894
				2-65+ YR.	.026974	.081851	.036282
RHODINOL FEMA 2980D	20	GELATIN PUD(R)	9	0-5 MO.	.005138	.006936	.007800
				6-11 MO.	.032880	.099669	.049918
				12-23 MO.	.035449	.086311	.053818
				2-65+ YR.	.052403	.134861	.079558
RHODINOL FEMA 2980D	23	BEV TYPE I(R)	19	0-5 MO.	.004194	.006292	.006816
				6-11 MO.	.039673	.135796	.064470
				12-23 MO.	.094725	.284000	.153932
				2-65+ YR.	.181760	.485335	.295369
RHODINOL FEMA 2980D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHODINCL FEMA 29800	24	BEV TYPE II(R)	4	6-11 MO.	**********	.000172	**********
				12-23 MO.	**********	.000344	**********
				2-65+ YR.	.055917	.162416	.115375
RHODINCL FEMA 29800	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001032	.003096	.001032
				12-23 MO.	.003096	.009288	.003096
				2-65+ YR.	.006192	.017544	.006192
RHODINCL FEMA 29800	31	CHEWING GUM(F)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002697	.002697	.003100
				12-23 MO.	.002697	.008091	.003100
				2-65+ YR.	.005394	.010788	.006200
RHODINCL FEMA 29800	99	ALL CATEGORIES	34	0-5 MO.	.032873	.058643	.046760
				6-11 MO.	.259950	.642416	.370811
				12-23 MO.	.511045	1.044935	.724826
				2-65+ YR.	1.208155	2.252012	1.729346
RHODINYL ACETATE FEMA 29810	01	BAKED GOODS(R)	7	0-5 MO.	.030511	.040383	.036585
				6-11 MO.	.227939	.464851	.273315
				12-23 MO.	.489081	.805861	.586443
				2-65+ YR.	1.231227	1.828893	1.476329
RHODINYL ACETATE FEMA 29810	07	FROZN DAIRY(R)	5	0-5 MO.	.001540	.006316	.002767
				6-11 MO.	.014634	.040668	.026286
				12-23 MO.	.022183	.052068	.039844
				2-65+ YR.	.039436	.095047	.070835
RHODINYL ACETATE FEMA 29810	16	SOFT CANDY(R)	5	0-5 MO.	.000993	.009930	.001366
				6-11 MO.	.010923	.033763	.015029
				12-23 MO.	.017378	.046176	.023910
				2-65+ YR.	.028798	.087386	.039622
RHODINYL ACETATE FEMA 29810	20	GELATIN PUD(R)	4	0-5 MO.	.003437	.004640	.005913
				6-11 MO.	.021996	.066675	.037844

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHODINYL ACETATE FEMA 2981D	20	GELATIN PUD(R)	4	12-23 MO.	.023714	.057739	.040801
				2-65+ YR.	.035056	.090217	.060314
RHODINYL ACETATE FEMA 2981D	23	BEV TYPE I(R)	7	0-5 MO.	.002680	.004021	.005045
				6-11 MO.	.025352	.086778	.047720
				12-23 MO.	.060532	.181485	.113939
				2-65+ YR.	.116151	.310144	.218629
RHODINYL ACETATE FEMA 2981D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000075	**********
				12-23 MO.	**********	.000150	**********
				2-65+ YR.	.024413	.070910	.035221
RHODINYL ACETATE FEMA 2981D	99	ALL CATEGORIES	9	0-5 MO.	.039162	.065289	.051677
				6-11 MO.	.300844	.692810	.400194
				12-23 MO.	.612886	1.143479	.804937
				2-65+ YR.	1.475080	2.482597	1.900950
RHODINYL BUTYRATE FEMA 2982D	01	BAKED GOODS(R)	7	0-5 MO.	.015054	.019924	.024884
				6-11 MO.	.112459	.229346	.185899
				12-23 MO.	.241301	.397593	.398877
				2-65+ YR.	.607458	.902332	1.004145
RHODINYL BUTYRATE FEMA 2982D	06	CHEESE(R)	*	0-5 MO.	**********	.002730	**********
				6-11 MO.	.073710	.264810	.137970
				12-23 MO.	.212940	.606060	.398580
				2-65+ YR.	.256620	.644280	.480340
RHODINYL BUTYRATE FEMA 2982D	07	FROZN DAIRY(R)	6	0-5 MO.	.001368	.005607	.002571
				6-11 MO.	.012991	.036102	.024424
				12-23 MO.	.019692	.046222	.037022
				2-65+ YR.	.035008	.084375	.065816
RHODINYL BUTYRATE FEMA 2982D	16	SOFT CANDY(R)	6	0-5 MO.	.000459	.004594	.000855
				6-11 MO.	.005053	.015619	.009402
				12-23 MO.	.008039	.021361	.014957

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHODINYL BUTYRATE FEMA 2982D	16	SOFT CANDY(R)	6	2-65+ YR.	.013322	.040425	.024786
RHODINYL BUTYRATE FEMA 2982D	20	GELATIN PUD(R)	6	0-5 MO.	.001250	.001688	.002132
				6-11 MO.	.008000	.024250	.013643
				12-23 MO.	.008625	.021000	.014708
				2-65+ YR.	.012750	.032813	.021743
RHODINYL BUTYRATE FEMA 2982D	23	BEV TYPE I(R)	8	0-5 MO.	.001105	.001657	.001852
				6-11 MO.	.010450	.035770	.017514
				12-23 MO.	.024951	.074808	.041817
				2-65+ YR.	.047877	.127841	.080240
RHODINYL BUTYRATE FEMA 2982D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000068	**********
				12-23 MO.	**********	.000136	**********
				2-65+ YR.	.022039	.064015	.059313
RHODINYL BUTYRATE FEMA 2982D	99	ALL CATEGORIES	9	0-5 MO.	.019235	.036199	.032293
				6-11 MO.	.222664	.605965	.388851
				12-23 MO.	.515548	1.167179	.905961
				2-65+ YR.	.995074	1.896080	1.736382
RHODINYL ISOBUTYRATE FEMA 2983D	01	BAKED GOODS(R)	6	0-5 MO.	.010124	.013400	.017113
				6-11 MO.	.075636	.154249	.127847
				12-23 MO.	.162289	.267404	.274317
				2-65+ YR.	.408551	.606871	.690573
RHODINYL ISOBUTYRATE FEMA 2983D	07	FROZN DAIRY(R)	6	0-5 MO.	.001564	.006414	.002907
				6-11 MO.	.014862	.041301	.027613
				12-23 MO.	.022528	.052878	.041856
				2-65+ YR.	.040050	.096526	.074411
RHODINYL ISOBUTYRATE FEMA 2983D	16	SOFT CANDY(R)	6	0-5 MO.	.000496	.004956	.000873
				6-11 MO.	.005451	.016849	.009607
				12-23 MO.	.008672	.023043	.015283
				2-65+ YR.	.014371	.043609	.025327

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHODINYL ISOBUTYRATE FEMA 29830	20	GELATIN PUD(R)	5	0-5 MO.	.002114	.002854	.005571
				6-11 MO.	.013531	.041017	.035657
				12-23 MO.	.014589	.035520	.038443
				2-65+ YR.	.021566	.055500	.056829
RHODINYL ISOBUTYRATE FEMA 29830	23	BEV TYPE I(R)	7	0-5 MO.	.001800	.002700	.003813
				6-11 MO.	.017025	.058275	.036068
				12-23 MO.	.040650	.121875	.086118
				2-65+ YR.	.078000	.208275	.165244
RHODINYL ISOBUTYRATE FEMA 29830	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000097	**********
				12-23 MO.	**********	.000193	**********
				2-65+ YR.	.031417	.091253	.060125
RHODINYL ISOBUTYRATE FEMA 29830	99	ALL CATEGORIES	7	0-5 MO.	.016099	.030324	.030278
				6-11 MO.	.126505	.311788	.236792
				12-23 MO.	.248728	.500914	.456017
				2-65+ YR.	.593954	1.102035	1.072509
RHODINYL FORMATE FEMA 29840	01	BAKED GOODS(R)	7	0-5 MO.	.013344	.017662	.019979
				6-11 MO.	.099689	.203304	.149253
				12-23 MO.	.213900	.352445	.320248
				2-65+ YR.	.538480	.799870	.806202
RHODINYL FORMATE FEMA 29840	07	FROZN DAIRY(R)	6	0-5 MO.	.001130	.004632	.002255
				6-11 MO.	.010733	.029827	.021423
				12-23 MO.	.016269	.038188	.032472
				2-65+ YR.	.028923	.069710	.057728
RHODINYL FORMATE FEMA 29840	16	SOFT CANDY(R)	7	0-5 MO.	.000652	.006522	.000903
				6-11 MO.	.007174	.022175	.009929
				12-23 MO.	.011414	.030328	.015796
				2-65+ YR.	.018914	.057395	.026177
RHODINYL FORMATE FEMA 29840	20	GELATIN PUD(R)	6	0-5 MO.	.001882	.002540	.003899

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
RHODINYL FORMATE FEMA 2984D	20	GELATIN PUD(R)	6	6-11 MO.	.012042	.036502	.024954
				12-23 MO.	.012983	.031610	.026903
				2-65+ YR.	.019192	.049391	.039770
RHODINYL FORMATE FEMA 2984D	23	BEV TYPE I(R)	9	0-5 MO.	.002078	.003118	.002892
				6-11 MO.	.019659	.067290	.027356
				12-23 MO.	.046938	.140728	.065316
				2-65+ YR.	.090066	.240494	.125329
RHODINYL FORMATE FEMA 2984D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000091	**********
				12-23 MO.	**********	.000183	**********
				2-65+ YR.	.029656	.086140	.059313
RHODINYL FORMATE FEMA 2984D	59	ALL CATEGORIES	10	0-5 MO.	.019086	.034474	.029928
				6-11 MO.	.149298	.359189	.232914
				12-23 MO.	.301505	.593482	.460735
				2-65+ YR.	.725231	1.302999	1.114519
RHODINYL PHENYLACETATE FEMA 2985D	01	BAKED GOODS(R)	5	0-5 MO.	.009912	.013119	.016425
				6-11 MO.	.074051	.151017	.122702
				12-23 MO.	.158888	.261802	.263277
				2-65+ YR.	.399991	.594155	.662782
RHODINYL PHENYLACETATE FEMA 2985D	07	FROZN DAIRY(R)	4	0-5 MO.	.000978	.004011	.001923
				6-11 MO.	.009294	.025828	.018272
				12-23 MO.	.014088	.033068	.027696
				2-65+ YR.	.025045	.060363	.049237
RHODINYL PHENYLACETATE FEMA 2985D	16	SOFT CANDY(R)	4	0-5 MO.	.000513	.005133	.000842
				6-11 MO.	.005647	.017453	.009258
				12-23 MO.	.008983	.023870	.014729
				2-65+ YR.	.014887	.045173	.024408
RHODINYL PHENYLACETATE FEMA 2985D	20	GELATIN PUD(R)	*	0-5 MO.	.001360	.001836	.002920
				6-11 MO.	.008704	.026384	.018688

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHODINYL PHENYLACETATE FEMA 2985D	20	GELATIN PUD(R)	*	12-23 MO.	.009384	.022848	.020148
				2-65+ YR.	.013872	.035700	.029784
RHODINYL PHENYLACETATE FEMA 2985D	23	BEV TYPE I(R)	6	0-5 MO.	.002088	.003132	.003020
				6-11 MO.	.019749	.067599	.028564
				12-23 MO.	.047154	.141375	.068202
				2-65+ YR.	.090480	.241599	.130867
RHODINYL PHENYLACETATE FEMA 2985D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000071	**********
				12-23 MO.	**********	.000142	**********
				2-65+ YR.	.023111	.067129	.048028
RHODINYL PHENYLACETATE FEMA 2985D	99	ALL CATEGORIES	7	0-5 MO.	.014852	.027232	.025130
				6-11 MO.	.117445	.288352	.197484
				12-23 MO.	.238498	.483104	.394052
				2-65+ YR.	.567386	1.044120	.945106
RHODINYL PROPIONATE FEMA 2986D	01	BAKED GOODS(R)	7	0-5 MO.	.011344	.015014	.016505
				6-11 MO.	.084744	.172824	.123305
				12-23 MO.	.181832	.299605	.264573
				2-65+ YR.	.457749	.679951	.666044
RHODINYL PROPIONATE FEMA 2986D	07	FROZN DAIRY(R)	5	0-5 MO.	.001942	.007963	.003196
				6-11 MO.	.018451	.051275	.030358
				12-23 MO.	.027968	.065647	.046016
				2-65+ YR.	.049721	.119835	.081806
RHODINYL PROPIONATE FEMA 2986D	16	SOFT CANDY(R)	6	0-5 MO.	.000608	.006080	.000938
				6-11 MO.	.006688	.020672	.010316
				12-23 MO.	.010640	.028272	.016415
				2-65+ YR.	.017632	.053504	.027202
RHODINYL PROPIONATE FEMA 2986D	20	GELATIN PUD(R)	5	0-5 MO.	.002114	.002854	.004229
				6-11 MO.	.013531	.041017	.027063
				12-23 MO.	.014589	.033520	.029177

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHODINYL PROPIONATE FEMA 2986D	20	GELATIN PUD(R)	5	2-65+ YR.	.021566	.055500	.043131
RHODINYL PROPIONATE FEMA 2986D	23	BEV TYPE I(R)	7	0-5 MO.	.002455	.003682	.004368
				6-11 MO.	.023216	.079466	.041314
				12-23 MO.	.055432	.166193	.098644
				2-65+ YR.	.106364	.284011	.189280
RHODINYL PROPIONATE FEMA 2986D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000117	**********
				12-23 MO.	**********	.000234	**********
				2-65+ YR.	.038071	.110583	.067786
RHODINYL PROPIONATE FEMA 2986D	99	ALL CATEGORIES	8	0-5 MO.	.018463	.035593	.029236
				6-11 MO.	.146630	.365370	.232358
				12-23 MO.	.290460	.595472	.454825
				2-65+ YR.	.691103	1.303384	1.075249
RHODINYL ISOVALERATE FEMA 2987D	01	BAKED GOODS(R)	6	0-5 MO.	.017567	.023250	.024452
				6-11 MO.	.131233	.267633	.182668
				12-23 MO.	.281583	.463967	.391946
				2-65+ YR.	.708867	1.052967	.986697
RHODINYL ISOVALERATE FEMA 2987D	07	FROZN DAIRY(R)	5	0-5 MO.	.002180	.008938	.003524
				6-11 MO.	.020710	.057552	.033475
				12-23 MO.	.031392	.073684	.050740
				2-65+ YR.	.055808	.134506	.090205
RHODINYL ISOVALERATE FEMA 2987D	16	SOFT CANDY(R)	6	0-5 MO.	.000937	.009367	.001325
				6-11 MO.	.010303	.031847	.014575
				12-23 MO.	.016392	.043555	.023188
				2-65+ YR.	.027163	.082427	.038425
RHODINYL ISOVALERATE FEMA 2987D	20	GELATIN PUD(R)	5	0-5 MO.	.003156	.004260	.005222
				6-11 MO.	.020196	.061218	.033422
				12-23 MO.	.021773	.053013	.036033
				2-65+ YR.	.032187	.082833	.053267

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RHODINYL ISOVALERATE FEMA 29870		23	BEV TYPE I(R)	7	0-5 MO.	.003129	.004693	.005340
					6-11 MO.	.029591	.101287	.050508
					12-23 MO.	.070654	.211830	.120595
					2-65+ YR.	.135571	.362002	.231400
RHODINYL ISOVALERATE FEMA 29870		24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.000154	**********
					12-23 MO.	**********	.000309	**********
					2-65+ YR.	.050143	.145646	.081714
RHODINYL ISOVALERATE FEMA 29870		99	ALL CATEGORIES	7	0-5 MO.	.026967	.050508	.039863
					6-11 MO.	.212033	.519692	.314648
					12-23 MO.	.421794	.846358	.622502
					2-65+ YR.	1.009739	1.860380	1.481708
RUM, ETHER FEMA 29960	NAS 0379	01	BAKED GOODS(R)	26	0-5 MO.	.744829	.985803	1.427141
					6-11 MO.	5.564308	11.347684	10.661585
					12-23 MO.	11.939166	19.672240	22.876235
					2-65+ YR.	30.056028	44.645907	57.589347
RUM, ETHER FEMA 29960	NAS 0379	07	FROZN DAIRY(R)	24	0-5 MO.	.133642	.547932	.179420
					6-11 MO.	1.269600	3.528151	1.704488
					12-23 MO.	1.924446	4.517102	2.583645
					2-65+ YR.	3.421237	8.245716	4.593146
RUM, ETHER FEMA 29960	NAS 0379	10	MEAT PRODS(R)	*	0-5 MO.	.176000	.464000	.220000
					6-11 MO.	3.312000	8.928000	4.140000
					12-23 MO.	4.832000	8.304000	6.040000
					2-65+ YR.	12.544000	20.816000	15.680000
RUM, ETHER FEMA 29960	NAS 0379	15	CONDM RELSH(R)	*	0-5 MO.	**********	.016700	**********
					6-11 MO.	.133600	.367400	**********
					12-23 MO.	.467600	1.269200	**********
					2-65+ YR.	1.469600	3.540400	**********
RUM, ETHER FEMA 29960	NAS 0379	16	SOFT CANDY(R)	24	0-5 MO.	.035749	.357488	.054633

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
RUM, ETHER FEMA 2996D NAS 0379	16	SOFT CANDY(R)	24	6-11 MO.	.393237	1.215460	.600964
				12-23 MO.	.625604	1.662320	.956080
				2-65+ YR.	1.036716	3.145896	1.584360
RUM, ETHER FEMA 2996D NAS 0379	20	GELATIN PUD(R)	10	0-5 MO.	.023067	.031140	.043256
				6-11 MO.	.147628	.447498	.276839
				12-23 MO.	.159162	.387524	.298467
				2-65+ YR.	.235282	.605506	.441213
RUM, ETHER FEMA 2996D NAS 0379	23	BEV TYPE I(R)	25	0-5 MO.	.089814	.134721	.175716
				6-11 MO.	.849492	2.907734	1.661977
				12-23 MO.	2.028303	6.081167	3.968245
				2-65+ YR.	3.891947	10.392247	7.614345
RUM, ETHER FEMA 2996D NAS 0379	24	BEV TYPE II(R)	9	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.019695	**********
				12-23 MO.	**********	.039390	**********
				2-65+ YR.	6.400838	18.591972	18.999001
RUM, ETHER FEMA 2996D NAS 0379	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.017815	.053445	.038336
				12-23 MO.	.053445	.160335	.115008
				2-65+ YR.	.106890	.302855	.230016
RUM, ETHER FEMA 2996D NAS 0379	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.025400	.025400	.082339
				12-23 MO.	.025400	.076200	.082339
				2-65+ YR.	.050800	.101600	.164678
RUM, ETHER FEMA 2996D NAS 0379	99	ALL CATEGORIES	53	0-5 MO.	1.203101	2.537785	2.100166
				6-11 MO.	11.713080	28.840466	19.166528
				12-23 MO.	22.055125	42.169478	36.920019
				2-65+ YR.	59.213338	110.988099	106.896107
SALICYLALDEHYDE FEMA 3004D	01	BAKED GOODS(R)	11	0-5 MO.	.035605	.047124	.040105
				6-11 MO.	.265989	.542450	.299609

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SALICYLALDEHYDE FEMA 3004D	01	BAKED GOODS(R)	11	12-23 MO.	.570725	.940386	.642862
				2-65+ YR.	1.436760	2.134196	1.618362
SALICYLALDEHYDE FEMA 3004D	07	FROZN DAIRY(R)	6	0-5 MO.	.005397	.022128	.007109
				6-11 MO.	.051272	.142484	.067533
				12-23 MO.	.077718	.182422	.102365
				2-65+ YR.	.138166	.333001	.181982
SALICYLALDEHYDE FEMA 3004D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002800	.007600	.005600
				2-65+ YR.	.008800	.021200	.017600
SALICYLALDEHYDE FEMA 3004D	16	SOFT CANDY(R)	11	0-5 MO.	.001240	.012405	.001572
				6-11 MO.	.013645	.042176	.017289
				12-23 MO.	.021708	.057681	.027506
				2-65+ YR.	.035973	.109160	.045581
SALICYLALDEHYDE FEMA 3004D	20	GELATIN PUD(R)	4	0-5 MO.	.001787	.002412	.003675
				6-11 MO.	.011435	.034663	.023517
				12-23 MO.	.012329	.030017	.025355
				2-65+ YR.	.018225	.046902	.037481
SALICYLALDEHYDE FEMA 3004D	23	BEV TYPE I(R)	9	0-5 MO.	.008229	.012344	.011744
				6-11 MO.	.077834	.266418	.111078
				12-23 MO.	.185841	.557181	.265216
				2-65+ YR.	.356596	.952179	.508902
SALICYLALDEHYDE FEMA 3004D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000059	**********
				12-23 MO.	**********	.000117	**********
				2-65+ YR.	.019028	.055270	.050183
SALICYLALDEHYDE FEMA 3004D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000113	.000339	.000154
				12-23 MO.	.000339	.001017	.000462

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SALICYLALDEHYDE FEMA 3004D	30	HARD CANDY(R)	*	2-65+ YR.	.000678	.001921	.000924
SALICYLALDEHYDE FEMA 3004D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000424	.000424	.001331
				12-23 MO.	.000424	.001272	.001331
				2-65+ YR.	.000848	.001696	.002662
SALICYLALDEHYDE FEMA 3004D	99	ALL CATEGORIES	20	0-5 MO.	.052258	.096513	.064204
				6-11 MO.	.421513	1.031212	.522111
				12-23 MO.	.871884	1.777694	1.070697
				2-65+ YR.	2.015074	3.655526	2.463677
SANTALOL FEMA 3006D	01	BAKED GOODS(R)	*	0-5 MO.	.013852	.016334	.021124
				6-11 MO.	.103485	.211043	.157808
				12-23 MO.	.222044	.365863	.338603
				2-65+ YR.	.558979	.830321	.852410
SANTALOL FEMA 3006D	07	FROZN DAIRY(R)	*	0-5 MO.	.000810	.003320	.001200
				6-11 MO.	.007692	.021375	.011400
				12-23 MO.	.011659	.027367	.017280
				2-65+ YR.	.020728	.049957	.030720
SANTALOL FEMA 3006D	16	SOFT CANDY(R)	4	0-5 MO.	.000677	.006773	.001058
				6-11 MO.	.007451	.023030	.011635
				12-23 MO.	.011854	.031497	.018511
				2-65+ YR.	.019643	.059607	.030675
SANTALOL FEMA 3006D	20	GELATIN PUD(R)	*	0-5 MO.	.000160	.000216	.000320
				6-11 MO.	.001024	.003104	.002048
				12-23 MO.	.001104	.002688	.002208
				2-65+ YR.	.001632	.004200	.003264
SANTALOL FEMA 3006D	23	BEV TYPE I(R)	*	0-5 MO.	.001405	.002107	.003285
				6-11 MO.	.013288	.045484	.031067
				12-23 MO.	.031727	.095124	.074178
				2-65+ YR.	.060879	.162559	.142335

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SANTALOL FEMA 3006D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000008	**********
				12-23 MO.	**********	.000017	**********
				2-65+ YR.	.002686	.007800	.013068
SANTALOL FEMA 3006D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000008	.000008	.000010
				12-23 MO.	.000008	.000024	.000010
				2-65+ YR.	.000016	.000032	.000020
SANTALOL FEMA 3006D	99	ALL CATEGORIES	7	0-5 MO.	.016904	.030750	.026986
				6-11 MO.	.132947	.304052	.213968
				12-23 MO.	.278396	.522578	.450790
				2-65+ YR.	.664563	1.114476	1.072492
SANTALYL ACETATE FEMA 3007D	01	BAKED GOODS(R)	*	0-5 MO.	.016331	.021615	.022009
				6-11 MO.	.122005	.248813	.164423
				12-23 MO.	.261782	.431339	.352797
				2-65+ YR.	.659017	.978919	.888141
SANTALYL ACETATE FEMA 3007D	07	FROZN DAIRY(R)	*	0-5 MO.	.000686	.002811	.001371
				6-11 MO.	.006513	.018100	.013026
				12-23 MO.	.009873	.023173	.019745
				2-65+ YR.	.017551	.042302	.035103
SANTALYL ACETATE FEMA 3007D	16	SOFT CANDY(R)	4	0-5 MO.	.000485	.004852	.000854
				6-11 MO.	.005338	.016498	.009389
				12-23 MO.	.008492	.022563	.014937
				2-65+ YR.	.014072	.042700	.024753
SANTALYL ACETATE FEMA 3007D	20	GELATIN PUD(R)	*	0-5 MO.	.000040	.000054	.000080
				6-11 MO.	.000256	.000776	.000512
				12-23 MO.	.000276	.000672	.000552
				2-65+ YR.	.000408	.001050	.000816
SANTALYL ACETATE FEMA 3007D	23	BEV TYPE I(R)	*	0-5 MO.	.001527	.002290	.003154

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SANTALYL ACETATE FEMA 30070	23	BEV TYPE I(R)	*	6-11 MO.	.014441	.049430	.029828
				12-23 MO.	.034480	.103377	.071219
				2-65+ YR.	.066161	.176664	.136656
SANTALYL ACETATE FEMA 30070	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000020	**********
				12-23 MO.	**********	.000040	**********
				2-65+ YR.	.006428	.018670	.036930
SANTALYL ACETATE FEMA 30070	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000111	.000111	.000144
				12-23 MO.	.000111	.000333	.000144
				2-65+ YR.	.000222	.000444	.000288
SANTALYL ACETATE FEMA 30070	99	ALL CATEGORIES	7	0-5 MO.	.019069	.031622	.027468
				6-11 MO.	.148663	.333747	.217322
				12-23 MO.	.315013	.581498	.459394
				2-65+ YR.	.763859	1.260749	1.122686
SANTALYL PHENYL-ACE FEMA 30080	C1	BAKED GOODS(R)	*	0-5 MO.	.011305	.014963	.019550
				6-11 MO.	.084455	.172235	.146050
				12-23 MO.	.181213	.298585	.313375
				2-65+ YR.	.456190	.677635	.788900
SANTALYL PHENYL-ACE FEMA 30080	C7	FROZN DAIRY(R)	*	0-5 MO.	.000933	.003827	.001667
				6-11 MO.	.008867	.024640	.015833
				12-23 MO.	.013440	.031547	.024000
				2-65+ YR.	.023893	.057587	.042667
SANTALYL PHENYL-ACE FEMA 30080	16	SOFT CANDY(R)	*	0-5 MO.	.000600	.006000	.000933
				6-11 MO.	.006600	.020400	.010267
				12-23 MO.	.010500	.027900	.016333
				2-65+ YR.	.017400	.052800	.027067
SANTALYL PHENYL-ACE FEMA 30080	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.006400
				6-11 MO.	.022700	.077700	.060533

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SANTALYL PHENYL-ACE FEMA 3008D	23	BEV TYPE I(R)	*	12-23 MO.	.054200	.162500	.144533
				2-65+ YR.	.104000	.277700	.277333
SANTALYL PHENYL-ACE FEMA 3008D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
SANTALYL PHENYL-ACE FEMA 3008D	99	ALL CATEGORIES	*	0-5 MO.	.015238	.028389	.028550
				6-11 MO.	.122622	.295075	.232683
				12-23 MO.	.259352	.520732	.498242
				2-65+ YR.	.633983	1.160122	1.233467
SKATOLE FEMA 3019D	01	BAKED GOODS(R)	10	0-5 MO.	.001479	.001958	.003244
				6-11 MO.	.011052	.022539	.024235
				12-23 MO.	.023714	.039074	.052001
				2-65+ YR.	.059699	.088678	.130908
SKATOLE FEMA 3019D	07	FROZN DAIRY(R)	7	0-5 MO.	.000630	.002581	.001257
				6-11 MO.	.005981	.016620	.011942
				12-23 MO.	.009065	.021279	.018101
				2-65+ YR.	.016116	.038843	.032179
SKATOLE FEMA 3019D	16	SOFT CANDY(R)	8	0-5 MO.	.000115	.001148	.000230
				6-11 MO.	.001263	.003905	.002533
				12-23 MO.	.002010	.005340	.004029
				2-65+ YR.	.003331	.010106	.006677
SKATOLE FEMA 3019D	20	GELATIN PUD(R)	6	0-5 MO.	.000380	.000513	.001029
				6-11 MO.	.002432	.007372	.006583
				12-23 MO.	.002622	.006384	.007097
				2-65+ YR.	.003876	.009975	.010491
SKATOLE FEMA 3019D	23	BEV TYPE I(R)	8	0-5 MO.	.001139	.001709	.001754
				6-11 MO.	.010774	.036878	.016590
				12-23 MO.	.025724	.077125	.039611

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SKATOLE FEMA 3019D	23	BEV TYPE II(R)	8	2-65+ YR.	.049360	.131801	.076007
SKATOLE FEMA 3019D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000058	**********
				12-23 MO.	**********	.000116	**********
				2-65+ YR.	.018769	.054516	.028844
SKATOLE FEMA 3019D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000013	.000013	.000013
				12-23 MO.	.000013	.000039	.000013
				2-65+ YR.	.000026	.000052	.000026
SKATOLE FEMA 3019D	59	ALL CATEGORIES	12	0-5 MO.	.003743	.007909	.007514
				6-11 MO.	.031515	.087385	.061895
				12-23 MO.	.063149	.149357	.120852
				2-65+ YR.	.151177	.333971	.285132
SORBITAN MONOSTEARAT FEMA 3028D NAS 0401	01	BAKED GOODS(R)	*	0-5 MO.	24.376241	32.262671	24.426047
				6-11 MO.	182.104856	371.379195	182.476940
				12-23 MO.	390.736798	643.819531	391.535167
				2-65+ YR.	983.653002	1461.140539	985.662842
SORBITAN MONOSTEARAT FEMA 3028D NAS 0401	07	FROZN DAIRY(R)	*	0-5 MO.	1.000000	4.100000	1.500000
				6-11 MO.	9.500000	26.400000	14.250000
				12-23 MO.	14.400000	33.800000	21.600000
				2-65+ YR.	25.600000	61.700000	38.400000
SORBITAN MONOSTEARAT FEMA 3028D NAS 0401	16	SOFT CANDY(R)	4	0-5 MO.	.393342	3.933416	.403206
				6-11 MO.	4.326757	13.373613	4.435265
				12-23 MO.	6.883477	18.290382	7.056104
				2-65+ YR.	11.406905	34.614057	11.692972
SORBITAN MONOSTEARAT FEMA 3028D NAS 0401	19	SWEET SAUCE(R)	*	0-5 MO.	.555095	.740127	.750000
				6-11 MO.	1.665285	5.735981	2.250000
				12-23 MO.	4.810823	14.062405	6.500000
				2-65+ YR.	12.582152	33.120665	17.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SORBITAN MONOSTEARAT FEMA 3028D NAS 0401	28	INIT DAIRY(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	4.340000	7.130000	**********
				12-23 MO.	2.480000	10.540000	**********
				2-65+ YR.	2.790000	4.650000	**********
SORBITAN MONOSTEARAT FEMA 3028D NAS 0401	99	ALL CATEGORIES	9	0-5 MO.	26.324677	41.036213	27.079253
				6-11 MO.	201.936898	424.018789	203.412205
				12-23 MO.	419.311098	720.512318	426.691270
				2-65+ YR.	1036.032060	1595.225260	1052.755813
SUCROSE OCTAACETATE FEMA 3038D	01	BAKED GOODS(R)	*	0-5 MO.	.018575	.024585	.029815
				6-11 MO.	.138770	.283003	.222738
				12-23 MO.	.297754	.490612	.477923
				2-65+ YR.	.749576	1.113437	1.203138
SUCROSE OCTAACETATE FEMA 3038D	07	FROZN DAIRY(R)	*	0-5 MO.	.005401	.022142	.008769
				6-11 MO.	.051305	.142574	.083308
				12-23 MO.	.077768	.182538	.126277
				2-65+ YR.	.138254	.333213	.224492
SUCROSE OCTAACETATE FEMA 3038D	16	SOFT CANDY(R)	*	0-5 MO.	.001080	.010802	.001745
				6-11 MO.	.011882	.036725	.019192
				12-23 MO.	.018903	.050227	.030534
				2-65+ YR.	.031325	.095054	.050598
SUCROSE OCTAACETATE FEMA 3038D	20	GELATIN PUD(R)	*	0-5 MO.	.010802	.014582	.017538
				6-11 MO.	.069130	.209551	.112246
				12-23 MO.	.074531	.181467	.121015
				2-65+ YR.	.110176	.283542	.178892
SUCROSE OCTAACETATE FEMA 3038D	23	BEV TYPE I(R)	9	0-5 MO.	.012437	.018656	.023800
				6-11 MO.	.117635	.402652	.225113
				12-23 MO.	.280872	.842098	.537494
				2-65+ YR.	.538942	1.439080	1.031354
SUCROSE OCTAACETATE FEMA 3038D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART 3 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SUCROSE OCTAACETATE FEMA 30380	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
SUCROSE OCTAACETATE FEMA 30380	99	ALL CATEGORIES	9	0-5 MO.	.048295	.090767	.081668
				6-11 MO.	.388722	1.074606	.662598
				12-23 MO.	.749828	1.747142	1.293243
				2-65+ YR.	1.600773	3.358726	2.785976
A&-TERPINEOL FEMA 3045D	01	BAKED GOODS(R)	15	0-5 MO.	.054168	.071693	.066381
				6-11 MO.	.404668	.825267	.495905
				12-23 MO.	.868283	1.430675	1.064048
				2-65+ YR.	2.185842	3.246900	2.678667
A&-TERPINEOL FEMA 3045D	07	FROZN DAIRY(R)	14	0-5 MO.	.009233	.037854	.014002
				6-11 MO.	.087712	.243746	.133021
				12-23 MO.	.132952	.312068	.201631
				2-65+ YR.	.236359	.569663	.358456
A&-TERPINEOL FEMA 3045D	10	MEAT PRODS(R)	*	0-5 MO.	.005795	.015278	.011590
				6-11 MO.	.109050	.293962	.218101
				12-23 MO.	.159098	.273416	.318196
				2-65+ YR.	.413022	.685385	.826044
A&-TERPINEOL FEMA 3045D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.002591	**********
				6-11 MO.	.020727	.057000	.035636
				12-23 MO.	.072545	.196909	.124727
				2-65+ YR.	.228000	.549273	.392000
A&-TERPINEOL FEMA 3045D	16	SOFT CANDY(R)	17	0-5 MO.	.002703	.027026	.003300
				6-11 MO.	.029729	.091890	.036299
				12-23 MO.	.047296	.125673	.057749
				2-65+ YR.	.078376	.237832	.095698
A&-TERPINEOL FEMA 3045D	20	GELATIN PUD(R)	14	0-5 MO.	.017127	.023121	.025274
				6-11 MO.	.109611	.332259	.161752

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A&-TERPINEOL FEMA 3045D	20	GELATIN PUD(R)	14	12-23 MO.	.118175	.287729	.174389
				2-65+ YR.	.174693	.449577	.257792
A&-TERPINEOL FEMA 3045D	23	BEV TYPE I(R)	23	0-5 MO.	.008149	.012223	.012976
				6-11 MO.	.077074	.263817	.122730
				12-23 MO.	.184027	.551741	.293037
				2-65+ YR.	.353114	.942883	.562286
A&-TERPINEOL FEMA 3045D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000058	**********
				12-23 MO.	**********	.000117	**********
				2-65+ YR.	.019005	.055202	.068772
A&-TERPINEOL FEMA 3045D	27	GRAVIES(R)	*	0-5 MO.	.000300	.000900	.000600
				6-11 MO.	.004200	.011700	.008400
				12-23 MO.	.010800	.030600	.021600
				2-65+ YR.	.024900	.063900	.049800
A&-TERPINEOL FEMA 3045D	30	HARD CANDY(R)	12	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001067	.003201	.001739
				12-23 MO.	.003201	.009603	.005217
				2-65+ YR.	.006402	.018139	.010434
A&-TERPINEOL FEMA 3045D	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********
				6-11 MO.	.001353	.001353	.008347
				12-23 MO.	.001353	.004059	.008347
				2-65+ YR.	.002706	.005412	.016694
A&-TERPINEOL FEMA 3045D	99	ALL CATEGORIES	48	0-5 MO.	.097474	.190687	.134123
				6-11 MO.	.845191	2.124253	1.221930
				12-23 MO.	1.597730	3.222591	2.268941
				2-65+ YR.	3.722420	6.824166	5.316644
TERPINOLENE FEMA 3046D	01	BAKED GOODS(R)	6	0-5 MO.	.072154	.095498	.089442
				6-11 MO.	.539034	1.099290	.668182
				12-23 MO.	1.156589	1.905719	1.433697

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TERPINOLENE FEMA 3046D	01	BAKED GOODS(R)	6	2-65+ YR.	2.911633	4.325007	3.609233
TERPINOLENE FEMA 3046D	07	FROZN DAIRY(R)	6	0-5 MO.	.012631	.051787	.018948
				6-11 MO.	.119995	.333460	.180001
				12-23 MO.	.181887	.426930	.272844
				2-65+ YR.	.323355	.779336	.485056
TERPINOLENE FEMA 3046D	16	SOFT CANDY(R)	6	0-5 MO.	.003320	.033196	.004161
				6-11 MO.	.036516	.112867	.045774
				12-23 MO.	.058093	.154362	.072822
				2-65+ YR.	.096269	.292125	.120676
TERPINOLENE FEMA 3046D	20	GELATIN PUD(R)	6	0-5 MO.	.020925	.028249	.029310
				6-11 MO.	.133919	.405942	.187584
				12-23 MO.	.144382	.351538	.202239
				2-65+ YR.	.213434	.549278	.298962
TERPINOLENE FEMA 3046D	23	BEV TYPE I(R)	11	0-5 MO.	.014590	.021885	.022910
				6-11 MO.	.137995	.472344	.216690
				12-23 MO.	.329486	.987850	.517382
				2-65+ YR.	.632224	1.688160	.992763
TERPINOLENE FEMA 3046D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001400	**********
				12-23 MO.	**********	.002800	**********
				2-65+ YR.	.455000	1.321600	.650000
TERPINOLENE FEMA 3046D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001330	.003990	.001874
				12-23 MO.	.003990	.011970	.005622
				2-65+ YR.	.007980	.022610	.011244
TERPINOLENE FEMA 3046D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003135	.003135	.007215
				12-23 MO.	.003135	.009405	.007215
				2-65+ YR.	.006270	.012540	.014430

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TERPINOLENE FEMA 30460	99	ALL CATEGORIES	18	0-5 MO.	.123620	.230615	.164770
				6-11 MO.	.971924	2.432429	1.307319
				12-23 MO.	1.877562	3.850574	2.511821
				2-65+ YR.	4.646165	8.990656	6.182364
TERPINYL ACETATE FEMA 30470	01	BAKED GOODS(R)	12	0-5 MO.	.047249	.062535	.057785
				6-11 MO.	.352976	.719848	.431687
				12-23 MO.	.757369	1.247923	.926257
				2-65+ YR.	1.906626	2.832145	2.331789
TERPINYL ACETATE FEMA 30470	07	FROZN DAIRY(R)	10	0-5 MO.	.005940	.024355	.007943
				6-11 MO.	.056433	.156824	.075460
				12-23 MO.	.085540	.200782	.114381
				2-65+ YR.	.152071	.366516	.203344
TERPINYL ACETATE FEMA 30470	10	MEAT PRODS(R)	4	0-5 MO.	.015536	.040964	.031941
				6-11 MO.	.292400	.788208	.601063
				12-23 MO.	.426593	.733118	.876914
				2-65+ YR.	1.107446	1.837740	2.276491
TERPINYL ACETATE FEMA 30470	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000046	**********
				6-11 MO.	.000370	.001017	.001109
				12-23 MO.	.001294	.003513	.003883
				2-65+ YR.	.004068	.009800	.012204
TERPINYL ACETATE FEMA 30470	16	SOFT CANDY(R)	14	0-5 MO.	.001989	.019889	.002405
				6-11 MO.	.021877	.067621	.026450
				12-23 MO.	.034805	.092482	.042079
				2-65+ YR.	.057677	.175019	.069731
TERPINYL ACETATE FEMA 30470	20	GELATIN PUD(R)	9	0-5 MO.	.011935	.016113	.015945
				6-11 MO.	.076387	.231548	.102046
				12-23 MO.	.082355	.200516	.110019
				2-65+ YR.	.121742	.313306	.162636
TERPINYL ACETATE FEMA 30470	23	BEV TYPE I(R)	12	0-5 MO.	.007155	.010733	.011952

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TERPINYL ACETATE FEMA 3047D	23	BEV TYPE I(R)	12	6-11 MO.	.067675	.231645	.113045
				12-23 MO.	.161585	.484456	.269914
				2-65+ YR.	.310052	.827899	.517916
TERPINYL ACETATE FEMA 3047D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000241	**********
				12-23 MO.	**********	.000483	**********
				2-65+ YR.	.078464	.227909	.155607
TERPINYL ACETATE FEMA 3047D	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000400
				6-11 MO.	.002800	.007800	.005600
				12-23 MO.	.007200	.020400	.014400
				2-65+ YR.	.016600	.042600	.033200
TERPINYL ACETATE FEMA 3047D	30	HARD CANDY(R)	6	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000158	.000474	.000158
				12-23 MO.	.000474	.001422	.000474
				2-65+ YR.	.000948	.002686	.000948
TERPINYL ACETATE FEMA 3047D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000168	.000168	.001092
				12-23 MO.	.000168	.000504	.001092
				2-65+ YR.	.000336	.000672	.002184
TERPINYL ACETATE FEMA 3047D	99	ALL CATEGORIES	26	0-5 MO.	.090007	.175235	.128370
				6-11 MO.	.871243	2.205394	1.357711
				12-23 MO.	1.557383	2.985599	2.359413
				2-65+ YR.	3.756030	6.636291	5.766051
TERPINYL ANTHRANILATE FEMA 3048D	01	BAKED GOODS(R)	*	0-5 MO.	.024367	.032250	.032867
				6-11 MO.	.182033	.371233	.245533
				12-23 MO.	.390583	.643567	.526833
				2-65+ YR.	.983267	1.460567	1.326267
TERPINYL ANTHRANILATE FEMA 3048D	07	FROZN DAIRY(R)	*	0-5 MO.	.002500	.010250	.003600
				6-11 MO.	.023750	.066000	.034200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TERPINYL ANTHRANILATE FEMA 3048D	07	FROZN DAIRY(R)	*	12-23 MO.	.036000	.084500	.051840
				2-65+ YR.	.064000	.154250	.092160
TERPINYL ANTHRANILATE FEMA 3048D	16	SOFT CANDY(R)	*	0-5 MO.	.001100	.011000	.001600
				6-11 MO.	.012100	.037400	.017600
				12-23 MO.	.019250	.051150	.028000
				2-65+ YR.	.031900	.096800	.046400
TERPINYL ANTHRANILATE FEMA 3048D	20	GELATIN PUD(R)	*	0-5 MO.	.004600	.006210	.006300
				6-11 MO.	.029440	.089240	.040320
				12-23 MO.	.031740	.077280	.043470
				2-65+ YR.	.046920	.120750	.064260
TERPINYL ANTHRANILATE FEMA 3048D	23	BEV TYPE I(R)	*	0-5 MO.	.002080	.003120	.006640
				6-11 MO.	.019673	.067340	.062803
				12-23 MO.	.046973	.140833	.149953
				2-65+ YR.	.090133	.240673	.287733
TERPINYL ANTHRANILATE FEMA 3048D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.178750
TERPINYL ANTHRANILATE FEMA 3048D	99	ALL CATEGORIES	*	0-5 MO.	.034647	.062830	.051007
				6-11 MO.	.266997	.631413	.400457
				12-23 MO.	.524547	.997730	.800097
				2-65+ YR.	1.281220	2.261840	1.995570
TERPINYL BUTYRATE FEMA 3049D	01	BAKED GOODS(R)	*	0-5 MO.	.031733	.042000	.040800
				6-11 MO.	.237067	.483467	.304800
				12-23 MO.	.508667	.838133	.654000
				2-65+ YR.	1.280533	1.902133	1.646400
TERPINYL BUTYRATE FEMA 3049D	07	FROZN DAIRY(R)	*	0-5 MO.	.007500	.030750	.010000
				6-11 MO.	.071250	.198000	.095000
				12-23 MO.	.108000	.259500	.144000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TERPINYL BUTYRATE FEMA 3049D	07	FROZN DAIRY(R)	*	2-65+ YR.	.192000	.462750	.256000
TERPINYL BUTYRATE FEMA 3049D	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.002267
				6-11 MO.	.017600	.054400	.024933
				12-23 MO.	.028000	.074400	.039667
				2-65+ YR.	.046400	.140800	.065733
TERPINYL BUTYRATE FEMA 3049D	20	GELATIN PUD(R)	*	0-5 MO.	.008400	.011340	.011800
				6-11 MO.	.053760	.162960	.075520
				12-23 MO.	.057960	.141120	.081420
				2-65+ YR.	.085680	.220500	.120360
TERPINYL BUTYRATE FEMA 3049D	23	BEV TYPE I(R)	*	0-5 MO.	.010800	.016200	.015600
				6-11 MO.	.102150	.349650	.147550
				12-23 MO.	.243900	.731250	.352300
				2-65+ YR.	.468000	1.249650	.676000
TERPINYL BUTYRATE FEMA 3049D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
TERPINYL BUTYRATE FEMA 3049D	99	ALL CATEGORIES	*	0-5 MO.	.060033	.116290	.080467
				6-11 MO.	.481827	1.248977	.647803
				12-23 MO.	.946527	2.039403	1.271387
				2-65+ YR.	2.235113	4.447833	3.089493
TERPINYL ISOBUTYRATE FEMA 3050D	01	BAKED GOODS(R)	*	0-5 MO.	.023347	.030900	.041933
				6-11 MO.	.174413	.355693	.313267
				12-23 MO.	.374233	.616627	.672167
				2-65+ YR.	.942107	1.399427	1.692133
TERPINYL ISOBUTYRATE FEMA 3050D	07	FROZN DAIRY(R)	*	0-5 MO.	.005500	.022550	.009000
				6-11 MO.	.052250	.145200	.085500
				12-23 MO.	.079200	.185900	.129600
				2-65+ YR.	.140800	.339350	.230400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TERPINYL ISOBUTYRATE FEMA 3050D	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002067
				6-11 MO.	.011000	.034000	.022733
				12-23 MO.	.017500	.046500	.036167
				2-65+ YR.	.029000	.088000	.059933
TERPINYL ISOBUTYRATE FEMA 3050D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016260	.016000
				6-11 MO.	.076800	.232800	.102400
				12-23 MO.	.082800	.201600	.110400
				2-65+ YR.	.122400	.315000	.163200
TERPINYL ISOBUTYRATE FEMA 3050D	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.007920
				6-11 MO.	.034050	.116550	.074910
				12-23 MO.	.081300	.243750	.178860
				2-65+ YR.	.156000	.416550	.343200
TERPINYL ISOBUTYRATE FEMA 3050D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
TERPINYL ISOBUTYRATE FEMA 3050D	99	ALL CATEGORIES	*	0-5 MO.	.045447	.085050	.076920
				6-11 MO.	.348513	.884343	.598810
				12-23 MO.	.635033	1.294577	1.127193
				2-65+ YR.	1.422807	2.652727	2.586367
TERPINYL CINNAMATE FEMA 3051D	01	BAKED GOODS(R)	*	0-5 MO.	.020060	.026550	.030685
				6-11 MO.	.149860	.305620	.229235
				12-23 MO.	.321550	.529820	.491863
				2-65+ YR.	.809480	1.202420	1.238230
TERPINYL CINNAMATE FEMA 3051D	07	FROZN DAIRY(R)	*	0-5 MO.	.002600	.010660	.004333
				6-11 MO.	.024700	.068640	.041167
				12-23 MO.	.037440	.087880	.062400
				2-65+ YR.	.066560	.160420	.110933
TERPINYL CINNAMATE FEMA 3051D	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.001867

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TERPINYL CINNAMATE FEMA 3051D	16	SOFT CANDY(R)	*	6-11 MO.	.013200	.040800	.020533
				12-23 MO.	.021000	.055800	.032667
				2-65+ YR.	.034800	.105600	.054133
TERPINYL CINNAMATE FEMA 3051D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000
				6-11 MO.	.038400	.116400	.051200
				12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
TERPINYL CINNAMATE FEMA 3051D	23	BEV TYPE I(R)	*	0-5 MO.	.002000	.003000	.004400
				6-11 MO.	.018917	.064750	.041617
				12-23 MO.	.045167	.135417	.099367
				2-65+ YR.	.086667	.231417	.190667
TERPINYL CINNAMATE FEMA 3051D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
TERPINYL CINNAMATE FEMA 3051D	99	ALL CATEGORIES	*	0-5 MO.	.031860	.060310	.049285
				6-11 MO.	.245077	.596310	.383752
				12-23 MO.	.466557	.909917	.741496
				2-65+ YR.	1.091207	1.951757	1.773063
TERPINYL FORMATE FEMA 3052D	01	BAKED GOODS(R)	*	0-5 MO.	.027686	.036643	.038857
				6-11 MO.	.206829	.421800	.290286
				12-23 MO.	.443786	.731229	.622857
				2-65+ YR.	1.117200	1.659514	1.568000
TERPINYL FORMATE FEMA 3052D	07	FROZN DAIRY(R)	*	0-5 MO.	.003543	.014526	.005714
				6-11 MO.	.033657	.093531	.054286
				12-23 MO.	.051017	.119749	.082286
				2-65+ YR.	.090697	.218594	.146286
TERPINYL FORMATE FEMA 3052D	16	SOFT CANDY(R)	*	0-5 MO.	.001338	.013375	.001995
				6-11 MO.	.014713	.045475	.021945

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TERPINYL FORMATE FEMA 3052D	16	SOFT CANDY(R)	*	12-23 MO.	.023406	.062194	.034913
				2-65+ YR.	.038788	.117700	.057855
TERPINYL FORMATE FEMA 3052D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
TERPINYL FORMATE FEMA 3052D	23	BEV TYPE I(R)	*	0-5 MO.	.002571	.003857	.007886
				6-11 MO.	.024321	.083250	.074586
				12-23 MO.	.058071	.174107	.178086
				2-65+ YR.	.111429	.297536	.341714
TERPINYL FORMATE FEMA 3052D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000075	**********
				12-23 MO.	**********	.000150	**********
				2-65+ YR.	.024375	.070800	.097500
TERPINYL FORMATE FEMA 3052D	99	ALL CATEGORIES	*	0-5 MO.	.051138	.090001	.074452
				6-11 MO.	.381920	.954531	.569102
				12-23 MO.	.686681	1.356228	1.056141
				2-65+ YR.	1.545688	2.784144	2.415355
TERPINYL PROPIONATE FEMA 3053D	01	BAKED GOODS(R)	*	0-5 MO.	.030600	.040500	.042500
				6-11 MO.	.228600	.466200	.317500
				12-23 MO.	.490500	.808200	.681250
				2-65+ YR.	1.234800	1.834200	1.715000
TERPINYL PROPIONATE FEMA 3053D	07	FROZN DAIRY(R)	*	0-5 MO.	.003950	.016195	.004750
				6-11 MO.	.037525	.104280	.045125
				12-23 MO.	.056880	.133510	.068400
				2-65+ YR.	.101120	.243715	.121600
TERPINYL PROPIONATE FEMA 3053D	16	SOFT CANDY(R)	*	0-5 MO.	.001212	.012120	.001936
				6-11 MO.	.013332	.041208	.021296
				12-23 MO.	.021210	.036358	.033880

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP I(1)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TERPINYL PROPIONATE FEMA 3053D	16	SOFT CANDY(R)	*	2-65+ YR.	.035148	.106656	.056144
TERPINYL PROPIONATE FEMA 3053D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
TERPINYL PROPIONATE FEMA 3053D	23	BEV TYPE I(R)	*	0-5 MO.	.004500	.006750	.008400
				6-11 MO.	.042563	.145688	.079450
				12-23 MO.	.101625	.304688	.189700
				2-65+ YR.	.195000	.520668	.364000
TERPINYL PROPIONATE FEMA 3053D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
TERPINYL PROPIONATE FEMA 3053D	59	ALL CATEGORIES	*	0-5 MO.	.056262	.097165	.077586
				6-11 MO.	.424420	1.067876	.591371
				12-23 MO.	.780615	1.571756	1.111230
				2-65+ YR.	1.761768	3.219659	2.558244
TERPINYL ISOVALERATE FEMA 3054D	01	BAKED GOODS(R)	*	0-5 MO.	.040800	.054000	.051000
				6-11 MO.	.304800	.621600	.381000
				12-23 MO.	.654000	1.077600	.817500
				2-65+ YR.	1.646400	2.445600	2.058000
TERPINYL ISOVALERATE FEMA 3054D	07	FROZN DAIRY(R)	*	0-5 MO.	.005300	.021730	.007500
				6-11 MO.	.050350	.139920	.071250
				12-23 MO.	.076320	.179140	.108000
				2-65+ YR.	.135680	.327010	.192000
TERPINYL ISOVALERATE FEMA 3054D	16	SOFT CANDY(R)	*	0-5 MO.	.001307	.013067	.001960
				6-11 MO.	.014373	.044427	.021560
				12-23 MO.	.022867	.060760	.034300
				2-65+ YR.	.037893	.114987	.056840

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TERPINYL ISOVALERATE FEMA 3054D	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.020000
				6-11 MO.	.102400	.310400	.128000
				12-23 MO.	.110400	.268800	.138000
				2-65+ YR.	.163200	.420000	.204000
TERPINYL ISOVALERATE FEMA 3054D	23	BEV TYPE I(R)	*	0-5 MO.	.004200	.006300	.012000
				6-11 MO.	.039725	.135975	.113500
				12-23 MO.	.094850	.284375	.271000
				2-65+ YR.	.182000	.485975	.520000
TERPINYL ISOVALERATE FEMA 3054D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
TERPINYL ISOVALERATE FEMA 3054D	99	ALL CATEGORIES	*	0-5 MO.	.067607	.116697	.092460
				6-11 MO.	.511648	1.252422	.715310
				12-23 MO.	.958437	1.870875	1.368800
				2-65+ YR.	2.197673	3.887972	3.193340
TETRAHYDROFURFURYL ACETAT FEMA 3055D	01	BAKED GOODS(R)	4	0-5 MO.	.014655	.019396	.065909
				6-11 MO.	.109478	.223266	.492380
				12-23 MO.	.234904	.387052	1.056484
				2-65+ YR.	.591354	.878411	2.659626
TETRAHYDROFURFURYL ACETAT FEMA 3055D	07	FROZN DAIRY(R)	*	0-5 MO.	.008615	.035323	.014291
				6-11 MO.	.081846	.227446	.135766
				12-23 MO.	.124062	.291200	.205793
				2-65+ YR.	.220554	.531569	.365855
TETRAHYDROFURFURYL ACETAT FEMA 3055D	16	SOFT CANDY(R)	*	0-5 MO.	.000945	.009451	.003940
				6-11 MO.	.010396	.032132	.043335
				12-23 MO.	.016538	.043945	.068942
				2-65+ YR.	.027407	.083165	.114247
TETRAHYDROFURFURYL ACETAT FEMA 3055D	20	GELATIN PUD(R)	*	0-5 MO.	.009718	.013120	.019859

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TETRAHYDROFURFURYL ACETAT FEMA 3055D	20	GELATIN PUD(R)	*	6-11 MO.	.062197	.188535	.127099
				12-23 MO.	.067056	.163268	.137028
				2-65+ YR.	.099127	.255106	.202563
TETRAHYDROFURFURYL ACETAT FEMA 3055D	23	BEV TYPE I(R)	*	0-5 MO.	.007167	.010751	.014466
				6-11 MO.	.067788	.232033	.136824
				12-23 MO.	.161856	.485268	.326689
				2-65+ YR.	.310571	.829286	.626857
TETRAHYDROFURFURYL ACETAT FEMA 3055D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000283	**********
				12-23 MO.	**********	.000565	**********
				2-65+ YR.	.091845	.266773	.185727
TETRAHYDROFURFURYL ACETAT FEMA 3055D	99	ALL CATEGORIES	4	0-5 MO.	.041100	.088040	.118465
				6-11 MO.	.331705	.903695	.935404
				12-23 MO.	.604416	1.371298	1.794937
				2-65+ YR.	1.340857	2.844309	4.154876
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	03	BAKED GOODS(R)	*	0-5 MO.	.000886	.001172	.022003
				6-11 MO.	.006618	.013496	.164378
				12-23 MO.	.014200	.023397	.352700
				2-65+ YR.	.035747	.053100	.887898
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	07	FROZN DAIRY(R)	*	0-5 MO.	.000424	.001738	.001529
				6-11 MO.	.004027	.011192	.014524
				12-23 MO.	.006105	.014329	.022015
				2-65+ YR.	.010853	.026157	.039138
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	16	SOFT CANDY(R)	*	0-5 MO.	.000219	.002192	.001990
				6-11 MO.	.002412	.007454	.021894
				12-23 MO.	.003837	.010194	.034832
				2-65+ YR.	.006358	.019292	.057721
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.018000
				6-11 MO.	.038400	.116400	.115200

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	20	GELATIN PUD(R)	*	12-23 MO.	.041400	.100800	.124200
				2-65+ YR.	.061200	.157500	.183600
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	23	BEV TYPE I(R)	*	0-5 MO.	.001830	.002745	.017446
				6-11 MO.	.017309	.059246	.165012
				12-23 MO.	.041328	.123906	.393992
				2-65+ YR.	.079300	.211746	.756000
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000070	**********
				12-23 MO.	**********	.000140	**********
				2-65+ YR.	.022750	.066080	.216667
TETRAHYDROFURFURYL ALCOHO FEMA 3056D	99	ALL CATEGORIES	*	0-5 MO.	.009359	.015948	.060969
				6-11 MO.	.068766	.207859	.481007
				12-23 MO.	.106869	.272767	.927739
				2-65+ YR.	.216208	.533876	2.141024
TETRAHYDROFURFURYL BUTYRA FEMA 3057D	01	BAKED GOODS(R)	*	0-5 MO.	.045171	.059786	.065571
				6-11 MO.	.337457	.688200	.489857
				12-23 MO.	.724071	1.193057	1.051071
				2-65+ YR.	1.822800	2.707629	2.646000
TETRAHYDROFURFURYL BUTYRA FEMA 3057D	07	FRCZN DAIRY(R)	*	0-5 MO.	.005286	.021671	.011143
				6-11 MO.	.050214	.139543	.105857
				12-23 MO.	.076114	.178657	.160457
				2-65+ YR.	.135314	.326129	.285257
TETRAHYDROFURFURYL BUTYRA FEMA 3057D	16	SOFT CANDY(R)	*	0-5 MO.	.002571	.025714	.003857
				6-11 MO.	.028286	.087429	.042429
				12-23 MO.	.045000	.119571	.067500
				2-65+ YR.	.074571	.226286	.111857
TETRAHYDROFURFURYL BUTYRA FEMA 3057D	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.018000
				6-11 MO.	.038400	.116400	.115200
				12-23 MO.	.041400	.100800	.124200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TETRAHYDROFURFURYL BUTYRA							
FEMA 3057D	20	GELATIN PUD(R)	*	2-65+ YR.	.061200	.157500	.183600
TETRAHYDROFURFURYL BUTYRA							
FEMA 3057D	23	BEV TYPE I(R)	*	0-5 MO.	.002640	.003960	.005143
				6-11 MO.	.024970	.085470	.048643
				12-23 MO.	.059620	.178750	.116143
				2-65+ YR.	.114400	.305470	.222857
TETRAHYDROFURFURYL BUTYRA							
FEMA 3057D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
TETRAHYDROFURFURYL BUTYRA							
FEMA 3057D	99	ALL CATEGORIES	*	0-5 MO.	.061669	.119231	.103714
				6-11 MO.	.479327	1.117141	.801986
				12-23 MO.	.946206	1.771036	1.519371
				2-65+ YR.	2.240786	3.817413	3.514571
TETRAHYDROFURFURYL PROPIO							
FEMA 3058D	01	BAKED GOODS(R)	*	0-5 MO.	.008075	.010688	.063325
				6-11 MO.	.060325	.123025	.473075
				12-23 MO.	.129438	.213275	1.015063
				2-65+ YR.	.325850	.484025	2.555350
TETRAHYDROFURFURYL PROPIO							
FEMA 3058D	07	FROZN DAIRY(R)	*	0-5 MO.	.007750	.031775	.011500
				6-11 MO.	.073625	.204600	.109250
				12-23 MO.	.111600	.261950	.165600
				2-65+ YR.	.198400	.478175	.294400
TETRAHYDROFURFURYL PROPIO							
FEMA 3058D	16	SOFT CANDY(R)	4	0-5 MO.	.000480	.004800	.003413
				6-11 MO.	.005280	.016320	.037547
				12-23 MO.	.008400	.022320	.059733
				2-65+ YR.	.013920	.042240	.098987
TETRAHYDROFURFURYL PROPIO							
FEMA 3058D	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.019000
				6-11 MO.	.051200	.155200	.121600
				12-23 MO.	.055200	.134400	.131100
				2-65+ YR.	.081600	.210000	.193800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TETRAHYDROFURFURYL PROPIO FEMA 3058D	23	BEV TYPE I(R)	*	0-5 MO.	.004620	.006930	.009300
				6-11 MO.	.043698	.149573	.087963
				12-23 MO.	.104335	.312813	.210025
				2-65+ YR.	.200200	.534573	.403000
TETRAHYDROFURFURYL PROPIO FEMA 3058D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000221	**********
				12-23 MO.	**********	.000443	**********
				2-65+ YR.	.071964	.209029	.130000
TETRAHYDROFURFURYL PROPIO FEMA 3058D	99	ALL CATEGORIES	4	0-5 MO.	.028925	.064993	.106538
				6-11 MO.	.234128	.648939	.829434
				12-23 MO.	.408973	.945200	1.581521
				2-65+ YR.	.891934	1.958041	3.675537
TETRAHYDROPSEUDOIONONE FEMA 3059D	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.011220
				6-11 MO.	.025400	.051800	.083820
				12-23 MO.	.054500	.089800	.179850
				2-65+ YR.	.137200	.203800	.452760
TETRAHYDROPSEUDOIONONE FEMA 3059D	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.004400
				6-11 MO.	.014250	.039600	.041800
				12-23 MO.	.021600	.050700	.063360
				2-65+ YR.	.038400	.092550	.112640
TETRAHYDROPSEUDOIONONE FEMA 3059D	16	SOFT CANDY(R)	*	0-5 MO.	.000160	.001600	.000460
				6-11 MO.	.001760	.005440	.005060
				12-23 MO.	.002800	.007440	.008050
				2-65+ YR.	.004640	.014080	.013340
TETRAHYDROPSEUDOIONONE FEMA 3059D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.006600
				6-11 MO.	.012800	.038800	.042240
				12-23 MO.	.013800	.033600	.045540
				2-65+ YR.	.020400	.052500	.067320
TETRAHYDROPSEUDOIONONE FEMA 3059D	23	BEV TYPE I(R)	*	0-5 MO.	.001200	.001800	.002640

TABLE 13, PART 6 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TETRAHYDROPSEUDOIONONE FEMA 30590	23	BEV TYPE I(R)	*	6-11 MO.	.011350	.038850	.024970
				12-23 MO.	.027100	.081250	.059620
				2-65+ YR.	.052000	.138850	.114400
TETRAHYDROPSEUDOIONONE FEMA 30590	99	ALL CATEGORIES	*	0-5 MO.	.008260	.016750	.025320
				6-11 MO.	.065560	.174490	.197690
				12-23 MO.	.119800	.262790	.356420
				2-65+ YR.	.252640	.501780	.760460
TETRAHYDROLINALOOL FEMA 30600	01	BAKED GOODS(R)	*	0-5 MO.	.019550	.025875	.024140
				6-11 MO.	.146050	.297850	.160340
				12-23 MO.	.313375	.516350	.386950
				2-65+ YR.	.788900	1.171850	.974120
TETRAHYDROLINALOOL FEMA 30600	07	FROZN DAIRY(R)	*	0-5 MO.	.002450	.010045	.003800
				6-11 MO.	.023275	.064680	.036100
				12-23 MO.	.035280	.082810	.054720
				2-65+ YR.	.062720	.151165	.097280
TETRAHYDROLINALOOL FEMA 30600	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	**********
				6-11 MO.	.207000	.558000	**********
				12-23 MO.	.302000	.519000	**********
				2-65+ YR.	.784000	1.301000	**********
TETRAHYDROLINALOOL FEMA 30600	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.001600	.004400	**********
				12-23 MO.	.005600	.015200	**********
				2-65+ YR.	.017600	.042400	**********
TETRAHYDROLINALOOL FEMA 30600	16	SOFT CANDY(R)	4	0-5 MO.	.000794	.007936	.001278
				6-11 MO.	.008730	.026984	.014060
				12-23 MO.	.013889	.036904	.022368
				2-65+ YR.	.023015	.069840	.037067
TETRAHYDROLINALOOL FEMA 30600	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000
				6-11 MO.	.038400	.116400	.051200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TETRAHYDROLINALOOL FEMA 3060D	20	GELATIN PUD(R)	*	12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
TETRAHYDROLINALOOL FEMA 3060D	23	BEV TYPE I(R)	*	0-5 MO.	.002616	.003924	.006000
				6-11 MO.	.024743	.084693	.056750
				12-23 MO.	.059078	.177125	.135500
				2-65+ YR.	.113360	.302693	.260000
TETRAHYDROLINALOOL FEMA 3060D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000136	**********
				12-23 MO.	**********	.000271	**********
				2-65+ YR.	.044107	.128114	.106786
TETRAHYDROLINALOOL FEMA 3060D	59	ALL CATEGORIES	5	0-5 MO.	.042410	.085080	.043218
				6-11 MO.	.449798	1.153142	.338450
				12-23 MO.	.770622	1.448461	.654738
				2-65+ YR.	1.894903	3.324562	1.556853
TETRAMETHYL-ET-CYCLOHEXEN FEMA 3061D	01	BAKED GOODS(R)	*	0-5 MO.	.010236	.013548	.101459
				6-11 MO.	.076470	.155950	.757955
				12-23 MO.	.164079	.270353	1.626322
				2-65+ YR.	.413057	.613564	4.094153
TETRAMETHYL-ET-CYCLOHEXEN FEMA 3061D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.030000
				6-11 MO.	.028500	.079200	.285000
				12-23 MO.	.043200	.101400	.432000
				2-65+ YR.	.076800	.185100	.768000
TETRAMETHYL-ET-CYCLOHEXEN FEMA 3061D	16	SOFT CANDY(R)	*	0-5 MO.	.000300	.003000	.003000
				6-11 MO.	.003300	.010200	.033000
				12-23 MO.	.005250	.013950	.052500
				2-65+ YR.	.008700	.026400	.087000
TETRAMETHYL-ET-CYCLOHEXEN FEMA 3061D	23	BEV TYPE I(R)	*	0-5 MO.	.001200	.001800	.012000
				6-11 MO.	.011350	.038850	.113500
				12-23 MO.	.027100	.081250	.271000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TETRAMETHYL-ET-CYCLOHEXEN FEMA 3061D	23	BEV TYPE I(R)	*	2-65+ YR.	.052000	.138850	.520000
TETRAMETHYL-ET-CYCLOHEXEN FEMA 3061D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000017	.000017	.000017
				12-23 MO.	.000017	.000051	.000017
				2-65+ YR.	.000034	.000068	.000034
TETRAMETHYL-ET-CYCLOHEXEN FEMA 3061D	99	ALL CATEGORIES	*	0-5 MO.	.014736	.030648	.146459
				6-11 MO.	.119637	.284217	1.189472
				12-23 MO.	.239646	.467004	2.381839
				2-65+ YR.	.550591	.963982	5.469187
2-THIENYL MERCAPTAN FEMA 3062D	01	BAKED GOODS(R)	*	0-5 MO.	.002335	.003090	.004624
				6-11 MO.	.017441	.035569	.034544
				12-23 MO.	.037423	.061663	.074120
				2-65+ YR.	.094211	.139943	.186592
2-THIENYL MERCAPTAN FEMA 3062D	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.003500
				6-11 MO.	.014250	.039600	.033250
				12-23 MO.	.021600	.050700	.050400
				2-65+ YR.	.038400	.092550	.089600
2-THIENYL MERCAPTAN FEMA 3062D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
2-THIENYL MERCAPTAN FEMA 3062D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
2-THIENYL MERCAPTAN FEMA 3062D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FDCO CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-THIENYL MERCAPTAN FEMA 30620	99	ALL CATEGORIES	*	0-5 MO.	.008435	.017540	.017324
				6-11 MO.	.069391	.198469	.143194
				12-23 MO.	.130523	.317763	.267520
				2-65+ YR.	.262811	.580293	.536592
THYMOL FEMA 30660	01	BAKED GOODS(R)	7	0-5 MO.	.058983	.078066	.079024
				6-11 MO.	.440641	.898630	.590355
				12-23 MO.	.945470	1.557857	1.266706
				2-65+ YR.	2.380156	3.535538	3.188845
THYMOL FEMA 30660	07	FROZN DAIRY(R)	5	0-5 MO.	.010704	.043885	.014940
				6-11 MO.	.101685	.282578	.141928
				12-23 MO.	.154133	.361785	.215133
				2-65+ YR.	.274015	.660419	.382459
THYMOL FEMA 30660	16	SOFT CANDY(R)	9	0-5 MO.	.002142	.021425	.003136
				6-11 MO.	.023567	.072843	.034501
				12-23 MO.	.037493	.099624	.054887
				2-65+ YR.	.062131	.188536	.090956
THYMOL FEMA 30660	20	GELATIN PUD(R)	5	0-5 MO.	.031242	.042177	.038763
				6-11 MO.	.199950	.606100	.248082
				12-23 MO.	.215572	.524870	.267464
				2-65+ YR.	.318671	.820109	.395381
THYMOL FEMA 30660	23	BEV TYPE I(R)	5	0-5 MO.	.009090	.013635	.014248
				6-11 MO.	.085975	.294285	.134762
				12-23 MO.	.205280	.615461	.321767
				2-65+ YR.	.393895	1.051775	.617413
THYMOL FEMA 30660	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000213	**********
				12-23 MO.	**********	.000425	**********
				2-65+ YR.	.069078	.200646	.187990
THYMOL FEMA 30660	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
THYMOL FEMA 3066D	30	HARD CANDY(R)	*	6-11 MO.	.007805	.023415	.007805
				12-23 MO.	.023415	.070245	.023415
				2-65+ YR.	.046830	.132685	.046830
THYMOL FEMA 3066D	59	ALL CATEGORIES	12	0-5 MO.	.112162	.199186	.150111
				6-11 MO.	.859624	2.178064	1.157433
				12-23 MO.	1.581363	3.230267	2.149372
				2-65+ YR.	3.544776	6.589708	4.909875
TOLUALD. GLYCERYL ACETAL FEMA 3067D	01	BAKED GOODS(R)	*	0-5 MO.	.062171	.082286	.084029
				6-11 MO.	.464457	.947200	.627743
				12-23 MO.	.996571	1.642057	1.346929
				2-65+ YR.	2.508800	3.726629	3.390800
TOLUALD. GLYCERYL ACETAL FEMA 3067D	07	FROZN DAIRY(R)	*	0-5 MO.	.010500	.043050	.013000
				6-11 MO.	.099750	.277200	.123500
				12-23 MO.	.151200	.354900	.187200
				2-65+ YR.	.268800	.647850	.332800
TOLUALD. GLYCERYL ACETAL FEMA 3067D	16	SOFT CANDY(R)	*	0-5 MO.	.003171	.031714	.004400
				6-11 MO.	.034886	.107829	.048400
				12-23 MO.	.055500	.147471	.077000
				2-65+ YR.	.091971	.279086	.127600
TOLUALD. GLYCERYL ACETAL FEMA 3067D	20	GELATIN PUD(R)	*	0-5 MO.	.026857	.036257	.038000
				6-11 MO.	.171886	.521029	.243200
				12-23 MO.	.185314	.451200	.262200
				2-65+ YR.	.273943	.705000	.387600
TOLUALD. GLYCERYL ACETAL FEMA 3067D	23	BEV TYPE I(R)	*	0-5 MO.	.027600	.041400	.057600
				6-11 MO.	.261050	.893550	.544800
				12-23 MO.	.623300	1.868750	1.300800
				2-65+ YR.	1.196000	3.193550	2.496000
TOLUALD. GLYCERYL ACETAL FEMA 3067D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TOLUALD. GLYCERYL ACETAL FEMA 3067D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	1.137500
TOLUALD. GLYCERYL ACETAL FEMA 3067D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000075	.000225	.000075
				12-23 MO.	.000225	.000675	.000225
				2-65+ YR.	.000450	.001275	.000450
TOLUALD. GLYCERYL ACETAL FEMA 3067D	99	ALL CATEGORIES	4	0-5 MO.	.130300	.234707	.197029
				6-11 MO.	1.032104	2.748032	1.587718
				12-23 MO.	2.012111	4.467054	3.174354
				2-65+ YR.	4.664964	9.497389	7.872750
TOLUALDEHYDES FEMA 3068D	01	BAKED GOODS(R)	18	0-5 MO.	.087776	.116174	.114119
				6-11 MO.	.655736	1.337289	.852539
				12-23 MO.	1.406994	2.318312	1.829266
				2-65+ YR.	3.542009	5.261381	4.605051
TOLUALDEHYDES FEMA 3068D	07	FROZN DAIRY(R)	14	0-5 MO.	.015035	.061642	.017742
				6-11 MO.	.142829	.396915	.168548
				12-23 MO.	.216499	.508171	.255483
				2-65+ YR.	.384887	.927638	.454191
TOLUALDEHYDES FEMA 3068D	16	SOFT CANDY(R)	16	0-5 MO.	.004551	.045507	.005927
				6-11 MO.	.050058	.154725	.065200
				12-23 MO.	.079638	.211610	.103728
				2-65+ YR.	.131972	.400466	.171892
TOLUALDEHYDES FEMA 3068D	20	GELATIN PUD(R)	13	0-5 MO.	.030803	.041584	.037298
				6-11 MO.	.197139	.597576	.238707
				12-23 MO.	.212540	.517489	.257356
				2-65+ YR.	.314190	.808576	.380439
TOLUALDEHYDES FEMA 3068D	23	BEV TYPE I(R)	22	0-5 MO.	.023775	.035662	.031895
				6-11 MO.	.224869	.769706	.301675
				12-23 MO.	.536912	1.609745	.720299

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TOLUALDEHYDES FEMA 3068D	23	BEV TYPE I(R)	22	2-65+ YR.	1.030237	2.750931	1.382124
TOLUALDEHYDES FEMA 3068D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000623	**********
				12-23 MO.	**********	.001245	**********
				2-65+ YR.	.202383	.587846	.412871
TOLUALDEHYDES FEMA 3068D	30	HARD CANDY(R)	13	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005626	.016878	.011020
				12-23 MO.	.016878	.050634	.033060
				2-65+ YR.	.033756	.095642	.066120
TOLUALDEHYDES FEMA 3068D	31	CHEWING GUM(R)	6	0-5 MO.	**********	**********	**********
				6-11 MO.	.038709	.038709	.065763
				12-23 MO.	.038709	.116127	.065763
				2-65+ YR.	.077418	.154836	.131526
TOLUALDEHYDES FEMA 3068D	99	ALL CATEGORIES	44	0-5 MO.	.161939	.300569	.206982
				6-11 MO.	1.314966	3.312421	1.703451
				12-23 MO.	2.508170	5.333334	3.264954
				2-65+ YR.	5.716852	10.987316	7.604213
P-TOLYLACETALDEHYDE FEMA 3071D	01	BAKED GOODS(R)	7	0-5 MO.	.010483	.013875	.021973
				6-11 MO.	.078317	.159717	.164148
				12-23 MO.	.168042	.276883	.352206
				2-65+ YR.	.423033	.628383	.886655
P-TOLYLACETALDEHYDE FEMA 3071D	07	FROZN DAIRY(R)	6	0-5 MO.	.001844	.007562	.003317
				6-11 MO.	.017521	.048691	.031515
				12-23 MO.	.026559	.062339	.047770
				2-65+ YR.	.047215	.113796	.084925
P-TOLYLACETALDEHYDE FEMA 3071D	16	SOFT CANDY(R)	7	0-5 MO.	.000619	.006187	.001400
				6-11 MO.	.006805	.021035	.015395
				12-23 MO.	.010827	.028768	.024491
				2-65+ YR.	.017941	.054443	.040586

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
Pa-TOLYLACETALDEHYDE FEMA 3071D	20	GELATIN PUD(R)	4	0-5 MO.	.002608	.003521	.004921
				6-11 MO.	.016691	.050593	.031495
				12-23 MO.	.017994	.043813	.033955
				2-65+ YR.	.026601	.068457	.050195
Pa-TOLYLACETALDEHYDE FEMA 3071D	23	BEV TYPE I(R)	4	0-5 MO.	.002594	.003891	.005040
				6-11 MO.	.024538	.083990	.047670
				12-23 MO.	.058588	.175655	.113820
				2-65+ YR.	.112419	.300180	.218400
Pa-TOLYLACETALDEHYDE FEMA 3071D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000250	**********
				12-23 MO.	**********	.000500	**********
				2-65+ YR.	.081250	.236000	.178750
Pa-TOLYLACETALDEHYDE FEMA 3071D	99	ALL CATEGORIES	8	0-5 MO.	.018149	.035036	.036650
				6-11 MO.	.143871	.364275	.290222
				12-23 MO.	.282009	.587958	.572243
				2-65+ YR.	.708459	1.401260	1.459510
Oa-TOLYL ACETATE FEMA 3072D	01	BAKED GOODS(R)	5	0-5 MO.	.077903	.103107	.148259
				6-11 MO.	.581982	1.186077	1.107583
				12-23 MO.	1.248741	2.057558	2.376507
				2-65+ YR.	3.143619	4.669603	5.982693
Oa-TOLYL ACETATE FEMA 3072D	07	FROZN DAIRY(R)	4	0-5 MO.	.003657	.014994	.006969
				6-11 MO.	.034743	.096549	.066201
				12-23 MO.	.052663	.123611	.100347
				2-65+ YR.	.093623	.225646	.178395
Oa-TOLYL ACETATE FEMA 3072D	16	SOFT CANDY(R)	4	0-5 MO.	.004595	.045949	.008851
				6-11 MO.	.050543	.156225	.097366
				12-23 MO.	.080410	.213661	.154900
				2-65+ YR.	.133251	.404347	.256691
Oa-TOLYL ACETATE FEMA 3072D	20	GELATIN PUD(R)	4	0-5 MO.	.009291	.012543	.018406

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
LA-TOLYL ACETATE FEMA 3072D	20	GELATIN PUD(R)	4	6-11 MO.	.059465	.180254	.117797
				12-23 MO.	.064111	.156096	.126999
				2-65+ YR.	.094773	.243900	.187738
OA-TOLYL ACETATE FEMA 3072D	23	BEV TYPE I(R)	4	0-5 MO.	.006330	.009495	.011907
				6-11 MO.	.059870	.204928	.112624
				12-23 MO.	.142949	.428582	.268909
				2-65+ YR.	.274293	.732414	.515989
OA-TOLYL ACETATE FEMA 3072D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000527	**********
				12-23 MO.	**********	.001054	**********
				2-65+ YR.	.171258	.497439	.334602
OA-TOLYL ACETATE FEMA 3072D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000241	.000723	.003203
				12-23 MO.	.000723	.002169	.009609
				2-65+ YR.	.001446	.004097	.019218
OA-TOLYL ACETATE FEMA 3072D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.002288	.002288	.002288
				12-23 MO.	.002288	.006864	.002288
				2-65+ YR.	.004576	.009152	.004576
OA-TOLYL ACETATE FEMA 3072D	99	ALL CATEGORIES	14	0-5 MO.	.101776	.186088	.194392
				6-11 MO.	.789132	1.828370	1.507062
				12-23 MO.	1.591884	2.989596	3.039560
				2-65+ YR.	3.916838	6.786599	7.479903
PA-TOLYL ACETATE FEMA 3073D	01	BAKED GOODS(R)	8	0-5 MO.	.045563	.060303	.093280
				6-11 MO.	.340379	.694159	.696857
				12-23 MO.	.730341	1.203388	1.495225
				2-65+ YR.	1.838584	2.731075	3.764126
PA-TOLYL ACETATE FEMA 3073D	07	FROZN DAIRY(R)	6	0-5 MO.	.002413	.009892	.005869
				6-11 MO.	.022920	.063694	.055753

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PA-TOLYL ACETATE FEMA 3073D	07	FROZN DAIRY(R)	6	12-23 MO.	.034742	.061548	.084510
				2-65+ YR.	.061764	.148860	.150241
PA-TOLYL ACETATE FEMA 3073D	16	SOFT CANDY(R)	7	0-5 MO.	.002695	.026953	.005556
				6-11 MO.	.029649	.091641	.061115
				12-23 MO.	.047168	.125333	.097228
				2-65+ YR.	.078164	.237188	.161121
PA-TOLYL ACETATE FEMA 3073D	20	GELATIN PUD(R)	5	0-5 MO.	.006797	.009177	.015858
				6-11 MO.	.043504	.131871	.101491
				12-23 MO.	.046903	.114198	.109420
				2-65+ YR.	.069334	.178434	.161751
PA-TOLYL ACETATE FEMA 3073D	23	BEV TYPE I(R)	9	0-5 MO.	.004214	.006321	.011607
				6-11 MO.	.039859	.136432	.109787
				12-23 MO.	.095169	.285331	.262135
				2-65+ YR.	.182612	.487610	.502989
PA-TOLYL ACETATE FEMA 3073D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000557	**********
				12-23 MO.	**********	.001114	**********
				2-65+ YR.	.180980	.525678	.362598
PA-TOLYL ACETATE FEMA 3073D	20	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000848	.002544	.004393
				12-23 MO.	.002544	.007632	.013179
				2-65+ YR.	.005088	.014416	.026358
PA-TOLYL ACETATE FEMA 3073D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.010512	.010512	.010700
				12-23 MO.	.010512	.031536	.010700
				2-65+ YR.	.021024	.042048	.021400
PA-TOLYL ACETATE FEMA 3073D	99	ALL CATEGORIES	15	0-5 MO.	.061682	.112646	.132170
				6-11 MO.	.487671	1.131411	1.040096
				12-23 MO.	.967379	1.850079	2.072397

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
P-TOLYL ACETATE FEMA 3073D	99	ALL CATEGORIES	15	2-65+ YR.	2.437551	4.365310	5.150583
4-P-TOLYL BUTANONE-2 FEMA 3074D	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.011900
				6-11 MO.	.050800	.103600	.086900
				12-23 MO.	.109000	.179600	.190750
				2-65+ YR.	.274400	.407600	.480200
4-P-TOLYL BUTANONE-2 FEMA 3074D	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000800
				6-11 MO.	.004400	.013600	.008800
				12-23 MO.	.007000	.018600	.014000
				2-65+ YR.	.011600	.035200	.023200
4-P-TOLYL BUTANONE-2 FEMA 3074D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	**********
				6-11 MO.	.022700	.077700	**********
				12-23 MO.	.054200	.162500	**********
				2-65+ YR.	.104000	.277700	**********
4-P-TOLYL BUTANONE-2 FEMA 3074D	99	ALL CATEGORIES	*	0-5 MO.	.009600	.016600	.012700
				6-11 MO.	.077900	.194900	.097700
				12-23 MO.	.170200	.360700	.204750
				2-65+ YR.	.390000	.720500	.503400
P-TOLYL ISOBUTYRATE FEMA 3075D	01	BAKED GOODS(R)	*	0-5 MO.	.014620	.019350	.031875
				6-11 MO.	.109220	.222740	.238125
				12-23 MO.	.234350	.386140	.510938
				2-65+ YR.	.589960	.876340	1.286250
P-TOLYL ISOBUTYRATE FEMA 3075D	07	FROZN DAIRY(R)	*	0-5 MO.	.002733	.011207	.003800
				6-11 MO.	.025967	.072160	.036100
				12-23 MO.	.039360	.092387	.054720
				2-65+ YR.	.069973	.168647	.097280
P-TOLYL ISOBUTYRATE FEMA 3075D	16	SOFT CANDY(R)	*	0-5 MO.	.000815	.008150	.001675
				6-11 MO.	.008965	.027710	.018425
				12-23 MO.	.014263	.037898	.029313
				2-65+ YR.	.023635	.071720	.048575

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PA-TOLYL ISOBUTYRATE FEMA 3075D	20	GELATIN PUD(R)	*	0-5 MO.	.014000	.018900	.018000
				6-11 MO.	.089600	.271600	.115200
				12-23 MO.	.096600	.235200	.124200
				2-65+ YR.	.142800	.367500	.183600
PA-TOLYL ISOBUTYRATE FEMA 3075D	23	BEV TYPE I(R)	*	0-5 MO.	.005840	.008760	.012800
				6-11 MO.	.055237	.189070	.121067
				12-23 MO.	.131887	.395417	.289067
				2-65+ YR.	.253067	.675737	.554667
PA-TOLYL ISOBUTYRATE FEMA 3075D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000020	**********
				12-23 MO.	**********	.000040	**********
				2-65+ YR.	.006500	.018880	.178750
PA-TOLYL ISOBUTYRATE FEMA 3075D	99	ALL CATEGORIES	*	0-5 MO.	.038008	.066367	.068150
				6-11 MO.	.289988	.783300	.528917
				12-23 MO.	.516459	1.147081	1.008237
				2-65+ YR.	1.085935	2.178823	2.349122
PA-TOLYL LAURATE FEMA 3076D	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.027200
				6-11 MO.	.127000	.259000	.203200
				12-23 MO.	.272500	.449000	.436000
				2-65+ YR.	.686000	1.019000	1.097600
PA-TOLYL LAURATE FEMA 3076D	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.006000
				6-11 MO.	.028500	.079200	.057000
				12-23 MO.	.043200	.101400	.086400
				2-65+ YR.	.076800	.185100	.153600
PA-TOLYL LAURATE FEMA 3076D	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.001800
				6-11 MO.	.011000	.034000	.019800
				12-23 MO.	.017500	.046500	.031500
				2-65+ YR.	.029000	.088000	.052200
PA-TOLYL LAURATE FEMA 3076D	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.012000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
Pa-TOLYL LAURATE FEMA 30760	20	GELATIN PUD(R)	*	6-11 MO.	.051200	.155200	.076800
				12-23 MO.	.055200	.134400	.082800
				2-65+ YR.	.081600	.210000	.122400
Pa-TOLYL LAURATE FEMA 30760	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.012000
				6-11 MO.	.068100	.233100	.113500
				12-23 MO.	.162600	.487500	.271000
				2-65+ YR.	.312000	.833100	.520000
Pa-TOLYL LAURATE FEMA 30760	99	ALL CATEGORIES	*	0-5 MO.	.036200	.066400	.059000
				6-11 MO.	.285800	.760500	.470300
				12-23 MO.	.551000	1.216800	.907700
				2-65+ YR.	1.185400	2.335200	1.945800
Pa-TOLYL PHENYLACETATE FEMA 30770	01	BAKED GOODS(R)	4	0-5 MO.	.024310	.032175	.031578
				6-11 MO.	.181610	.370370	.235903
				12-23 MO.	.389675	.642070	.506169
				2-65+ YR.	.980980	1.457170	1.274245
Pa-TOLYL PHENYLACETATE FEMA 30770	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000270
				12-23 MO.	.000780	.002220	.000780
				2-65+ YR.	.000940	.002360	.000940
Pa-TOLYL PHENYLACETATE FEMA 30770	07	FROZN DAIRY(R)	*	0-5 MO.	.002133	.008747	.003180
				6-11 MO.	.020267	.056320	.030210
				12-23 MO.	.030720	.072107	.045792
				2-65+ YR.	.054613	.131627	.081408
Pa-TOLYL PHENYLACETATE FEMA 30770	16	SOFT CANDY(R)	*	0-5 MO.	.001567	.015667	.002183
				6-11 MO.	.017233	.053267	.024017
				12-23 MO.	.027417	.072850	.038208
				2-65+ YR.	.045433	.137867	.063317
Pa-TOLYL PHENYLACETATE FEMA 30770	20	GELATIN PUD(R)	*	0-5 MO.	.012050	.016268	.015050
				6-11 MO.	.077120	.233770	.096320

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PA-TOLYL PHENYLACETATE FEMA 3077D	20	GELATIN PUD(R)	*	12-23 MO.	.083145	.202440	.103845
				2-65+ YR.	.122910	.316313	.153510
PA-TOLYL PHENYLACETATE FEMA 3077D	23	BEV TYPE I(R)	4	0-5 MO.	.005010	.007515	.010440
				6-11 MO.	.047386	.162199	.098745
				12-23 MO.	.113143	.339219	.235770
				2-65+ YR.	.217100	.579699	.452400
PA-TOLYL PHENYLACETATE FEMA 3077D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000125	**********
				12-23 MO.	**********	.000250	**********
				2-65+ YR.	.040625	.118000	.095875
PA-TOLYL PHENYLACETATE FEMA 3077D	99	ALL CATEGORIES	5	0-5 MO.	.045070	.080381	.062431
				6-11 MO.	.343886	.877020	.485464
				12-23 MO.	.644879	1.331155	.930564
				2-65+ YR.	1.462602	2.743035	2.121695
2-PA-TOLYL PROPIONALDEHYD FEMA 3078D	01	BAKED GOODS(R)	*	0-5 MO.	.004352	.005760	.008840
				6-11 MO.	.032512	.066304	.066040
				12-23 MO.	.069760	.114944	.141700
				2-65+ YR.	.175616	.260864	.356720
2-PA-TOLYL PROPIONALDEHYD FEMA 3078D	07	FROZN DAIRY(R)	*	0-5 MO.	.000680	.002788	.001400
				6-11 MO.	.006460	.017952	.013300
				12-23 MO.	.009792	.022984	.020160
				2-65+ YR.	.017408	.041956	.035840
2-PA-TOLYL PROPIONALDEHYD FEMA 3078D	16	SOFT CANDY(R)	*	0-5 MO.	.000136	.001360	.000400
				6-11 MO.	.001496	.004624	.004400
				12-23 MO.	.002380	.006324	.007000
				2-65+ YR.	.003944	.011968	.011600
2-PA-TOLYL PROPIONALDEHYD FEMA 3078D	20	GELATIN PUD(R)	*	0-5 MO.	.001360	.001836	.002800
				6-11 MO.	.008704	.026384	.017920
				12-23 MO.	.009384	.022848	.019320

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-P-TOLYL PROPIONALDEHYD FEMA 3078D	20	GELATIN PUD(R)	*	2-65+ YR.	.013872	.035700	.028560
2-P-TOLYL PROPIONALDEHYD FEMA 3078C	23	BEV TYPE I(R)	*	0-5 MO.	.001920	.002880	.003900
				6-11 MO.	.018160	.062160	.036888
				12-23 MO.	.043360	.130000	.088075
				2-65+ YR.	.083200	.222160	.169000
2-P-TOLYL PROPIONALDEHYD FEMA 3078D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000020	**********
				12-23 MO.	**********	.000040	**********
				2-65+ YR.	.006500	.018880	.016250
2-P-TOLYL PROPIONALDEHYD FEMA 3078D	99	ALL CATEGORIES	*	0-5 MO.	.008448	.014624	.017340
				6-11 MO.	.067332	.177444	.138548
				12-23 MO.	.134676	.297140	.276255
				2-65+ YR.	.300540	.591528	.617970
TRIBUTYL ACETYLCITRATE FEMA 3080D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	**********
				6-11 MO.	.022700	.077700	**********
				12-23 MO.	.054200	.162500	**********
				2-65+ YR.	.104000	.277700	**********
TRIBUTYL ACETYLCITRATE FEMA 3080D	99	ALL CATEGORIES	*	0-5 MO.	.002400	.003600	**********
				6-11 MO.	.022700	.077700	**********
				12-23 MO.	.054200	.162500	**********
				2-65+ YR.	.104000	.277700	**********
2-TRIDECENAL FEMA 3082D	01	BAKED GOODS(R)	*	0-5 MO.	.004301	.005693	.007820
				6-11 MO.	.032131	.065527	.058420
				12-23 MO.	.068943	.113597	.125350
				2-65+ YR.	.173558	.257807	.315560
2-TRIDECENAL FEMA 3082D	07	FROZN DAIRY(R)	*	0-5 MO.	.000030	.000123	.000600
				6-11 MO.	.000285	.000792	.005700
				12-23 MO.	.000432	.001014	.008640
				2-65+ YR.	.000768	.001851	.015360

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-TRIDECENAL FEMA 30820	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000700
				6-11 MO.	.004400	.013600	.007700
				12-23 MO.	.007000	.018600	.012250
				2-65+ YR.	.011600	.035200	.020300
2-TRIDECENAL FEMA 30820	20	GELATIN PUD(R)	*	0-5 MO.	.003200	.004320	.004400
				6-11 MO.	.020480	.062080	.028160
				12-23 MO.	.022080	.053760	.030360
				2-65+ YR.	.032640	.084000	.044880
2-TRIDECENAL FEMA 30820	23	BEV TYPE I(R)	*	0-5 MO.	.000024	.000036	.002400
				6-11 MO.	.000227	.000777	.022700
				12-23 MO.	.000542	.001625	.054200
				2-65+ YR.	.001040	.002777	.104000
2-TRIDECENAL FEMA 30820	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000072	.000216	.000072
				12-23 MO.	.000216	.000648	.000216
				2-65+ YR.	.000432	.001224	.000432
2-TRIDECENAL FEMA 30820	59	ALL CATEGORIES	*	0-5 MO.	.007955	.014172	.015920
				6-11 MO.	.057595	.142992	.122752
				12-23 MO.	.099213	.189244	.231016
				2-65+ YR.	.220038	.382859	.500532
2,3-UNDECADIONE FEMA 30900	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.011900
				6-11 MO.	.025400	.051800	.088900
				12-23 MO.	.054500	.089800	.190750
				2-65+ YR.	.137200	.203800	.480200
2,3-UNDECADIONE FEMA 30900	99	ALL CATEGORIES	*	0-5 MO.	.003400	.004500	.011900
				6-11 MO.	.025400	.051800	.088900
				12-23 MO.	.054500	.089800	.190750
				2-65+ YR.	.137200	.203800	.480200
G8-UNDECALACTONE FEMA 30910	01	BAKED GOODS(R)	19	0-5 MO.	.035350	.046787	.053468

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
G&-UNDECALACTONE FEMA 3091D	01	BAKED GOODS(R)	19	6-11 MO.	.264089	.538575	.399435
				12-23 MO.	.566647	.933668	.857056
				2-65+ YR.	1.426495	2.118949	2.157579
G&-UNDECALACTONE FEMA 3091D	07	FROZN DAIRY(R)	20	0-5 MO.	.003314	.013589	.007197
				6-11 MO.	.031488	.087503	.068373
				12-23 MO.	.047729	.112030	.103640
				2-65+ YR.	.084851	.204504	.184248
G&-UNDECALACTONE FEMA 3091D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
G&-UNDECALACTONE FEMA 3091D	16	SOFT CANDY(R)	20	0-5 MO.	.001955	.019550	.003305
				6-11 MO.	.021505	.066470	.036357
				12-23 MO.	.034212	.090907	.057840
				2-65+ YR.	.056695	.172039	.095849
G&-UNDECALACTONE FEMA 3091D	20	GELATIN PUD(R)	15	0-5 MO.	.010534	.014221	.019748
				6-11 MO.	.067419	.204364	.126387
				12-23 MO.	.072686	.176975	.136261
				2-65+ YR.	.107449	.276524	.201430
G&-UNDECALACTONE FEMA 3091D	23	BEV TYPE I(R)	23	0-5 MO.	.007804	.011706	.014936
				6-11 MO.	.073815	.252662	.141273
				12-23 MO.	.176245	.528411	.337312
				2-65+ YR.	.338183	.903013	.647241
G&-UNDECALACTONE FEMA 3091D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000356	**********
				12-23 MO.	**********	.000712	**********
				2-65+ YR.	.115627	.335853	.183940
G&-UNDECALACTONE FEMA 3091D	30	HARD CANDY(R)	14	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000100	.000300	.001134

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
G6-UNDECALACTONE FEMA 3091D	30	HARD CANDY(R)	14	12-23 MO.	.000300	.000900	.003402
				2-65+ YR.	.000600	.001700	.006804
G6-UNDECALACTONE FEMA 3091D	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********
				6-11 MO.	.002084	.002084	.017498
				12-23 MO.	.002084	.006252	.017498
				2-65+ YR.	.004168	.008336	.034996
G6-UNDECALACTONE FEMA 3091D	99	ALL CATEGORIES	54	0-5 MO.	.059068	.106144	.098764
				6-11 MO.	.462569	1.157893	.792527
				12-23 MO.	.902924	1.855044	1.516029
				2-65+ YR.	2.141908	4.033928	3.519927
UNDECANAL FEMA 3092D	C1	BAKED GOODS(R)	7	0-5 MO.	.031419	.041584	.051242
				6-11 MO.	.234720	.478680	.382805
				12-23 MO.	.503631	.829836	.821374
				2-65+ YR.	1.267856	1.883302	2.067752
UNDECANAL FEMA 3092D	C7	FROZN DAIRY(R)	5	0-5 MO.	.003058	.012540	.004453
				6-11 MO.	.029055	.080742	.042303
				12-23 MO.	.044041	.103374	.064122
				2-65+ YR.	.078295	.188704	.113995
UNDECANAL FEMA 3092D	10	MEAT PRODS(R)	*	0-5 MO.	.000143	.000377	**********
				6-11 MO.	.002691	.007254	**********
				12-23 MO.	.003926	.006747	**********
				2-65+ YR.	.010192	.016913	**********
UNDECANAL FEMA 3092D	16	SOFT CANDY(R)	7	0-5 MO.	.001392	.013916	.002557
				6-11 MO.	.015308	.047315	.028130
				12-23 MO.	.024353	.064710	.044752
				2-65+ YR.	.040357	.122461	.074160
UNDECANAL FEMA 3092D	20	GELATIN PUD(R)	5	0-5 MO.	.004668	.006301	.009764
				6-11 MO.	.029873	.090552	.062487
				12-23 MO.	.032207	.078416	.067369

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
UNDECANAL FEMA 3092D	20	GELATIN PUD(R)	5	2-65+ YR.	.047610	.122526	.099589
UNDECANAL FEMA 3092D	23	BEV TYPE I(R)	9	0-5 MO.	.002456	.003684	.005044
				6-11 MO.	.023230	.079513	.047705
				12-23 MO.	.055465	.166292	.113903
				2-65+ YR.	.106427	.284180	.218559
UNDECANAL FEMA 3092D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
UNDECANAL FEMA 3092D	59	ALL CATEGORIES	10	0-5 MO.	.043136	.078402	.073059
				6-11 MO.	.334876	.784066	.563430
				12-23 MO.	.663622	1.249395	1.111519
				2-65+ YR.	1.553986	2.627526	2.577305
2-UNDECANONE FEMA 3093D	CL	BAKED GOODS(R)	10	0-5 MO.	.022950	.030375	.026851
				6-11 MO.	.171450	.349650	.200595
				12-23 MO.	.367875	.606150	.430410
				2-65+ YR.	.926100	1.375650	1.083528
2-UNDECANONE FEMA 3093D	07	FROZN DAIRY(R)	4	0-5 MO.	.001951	.007998	.002159
				6-11 MO.	.018532	.051500	.020513
				12-23 MO.	.028091	.065936	.031093
				2-65+ YR.	.049940	.120362	.055276
2-UNDECANONE FEMA 3093D	16	SOFT CANDY(R)	5	0-5 MO.	.000849	.008486	.001697
				6-11 MO.	.009335	.028854	.018670
				12-23 MO.	.014851	.039462	.029703
				2-65+ YR.	.024611	.074681	.049222
2-UNDECANONE FEMA 3093D	20	GELATIN PUD(R)	4	0-5 MO.	.005125	.006919	.010625
				6-11 MO.	.032800	.099425	.068000
				12-23 MO.	.035363	.086100	.073313
				2-65+ YR.	.052275	.134531	.108375

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-UNDECANONE FEMA 30930	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000175	**********
				6-11 MO.	.000700	.001925	.001200
				12-23 MO.	.001925	.005425	.003300
				2-65+ YR.	.002275	.006475	.003900
2-UNDECANONE FEMA 30930	23	BEV TYPE I(R)	5	0-5 MO.	.010531	.015797	.015282
				6-11 MO.	.099607	.340945	.144538
				12-23 MO.	.237828	.713044	.345108
				2-65+ YR.	.456348	1.218537	.662200
2-UNDECANONE FEMA 30930	99	ALL CATEGORIES	12	0-5 MO.	.041406	.069750	.056614
				6-11 MO.	.332424	.872299	.453516
				12-23 MO.	.685933	1.516117	.912926
				2-65+ YR.	1.511549	2.930237	1.982501
9-UNDECENAL FEMA 30940	01	BAKED GOODS(R)	*	0-5 MO.	.021165	.028013	.026605
				6-11 MO.	.158115	.322455	.198755
				12-23 MO.	.339263	.559005	.426463
				2-65+ YR.	.854070	1.268655	1.073590
9-UNDECENAL FEMA 30940	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.009000
				6-11 MO.	.066500	.184800	.085500
				12-23 MO.	.100800	.236600	.129600
				2-65+ YR.	.179200	.431900	.230400
9-UNDECENAL FEMA 30940	16	SOFT CANDY(R)	*	0-5 MO.	.001120	.011200	.001460
				6-11 MO.	.012320	.038080	.016060
				12-23 MO.	.019600	.052080	.025550
				2-65+ YR.	.032480	.098560	.042340
9-UNDECENAL FEMA 30940	20	GELATIN PUD(R)	*	0-5 MO.	.001800	.002430	.002600
				6-11 MO.	.011520	.034920	.016640
				12-23 MO.	.012420	.030240	.017940
				2-65+ YR.	.018360	.047250	.026520
9-UNDECENAL FEMA 30940	23	BEV TYPE I(R)	*	0-5 MO.	.018600	.027900	.024000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
9-UNDECENAL FEMA 3094D	23	BEV TYPE I(R)	*	6-11 MO.	.175925	.602175	.227000
				12-23 MO.	.420050	1.259375	.542000
				2-65+ YR.	.806000	2.152175	1.040000
9-UNDECENAL FEMA 3094D	99	ALL CATEGORIES	*	0-5 MO.	.049685	.098243	.063665
				6-11 MO.	.424380	1.182430	.543955
				12-23 MO.	.892133	2.137300	1.141553
				2-65+ YR.	1.890110	3.998540	2.412850
10-UNDECENAL FEMA 3095D	01	BAKED GOODS(R)	*	0-5 MO.	.006687	.008850	.011673
				6-11 MO.	.049953	.101873	.087207
				12-23 MO.	.107183	.176607	.187117
				2-65+ YR.	.269827	.400807	.471053
10-UNDECENAL FEMA 3095D	07	FROZN DAIRY(R)	*	0-5 MO.	.002007	.008227	.004067
				6-11 MO.	.019063	.052976	.038633
				12-23 MO.	.028896	.067825	.058560
				2-65+ YR.	.051371	.123811	.104107
10-UNDECENAL FEMA 3095D	16	SOFT CANDY(R)	*	0-5 MO.	.000427	.004267	.000747
				6-11 MO.	.004693	.014507	.008213
				12-23 MO.	.007467	.019840	.013067
				2-65+ YR.	.012373	.037547	.021653
10-UNDECENAL FEMA 3095D	20	GELATIN PUD(R)	*	0-5 MO.	.004900	.006615	.009300
				6-11 MO.	.031360	.095060	.059520
				12-23 MO.	.033810	.082320	.064170
				2-65+ YR.	.049980	.128625	.094860
10-UNDECENAL FEMA 3095D	23	BEV TYPE I(R)	4	0-5 MO.	.003003	.004505	.005640
				6-11 MO.	.028403	.097222	.053345
				12-23 MO.	.067818	.203328	.127370
				2-65+ YR.	.130130	.347472	.244400
10-UNDECENAL FEMA 3095D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000103	.000309	.000103

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
10-UNDECENAL FEMA 3095D	30	HARD CANDY(R)	*	12-23 MO.	.000309	.000927	.000309
				2-65+ YR.	.000618	.001751	.000618
10-UNDECENAL FEMA 3095D	99	ALL CATEGORIES	6	0-5 MO.	.017023	.032464	.031427
				6-11 MO.	.133576	.361947	.247021
				12-23 MO.	.245483	.550847	.450592
				2-65+ YR.	.514299	1.040013	.936691
10-UNDECEN-1-YL ACETATE FEMA 3096D	01	BAKED GOODS(R)	4	0-5 MO.	.050442	.066761	.100742
				6-11 MO.	.376828	.768492	.752600
				12-23 MO.	.808549	1.332251	1.614832
				2-65+ YR.	2.035466	3.023528	4.065227
10-UNDECEN-1-YL ACETATE FEMA 3096D	07	FROZN DAIRY(R)	*	0-5 MO.	.002179	.008933	.004305
				6-11 MO.	.020698	.057520	.040898
				12-23 MO.	.031374	.073643	.061993
				2-65+ YR.	.055777	.134431	.110209
10-UNDECEN-1-YL ACETATE FEMA 3096D	16	SOFT CANDY(R)	4	0-5 MO.	.002959	.029588	.005918
				6-11 MO.	.032547	.100600	.065099
				12-23 MO.	.051780	.137586	.103567
				2-65+ YR.	.085806	.260378	.171625
10-UNDECEN-1-YL ACETATE FEMA 3096D	20	GELATIN PUD(R)	*	0-5 MO.	.006097	.008230	.009521
				6-11 MO.	.039018	.118275	.060934
				12-23 MO.	.042067	.102424	.065695
				2-65+ YR.	.062186	.160037	.097114
10-UNDECEN-1-YL ACETATE FEMA 3096D	23	BEV TYPE I(R)	*	0-5 MO.	.003827	.005740	.007528
				6-11 MO.	.036196	.123896	.071200
				12-23 MO.	.086424	.259112	.170001
				2-65+ YR.	.165832	.442803	.326202
10-UNDECEN-1-YL ACETATE FEMA 3096D	99	ALL CATEGORIES	4	0-5 MO.	.065503	.119253	.128014
				6-11 MO.	.505288	1.168783	.990732
				12-23 MO.	1.020194	1.905016	2.016087

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
10-UNDECEN-1-YL ACETATE							
FEMA 30960	99	ALL CATEGORIES	4	2-65+ YR.	2.405067	4.021176	4.770377
UNDECYL ALCOHOL							
FEMA 3097D	01	BAKED GOODS(R)	5	0-5 MO.	.036380	.048150	.060038
				6-11 MO.	.271780	.554260	.448522
				12-23 MO.	.583150	.960860	.962379
				2-65+ YR.	1.468040	2.180660	2.422723
UNDECYL ALCOHOL							
FEMA 3097D	07	FROZN DAIRY(R)	4	0-5 MO.	.009964	.040851	.015473
				6-11 MO.	.094655	.263040	.146991
				12-23 MO.	.143476	.336771	.222807
				2-65+ YR.	.255069	.614756	.396102
UNDECYL ALCOHOL							
FEMA 3097D	16	SOFT CANDY(R)	5	0-5 MO.	.002072	.020717	.003530
				6-11 MO.	.022788	.070437	.038830
				12-23 MO.	.036254	.096332	.061775
				2-65+ YR.	.060078	.182307	.102370
UNDECYL ALCOHOL							
FEMA 3097D	20	GELATIN PUD(R)	*	0-5 MO.	.006720	.009072	.018480
				6-11 MO.	.043008	.130368	.118272
				12-23 MO.	.046368	.112896	.127512
				2-65+ YR.	.068544	.176400	.188496
UNDECYL ALCOHOL							
FEMA 3097D	23	BEV TYPE I(R)	4	0-5 MO.	.005018	.007527	.009818
				6-11 MO.	.047464	.162464	.092864
				12-23 MO.	.113327	.339773	.221727
				2-65+ YR.	.217455	.580645	.425455
UNDECYL ALCOHOL							
FEMA 3097D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.146250
UNDECYL ALCOHOL							
FEMA 3097D	99	ALL CATEGORIES	5	0-5 MO.	.060153	.126317	.107339
				6-11 MO.	.479695	1.180868	.845478
				12-23 MO.	.922576	1.847232	1.596201
				2-65+ YR.	2.166686	4.017968	3.681396

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VALERALDEHYDE FEMA 30980	01	BAKED GOODS(R)	11	0-5 MO.	.015390	.020370	.019964
				6-11 MO.	.114975	.234476	.149146
				12-23 MO.	.246698	.406485	.320018
				2-65+ YR.	.621045	.922514	.805623
VALERALDEHYDE FEMA 30980	04	FATS OILS(R)	*	0-5 MO.	.000050	.000050	.000100
				6-11 MO.	.000280	.000750	.000560
				12-23 MO.	.000630	.001200	.001260
				2-65+ YR.	.001750	.003160	.003500
VALERALDEHYDE FEMA 30980	07	FROZN DAIRY(R)	7	0-5 MO.	.004909	.020127	.006153
				6-11 MO.	.046636	.129598	.058451
				12-23 MO.	.070690	.165925	.088599
				2-65+ YR.	.125671	.302886	.157510
VALERALDEHYDE FEMA 30980	10	MEAT PRODS(R)	*	0-5 MO.	.000011	.000029	.000033
				6-11 MO.	.000207	.000558	.000621
				12-23 MO.	.000302	.000519	.000906
				2-65+ YR.	.000784	.001301	.002352
VALERALDEHYDE FEMA 30980	16	SOFT CANDY(R)	10	0-5 MO.	.000863	.008634	.001231
				6-11 MO.	.009497	.029354	.013539
				12-23 MO.	.015109	.040146	.021540
				2-65+ YR.	.025037	.075975	.035695
VALERALDEHYDE FEMA 30980	20	GELATIN PUD(R)	4	0-5 MO.	.001640	.002214	.003884
				6-11 MO.	.010496	.031816	.024859
				12-23 MO.	.011316	.027552	.026801
				2-65+ YR.	.016728	.043050	.039619
VALERALDEHYDE FEMA 30980	23	BEV TYPE I(R)	11	0-5 MO.	.004087	.006130	.006918
				6-11 MO.	.038655	.132312	.065432
				12-23 MO.	.092295	.276715	.156230
				2-65+ YR.	.177098	.472885	.299778
VALERALDEHYDE FEMA 30980	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VALERALDEHYDE FEMA 3098D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.082278
VALERALDEHYDE FEMA 3098D	27	GRAVIES(R)	*	0-5 MO.	.000123	.000368	.000247
				6-11 MO.	.001716	.004780	.003457
				12-23 MO.	.004413	.012502	.008889
				2-65+ YR.	.010173	.026108	.020493
VALERALDEHYDE FEMA 3098D	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000700	.001150	.002800
				12-23 MO.	.000400	.001700	.001600
				2-65+ YR.	.000450	.000750	.001800
VALERALDEHYDE FEMA 3098D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005452	.016356	.006403
				12-23 MO.	.016356	.049068	.019209
				2-65+ YR.	.032712	.092684	.038418
VALERALDEHYDE FEMA 3098D	99	ALL CATEGORIES	17	0-5 MO.	.027073	.057921	.038530
				6-11 MO.	.228613	.581251	.325268
				12-23 MO.	.458208	.982013	.645052
				2-65+ YR.	1.043948	2.035713	1.487066
VALERIC ACID FEMA 3101D	01	BAKED GOODS(R)	12	0-5 MO.	.040296	.053333	.113922
				6-11 MO.	.301034	.613920	.851065
				12-23 MO.	.645919	1.064286	1.826103
				2-65+ YR.	1.626058	2.415383	4.597090
VALERIC ACID FEMA 3101D	07	FROZN DAIRY(R)	7	0-5 MO.	.016207	.066449	.048031
				6-11 MO.	.153968	.427868	.456291
				12-23 MO.	.233382	.547801	.691641
				2-65+ YR.	.414902	.999979	1.229583
VALERIC ACID FEMA 3101D	16	SOFT CANDY(R)	10	0-5 MO.	.002073	.020730	.006860
				6-11 MO.	.022804	.070484	.075455

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VALERIC ACID FEMA 3101D	16	SOFT CANDY(R)	10	12-23 MO.	.036278	.096397	.120043
				2-65+ YR.	.060118	.182428	.198928
VALERIC ACID FEMA 3101D	20	GELATIN PUD(R)	5	0-5 MO.	.031478	.042495	.116360
				6-11 MO.	.201460	.610675	.744702
				12-23 MO.	.217199	.528832	.802682
				2-65+ YR.	.321077	.826300	1.186870
VALERIC ACID FEMA 3101D	23	BEV TYPE I(R)	8	0-5 MO.	.008273	.012410	.026609
				6-11 MO.	.078253	.267852	.251678
				12-23 MO.	.186841	.560179	.600923
				2-65+ YR.	.358515	.957303	1.153063
VALERIC ACID FEMA 3101D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000110	**********
				12-23 MO.	**********	.000220	**********
				2-65+ YR.	.035750	.103840	.061750
VALERIC ACID FEMA 3101D	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.014000	.023000	.280000
				12-23 MO.	.008000	.034000	.160000
				2-65+ YR.	.009000	.015000	.180000
VALERIC ACID FEMA 3101D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000651	.001953	.002518
				12-23 MO.	.001953	.005859	.007554
				2-65+ YR.	.003906	.011067	.015108
VALERIC ACID FEMA 3101D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002097	.002097	.002097
				12-23 MO.	.002097	.006291	.002097
				2-65+ YR.	.004194	.008388	.004194
VALERIC ACID FEMA 3101D	99	ALL CATEGORIES	17	0-5 MO.	.098328	.195418	.311781
				6-11 MO.	.774266	2.017958	2.663806
				12-23 MO.	1.331670	2.843864	4.211243

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VALERIC ACID FEMA 3101D	99	ALL CATEGORIES	17	2-65+ YR.	2.833520	5.519689	8.626585
ISOVALERIC ACID FEMA 3102D	01	BAKED GOODS(R)	14	0-5 MO.	.067700	.089602	.106183
				6-11 MO.	.505755	1.031422	.793250
				12-23 MO.	1.085184	1.788064	1.702052
				2-65+ YR.	2.731876	4.057990	4.284798
ISOVALERIC ACID FEMA 3102D	06	CHEESE(R)	*	0-5 MO.	**********	.000020	**********
				6-11 MO.	.000540	.001940	.001080
				12-23 MO.	.001560	.004440	.003120
				2-65+ YR.	.001880	.004720	.003760
ISOVALERIC ACID FEMA 3102D	07	FROZN DAIRY(R)	11	0-5 MO.	.003883	.015921	.007010
				6-11 MO.	.036891	.102519	.066598
				12-23 MO.	.055919	.131255	.100949
				2-65+ YR.	.099412	.239599	.179465
ISOVALERIC ACID FEMA 3102D	10	MEAT PRODS(R)	*	0-5 MO.	.000385	.001015	.001650
				6-11 MO.	.007245	.019530	.031050
				12-23 MO.	.010570	.018165	.045300
				2-65+ YR.	.027440	.045535	.117600
ISOVALERIC ACID FEMA 3102D	14	PROCSD VEGS(R)	*	0-5 MO.	**********	**********	.002800
				6-11 MO.	**********	**********	.048000
				12-23 MO.	**********	**********	.078000
				2-65+ YR.	**********	**********	.170000
ISOVALERIC ACID FEMA 3102D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000060	**********
				6-11 MO.	.000480	.001320	.001600
				12-23 MO.	.001680	.004560	.005600
				2-65+ YR.	.005280	.012720	.017600
ISOVALERIC ACID FEMA 3102D	16	SOFT CANDY(R)	14	0-5 MO.	.001015	.010148	.001552
				6-11 MO.	.011163	.034505	.017076
				12-23 MO.	.017760	.047190	.027166
				2-65+ YR.	.029430	.089306	.045018

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISOVALERIC ACID FEMA 3102D	20	GELATIN PUD(R)	7	0-5 MO.	.011279	.015227	.024205
				6-11 MO.	.072188	.218819	.154910
				12-23 MO.	.077827	.189493	.167012
				2-65+ YR.	.115049	.296082	.246888
ISOVALERIC ACID FEMA 3102D	23	BEV TYPE I(R)	10	0-5 MO.	.002382	.003573	.005071
				6-11 MO.	.022527	.077107	.047961
				12-23 MO.	.053786	.161260	.114515
				2-65+ YR.	.103206	.275581	.219733
ISOVALERIC ACID FEMA 3102D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000130	**********
				12-23 MO.	**********	.000260	**********
				2-65+ YR.	.042250	.122720	.065000
ISOVALERIC ACID FEMA 3102D	20	HARD CANDY(R)	5	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000156	.000468	.000156
				12-23 MO.	.000468	.001404	.000468
				2-65+ YR.	.000936	.002652	.000936
ISOVALERIC ACID FEMA 3102D	21	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000486	.000486	.000985
				12-23 MO.	.000486	.001458	.000985
				2-65+ YR.	.000972	.001944	.001970
ISOVALERIC ACID FEMA 3102D	99	ALL CATEGORIES	24	0-5 MO.	.086644	.135567	.148471
				6-11 MO.	.657431	1.488245	1.162666
				12-23 MO.	1.305240	2.947549	2.245167
				2-65+ YR.	3.157731	5.148848	5.352768
VANILLIN ACETATE FEMA 3108D	01	BAKED GOODS(R)	4	0-5 MO.	.043546	.057635	.057563
				6-11 MO.	.325317	.663442	.430029
				12-23 MO.	.698023	1.150137	.922700
				2-65+ YR.	1.757225	2.610223	2.322833
VANILLIN ACETATE FEMA 3108D	07	FROZEN DAIRY(R)	4	0-5 MO.	.005826	.025886	.007951

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VANILLIN ACETATE FEMA 3108D	07	FROZN DAIRY(R)	4	6-11 MO.	.055346	.153804	.075530
				12-23 MO.	.083893	.196916	.114488
				2-65+ YR.	.149143	.359458	.203534
VANILLIN ACETATE FEMA 3108D	16	SOFT CANDY(R)	4	0-5 MO.	.001807	.018074	.002807
				6-11 MO.	.019881	.061451	.030881
				12-23 MO.	.031629	.084044	.049129
				2-65+ YR.	.052414	.159050	.081414
VANILLIN ACETATE FEMA 3108D	20	GELATIN PUD(R)	*	0-5 MO.	.009844	.013290	.014086
				6-11 MO.	.063002	.190976	.090152
				12-23 MO.	.067924	.165381	.097195
				2-65+ YR.	.100410	.258408	.143680
VANILLIN ACETATE FEMA 3108D	23	BEV TYPE I(R)	4	0-5 MO.	.009726	.014589	.021717
				6-11 MO.	.091992	.314879	.205406
				12-23 MO.	.219645	.658530	.490440
				2-65+ YR.	.421459	1.125377	.941066
VANILLIN ACETATE FEMA 3108D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000633	**********
				12-23 MO.	**********	.001267	**********
				2-65+ YR.	.205833	.597867	.379167
VANILLIN ACETATE FEMA 3108D	99	ALL CATEGORIES	4	0-5 MO.	.070750	.127474	.104124
				6-11 MO.	.555539	1.385185	.831998
				12-23 MO.	1.101115	2.256274	1.673952
				2-65+ YR.	2.686485	5.110383	4.071694
VERATRALDEHYDE FEMA 3109D	01	BAKED GOODS(R)	9	0-5 MO.	.102942	.136247	.118494
				6-11 MO.	.769039	1.568355	.885223
				12-23 MO.	1.650104	2.718887	1.899396
				2-65+ YR.	4.154023	6.170480	4.781599
VERATRALDEHYDE FEMA 3109D	04	FATS OILS(R)	*	0-5 MO.	.015000	.015000	.025000
				6-11 MO.	.084000	.225000	.140000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VERATRALDEHYDE FEMA 3109D	04	FATS OILS(R)	*	12-23 MO.	.189000	.360000	.315000
				2-65+ YR.	.525000	.948000	.875000
VERATRALDEHYDE FEMA 3109D	07	FROZN DAIRY(R)	10	0-5 MO.	.009446	.038729	.014261
				6-11 MO.	.089738	.249377	.135479
				12-23 MO.	.136024	.319278	.205357
				2-65+ YR.	.241820	.582825	.365079
VERATRALDEHYDE FEMA 3109D	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
VERATRALDEHYDE FEMA 3109D	16	SOFT CANDY(R)	10	0-5 MO.	.005597	.055974	.006733
				6-11 MO.	.061571	.190311	.074067
				12-23 MO.	.097954	.260279	.117834
				2-65+ YR.	.162324	.492570	.195269
VERATRALDEHYDE FEMA 3109D	20	GELATIN PUD(R)	8	0-5 MO.	.022827	.030816	.034120
				6-11 MO.	.146091	.442837	.218368
				12-23 MO.	.157504	.383488	.235428
				2-65+ YR.	.232832	.599200	.348023
VERATRALDEHYDE FEMA 3109D	23	BEV TYPE I(R)	9	0-5 MO.	.022334	.033501	.029338
				6-11 MO.	.211241	.723057	.277485
				12-23 MO.	.504372	1.512184	.662540
				2-65+ YR.	.967798	2.584206	1.271295
VERATRALDEHYDE FEMA 3109D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000985	**********
				12-23 MO.	**********	.001971	**********
				2-65+ YR.	.320221	.930118	.354086
VERATRALDEHYDE FEMA 3109D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000613	.001839	.000740
				12-23 MO.	.001839	.005517	.002220

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VERATRALDEHYDE FEMA 3109D	30	HARD CANDY(R)	*	2-65+ YR.	.003678	.010421	.004440
VERATRALDEHYDE FEMA 3109D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000004	.000004	.000070
				12-23 MO.	.000004	.000012	.000070
				2-65+ YR.	.000008	.000016	.000140
VERATRALDEHYDE FEMA 3109D	99	ALL CATEGORIES	19	0-5 MO.	.178256	.310557	.228056
				6-11 MO.	1.364367	3.407346	1.733502
				12-23 MO.	2.739821	5.566805	3.440866
				2-65+ YR.	6.615544	12.330846	8.202772
ZINGERONE FEMA 3124D	01	BAKED GOODS(R)	6	0-5 MO.	.023881	.031607	.065523
				6-11 MO.	.178403	.363830	.489493
				12-23 MO.	.382794	.630732	1.050289
				2-65+ YR.	.963657	1.431438	2.644031
ZINGERONE FEMA 3124D	07	FROZN DAIRY(R)	5	0-5 MO.	.003946	.016177	.014213
				6-11 MO.	.037484	.104166	.135025
				12-23 MO.	.056818	.133363	.204670
				2-65+ YR.	.101009	.243448	.363857
ZINGERONE FEMA 3124D	10	MEAT PRODS(R)	*	0-5 MO.	.016500	.043500	.031690
				6-11 MO.	.310500	.837000	.596357
				12-23 MO.	.453000	.778500	.870048
				2-65+ YR.	1.176000	1.951500	2.258667
ZINGERONE FEMA 3124D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000040	**********
				6-11 MO.	.000320	.000880	.003200
				12-23 MO.	.001120	.003040	.011200
				2-65+ YR.	.003520	.008480	.035200
ZINGERONE FEMA 3124D	16	SOFT CANDY(R)	7	0-5 MO.	.003710	.037096	.007387
				6-11 MO.	.040805	.126126	.081252
				12-23 MO.	.064918	.172495	.129265
				2-65+ YR.	.107578	.326443	.214210

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ZINGERONE FEMA 3124D	20	GELATIN PUD(R)	5	0-5 MO.	.016233	.021915	.032431
				6-11 MO.	.103894	.314928	.207558
				12-23 MO.	.112011	.272722	.223773
				2-65+ YR.	.165581	.426127	.330796
ZINGERONE FEMA 3124D	23	BEV TYPE I(R)	6	0-5 MO.	.002786	.004178	.011966
				6-11 MO.	.026346	.090181	.113180
				12-23 MO.	.062906	.188603	.270237
				2-65+ YR.	.120706	.322308	.518536
ZINGERONE FEMA 3124D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000504	**********
				12-23 MO.	**********	.001008	**********
				2-65+ YR.	.163843	.475901	.327686
ZINGERONE FEMA 3124D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.006000	.018000	.006000
				12-23 MO.	.018000	.054000	.018000
				2-65+ YR.	.036000	.102000	.036000
ZINGERONE FEMA 3124D	99	ALL CATEGORIES	11	0-5 MO.	.067055	.154513	.163210
				6-11 MO.	.703752	1.855615	1.632066
				12-23 MO.	1.151566	2.234463	2.777482
				2-65+ YR.	2.837893	5.287644	6.728983
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	01	BAKED GOODS(R)	5	0-5 MO.	.023649	.031300	.052347
				6-11 MO.	.176668	.360292	.391059
				12-23 MO.	.379072	.624599	.839084
				2-65+ YR.	.954287	1.417520	2.112337
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	07	FROZN DAIRY(R)	7	0-5 MO.	.004680	.019189	.009094
				6-11 MO.	.044462	.123557	.086396
				12-23 MO.	.067395	.158190	.130958
				2-65+ YR.	.119813	.288767	.232815
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	18	SOFT CANDY(R)	8	0-5 MO.	.001246	.012457	.002631

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	16	SOFT CANDY(R)	8	6-11 MO.	.013703	.042353	.028937
				12-23 MO.	.021800	.057925	.046036
				2-65+ YR.	.036125	.109621	.076288
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	20	GELATIN PUD(R)	8	0-5 MO.	.007966	.010753	.017910
				6-11 MO.	.050979	.154531	.114623
				12-23 MO.	.054962	.133821	.123578
				2-65+ YR.	.081248	.209095	.182681
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	23	BEV TYPE I(R)	15	0-5 MO.	.006529	.009794	.024304
				6-11 MO.	.061757	.211389	.229877
				12-23 MO.	.147456	.442095	.548869
				2-65+ YR.	.282941	.755506	1.053180
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000317	**********
				12-23 MO.	**********	.000634	**********
				2-65+ YR.	.103032	.299268	.172560
H6-6-IPROPENL-4,4A-ME2-NA FEMA 3166D	99	ALL CATEGORIES	16	0-5 MO.	.044069	.083493	.106286
				6-11 MO.	.347569	.892440	.850893
				12-23 MO.	.670684	1.417263	1.688526
				2-65+ YR.	1.577446	3.079776	3.829861
O@-METHOXYCINNAMALDEHYDE FEMA 3181D	01	BAKED GOODS(R)	7	0-5 MO.	.078846	.104354	.156400
				6-11 MO.	.589023	1.201235	1.168400
				12-23 MO.	1.263848	2.082451	2.507000
				2-65+ YR.	3.181651	4.726096	6.311200
O@-METHOXYCINNAMALDEHYDE FEMA 3181D	07	FROZN DAIRY(R)	*	0-5 MO.	.000508	.002084	.001016
				6-11 MO.	.004828	.013416	.009656
				12-23 MO.	.007318	.017177	.014636
				2-65+ YR.	.013010	.031356	.026020
O@-METHOXYCINNAMALDEHYDE FEMA 3181D	16	SOFT CANDY(R)	6	0-5 MO.	.002224	.022238	.004448
				6-11 MO.	.024462	.075610	.048924

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
O2-METHOXYCINNAMALDEHYDE FEMA 3181D	16	SOFT CANDY(R)	6	12-23 MO.	.038917	.103407	.077833
				2-65+ YR.	.064490	.195695	.128981
O2-METHOXYCINNAMALDEHYDE FEMA 3181D	20	GELATIN PUD(R)	*	0-5 MO.	.007942	.010722	.015884
				6-11 MO.	.050828	.154074	.101657
				12-23 MO.	.054799	.133425	.109599
				2-65+ YR.	.081008	.208476	.162015
O2-METHOXYCINNAMALDEHYDE FEMA 3181D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
O2-METHOXYCINNAMALDEHYDE FEMA 3181D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000268	**********
				12-23 MO.	**********	.000536	**********
				2-65+ YR.	.087159	.253164	.174318
O2-METHOXYCINNAMALDEHYDE FEMA 3181D	59	ALL CATEGORIES	8	0-5 MO.	.091920	.142998	.182548
				6-11 MO.	.691841	1.522303	1.374036
				12-23 MO.	1.419082	2.499496	2.817468
				2-65+ YR.	3.531318	5.692487	7.010534
PROPYL DISULFIDE FEMA 3228D	01	BAKED GOODS(R)	5	0-5 MO.	.012349	.016344	.016815
				6-11 MO.	.092255	.188143	.125617
				12-23 MO.	.197950	.326163	.269533
				2-65+ YR.	.498325	.740223	.678530
PROPYL DISULFIDE FEMA 3228D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
PROPYL DISULFIDE FEMA 3228D	10	MEAT PRODS(R)	4	0-5 MO.	.010494	.027665	.013710
				6-11 MO.	.197472	.532316	.257989
				12-23 MO.	.288099	.495111	.376390

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL DISULFIDE FEMA 3228D	10	MEAT PRODS(R)	4	2-65+ YR.	.747913	1.241116	.977118
PROPYL DISULFIDE FEMA 3228D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001700	**********
				6-11 MO.	.013600	.037400	.016000
				12-23 MO.	.047600	.129200	.056000
				2-65+ YR.	.149600	.360400	.176000
PROPYL DISULFIDE FEMA 3228D	16	SOFT CANDY(R)	*	0-5 MO.	.000188	.001875	.000188
				6-11 MO.	.002063	.006376	.002064
				12-23 MO.	.003282	.008720	.003283
				2-65+ YR.	.005438	.016502	.005441
PROPYL DISULFIDE FEMA 3228D	20	GELATIN PUD(R)	*	0-5 MO.	.001875	.002532	.002001
				6-11 MO.	.012002	.036380	.012808
				12-23 MO.	.012939	.031504	.013808
				2-65+ YR.	.019128	.049225	.020412
PROPYL DISULFIDE FEMA 3228D	23	BEV TYPE I(R)	*	0-5 MO.	.002250	.003375	.002252
				6-11 MO.	.021284	.072853	.021295
				12-23 MO.	.050819	.152364	.050846
				2-65+ YR.	.097513	.260378	.097565
PROPYL DISULFIDE FEMA 3228D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.032500
PROPYL DISULFIDE FEMA 3228D	27	GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000005
				6-11 MO.	.000014	.000039	.000070
				12-23 MO.	.000036	.000102	.000180
				2-65+ YR.	.000083	.000213	.000415
PROPYL DISULFIDE FEMA 3228D	99	ALL CATEGORIES	6	0-5 MO.	.028157	.057595	.035970
				6-11 MO.	.348190	.900007	.445343
				12-23 MO.	.615125	1.177164	.784440
				2-65+ YR.	1.576100	2.824158	2.013581

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
STYRENE FEMA 32330	01	BAKED GOODS(R)	*	0-5 MO.	.021080	.027900	.029616
				6-11 MO.	.157480	.321160	.221247
				12-23 MO.	.337900	.556760	.474724
				2-65+ YR.	.850640	1.263560	1.195084
STYRENE FEMA 32330	07	FROZN DAIRY(R)	*	0-5 MO.	.002763	.011326	.004167
				6-11 MO.	.026244	.072930	.039583
				12-23 MO.	.039780	.093373	.060000
				2-65+ YR.	.070720	.170446	.106667
STYRENE FEMA 32330	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000550
				6-11 MO.	.002070	.005580	.010350
				12-23 MO.	.003020	.005190	.015100
				2-65+ YR.	.007840	.013010	.039200
STYRENE FEMA 32330	16	SOFT CANDY(R)	4	0-5 MO.	.000838	.008379	.001244
				6-11 MO.	.009217	.028489	.013686
				12-23 MO.	.014664	.038963	.021773
				2-65+ YR.	.024300	.073737	.036081
STYRENE FEMA 32330	20	GELATIN PUD(R)	*	0-5 MO.	.005583	.007538	.008750
				6-11 MO.	.035733	.108317	.056000
				12-23 MO.	.038525	.093800	.060375
				2-65+ YR.	.056950	.146563	.089250
STYRENE FEMA 32330	23	BEV TYPE I(R)	*	0-5 MO.	.003375	.005063	.007150
				6-11 MO.	.031922	.109266	.067627
				12-23 MO.	.076219	.228516	.161471
				2-65+ YR.	.146250	.390516	.309833
STYRENE FEMA 32330	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000019	.000019	.000247
				12-23 MO.	.000019	.000057	.000247
				2-65+ YR.	.000038	.000076	.000494
STYRENE [illegible]	99	ALL CATEGORIES	6	0-5 MO.	.033749	[illegible]	[illegible]477

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
STYRENE FEMA 32330	99	ALL CATEGORIES	8	6-11 MO.	.262685	.645760	.408741
				12-23 MO.	.510126	1.016658	.793690
				2-65+ YR.	1.156738	2.057907	1.776610
ISO-AMYL ACETOACETATE FEMA 32520	01	BAKED GOODS(R)	*	0-5 MO.	.282880	.374400	.565760
				6-11 MO.	2.113280	4.309760	4.226560
				12-23 MO.	4.534400	7.471360	9.068800
				2-65+ YR.	11.415040	16.956160	22.830080
ISO-AMYL ACETOACETATE FEMA 32520	07	FROZN DAIRY(R)	4	0-5 MO.	.037167	.152383	.083200
				6-11 MO.	.353083	.981200	.790400
				12-23 MO.	.535200	1.256233	1.198080
				2-65+ YR.	.951467	2.293183	2.129920
ISO-AMYL ACETOACETATE FEMA 32520	16	SOFT CANDY(R)	4	0-5 MO.	.009533	.095333	.021280
				6-11 MO.	.104867	.324133	.234080
				12-23 MO.	.166833	.443300	.372400
				2-65+ YR.	.276467	.838933	.617120
ISO-AMYL ACETOACETATE FEMA 32520	20	GELATIN PUD(R)	4	0-5 MO.	.074667	.100800	.163200
				6-11 MO.	.477867	1.448533	1.044480
				12-23 MO.	.515200	1.254400	1.126080
				2-65+ YR.	.761600	1.960000	1.664640
ISO-AMYL ACETOACETATE FEMA 32520	23	BEV TYPE I(R)	4	0-5 MO.	.084800	.127200	.193920
				6-11 MO.	.802067	2.745400	1.834160
				12-23 MO.	1.915067	5.741667	4.379360
				2-65+ YR.	3.674667	9.812067	8.403200
ISO-AMYL ACETOACETATE FEMA 32520	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002700	**********
				12-23 MO.	**********	.005400	**********
				2-65+ YR.	.877500	2.348800	1.755000
ISO-AMYL ACETOACETATE FEMA 32520	99	ALL CATEGORIES	4	0-5 MO.	.489047	.850117	1.027360
				6-11 MO.	3.851163	9.811727	8.129680

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISO-AMYL ACETOACETATE FEMA 32520	99	ALL CATEGORIES	4	12-23 MO.	7.666700	16.172360	16.144720
				2-65+ YR.	17.956740	34.409143	37.399960
ISO-AMYL ISO-BUTYRATE FEMA 32530	01	BAKED GOODS(R)	4	0-5 MO.	.235243	.311351	.437547
				6-11 MO.	1.757405	3.584000	3.268732
				12-23 MO.	3.770811	6.213189	7.013617
				2-65+ YR.	9.492757	14.100757	17.656299
ISO-AMYL ISO-BUTYRATE FEMA 32530	07	FROZN DAIRY(R)	4	0-5 MO.	.051549	.211350	.074033
				6-11 MO.	.489714	1.360890	.703316
				12-23 MO.	.742304	1.742351	1.066079
				2-65+ YR.	1.319651	3.180564	1.895252
ISO-AMYL ISO-BUTYRATE FEMA 32530	16	SOFT CANDY(R)	5	0-5 MO.	.017072	.170720	.022832
				6-11 MO.	.187792	.580449	.251148
				12-23 MO.	.298760	.793849	.399553
				2-65+ YR.	.495088	1.502337	.662116
ISO-AMYL ISO-BUTYRATE FEMA 32530	20	GELATIN PUD(R)	4	0-5 MO.	.099056	.133726	.205863
				6-11 MO.	.633959	1.921689	1.317522
				12-23 MO.	.683487	1.664143	1.420453
				2-65+ YR.	1.010373	2.600224	2.099800
ISO-AMYL ISO-BUTYRATE FEMA 32530	23	BEV TYPE I(R)	6	0-5 MO.	.074871	.112306	.115378
				6-11 MO.	.708152	2.423937	1.091285
				12-23 MO.	1.690829	5.069367	2.605623
				2-65+ YR.	3.244395	8.663159	4.999720
ISO-AMYL ISO-BUTYRATE FEMA 32530	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001056	**********
				12-23 MO.	**********	.002113	**********
				2-65+ YR.	.343347	.997290	.686694
ISO-AMYL ISO-BUTYRATE FEMA 32530	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000009	.000027	.000009
				12-23 MO.	.000027	.000081	.000027

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISO-AMYL ISO-BUTYRATE FEMA 3253D	30	HARD CANDY(R)	*	2-65+ YR.	.000054	.000153	.000054
ISO-AMYL ISO-BUTYRATE FEMA 3253D	99	ALL CATEGORIES	7	0-5 MO.	.477791	.939454	.855653
				6-11 MO.	3.777032	9.872048	6.632011
				12-23 MO.	7.186218	15.485093	12.505353
				2-65+ YR.	15.905664	31.044484	27.999935
ANISYL PHENYLACETATE FEMA 3255D	01	BAKED GOODS(R)	*	0-5 MO.	.024907	.032965	.049814
				6-11 MO.	.186070	.379465	.372140
				12-23 MO.	.399244	.657837	.798488
				2-65+ YR.	1.005070	1.492953	2.010140
ANISYL PHENYLACETATE FEMA 3255D	07	FROZN DAIRY(R)	*	0-5 MO.	.002698	.011060	.006163
				6-11 MO.	.025628	.071219	.058547
				12-23 MO.	.038847	.091181	.088744
				2-65+ YR.	.069060	.166446	.157767
ANISYL PHENYLACETATE FEMA 3255D	16	SOFT CANDY(R)	*	0-5 MO.	.000983	.009833	.002163
				6-11 MO.	.010817	.033433	.023791
				12-23 MO.	.017208	.045725	.037849
				2-65+ YR.	.028517	.086533	.062721
ANISYL PHENYLACETATE FEMA 3255D	20	GELATIN PUD(R)	*	0-5 MO.	.005395	.007284	.012326
				6-11 MO.	.034530	.104670	.078884
				12-23 MO.	.037228	.090642	.085047
				2-65+ YR.	.055033	.141628	.125721
ANISYL PHENYLACETATE FEMA 3255D	23	BEV TYPE I(R)	*	0-5 MO.	.005747	.008621	.013579
				6-11 MO.	.054361	.186071	.128434
				12-23 MO.	.129795	.389145	.306658
				2-65+ YR.	.249053	.665018	.588421
ANISYL PHENYLACETATE FEMA 3255D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANISYL PHENYLACETATE FEMA 32550	99	ALL CATEGORIES	*	0-5 MO.	.039731	.069764	.084044
				6-11 MO.	.311405	.775358	.661795
				12-23 MO.	.622322	1.275530	1.316786
				2-65+ YR.	1.569232	3.024580	3.269770
BEECHWOOD CREOSOTE FEMA 32590	01	BAKED GOODS(R)	*	0-5 MO.	.012386	.016393	.024771
				6-11 MO.	.092529	.188700	.185057
				12-23 MO.	.198536	.327129	.397071
				2-65+ YR.	.499800	.742414	.999600
BEECHWOOD CREOSOTE FEMA 32590	07	FROZN DAIRY(R)	*	0-5 MO.	.002586	.010601	.005171
				6-11 MO.	.024564	.068263	.049129
				12-23 MO.	.037234	.087397	.074469
				2-65+ YR.	.066194	.159539	.132389
BEECHWOOD CREOSOTE FEMA 32590	10	MEAT PRODS(R)	*	0-5 MO.	.001528	.004028	.003361
				6-11 MO.	.028750	.077500	.063250
				12-23 MO.	.041944	.072083	.092278
				2-65+ YR.	.108889	.180694	.239556
BEECHWOOD CREOSOTE FEMA 32590	16	SOFT CANDY(R)	*	0-5 MO.	.000717	.007172	.001457
				6-11 MO.	.007890	.024386	.016029
				12-23 MO.	.012552	.033352	.025500
				2-65+ YR.	.020800	.063117	.042257
BEECHWOOD CREOSOTE FEMA 32590	20	GELATIN PUD(R)	*	0-5 MO.	.003057	.004127	.006114
				6-11 MO.	.019566	.059309	.039131
				12-23 MO.	.021094	.051360	.042189
				2-65+ YR.	.031183	.080250	.062366
BEECHWOOD CREOSOTE FEMA 32590	23	BEV TYPE I(R)	*	0-5 MO.	.002311	.003467	.004622
				6-11 MO.	.021859	.074822	.043719
				12-23 MO.	.052193	.156481	.104385
				2-65+ YR.	.100148	.267415	.200296
BEECHWOOD CREOSOTE FEMA 32590	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BEECHWOOD CREOSOTE FEMA 32590	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
BEECHWOOD CREOSOTE FEMA 32590	27	GRAVIES(R)	*	0-5 MO.	.000100	.000300	.000500
				6-11 MO.	.001400	.003900	.007000
				12-23 MO.	.003600	.010200	.018000
				2-65+ YR.	.008300	.021300	.041500
BEECHWOOD CREOSOTE FEMA 32590	99	ALL CATEGORIES	5	0-5 MO.	.022685	.046088	.045998
				6-11 MO.	.196557	.497080	.403314
				12-23 MO.	.367153	.738402	.753892
				2-65+ YR.	.900314	1.703529	1.847963
THIOPHENOL FEMA 32600	01	BAKED GOODS(R)	6	0-5 MO.	.009314	.012328	.017969
				6-11 MO.	.069583	.141906	.134241
				12-23 MO.	.149303	.246007	.288037
				2-65+ YR.	.375859	.558309	.725114
THIOPHENOL FEMA 32600	07	FROZN DAIRY(R)	*	0-5 MO.	.002880	.011807	.005490
				6-11 MO.	.027358	.076027	.052159
				12-23 MO.	.041469	.097338	.079062
				2-65+ YR.	.073723	.177684	.140554
THIOPHENOL FEMA 32600	10	MEAT PRODS(R)	7	0-5 MO.	.001731	.004563	.003397
				6-11 MO.	.032572	.087803	.063917
				12-23 MO.	.047521	.081666	.093251
				2-65+ YR.	.123365	.204716	.242082
THIOPHENOL FEMA 32600	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000080	.000220	.000160
				12-23 MO.	.000280	.000760	.000560
				2-65+ YR.	.000880	.002120	.001760
THIOPHENOL FEMA 32600	16	SOFT CANDY(R)	*	0-5 MO.	.000581	.005808	.001127
				6-11 MO.	.006388	.019746	.012396

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
THIOPHENOL FEMA 3260D	16	SOFT CANDY(R)	*	12-23 MO.	.010163	.027006	.019721
				2-65+ YR.	.016842	.051108	.032681
THIOPHENOL FEMA 3260D	20	GELATIN PUD(R)	*	0-5 MO.	.002859	.003860	.004930
				6-11 MO.	.018299	.055468	.031549
				12-23 MO.	.019728	.048034	.034014
				2-65+ YR.	.029163	.075053	.050282
THIOPHENOL FEMA 3260D	23	BEV TYPE I(R)	*	0-5 MO.	.002315	.003473	.003685
				6-11 MO.	.021901	.074964	.034849
				12-23 MO.	.052292	.156778	.083208
				2-65+ YR.	.100338	.267922	.159662
THIOPHENOL FEMA 3260D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000180	**********
				12-23 MO.	**********	.000361	**********
				2-65+ YR.	.058586	.170168	.121447
THIOPHENOL FEMA 3260D	99	ALL CATEGORIES	8	0-5 MO.	.019680	.041849	.036597
				6-11 MO.	.176181	.456314	.329272
				12-23 MO.	.320756	.657949	.597854
				2-65+ YR.	.778756	1.507080	1.473582
BENZYL DISULFIDE FEMA 3261D	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
BENZYL DISULFIDE FEMA 3261D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001250
				6-11 MO.	.009500	.026400	.011875
				12-23 MO.	.014400	.033800	.018000
				2-65+ YR.	.025600	.061700	.032000
BENZYL DISULFIDE FEMA 3261D	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.001100
				6-11 MO.	.020700	.055800	.020700
				12-23 MO.	.030200	.051900	.030200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BENZYL DISULFIDE FEMA 3261D	10	MEAT PRODS(R)	*	2-65+ YR.	.078400	.130100	.078400
BENZYL DISULFIDE FEMA 3261D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000250
				6-11 MO.	.002200	.006800	.002750
				12-23 MO.	.003500	.009300	.004375
				2-65+ YR.	.005800	.017600	.007250
BENZYL DISULFIDE FEMA 3261D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002500
				6-11 MO.	.012800	.036800	.016000
				12-23 MO.	.013800	.033600	.017250
				2-65+ YR.	.020400	.052500	.025500
BENZYL DISULFIDE FEMA 3261D	23	BEV TYPE 1(R)	*	0-5 MO.	.002400	.003600	.003000
				6-11 MO.	.022700	.077700	.028375
				12-23 MO.	.054200	.162500	.067750
				2-65+ YR.	.104000	.277700	.130000
BENZYL DISULFIDE FEMA 3261D	99	ALL CATEGORIES	*	0-5 MO.	.010100	.019800	.011500
				6-11 MO.	.093300	.257300	.105100
				12-23 MO.	.170600	.380900	.192075
				2-65+ YR.	.371400	.743400	.410350
CADINENE FEMA 3263D	01	BAKED GOODS(R)	*	0-5 MO.	.136000	.180000	.272000
				6-11 MO.	1.016000	2.072000	2.032000
				12-23 MO.	2.180000	3.592000	4.360000
				2-65+ YR.	5.488000	8.152000	10.976000
CADINENE FEMA 3263D	07	FROZN DAIRY(R)	*	0-5 MO.	.020000	.062000	.030000
				6-11 MO.	.190000	.528000	.285000
				12-23 MO.	.288000	.676000	.432000
				2-65+ YR.	.512000	1.234000	.768000
CADINENE FEMA 3263D	10	MEAT PRODS(R)	*	0-5 MO.	.002097	.005528	.004194
				6-11 MO.	.039459	.106369	.078919
				12-23 MO.	.057569	.098934	.115138
				2-65+ YR.	.149450	.248003	.298900

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CADINENE FEMA 3263D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000400	.001100	.000800
				12-23 MO.	.001400	.003800	.002800
				2-65+ YR.	.004400	.010600	.008800
CADINENE FEMA 3263D	16	SOFT CANDY(R)	*	0-5 MO.	.006000	.060000	.008000
				6-11 MO.	.066000	.204000	.088000
				12-23 MO.	.105000	.279000	.140000
				2-65+ YR.	.174000	.528000	.232000
CADINENE FEMA 3263D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.060000
				6-11 MO.	.256000	.776000	.384000
				12-23 MO.	.276000	.672000	.414000
				2-65+ YR.	.408000	1.050000	.612000
CADINENE FEMA 3263D	23	BEV TYPE I(R)	*	0-5 MO.	.032599	.048899	.043628
				6-11 MO.	.308334	1.055399	.412644
				12-23 MO.	.736198	2.207237	.985255
				2-65+ YR.	1.412632	3.771998	1.890526
CADINENE FEMA 3263D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
CADINENE FEMA 3263D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.012000	.036000	.012000
				12-23 MO.	.036000	.108000	.036000
				2-65+ YR.	.072000	.204000	.072000
CADINENE FEMA 3263D	99	ALL CATEGORIES	4	0-5 MO.	.236696	.430477	.417821
				6-11 MO.	1.888193	4.779068	3.293362
				12-23 MO.	3.680167	7.637371	6.485193
				2-65+ YR.	8.285482	15.387401	14.988226
CARYOPHYLL ALC ACETATE FEMA 3266D	01	BAKED GOODS(R)	*	0-5 MO.	.151885	.201025	.185733

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARYOPHYLL ALC ACETATE FEMA 3266D	01	BAKED GOODS(R)	*	6-11 MO.	1.134672	2.314016	1.387537
				12-23 MO.	2.434631	4.011557	2.977194
				2-65+ YR.	6.129016	9.104180	7.494882
CARYOPHYLL ALC ACETATE FEMA 3266D	07	FROZN DAIRY(R)	*	0-5 MO.	.025000	.102500	.035000
				6-11 MO.	.237500	.660000	.332500
				12-23 MO.	.360000	.845000	.504000
				2-65+ YR.	.640000	1.542500	.896000
CARYOPHYLL ALC ACETATE FEMA 3266D	10	MEAT PRODS(R)	*	0-5 MO.	.037331	.098419	.048066
				6-11 MO.	.702506	1.893713	.904512
				12-23 MO.	1.024913	1.761356	1.319626
				2-65+ YR.	2.660700	4.415269	3.425784
CARYOPHYLL ALC ACETATE FEMA 3266D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.004000
				12-23 MO.	.002800	.007600	.014000
				2-65+ YR.	.008800	.021200	.044000
CARYOPHYLL ALC ACETATE FEMA 3266D	16	SOFT CANDY(R)	*	0-5 MO.	.006907	.069068	.008940
				6-11 MO.	.075975	.234831	.098344
				12-23 MO.	.120869	.321166	.156457
				2-65+ YR.	.200297	.607799	.259271
CARYOPHYLL ALC ACETATE FEMA 3266D	20	GELATIN PUD(R)	*	0-5 MO.	.049635	.067007	.069508
				6-11 MO.	.317663	.962917	.444852
				12-23 MO.	.342481	.833866	.479607
				2-65+ YR.	.506276	1.302915	.708984
CARYOPHYLL ALC ACETATE FEMA 3266D	23	BEV TYPE I(R)	*	0-5 MO.	.046594	.069891	.058626
				6-11 MO.	.440703	1.508487	.554505
				12-23 MO.	1.052252	3.154815	1.323972
				2-65+ YR.	2.019081	5.391336	2.540463
CARYOPHYLL ALC ACETATE FEMA 3266D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARYOPHYLL ALC ACETATE FEMA 3266D	24	BEV TYPE II(R)	*	12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
CARYOPHYLL ALC ACETATE FEMA 3266D	99	ALL CATEGORIES	4	0-5 MO.	.317352	.608010	.405874
				6-11 MO.	2.909820	7.576364	3.726250
				12-23 MO.	5.337945	10.935761	6.774856
				2-65+ YR.	12.229171	22.573999	15.499384
B&-CARYOPHYLLENE ALCOHOL FEMA 3267D	01	BAKED GOODS(R)	*	0-5 MO.	.132700	.175632	.166192
				6-11 MO.	.991344	2.021717	1.241551
				12-23 MO.	2.127096	3.504830	2.663957
				2-65+ YR.	5.354818	7.954168	6.706328
B&-CARYOPHYLLENE ALCOHOL FEMA 3267D	07	FROZN DAIRY(R)	*	0-5 MO.	.020000	.082000	.030000
				6-11 MO.	.190000	.528000	.285000
				12-23 MO.	.288000	.676000	.432000
				2-65+ YR.	.512000	1.234000	.768000
B&-CARYOPHYLLENE ALCOHOL FEMA 3267D	10	MEAT PRODS(R)	*	0-5 MO.	.029237	.077080	.039218
				6-11 MO.	.550189	1.483117	.738018
				12-23 MO.	.802691	1.379458	1.076722
				2-65+ YR.	2.083806	3.457948	2.795198
B&-CARYOPHYLLENE ALCOHOL FEMA 3267D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.004000
				12-23 MO.	.002800	.007600	.014000
				2-65+ YR.	.008800	.021200	.044000
B&-CARYOPHYLLENE ALCOHOL FEMA 3267D	16	SOFT CANDY(R)	*	0-5 MO.	.005856	.058556	.007826
				6-11 MO.	.064412	.199092	.086083
				12-23 MO.	.102474	.272287	.136951
				2-65+ YR.	.169813	.515296	.226947
B&-CARYOPHYLLENE ALCOHOL FEMA 3267D	20	GELATIN PUD(R)	*	0-5 MO.	.058531	.079017	.078108
				6-11 MO.	.374601	1.135511	.499893
				12-23 MO.	.403867	.983329	.538948

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
B6-CARYOPHYLLENE ALCOHOL FEMA 3267D	20	GELATIN PUD(R)	*	2-65+ YR.	.597021	1.536451	.796705
B6-CARYOPHYLLENE ALCOHOL FEMA 3267D	23	BEV TYPE I(R)	*	0-5 MO.	.032599	.048899	.043628
				6-11 MO.	.308334	1.055399	.412644
				12-23 MO.	.736198	2.207237	.985255
				2-65+ YR.	1.412632	3.771998	1.890526
B6-CARYOPHYLLENE ALCOHOL FEMA 3267D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
B6-CARYOPHYLLENE ALCOHOL FEMA 3267D	99	ALL CATEGORIES	*	0-5 MO.	.278923	.521284	.364972
				6-11 MO.	2.479680	6.425235	3.267189
				12-23 MO.	4.463126	9.031141	5.847832
				2-65+ YR.	10.203890	18.679861	13.357705
CARYOPHYLLENE ALCOHOL FEMA 3268D	01	BAKED GOODS(R)	*	0-5 MO.	.115284	.152581	.148533
				6-11 MO.	.861237	1.756381	1.109626
				12-23 MO.	1.847930	3.044847	2.380890
				2-65+ YR.	4.652037	6.910242	5.993726
CARYOPHYLLENE ALCOHOL FEMA 3268D	07	FROZN DAIRY(R)	*	0-5 MO.	.025000	.102500	.035000
				6-11 MO.	.237500	.660000	.332500
				12-23 MO.	.360000	.845000	.504000
				2-65+ YR.	.640000	1.542500	.896000
CARYOPHYLLENE ALCOHOL FEMA 3268D	10	MEAT PRODS(R)	*	0-5 MO.	.035752	.094254	.046143
				6-11 MO.	.672779	1.813578	.868336
				12-23 MO.	.981542	1.686822	1.266848
				2-65+ YR.	2.548109	4.228431	3.288771
CARYOPHYLLENE ALCOHOL FEMA 3268D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.004000
				12-23 MO.	.002800	.007600	.014000
				2-65+ YR.	.008800	.021200	.044000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARYOPHYLIENE ALCOHOL FEMA 3268D	16	SOFT CANDY(R)	*	0-5 MO.	.004881	.048805	.006851
				6-11 MO.	.053686	.165938	.075357
				12-23 MO.	.085409	.226945	.119887
				2-65+ YR.	.141535	.429486	.198669
CARYOPHYLIENE ALCOHOL FEMA 3268D	20	GELATIN PUD(R)	*	0-5 MO.	.048780	.065854	.068357
				6-11 MO.	.312194	.946339	.437486
				12-23 MO.	.336585	.819510	.471665
				2-65+ YR.	.497560	1.280485	.697244
CARYOPHYLIENE ALCOHOL FEMA 3268D	23	BEV TYPE I(R)	4	0-5 MO.	.045028	.067542	.067980
				6-11 MO.	.425889	1.457780	.642977
				12-23 MO.	1.016881	3.048767	1.535213
				2-65+ YR.	1.951211	5.210108	2.945796
CARYOPHYLIENE ALCOHOL FEMA 3268D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
CARYOPHYLIENE ALCOHOL FEMA 3268D	99	ALL CATEGORIES	5	0-5 MO.	.274724	.531636	.372864
				6-11 MO.	2.564085	6.802416	3.470282
				12-23 MO.	4.631147	9.679890	6.292502
				2-65+ YR.	10.504252	19.811252	14.194206
B-CARYOPHYLL ALC AC FEMA 3269D	01	BAKED GOODS(R)	*	0-5 MO.	.118139	.156360	.151987
				6-11 MO.	.882565	1.799876	1.135429
				12-23 MO.	1.893692	3.120249	2.436256
				2-65+ YR.	4.767240	7.081367	6.133106
B-CARYOPHYLL ALC AC FEMA 3269D	07	FROZN DAIRY(R)	*	0-5 MO.	.025000	.102500	.035000
				6-11 MO.	.237500	.660000	.332500
				12-23 MO.	.360000	.845000	.504000
				2-65+ YR.	.640000	1.542500	.896000
B-CARYOPHYLL ALC AC FEMA 3269D	10	MEAT PRODS(R)	*	0-5 MO.	.037955	.100063	.048841

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
B-CARYOPHYLL ALC AC FEMA 3269D	10	MEAT PRODS(R)	*	6-11 MO.	.714242	1.925348	.919098
				12-23 MO.	1.042034	1.790780	1.340907
				2-65+ YR.	2.705148	4.489027	3.481030
B-CARYOPHYLL ALC AC FEMA 3269D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.004000
				12-23 MO.	.002800	.007600	.014000
				2-65+ YR.	.008800	.021200	.044000
B-CARYOPHYLL ALC AC FEMA 3269D	16	SOFT CANDY(R)	*	0-5 MO.	.004964	.049642	.006955
				6-11 MO.	.054607	.168784	.076508
				12-23 MO.	.086874	.230837	.121718
				2-65+ YR.	.143963	.436852	.201703
B-CARYOPHYLL ALC AC FEMA 3269D	20	GELATIN PUD(R)	*	0-5 MO.	.049635	.067007	.069508
				6-11 MO.	.317663	.962917	.444852
				12-23 MO.	.342481	.833866	.479607
				2-65+ YR.	.506276	1.302915	.708984
B-CARYOPHYLL ALC AC FEMA 3269D	23	BEV TYPE I(R)	*	0-5 MO.	.047660	.071490	.071499
				6-11 MO.	.450786	1.542999	.676264
				12-23 MO.	1.076326	3.226993	1.614691
				2-65+ YR.	2.065276	5.514683	3.098301
B-CARYOPHYLL ALC AC FEMA 3269D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
B-CARYOPHYLL ALC AC FEMA 3269D	99	ALL CATEGORIES	*	0-5 MO.	.283353	.547162	.383790
				6-11 MO.	2.658163	7.062324	3.588652
				12-23 MO.	4.804207	10.055725	6.511178
				2-65+ YR.	10.901702	20.577345	14.693123
CEDARWOOD OILS, ALC/TERP FEMA 3270D	01	BAKED GOODS(R)	*	0-5 MO.	.030383	.040213	.050060
				6-11 MO.	.226979	.462894	.373974

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CEDARWOOD OILS, ALC/TERP FEMA 3270D	01	BAKED GOODS(R)	*	12-23 MO.	.487021	.802468	.802426
				2-65+ YR.	1.226043	1.821191	2.020051
CEDARWOOD OILS, ALC/TERP FEMA 3270D	07	FROZN DAIRY(R)	*	0-5 MO.	.004754	.019492	.008792
				6-11 MO.	.045165	.125510	.083521
				12-23 MO.	.068460	.160691	.126800
				2-65+ YR.	.121707	.293332	.225067
CEDARWOOD OILS, ALC/TERP FEMA 3270D	10	MEAT PRODS(R)	*	0-5 MO.	.015767	.041567	.023996
				6-11 MO.	.296700	.799800	.451567
				12-23 MO.	.432867	.743900	.658807
				2-65+ YR.	1.123733	1.864767	1.710281
CEDARWOOD OILS, ALC/TERP FEMA 3270D	16	SOFT CANDY(R)	4	0-5 MO.	.001437	.014367	.002576
				6-11 MO.	.015804	.048849	.028331
				12-23 MO.	.025143	.066808	.045071
				2-65+ YR.	.041665	.126433	.074690
CEDARWOOD OILS, ALC/TERP FEMA 3270D	20	GELATIN PUD(R)	*	0-5 MO.	.009508	.012836	.017625
				6-11 MO.	.060853	.184462	.112800
				12-23 MO.	.065608	.159740	.121613
				2-65+ YR.	.096985	.249594	.179775
CEDARWOOD OILS, ALC/TERP FEMA 3270D	23	BEV TYPE I(R)	6	0-5 MO.	.006325	.009488	.014218
				6-11 MO.	.059827	.204784	.134478
				12-23 MO.	.142848	.428280	.321088
				2-65+ YR.	.274099	.731898	.616109
CEDARWOOD OILS, ALC/TERP FEMA 3270D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000111	**********
				12-23 MO.	**********	.000223	**********
				2-65+ YR.	.036208	.105170	.101208
CEDARWOOD OILS, ALC/TERP FEMA 3270D	99	ALL CATEGORIES	6	0-5 MO.	.068174	.137963	.117266
				6-11 MO.	.705328	1.826410	1.184670
				12-23 MO.	1.221946	2.362110	2.075605

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CEDARWOOD OILS, ALC/TERP FEMA 3270D	99	ALL CATEGORIES	6	2-65+ YR.	2.920440	5.192385	4.927181
CEDRYL ACETATE FEMA 3271D	01	BAKED GOODS(R)	*	0-5 MO.	.080256	.106221	.108328
				6-11 MO.	.599558	1.222722	.809271
				12-23 MO.	1.286454	2.119699	1.736427
				2-65+ YR.	3.238560	4.810630	4.371336
CEDRYL ACETATE FEMA 3271D	07	FROZN DAIRY(R)	*	0-5 MO.	.020000	.082000	.030000
				6-11 MO.	.190000	.528000	.285000
				12-23 MO.	.288000	.676000	.432000
				2-65+ YR.	.512000	1.234000	.768000
CEDRYL ACETATE FEMA 3271D	10	MEAT PRODS(R)	*	0-5 MO.	.015268	.040252	.023276
				6-11 MO.	.287316	.774504	.438012
				12-23 MO.	.419176	.720372	.639032
				2-65+ YR.	1.088192	1.805768	1.658944
CEDRYL ACETATE FEMA 3271D	16	SOFT CANDY(R)	*	0-5 MO.	.004000	.040000	.006000
				6-11 MO.	.044000	.136000	.066000
				12-23 MO.	.070000	.186000	.105000
				2-65+ YR.	.116000	.352000	.174000
CEDRYL ACETATE FEMA 3271D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.060000
				6-11 MO.	.256000	.776000	.384000
				12-23 MO.	.276000	.672000	.414000
				2-65+ YR.	.408000	1.050000	.612000
CEDRYL ACETATE FEMA 3271D	23	BEV TYPE I(R)	*	0-5 MO.	.016656	.024984	.033312
				6-11 MO.	.157538	.539238	.315076
				12-23 MO.	.376148	1.127750	.752296
				2-65+ YR.	.721760	1.927238	1.443520
CEDRYL ACETATE FEMA 3271D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CEDRYL ACETATE FEMA 3271D	99	ALL CATEGORIES	4	0-5 MO.	.176180	.347457	.260916
				6-11 MO.	1.534412	3.976664	2.297359
				12-23 MO.	2.715778	5.502221	4.078755
				2-65+ YR.	6.149512	11.368456	9.157800
1,4-CINEOLE FEMA 3275D	01	BAKED GOODS(R)	5	0-5 MO.	.021751	.028787	.041260
				6-11 MO.	.162489	.331375	.308239
				12-23 MO.	.348648	.574469	.661378
				2-65+ YR.	.877697	1.303751	1.664974
1,4-CINEOLE FEMA 3275D	07	FROZN DAIRY(R)	4	0-5 MO.	.004873	.019979	.009618
				6-11 MO.	.046293	.128645	.091372
				12-23 MO.	.070170	.164705	.138501
				2-65+ YR.	.124747	.300659	.246224
1,4-CINEOLE FEMA 3275D	10	MEAT PRODS(R)	*	0-5 MO.	.005867	.015467	.009114
				6-11 MO.	.110400	.297600	.171514
				12-23 MO.	.161067	.276800	.250229
				2-65+ YR.	.418133	.693867	.649600
1,4-CINEOLE FEMA 3275D	16	SOFT CANDY(R)	6	0-5 MO.	.001149	.011491	.002297
				6-11 MO.	.012640	.039068	.025272
				12-23 MO.	.020108	.053431	.040206
				2-65+ YR.	.033323	.101117	.066626
1,4-CINEOLE FEMA 3275D	20	GELATIN PUD(R)	4	0-5 MO.	.010036	.013548	.019816
				6-11 MO.	.064229	.194694	.126823
				12-23 MO.	.069247	.168601	.136731
				2-65+ YR.	.102365	.263439	.202124
1,4-CINEOLE FEMA 3275D	23	BEV TYPE I(R)	4	0-5 MO.	.011048	.016572	.022097
				6-11 MO.	.104498	.357688	.208997
				12-23 MO.	.249507	.748060	.499014
				2-65+ YR.	.478759	1.278378	.957517
1,4-CINEOLE FEMA 3275D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1,4-CINEOLE FEMA 3275D	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000236	**********
				12-23 MO.	**********	.000471	**********
				2-65+ YR.	.076607	.222514	.153214
1,4-CINEOLE FEMA 3275D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004964	.014892	.005000
				12-23 MO.	.014892	.044676	.015000
				2-65+ YR.	.029784	.084388	.030000
1,4-CINEOLE FEMA 3275D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002500	.002500	.002500
				12-23 MO.	.002500	.007500	.002500
				2-65+ YR.	.005000	.010000	.005000
1,4-CINEOLE FEMA 3275D	99	ALL CATEGORIES	8	0-5 MO.	.054723	.105844	.104203
				6-11 MO.	.508013	1.366698	.939717
				12-23 MO.	.936139	2.038714	1.743558
				2-65+ YR.	2.146414	4.258112	3.975280
CINNAMYL BENZOATE FEMA 3276D	01	BAKED GOODS(R)	*	0-5 MO.	.051661	.068375	.082544
				6-11 MO.	.385939	.787072	.616656
				12-23 MO.	.828097	1.364461	1.323139
				2-65+ YR.	2.084678	3.096628	3.330911
CINNAMYL BENZOATE FEMA 3276D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
CINNAMYL BENZOATE FEMA 3276D	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004531
				6-11 MO.	.041400	.111600	.085264
				12-23 MO.	.060400	.103800	.124395
				2-65+ YR.	.156800	.260200	.322933
CINNAMYL BENZOATE FEMA 3276D	16	SOFT CANDY(R)	*	0-5 MO.	.001789	.017889	.003587
				6-11 MO.	.019678	.060822	.039457

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CINNAMYL BENZOATE FEMA 3276D	16	SOFT CANDY(R)	*	12-23 MO.	.031306	.083183	.062773
				2-65+ YR.	.051878	.157422	.104024
CINNAMYL BENZOATE FEMA 3276D	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000
				6-11 MO.	.128000	.388000	.256000
				12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
CINNAMYL BENZOATE FEMA 3276D	23	BEV TYPE I(R)	*	0-5 MO.	.008711	.013067	.017103
				6-11 MO.	.082393	.282022	.161765
				12-23 MO.	.196726	.589815	.386241
				2-65+ YR.	.377482	1.007948	.741126
CINNAMYL BENZOATE FEMA 3276D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
CINNAMYL BENZOATE FEMA 3276D	99	ALL CATEGORIES	4	0-5 MO.	.089361	.152631	.157765
				6-11 MO.	.704909	1.761717	1.254142
				12-23 MO.	1.326529	2.646659	2.316548
				2-65+ YR.	3.067837	5.544498	5.292995
CITRAL PROP GLY ACETAL FEMA 3277D	01	BAKED GOODS(R)	4	0-5 MO.	.054899	.072661	.109856
				6-11 MO.	.410130	.836406	.820691
				12-23 MO.	.880003	1.449987	1.760930
				2-65+ YR.	2.215347	3.290727	4.433021
CITRAL PROP GLY ACETAL FEMA 3277D	07	FROZN DAIRY(R)	*	0-5 MO.	.008041	.032967	.016007
				6-11 MO.	.076386	.212274	.152870
				12-23 MO.	.115786	.271775	.230507
				2-65+ YR.	.205841	.496110	.409789
CITRAL PROP GLY ACETAL FEMA 3277D	16	SOFT CANDY(R)	4	0-5 MO.	.003200	.032000	.006373
				6-11 MO.	.035200	.108800	.070107
				12-23 MO.	.056000	.148800	.111534

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CITRAL PROP GLY ACETAL FEMA 3277D	16	SOFT CANDY(R)	4	2-65+ YR.	.092800	.281600	.184828
CITRAL PROP GLY ACETAL FEMA 3277D	20	GELATIN PUD(R)	*	0-5 MO.	.008666	.011699	.016962
				6-11 MO.	.055460	.168114	.108554
				12-23 MO.	.059793	.145583	.117035
				2-65+ YR.	.088390	.227474	.173008
CITRAL PROP GLY ACETAL FEMA 3277D	23	BEV TYPE I(R)	4	0-5 MO.	.005249	.007874	.010044
				6-11 MO.	.049650	.169947	.094997
				12-23 MO.	.118548	.355424	.226822
				2-65+ YR.	.227471	.607392	.435231
CITRAL PROP GLY ACETAL FEMA 3277D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000800	**********
				2-65+ YR.	.130000	.377600	.260000
CITRAL PROP GLY ACETAL FEMA 3277D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000600	.000600	.000600
				12-23 MO.	.000600	.001800	.000600
				2-65+ YR.	.001200	.002400	.001200
CITRAL PROP GLY ACETAL FEMA 3277D	59	ALL CATEGORIES	5	0-5 MO.	.080055	.157200	.159242
				6-11 MO.	.627427	1.496542	1.247019
				12-23 MO.	1.230730	2.374169	2.447428
				2-65+ YR.	2.961050	5.283303	5.897077
3-DECEN-2-ONE FEMA 32890	01	BAKED GOODS(R)	*	0-5 MO.	.032300	.042750	.064600
				6-11 MO.	.241300	.492100	.482600
				12-23 MO.	.517750	.853100	1.035500
				2-65+ YR.	1.303400	1.936100	2.606800
3-DECEN-2-ONE FEMA 32890	07	FROZN DAIRY(R)	*	0-5 MO.	.002500	.010250	.005750
				6-11 MO.	.023750	.066000	.054625
				12-23 MO.	.036000	.084500	.082800
				2-65+ YR.	.064000	.154250	.147200

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-DECEN-2-ONE FEMA 3289D	16	SOFT CANDY(R)	*	0-5 MO.	.000700	.007000	.001550
				6-11 MO.	.007700	.023800	.017050
				12-23 MO.	.012250	.032550	.027125
				2-65+ YR.	.020300	.061600	.044950
3-DECEN-2-ONE FEMA 3289D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.009500
				6-11 MO.	.025600	.077600	.060800
				12-23 MO.	.027600	.067200	.065550
				2-65+ YR.	.040800	.105000	.096900
3-DECEN-2-ONE FEMA 3289D	23	BEV TYPE I(R)	*	0-5 MO.	.005280	.007920	.010200
				6-11 MO.	.049940	.170940	.096475
				12-23 MO.	.119240	.357500	.230350
				2-65+ YR.	.228800	.610940	.442000
3-DECEN-2-ONE FEMA 3289D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
3-DECEN-2-ONE FEMA 3289D	59	ALL CATEGORIES	*	0-5 MO.	.044780	.073320	.091600
				6-11 MO.	.348290	.830640	.711550
				12-23 MO.	.712840	1.395250	1.441325
				2-65+ YR.	1.722300	3.056690	3.467850
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.034000
				6-11 MO.	.050800	.103600	.254000
				12-23 MO.	.109000	.179600	.545000
				2-65+ YR.	.274400	.407600	1.372000
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.005000
				6-11 MO.	.009500	.026400	.047500
				12-23 MO.	.014400	.033800	.072000
				2-65+ YR.	.025600	.061700	.128000
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.002000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	16	SOFT CANDY(R)	*	6-11 MO.	.004400	.013600	.022000
				12-23 MO.	.007000	.018600	.035000
				2-65+ YR.	.011600	.035200	.058000
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.010000
				6-11 MO.	.012800	.038800	.064000
				12-23 MO.	.013800	.033600	.069000
				2-65+ YR.	.020400	.052500	.102000
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	23	BEV TYPE I(R)	*	0-5 MO.	.008400	.012600	.012000
				6-11 MO.	.079450	.271950	.113500
				12-23 MO.	.189700	.568750	.271000
				2-65+ YR.	.364000	.971950	.520000
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
2,5-DIETHYLTETRAHYDFURAN FEMA 3290D	99	ALL CATEGORIES	*	0-5 MO.	.018600	.032400	.063000
				6-11 MO.	.156950	.454450	.501000
				12-23 MO.	.333900	.834550	.992000
				2-65+ YR.	.728500	1.623350	2.342500
ETHYL CROTONATE FEMA 3295D	01	BAKED GOODS(R)	*	0-5 MO.	.035253	.046658	.070505
				6-11 MO.	.263358	.537084	.526716
				12-23 MO.	.565079	.931084	1.130158
				2-65+ YR.	1.422547	2.113084	2.845095
ETHYL CROTONATE FEMA 3295D	07	FROZN DAIRY(R)	*	0-5 MO.	.004197	.017209	.008395
				6-11 MO.	.039875	.110811	.079750
				12-23 MO.	.060442	.141871	.120884
				2-65+ YR.	.107453	.258978	.214905
ETHYL CROTONATE FEMA 3295D	16	SOFT CANDY(R)	*	0-5 MO.	.001679	.016789	.003226
				6-11 MO.	.018468	.057084	.035489

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL CROTONATE FEMA 3295D	16	SOFT CANDY(R)	*	12-23 MO.	.029382	.078071	.056461
				2-65+ YR.	.048689	.147747	.093563
ETHYL CROTONATE FEMA 3295D	20	GELATIN PUD(R)	4	0-5 MO.	.007210	.009733	.011421
				6-11 MO.	.046143	.139872	.073095
				12-23 MO.	.049748	.121126	.078805
				2-65+ YR.	.073541	.189259	.116495
ETHYL CROTONATE FEMA 3295D	23	BEV TYPE I(R)	6	0-5 MO.	.004029	.006043	.007200
				6-11 MO.	.038104	.130425	.068100
				12-23 MO.	.090979	.272768	.162600
				2-65+ YR.	.174571	.466139	.312000
ETHYL CROTONATE FEMA 3295D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
ETHYL CROTONATE FEMA 3295D	99	ALL CATEGORIES	6	0-5 MO.	.052367	.096433	.100747
				6-11 MO.	.405948	.975475	.783150
				12-23 MO.	.795629	1.545320	1.548908
				2-65+ YR.	1.891802	3.364008	3.712058
ETGLY BRASSYLATE,EST FEMA 3296D	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
ETGLY BRASSYLATE,EST FEMA 3296D	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
ETGLY BRASSYLATE,EST FEMA 3296D	16	SOFT CANDY(R)	*	0-5 MO.	.000239	.002395	.000400
				6-11 MO.	.002634	.008142	.004400
				12-23 MO.	.004191	.011136	.007000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETGLY BRASSYLATE,EST FEMA 32960	16	SOFT CANDY(R)	*	2-65+ YR.	.006945	.021074	.011600
ETGLY BRASSYLATE,EST FEMA 32960	20	GELATIN PUD(R)	*	0-5 MO.	.002141	.002890	.004000
				6-11 MO.	.013701	.041532	.025600
				12-23 MO.	.014772	.035966	.027600
				2-65+ YR.	.021837	.056197	.040800
ETGLY BRASSYLATE,EST FEMA 32960	23	BEV TYPE I(R)	*	0-5 MO.	.002569	.003854	.004800
				6-11 MO.	.024299	.083172	.045400
				12-23 MO.	.058017	.173944	.108400
				2-65+ YR.	.111324	.297256	.208000
ETGLY BRASSYLATE,EST FEMA 32960	99	ALL CATEGORIES	*	0-5 MO.	.009349	.017738	.018000
				6-11 MO.	.075534	.211046	.145200
				12-23 MO.	.145880	.344645	.280800
				2-65+ YR.	.302905	.640027	.586000
2-ETHYL FURAN FEMA 32970	01	BAKED GOODS(R)	*	0-5 MO.	.071400	.094500	.144500
				6-11 MO.	.533400	1.087800	1.079500
				12-23 MO.	1.144500	1.885800	2.316250
				2-65+ YR.	2.881200	4.279800	5.831000
2-ETHYL FURAN FEMA 32970	07	FRUZN DAIRY(R)	*	0-5 MO.	.010500	.043050	.021500
				6-11 MO.	.099750	.277200	.204250
				12-23 MO.	.151200	.354900	.309600
				2-65+ YR.	.268800	.647850	.550400
2-ETHYL FURAN FEMA 32970	16	SOFT CANDY(R)	*	0-5 MO.	.002200	.022000	.004500
				6-11 MO.	.024200	.074800	.049500
				12-23 MO.	.038500	.102300	.078750
				2-65+ YR.	.063800	.193600	.130500
2-ETHYL FURAN FEMA 32970	20	GELATIN PUD(R)	*	0-5 MO.	.021000	.028350	.042000
				6-11 MO.	.134400	.407400	.268800
				12-23 MO.	.144900	.352800	.289800
				2-65+ YR.	.214200	.551250	.428400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-ETHYL FURAN FEMA 3297D	23	BEV TYPE I(R)	*	0-5 MO.	.013200	.019800	.027600
				6-11 MO.	.124850	.427350	.261050
				12-23 MO.	.298100	.893750	.623300
				2-65+ YR.	.572000	1.527350	1.196000
2-ETHYL FURAN FEMA 3297D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
2-ETHYL FURAN FEMA 3297D	99	ALL CATEGORIES	*	0-5 MO.	.119300	.207700	.240100
				6-11 MO.	.916600	2.274650	1.863100
				12-23 MO.	1.777200	3.589750	3.617700
				2-65+ YR.	4.032500	7.294250	8.233800
ETHYL MALTOL FEMA 3298D	01	BAKED GOODS(R)	13	0-5 MO.	.065110	.086174	.516204
				6-11 MO.	.486407	.991964	3.856351
				12-23 MO.	1.043668	1.719659	8.274453
				2-65+ YR.	2.627364	3.902746	20.830366
ETHYL MALTOL FEMA 3298D	07	FROZN DAIRY(R)	14	0-5 MO.	.016800	.068879	.143983
				6-11 MO.	.159598	.443513	1.367840
				12-23 MO.	.241916	.567831	2.073358
				2-65+ YR.	.430073	1.036544	3.685970
ETHYL MALTOL FEMA 3298D	10	MEAT PRODS(R)	*	0-5 MO.	.010805	.028486	.021610
				6-11 MO.	.203330	.548106	.406659
				12-23 MO.	.296645	.509797	.593290
				2-65+ YR.	.770099	1.277931	1.540197
ETHYL MALTOL FEMA 3298D	16	SOFT CANDY(R)	14	0-5 MO.	.003522	.035218	.027711
				6-11 MO.	.038739	.119740	.304820
				12-23 MO.	.061631	.163761	.484941
				2-65+ YR.	.102131	.309914	.803616
ETHYL MALTOL FEMA 3298D	20	GELATIN PUD(R)	15	0-5 MO.	.039275	.053021	.238077

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL MALTOL FEMA 3298D	20	GELATIN PUD(R)	15	6-11 MO.	.251357	.761926	1.523691
				12-23 MO.	.270994	.659812	1.642729
				2-65+ YR.	.400600	1.030957	2.428383
ETHYL MALTOL FEMA 3298D	23	BEV TYPE I(R)	17	0-5 MO.	.012583	.018874	.029817
				6-11 MO.	.119013	.407371	.282018
				12-23 MO.	.284164	.851967	.673364
				2-65+ YR.	.545259	1.455946	1.292063
ETHYL MALTOL FEMA 3298D	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000303	**********
				12-23 MO.	**********	.000607	**********
				2-65+ YR.	.098600	.286394	.603796
ETHYL MALTOL FEMA 3298D	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000506	.001517	.002793
				12-23 MO.	.001517	.004550	.008379
				2-65+ YR.	.003034	.008595	.016759
ETHYL MALTOL FEMA 3298D	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.003382	.003382	.008279
				12-23 MO.	.003382	.010146	.008279
				2-65+ YR.	.006764	.013528	.016558
ETHYL MALTOL FEMA 3298D	99	ALL CATEGORIES	30	0-5 MO.	.148093	.290652	.977402
				6-11 MO.	1.262331	3.277822	7.752451
				12-23 MO.	2.203917	4.488132	13.758794
				2-65+ YR.	4.983923	9.322555	31.217708
ETHYL OCTADECANOATE FEMA 3255D	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200
				2-65+ YR.	.102400	.246800	.204800
ETHYL OCTADECANOATE FEMA 3299D	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.003200
				6-11 MO.	.017600	.054400	.035200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL OCTADECANOATE FEMA 3295D	16	SOFT CANDY(R)	*	12-23 MO.	.028000	.074400	.056000
				2-65+ YR.	.046400	.140800	.092800
ETHYL OCTADECANOATE FEMA 3299D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
ETHYL OCTADECANOATE FEMA 3299D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
ETHYL OCTADECANOATE FEMA 3299D	99	ALL CATEGORIES	*	0-5 MO.	.008000	.036000	.016000
				6-11 MO.	.078300	.237900	.156600
				12-23 MO.	.139800	.372500	.279600
				2-65+ YR.	.317800	.854100	.635600
ETHYL UNDECANOATE FEMA 3300D	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200
				2-65+ YR.	.102400	.246800	.204800
ETHYL UNDECANOATE FEMA 3300D	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.003200
				6-11 MO.	.017600	.054400	.035200
				12-23 MO.	.028000	.074400	.056000
				2-65+ YR.	.046400	.140800	.092800
ETHYL UNDECANOATE FEMA 3300D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.004800
				6-11 MO.	.045400	.155400	.045400
				12-23 MO.	.108400	.325000	.108400
				2-65+ YR.	.208000	.555400	.208000
ETHYL UNDECANOATE FEMA 3300D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********

TABLE 13, PART 4 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL UNDECANOATE FEMA 3300D	24	BEV TYPE II(R)	*	2-65+ YR.	.065000	.188800	.130000
ETHYL UNDECANOATE FEMA 3300	99	ALL CATEGORIES	*	0-5 MO.	.010400	.039600	.016000
				6-11 MO.	.101000	.315600	.156600
				12-23 MO.	.194000	.535000	.279600
				2-65+ YR.	.421800	1.131800	.635600
ISO-EUGENYL BENZYLETHER FEMA 3301D	01	BAKED GOODS(R)	*	0-5 MO.	.021981	.029093	.044289
				6-11 MO.	.164214	.334893	.330868
				12-23 MO.	.352349	.580567	.709934
				2-65+ YR.	.887014	1.317591	1.787211
ISO-EUGENYL BENZYLETHER FEMA 3301D	07	FROZN DAIRY(R)	*	0-5 MO.	.004779	.019594	.005000
				6-11 MO.	.045401	.126167	.047500
				12-23 MO.	.068819	.161533	.072000
				2-65+ YR.	.122344	.294869	.128000
ISO-EUGENYL BENZYLETHER FEMA 3301D	16	SOFT CANDY(R)	*	0-5 MO.	.000871	.008708	.001000
				6-11 MO.	.009579	.029608	.011000
				12-23 MO.	.015240	.040494	.017500
				2-65+ YR.	.025254	.076633	.029000
ISO-EUGENYL BENZYLETHER FEMA 3301D	20	GELATIN PUD(R)	*	0-5 MO.	.008326	.011240	.011316
				6-11 MO.	.053284	.161516	.072421
				12-23 MO.	.057447	.139870	.078079
				2-65+ YR.	.084921	.218547	.115421
ISO-EUGENYL BENZYLETHER FEMA 3301D	23	BEV TYPE I(R)	*	0-5 MO.	.020772	.031159	.020772
				6-11 MO.	.196472	.672507	.196472
				12-23 MO.	.469110	1.406465	.469110
				2-65+ YR.	.900138	2.403541	.900138
ISO-EUGENYL BENZYLETHER FEMA 3301D	99	ALL CATEGORIES	*	0-5 MO.	.056729	.099794	.082378
				6-11 MO.	.468950	1.324692	.658262
				12-23 MO.	.962964	2.328929	1.346623
				2-65+ YR.	2.019671	4.311180	2.959770

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-FURYL-2-PROPANONE FEMA 3303D	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.068000
				6-11 MO.	.254000	.518000	.508000
				12-23 MO.	.545000	.898000	1.090000
				2-65+ YR.	1.372000	2.038000	2.744000
1-FURYL-2-PROPANONE FEMA 3303D	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
1-FURYL-2-PROPANONE FEMA 3303D	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
1-FURYL-2-PROPANONE FEMA 3303D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
1-FURYL-2-PROPANONE FEMA 3303D	23	BEV TYPE 1(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
1-FURYL-2-PROPANONE FEMA 3303D	99	ALL CATEGORIES	*	0-5 MO.	.051800	.083900	.107000
				6-11 MO.	.393400	.954200	.819000
				12-23 MO.	.768700	1.505100	1.606000
				2-65+ YR.	1.762200	3.067300	3.654000
GUAIACYL ACETATE FEMA 3311D	01	BAKED GOODS(R)	*	0-5 MO.	.031914	.042239	.051696
				6-11 MO.	.238414	.486214	.386202
				12-23 MO.	.511557	.842895	.828663
				2-65+ YR.	1.287809	1.912941	2.086101
GUAIACYL ACETATE FEMA 3311D	07	FROZN DAIRY(R)	*	0-5 MO.	.004795	.019660	.009590

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP I(1)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GUAIACYL ACETATE FEMA 3311D	07	FROZN DAIRY(R)	*	6-11 MO.	.045554	.126593	.091108
				12-23 MO.	.069051	.162077	.138101
				2-65+ YR.	.122757	.295863	.245513
GUAIACYL ACETATE FEMA 3311D	16	SOFT CANDY(R)	*	0-5 MO.	.001105	.011045	.002246
				6-11 MO.	.012150	.037555	.024704
				12-23 MO.	.019330	.051361	.039301
				2-65+ YR.	.032032	.097200	.065128
GUAIACYL ACETATE FEMA 3311D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
GUAIACYL ACETATE FEMA 3311D	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
GUAIACYL ACETATE FEMA 3311D	55	ALL CATEGORIES	*	0-5 MO.	.059813	.104444	.107533
				6-11 MO.	.473618	1.232861	.857014
				12-23 MO.	.939937	2.036834	1.686065
				2-65+ YR.	2.064598	3.957004	3.640742
GUAIENE FEMA 3312D	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.051000
				6-11 MO.	.254000	.518000	.381000
				12-23 MO.	.545000	.898000	.817500
				2-65+ YR.	1.372000	2.038000	2.058000
GUAIENE FEMA 3312D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
GUAIENE FEMA 3312D	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GUAIENE FEMA 3312D	16	SOFT CANDY(R)	*	12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
GUAIENE FEMA 3312D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
GUAIENE FEMA 3312D	23	BEV TYPE I(R)	*	0-5 MO.	.010124	.015185	.017472
				6-11 MO.	.095753	.327753	.165256
				12-23 MO.	.228625	.685455	.394576
				2-65+ YR.	.438691	1.171389	.757120
GUAIENE FEMA 3312D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.168800	.130000
GUAIENE FEMA 3312D	99	ALL CATEGORIES	*	0-5 MO.	.060124	.104185	.100472
				6-11 MO.	.472253	1.205953	.791256
				12-23 MO.	.932125	1.967355	1.529076
				2-65+ YR.	2.134691	4.057189	3.463120
GUAIOL ACETATE FEMA 3313D	01	BAKED GOODS(R)	*	0-5 MO.	.030421	.040263	.046079
				6-11 MO.	.227263	.463474	.344237
				12-23 MO.	.487632	.803474	.738618
				2-65+ YR.	1.227579	1.823474	1.859421
GUAIOL ACETATE FEMA 3313D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
GUAIOL ACETATE FEMA 3313D	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
GUAICL ACETATE FEMA 3313D	10	MEAT PRODS(R)	*	2-65+ YR.	.156800	.260200	.313600
GUAIOL ACETATE FEMA 3313D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
GUAIOL ACETATE FEMA 3313D	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
GUAIOL ACETATE FEMA 3313D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
GUAIOL ACETATE FEMA 3313D	59	ALL CATEGORIES	*	0-5 MO.	.050021	.083663	.085279
				6-11 MO.	.402863	.978974	.695437
				12-23 MO.	.743232	1.407174	1.249818
				2-65+ YR.	1.783379	3.121174	2.971021
HEPTANAL-1,2-GLYACETAL FEMA 3314D	01	BAKED GOODS(R)	*	0-5 MO.	.047600	.063000	.112200
				6-11 MO.	.355600	.725200	.838200
				12-23 MO.	.763000	1.257200	1.798500
				2-65+ YR.	1.920800	2.853200	4.527600
HEPTANAL-1,2-GLYACETAL FEMA 3314D	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.014000
				6-11 MO.	.066500	.184800	.133000
				12-23 MO.	.100800	.236600	.201600
				2-65+ YR.	.179200	.431900	.358400
HEPTANAL-1,2-GLYACETAL FEMA 3314D	16	SOFT CANDY(R)	*	0-5 MO.	.001800	.018000	.003600
				6-11 MO.	.019800	.061200	.039600
				12-23 MO.	.031500	.083700	.063000
				2-65+ YR.	.052200	.158400	.104400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEPTANAL-1,2-GLYACETAL FEMA 3314D	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.024000
				6-11 MO.	.076800	.232800	.153600
				12-23 MO.	.082800	.201600	.165600
				2-65+ YR.	.122400	.315000	.244800
HEPTANAL-1,2-GLYACETAL FEMA 3314D	23	BEV TYPE I(R)	*	0-5 MO.	.013200	.019800	.026400
				6-11 MO.	.124850	.427350	.249700
				12-23 MO.	.298100	.893750	.596200
				2-65+ YR.	.572000	1.527350	1.144000
HEPTANAL-1,2-GLYACETAL FEMA 3314D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
HEPTANAL-1,2-GLYACETAL FEMA 3314D	99	ALL CATEGORIES	*	0-5 MO.	.081600	.145700	.180200
				6-11 MO.	.643550	1.631550	1.414100
				12-23 MO.	1.276200	2.673250	2.824900
				2-65+ YR.	2.911600	5.474650	6.509200
3-HEPTANOL FEMA 3315D	01	BAKED GOODS(R)	*	0-5 MO.	.028333	.037500	.062900
				6-11 MO.	.211667	.431667	.469900
				12-23 MO.	.454167	.748333	1.008250
				2-65+ YR.	1.143333	1.698333	2.538200
3-HEPTANOL FEMA 3315D	07	FROZN DAIRY(R)	*	0-5 MO.	.004167	.017083	.008833
				6-11 MO.	.039583	.110000	.083917
				12-23 MO.	.060000	.140833	.127200
				2-65+ YR.	.106667	.257083	.226133
3-HEPTANOL FEMA 3315D	16	SOFT CANDY(R)	*	0-5 MO.	.001167	.011667	.002700
				6-11 MO.	.012833	.039667	.029700
				12-23 MO.	.020417	.054250	.047250
				2-65+ YR.	.033833	.102667	.078300
3-HEPTANOL FEMA 3315D	20	GELATIN PUD(R)	*	0-5 MO.	.007667	.010350	.016333

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-HEPTANOL FEMA 3315D	20	GELATIN PUD(R)	*	6-11 MO.	.049067	.148733	.104533
				12-23 MO.	.052900	.128800	.112700
				2-65+ YR.	.078200	.201250	.166600
3-HEPTANOL FEMA 3315D	23	BEV TYPE I(R)	*	0-5 MO.	.008800	.013200	.018800
				6-11 MO.	.083233	.284900	.177817
				12-23 MO.	.198733	.595833	.424567
				2-65+ YR.	.381333	1.018233	.814667
3-HEPTANOL FEMA 3315D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000250	**********
				12-23 MO.	**********	.000500	**********
				2-65+ YR.	.081250	.236000	.205833
3-HEPTANOL FEMA 3315D	99	ALL CATEGORIES	4	0-5 MO.	.050133	.089800	.109567
				6-11 MO.	.396383	1.015217	.865867
				12-23 MO.	.786217	1.668550	1.719967
				2-65+ YR.	1.824617	3.513567	4.029733
3-HEXENL-2-MEBUTYRATE FEMA 3316D	01	BAKED GOODS(R)	*	0-5 MO.	.077067	.102000	.125800
				6-11 MO.	.575733	1.174133	.939800
				12-23 MO.	1.235333	2.035467	2.016500
				2-65+ YR.	3.109867	4.619467	5.076400
3-HEXENL-2-MEBUTYRATE FEMA 3316D	07	FROZN DAIRY(R)	5	0-5 MO.	.009300	.038130	.016000
				6-11 MO.	.088350	.245520	.152000
				12-23 MO.	.133920	.314340	.230400
				2-65+ YR.	.238080	.573810	.409600
3-HEXENL-2-MEBUTYRATE FEMA 3316D	16	SOFT CANDY(R)	5	0-5 MO.	.002800	.028000	.005733
				6-11 MO.	.030800	.095200	.063067
				12-23 MO.	.049000	.130200	.100333
				2-65+ YR.	.081200	.246400	.166267
3-HEXENL-2-MEBUTYRATE FEMA 3316D	20	GELATIN PUD(R)	4	0-5 MO.	.014000	.018900	.029333
				6-11 MO.	.089600	.271600	.187733

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-HEXENL-2-MEBUTYRATE FEMA 3316D	20	GELATIN PUD(R)	4	12-23 MO.	.096600	.235200	.202400
				2-65+ YR.	.142800	.367500	.299200
3-HEXENL-2-MEBUTYRATE FEMA 3316D	23	BEV TYPE I(R)	5	0-5 MO.	.017376	.026064	.033600
				6-11 MO.	.164348	.562548	.317800
				12-23 MO.	.392408	1.176500	.758800
				2-65+ YR.	.752960	2.010548	1.456000
3-HEXENL-2-MEBUTYRATE FEMA 3316D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000350	**********
				12-23 MO.	**********	.000700	**********
				2-65+ YR.	.113750	.330400	.227500
3-HEXENL-2-MEBUTYRATE FEMA 3316D	31	CHEWING GUM(R)	4	0-5 MO.	**********	**********	**********
				6-11 MO.	.000057	.000057	.000057
				12-23 MO.	.000057	.000171	.000057
				2-65+ YR.	.000114	.000228	.000114
3-HEXENL-2-MEBUTYRATE FEMA 3316D	99	ALL CATEGORIES	6	0-5 MO.	.120543	.213094	.210467
				6-11 MO.	.948888	2.349408	1.660457
				12-23 MO.	1.907318	3.892578	3.308490
				2-65+ YR.	4.438771	8.148353	7.635081
3-HEXYNEL ISO-VALERATE FEMA 3317D	01	BAKED GOODS(R)	4	0-5 MO.	.059500	.078750	.125800
				6-11 MO.	.444500	.906500	.939800
				12-23 MO.	.953750	1.571500	2.016500
				2-65+ YR.	2.401000	3.566500	5.076400
3-HEXYNEL ISO-VALERATE FEMA 3317D	07	FROZN DAIRY(R)	4	0-5 MO.	.009750	.039975	.016000
				6-11 MO.	.092625	.257400	.152000
				12-23 MO.	.140400	.329550	.230400
				2-65+ YR.	.249600	.601575	.409600
3-HEXYNEL ISO-VALERATE FEMA 3317D	16	SOFT CANDY(R)	4	0-5 MO.	.002650	.026500	.005733
				6-11 MO.	.029150	.090100	.063067
				12-23 MO.	.046375	.123225	.100333

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-HEXYNEL ISO-VALERATE FEMA 3317D	16	SOFT CANDY(R)	4	2-65+ YR.	.076850	.233200	.166267
3-HEXYNEL ISO-VALERATE FEMA 3317D	20	GELATIN PUD(R)	*	0-5 MO.	.018000	.024300	.029333
				6-11 MO.	.115200	.349200	.187733
				12-23 MO.	.124200	.302400	.202400
				2-65+ YR.	.183600	.472500	.299200
3-HEXYNEL ISO-VALERATE FEMA 3317D	23	BEV TYPE I(R)	4	0-5 MO.	.018600	.027900	.033600
				6-11 MO.	.175925	.602175	.317800
				12-23 MO.	.420050	1.259375	.758800
				2-65+ YR.	.806000	2.152175	1.456000
3-HEXYNEL ISO-VALERATE FEMA 3317D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000350	**********
				12-23 MO.	**********	.000700	**********
				2-65+ YR.	.113750	.330400	.227500
3-HEXYNEL ISO-VALERATE FEMA 3317D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000261	.000261	.000261
				12-23 MO.	.000261	.000783	.000261
				2-65+ YR.	.000522	.001044	.000522
3-HEXYNEL ISO-VALERATE FEMA 3317D	99	ALL CATEGORIES	5	0-5 MO.	.108500	.197425	.210467
				6-11 MO.	.857661	2.205986	1.660661
				12-23 MO.	1.685036	3.587533	3.308694
				2-65+ YR.	3.831322	7.357394	7.635489
HEXYL, ISO-VALERATE FEMA 3318D	01	BAKED GOODS(R)	4	0-5 MO.	.085000	.112500	.175667
				6-11 MO.	.635000	1.295000	1.312333
				12-23 MO.	1.362500	2.245000	2.815833
				2-65+ YR.	3.430000	5.095000	7.088667
HEXYL, ISO-VALERATE FEMA 3318D	07	FROZN DAIRY(R)	4	0-5 MO.	.017500	.071750	.025000
				6-11 MO.	.166250	.462000	.237500
				12-23 MO.	.252000	.591500	.360000
				2-65+ YR.	.448000	1.079750	.640000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL, ISO-VALERATE FEMA 3318D	16	SOFT CANDY(R)	5	0-5 MO.	.003571	.035714	.007333
				6-11 MO.	.039286	.121429	.080667
				12-23 MO.	.062500	.166071	.128333
				2-65+ YR.	.103571	.314286	.212667
HEXYL, ISO-VALERATE FEMA 3318D	20	GELATIN PUD(R)	4	0-5 MO.	.036333	.049050	.062667
				6-11 MO.	.232533	.704867	.401067
				12-23 MO.	.250700	.610400	.432400
				2-65+ YR.	.370600	.953750	.639200
HEXYL, ISO-VALERATE FEMA 3318D	23	BEV TYPE I(R)	5	0-5 MO.	.030857	.046286	.051600
				6-11 MO.	.291857	.999000	.488050
				12-23 MO.	.696857	2.089286	1.165300
				2-65+ YR.	1.337143	3.570429	2.236000
HEXYL, ISO-VALERATE FEMA 3318D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000350	**********
				12-23 MO.	**********	.000700	**********
				2-65+ YR.	.113750	.330400	.227500
HEXYL, ISO-VALERATE FEMA 3318D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000023	.000023	.000023
				12-23 MO.	.000023	.000069	.000023
				2-65+ YR.	.000046	.000092	.000046
HEXYL, ISO-VALERATE FEMA 3318D	99	ALL CATEGORIES	6	0-5 MO.	.173262	.315300	.322267
				6-11 MO.	1.364949	3.582668	2.519640
				12-23 MO.	2.624580	5.703026	4.901890
				2-65+ YR.	5.803110	11.343706	11.044079
HEXYL-2-METHYLBUTYRATE FEMA 3319D	01	BAKED GOODS(R)	4	0-5 MO.	.085000	.112500	.175667
				6-11 MO.	.635000	1.295000	1.312333
				12-23 MO.	1.362500	2.245000	2.815833
				2-65+ YR.	3.430000	5.095000	7.088667
HEXYL-2-METHYLBUTYRATE FEMA 3319D	07	FROZN DAIRY(R)	5	0-5 MO.	.015043	.061678	.021786

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL-2-METHYLBUTYRATE FEMA 3319D	07	FROZN DAIRY(R)	5	6-11 MO.	.142907	.397131	.206964
				12-23 MO.	.216617	.508449	.313714
				2-65+ YR.	.385097	.928144	.557714
HEXYL-2-METHYLBUTYRATE FEMA 3319D	16	SOFT CANDY(R)	5	0-5 MO.	.003486	.034857	.007333
				6-11 MO.	.038343	.118514	.080667
				12-23 MO.	.061000	.162086	.128333
				2-65+ YR.	.101086	.306743	.212667
HEXYL-2-METHYLBUTYRATE FEMA 3319D	20	GELATIN PUD(R)	5	0-5 MO.	.029250	.039488	.062667
				6-11 MO.	.187200	.567450	.401067
				12-23 MO.	.201825	.491400	.432400
				2-65+ YR.	.298350	.767813	.639200
HEXYL-2-METHYLBUTYRATE FEMA 3319D	23	BEV TYPE I(R)	7	0-5 MO.	.022344	.033516	.044829
				6-11 MO.	.211337	.723387	.424004
				12-23 MO.	.504602	1.512875	1.012379
				2-65+ YR.	.968240	2.585387	1.942571
HEXYL-2-METHYLBUTYRATE FEMA 3319D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000350	**********
				12-23 MO.	**********	.000700	**********
				2-65+ YR.	.113750	.330400	.227500
HEXYL-2-METHYLBUTYRATE FEMA 3319D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000034	.000034	.000034
				12-23 MO.	.000034	.000102	.000034
				2-65+ YR.	.000068	.000136	.000068
HEXYL-2-METHYLBUTYRATE FEMA 3319D	99	ALL CATEGORIES	8	0-5 MO.	.155123	.282036	.312281
				6-11 MO.	1.214821	3.101867	2.425069
				12-23 MO.	2.346578	4.920611	4.702694
				2-65+ YR.	5.296591	10.013623	10.668387
ISO-JASMONE FEMA 3325D	01	BAKED GOODS(R)	*	0-5 MO.	.006084	.008053	.007949
				6-11 MO.	.045453	.092695	.059386

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISO-JASMONE FEMA 3325D	01	BAKED GOODS(R)	*	12-23 MO.	.097526	.160695	.127423
				2-65+ YR.	.245516	.364695	.320777
ISO-JASMONE FEMA 3325D	07	FROZN DAIRY(R)	*	0-5 MO.	.001204	.004936	.001855
				6-11 MO.	.011437	.031784	.017625
				12-23 MO.	.017337	.040693	.026716
				2-65+ YR.	.030821	.074284	.047495
ISO-JASMONE FEMA 3325D	16	SOFT CANDY(R)	4	0-5 MO.	.000337	.003370	.000503
				6-11 MO.	.003707	.011459	.005529
				12-23 MO.	.005898	.015672	.008796
				2-65+ YR.	.009774	.029659	.014576
ISO-JASMONE FEMA 3325D	20	GELATIN PUD(R)	*	0-5 MO.	.002408	.003251	.003711
				6-11 MO.	.015411	.046713	.023747
				12-23 MO.	.016614	.040453	.025603
				2-65+ YR.	.024561	.063207	.037847
ISO-JASMONE FEMA 3325D	23	BEV TYPE I(R)	4	0-5 MO.	.003007	.004511	.003821
				6-11 MO.	.028445	.097365	.036141
				12-23 MO.	.067917	.203626	.086292
				2-65+ YR.	.130321	.347982	.165579
ISO-JASMONE FEMA 3325D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ISO-JASMONE FEMA 3325D	99	ALL CATEGORIES	4	0-5 MO.	.013040	.024121	.017839
				6-11 MO.	.104453	.280516	.142428
				12-23 MO.	.205293	.462139	.274829
				2-65+ YR.	.603492	1.351827	.911275
LINALOOL OXIDE FEMA 3328D	01	BAKED GOODS(R)	5	0-5 MO.	.017756	.023500	.038250
				6-11 MO.	.132644	.270511	.285750
				12-23 MO.	.284611	.468956	.613125

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALOOL OXIDE FEMA 3328D	01	BAKED GOODS(R)	5	2-65+ YR.	.716489	1.064289	1.543500
LINALOOL OXIDE FEMA 3328D	07	FROZN DAIRY(R)	4	0-5 MO.	.003000	.012300	.007000
				6-11 MO.	.028500	.079200	.066500
				12-23 MO.	.043200	.101400	.100800
				2-65+ YR.	.076800	.185100	.179200
LINALOOL OXIDE FEMA 3328D	16	SOFT CANDY(R)	6	0-5 MO.	.000890	.008900	.002036
				6-11 MO.	.009790	.030260	.022391
				12-23 MO.	.015575	.041385	.035622
				2-65+ YR.	.025810	.078320	.059031
LINALOOL OXIDE FEMA 3328D	20	GELATIN PUD(R)	5	0-5 MO.	.003680	.004968	.009220
				6-11 MO.	.023552	.071392	.059008
				12-23 MO.	.025392	.061824	.063616
				2-65+ YR.	.037536	.096600	.094044
LINALOOL OXIDE FEMA 3328D	23	BEV TYPE I(R)	5	0-5 MO.	.003696	.005544	.009264
				6-11 MO.	.034958	.119658	.087622
				12-23 MO.	.083468	.250250	.209212
				2-65+ YR.	.160160	.427658	.401440
LINALOOL OXIDE FEMA 3328D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000275	**********
				12-23 MO.	**********	.000550	**********
				2-65+ YR.	.089375	.259600	.219375
LINALOOL OXIDE FEMA 3328D	99	ALL CATEGORIES	6	0-5 MO.	.029022	.055212	.065770
				6-11 MO.	.229444	.571296	.521271
				12-23 MO.	.452246	.924365	1.022377
				2-65+ YR.	1.106170	2.111567	2.496590
P-MENTH-8-EN-2-ONE FEMA 3337D	01	BAKED GOODS(R)	*	0-5 MO.	.029467	.039000	.053267
				6-11 MO.	.220133	.448933	.397933
				12-23 MO.	.472333	.778267	.853833
				2-65+ YR.	1.189067	1.766267	2.149467

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
P-MENTH-8-EN-2-ONE FEMA 33370	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.007333
				6-11 MO.	.038000	.105600	.069667
				12-23 MO.	.057600	.135200	.105600
				2-65+ YR.	.102400	.246800	.187733
P-MENTH-8-EN-2-ONE FEMA 33370	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.002800
				6-11 MO.	.015400	.047600	.030800
				12-23 MO.	.024500	.065100	.049000
				2-65+ YR.	.040600	.123200	.081200
P-MENTH-8-EN-2-ONE FEMA 33370	20	GELATIN PUD(R)	*	0-5 MO.	.005333	.007200	.009333
				6-11 MO.	.034133	.103467	.059733
				12-23 MO.	.036800	.089600	.064400
				2-65+ YR.	.054400	.140000	.095200
P-MENTH-8-EN-2-ONE FEMA 33370	23	BEV TYPE I(R)	*	0-5 MO.	.003200	.004800	.006400
				6-11 MO.	.030267	.103600	.060533
				12-23 MO.	.072267	.216667	.144533
				2-65+ YR.	.138667	.370267	.277333
P-MENTH-8-EN-2-ONE FEMA 33370	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
P-MENTH-8-EN-2-ONE FEMA 33370	99	ALL CATEGORIES	*	0-5 MO.	.043400	.081400	.079133
				6-11 MO.	.337933	.809400	.618667
				12-23 MO.	.663500	1.285233	1.217367
				2-65+ YR.	1.590133	2.835333	2.920933
PERILLALDEHYDE FEMA 33400	01	BAKED GOODS(R)	*	0-5 MO.	.008500	.011250	.015300
				6-11 MO.	.063500	.129500	.114300
				12-23 MO.	.136250	.224500	.245250
				2-65+ YR.	.343000	.509500	.617400
PERILLALDEHYDE FEMA 33400	07	FROZN DAIRY(R)	*	0-5 MO.	.003167	.012983	.006333

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	********** POSSIBLE DAILY INTAKE, MG. ********** (AGE)	AVERAGE	HIGH A	HIGH B
PERILLALDEHYDE FEMA 3340D	07	FROZN DAIRY(R)	*	6-11 MO.	.030083	.083600	.060167
				12-23 MO.	.045600	.107033	.091200
				2-65+ YR.	.081067	.195383	.162133
PERILLALDEHYDE FEMA 3340D	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.022000
				6-11 MO.	.207000	.558000	.414000
				12-23 MO.	.302000	.519000	.604000
				2-65+ YR.	.784000	1.301000	1.568000
PERILLALDEHYDE FEMA 3340D	16	SOFT CANDY(R)	*	0-5 MO.	.001133	.011333	.001933
				6-11 MO.	.012467	.038533	.021267
				12-23 MO.	.019833	.052700	.033833
				2-65+ YR.	.032867	.099733	.056067
PERILLALDEHYDE FEMA 3340D	20	GELATIN PUD(R)	*	0-5 MO.	.005000	.006750	.009000
				6-11 MO.	.032000	.097000	.057600
				12-23 MO.	.034500	.084000	.062100
				2-65+ YR.	.051000	.131250	.091800
PERILLALDEHYDE FEMA 3340D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600
				6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
PERILLALDEHYDE FEMA 3340D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.195000
PERILLALDEHYDE FEMA 3340D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000075	.000225	.000075
				12-23 MO.	.000225	.000675	.000225
				2-65+ YR.	.000450	.001275	.000450
PERILLALDEHYDE FEMA 3340D	99	ALL CATEGORIES	4	0-5 MO.	.033600	.078517	.064167
				6-11 MO.	.390525	1.062558	.758208

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PERILLALDEHYDE FEMA 33400	99	ALL CATEGORIES	4	12-23 MO.	.646808	1.313508	1.253408
				2-65+ YR.	1.597883	3.076742	3.106850
ALPHA-TERPINENE FEMA 3341D	01	BAKED GOODS(R)	4	0-5 MO.	.032640	.043200	.073100
				6-11 MO.	.243840	.497280	.546100
				12-23 MO.	.523200	.862080	1.171750
				2-65+ YR.	1.317120	1.956480	2.949800
ALPHA-TERPINENE FEMA 3341D	07	FROZN DAIRY(R)	*	0-5 MO.	.004750	.019475	.011500
				6-11 MO.	.045125	.125400	.109250
				12-23 MO.	.068400	.160550	.165600
				2-65+ YR.	.121600	.293075	.294400
ALPHA-TERPINENE FEMA 3341D	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	**********
				6-11 MO.	.414000	1.116000	**********
				12-23 MO.	.604000	1.038000	**********
				2-65+ YR.	1.568000	2.602000	**********
ALPHA-TERPINENE FEMA 3341D	16	SOFT CANDY(R)	*	0-5 MO.	.001150	.011500	.003550
				6-11 MO.	.012650	.039100	.039050
				12-23 MO.	.020125	.053475	.062125
				2-65+ YR.	.033350	.101200	.102950
ALPHA-TERPINENE FEMA 3341D	20	GELATIN PUD(R)	*	0-5 MO.	.010667	.014400	.024000
				6-11 MO.	.068267	.206933	.153600
				12-23 MO.	.073600	.179200	.165600
				2-65+ YR.	.108800	.280000	.244800
ALPHA-TERPINENE FEMA 3341D	23	BEV TYPE I(R)	*	0-5 MO.	.012800	.019200	.028800
				6-11 MO.	.121067	.414400	.272400
				12-23 MO.	.289067	.866667	.650400
				2-65+ YR.	.554667	1.481067	1.248000
ALPHA-TERPINENE FEMA 3341D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALPHA-TERPINENE FEMA 3341D	24	BEV TYPE II(R)	*	2-65+ YR.	.097500	.263200	.325000
ALPHA-TERPINENE FEMA 3341D	59	ALL CATEGORIES	4	0-5 MO.	.084007	.165775	.140950
				6-11 MO.	.904948	2.399413	1.120400
				12-23 MO.	1.578392	3.160572	2.215475
				2-65+ YR.	3.801037	6.997022	5.164950
GAMMA-TERPINENE FEMA 3342D	01	BAKED GOODS(R)	5	0-5 MO.	.023043	.030498	.046263
				6-11 MO.	.172147	.351071	.345613
				12-23 MO.	.369370	.608614	.741571
				2-65+ YR.	.929865	1.381242	1.866854
GAMMA-TERPINENE FEMA 3342D	07	FROZN DAIRY(R)	5	0-5 MO.	.003172	.013006	.008613
				6-11 MO.	.030136	.083748	.081822
				12-23 MO.	.045680	.107222	.124024
				2-65+ YR.	.081210	.195728	.220488
GAMMA-TERPINENE FEMA 3342D	10	MEAT PRODS(R)	*	0-5 MO.	.022000	.058000	**********
				6-11 MO.	.414000	1.116000	**********
				12-23 MO.	.604000	1.038000	**********
				2-65+ YR.	1.568000	2.602000	**********
GAMMA-TERPINENE FEMA 3342D	16	SOFT CANDY(R)	5	0-5 MO.	.000668	.006685	.002069
				6-11 MO.	.007353	.022728	.022760
				12-23 MO.	.011698	.031084	.036209
				2-65+ YR.	.019386	.058825	.060003
GAMMA-TERPINENE FEMA 3342D	20	GELATIN PUD(R)	4	0-5 MO.	.006371	.008601	.017264
				6-11 MO.	.040775	.123599	.110491
				12-23 MO.	.043960	.107034	.119123
				2-65+ YR.	.064985	.167241	.176094
GAMMA-TERPINENE FEMA 3342D	23	BEV TYPE I(R)	5	0-5 MO.	.007522	.011283	.020378
				6-11 MO.	.071145	.243523	.192742
				12-23 MO.	.169871	.509299	.460204
				2-65+ YR.	.325951	.870352	.883049

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GAMMA-TERPINENE FEMA 3342D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000300	**********
				12-23 MO.	**********	.000600	**********
				2-65+ YR.	.097500	.283200	.325000
GAMMA-TERPINENE FEMA 3342D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.004990	.014970	.005000
				12-23 MO.	.014970	.044910	.015000
				2-65+ YR.	.029940	.084830	.030000
GAMMA-TERPINENE FEMA 3342D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002500	.002500	.002500
				12-23 MO.	.002500	.007500	.002500
				2-65+ YR.	.005000	.010000	.005000
GAMMA-TERPINENE FEMA 3342D	99	ALL CATEGORIES	8	0-5 MO.	.062777	.128073	.094587
				6-11 MO.	.743046	1.958439	.760927
				12-23 MO.	1.262050	2.454263	1.498631
				2-65+ YR.	3.121836	5.653418	3.566488
P-MENTH-3-ENE-1-OL FEMA 3343D	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.102000
				6-11 MO.	.381000	.777000	.762000
				12-23 MO.	.817500	1.347000	1.635000
				2-65+ YR.	2.058000	3.057000	4.116000
P-MENTH-3-ENE-1-OL FEMA 3343D	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.123000	.308500	.256000
P-MENTH-3-ENE-1-OL FEMA 3343D	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.005000
				6-11 MO.	.022000	.068000	.055000
				12-23 MO.	.035000	.093000	.087500
				2-65+ YR.	.058000	.176000	.145000
P-MENTH-3-ENE-1-OL FEMA 3343D	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
P-MENTH-3-ENE-1-OL FEMA 3343D	20	GELATIN PUD(R)	*	6-11 MO.	.128000	.388000	.256000
				12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
P-MENTH-3-ENE-1-OL FEMA 3343D	23	DEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
P-MENTH-3-ENE-1-OL FEMA 3343D	99	ALL CATEGORIES	*	0-5 MO.	.090000	.153000	.181000
				6-11 MO.	.692000	1.753500	1.395000
				12-23 MO.	1.333500	2.757500	2.684500
				2-65+ YR.	2.968000	5.455000	5.965000
METHOXYBENZALDEHYDE FEMA 3345D	01	BAKED GOODS(R)	4	0-5 MO.	.108552	.143672	.218430
				6-11 MO.	.810948	1.653823	1.631802
				12-23 MO.	1.740026	2.867052	3.501308
				2-65+ YR.	4.380396	6.506740	8.814302
METHOXYBENZALDEHYDE FEMA 3345D	07	FROZN DAIRY(P)	*	0-5 MO.	.010000	.041000	.020000
				6-11 MO.	.095000	.264000	.190000
				12-23 MO.	.144000	.338000	.288000
				2-65+ YR.	.256000	.617000	.512000
METHOXYBENZALDEHYDE FEMA 3345D	10	MEAT PRODS(R)	*	0-5 MO.	.033000	.087000	**********
				6-11 MO.	.621000	1.674000	**********
				12-23 MO.	.906000	1.557000	**********
				2-65+ YR.	2.352000	3.903000	**********
METHOXYBENZALDEHYDE FEMA 3345D	16	SOFT CANDY(R)	4	0-5 MO.	.003502	.035021	.006430
				6-11 MO.	.038523	.119071	.070733
				12-23 MO.	.061286	.162847	.112529
				2-65+ YR.	.101560	.308183	.186477
METHOXYBENZALDEHYDE FEMA 3345D	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.060000
				6-11 MO.	.256000	.776000	.384000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHOXYBENZALDEHYDE FEMA 3345D	20	GELATIN PUD(R)	*	12-23 MO.	.276000	.672000	.414000
				2-65+ YR.	.408000	1.050000	.612000
METHOXYBENZALDEHYDE FEMA 3345D	23	BEV TYPE I(R)	*	0-5 MO.	.020874	.031311	.041842
				6-11 MO.	.197430	.675785	.395757
				12-23 MO.	.471397	1.413322	.944934
				2-65+ YR.	.904526	2.415259	1.813158
METHOXYBENZALDEHYDE FEMA 3345D	99	ALL CATEGORIES	4	0-5 MO.	.215928	.392003	.346703
				6-11 MO.	2.018901	5.162679	2.672291
				12-23 MO.	3.598710	7.010221	5.260771
				2-65+ YR.	8.402482	14.800182	11.937937
METHOXYSTY ISOPROP KET FEMA 3346D	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	**********
				6-11 MO.	.254000	.518000	**********
				12-23 MO.	.545000	.898000	**********
				2-65+ YR.	1.372000	2.038000	**********
METHOXYSTY ISOPROP KET FEMA 3346D	99	ALL CATEGORIES	*	0-5 MO.	.034000	.045000	**********
				6-11 MO.	.254000	.518000	**********
				12-23 MO.	.545000	.898000	**********
				2-65+ YR.	1.372000	2.038000	**********
2-MEBUTYL ISOVALERATE FEMA 3347D	01	BAKED GOODS(R)	*	0-5 MO.	.043577	.057676	.061870
				6-11 MO.	.325549	.663915	.462208
				12-23 MO.	.698521	1.150958	.991746
				2-65+ YR.	1.758479	2.612084	2.496654
2-MEBUTYL ISOVALERATE FEMA 3347D	07	FROZN DAIRY(R)	*	0-5 MO.	.005127	.021020	.010958
				6-11 MO.	.048704	.135346	.104099
				12-23 MO.	.073825	.173285	.157792
				2-65+ YR.	.131245	.316321	.280518
2-MEBUTYL ISOVALERATE FEMA 3347D	16	SOFT CANDY(R)	*	0-5 MO.	.001448	.014479	.002896
				6-11 MO.	.015927	.049228	.031854
				12-23 MO.	.025338	.067527	.050676

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-MEBUTYL ISOVALERATE FEMA 3347D	16	SOFT CANDY(R)	*	2-65+ YR.	.041989	.127414	.083977
2-MEBUTYL ISOVALERATE FEMA 3347D	20	GELATIN PUD(R)	*	0-5 MO.	.010254	.013842	.021915
				6-11 MO.	.065023	.198918	.140259
				12-23 MO.	.070749	.172259	.151217
				2-65+ YR.	.104586	.269155	.223538
2-MEBUTYL ISOVALERATE FEMA 3347D	23	BEV TYPE I(R)	*	0-5 MO.	.012126	.018189	.026299
				6-11 MO.	.114695	.392590	.248741
				12-23 MO.	.273853	.821053	.593910
				2-65+ YR.	.525474	1.403116	1.139606
2-MEBUTYL ISOVALERATE FEMA 3347D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002000	**********
				12-23 MO.	**********	.004000	**********
				2-65+ YR.	.650000	1.888000	1.625000
2-MEBUTYL ISOVALERATE FEMA 3347D	59	ALL CATEGORIES	*	0-5 MO.	.072532	.125206	.123938
				6-11 MO.	.570498	1.441998	.987161
				12-23 MO.	1.142286	2.388881	1.945341
				2-65+ YR.	3.211772	6.616091	5.849293
P-METHYLCINNAMALDEHYDE FEMA 3348D	C1	BAKED GOODS(R)	*	0-5 MO.	.022147	.029313	.044294
				6-11 MO.	.165453	.337419	.330906
				12-23 MO.	.355007	.584947	.710014
				2-65+ YR.	.893706	1.327531	1.787411
P-METHYLCINNAMALDEHYDE FEMA 3348D	C7	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
P-METHYLCINNAMALDEHYDE FEMA 3348D	16	SOFT CANDY(R)	*	0-5 MO.	.000760	.007602	.001520
				6-11 MO.	.008362	.025846	.016724
				12-23 MO.	.013303	.035349	.026606
				2-65+ YR.	.022045	.066896	.044091

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	********** POSSIBLE DAILY INTAKE, MG. ********** (AGE)	AVERAGE	HIGH A	HIGH B
P-METHYLCINNAMALDEHYDE FEMA 3348D	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
P-METHYLCINNAMALDEHYDE FEMA 3348D	23	BEV TYPE I(R)	*	0-5 MO.	.007732	.011599	.015465
				6-11 MO.	.073136	.250337	.146272
				12-23 MO.	.174624	.523550	.349248
				2-65+ YR.	.335072	.894706	.670144
P-METHYLCINNAMALDEHYDE FEMA 3348D	99	ALL CATEGORIES	*	0-5 MO.	.045640	.082513	.091280
				6-11 MO.	.358451	.939603	.716901
				12-23 MO.	.683934	1.480846	1.367868
				2-65+ YR.	1.480823	2.860133	2.961646
METHYL DISULFIDE FEMA 3350D	01	BAKED GOODS(R)	5	0-5 MO.	.027755	.036735	.057325
				6-11 MO.	.207347	.422857	.428249
				12-23 MO.	.444898	.733061	.918882
				2-65+ YR.	1.120000	1.663673	2.313221
METHYL DISULFIDE FEMA 3350D	07	FROZN DAIRY(R)	*	0-5 MO.	.002488	.010201	.004783
				6-11 MO.	.023636	.065682	.045440
				12-23 MO.	.035627	.084093	.068877
				2-65+ YR.	.063692	.153507	.122448
METHYL DISULFIDE FEMA 3350D	10	MEAT PRODS(R)	4	0-5 MO.	.000546	.001440	.002367
				6-11 MO.	.010282	.027717	.044542
				12-23 MO.	.015001	.025780	.064984
				2-65+ YR.	.038943	.064623	.168700
METHYL DISULFIDE FEMA 3350D	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000152	**********
				6-11 MO.	.001218	.003350	.003055
				12-23 MO.	.004264	.011573	.010691
				2-65+ YR.	.013400	.032282	.033600
METHYL DISULFIDE FEMA 3350D	16	SOFT CANDY(R)	*	0-5 MO.	.000916	.009137	.001875

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL DISULFIDE FEMA 3350D	16	SOFT CANDY(R)	*	6-11 MO.	.010072	.031133	.020622
				12-23 MO.	.016024	.042578	.032807
				2-65+ YR.	.026554	.080578	.054366
METHYL DISULFIDE FEMA 3350D	19	SWEET SAUCE(R)	*	0-5 MO.	.000002	.000003	.000002
				6-11 MO.	.000006	.000022	.000006
				12-23 MO.	.000018	.000053	.000018
				2-65+ YR.	.000048	.000125	.000048
METHYL DISULFIDE FEMA 3350D	20	GELATIN PUD(R)	*	0-5 MO.	.008455	.011414	.016541
				6-11 MO.	.054109	.164018	.105862
				12-23 MO.	.058336	.142036	.114132
				2-65+ YR.	.086236	.221932	.168717
METHYL DISULFIDE FEMA 3350D	23	BEV TYPE I(R)	*	0-5 MO.	.005971	.008957	.011480
				6-11 MO.	.056477	.193314	.108577
				12-23 MO.	.134847	.404292	.259246
				2-65+ YR.	.258747	.690904	.497446
METHYL DISULFIDE FEMA 3350D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.065000
METHYL DISULFIDE FEMA 3350D	99	ALL CATEGORIES	9	0-5 MO.	.046133	.078058	.094372
				6-11 MO.	.363147	.908142	.756353
				12-23 MO.	.709215	1.443567	1.469637
				2-65+ YR.	1.623870	2.954825	3.423547
METHYL DIHYDROABIETATE FEMA 3351D	01	BAKED GOODS(R)	*	0-5 MO.	.680000	.900000	3.400000
				6-11 MO.	5.080000	10.360000	25.400000
				12-23 MO.	10.900000	17.960000	54.500000
				2-65+ YR.	27.440000	40.760000	137.200000
METHYL DIHYDROABIETATE FEMA 3351D	16	SOFT CANDY(R)	*	0-5 MO.	.040000	.400000	.200000
				6-11 MO.	.440000	1.360000	2.200000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL DIHYDROABIETATE FEMA 33510	16	SOFT CANDY(R)	*	12-23 MO.	.700000	1.860000	3.500000
				2-65+ YR.	1.160000	3.520000	5.800000
METHYL DIHYDROABIETATE FEMA 33510	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.019406	.058218	.019406
				12-23 MO.	.058218	.174654	.058218
				2-65+ YR.	.116436	.329902	.116436
METHYL DIHYDROABIETATE FEMA 33510	99	ALL CATEGORIES	*	0-5 MO.	.720000	1.300000	3.600000
				6-11 MO.	5.539406	11.778218	27.619406
				12-23 MO.	11.658218	19.994654	58.058218
				2-65+ YR.	28.716436	44.609902	143.116436
4-ME-5-PRO-2-CYCHEXENONE FEMA 33540	01	BAKED GOODS(R)	*	0-5 MO.	.024433	.032337	.050051
				6-11 MO.	.182526	.372237	.373912
				12-23 MO.	.391640	.645307	.802291
				2-65+ YR.	.985926	1.464516	2.019712
4-ME-5-PRO-2-CYCHEXENONE FEMA 33540	07	FROZN DAIRY(R)	*	0-5 MO.	.002500	.010250	.006500
				6-11 MO.	.023750	.066000	.061750
				12-23 MO.	.036000	.084500	.093600
				2-65+ YR.	.064000	.154250	.166400
4-ME-5-PRO-2-CYCHEXENONE FEMA 33540	10	MEAT PRODS(R)	*	0-5 MO.	.004921	.012974	.010276
				6-11 MO.	.092605	.249632	.193382
				12-23 MO.	.135105	.232184	.282132
				2-65+ YR.	.350737	.582026	.732421
4-ME-5-PRO-2-CYCHEXENONE FEMA 33540	16	SOFT CANDY(R)	*	0-5 MO.	.000900	.009000	.002100
				6-11 MO.	.009900	.030600	.023100
				12-23 MO.	.015750	.041850	.036750
				2-65+ YR.	.026100	.079200	.060900
4-ME-5-PRO-2-CYCHEXENONE FEMA 33540	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200

TABLE 13, PART A -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-ME-5-PRO-2-CYCHEXENONE FEMA 3354D	20	GELATIN PUD(R)	*	2-65+ YR.	.040800	.105000	.081600
4-ME-5-PRO-2-CYCHEXENONE FEMA 3354D	23	BEV TYPE I(R)	*	0-5 MO.	.006568	.009853	.014084
				6-11 MO.	.062126	.212653	.133213
				12-23 MO.	.148337	.444737	.318068
				2-65+ YR.	.284632	.760021	.610316
4-ME-5-PRO-2-CYCHEXENONE FEMA 3354D	99	ALL CATEGORIES	*	0-5 MO.	.043322	.079814	.091012
				6-11 MO.	.396507	1.008721	.836556
				12-23 MO.	.754432	1.515778	1.588041
				2-65+ YR.	1.752194	3.145014	3.671348
OCIMENE FEMA 3359D	01	BAKED GOODS(R)	*	0-5 MO.	.025763	.034099	.051527
				6-11 MO.	.192468	.392513	.384935
				12-23 MO.	.412972	.680456	.825944
				2-65+ YR.	1.039628	1.544287	2.079256
OCIMENE FEMA 3359D	07	FROZN DAIRY(R)	*	0-5 MO.	.003859	.015823	.007718
				6-11 MO.	.036662	.101882	.073324
				12-23 MO.	.055572	.130439	.111144
				2-65+ YR.	.098794	.238110	.197589
OCIMENE FEMA 3359D	16	SOFT CANDY(R)	*	0-5 MO.	.001468	.014684	.003031
				6-11 MO.	.016153	.049926	.033341
				12-23 MO.	.025697	.068282	.053042
				2-65+ YR.	.042584	.129221	.087899
OCIMENE FEMA 3359D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
OCIMENE FEMA 3359D	23	BEV TYPE I(R)	4	0-5 MO.	.002844	.004267	.005589
				6-11 MO.	.026904	.092089	.052867
				12-23 MO.	.064237	.192593	.126229
				2-65+ YR.	.123259	.329126	.242210

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OCIMENE FEMA 33590	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
OCIMENE FEMA 33590	99	ALL CATEGORIES	4	0-5 MO.	.037935	.074272	.075866
				6-11 MO.	.297786	.714210	.595667
				12-23 MO.	.586078	1.139370	1.171559
				2-65+ YR.	1.410066	2.534544	2.818554
3-OCTANOL FEMA 33600	01	BAKED GOODS(R)	*	0-5 MO.	.007393	.009785	.016284
				6-11 MO.	.055230	.112635	.121653
				12-23 MO.	.118506	.195263	.261026
				2-65+ YR.	.298330	.443147	.657116
3-OCTANOL FEMA 33600	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.004000
				6-11 MO.	.019000	.052800	.038000
				12-23 MO.	.028800	.067600	.057600
				2-65+ YR.	.051200	.123400	.102400
3-OCTANOL FEMA 33600	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000800
				6-11 MO.	.004400	.013600	.008800
				12-23 MO.	.007000	.018600	.014000
				2-65+ YR.	.011600	.035200	.023200
3-OCTANOL FEMA 33600	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
3-OCTANOL FEMA 33600	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.002000	.005500	.004000
				12-23 MO.	.005500	.015500	.011000
				2-65+ YR.	.006500	.018500	.013000
3-OCTANOL FEMA 33600	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-OCTANOL FEMA 3360D	23	BEV TYPE I(R)	*	6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
3-OCTANOL FEMA 3360D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	**********
3-OCTANOL FEMA 3360D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.001127	.001127	.001127
				12-23 MO.	.001127	.003381	.001127
				2-65+ YR.	.002254	.004508	.002254
3-OCTANOL FEMA 3360D	99	ALL CATEGORIES	5	0-5 MO.	.018593	.035085	.038684
				6-11 MO.	.152757	.418762	.315580
				12-23 MO.	.296933	.692744	.616753
				2-65+ YR.	.651184	1.379555	1.295570
1-OCTEN-3-YL ACETATE FEMA 3362D	01	BAKED GOODS(R)	*	0-5 MO.	.009567	.012663	.016284
				6-11 MO.	.071474	.145763	.121653
				12-23 MO.	.153360	.252693	.261026
				2-65+ YR.	.386074	.573484	.657116
1-OCTEN-3-YL ACETATE FEMA 3362D	07	FROZN DAIRY(R)	*	0-5 MO.	.002263	.009279	.004000
				6-11 MO.	.021500	.059747	.038000
				12-23 MO.	.032589	.076495	.057600
				2-65+ YR.	.057937	.139637	.102400
1-OCTEN-3-YL ACETATE FEMA 3362D	10	MEAT PRODS(R)	*	0-5 MO.	.006600	.017400	.013200
				6-11 MO.	.124200	.334800	.248400
				12-23 MO.	.181200	.311400	.362400
				2-65+ YR.	.470400	.780600	.940800
1-OCTEN-3-YL ACETATE FEMA 3362D	16	SOFT CANDY(R)	*	0-5 MO.	.000453	.004526	.000800
				6-11 MO.	.004979	.015389	.008800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-OCTEN-3-YL ACETATE FEMA 3362D	16	SOFT CANDY(R)	*	12-23 MO.	.007921	.021047	.014000
				2-65+ YR.	.013126	.039832	.023200
1-OCTEN-3-YL ACETATE FEMA 3362D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
1-OCTEN-3-YL ACETATE FEMA 3362D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.002000	.005500	.004000
				12-23 MO.	.005500	.015500	.011000
				2-65+ YR.	.006500	.018500	.013000
1-OCTEN-3-YL ACETATE FEMA 3362D	23	BEV TYPE I(R)	*	0-5 MO.	.005432	.008147	.009600
				6-11 MO.	.051374	.175847	.090800
				12-23 MO.	.122663	.367763	.216800
				2-65+ YR.	.235368	.628479	.416000
1-OCTEN-3-YL ACETATE FEMA 3362D	99	ALL CATEGORIES	4	0-5 MO.	.028315	.057915	.051684
				6-11 MO.	.301127	.814647	.562853
				12-23 MO.	.530834	1.112098	.978026
				2-65+ YR.	1.210206	2.285531	2.234116
3-OCTYL ACETATE FEMA 3363D	01	BAKED GOODS(R)	*	0-5 MO.	.007068	.009355	.014942
				6-11 MO.	.052805	.107689	.111626
				12-23 MO.	.113303	.186689	.239513
				2-65+ YR.	.285232	.423689	.602958
3-OCTYL ACETATE FEMA 3363D	07	FROZN DAIRY(R)	*	0-5 MO.	.001930	.007911	.004000
				6-11 MO.	.018331	.050941	.038000
				12-23 MO.	.027786	.065220	.057600
				2-65+ YR.	.049397	.119055	.102400
3-OCTYL ACETATE FEMA 3363D	10	MEAT PRODS(R)	*	0-5 MO.	.002860	.007540	**********
				6-11 MO.	.053820	.145080	**********
				12-23 MO.	.078520	.134940	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-OCTYL ACETATE FEMA 3363D	10	MEAT PRODS(R)	*	2-65+ YR.	.203840	.338260	**********
3-OCTYL ACETATE FEMA 3363D	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000800
				6-11 MO.	.004400	.013600	.008800
				12-23 MO.	.007000	.018600	.014000
				2-65+ YR.	.011600	.035200	.023200
3-OCTYL ACETATE FEMA 3363D	20	GELATIN PUD(R)	*	0-5 MO.	.003761	.005077	.008000
				6-11 MO.	.024068	.072955	.051200
				12-23 MO.	.025948	.063177	.055200
				2-65+ YR.	.038358	.098715	.081600
3-OCTYL ACETATE FEMA 3363D	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.002000	.005500	.004000
				12-23 MO.	.005500	.015500	.011000
				2-65+ YR.	.006500	.018500	.013000
3-OCTYL ACETATE FEMA 3363D	23	BEV TYPE I(R)	*	0-5 MO.	.004532	.006797	.009600
				6-11 MO.	.042861	.146710	.090800
				12-23 MO.	.102338	.306826	.216800
				2-65+ YR.	.196368	.524341	.416000
3-OCTYL ACETATE FEMA 3363D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000261	.000261	.000261
				12-23 MO.	.000261	.000783	.000261
				2-65+ YR.	.000522	.001044	.000522
3-OCTYL ACETATE FEMA 3363D	59	ALL CATEGORIES	5	0-5 MO.	.020550	.041181	.037342
				6-11 MO.	.198546	.542736	.304687
				12-23 MO.	.360656	.791735	.594374
				2-65+ YR.	.791817	1.558805	1.239680
1-PENTEN-3-OL FEMA 3365D	01	BAKED GOODS(R)	*	0-5 MO.	.019550	.025875	.029750
				6-11 MO.	.146050	.297850	.222250
				12-23 MO.	.313375	.516350	.476875
				2-65+ YR.	.788900	1.171850	1.200500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-PENTEN-3-OL FEMA 3369D	07	FROZN DAIRY(R)	*	0-5 MO.	.001750	.007175	.004250
				6-11 MO.	.016625	.046200	.040375
				12-23 MO.	.025200	.059150	.061200
				2-65+ YR.	.044800	.107975	.108800
1-PENTEN-3-OL FEMA 3369D	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
1-PENTEN-3-OL FEMA 3369D	20	GELATIN PUD(R)	*	0-5 MO.	.003500	.004725	.008500
				6-11 MO.	.022400	.067900	.054400
				12-23 MO.	.024150	.058800	.058650
				2-65+ YR.	.035700	.091875	.086700
1-PENTEN-3-OL FEMA 3369D	23	BEV TYPE I(R)	*	0-5 MO.	.004320	.006480	.008400
				6-11 MO.	.040860	.139860	.079450
				12-23 MO.	.097560	.292500	.189700
				2-65+ YR.	.187200	.499860	.364000
1-PENTEN-3-OL FEMA 3369D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
1-PENTEN-3-OL FEMA 3369D	99	ALL CATEGORIES	*	0-5 MO.	.029520	.048255	.051900
				6-11 MO.	.230335	.565510	.407475
				12-23 MO.	.467285	.945600	.803925
				2-65+ YR.	1.100700	2.001160	1.854000
PERILLYL ACETATE FEMA 3370D	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.054400
				6-11 MO.	.203200	.414400	.406400
				12-23 MO.	.436000	.718400	.872000
				2-65+ YR.	1.097600	1.630400	2.195200
PERILLYL ACETATE FEMA 3370D	07	FROZN DAIRY(R)	*	0-5 MO.	.004125	.016913	.008000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PERILLYL ACETATE FEMA 3370D	07	FROZN DAIRY(R)	*	6-11 MO.	.039188	.108900	.076000
				12-23 MO.	.059400	.139425	.115200
				2-65+ YR.	.105600	.254513	.204800
PERILLYL ACETATE FEMA 3370D	10	MEAT PRODS(R)	*	0-5 MO.	.001650	.004350	.003300
				6-11 MO.	.031050	.083700	.062100
				12-23 MO.	.045300	.077850	.090600
				2-65+ YR.	.117600	.195150	.235200
PERILLYL ACETATE FEMA 3370D	16	SOFT CANDY(R)	*	0-5 MO.	.001425	.014250	.003200
				6-11 MO.	.015675	.048450	.035200
				12-23 MO.	.024938	.066263	.056000
				2-65+ YR.	.041325	.125400	.092800
PERILLYL ACETATE FEMA 3370D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
PERILLYL ACETATE FEMA 3370D	23	BEV TYPE I(R)	*	0-5 MO.	.003429	.005143	.004800
				6-11 MO.	.032429	.111000	.045400
				12-23 MO.	.077429	.232143	.108400
				2-65+ YR.	.148571	.396714	.208000
PERILLYL ACETATE FEMA 3370D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
PERILLYL ACETATE FEMA 3370D	99	ALL CATEGORIES	*	0-5 MO.	.041829	.082055	.081700
				6-11 MO.	.347141	.844250	.676300
				12-23 MO.	.670666	1.301680	1.297400
				2-65+ YR.	1.616496	2.895977	3.147600
PHENYLALANINE FEMA 3371D	01	BAKED GOODS(R)	*	0-5 MO.	.040822	.054030	.081868
				6-11 MO.	.304967	.621941	.611605

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENYLALANINE FEMA 3371D	01	BAKED GOODS(R)	*	12-23 MO.	.654359	1.078191	1.312303
				2-65+ YR.	1.647303	2.446941	3.303632
PHENYLALANINE FEMA 3371D	07	FROZN DAIRY(R)	*	0-5 MO.	.006056	.024831	.012817
				6-11 MO.	.057535	.159887	.121761
				12-23 MO.	.087211	.204704	.184563
				2-65+ YR.	.155042	.373676	.328113
PHENYLALANINE FEMA 3371D	16	SOFT CANDY(R)	*	0-5 MO.	.001634	.016338	.003268
				6-11 MO.	.017972	.055549	.035944
				12-23 MO.	.028592	.075972	.057183
				2-65+ YR.	.047380	.143775	.094761
PHENYLALANINE FEMA 3371D	20	GELATIN PUD(R)	*	0-5 MO.	.012113	.016352	.025634
				6-11 MO.	.077521	.234986	.164056
				12-23 MO.	.083577	.203493	.176873
				2-65+ YR.	.123549	.317958	.261465
PHENYLALANINE FEMA 3371D	23	BEV TYPE I(R)	4	0-5 MO.	.014296	.021444	.029053
				6-11 MO.	.135219	.462843	.274789
				12-23 MO.	.322858	.967978	.656105
				2-65+ YR.	.619506	1.654201	1.258947
PHENYLALANINE FEMA 3371D	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001025	**********
				12-23 MO.	**********	.002050	**********
				2-65+ YR.	.333125	.967600	.845000
PHENYLALANINE FEMA 3371D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000079	.000079	.000079
				12-23 MO.	.000079	.000237	.000079
				2-65+ YR.	.000158	.000316	.000158
PHENYLALANINE FEMA 3371D	99	ALL CATEGORIES	5	0-5 MO.	.074921	.132995	.152639
				6-11 MO.	.593293	1.536310	1.208234
				12-23 MO.	1.176676	2.532625	2.387107

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENYLALANINE FEMA 3371D	99	ALL CATEGORIES	5	2-65+ YR.	2.926064	5.904466	6.092075
POLYLIMONENE FEMA 3375D	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.017732	.053196	.083855
				12-23 MO.	.053196	.159588	.251565
				2-65+ YR.	.106392	.301444	.503130
POLYLIMONENE FEMA 3375D	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.012755	.012755	.017667
				12-23 MO.	.012755	.038265	.017667
				2-65+ YR.	.025510	.051020	.035334
POLYLIMONENE FEMA 3375D	99	ALL CATEGORIES	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.030487	.065951	.101522
				12-23 MO.	.065951	.197853	.269232
				2-65+ YR.	.131902	.352464	.538464
PROPYL THIOL FEMA 3380D	01	BAKED GOODS(R)	4	0-5 MO.	.001851	.002450	.003157
				6-11 MO.	.013829	.028202	.023586
				12-23 MO.	.029672	.048891	.050607
				2-65+ YR.	.074698	.110958	.127400
PROPYL THIOL FEMA 3380D	07	FROZN DAIRY(R)	*	0-5 MO.	.000875	.003588	.001000
				6-11 MO.	.008313	.023100	.009500
				12-23 MO.	.012600	.029575	.014400
				2-65+ YR.	.022400	.053988	.025600
PROPYL THIOL FEMA 3380D	10	MEAT PRODS(R)	4	0-5 MO.	.000733	.001933	.002420
				6-11 MO.	.013800	.037200	.045540
				12-23 MO.	.020133	.034600	.066440
				2-65+ YR.	.052267	.086733	.172480
PROPYL THIOL FEMA 3380D	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000250
				6-11 MO.	.002200	.006800	.002750
				12-23 MO.	.003500	.009300	.004375
				2-65+ YR.	.005800	.017600	.007250

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL THIOL FEMA 3380D	20	GELATIN PUD(R)	*	0-5 MO.	.001750	.002363	.002000
				6-11 MO.	.011200	.033950	.012800
				12-23 MO.	.012075	.029400	.013800
				2-65+ YR.	.017850	.045938	.020400
PROPYL THIOL FEMA 3380D	21	SOUPS(R)	*	0-5 MO.	.000200	.001500	.000600
				6-11 MO.	.023300	.072700	.069900
				12-23 MO.	.034800	.096100	.104400
				2-65+ YR.	.031700	.084500	.095100
PROPYL THIOL FEMA 3380D	23	BEV TYPE I(R)	*	0-5 MO.	.002100	.003150	.002400
				6-11 MO.	.019863	.067988	.022700
				12-23 MO.	.047425	.142188	.054200
				2-65+ YR.	.091000	.242988	.104000
PROPYL THIOL FEMA 3380D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
PROPYL THIOL FEMA 3380D	99	ALL CATEGORIES	5	0-5 MO.	.007709	.016983	.011827
				6-11 MO.	.092504	.269990	.186776
				12-23 MO.	.160206	.390154	.308222
				2-65+ YR.	.311964	.689904	.584730
SORBITAN MONOSTEARAT FEMA 3392D	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	.275000
				6-11 MO.	2.070000	5.580000	5.175000
				12-23 MO.	3.020000	5.190000	7.550000
				2-65+ YR.	7.840000	13.010000	19.600000
SORBITAN MONOSTEARAT FEMA 3392D	99	ALL CATEGORIES	*	0-5 MO.	.110000	.290000	.275000
				6-11 MO.	2.070000	5.580000	5.175000
				12-23 MO.	3.020000	5.190000	7.550000
				2-65+ YR.	7.840000	13.010000	19.600000
B-TERPINEOL FEMA 3399D	01	BAKED GOODS(R)	*	0-5 MO.	.059771	.079108	.161771

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
B-TERPINEOL FEMA 3399D	01	BAKED GOODS(R)	*	6-11 MO.	.446522	.910624	1.208522
				12-23 MO.	.958089	1.578650	2.593089
				2-65+ YR.	2.411924	3.582726	6.527924
B-TERPINEOL FEMA 3399D	07	FROZN DAIRY(R)	*	0-5 MO.	.012500	.051250	.020000
				6-11 MO.	.118750	.330000	.190000
				12-23 MO.	.180000	.422500	.288000
				2-65+ YR.	.320000	.771250	.512000
B-TERPINEOL FEMA 3399D	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
B-TERPINEOL FEMA 3399D	16	SOFT CANDY(R)	*	0-5 MO.	.003505	.035053	.007505
				6-11 MO.	.038558	.119180	.082558
				12-23 MO.	.061343	.162997	.131343
				2-65+ YR.	.101654	.308467	.217654
B-TERPINEOL FEMA 3399D	20	GELATIN PUD(R)	*	0-5 MO.	.025053	.033822	.040106
				6-11 MO.	.160340	.486030	.256679
				12-23 MO.	.172866	.420892	.276732
				2-65+ YR.	.255541	.657643	.409083
B-TERPINEOL FEMA 3399D	23	BEV TYPE I(R)	*	0-5 MO.	.017646	.026469	.035275
				6-11 MO.	.166900	.571283	.333642
				12-23 MO.	.398501	1.194768	.796626
				2-65+ YR.	.764651	2.041766	1.528581
B-TERPINEOL FEMA 3399D	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
B-TERPINEOL FEMA 3399D	99	ALL CATEGORIES	5	0-5 MO.	.123975	.240202	.275657
				6-11 MO.	1.034570	2.696617	2.278402

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
B-TERPINEOL FEMA 3399D	99	ALL CATEGORIES	5	12-23 MO.	1.921799	4.040306	4.387791
				2-65+ YR.	4.408270	8.484352	10.304242
2-P-CARVOMENTHENOL FEMA 3423D	01	BAKED GOODS(R)	*	0-5 MO.	.011900	.015750	.025500
				6-11 MO.	.088900	.181300	.190500
				12-23 MO.	.190750	.314300	.408750
				2-65+ YR.	.480200	.713300	1.029000
2-P-CARVOMENTHENOL FEMA 3423D	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.005000
				6-11 MO.	.014250	.039600	.047500
				12-23 MO.	.021600	.050700	.072000
				2-65+ YR.	.038400	.092550	.128000
2-P-CARVOMENTHENOL FEMA 3423D	16	SOFT CANDY(R)	*	0-5 MO.	.000700	.007000	.001500
				6-11 MO.	.007700	.023800	.016500
				12-23 MO.	.012250	.032550	.026250
				2-65+ YR.	.020300	.061600	.043500
2-P-CARVOMENTHENOL FEMA 3423D	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
2-P-CARVOMENTHENOL FEMA 3423D	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
2-P-CARVOMENTHENOL FEMA 3423D	99	ALL CATEGORIES	*	0-5 MO.	.022900	.041500	.054000
				6-11 MO.	.181850	.477700	.432000
				12-23 MO.	.360600	.789750	.847000
				2-65+ YR.	.787700	1.527850	1.822500
ALLYL 2-FUROATE FEMA 2030E	01	BAKED GOODS(R)	*	0-5 MO.	.005100	.006750	.010880
				6-11 MO.	.038100	.077700	.081280
				12-23 MO.	.081750	.134700	.174400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL 2-FUFCATE FEMA 2030E	01	BAKED GOODS(R)	*	2-65+ YR.	.205800	.305700	.439040
ALLYL 2-FUROATE FEMA 2030E	07	FROZN DAIRY(R)	*	0-5 MO.	.000270	.001107	.001800
				6-11 MO.	.002565	.007128	.017100
				12-23 MO.	.003888	.009126	.025920
				2-65+ YR.	.006912	.016659	.046080
ALLYL 2-FUROATE FEMA 2030E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000110	**********
				6-11 MO.	.000880	.002420	.001120
				12-23 MO.	.003080	.008360	.003920
				2-65+ YR.	.009680	.023320	.012320
ALLYL 2-FUROATE FEMA 2030E	16	SOFT CANDY(R)	*	0-5 MO.	.000310	.003100	.000628
				6-11 MO.	.003410	.010540	.006908
				12-23 MO.	.005425	.014415	.010990
				2-65+ YR.	.008990	.027280	.018212
ALLYL 2-FUROATE FEMA 2030E	20	GELATIN PUD(R)	*	0-5 MO.	.001500	.002025	.003200
				6-11 MO.	.009600	.029100	.020480
				12-23 MO.	.010350	.025200	.022080
				2-65+ YR.	.015300	.039375	.032640
ALLYL 2-FUROATE FEMA 2030E	23	BEV TYPE I(R)	*	0-5 MO.	.000576	.000864	.001296
				6-11 MO.	.005448	.018648	.012258
				12-23 MO.	.013008	.039000	.029268
				2-65+ YR.	.024960	.066648	.056160
ALLYL 2-FUROATE FEMA 2030E	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
ALLYL 2-FUROATE FEMA 2030E	99	ALL CATEGORIES	4	0-5 MO.	.007756	.013956	.017804
				6-11 MO.	.060003	.145586	.139146
				12-23 MO.	.117501	.230901	.266578
				2-65+ YR.	.287892	.526182	.636952

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO. NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL HEPTANOATE FEMA 2031E	01 BAKED GOODS(R)	7	0-5 MO.	.293018	.387818	.385303
			6-11 MO.	2.189019	4.464220	2.878436
			12-23 MO.	4.696911	7.739130	6.176172
			2-65+ YR.	11.824150	17.563862	15.548089
ALLYL HEPTANOATE FEMA 2031E	07 FROZN DAIRY(R)	8	0-5 MO.	.034424	.141137	.046899
			6-11 MO.	.327024	.908781	.445537
			12-23 MO.	.495699	1.163516	.675341
			2-65+ YR.	.881243	2.123932	1.200606
ALLYL HEPTANOATE FEMA 2031E	10 MEAT PRODS(R)	*	0-5 MO.	.000011	.000029	.000011
			6-11 MO.	.000207	.000558	.000207
			12-23 MO.	.000302	.000519	.000302
			2-65+ YR.	.000784	.001301	.000784
ALLYL HEPTANOATE FEMA 2031E	16 SOFT CANDY(R)	11	0-5 MO.	.015545	.155454	.017795
			6-11 MO.	.171000	.528545	.195742
			12-23 MO.	.272045	.722863	.311407
			2-65+ YR.	.450818	1.367999	.516047
ALLYL HEPTANOATE FEMA 2031E	20 GELATIN PUD(R)	6	0-5 MO.	.077538	.104676	.102304
			6-11 MO.	.496241	1.504232	.654748
			12-23 MO.	.535010	1.302634	.705900
			2-65+ YR.	.790885	2.035365	1.043505
ALLYL HEPTANOATE FEMA 2031E	23 BEV TYPE I(R)	14	0-5 MO.	.032675	.049012	.061701
			6-11 MO.	.309050	1.057848	.583587
			12-23 MO.	.737907	2.212360	1.393410
			2-65+ YR.	1.415910	3.780753	2.673702
ALLYL HEPTANOATE FEMA 2031E	24 BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
			6-11 MO.	**********	.000200	**********
			12-23 MO.	**********	.000400	**********
			2-65+ YR.	.065000	.188800	.162500
ALLYL HEPTANOATE FEMA 2031E	27 GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000001

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL HEPTANOATE FEMA 2031E	27	GRAVIES(R)	*	6-11 MO.	.000014	.000039	.000014
				12-23 MO.	.000036	.000102	.000036
				2-65+ YR.	.000083	.000213	.000083
ALLYL HEPTANOATE FEMA 2031E	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000472	.001416	.000988
				12-23 MO.	.001416	.004248	.002964
				2-65+ YR.	.002832	.008024	.005928
ALLYL HEPTANOATE FEMA 2031E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002751	.002751	.005270
				12-23 MO.	.002751	.008253	.005270
				2-65+ YR.	.005502	.011004	.010540
ALLYL HEPTANOATE FEMA 2031E	95	ALL CATEGORIES	23	0-5 MO.	.453212	.838129	.614013
				6-11 MO.	3.495778	8.468591	4.764529
				12-23 MO.	6.742078	13.154025	9.270803
				2-65+ YR.	15.437207	27.081253	21.161784
AMYL 2-FUROATE FEMA 2072E	01	BAKED GOODS(R)	*	0-5 MO.	.011333	.015000	.020400
				6-11 MO.	.084667	.172667	.152400
				12-23 MO.	.181667	.299333	.327000
				2-65+ YR.	.457333	.679333	.823200
AMYL 2-FUROATE FEMA 2072E	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.004000
				6-11 MO.	.019000	.052800	.038000
				12-23 MO.	.028800	.067600	.057600
				2-65+ YR.	.051200	.123400	.102400
AMYL 2-FUROATE FEMA 2072E	16	SOFT CANDY(R)	*	0-5 MO.	.000733	.007333	.001567
				6-11 MO.	.008067	.024933	.017233
				12-23 MO.	.012833	.034100	.027417
				2-65+ YR.	.021267	.064533	.045433
AMYL 2-FUROATE FEMA 2072E	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.012000
				6-11 MO.	.051200	.155200	.076800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FCCO CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FCCO CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMYL 2-FURCATE FEMA 2072E	20	GELATIN PUD(R)	*	12-23 MO.	.055200	.134400	.082800
				2-65+ YR.	.081600	.210000	.122400
AMYL 2-FURDATE FEMA 2072E	23	BEV TYPE I(R)	*	0-5 MO.	.008280	.012420	.012000
				6-11 MO.	.078315	.268065	.113500
				12-23 MO.	.186990	.560625	.271000
				2-65+ YR.	.358800	.958065	.520000
AMYL 2-FURCATE FEMA 2072E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000250	**********
				12-23 MO.	**********	.000500	**********
				2-65+ YR.	.081250	.236000	.162500
AMYL 2-FURCATE FEMA 2072E	59	ALL CATEGORIES	*	0-5 MO.	.030347	.053753	.049967
				6-11 MO.	.241248	.673915	.397933
				12-23 MO.	.465490	1.096558	.765817
				2-65+ YR.	1.051450	2.271332	1.775933
2-AMYL-5/6-KETO-1,4-DIOX FEMA 2076E	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
				6-11 MO.	.050800	.103600	.127000
				12-23 MO.	.109000	.179600	.272500
				2-65+ YR.	.274400	.407600	.686000
2-AMYL-5/6-KETO-1,4-DIOX FEMA 2076E	04	FATS OILS(R)	*	0-5 MO.	.001000	.001000	.002500
				6-11 MO.	.005600	.015000	.014000
				12-23 MO.	.012600	.024000	.031500
				2-65+ YR.	.035000	.063200	.087500
2-AMYL-5/6-KETO-1,4-DIOX FEMA 2076E	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
2-AMYL-5/6-KETO-1,4-DIOX FEMA 2076E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-AMYL-5/6-KETO-1,4-DIOX FEMA 2076E	16	SOFT CANDY(R)	*	2-65+ YR.	.005800	.017600	.011600
2-AMYL-5/6-KETO-1,4-DIOX FEMA 2076E	99	ALL CATEGORIES	*	0-5 MO.	.010000	.020200	.024900
				6-11 MO.	.077600	.178200	.192900
				12-23 MO.	.153900	.280500	.383000
				2-65+ YR.	.366400	.611800	.913100
ANNATTO, EXTRACT FEMA 2103E	01	BAKED GOODS(R)	*	0-5 MO.	4.963328	6.569110	8.431232
				6-11 MO.	37.078977	75.617757	62.986260
				12-23 MO.	79.559223	131.090243	135.147684
				2-65+ YR.	200.284870	297.507701	340.224994
ANNATTO, EXTRACT FEMA 2103E	04	FATS OILS(R)	*	0-5 MO.	.125000	.125000	.500000
				6-11 MO.	.700000	1.875000	2.800000
				12-23 MO.	1.575000	3.000000	6.300000
				2-65+ YR.	4.375000	7.900000	17.500000
ANNATTO, EXTRACT FEMA 2103E	07	FROZN DAIRY(R)	4	0-5 MO.	.261449	1.071939	.439136
				6-11 MO.	2.483762	6.902243	4.171787
				12-23 MO.	3.764860	8.836963	6.323551
				2-65+ YR.	6.693084	16.131378	11.241869
ANNATTO, EXTRACT FEMA 2103E	10	MEAT PRODS(R)	*	0-5 MO.	.202231	.533154	.404462
				6-11 MO.	3.805615	10.258615	7.611231
				12-23 MO.	5.552154	9.541615	11.104308
				2-65+ YR.	14.413538	23.918385	28.827077
ANNATTO, EXTRACT FEMA 2103E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.200000	**********
				6-11 MO.	1.600000	4.400000	1.600000
				12-23 MO.	5.600000	15.200000	5.600000
				2-65+ YR.	17.600000	42.400000	17.600000
ANNATTO, EXTRACT FEMA 2103E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.008000	**********
				6-11 MO.	.032000	.088000	.160000
				12-23 MO.	.088000	.248000	.440000
				2-65+ YR.	.104000	.296000	.520000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANNATTO, EXTRACT FEMA 2103E	23	BEV TYPE I(R)	*	0-5 MO.	.087276	.130914	.113412
				6-11 MO.	.825485	2.825559	1.072693
				12-23 MO.	1.970982	5.909310	2.561231
				2-65+ YR.	3.781958	10.098556	4.914540
ANNATTO, EXTRACT FEMA 2103E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.015000	**********
				12-23 MO.	**********	.030000	**********
				2-65+ YR.	4.875000	14.160000	6.500000
ANNATTO, EXTRACT FEMA 2103E	27	GRAVIES(R)	*	0-5 MO.	.000128	.000385	.000182
				6-11 MO.	.001797	.005007	.002548
				12-23 MO.	.004622	.013096	.006553
				2-65+ YR.	.010656	.027347	.015108
ANNATTO, EXTRACT FEMA 2103E	99	ALL CATEGORIES	10	0-5 MO.	5.639411	8.638502	9.888423
				6-11 MO.	46.527637	101.987182	80.404519
				12-23 MO.	98.114841	173.869227	167.483327
				2-65+ YR.	252.138108	412.439367	427.343588
ANNATTO, SEED FEMA 2104E	01	BAKED GOODS(R)	*	0-5 MO.	.170127	.225169	.340051
				6-11 MO.	1.270952	2.591941	2.540381
				12-23 MO.	2.727042	4.493365	5.450817
				2-65+ YR.	6.865142	10.197638	13.722057
ANNATTO, SEED FEMA 2104E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.002500	**********
				6-11 MO.	.010000	.027500	.040000
				12-23 MO.	.027500	.077500	.110000
				2-65+ YR.	.032500	.092500	.130000
ANNATTO, SEED FEMA 2104E	27	GRAVIES(R)	*	0-5 MO.	.025000	.075000	.050000
				6-11 MO.	.350000	.975000	.700000
				12-23 MO.	.900000	2.550000	1.800000
				2-65+ YR.	2.075000	5.325000	4.150000
ANNATTO, SEED FEMA 2104E	99	ALL CATEGORIES	*	0-5 MO.	.195127	.302669	.390051

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ANNATTO, SEED FEMA 2104E	99	ALL CATEGORIES	*	6-11 MO.	1.630952	3.594441	3.280381
				12-23 MO.	3.654542	7.120865	7.360817
				2-65+ YR.	8.972642	15.615138	18.002057
APRICOT KERNEL, OIL FEMA 2105E	01	BAKED GOODS(R)	*	0-5 MO.	.419207	.554833	1.020000
				6-11 MO.	3.131726	6.386748	7.620000
				12-23 MO.	6.719648	11.072007	16.350000
				2-65+ YR.	16.916252	25.127785	41.160000
APRICOT KERNEL, OIL FEMA 2105E	07	FROZN DAIRY(R)	*	0-5 MO.	.100000	.410000	.400000
				6-11 MO.	.950000	2.640000	3.800000
				12-23 MO.	1.440000	3.380000	5.760000
				2-65+ YR.	2.560000	6.170000	10.240000
APRICOT KERNEL, OIL FEMA 2105E	16	SOFT CANDY(R)	*	0-5 MO.	.070000	.700000	.075000
				6-11 MO.	.770000	2.380000	.825000
				12-23 MO.	1.225000	3.255000	1.312500
				2-65+ YR.	2.030000	6.160000	2.175000
APRICOT KERNEL, OIL FEMA 2105E	22	BEV TYPE I(R)	*	0-5 MO.	.312000	.468000	.360000
				6-11 MO.	2.951000	10.101000	3.405000
				12-23 MO.	7.046000	21.125000	8.130000
				2-65+ YR.	13.520000	36.101000	15.600000
APRICOT KERNEL, OIL FEMA 2105E	99	ALL CATEGORIES	*	0-5 MO.	.901207	2.132833	1.855000
				6-11 MO.	7.802726	21.507748	15.650000
				12-23 MO.	16.430648	38.832007	31.552500
				2-65+ YR.	35.026252	73.558785	69.175000
BIRCH, SWEET, OIL FEMA 2154E	01	BAKED GOODS(R)	8	0-5 MO.	2.068100	2.737191	2.150608
				6-11 MO.	15.449922	31.508109	16.066308
				12-23 MO.	33.150423	54.622166	34.472984
				2-65+ YR.	83.453910	123.964336	86.783365
BIRCH, SWEET, OIL FEMA 2154E	07	FROZN DAIRY(R)	7	0-5 MO.	.445224	1.825416	.464713
				6-11 MO.	4.229623	11.753901	4.414776

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BIRCH, SWEET, OIL FEMA 2154E	07	FROZN DAIRY(R)	7	12-23 MO.	6.411219	15.048555	6.691870
				2-65+ YR.	11.397722	27.470291	11.896658
BIRCH, SWEET, OIL FEMA 2154E	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.000110
				6-11 MO.	.002070	.005580	.002070
				12-23 MO.	.003020	.005190	.003020
				2-65+ YR.	.007840	.013010	.007840
BIRCH, SWEET, OIL FEMA 2154E	16	SOFT CANDY(R)	11	0-5 MO.	.155897	1.558973	.213324
				6-11 MO.	1.714871	5.300509	2.346563
				12-23 MO.	2.728203	7.249225	3.733168
				2-65+ YR.	4.521022	13.718964	6.186393
BIRCH, SWEET, OIL FEMA 2154E	19	SWEET SAUCE(R)	*	0-5 MO.	.000900	.001200	.001500
				6-11 MO.	.002700	.009300	.004500
				12-23 MO.	.007800	.022800	.013000
				2-65+ YR.	.020400	.053700	.034000
BIRCH, SWEET, OIL FEMA 2154E	20	GELATIN PUD(R)	6	0-5 MO.	1.435741	1.938250	1.556392
				6-11 MO.	9.188741	27.853372	9.960909
				12-23 MO.	9.906612	24.120446	10.739105
				2-65+ YR.	14.644557	37.688197	15.875199
BIRCH, SWEET, OIL FEMA 2154E	23	BEV TYPE I(R)	22	0-5 MO.	.586637	.879956	.667584
				6-11 MO.	5.548609	18.992375	6.314229
				12-23 MO.	13.248221	39.720219	15.076265
				2-65+ YR.	25.420940	67.878798	28.928626
BIRCH, SWEET, OIL FEMA 2154E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.006698	**********
				12-23 MO.	**********	.013396	**********
				2-65+ YR.	2.176818	6.322818	2.436829
BIRCH, SWEET, OIL FEMA 2154E	30	HARD CANDY(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.207030	.621090	.207030
				12-23 MO.	.621090	1.863270	.621090

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BIRCH, SWEET, OIL FEMA 2154E	30	HARD CANDY(R)	4	2-65+ YR.	1.242180	3.519510	1.242180
BIRCH, SWEET, OIL FEMA 2154E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.389933	.389933	.389933
				12-23 MO.	.389933	1.169799	.389933
				2-65+ YR.	.779866	1.559732	.779866
BIRCH, SWEET, OIL FEMA 2154E	99	ALL CATEGORIES	32	0-5 MO.	4.692609	8.941276	5.054231
				6-11 MO.	36.733499	96.440867	39.706317
				12-23 MO.	66.466521	143.835065	71.740435
				2-65+ YR.	143.665255	282.189356	154.170955
BORNYL VALERATE FEMA 2164E	01	BAKED GOODS(R)	*	0-5 MO.	.023800	.031500	.034000
				6-11 MO.	.177800	.362600	.254000
				12-23 MO.	.381500	.628600	.545000
				2-65+ YR.	.960400	1.426600	1.372000
BORNYL VALERATE FEMA 2164E	07	FROZN DAIRY(R)	*	0-5 MO.	.005150	.021115	.006500
				6-11 MO.	.048925	.135960	.061750
				12-23 MO.	.074160	.174070	.093600
				2-65+ YR.	.131840	.317755	.166400
BORNYL VALERATE FEMA 2164E	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.002350
				6-11 MO.	.013200	.040800	.025850
				12-23 MO.	.021000	.055800	.041125
				2-65+ YR.	.034800	.105600	.068150
BORNYL VALERATE FEMA 2164E	20	GELATIN PUD(R)	*	0-5 MO.	.022000	.029700	.040000
				6-11 MO.	.140800	.426800	.256000
				12-23 MO.	.151800	.369600	.276000
				2-65+ YR.	.224400	.577500	.408000
BORNYL VALERATE FEMA 2164E	23	BEV TYPE I(R)	*	0-5 MO.	.003720	.005580	.007200
				6-11 MO.	.035185	.120435	.068100
				12-23 MO.	.084010	.251875	.162600
				2-65+ YR.	.161200	.430435	.312000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BORNYL VALERATE FEMA 2164E	99	ALL CATEGORIES	*	0-5 MO.	.055870	.099895	.090050
				6-11 MO.	.415910	1.086595	.665700
				12-23 MO.	.712470	1.479945	1.118325
				2-65+ YR.	1.512640	2.857890	2.326550
BROMINATED VEG OILS FEMA 2168E	01	BAKED GOODS(R)	4	0-5 MO.	.116443	.154115	.133092
				6-11 MO.	.869895	1.774039	.994272
				12-23 MO.	1.866508	3.075457	2.133380
				2-65+ YR.	4.698805	6.979712	5.370636
BROMINATED VEG OILS FEMA 2168E	07	FROZN DAIRY(R)	5	0-5 MO.	.087424	.358437	.217529
				6-11 MO.	.830526	2.307987	2.066528
				12-23 MO.	1.258902	2.954922	3.132421
				2-65+ YR.	2.238048	5.394045	5.568749
BROMINATED VEG OILS FEMA 2168E	10	MEAT PRODS(R)	*	0-5 MO.	.005940	.015660	.011880
				6-11 MO.	.111780	.301320	.223560
				12-23 MO.	.163080	.280260	.326160
				2-65+ YR.	.423360	.702540	.846720
BROMINATED VEG OILS FEMA 2168E	20	GELATIN PUD(R)	*	0-5 MO.	.060000	.081000	.120000
				6-11 MO.	.384000	1.164000	.768000
				12-23 MO.	.414000	1.008000	.828000
				2-65+ YR.	.612000	1.575000	1.224000
BROMINATED VEG OILS FEMA 2168E	23	BEV TYPE I(R)	27	0-5 MO.	.119585	.179377	.156156
				6-11 MO.	1.131072	3.871556	1.476979
				12-23 MO.	2.700622	8.096883	3.528532
				2-65+ YR.	5.182005	13.836950	6.766777
BROMINATED VEG OILS FEMA 2168E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.181250	**********
				12-23 MO.	**********	.362500	**********
				2-65+ YR.	58.906250	171.100000	58.906250
BROMINATED VEG OILS FEMA 2168E	27	GRAVIES(R)	*	0-5 MO.	.000540	.001620	.001300

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BROMINATED VEG OILS FEMA 2168E	27	GRAVIES(R)	*	6-11 MO.	.007560	.021060	.018200
				12-23 MO.	.019440	.055080	.046800
				2-65+ YR.	.044820	.115020	.107900
BROMINATED VEG OILS FEMA 2168E	99	ALL CATEGORIES	27	0-5 MO.	.389931	.790210	.639957
				6-11 MO.	3.334833	9.621211	5.547540
				12-23 MO.	6.422551	15.833102	9.993293
				2-65+ YR.	72.105287	199.703266	78.791032
2-BUTYL-5/6-KETODIOXANE FEMA 2204E	01	BAKED GOODS(R)	*	0-5 MO.	.008500	.011250	.017000
				6-11 MO.	.063500	.129500	.127000
				12-23 MO.	.136250	.224500	.272500
				2-65+ YR.	.343000	.509500	.686000
2-BUTYL-5/6-KETODIOXANE FEMA 2204E	04	FATS OILS(R)	*	0-5 MO.	.001000	.001000	.002500
				6-11 MO.	.005600	.015000	.014000
				12-23 MO.	.012600	.024000	.031500
				2-65+ YR.	.035000	.063200	.087500
2-BUTYL-5/6-KETODIOXANE FEMA 2204E	07	FROZN DAIRY(R)	*	0-5 MO.	.002500	.010250	.005000
				6-11 MO.	.023750	.066000	.047500
				12-23 MO.	.036000	.084500	.072000
				2-65+ YR.	.064000	.154250	.128000
2-BUTYL-5/6-KETODIOXANE FEMA 2204E	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000700
				6-11 MO.	.004400	.013600	.007700
				12-23 MO.	.007000	.018600	.012250
				2-65+ YR.	.011600	.035200	.020300
2-BUTYL-5/6-KETODIOXANE FEMA 2204E	99	ALL CATEGORIES	*	0-5 MO.	.012400	.026500	.025200
				6-11 MO.	.097250	.224100	.196200
				12-23 MO.	.191850	.351600	.388250
				2-65+ YR.	.453600	.762150	.921800
CARMINE FEMA 2242E	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.033000
				6-11 MO.	.207000	.558000	.621000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP (II), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARMINE FEMA 2242E	10	MEAT PRODS(R)	*	12-23 MO.	.302000	.519000	.906000
				2-65+ YR.	.784000	1.301000	2.352000
CARMINE FEMA 2242E	99	ALL CATEGORIES	*	0-5 MO.	.011000	.029000	.033000
				6-11 MO.	.207000	.558000	.621000
				12-23 MO.	.302000	.519000	.906000
				2-65+ YR.	.784000	1.301000	2.352000
CASSIA BUDS FEMA 2259E	23	BEV TYPE I(R)	*	0-5 MO.	2.328000	3.492000	2.640000
				6-11 MO.	22.019000	75.369000	24.970000
				12-23 MO.	52.574000	157.625000	59.620000
				2-65+ YR.	100.880000	269.369000	114.400000
CASSIA BUDS FEMA 2259E	99	ALL CATEGORIES	*	0-5 MO.	2.328000	3.492000	2.640000
				6-11 MO.	22.019000	75.369000	24.970000
				12-23 MO.	52.574000	157.625000	59.620000
				2-65+ YR.	100.880000	269.369000	114.400000
CITRUS PEELS, EXTRACT FEMA 2318E	01	BAKED GOODS(R)	*	0-5 MO.	3.760629	4.977303	3.934959
				6-11 MO.	28.094112	57.294292	29.396457
				12-23 MO.	60.280674	99.324854	63.075075
				2-65+ YR.	151.752449	225.416539	158.787161
CITRUS PEELS, EXTRACT FEMA 2318E	07	FROZN DAIRY(R)	*	0-5 MO.	.935489	3.835505	.989338
				6-11 MO.	8.887145	24.696909	9.398707
				12-23 MO.	13.471041	31.619527	14.246461
				2-65+ YR.	23.948517	57.719669	25.327041
CITRUS PEELS, EXTRACT FEMA 2318E	16	SOFT CANDY(R)	*	0-5 MO.	.239940	2.399401	.250195
				6-11 MO.	2.639341	8.157963	2.752142
				12-23 MO.	4.198951	11.157213	4.378408
				2-65+ YR.	6.958262	21.114727	7.255648
CITRUS PEELS, EXTRACT FEMA 2318E	20	GELATIN PUD(R)	*	0-5 MO.	1.500000	2.025000	1.600000
				6-11 MO.	9.600000	29.100000	10.240000
				12-23 MO.	10.350000	25.200000	11.040000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CITRUS PEELS, EXTRACT FEMA 2318E	20	GELATIN PUD(R)	*	2-65+ YR.	15.300000	39.375000	16.320000
CITRUS PEELS, EXTRACT FEMA 2318E	23	BEV TYPE I(R)	5	0-5 MO.	1.301578	1.952367	1.301578
				6-11 MO.	12.310759	42.138590	12.310759
				12-23 MO.	29.393971	86.127682	29.393971
				2-65+ YR.	56.401716	150.603429	56.401716
CITRUS PEELS, EXTRACT FEMA 2318E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.172981	**********
				12-23 MO.	**********	.345962	**********
				2-65+ YR.	56.218780	163.293934	146.250000
CITRUS PEELS, EXTRACT FEMA 2318E	99	ALL CATEGORIES	5	0-5 MO.	7.737636	15.189576	8.076069
				6-11 MO.	61.531358	161.560734	64.098065
				12-23 MO.	117.694638	255.775238	122.133915
				2-65+ YR.	310.579726	657.523298	410.341566
COCHINEAL FEMA 2330E	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
COCHINEAL FEMA 2330E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000700	**********
				12-23 MO.	**********	.001400	**********
				2-65+ YR.	.227500	.660800	3.250000
COCHINEAL FEMA 2330E	99	ALL CATEGORIES	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.112300	.082800
				12-23 MO.	.060400	.105200	.120800
				2-65+ YR.	.384300	.921000	3.563600
DECANOIC ACID FEMA 2364E	01	BAKED GOODS(R)	15	0-5 MO.	.032491	.043003	.042140
				6-11 MO.	.242727	.495010	.314807
				12-23 MO.	.520812	.858145	.675472
				2-65+ YR.	1.311108	1.947549	1.700455

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DECANOIC ACID FEMA 2364E	04	FATS OILS(R)	*	0-5 MO.	.002235	.002235	.004485
				6-11 MO.	.012513	.033518	.025115
				12-23 MO.	.028155	.053629	.056509
				2-65+ YR.	.078209	.141223	.156968
DECANOIC ACID FEMA 2364E	06	CHEESE(R)	*	0-5 MO.	**********	.001070	**********
				6-11 MO.	.028890	.103790	.029160
				12-23 MO.	.083460	.237540	.084240
				2-65+ YR.	.100580	.252520	.101520
DECANOIC ACID FEMA 2364E	07	FROZN DAIRY(R)	11	0-5 MO.	.001607	.006587	.007451
				6-11 MO.	.015262	.042413	.070787
				12-23 MO.	.023134	.054301	.107298
				2-65+ YR.	.041127	.099124	.190752
DECANOIC ACID FEMA 2364E	10	MEAT PRODS(R)	*	0-5 MO.	.002079	.005482	.002200
				6-11 MO.	.039127	.105474	.041400
				12-23 MO.	.057084	.098102	.060400
				2-65+ YR.	.148192	.245916	.156800
DECANOIC ACID FEMA 2364E	16	SOFT CANDY(R)	10	0-5 MO.	.000381	.003806	.001225
				6-11 MO.	.004187	.012942	.013477
				12-23 MO.	.006661	.017699	.021441
				2-65+ YR.	.011038	.033496	.035531
DECANOIC ACID FEMA 2364E	20	GELATIN PUD(R)	9	0-5 MO.	.000988	.001333	.004121
				6-11 MO.	.006321	.019161	.026374
				12-23 MO.	.006815	.016593	.028435
				2-65+ YR.	.010074	.025926	.042034
DECANOIC ACID FEMA 2364E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000200	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002200	.006200	.004400
				2-65+ YR.	.002600	.007400	.005200
DECANOIC ACID FEMA 2364E	23	BEV TYPE I(R)	10	0-5 MO.	.002358	.003537	.003761

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DECANOIC ACID FEMA 2364E	23	BEV TYPE I(R)	10	6-11 MO.	.022300	.076331	.035575
				12-23 MO.	.053245	.159638	.084941
				2-65+ YR.	.102168	.272809	.162987
DECANOIC ACID FEMA 2364E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	**********
DECANOIC ACID FEMA 2364E	27	GRAVIES(R)	*	0-5 MO.	.000030	.000090	.000060
				6-11 MO.	.000420	.001170	.000840
				12-23 MO.	.001080	.003060	.002160
				2-65+ YR.	.002490	.006390	.004980
DECANOIC ACID FEMA 2364E	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.009800	.016100	.019600
				12-23 MO.	.005600	.023800	.011200
				2-65+ YR.	.006300	.010500	.012600
DECANOIC ACID FEMA 2364E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000001	.000001	.000001
				12-23 MO.	.000001	.000003	.000001
				2-65+ YR.	.000002	.000004	.000002
DECANOIC ACID FEMA 2364E	99	ALL CATEGORIES	20	0-5 MO.	.042167	.067342	.065443
				6-11 MO.	.382349	.908309	.578736
				12-23 MO.	.788248	1.529110	1.136497
				2-65+ YR.	1.878890	3.231657	2.569829
DIHYDROCOUMARIN FEMA 2381E	01	BAKED GOODS(R)	24	0-5 MO.	.478856	.633779	.559762
				6-11 MO.	3.577333	7.295505	4.181753
				12-23 MO.	7.675773	12.647420	8.972660
				2-65+ YR.	19.323229	28.703164	22.588053
DIHYDROCOUMARIN FEMA 2381E	07	FROZN DAIRY(R)	21	0-5 MO.	.095463	.391400	.103781
				6-11 MO.	.906903	2.520236	.985917

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIHYDROCOUMARIN FEMA 2381E	07	FROZN DAIRY(R)	21	12-23 MO.	1.374674	3.226666	1.494442
				2-65+ YR.	2.463865	5.890098	2.656786
DIHYDROCOUMARIN FEMA 2381E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001000	**********
				6-11 MO.	.008000	.022000	.012000
				12-23 MO.	.028000	.076000	.042000
				2-65+ YR.	.088000	.212000	.132000
DIHYDROCOUMARIN FEMA 2381E	16	SOFT CANDY(R)	19	0-5 MO.	.022257	.222574	.026139
				6-11 MO.	.244832	.756753	.287530
				12-23 MO.	.389505	1.034971	.457435
				2-65+ YR.	.645465	1.958654	.758035
DIHYDROCOUMARIN FEMA 2381E	20	GELATIN PUD(R)	16	0-5 MO.	.232239	.313523	.264955
				6-11 MO.	1.486332	4.505445	1.695711
				12-23 MO.	1.602452	3.901623	1.828188
				2-65+ YR.	2.368842	6.096286	2.702539
DIHYDROCOUMARIN FEMA 2381E	23	BEV TYPE I(R)	21	0-5 MO.	.059050	.088574	.067213
				6-11 MO.	.558510	1.911730	.635724
				12-23 MO.	1.333536	3.998147	1.517895
				2-65+ YR.	2.558814	6.832526	2.912566
DIHYDROCOUMARIN FEMA 2381E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000036	**********
				12-23 MO.	**********	.000072	**********
				2-65+ YR.	.011646	.033828	.046730
DIHYDROCOUMARIN FEMA 2381E	30	HARD CANDY(R)	8	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000760	.002280	.001036
				12-23 MO.	.002280	.006840	.003108
				2-65+ YR.	.004560	.012920	.006216
DIHYDROCOUMARIN FEMA 2381E	31	CHEWING GUM(R)	8	0-5 MO.	**********	**********	**********
				6-11 MO.	.000449	.000449	.007764
				12-23 MO.	.000449	.001347	.007764

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIHYDROCOUMARIN FEMA 2381E		31	CHEWING GUM(R)	8	2-65+ YR.	.000898	.001796	.015528
DIHYDROCOUMARIN FEMA 2381E		99	ALL CATEGORIES	43	0-5 MO.	.313546	.624672	.358307
					6-11 MO.	2.290884	7.176692	2.627765
					12-23 MO.	3.328222	8.942999	3.814390
					2-65+ YR.	5.590226	14.936009	6.441614
ETHYL ALCOHOL FEMA 2419E	NAS 0377	01	BAKED GOODS(R)	18	0-5 MO.	3.818023	5.053266	5.488276
					6-11 MO.	28.522880	58.168709	41.000649
					12-23 MO.	61.200669	100.840735	87.973833
					2-65+ YR.	154.068472	228.856812	221.468072
ETHYL ALCOHOL FEMA 2419E	NAS 0377	05	MILK PRODS(R)	*	0-5 MO.	.675000	.500000	.810000
					6-11 MO.	7.800000	37.512500	9.360000
					12-23 MO.	6.812500	21.800000	8.175000
					2-65+ YR.	4.937500	15.075000	5.925000
ETHYL ALCOHOL FEMA 2419E	NAS 0377	07	FROZN DAIRY(R)	22	0-5 MO.	1.393138	5.711865	2.179749
					6-11 MO.	13.234809	36.778839	20.707620
					12-23 MO.	20.061185	47.088059	31.388392
					2-65+ YR.	35.664328	85.956604	55.801586
ETHYL ALCOHOL FEMA 2419E	NAS 0377	08	PROCSD FRUT(R)	*	0-5 MO.	9.400000	25.200000	14.100000
					6-11 MO.	103.600000	258.000000	155.400000
					12-23 MO.	201.200000	399.400000	301.800000
					2-65+ YR.	236.600000	501.200000	354.900000
ETHYL ALCOHOL FEMA 2419E	NAS 0377	15	CONDM RELSH(R)	*	0-5 MO.	**********	.019000	**********
					6-11 MO.	.152000	.418000	.960000
					12-23 MO.	.532000	1.444000	3.360000
					2-65+ YR.	1.672000	4.028000	10.560000
ETHYL ALCOHOL FEMA 2419E	NAS 0377	16	SOFT CANDY(R)	18	0-5 MO.	.217941	2.179406	1.091258
					6-11 MO.	2.397347	7.409982	12.003838
					12-23 MO.	3.813961	10.134240	19.097015
					2-65+ YR.	6.320279	19.178777	31.646482

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL ALCOHOL FEMA 2419E	NAS 0377	17	CONF FROST(R)	*	0-5 MO.	**********	.045700	**********
					6-11 MO.	.045700	.091400	.045700
					12-23 MO.	.091400	.319900	.091400
					2-65+ YR.	.137100	.365600	.137100
ETHYL ALCOHOL FEMA 2419E	NAS 0377	20	GELATIN PUD(R)	10	0-5 MO.	2.232158	3.013413	3.028485
					6-11 MO.	14.285809	43.303859	19.382306
					12-23 MO.	15.401868	37.500249	20.896548
					2-65+ YR.	22.768008	58.594139	30.890550
ETHYL ALCOHOL FEMA 2419E	NAS 0377	23	BEV TYPE I(R)	30	0-5 MO.	2.606610	3.909914	5.813921
					6-11 MO.	24.654183	84.388987	54.990002
					12-23 MO.	58.865934	176.489194	131.297713
					2-65+ YR.	112.953084	301.606456	251.936571
ETHYL ALCOHOL FEMA 2419E	NAS 0377	24	BEV TYPE II(R)	8	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	5.938321	**********
					12-23 MO.	**********	11.876642	**********
					2-65+ YR.	1929.954291	5605.774926	8796.074103
ETHYL ALCOHOL FEMA 2419E	NAS 0377	27	GRAVIES(R)	*	0-5 MO.	.020000	.060000	.500000
					6-11 MO.	.280000	.780000	7.000000
					12-23 MO.	.720000	2.040000	18.000000
					2-65+ YR.	1.660000	4.260000	41.500000
ETHYL ALCOHOL FEMA 2419E	NAS 0377	30	HARD CANDY(R)	15	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.024727	.074181	.074634
					12-23 MO.	.074181	.222543	.223902
					2-65+ YR.	.148362	.420359	.447804
ETHYL ALCOHOL FEMA 2419E	NAS 0377	31	CHEWING GUM(R)	7	0-5 MO.	**********	**********	**********
					6-11 MO.	.018193	.018193	.169106
					12-23 MO.	.018193	.054579	.169106
					2-65+ YR.	.036386	.072772	.338212
ETHYL ALCOHOL FEMA 2419E	NAS 0377	99	ALL CATEGORIES	65	0-5 MO.	20.362869	45.692565	33.011689

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL ALCOHOL FEMA 2419E NAS 0377	99	ALL CATEGORIES	65	6-11 MO.	195.015649	532.882970	321.093854
				12-23 MO.	368.791911	809.210139	622.472910
				2-65+ YR.	2506.919811	6825.389445	9801.625480
ETHYLENE OXIDE FEMA 2433E	48	SEAS FLAVRS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.017500	**********
				12-23 MO.	**********	.035000	**********
				2-65+ YR.	.017500	.087500	.044000
ETHYLENE OXIDE FEMA 2433E	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.017500	**********
				12-23 MO.	**********	.035000	**********
				2-65+ YR.	.017500	.087500	.044000
ETHYL PALMITATE FEMA 2451E	25	NUT PRODS(R)	*	0-5 MO.	**********	.000540	**********
				6-11 MO.	.009990	.036180	.018500
				12-23 MO.	.007290	.024300	.013500
				2-65+ YR.	.014040	.041850	.026000
ETHYL PALMITATE FEMA 2451E	99	ALL CATEGORIES	*	0-5 MO.	**********	.000540	**********
				6-11 MO.	.009990	.036180	.018500
				12-23 MO.	.007290	.024300	.013500
				2-65+ YR.	.014040	.041850	.026000
FUMARIC ACID FEMA 2488E NAS 0382	01	BAKED GOODS(R)	5	0-5 MO.	7.299051	9.660509	10.022646
				6-11 MO.	54.528204	111.203188	74.875061
				12-23 MO.	116.999493	192.780815	160.657119
				2-65+ YR.	294.538172	437.513699	404.443241
FUMARIC ACID FEMA 2488E NAS 0382	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	.330000
				6-11 MO.	2.070000	5.580000	6.210000
				12-23 MO.	3.020000	5.190000	9.060000
				2-65+ YR.	7.840000	13.010000	23.520000
FUMARIC ACID FEMA 2488E NAS 0382	14	PROCSD VEGS(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FUMARIC ACID FEMA 2488E	NAS 0382	14	PROCSD VEGS(R)	*	12-23 MO.	**********	**********	**********
					2-65+ YR.	**********	**********	**********
FUMARIC ACID FEMA 2488E	NAS 0382	18	JAM JELLY(R)	*	0-5 MO.	**********	.300000	**********
					6-11 MO.	6.700000	22.300000	16.750000
					12-23 MO.	3.000000	11.200000	7.500000
					2-65+ YR.	5.700000	17.700000	14.250000
FUMARIC ACID FEMA 2488E	NAS 0382	20	GELATIN PUD(R)	*	0-5 MO.	1.502584	2.028488	2.948311
					6-11 MO.	9.616536	29.150126	18.869191
					12-23 MO.	10.367828	25.243408	20.343347
					2-65+ YR.	15.326355	39.442825	30.072774
FUMARIC ACID FEMA 2488E	NAS 0382	23	BEV TYPE I(R)	4	0-5 MO.	3.925251	5.887877	5.248974
					6-11 MO.	37.126336	127.080013	49.646548
					12-23 MO.	88.645260	265.772228	118.539335
					2-65+ YR.	170.094226	454.184294	227.455550
FUMARIC ACID FEMA 2488E	NAS 0382	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.136400	**********
					12-23 MO.	**********	.272800	**********
					2-65+ YR.	44.330000	128.761600	51.025000
FUMARIC ACID FEMA 2488E	NAS 0382	99	ALL CATEGORIES	12	0-5 MO.	12.836886	18.166874	18.549931
					6-11 MO.	110.041076	295.449726	166.350800
					12-23 MO.	222.032581	500.459252	316.099800
					2-65+ YR.	537.828753	1090.612418	750.766565
FURFURAL FEMA 2489E		01	BAKED GOODS(R)	13	0-5 MO.	.143345	.189722	.169839
					6-11 MO.	1.070873	2.183906	1.268795
					12-23 MO.	2.297739	3.786000	2.722414
					2-65+ YR.	5.784401	8.592281	6.853489
FURFURAL FEMA 2489E		07	FROZN DAIRY(R)	13	0-5 MO.	.038838	.159235	.044265
					6-11 MO.	.368960	1.025320	.420519
					12-23 MO.	.559265	1.312720	.637418

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FURFURAL FEMA 2489E	07	FROZN DAIRY(R)	13	2-65+ YR.	.994250	2.396297	1.133188
FURFURAL FEMA 2489E	10	MEAT PRODS(R)	*	0-5 MO.	.033306	.087806	.069524
				6-11 MO.	.626756	1.689517	1.308306
				12-23 MO.	.914398	1.571432	1.908737
				2-65+ YR.	2.373801	3.939178	4.955132
FURFURAL FEMA 2489E	16	SOFT CANDY(R)	13	0-5 MO.	.009495	.094951	.010512
				6-11 MO.	.104446	.322832	.115633
				12-23 MO.	.166164	.441520	.183961
				2-65+ YR.	.275357	.835566	.304850
FURFURAL FEMA 2489E	20	GELATIN PUD(R)	10	0-5 MO.	.050005	.067507	.065605
				6-11 MO.	.320034	.970103	.419870
				12-23 MO.	.345037	.840090	.452672
				2-65+ YR.	.510054	1.312640	.669167
FURFURAL FEMA 2489E	23	BEV TYPE I(R)	14	0-5 MO.	.055595	.083393	.068116
				6-11 MO.	.525839	1.799898	.644264
				12-23 MO.	1.255527	3.764265	1.538287
				2-65+ YR.	2.409129	6.432839	2.951695
FURFURAL FEMA 2489E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000075	**********
				12-23 MO.	**********	.000150	**********
				2-65+ YR.	.024320	.070642	.228247
FURFURAL FEMA 2489E	27	GRAVIES(R)	*	0-5 MO.	.000212	.000637	.000424
				6-11 MO.	.002971	.008276	.005942
				12-23 MO.	.007639	.021644	.015278
				2-65+ YR.	.017612	.045198	.035225
FURFURAL FEMA 2489E	30	HARD CANDY(R)	7	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001510	.004530	.002099
				12-23 MO.	.004530	.013590	.006297
				2-65+ YR.	.009060	.025670	.012594

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURAL FEMA 2489E	31	CHEWING GUM(R)	5	0-5 MO.	**********	**********	**********
				6-11 MO.	.003997	.003997	.005638
				12-23 MO.	.003997	.011991	.005638
				2-65+ YR.	.007994	.015988	.011276
FURFURAL FEMA 2489E	99	ALL CATEGORIES	29	0-5 MO.	.330797	.683251	.428284
				6-11 MO.	3.025385	8.008454	4.191065
				12-23 MO.	5.554296	11.763402	7.470703
				2-65+ YR.	12.405979	23.666297	17.154863
FURFURYL ACETATE FEMA 2490E	01	BAKED GOODS(R)	6	0-5 MO.	.104295	.138038	.152462
				6-11 MO.	.779145	1.588965	1.138978
				12-23 MO.	1.671788	2.754615	2.443671
				2-65+ YR.	4.208610	6.251565	6.152277
FURFURYL ACETATE FEMA 2490E	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000270
				12-23 MO.	.000780	.002220	.000780
				2-65+ YR.	.000940	.002360	.000940
FURFURYL ACETATE FEMA 2490E	07	FROZN DAIRY(R)	5	0-5 MO.	.021636	.088709	.028545
				6-11 MO.	.205545	.571200	.271182
				12-23 MO.	.311564	.731309	.411055
				2-65+ YR.	.553891	1.334964	.730764
FURFURYL ACETATE FEMA 2490E	16	SOFT CANDY(R)	5	0-5 MO.	.007182	.071818	.010655
				6-11 MO.	.079000	.244182	.117200
				12-23 MO.	.125682	.333955	.186455
				2-65+ YR.	.208273	.632000	.308982
FURFURYL ACETATE FEMA 2490E	20	GELATIN PUD(R)	*	0-5 MO.	.035143	.047443	.045857
				6-11 MO.	.224914	.681771	.293486
				12-23 MO.	.242486	.590400	.316414
				2-65+ YR.	.358457	.922500	.467743
FURFURYL ACETATE FEMA 2490E	23	BEV TYPE II(R)	6	0-5 MO.	.027820	.041730	.033420

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FURFURYL ACETATE FEMA 2490E	23	BEV TYPE I(R)	6	6-11 MO.	.263131	.900673	.316098
				12-23 MO.	.628268	1.883646	.754735
				2-65+ YR.	1.205533	3.219006	1.448200
FURFURYL ACETATE FEMA 2490E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000188	.000564	.000188
				12-23 MO.	.000564	.001692	.000564
				2-65+ YR.	.001128	.003196	.001128
FURFURYL ACETATE FEMA 2490E	99	ALL CATEGORIES	7	0-5 MO.	.196076	.387748	.270939
				6-11 MO.	1.552194	3.988325	2.137401
				12-23 MO.	2.981131	6.297837	4.113873
				2-65+ YR.	6.536832	12.365591	9.110033
FURFURYL ALCOHOL FEMA 2491E	01	BAKED GOODS(R)	8	0-5 MO.	.133497	.176689	.278847
				6-11 MO.	.997303	2.033869	2.083153
				12-23 MO.	2.139882	3.525897	4.469757
				2-65+ YR.	5.387006	8.001981	11.252306
FURFURYL ALCOHOL FEMA 2491E	07	FROZN DAIRY(R)	8	0-5 MO.	.036552	.149864	.065283
				6-11 MO.	.347245	.964975	.620193
				12-23 MO.	.526350	1.235460	.940082
				2-65+ YR.	.935733	2.255264	1.671257
FURFURYL ALCOHOL FEMA 2491E	16	SOFT CANDY(R)	8	0-5 MO.	.006386	.063858	.013506
				6-11 MO.	.070243	.217116	.148561
				12-23 MO.	.111751	.296938	.236347
				2-65+ YR.	.185187	.561947	.391661
FURFURYL ALCOHOL FEMA 2491E	20	GELATIN PUD(R)	7	0-5 MO.	.018477	.024945	.035521
				6-11 MO.	.118256	.358463	.227336
				12-23 MO.	.127495	.310422	.245097
				2-65+ YR.	.188470	.485034	.362317
FURFURYL ALCOHOL FEMA 2491E	23	BEV TYPE I(R)	9	0-5 MO.	.021950	.032925	.046753
				6-11 MO.	.207609	.710626	.442203

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURYL ALCOHOL FEMA 2491E	23	BEV TYPE I(R)	9	12-23 MO.	.495700	1.486186	1.055833
				2-65+ YR.	.951159	2.539778	2.025953
FURFURYL ALCOHOL FEMA 2491E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000202	**********
				12-23 MO.	**********	.000404	**********
				2-65+ YR.	.065587	.190506	.380250
FURFURYL ALCOHOL FEMA 2491E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000094	.000282	.000094
				12-23 MO.	.000282	.000846	.000282
				2-65+ YR.	.000564	.001598	.000564
FURFURYL ALCOHOL FEMA 2491E	99	ALL CATEGORIES	10	0-5 MO.	.216862	.448278	.439910
				6-11 MO.	1.740750	4.285533	3.521540
				12-23 MO.	3.401460	6.656153	6.947398
				2-65+ YR.	7.713707	14.036107	16.084307
2-FURFURYLIDENEBUTYRALDEH FEMA 2492E	01	BAKED GOODS(R)	*	0-5 MO.	.037400	.049500	.057800
				6-11 MO.	.279400	.569800	.431800
				12-23 MO.	.599500	.987800	.926500
				2-65+ YR.	1.509200	2.241800	2.332400
2-FURFURYLIDENEBUTYRALDEH FEMA 2492E	07	FROZN DAIRY(R)	*	0-5 MO.	.004250	.017425	.005000
				6-11 MO.	.040375	.112200	.047500
				12-23 MO.	.061200	.143650	.072000
				2-65+ YR.	.108800	.262225	.128000
2-FURFURYLIDENEBUTYRALDEH FEMA 2492E	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.001600
				6-11 MO.	.011000	.034000	.017600
				12-23 MO.	.017500	.046500	.028000
				2-65+ YR.	.029000	.088000	.046400
2-FURFURYLIDENEBUTYRALDEH FEMA 2492E	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.016000
				6-11 MO.	.064000	.194000	.102400
				12-23 MO.	.069000	.168000	.110400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-FURFURYLIDENEBUTYRALDEH							
FEMA 2492E	20	GELATIN PUD(R)	*	2-65+ YR.	.102000	.262500	.163200
2-FURFURYLIDENEBUTYRALDEH							
FEMA 2492E	23	BEV TYPE I(R)	*	0-5 MO.	.005400	.008100	.008400
				6-11 MO.	.051075	.174825	.079450
				12-23 MO.	.121950	.365625	.189700
				2-65+ YR.	.234000	.624825	.364000
2-FURFURYLIDENEBUTYRALDEH							
FEMA 2492E	99	ALL CATEGORIES	*	0-5 MO.	.058050	.098525	.088800
				6-11 MO.	.445850	1.084825	.678750
				12-23 MO.	.869150	1.711575	1.326600
				2-65+ YR.	1.983000	3.479350	3.034000
FURFURYL MERCAPTAN							
FEMA 2493E	01	BAKED GOODS(R)	11	0-5 MO.	.015448	.020446	.020872
				6-11 MO.	.115408	.235360	.155924
				12-23 MO.	.247628	.408018	.334561
				2-65+ YR.	.623387	.925993	.842233
FURFURYL MERCAPTAN							
FEMA 2493E	07	FROZN DAIRY(R)	14	0-5 MO.	.002484	.010183	.003304
				6-11 MO.	.023595	.065569	.031391
				12-23 MO.	.035765	.083948	.047582
				2-65+ YR.	.063582	.153242	.084590
FURFURYL MERCAPTAN							
FEMA 2493E	10	MEAT PRODS(R)	*	0-5 MO.	.000041	.000109	.000144
				6-11 MO.	.000780	.002102	.002709
				12-23 MO.	.001138	.001955	.003953
				2-65+ YR.	.002953	.004900	.010262
FURFURYL MERCAPTAN							
FEMA 2493E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000080	.000220	.000080
				12-23 MO.	.000280	.000760	.000280
				2-65+ YR.	.000880	.002120	.000880
FURFURYL MERCAPTAN							
FEMA 2493E	16	SOFT CANDY(R)	13	0-5 MO.	.000508	.005076	.000711
				6-11 MO.	.005583	.017257	.007818
				12-23 MO.	.008882	.023601	.012438
				2-65+ YR.	.014719	.044665	.020612

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURYL MERCAPTAN FEMA 2493E	20	GELATIN PUD(R)	8	0-5 MO.	.002040	.002753	.004692
				6-11 MO.	.013053	.039566	.030032
				12-23 MO.	.014073	.034264	.032378
				2-65+ YR.	.020803	.053537	.047863
FURFURYL MERCAPTAN FEMA 2493E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000000	**********
				6-11 MO.	.000000	.000001	.000001
				12-23 MO.	.000001	.000003	.000002
				2-65+ YR.	.000001	.000004	.000003
FURFURYL MERCAPTAN FEMA 2493E	23	BEV TYPE I(R)	13	0-5 MO.	.002681	.004022	.004406
				6-11 MO.	.025360	.086806	.041676
				12-23 MO.	.060552	.181544	.099508
				2-65+ YR.	.116188	.310244	.190938
FURFURYL MERCAPTAN FEMA 2493E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000005	**********
				12-23 MO.	**********	.000010	**********
				2-65+ YR.	.001625	.004720	.055398
FURFURYL MERCAPTAN FEMA 2493E	27	GRAVIES(R)	*	0-5 MO.	.000020	.000060	.000060
				6-11 MO.	.000280	.000780	.001120
				12-23 MO.	.000720	.002040	.002880
				2-65+ YR.	.001660	.004260	.006640
FURFURYL MERCAPTAN FEMA 2493E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002438	.007314	.002438
				12-23 MO.	.007314	.021942	.007314
				2-65+ YR.	.014628	.041446	.014628
FURFURYL MERCAPTAN FEMA 2493E	99	ALL CATEGORIES	18	0-5 MO.	.023222	.042660	.034209
				6-11 MO.	.186577	.454980	.273189
				12-23 MO.	.376352	.758085	.540896
				2-65+ YR.	.860426	1.545131	1.274046
FURYL ACRULEIN FEMA 2494E	01	BAKED GOODS(R)	5	0-5 MO.	.035413	.046870	.050404

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURYL ACROLEIN FEMA 2494E	01	BAKED GOODS(R)	5	6-11 MO.	.264556	.539527	.376547
				12-23 MO.	.567649	.935319	.807945
				2-65+ YR.	1.429018	2.122896	2.033945
FURYL ACROLEIN FEMA 2494E	07	FROZN DAIRY(R)	4	0-5 MO.	.004771	.019560	.006313
				6-11 MO.	.045323	.125950	.059969
				12-23 MO.	.068700	.161254	.090900
				2-65+ YR.	.122133	.294360	.161600
FURYL ACROLEIN FEMA 2494E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
FURYL ACROLEIN FEMA 2494E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.004000
				12-23 MO.	.002800	.007600	.014000
				2-65+ YR.	.008800	.021200	.044000
FURYL ACROLEIN FEMA 2494E	16	SOFT CANDY(R)	4	0-5 MO.	.004267	.042667	.005285
				6-11 MO.	.046933	.145067	.058135
				12-23 MO.	.074667	.198400	.092488
				2-65+ YR.	.123733	.375467	.153265
FURYL ACROLEIN FEMA 2494E	20	GELATIN PUD(R)	*	0-5 MO.	.005264	.007106	.006836
				6-11 MO.	.033687	.102115	.043753
				12-23 MO.	.036319	.088429	.047171
				2-65+ YR.	.053689	.138170	.069731
FURYL ACROLEIN FEMA 2494E	23	BEV TYPE I(R)	5	0-5 MO.	.003265	.004897	.005133
				6-11 MO.	.030881	.105702	.048553
				12-23 MO.	.073733	.221063	.115928
				2-65+ YR.	.141481	.377780	.222444
FURYL ACROLEIN FEMA 2494E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FURYL ACROLEIN FEMA 2494E	24	BEV TYPE III(R)	*	12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.009750
FURYL ACROLEIN FEMA 2494E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000015	.000045	.000015
				12-23 MO.	.000045	.000135	.000045
				2-65+ YR.	.000090	.000255	.000090
FURYL ACROLEIN FEMA 2494E	99	ALL CATEGORIES	7	0-5 MO.	.054079	.124101	.076171
				6-11 MO.	.442895	1.076416	.632371
				12-23 MO.	.854113	1.664121	1.228876
				2-65+ YR.	1.960594	3.469469	2.851626
4-/2-FURYL/-3-BUTENONE-2 FEMA 2495E	01	BAKED GOODS(R)	6	0-5 MO.	.024480	.032400	.080844
				6-11 MO.	.182880	.372960	.603956
				12-23 MO.	.392400	.646560	1.295889
				2-65+ YR.	.987840	1.467360	3.262311
4-/2-FURYL/-3-BUTENONE-2 FEMA 2495E	07	FROZN DAIRY(R)	5	0-5 MO.	.004667	.019133	.008500
				6-11 MO.	.044333	.123200	.080750
				12-23 MO.	.067200	.157733	.122400
				2-65+ YR.	.119467	.287933	.217600
4-/2-FURYL/-3-BUTENONE-2 FEMA 2495E	16	SOFT CANDY(R)	4	0-5 MO.	.001967	.019667	.002640
				6-11 MO.	.021633	.066867	.029040
				12-23 MO.	.034417	.091450	.048200
				2-65+ YR.	.057033	.173067	.076560
4-/2-FURYL/-3-BUTENONE-2 FEMA 2495E	20	GELATIN PUD(R)	*	0-5 MO.	.008857	.011957	.014571
				6-11 MO.	.056686	.171829	.093257
				12-23 MO.	.061114	.148800	.100543
				2-65+ YR.	.090343	.232500	.148629
4-/2-FURYL/-3-BUTENONE-2 FEMA 2495E	23	BEV TYPE I(R)	5	0-5 MO.	.005600	.008400	.012600
				6-11 MO.	.052967	.181300	.119175
				12-23 MO.	.126467	.379167	.284550

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-/2-FURYL/-3-BUTENONE-2							
FEMA 2495E	23	BEV TYPE I(R)	5	2-65+ YR.	.242667	.647967	.546000
4-/2-FURYL/-3-BUTENONE-2							
FEMA 2495E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.390000
4-/2-FURYL/-3-BUTENONE-2							
FEMA 2495E	99	ALL CATEGORIES	6	0-5 MO.	.045570	.091557	.119156
				6-11 MO.	.358499	.916955	.926178
				12-23 MO.	.681598	1.425310	1.849582
				2-65+ YR.	1.757349	3.564027	4.641100
CIS-3-HEXENAL							
FEMA 2561E	01	BAKED GOODS(R)	5	0-5 MO.	.013551	.017935	.022815
				6-11 MO.	.101236	.206457	.170445
				12-23 MO.	.217218	.357912	.365719
				2-65+ YR.	.546831	.812276	.920672
CIS-3-HEXENAL							
FEMA 2561E	07	FROZN DAIRY(R)	5	0-5 MO.	.001410	.005780	.002845
				6-11 MO.	.013392	.037215	.027032
				12-23 MO.	.020299	.047646	.040974
				2-65+ YR.	.036087	.086976	.072843
CIS-3-HEXENAL							
FEMA 2561E	16	SOFT CANDY(R)	5	0-5 MO.	.000692	.006923	.001084
				6-11 MO.	.007616	.023539	.011920
				12-23 MO.	.012116	.032193	.018964
				2-65+ YR.	.020077	.060924	.031427
CIS-3-HEXENAL							
FEMA 2561E	20	GELATIN PUD(R)	5	0-5 MO.	.004093	.005526	.006818
				6-11 MO.	.026196	.079406	.043634
				12-23 MO.	.028242	.068764	.047043
				2-65+ YR.	.041750	.107444	.069542
CIS-3-HEXENAL							
FEMA 2561E	23	BEV TYPE I(R)	5	0-5 MO.	.002803	.004205	.006245
				6-11 MO.	.026515	.090757	.059067
				12-23 MO.	.063308	.189807	.141033
				2-65+ YR.	.121476	.324366	.270617

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO. NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CIS-3-HEXENAL FEMA 2561E	24 BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
			6-11 MO.	**********	.000020	**********
			12-23 MO.	**********	.000040	**********
			2-65+ YR.	.006500	.018880	.032500
CIS-3-HEXENAL FEMA 2561E	99 ALL CATEGORIES	6	0-5 MO.	.022550	.040369	.039807
			6-11 MO.	.174953	.437394	.312099
			12-23 MO.	.341183	.696362	.613734
			2-65+ YR.	.772722	1.410865	1.397601
HEXYL 2-FURDATE FEMA 2571E	01 BAKED GOODS(R)	*	0-5 MO.	.030770	.040725	.038250
			6-11 MO.	.229870	.468790	.285750
			12-23 MO.	.493225	.812690	.613125
			2-65+ YR.	1.241660	1.844390	1.543500
HEXYL 2-FURDATE FEMA 2571E	07 FROZN DAIRY(R)	*	0-5 MO.	.005550	.022755	.007750
			6-11 MO.	.052725	.146520	.073625
			12-23 MO.	.079920	.187590	.111600
			2-65+ YR.	.142080	.342435	.198400
HEXYL 2-FURDATE FEMA 2571E	16 SOFT CANDY(R)	*	0-5 MO.	.001310	.013100	.001950
			6-11 MO.	.014410	.044540	.021450
			12-23 MO.	.022925	.060915	.034125
			2-65+ YR.	.037990	.115280	.056550
HEXYL 2-FURDATE FEMA 2571E	20 GELATIN PUD(R)	*	0-5 MO.	.007100	.009585	.010500
			6-11 MO.	.045440	.137740	.067200
			12-23 MO.	.048990	.119280	.072450
			2-65+ YR.	.072420	.186375	.107100
HEXYL 2-FURDATE FEMA 2571E	23 BEV TYPE I(R)	*	0-5 MO.	.007320	.010980	.010200
			6-11 MO.	.069235	.236985	.096475
			12-23 MO.	.165310	.495625	.230350
			2-65+ YR.	.317200	.846985	.442000
HEXYL 2-FURDATE FEMA 2571E	24 BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEXYL 2-FUROATE FEMA 2571E	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
HEXYL 2-FUROATE FEMA 2571E	99	ALL CATEGORIES	*	0-5 MO.	.052050	.097145	.068650
				6-11 MO.	.411680	1.034585	.544500
				12-23 MO.	.810370	1.676120	1.061650
				2-65+ YR.	1.814600	3.344905	2.363800
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	01	BAKED GOODS(R)	*	0-5 MO.	.013600	.018000	.024650
				6-11 MO.	.101600	.207200	.184150
				12-23 MO.	.218000	.359200	.395125
				2-65+ YR.	.548800	.815200	.994700
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	04	FATS OILS(R)	*	0-5 MO.	.001000	.001000	.002500
				6-11 MO.	.005600	.015000	.014000
				12-23 MO.	.012600	.024000	.031500
				2-65+ YR.	.035000	.063200	.087500
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	07	FROZN DAIRY(R)	*	0-5 MO.	.004250	.017425	.006500
				6-11 MO.	.040375	.112200	.061750
				12-23 MO.	.061200	.143650	.093600
				2-65+ YR.	.108800	.262225	.166400
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	16	SOFT CANDY(R)	*	0-5 MO.	.000700	.007000	.001300
				6-11 MO.	.007700	.023800	.014300
				12-23 MO.	.012250	.032550	.022750
				2-65+ YR.	.020300	.061600	.037700
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.012000
				6-11 MO.	.064000	.194000	.076800
				12-23 MO.	.069000	.168000	.082800
				2-65+ YR.	.102000	.262500	.122400
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	23	BEV TYPE I(R)	*	0-5 MO.	.004000	.006000	.007200
				6-11 MO.	.037833	.129500	.068100

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	23	BEV TYPE I(R)	*	12-23 MO.	.090333	.270833	.162600
				2-65+ YR.	.173333	.462833	.312000
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
2-HEXYL-5-KETO-1,4-DIOXAN FEMA 2574E	59	ALL CATEGORIES	*	0-5 MO.	.033550	.062925	.054150
				6-11 MO.	.257108	.681750	.419100
				12-23 MO.	.463383	.998333	.788375
				2-65+ YR.	1.004483	1.974758	1.753200
LAURIC ACID FEMA 2614E	01	BAKED GOODS(R)	6	0-5 MO.	.292788	.387513	.292788
				6-11 MO.	2.187295	4.460705	2.187295
				12-23 MO.	4.693212	7.733036	4.693212
				2-65+ YR.	11.814839	17.550031	11.814839
LAURIC ACID FEMA 2614E	04	FATS OILS(R)	*	0-5 MO.	.003000	.003000	.007000
				6-11 MO.	.016800	.045000	.039200
				12-23 MO.	.037800	.072000	.088200
				2-65+ YR.	.105000	.189600	.245000
LAURIC ACID FEMA 2614E	06	CHEESE(R)	*	0-5 MO.	**********	.005290	**********
				6-11 MO.	.142830	.513130	.142830
				12-23 MO.	.412620	1.174380	.412620
				2-65+ YR.	.497260	1.248440	.497260
LAURIC ACID FEMA 2614E	07	FROZN DAIRY(R)	*	0-5 MO.	.017515	.071813	.020546
				6-11 MO.	.166397	.462408	.195191
				12-23 MO.	.252223	.592023	.295868
				2-65+ YR.	.448396	1.080704	.525988
LAURIC ACID FEMA 2614E	16	SOFT CANDY(R)	*	0-5 MO.	.004913	.049125	.005375
				6-11 MO.	.054038	.167025	.059125
				12-23 MO.	.085969	.228431	.094063

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LAURIC ACID FEMA 2614E	16	SOFT CANDY(R)	*	2-65+ YR.	.142463	.432300	.155875
LAURIC ACID FEMA 2614E	20	GELATIN PUD(R)	*	0-5 MO.	.035938	.048516	.043010
				6-11 MO.	.230004	.697200	.275266
				12-23 MO.	.247973	.603761	.296771
				2-65+ YR.	.366569	.943376	.438705
LAURIC ACID FEMA 2614E	23	BEV TYPE I(R)	4	0-5 MO.	.027003	.040505	.034220
				6-11 MO.	.255406	.874231	.323662
				12-23 MO.	.609824	1.828348	.772795
				2-65+ YR.	1.170142	3.124505	1.482855
LAURIC ACID FEMA 2614E	28	IMIT DAIRY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.009800	.016100	.019600
				12-23 MO.	.005600	.023800	.011200
				2-65+ YR.	.006300	.010500	.012600
LAURIC ACID FEMA 2614E	59	ALL CATEGORIES	8	0-5 MO.	.381157	.605763	.402939
				6-11 MO.	3.062570	7.235799	3.242169
				12-23 MO.	6.345221	12.255779	6.664730
				2-65+ YR.	14.550969	24.579457	15.173122
6-METHYLCOUMARIN FEMA 2699E	01	BAKED GOODS(R)	18	0-5 MO.	.036128	.047816	.057367
				6-11 MO.	.269898	.550421	.428567
				12-23 MO.	.579111	.954205	.919562
				2-65+ YR.	1.457872	2.165556	2.314935
6-METHYLCOUMARIN FEMA 2699E	07	FROZN DAIRY(R)	14	0-5 MO.	.006013	.024653	.011043
				6-11 MO.	.057122	.158740	.104907
				12-23 MO.	.086585	.203235	.159018
				2-65+ YR.	.153929	.370994	.282698
6-METHYLCOUMARIN FEMA 2699E	16	SOFT CANDY(R)	15	0-5 MO.	.001825	.018247	.003073
				6-11 MO.	.020072	.062040	.033807
				12-23 MO.	.031933	.084849	.053784
				2-65+ YR.	.052917	.160575	.089128

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
6-METHYLCOUMARIN FEMA 2699E	20	GELATIN PUD(R)	14	0-5 MO.	.013847	.018694	.027007
				6-11 MO.	.088623	.268639	.172846
				12-23 MO.	.095547	.232635	.186350
				2-65+ YR.	.141243	.363493	.275474
6-METHYLCOUMARIN FEMA 2699E	23	BEV TYPE I(R)	17	0-5 MO.	.004160	.006241	.009689
				6-11 MO.	.039351	.134694	.091644
				12-23 MO.	.093957	.281696	.218815
				2-65+ YR.	.180286	.481397	.419866
6-METHYLCOUMARIN FEMA 2699E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
6-METHYLCOUMARIN FEMA 2699E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001097	.003291	.003196
				12-23 MO.	.003291	.009873	.009588
				2-65+ YR.	.006582	.018649	.019176
6-METHYLCOUMARIN FEMA 2699E	99	ALL CATEGORIES	22	0-5 MO.	.061973	.115651	.108180
				6-11 MO.	.476163	1.177925	.834967
				12-23 MO.	.890423	1.766694	1.547117
				2-65+ YR.	2.025329	3.655064	3.563777
PIPERONYL-ACETONE FEMA 2701E	01	BAKED GOODS(R)	4	0-5 MO.	.034892	.046181	.088428
				6-11 MO.	.260666	.531594	.660610
				12-23 MO.	.559302	.921566	1.417452
				2-65+ YR.	1.408006	2.091483	3.568337
PIPERONYL-ACETONE FEMA 2701E	07	FROZN DAIRY(R)	4	0-5 MO.	.006257	.025653	.017367
				6-11 MO.	.059441	.165182	.164990
				12-23 MO.	.090099	.211483	.250091
				2-65+ YR.	.160177	.386051	.444606
PIPERONYL-ACETONE FEMA 2701E	16	SOFT CANDY(R)	4	0-5 MO.	.001889	.018687	.004171

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PIPERONYL-ACETONE FEMA 2701E	16	SOFT CANDY(R)	4	6-11 MO.	.020775	.064215	.045884
				12-23 MO.	.033052	.087823	.072997
				2-65+ YR.	.054772	.166203	.120967
PIPERONYL-ACETONE FEMA 2701E	20	GELATIN PUD(R)	4	0-5 MO.	.015906	.021473	.042901
				6-11 MO.	.101799	.308578	.274564
				12-23 MO.	.109752	.267222	.296014
				2-65+ YR.	.162242	.417535	.437586
PIPERONYL-ACETONE FEMA 2701E	23	BEV TYPE I(R)	4	0-5 MO.	.004170	.006255	.007326
				6-11 MO.	.039443	.135009	.069291
				12-23 MO.	.094176	.282355	.165445
				2-65+ YR.	.180707	.482523	.317459
PIPERONYL-ACETONE FEMA 2701E	99	ALL CATEGORIES	4	0-5 MO.	.063114	.118449	.160193
				6-11 MO.	.482123	1.204578	1.215340
				12-23 MO.	.886382	1.770450	2.201998
				2-65+ YR.	1.965903	3.543795	4.888954
5-METHYLFURFURAL FEMA 2702E	01	BAKED GOODS(R)	*	0-5 MO.	.003536	.004680	.006392
				6-11 MO.	.026416	.053872	.047752
				12-23 MO.	.056680	.093392	.102460
				2-65+ YR.	.142688	.211952	.257936
5-METHYLFURFURAL FEMA 2702E	07	FROZN DAIRY(R)	*	0-5 MO.	.001250	.005125	.002750
				6-11 MO.	.011875	.033000	.026125
				12-23 MO.	.018000	.042250	.039600
				2-65+ YR.	.032000	.077125	.070400
5-METHYLFURFURAL FEMA 2702E	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
5-METHYLFURFURAL FEMA 2702E	16	SOFT CANDY(R)	*	0-5 MO.	.000250	.002500	.000450
				6-11 MO.	.002750	.008500	.004950

TABLE 13, PART 5 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
5-METHYLFURFURAL FEMA 2702E	16	SOFT CANDY(R)	*	12-23 MO.	.004375	.011625	.007875
				2-65+ YR.	.007250	.022000	.013050
5-METHYLFURFURAL FEMA 2702E	20	GELATIN PUD(R)	*	0-5 MO.	.002400	.003240	.004400
				6-11 MO.	.015360	.046560	.028160
				12-23 MO.	.016560	.040320	.030360
				2-65+ YR.	.024480	.063000	.044880
5-METHYLFURFURAL FEMA 2702E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000005	**********
				6-11 MO.	.000020	.000055	.000040
				12-23 MO.	.000055	.000155	.000110
				2-65+ YR.	.000065	.000185	.000130
5-METHYLFURFURAL FEMA 2702E	23	BEV TYPE I(R)	4	0-5 MO.	.002400	.003600	.003600
				6-11 MO.	.022700	.077700	.034050
				12-23 MO.	.054200	.162500	.081300
				2-65+ YR.	.104000	.277700	.156000
5-METHYLFURFURAL FEMA 2702E	27	GRAVIES(R)	*	0-5 MO.	.000200	.000600	.000400
				6-11 MO.	.002800	.007800	.005600
				12-23 MO.	.007200	.020400	.014400
				2-65+ YR.	.016600	.042600	.033200
5-METHYLFURFURAL FEMA 2702E	99	ALL CATEGORIES	6	0-5 MO.	.015536	.034250	.028992
				6-11 MO.	.185421	.506487	.353677
				12-23 MO.	.308070	.630142	.578105
				2-65+ YR.	.719083	1.345062	1.359596
METHYL 2-FURCATE FEMA 2703E	01	BAKED GOODS(R)	5	0-5 MO.	.005595	.007405	.009837
				6-11 MO.	.041799	.085244	.073487
				12-23 MO.	.089687	.147778	.157680
				2-65+ YR.	.225781	.335380	.396948
METHYL 2-FURCATE FEMA 2703E	07	FROZN DAIRY(R)	*	0-5 MO.	.001807	.007408	.002341
				6-11 MO.	.017165	.047700	.022239
				12-23 MO.	.026018	.061070	.033709

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 2-FURLATE FEMA 2703E	07	FROZN DAIRY(R)	*	2-65+ YR.	.046255	.111481	.059927
METHYL 2-FUROATE FEMA 2703E	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
METHYL 2-FUROATE FEMA 2703E	16	SOFT CANDY(R)	5	0-5 MO.	.000338	.003379	.000502
				6-11 MO.	.003717	.011487	.005522
				12-23 MO.	.005913	.015711	.008786
				2-65+ YR.	.009798	.029732	.014559
METHYL 2-FUROATE FEMA 2703E	20	GELATIN PUD(R)	*	0-5 MO.	.003420	.004618	.004068
				6-11 MO.	.021891	.066357	.026036
				12-23 MO.	.023601	.057464	.028070
				2-65+ YR.	.034889	.089787	.041495
METHYL 2-FUROATE FEMA 2703E	23	BEV TYPE I(R)	*	0-5 MO.	.003968	.005952	.004336
				6-11 MO.	.037532	.128470	.041015
				12-23 MO.	.089615	.268679	.097930
				2-65+ YR.	.171955	.459152	.187909
METHYL 2-FUROATE FEMA 2703E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
METHYL 2-FUROATE FEMA 2703E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000312	.000936	.000312
				12-23 MO.	.000936	.002808	.000936
				2-65+ YR.	.001872	.005304	.001872
METHYL 2-FUROATE FEMA 2703E	99	ALL CATEGORIES	8	0-5 MO.	.020628	.043262	.032084
				6-11 MO.	.225916	.619244	.375612
				12-23 MO.	.386770	.813109	.629110
				2-65+ YR.	.898798	1.728535	1.519211

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-METHYL-3-FURYLACROLEIN FEMA 2704E	01	BAKED GOODS(R)	5	0-5 MO.	.002635	.003488	.004590
				6-11 MO.	.019685	.040145	.034290
				12-23 MO.	.042238	.069595	.073575
				2-65+ YR.	.106330	.157945	.185220
2-METHYL-3-FURYLACROLEIN FEMA 2704E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
2-METHYL-3-FURYLACROLEIN FEMA 2704E	16	SOFT CANDY(R)	*	0-5 MO.	.000267	.002667	.000533
				6-11 MO.	.002933	.009067	.005867
				12-23 MO.	.004667	.012400	.009333
				2-65+ YR.	.007733	.023467	.015467
2-METHYL-3-FURYLACROLEIN FEMA 2704E	20	GELATIN PUD(R)	*	0-5 MO.	.001500	.002025	.003000
				6-11 MO.	.009600	.029100	.019200
				12-23 MO.	.010350	.025200	.020700
				2-65+ YR.	.015300	.039375	.030600
2-METHYL-3-FURYLACROLEIN FEMA 2704E	23	BEV TYPE I(R)	*	0-5 MO.	.001800	.002700	.003600
				6-11 MO.	.017025	.058275	.034050
				12-23 MO.	.040650	.121875	.081300
				2-65+ YR.	.078000	.208275	.156000
2-METHYL-3-FURYLACROLEIN FEMA 2704E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
2-METHYL-3-FURYLACROLEIN FEMA 2704E	99	ALL CATEGORIES	6	0-5 MO.	.007202	.014979	.013723
				6-11 MO.	.058743	.163037	.112407
				12-23 MO.	.112304	.262970	.213708
				2-65+ YR.	.249213	.537962	.470987
2-METHYL-4-PHENYLBUTYRALD FEMA 2757E	01	BAKED GOODS(R)	*	0-5 MO.	.030940	.040950	.031960

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYL-4-PHENYLBUTYRALD FEMA 2737E	01	BAKED GOODS(R)	*	6-11 MO.	.231140	.471380	.238760
				12-23 MO.	.495950	.817180	.512300
				2-65+ YR.	1.248520	1.854580	1.289680
2-METHYL-4-PHENYLBUTYRALD FEMA 2737E	07	FROZN DAIRY(R)	*	0-5 MO.	.009300	.038130	.009700
				6-11 MO.	.088350	.245520	.092150
				12-23 MO.	.133920	.314340	.139680
				2-65+ YR.	.238080	.573810	.248320
2-METHYL-4-PHENYLBUTYRALD FEMA 2737E	16	SOFT CANDY(R)	*	0-5 MO.	.001500	.015000	.001660
				6-11 MO.	.016500	.051000	.018260
				12-23 MO.	.026250	.069750	.029050
				2-65+ YR.	.043500	.132000	.048140
2-METHYL-4-PHENYLBUTYRALD FEMA 2737E	20	GELATIN PUD(R)	*	0-5 MO.	.016000	.021600	.017000
				6-11 MO.	.102400	.310400	.108800
				12-23 MO.	.110400	.268800	.117300
				2-65+ YR.	.163200	.420000	.173400
2-METHYL-4-PHENYLBUTYRALD FEMA 2737E	23	BEV TYPE I(R)	*	0-5 MO.	.015600	.023400	.018000
				6-11 MO.	.147550	.505050	.170250
				12-23 MO.	.352300	1.056250	.406500
				2-65+ YR.	.676000	1.805050	.780000
2-METHYL-4-PHENYLBUTYRALD FEMA 2737E	99	ALL CATEGORIES	*	0-5 MO.	.073340	.139080	.078320
				6-11 MO.	.585940	1.583350	.628220
				12-23 MO.	1.118820	2.526320	1.204830
				2-65+ YR.	2.369300	4.785440	2.539540
METHYL SALICYLATE FEMA 2745E	01	BAKED GOODS(R)	11	0-5 MO.	.478704	.633579	.837944
				6-11 MO.	3.576201	7.293196	6.259933
				12-23 MO.	7.673344	12.643418	13.431745
				2-65+ YR.	19.317115	28.694082	33.813494
METHYL SALICYLATE FEMA 2745E	07	FROZN DAIRY(R)	21	0-5 MO.	.025805	.105802	.035817
				6-11 MO.	.245150	.681259	.340264

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL SALICYLATE FEMA 2745E	07	FROZN DAIRY(R)	21	12-23 MO.	.371596	.872217	.515768
				2-65+ YR.	.660614	1.592184	.916921
METHYL SALICYLATE FEMA 2745E	16	SOFT CANDY(R)	32	0-5 MO.	.114206	1.142060	.161418
				6-11 MO.	1.256266	3.883004	1.775601
				12-23 MO.	1.998605	5.310579	2.824820
				2-65+ YR.	3.311974	10.050128	4.681130
METHYL SALICYLATE FEMA 2745E	20	GELATIN PUD(R)	7	0-5 MO.	.379630	.512500	.720489
				6-11 MO.	2.429632	7.364821	4.611127
				12-23 MO.	2.619446	6.377783	4.971371
				2-65+ YR.	3.872225	9.965286	7.348984
METHYL SALICYLATE FEMA 2745E	23	BEV TYPE I(R)	34	0-5 MO.	.161058	.241588	.242505
				6-11 MO.	1.523344	5.214266	2.293689
				12-23 MO.	3.637236	10.904997	5.476561
				2-65+ YR.	6.979198	18.635801	10.508530
METHYL SALICYLATE FEMA 2745E	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004074	**********
				12-23 MO.	**********	.008148	**********
				2-65+ YR.	1.323979	3.845650	2.003381
METHYL SALICYLATE FEMA 2745E	30	HARD CANDY(R)	13	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.194216	.582648	.204411
				12-23 MO.	.582648	1.747944	.613233
				2-65+ YR.	1.165296	3.301672	1.226466
METHYL SALICYLATE FEMA 2745E	31	CHEWING GUM(R)	14	0-5 MO.	**********	**********	**********
				6-11 MO.	.210770	.210770	.695841
				12-23 MO.	.210770	.632310	.695841
				2-65+ YR.	.421540	.843080	1.391682
METHYL SALICYLATE FEMA 2745E	99	ALL CATEGORIES	77	0-5 MO.	1.159404	2.635528	1.998172
				6-11 MO.	9.435578	25.234038	16.180865
				12-23 MO.	17.093645	38.497396	28.529339

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL SALICYLATE FEMA 2745E	99	ALL CATEGORIES	77	2-65+ YR.	37.051942	76.927882	61.890588
MUSK AMBRETTE FEMA 2758E	01	BAKED GOODS(R)	6	0-5 MO.	.001055	.001396	.003196
				6-11 MO.	.007880	.016071	.023876
				12-23 MO.	.016909	.027860	.051230
				2-65+ YR.	.042566	.063229	.128968
MUSK AMBRETTE FEMA 2758E	07	FROZN DAIRY(R)	*	0-5 MO.	.000162	.000664	.000244
				6-11 MO.	.001539	.004277	.002318
				12-23 MO.	.002333	.005476	.003514
				2-65+ YR.	.004147	.009995	.006246
MUSK AMBRETTE FEMA 2758E	16	SOFT CANDY(R)	7	0-5 MO.	.000138	.001376	.000318
				6-11 MO.	.001513	.004677	.003495
				12-23 MO.	.002407	.006396	.005560
				2-65+ YR.	.003989	.012104	.009214
MUSK AMBRETTE FEMA 2758E	20	GELATIN PUD(R)	4	0-5 MO.	.000896	.001210	.002636
				6-11 MO.	.005734	.017382	.016870
				12-23 MO.	.006182	.015053	.018188
				2-65+ YR.	.009139	.023520	.026887
MUSK AMBRETTE FEMA 2758E	23	BEV TYPE I(R)	4	0-5 MO.	.000436	.000654	.001016
				6-11 MO.	.004124	.014116	.009610
				12-23 MO.	.009846	.029521	.022945
				2-65+ YR.	.018893	.050449	.044027
MUSK AMBRETTE FEMA 2758E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.003250
MUSK AMBRETTE FEMA 2758E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.042300	.126900	.042300
				12-23 MO.	.126900	.380700	.126900
				2-65+ YR.	.253800	.719100	.253800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MUSK AMBRETTE FEMA 2758E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.003600	.003600	.003600
				12-23 MO.	.003600	.010800	.003600
				2-65+ YR.	.007200	.014400	.007200
MUSK AMBRETTE FEMA 2758E	99	ALL CATEGORIES	13	0-5 MO.	.002686	.005299	.007410
				6-11 MO.	.066691	.187032	.102069
				12-23 MO.	.168177	.475826	.231937
				2-65+ YR.	.342985	.902238	.479592
MYRISTIC ACID FEMA 2764E	01	BAKED GOODS(R)	6	0-5 MO.	.011375	.015055	.016320
				6-11 MO.	.084975	.173295	.121920
				12-23 MO.	.182327	.300422	.261600
				2-65+ YR.	.458996	.681804	.658560
MYRISTIC ACID FEMA 2764E	06	CHEESE(R)	*	0-5 MO.	**********	.000210	**********
				6-11 MO.	.005670	.020370	.005670
				12-23 MO.	.016380	.046620	.016380
				2-65+ YR.	.019740	.049560	.019740
MYRISTIC ACID FEMA 2764E	07	FROZN DAIRY(R)	*	0-5 MO.	.002536	.010396	.003357
				6-11 MO.	.024089	.066943	.031893
				12-23 MO.	.036514	.085707	.048343
				2-65+ YR.	.064914	.156454	.085943
MYRISTIC ACID FEMA 2764E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
MYRISTIC ACID FEMA 2764E	16	SOFT CANDY(R)	4	0-5 MO.	.000436	.004360	.000632
				6-11 MO.	.004796	.014824	.006952
				12-23 MO.	.007630	.020274	.011060
				2-65+ YR.	.012644	.038368	.018328
MYRISTIC ACID FEMA 2764E	20	GELATIN PUD(R)	4	0-5 MO.	.001900	.002565	.003467

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MYRISTIC ACID FEMA 2764E	20	GELATIN PUD(R)	4	6-11 MO.	.012160	.036860	.022187
				12-23 MO.	.013110	.031920	.023920
				2-65+ YR.	.019380	.049875	.035360
MYRISTIC ACID FEMA 2764E	23	BEV TYPE I(R)	*	0-5 MO.	.005349	.008023	.007269
				6-11 MO.	.050589	.173160	.068749
				12-23 MO.	.120789	.362143	.164149
				2-65+ YR.	.231771	.618874	.314971
MYRISTIC ACID FEMA 2764E	27	GRAVIES(R)	*	0-5 MO.	.000030	.000090	.000060
				6-11 MO.	.000420	.001170	.000840
				12-23 MO.	.001080	.003060	.002160
				2-65+ YR.	.002490	.006390	.004980
MYRISTIC ACID FEMA 2764E	99	ALL CATEGORIES	6	0-5 MO.	.022725	.043599	.033304
				6-11 MO.	.203398	.542421	.299610
				12-23 MO.	.408030	.902046	.588011
				2-65+ YR.	.888336	1.731424	1.294682
BE-NAPHTHYL ANTHRANILATE FEMA 2767E	01	BAKED GOODS(R)	*	0-5 MO.	.073100	.096750	.079900
				6-11 MO.	.546100	1.113700	.596900
				12-23 MO.	1.171750	1.930700	1.280750
				2-65+ YR.	2.949800	4.381700	3.224200
BE-NAPHTHYL ANTHRANILATE FEMA 2767E	07	FROZN DAIRY(R)	4	0-5 MO.	.004938	.020244	.006484
				6-11 MO.	.046906	.130350	.061602
				12-23 MO.	.071100	.166888	.093375
				2-65+ YR.	.126400	.304644	.166000
BE-NAPHTHYL ANTHRANILATE FEMA 2767E	16	SOFT CANDY(R)	5	0-5 MO.	.002978	.029784	.004549
				6-11 MO.	.032762	.101265	.050035
				12-23 MO.	.052122	.138495	.079601
				2-65+ YR.	.086373	.262097	.131911
BE-NAPHTHYL ANTHRANILATE FEMA 2767E	20	GELATIN PUD(R)	4	0-5 MO.	.013531	.018267	.016500
				6-11 MO.	.086600	.262506	.105600

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
B6-NAPHTHYL ANTHRANILATE FEMA 2767E	20	GELATIN PUDIR)	4	12-23 MO.	.093366	.227325	.113850
				2-65+ YR.	.138019	.355195	.168300
B6-NAPHTHYL ANTHRANILATE FEMA 2767E	23	BEV TYPE I(R)	7	0-5 MO.	.004038	.006057	.014286
				6-11 MO.	.038193	.130732	.135119
				12-23 MO.	.091193	.273410	.322619
				2-65+ YR.	.174982	.467237	.619048
B6-NAPHTHYL ANTHRANILATE FEMA 2767E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.001288	.003864	.001288
				12-23 MO.	.003864	.011592	.003864
				2-65+ YR.	.007728	.021896	.007728
B6-NAPHTHYL ANTHRANILATE FEMA 2767E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000711	.000711	.000711
				12-23 MO.	.000711	.002133	.000711
				2-65+ YR.	.001422	.002844	.001422
B6-NAPHTHYL ANTHRANILATE FEMA 2767E	99	ALL CATEGORIES	9	0-5 MO.	.098585	.171102	.121719
				6-11 MO.	.752561	1.743128	.951255
				12-23 MO.	1.484105	2.750542	1.894770
				2-65+ YR.	3.484724	5.795613	4.318608
B6-NAPHTHYL ETHYL ETHER FEMA 2768E	C1	BAKED GOODS(R)	9	0-5 MO.	.042664	.056467	.055738
				6-11 MO.	.318726	.650000	.416396
				12-23 MO.	.683880	1.126834	.893448
				2-65+ YR.	1.721622	2.557337	2.249195
B6-NAPHTHYL ETHYL ETHER FEMA 2768E	C7	FROZN DAIRY(R)	7	0-5 MO.	.007648	.031356	.009449
				6-11 MO.	.072655	.201904	.089763
				12-23 MO.	.110130	.258498	.136061
				2-65+ YR.	.195786	.471874	.241887
B6-NAPHTHYL ETHYL ETHER FEMA 2768E	16	SOFT CANDY(R)	10	0-5 MO.	.002334	.023344	.002875
				6-11 MO.	.025678	.079369	.031620
				12-23 MO.	.040851	.108548	.050305

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BE-NAPHTHYL ETHYL ETHER FEMA 2768E	16	SOFT CANDY(R)	10	2-65+ YR.	.067697	.205425	.083362
BE-NAPHTHYL ETHYL ETHER FEMA 2768E	20	GELATIN PUD(R)	9	0-5 MO.	.016826	.022715	.020985
				6-11 MO.	.107686	.326422	.134305
				12-23 MO.	.116099	.282675	.144797
				2-65+ YR.	.171624	.441680	.214048
BE-NAPHTHYL ETHYL ETHER FEMA 2768E	23	BEV TYPE I(R)	12	0-5 MO.	.009146	.013720	.018558
				6-11 MO.	.086510	.296114	.175529
				12-23 MO.	.206556	.619286	.419106
				2-65+ YR.	.396343	1.058312	.804188
BE-NAPHTHYL ETHYL ETHER FEMA 2768E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.009750
BE-NAPHTHYL ETHYL ETHER FEMA 2768E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000259	.000777	.000259
				12-23 MO.	.000777	.002331	.000777
				2-65+ YR.	.001554	.004403	.001554
BE-NAPHTHYL ETHYL ETHER FEMA 2768E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000874	.000874	.001402
				12-23 MO.	.000874	.002622	.001402
				2-65+ YR.	.001748	.003496	.002804
BE-NAPHTHYL ETHYL ETHER FEMA 2768E	99	ALL CATEGORIES	16	0-5 MO.	.078619	.147602	.107605
				6-11 MO.	.612387	1.555470	.849274
				12-23 MO.	1.159167	2.400815	1.645896
				2-65+ YR.	2.559624	4.751967	3.606787
NARINGEN, EXTRACT FEMA 2769E NAS 0485	01	BAKED GOODS(R)	*	0-5 MO.	.209405	.277154	.331108
				6-11 MO.	1.564379	3.190349	2.473569
				12-23 MO.	3.356641	5.530759	5.307462
				2-65+ YR.	8.450113	12.551990	13.361169

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP (1)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NARINGEN, EXTRACT FEMA 2769E NAS 0485	07	FROZN DAIRY(R)	*	0-5 MO.	.028462	.116692	.054231
				6-11 MO.	.270385	.751385	.515192
				12-23 MO.	.409846	.962000	.780923
				2-65+ YR.	.728615	1.756077	1.388308
NARINGEN, EXTRACT FEMA 2769E NAS 0485	16	SOFT CANDY(R)	4	0-5 MO.	.011886	.118864	.018068
				6-11 MO.	.130750	.404136	.198750
				12-23 MO.	.208011	.552716	.316193
				2-65+ YR.	.344705	1.046000	.523977
NARINGEN, EXTRACT FEMA 2769E NAS 0485	20	GELATIN PUD(R)	5	0-5 MO.	.105755	.142769	.156327
				6-11 MO.	.676833	2.051649	1.000490
				12-23 MO.	.729710	1.776686	1.078653
				2-65+ YR.	1.078702	2.776071	1.594531
NARINGEN, EXTRACT FEMA 2769E NAS 0485	23	BEV TYPE I(R)	11	0-5 MO.	.092210	.138314	.092210
				6-11 MO.	.872150	2.985287	.872150
				12-23 MO.	2.082401	6.243361	2.082401
				2-65+ YR.	3.995751	10.669424	3.995751
NARINGEN, EXTRACT FEMA 2769E NAS 0485	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.013750	**********
				12-23 MO.	**********	.027500	**********
				2-65+ YR.	4.468750	12.980000	5.687500
NARINGEN, EXTRACT FEMA 2769E NAS 0485	99	ALL CATEGORIES	12	0-5 MO.	.447718	.793794	.651943
				6-11 MO.	3.514496	9.396556	5.060151
				12-23 MO.	6.786610	15.093022	9.565632
				2-65+ YR.	19.066636	41.779562	26.551236
3-NONANONOL-1 FEMA 2786E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
3-NONANONOL-1 FEMA 2786E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-NONANONOL-1 FEMA 2786E	07	FROZN DAIRY(R)	*	6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
3-NONANONOL-1 FEMA 2786E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
3-NONANONOL-1 FEMA 2786E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
3-NONANONOL-1 FEMA 2786E	23	DEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
3-NONANONOL-1 FEMA 2786E	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400
				2-65+ YR.	.293000	.613300	.293000
OLEIC ACID FEMA 2815E	01	BAKED GOODS(R)	5	0-5 MO.	.735088	.972910	1.799422
				6-11 MO.	5.491538	11.199278	13.442743
				12-23 MO.	11.783024	19.414965	28.843682
				2-65+ YR.	29.662953	44.062024	72.611984
OLEIC ACID FEMA 2815E	07	FROZN DAIRY(R)	*	0-5 MO.	.002157	.008844	.002183
				6-11 MO.	.020493	.056950	.020737
				12-23 MO.	.031064	.072913	.031432
				2-65+ YR.	.055224	.133099	.055880
OLEIC ACID FEMA 2815E	10	MEAT PRODS(R)	*	0-5 MO.	.111540	.294060	.349910
				6-11 MO.	2.098980	5.658120	6.584670

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OLEIC ACID FEMA 2815E	10	MEAT PRODS(R)	*	12-23 MO.	3.062280	5.262660	9.606620
				2-65+ YR.	7.949760	13.192140	24.939040
OLEIC ACID FEMA 2815E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.054130	**********
				6-11 MO.	.433040	1.190860	2.899520
				12-23 MO.	1.515640	4.113880	10.148320
				2-65+ YR.	4.763440	11.475560	31.894720
OLEIC ACID FEMA 2815E	16	SOFT CANDY(R)	*	0-5 MO.	.004700	.047000	.006000
				6-11 MO.	.051700	.159800	.066000
				12-23 MO.	.082250	.218550	.105000
				2-65+ YR.	.136300	.413600	.174000
OLEIC ACID FEMA 2815E	20	GELATIN PUD(R)	*	0-5 MO.	.035000	.047250	.050000
				6-11 MO.	.224000	.679000	.320000
				12-23 MO.	.241500	.588000	.345000
				2-65+ YR.	.357000	.918750	.510000
OLEIC ACID FEMA 2815E	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.013200
				6-11 MO.	.034050	.116550	.124850
				12-23 MO.	.081300	.243750	.298100
				2-65+ YR.	.156000	.416550	.572000
OLEIC ACID FEMA 2815E	99	ALL CATEGORIES	6	0-5 MO.	.892085	1.429595	2.220715
				6-11 MO.	8.353801	19.060558	23.458520
				12-23 MO.	16.797058	29.914718	49.378154
				2-65+ YR.	43.080677	70.611723	130.757624
PALMITIC ACID FEMA 2832E	01	BAKED GOODS(R)	*	0-5 MO.	.009494	.012565	.009518
				6-11 MO.	.070923	.144639	.071102
				12-23 MO.	.152178	.250744	.152562
				2-65+ YR.	.383097	.569061	.384063
PALMITIC ACID FEMA 2832E	10	MEAT PRODS(R)	*	0-5 MO.	.004510	.011890	.009790
				6-11 MO.	.084870	.228780	.184230
				12-23 MO.	.123820	.212790	.268780

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PALMITIC ACID FEMA 2832E	10	MEAT PRODS(R)	*	2-65+ YR.	.321440	.533410	.697760
PALMITIC ACID FEMA 2832E	99	ALL CATEGORIES	*	0-5 MO.	.014004	.024455	.019308
				6-11 MO.	.155793	.373419	.255332
				12-23 MO.	.275998	.463534	.421342
				2-65+ YR.	.704537	1.102471	1.081823
PHENETHYL 2-FUROATE FEMA 2865E	01	BAKED GOODS(R)	*	0-5 MO.	.000068	.000090	.000136
				6-11 MO.	.000508	.001036	.001016
				12-23 MO.	.001090	.001796	.002180
				2-65+ YR.	.002744	.004076	.005488
PHENETHYL 2-FUROATE FEMA 2865E	99	ALL CATEGORIES	*	0-5 MO.	.000068	.000090	.000136
				6-11 MO.	.000508	.001036	.001016
				12-23 MO.	.001090	.001796	.002180
				2-65+ YR.	.002744	.004076	.005488
PINE NEEDLE, OIL FEMA 2905E	01	BAKED GOODS(R)	7	0-5 MO.	.015721	.020807	.031260
				6-11 MO.	.117446	.239515	.233534
				12-23 MO.	.252000	.415222	.501087
				2-65+ YR.	.634392	.942341	1.261452
PINE NEEDLE, OIL FEMA 2905E	07	FROZN DAIRY(R)	5	0-5 MO.	.001243	.005096	.003061
				6-11 MO.	.011807	.032811	.029082
				12-23 MO.	.017897	.042009	.044082
				2-65+ YR.	.031817	.076684	.078367
PINE NEEDLE, OIL FEMA 2905E	16	SOFT CANDY(R)	8	0-5 MO.	.000828	.008284	.003736
				6-11 MO.	.009112	.028165	.041093
				12-23 MO.	.014497	.038520	.065376
				2-65+ YR.	.024023	.072898	.108337
PINE NEEDLE, OIL FEMA 2905E	20	GELATIN PUD(R)	4	0-5 MO.	.002073	.002798	.004165
				6-11 MO.	.013264	.040207	.026656
				12-23 MO.	.014300	.034818	.028739
				2-65+ YR.	.021140	.054403	.042483

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PINE NEEDLE, OIL FEMA 2905E	23	BEV TYPE I(R)	7	0-5 MO.	.001843	.002765	.004012
				6-11 MO.	.017434	.059677	.037943
				12-23 MO.	.041628	.124806	.090596
				2-65+ YR.	.079876	.213284	.173838
PINE NEEDLE, OIL FEMA 2905E	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000467	**********
				12-23 MO.	**********	.000935	**********
				2-65+ YR.	.151932	.441305	.317618
PINE NEEDLE, OIL FEMA 2905E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000143	.000429	.000143
				12-23 MO.	.000429	.001287	.000429
				2-65+ YR.	.000858	.002431	.000858
PINE NEEDLE, OIL FEMA 2905E	99	ALL CATEGORIES	11	0-5 MO.	.021708	.039750	.046234
				6-11 MO.	.169207	.401272	.368451
				12-23 MO.	.340751	.657596	.730308
				2-65+ YR.	.944038	1.803346	1.982953
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	01	BAKED GOODS(R)	4	0-5 MO.	1.621435	2.146017	3.979986
				6-11 MO.	12.113071	24.703035	29.732833
				12-23 MO.	25.990645	42.824953	63.796828
				2-65+ YR.	65.429661	97.190707	160.604124
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	04	FATS OILS(R)	4	0-5 MO.	.734191	.734191	2.177161
				6-11 MO.	4.111469	11.012865	12.192101
				12-23 MO.	9.250806	17.620583	27.432226
				2-65+ YR.	25.696684	46.400870	76.200629
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	05	MILK PRODS(R)	*	0-5 MO.	.324000	.240000	.405000
				6-11 MO.	3.744000	18.006000	4.680000
				12-23 MO.	3.270000	10.464000	4.087500
				2-65+ YR.	2.370000	7.236000	2.962500
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	07	FROZN DAIRY(R)	4	0-5 MO.	.082751	.339278	.161005

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	07	FROZN DAIRY(R)	4	6-11 MO.	.786132	2.184618	1.529551
				12-23 MO.	1.191610	2.796973	2.318477
				2-65+ YR.	2.118418	5.105718	4.121737
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	08	PROCSD FRUT(R)	*	0-5 MO.	2.599100	6.967800	2.599100
				6-11 MO.	28.645400	71.337000	28.645400
				12-23 MO.	55.631800	110.434100	55.631800
				2-65+ YR.	65.419900	138.581800	65.419900
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	10	MEAT PRCDS(R)	*	0-5 MO.	.110000	.290000	.330000
				6-11 MO.	2.070000	5.580000	6.210000
				12-23 MO.	3.020000	5.190000	9.060000
				2-65+ YR.	7.840000	13.010000	23.520000
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	14	PROCSD VEGS(R)	*	0-5 MO.	.717914	2.153743	.975780
				6-11 MO.	12.307105	28.716579	16.727655
				12-23 MO.	19.999046	33.485583	27.182439
				2-65+ YR.	43.587665	73.432395	59.243778
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	15	CONDM RELSH(R)	*	0-5 MO.	**********	.098053	**********
				6-11 MO.	.784424	2.157165	.960000
				12-23 MO.	2.745482	7.452024	3.360000
				2-65+ YR.	8.628659	20.787224	10.560000
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	16	SOFT CANDY(R)	*	0-5 MO.	.067351	.673506	.094983
				6-11 MO.	.740857	2.289921	1.044814
				12-23 MO.	1.178636	3.131804	1.662204
				2-65+ YR.	1.953168	5.926855	2.754510
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	17	CONF FROST(R)	*	0-5 MO.	**********	.100000	**********
				6-11 MO.	.100000	.200000	**********
				12-23 MO.	.200000	.700000	**********
				2-65+ YR.	.300000	.800000	**********
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	19	SWEET SAUCE(R)	*	0-5 MO.	1.157143	1.542857	1.178571
				6-11 MO.	3.471429	11.957143	3.535714

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	19	SWEET SAUCE(R)	*	12-23 MO.	10.028571	29.314286	10.214286
				2-65+ YR.	26.228571	69.042857	26.714286
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	20	GELATIN PUD(R)	4	0-5 MO.	7.601719	10.262320	9.480817
				6-11 MO.	48.650998	147.473339	60.677228
				12-23 MO.	52.451858	127.708871	65.417636
				2-65+ YR.	77.537529	199.545111	96.704331
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	23	BEV TYPE I(R)	5	0-5 MO.	.350281	.525422	.475152
				6-11 MO.	3.313078	11.340360	4.494149
				12-23 MO.	7.910521	23.716968	10.730524
				2-65+ YR.	15.178860	40.530475	20.589935
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.003836	**********
				12-23 MO.	**********	.007671	**********
				2-65+ YR.	1.246603	3.620903	1.251604
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	27	GRAVIES(R)	*	0-5 MO.	.450000	1.350000	.488000
				6-11 MO.	6.300000	17.550000	6.832000
				12-23 MO.	16.200000	45.900000	17.568000
				2-65+ YR.	37.350000	95.850000	40.504000
PROPYLENE GLYCOL ALGINATE FEMA 2941E NAS 0397	99	ALL CATEGORIES	22	0-5 MO.	15.815884	27.423187	22.345555
				6-11 MO.	127.137963	354.511860	177.261445
				12-23 MO.	209.068976	460.747816	298.461920
				2-65+ YR.	380.885718	817.060913	591.151332
PROPYL FURCATE-2 FEMA 2946E	01	BAKED GOODS(R)	*	0-5 MO.	.001819	.002408	.001904
				6-11 MO.	.013589	.027713	.014224
				12-23 MO.	.029158	.048043	.030520
				2-65+ YR.	.073402	.109033	.076832
PROPYL FURCATE-2 FEMA 2946E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PROPYL FURCATE-2 FEMA 2946E	07	FROZN DAIRY(R)	*	2-65+ YR.	.025600	.061700	.025600
PROPYL FURCATE-2 FEMA 2946E	16	SOFT CANDY(R)	*	0-5 MO.	.000105	.001050	.000110
				6-11 MO.	.001155	.003570	.001210
				12-23 MO.	.001838	.004883	.001925
				2-65+ YR.	.003045	.009240	.003190
PROPYL FURCATE-2 FEMA 2946E	20	GELATIN PUD(R)	*	0-5 MO.	.001050	.001418	.001070
				6-11 MO.	.006720	.020370	.006848
				12-23 MO.	.007245	.017640	.007383
				2-65+ YR.	.010710	.027563	.010914
PROPYL FURCATE-2 FEMA 2946E	23	BEV TYPE II(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
PROPYL FURCATE-2 FEMA 2946E	55	ALL CATEGORIES	*	0-5 MO.	.006374	.012575	.006484
				6-11 MO.	.053664	.155753	.054482
				12-23 MO.	.106840	.266866	.108428
				2-65+ YR.	.216757	.485236	.220536
PYROLIGNEOUS ACID FEMA 2967E	01	BAKED GOODS(R)	12	0-5 MO.	.093352	.123555	.188097
				6-11 MO.	.697398	1.422252	1.405197
				12-23 MO.	1.496385	2.465603	3.015089
				2-65+ YR.	3.767045	5.595655	7.590278
PYROLIGNEOUS ACID FEMA 2967E	05	MILK PRODS(R)	*	0-5 MO.	1.620000	1.200000	2.160000
				6-11 MO.	18.720000	90.030000	24.960000
				12-23 MO.	16.350000	52.320000	21.800000
				2-65+ YR.	11.850000	36.180000	15.800000
PYROLIGNEOUS ACID FEMA 2967E	07	FROZN DAIRY(R)	6	0-5 MO.	.017792	.072947	.040279
				6-11 MO.	.169024	.469709	.382651
				12-23 MO.	.256205	.601369	.580018
				2-65+ YR.	.455475	1.097766	1.031143

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PYROLIGNEOUS ACID FEMA 2967E	10	MEAT PRODS(R)	11	0-5 MO.	.045229	.119239	.108564
				6-11 MO.	.851121	2.294326	2.042982
				12-23 MO.	1.241732	2.133970	2.980583
				2-65+ YR.	3.223570	5.349317	7.737671
PYROLIGNEOUS ACID FEMA 2967E	15	CONDM RELSH(R)	4	0-5 MO.	**********	.029590	**********
				6-11 MO.	.236717	.650971	1.307911
				12-23 MO.	.828508	2.248809	4.577688
				2-65+ YR.	2.603884	6.272992	14.387020
PYROLIGNEOUS ACID FEMA 2967E	16	SOFT CANDY(R)	7	0-5 MO.	.006565	.065653	.012970
				6-11 MO.	.072218	.223219	.142671
				12-23 MO.	.114892	.305284	.226976
				2-65+ YR.	.190392	.577742	.376132
PYROLIGNEOUS ACID FEMA 2967E	19	SWEET SAUCE(R)	*	0-5 MO.	.001560	.002080	.001560
				6-11 MO.	.004680	.016120	.004680
				12-23 MO.	.013520	.039520	.013520
				2-65+ YR.	.035360	.093080	.035360
PYROLIGNEOUS ACID FEMA 2967E	20	GELATIN PUD(R)	4	0-5 MO.	.019945	.026926	.039713
				6-11 MO.	.127651	.386942	.254166
				12-23 MO.	.137624	.335084	.274023
				2-65+ YR.	.203444	.523568	.405077
PYROLIGNEOUS ACID FEMA 2967E	23	BEV TYPE I(R)	7	0-5 MO.	.023649	.035474	.041216
				6-11 MO.	.223681	.765638	.389830
				12-23 MO.	.534074	1.601237	.930783
				2-65+ YR.	1.024792	2.736391	1.786005
PYROLIGNEOUS ACID FEMA 2967E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001113	**********
				12-23 MO.	**********	.002227	**********
				2-65+ YR.	.361846	1.051024	.688050
PYROLIGNEOUS ACID FEMA 2967E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PYROLIGNEOUS ACID FEMA 2967E	30	HARD CANDY(R)	*	6-11 MO.	.000864	.002592	.000885
				12-23 MO.	.002592	.007776	.002655
				2-65+ YR.	.005184	.014688	.005310
PYROLIGNEOUS ACID FEMA 2967E	55	ALL CATEGORIES	23	0-5 MO.	1.828093	1.675463	2.592400
				6-11 MO.	21.103353	96.262881	30.890973
				12-23 MO.	20.975532	62.060879	34.401335
				2-65+ YR.	23.720992	59.492224	49.842047
QUININE BISULFATE FEMA 2975E	01	BAKED GOODS(R)	*	0-5 MO.	.374000	.495000	.374000
				6-11 MO.	2.794000	5.698000	2.794000
				12-23 MO.	5.995000	9.878000	5.995000
				2-65+ YR.	15.092000	22.418000	15.092000
QUININE BISULFATE FEMA 2975E	07	FROZN DAIRY(R)	*	0-5 MO.	.110000	.451000	.110000
				6-11 MO.	1.045000	2.904000	1.045000
				12-23 MO.	1.584000	3.718000	1.584000
				2-65+ YR.	2.816000	6.787000	2.816000
QUININE BISULFATE FEMA 2975E	16	SOFT CANDY(R)	*	0-5 MO.	.022000	.220000	.022000
				6-11 MO.	.242000	.748000	.242000
				12-23 MO.	.385000	1.023000	.385000
				2-65+ YR.	.638000	1.936000	.638000
QUININE BISULFATE FEMA 2975E	20	GELATIN PUD(R)	*	0-5 MO.	.220000	.297000	.220000
				6-11 MO.	1.408000	4.268000	1.408000
				12-23 MO.	1.518000	3.696000	1.518000
				2-65+ YR.	2.244000	5.775000	2.244000
QUININE BISULFATE FEMA 2975E	23	BEV TYPE I(R)	*	0-5 MO.	.156230	.234345	.156805
				6-11 MO.	1.477676	5.057947	1.483115
				12-23 MO.	3.528195	10.578075	3.541182
				2-65+ YR.	6.769968	18.077117	6.794888
QUININE BISULFATE FEMA 2975E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
QUININE BISULFATE FEMA 2975E	24	BEV TYPE II(R)	*	12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	3.575000
QUININE BISULFATE FEMA 2975E	99	ALL CATEGORIES	*	0-5 MO.	.882230	1.697345	.882805
				6-11 MO.	6.966676	18.685947	6.972115
				12-23 MO.	13.010195	28.913075	13.023182
				2-65+ YR.	30.809968	64.433117	31.159888
QUININE HYDROCHLORIDE FEMA 2976E	01	BAKED GOODS(R)	*	0-5 MO.	.374000	.495000	.374000
				6-11 MO.	2.794000	5.698000	2.794000
				12-23 MO.	5.995000	9.878000	5.995000
				2-65+ YR.	15.092000	22.418000	15.092000
QUININE HYDROCHLORIDE FEMA 2976E	07	FROZN DAIRY(R)	*	0-5 MO.	.110000	.451000	.110000
				6-11 MO.	1.045000	2.904000	1.045000
				12-23 MO.	1.584000	3.716000	1.584000
				2-65+ YR.	2.816000	6.787000	2.816000
QUININE HYDROCHLORIDE FEMA 2976E	16	SOFT CANDY(R)	*	0-5 MO.	.022000	.220000	.022000
				6-11 MO.	.242000	.748000	.242000
				12-23 MO.	.385000	1.023000	.385000
				2-65+ YR.	.638000	1.936000	.638000
QUININE HYDROCHLORIDE FEMA 2976E	20	GELATIN PUD(R)	*	0-5 MO.	.220000	.297000	.220000
				6-11 MO.	1.408000	4.268000	1.408000
				12-23 MO.	1.518000	3.696000	1.518000
				2-65+ YR.	2.244000	5.775000	2.244000
QUININE HYDROCHLORIDE FEMA 2976E	23	BEV TYPE I(R)	24	0-5 MO.	.132355	.198533	.223459
				6-11 MO.	1.251862	4.285008	2.113547
				12-23 MO.	2.989027	8.961567	5.046443
				2-65+ YR.	5.735403	15.314629	9.683211
QUININE HYDROCHLORIDE FEMA 2976E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.005050	**********
				12-23 MO.	**********	.010100	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
QUININE HYDROCHLORIDE FEMA 2976E	24	BEV TYPE III(R)	*	2-65+ YR.	1.641250	4.767200	2.112500
QUININE HYDROCHLORIDE FEMA 2976E	99	ALL CATEGORIES	24	0-5 MO.	.858355	1.661533	.949459
				6-11 MO.	6.740862	17.908058	7.602547
				12-23 MO.	12.471027	27.286667	14.528443
				2-65+ YR.	28.166653	56.997829	32.585711
QUININE SULFATE FEMA 2977E	01	BAKED GOODS(R)	*	0-5 MO.	.374000	.495000	.374000
				6-11 MO.	2.794000	5.698000	2.794000
				12-23 MO.	5.995000	9.878000	5.995000
				2-65+ YR.	15.092000	22.418000	15.092000
QUININE SULFATE FEMA 2977E	07	FROZN DAIRY(R)	*	0-5 MO.	.110000	.451000	.110000
				6-11 MO.	1.045000	2.904000	1.045000
				12-23 MO.	1.584000	3.718000	1.584000
				2-65+ YR.	2.816000	6.787000	2.816000
QUININE SULFATE FEMA 2977E	16	SOFT CANDY(R)	*	0-5 MO.	.022000	.220000	.022000
				6-11 MO.	.242000	.748000	.242000
				12-23 MO.	.385000	1.023000	.385000
				2-65+ YR.	.638000	1.936000	.638000
QUININE SULFATE FEMA 2977E	20	GELATIN PUD(R)	*	0-5 MO.	.220000	.297000	.220000
				6-11 MO.	1.408000	4.268000	1.408000
				12-23 MO.	1.518000	3.696000	1.518000
				2-65+ YR.	2.244000	5.775000	2.244000
QUININE SULFATE FEMA 2977E	23	BEV TYPE I(R)	6	0-5 MO.	.101041	.151562	.128875
				6-11 MO.	.955684	3.271218	1.218942
				12-23 MO.	2.281854	6.841351	2.910424
				2-65+ YR.	4.378465	11.691343	5.584578
QUININE SULFATE FEMA 2977E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.010000	**********
				12-23 MO.	**********	.020000	**********
				2-65+ YR.	3.250000	9.440000	3.900000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
QUININE SULFATE								
FEMA 2977E		99	ALL CATEGORIES	6	0-5 MO.	.827041	1.614562	.854875
					6-11 MO.	6.444684	16.899218	6.707942
					12-23 MO.	11.763854	25.176351	12.392424
					2-65+ YR.	28.418465	58.047343	30.274578
SASSAFRAS BARK, EXTR								
FEMA 3010E		16	SOFT CANDY(R)	*	0-5 MO.	.015000	.150000	.030000
					6-11 MO.	.165000	.510000	.330000
					12-23 MO.	.262500	.697500	.525000
					2-65+ YR.	.435000	1.320000	.870000
SASSAFRAS BARK, EXTR								
FEMA 3010E		23	BEV TYPE I(R)	*	0-5 MO.	.360000	.540000	.528000
					6-11 MO.	3.405000	11.655000	4.994000
					12-23 MO.	8.130000	24.375000	11.924000
					2-65+ YR.	15.600000	41.655000	22.880000
SASSAFRAS BARK, EXTR								
FEMA 3010E		99	ALL CATEGORIES	*	0-5 MO.	.375000	.690000	.558000
					6-11 MO.	3.570000	12.165000	5.324000
					12-23 MO.	8.392500	25.072500	12.449000
					2-65+ YR.	16.035000	42.975000	23.750000
STEARIC ACID								
FEMA 3035E	NAS 0479	01	BAKED GOODS(R)	*	0-5 MO.	.052048	.068887	.065230
					6-11 MO.	.388832	.792972	.487306
					12-23 MO.	.834304	1.374688	1.045596
					2-65+ YR.	2.100303	3.119838	2.632217
STEARIC ACID								
FEMA 3035E	NAS 0479	06	CHEESE(R)	*	0-5 MO.	**********	.000210	**********
					6-11 MO.	.005670	.020370	.005670
					12-23 MO.	.016380	.046620	.016380
					2-65+ YR.	.019740	.049560	.019740
STEARIC ACID								
FEMA 3035E	NAS 0479	07	FROZN DAIRY(R)	*	0-5 MO.	.013000	.053300	.015000
					6-11 MO.	.123500	.343200	.142500
					12-23 MO.	.187200	.439400	.216000
					2-65+ YR.	.332800	.802100	.384000
STEARIC ACID								
FEMA 3035E	NAS 0479	16	SOFT CANDY(R)	*	0-5 MO.	.600000	6.000000	.800000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
STEARIC ACID FEMA 3035E	NAS 0479	16	SOFT CANDY(R)	*	6-11 MO.	6.600000	20.400000	8.800000
					12-23 MO.	10.500000	27.900000	14.000000
					2-65+ YR.	17.400000	52.800000	23.200000
STEARIC ACID FEMA 3035E	NAS 0479	20	GELATIN PUD(R)	*	0-5 MO.	.026000	.035100	.030000
					6-11 MO.	.166400	.504400	.192000
					12-23 MO.	.179400	.436800	.207000
					2-65+ YR.	.265200	.682500	.306000
STEARIC ACID FEMA 3035E	NAS 0479	23	BEV TYPE 1(R)	*	0-5 MO.	.019200	.026800	.024000
					6-11 MO.	.181600	.621600	.227000
					12-23 MO.	.433600	1.300000	.542000
					2-65+ YR.	.832000	2.221600	1.040000
STEARIC ACID FEMA 3035E	NAS 0479	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.153119	.459358	.178251
					12-23 MO.	.459358	1.378075	.534752
					2-65+ YR.	.918716	2.603030	1.069503
STEARIC ACID FEMA 3035E	NAS 0479	99	ALL CATEGORIES	6	0-5 MO.	.710248	6.186297	.934230
					6-11 MO.	7.619121	23.141900	10.032726
					12-23 MO.	12.610242	32.875583	16.561728
					2-65+ YR.	21.868760	62.278628	28.651460
G&-VALEROLACTONE FEMA 3103E		01	BAKED GOODS(R)	7	0-5 MO.	.251754	.333204	.501703
					6-11 MO.	1.880750	3.835546	3.748018
					12-23 MO.	4.035468	6.649266	8.042006
					2-65+ YR.	10.159013	15.090429	20.245197
G&-VALEROLACTONE FEMA 3103E		07	FROZN DAIRY(R)	5	0-5 MO.	.009129	.037430	.018050
					6-11 MO.	.086728	.241013	.171476
					12-23 MO.	.131461	.308569	.259922
					2-65+ YR.	.233709	.563276	.462083
G&-VALEROLACTONE FEMA 3103E		10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.014300
					6-11 MO.	.062100	.167400	.269100

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
G6-VALEROLACTONE FEMA 3103E	10	MEAT PRODS(R)	*	12-23 MO.	.090600	.155700	.392600
				2-65+ YR.	.235200	.390300	1.019200
G6-VALEROLACTONE FEMA 3103E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000120	**********
				6-11 MO.	.000960	.002640	.002080
				12-23 MO.	.003360	.009120	.007280
				2-65+ YR.	.010560	.025440	.022880
G6-VALEROLACTONE FEMA 3103E	16	SOFT CANDY(R)	7	0-5 MO.	.014748	.147480	.029571
				6-11 MO.	.162228	.501433	.325280
				12-23 MO.	.258090	.685783	.517491
				2-65+ YR.	.427693	1.297826	.857557
G6-VALEROLACTONE FEMA 3103E	20	GELATIN PUD(R)	4	0-5 MO.	.029975	.040466	.059687
				6-11 MO.	.191838	.581508	.381997
				12-23 MO.	.206825	.503574	.411841
				2-65+ YR.	.305741	.786834	.608808
G6-VALEROLACTONE FEMA 3103E	23	BEV TYPE I(R)	6	0-5 MO.	.035675	.053512	.071045
				6-11 MO.	.337424	1.154971	.671965
				12-23 MO.	.805656	2.415481	1.604428
				2-65+ YR.	1.545908	4.127871	3.078608
G6-VALEROLACTONE FEMA 3103E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000175	**********
				12-23 MO.	**********	.000350	**********
				2-65+ YR.	.056875	.165200	.138125
G6-VALEROLACTONE FEMA 3103E	99	ALL CATEGORIES	10	0-5 MO.	.344581	.620912	.694356
				6-11 MO.	2.722028	6.484685	5.569917
				12-23 MO.	5.531460	10.727843	11.235568
				2-65+ YR.	12.974698	22.447174	26.432458
VANILLIN FEMA 3107E NAS 0336	01	BAKED GOODS(R)	44	0-5 MO.	.253222	.335147	.632976
				6-11 MO.	1.891721	3.857919	4.728707
				12-23 MO.	4.059008	6.688053	10.146240

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VANILLIN FEMA 3107E	NAS 0336	01	BAKED GOODS(R)	44	2-65+ YR.	10.218272	15.178454	25.542462
VANILLIN FEMA 3107E	NAS 0336	02	BREAK CERLS(R)	*	0-5 MO.	.211800	.600100	.211800
					6-11 MO.	7.871900	21.109400	7.871900
					12-23 MO.	9.213300	17.967700	9.213300
					2-65+ YR.	7.060000	18.285400	7.060000
VANILLIN FEMA 3107E	NAS 0336	04	FATS OILS(R)	*	0-5 MO.	.048000	.048000	.050000
					6-11 MO.	.268800	.720000	.280000
					12-23 MO.	.604800	1.152000	.630000
					2-65+ YR.	1.680000	3.033600	1.750000
VANILLIN FEMA 3107E	NAS 0336	05	MILK PRODS(R)	*	0-5 MO.	1.194231	.884615	1.697885
					6-11 MO.	13.800000	66.368269	19.620000
					12-23 MO.	12.052885	38.569231	17.136058
					2-65+ YR.	8.735577	26.671154	12.419712
VANILLIN FEMA 3107E	NAS 0336	07	FROZN DAIRY(R)	36	0-5 MO.	.026652	.109272	.055184
					6-11 MO.	.253191	.703605	.524246
					12-23 MO.	.383785	.900828	.794647
					2-65+ YR.	.682284	1.644410	1.412705
VANILLIN FEMA 3107E	NAS 0336	10	MEAT PRODS(R)	*	0-5 MO.	.001694	.004465	.002995
					6-11 MO.	.031871	.085914	.056355
					12-23 MO.	.046498	.079909	.082219
					2-65+ YR.	.120711	.200312	.213441
VANILLIN FEMA 3107E	NAS 0236	16	SOFT CANDY(R)	41	0-5 MO.	.049361	.493606	.081599
					6-11 MO.	.542967	1.678262	.897584
					12-23 MO.	.863811	2.295270	1.427975
					2-65+ YR.	1.431459	4.343737	2.366358
VANILLIN FEMA 3107E	NAS 0336	17	COMP FROST(R)	8	0-5 MO.	**********	.059628	**********
					6-11 MO.	.059628	.119255	.076827
					12-23 MO.	.119255	.417394	.153654
					2-65+ YR.	.178883	.477021	.230482

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VANILLIN FEMA 3107E	NAS 0336	19	SWEET SAUCE(R)	6	0-5 MO.	.107263	.143018	.108907
					6-11 MO.	.321790	1.108386	.326722
					12-23 MO.	.929614	2.717334	.943864
					2-65+ YR.	2.431299	6.400037	2.468566
VANILLIN FEMA 3107E	NAS 0336	20	GELATIN PUD(R)	23	0-5 MO.	.095364	.128741	.233635
					6-11 MO.	.610329	1.850060	1.495267
					12-23 MO.	.658011	1.602114	1.612084
					2-65+ YR.	.972712	2.503303	2.383081
VANILLIN FEMA 3107E	NAS 0336	22	SNACK FOODS(R)	*	0-5 MO.	**********	.020000	**********
					6-11 MO.	.080000	.220000	.080000
					12-23 MO.	.220000	.620000	.220000
					2-65+ YR.	.260000	.740000	.260000
VANILLIN FEMA 3107E	NAS 0336	23	BEV TYPE I(R)	40	0-5 MO.	.094521	.141781	.233806
					6-11 MO.	.894009	3.060111	2.211416
					12-23 MO.	2.134595	6.399846	5.280121
					2-65+ YR.	4.095901	10.936844	10.131597
VANILLIN FEMA 3107E	NAS 0336	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.003006	**********
					12-23 MO.	**********	.006013	**********
					2-65+ YR.	.977032	2.837902	1.530264
VANILLIN FEMA 3107E	NAS 0336	28	INIT DAIRY(R)	*	0-5 MO.	**********	**********	**********
					6-11 MO.	**********	**********	**********
					12-23 MO.	**********	**********	**********
					2-65+ YR.	**********	**********	**********
VANILLIN FEMA 3107E	NAS 0336	30	HARD CANDY(R)	21	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	.002636	.007908	.019283
					12-23 MO.	.007908	.023724	.057849
					2-65+ YR.	.015816	.044812	.115698
VANILLIN FEMA 3107E	NAS 0336	31	CHEWING GUM(R)	11	0-5 MO.	**********	**********	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VANILLIN FEMA 3107E NAS 0336	31	CHEWING GUM(R)	11	6-11 MO.	.008152	.008152	.044471
				12-23 MO.	.008152	.024456	.044471
				2-65+ YR.	.016304	.032608	.088942
VANILLIN FEMA 3107E NAS 0336	99	ALL CATEGORIES	121	0-5 MO.	2.082107	2.968374	3.308787
				6-11 MO.	26.636994	100.900248	38.232777
				12-23 MO.	31.301622	79.463870	47.742481
				2-65+ YR.	38.876249	93.329593	67.973308
WINTERGREEN, EXTRACT FEMA 3112E	01	BAKED GOODS(R)	*	0-5 MO.	17.000000	22.500000	25.500000
				6-11 MO.	127.000000	259.000000	190.500000
				12-23 MO.	272.500000	449.000000	408.750000
				2-65+ YR.	686.000000	1019.000000	1029.000000
WINTERGREEN, EXTRACT FEMA 3112E	07	FROZN DAIRY(R)	*	0-5 MO.	.450000	1.845000	.500000
				6-11 MO.	4.275000	11.880000	4.750000
				12-23 MO.	6.480000	15.210000	7.200000
				2-65+ YR.	11.520000	27.765000	12.800000
WINTERGREEN, EXTRACT FEMA 3112E	16	SOFT CANDY(R)	*	0-5 MO.	.800000	8.000000	1.000000
				6-11 MO.	8.800000	27.200000	11.000000
				12-23 MO.	14.000000	37.200000	17.500000
				2-65+ YR.	23.200000	70.400000	29.000000
WINTERGREEN, EXTRACT FEMA 3112E	20	GELATIN PUD(R)	*	0-5 MO.	.900000	1.215000	1.000000
				6-11 MO.	5.760000	17.460000	6.400000
				12-23 MO.	6.210000	15.120000	6.900000
				2-65+ YR.	9.180000	23.625000	10.200000
WINTERGREEN, EXTRACT FEMA 3112E	23	BEV TYPE I(R)	*	0-5 MO.	.600000	.900000	.660000
				6-11 MO.	5.675000	19.425000	6.242500
				12-23 MO.	13.550000	40.625000	14.905000
				2-65+ YR.	26.000000	69.425000	28.600000
WINTERGREEN, EXTRACT FEMA 3112E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.025000	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
WINTERGREEN, EXTRACT FEMA 3112E	24	BEV TYPE II(R)	*	12-23 MO.	**********	.050000	**********
				2-65+ YR.	8.125000	23.600000	8.937500
WINTERGREEN, EXTRACT FEMA 3112E	99	ALL CATEGORIES	*	0-5 MO.	19.750000	34.460000	28.660000
				6-11 MO.	151.510000	334.990000	218.892500
				12-23 MO.	312.740000	557.205000	455.255000
				2-65+ YR.	764.025000	1233.815000	1118.537500
WINTERGREEN, OIL FEMA 3113E	01	BAKED GOODS(R)	7	0-5 MO.	.849402	1.124209	1.044200
				6-11 MO.	6.345536	12.940896	7.800791
				12-23 MO.	13.615422	22.434218	16.737917
				2-65+ YR.	34.275880	50.914183	42.136555
WINTERGREEN, OIL FEMA 3113E	07	FROZN DAIRY(R)	6	0-5 MO.	.058808	.241112	.184369
				6-11 MO.	.558675	1.552528	1.751508
				12-23 MO.	.846833	1.987706	2.654917
				2-65+ YR.	1.505481	3.628446	4.719852
WINTERGREEN, OIL FEMA 3113E	16	SOFT CANDY(R)	8	0-5 MO.	.038796	.387956	.081086
				6-11 MO.	.426751	1.319049	.891948
				12-23 MO.	.678922	1.803993	1.419007
				2-65+ YR.	1.125071	3.414009	2.351498
WINTERGREEN, OIL FEMA 3113E	20	GELATIN PUD(R)	*	0-5 MO.	.019752	.026665	.038509
				6-11 MO.	.126410	.383180	.246460
				12-23 MO.	.136286	.331826	.265714
				2-65+ YR.	.201466	.518478	.392795
WINTERGREEN, OIL FEMA 3113E	23	BEV TYPE I(R)	10	0-5 MO.	.066326	.099489	.259888
				6-11 MO.	.627331	2.147296	2.458105
				12-23 MO.	1.497856	4.490805	5.869131
				2-65+ YR.	2.874315	7.674441	11.261801
WINTERGREEN, OIL FEMA 3113E	24	BEV TYPE II(R)	4	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.004919	**********
				12-23 MO.	**********	.009838	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
WINTERGREEN, OIL FEMA 3113E	24	BEV TYPE II(R)	4	2-65+ YR.	1.598684	4.643563	2.747368
WINTERGREEN, OIL FEMA 3113E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.058484	.175452	.058484
				12-23 MO.	.175452	.526356	.175452
				2-65+ YR.	.350904	.994228	.350904
WINTERGREEN, OIL FEMA 3113E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.155018	.155018	.300650
				12-23 MO.	.155018	.465054	.300650
				2-65+ YR.	.310036	.620072	.601300
WINTERGREEN, OIL FEMA 3113E	99	ALL CATEGORIES	17	0-5 MO.	1.033083	1.879430	1.608053
				6-11 MO.	8.298205	18.678338	13.507944
				12-23 MO.	17.105789	32.049797	27.422789
				2-65+ YR.	42.241645	72.407419	64.562074
1-BUTOXY-1-PHENOXYETHANE FEMA 3125E	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.010200
				6-11 MO.	.050800	.103600	.076200
				12-23 MO.	.109000	.179600	.163500
				2-65+ YR.	.274400	.407600	.411600
1-BUTOXY-1-PHENOXYETHANE FEMA 3125E	07	FROZN DAIRY(R)	*	0-5 MO.	.002333	.009567	.003000
				6-11 MO.	.022167	.061600	.028500
				12-23 MO.	.033600	.078867	.043200
				2-65+ YR.	.059733	.143967	.076800
1-BUTOXY-1-PHENOXYETHANE FEMA 3125E	16	SOFT CANDY(R)	*	0-5 MO.	.000600	.006000	.000800
				6-11 MO.	.006600	.020400	.008800
				12-23 MO.	.010500	.027900	.014000
				2-65+ YR.	.017400	.052800	.023200
1-BUTOXY-1-PHENOXYETHANE FEMA 3125E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.006000
				6-11 MO.	.012800	.038800	.038400
				12-23 MO.	.013800	.033600	.041400
				2-65+ YR.	.020400	.052500	.061200

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A [GROUP III], PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-BUTOXY-1-PHENOXYETHANE FEMA 3125E	23	BEV TYPE I(R)	*	0-5 MO.	.004000	.006000	.007200
				6-11 MO.	.037833	.129500	.068100
				12-23 MO.	.090333	.270833	.162600
				2-65+ YR.	.173333	.462833	.312000
1-BUTOXY-1-PHENOXYETHANE FEMA 3125E	99	ALL CATEGORIES	*	0-5 MO.	.015733	.033267	.027200
				6-11 MO.	.130200	.353900	.220000
				12-23 MO.	.257233	.590800	.424700
				2-65+ YR.	.545267	1.119700	.884800
ACETYLPYRAZINE FEMA 3126E	01	BAKED GOODS(R)	5	0-5 MO.	.004420	.005850	.014450
				6-11 MO.	.033020	.067340	.107950
				12-23 MO.	.070850	.116740	.231625
				2-65+ YR.	.178360	.264940	.583100
ACETYLPYRAZINE FEMA 3126E	07	FROZN DAIRY(R)	5	0-5 MO.	.001400	.005740	.007275
				6-11 MO.	.013300	.036960	.069113
				12-23 MO.	.020160	.047320	.104760
				2-65+ YR.	.035840	.086380	.186240
ACETYLPYRAZINE FEMA 3126E	10	MEAT PRODS(R)	*	0-5 MO.	.000330	.000870	.001375
				6-11 MO.	.006210	.016740	.025875
				12-23 MO.	.009060	.015570	.037750
				2-65+ YR.	.023520	.039030	.098000
ACETYLPYRAZINE FEMA 3126E	16	SOFT CANDY(R)	5	0-5 MO.	.000244	.002440	.000850
				6-11 MO.	.002684	.008296	.009350
				12-23 MO.	.004270	.011346	.014875
				2-65+ YR.	.007076	.021472	.024650
ACETYLPYRAZINE FEMA 3126E	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.002000
				6-11 MO.	.001280	.003880	.012800
				12-23 MO.	.001380	.003360	.013800
				2-65+ YR.	.002040	.005250	.020400
ACETYLPYRAZINE FEMA 3126E	23	BEV TYPE I(R)	4	0-5 MO.	.000936	.001404	.002820

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ACETYLPYRAZINE FEMA 3126E	23	BEV TYPE I(R)	*	6-11 MO.	.008853	.030303	.026673
				12-23 MO.	.021138	.063375	.063685
				2-65+ YR.	.040560	.108303	.122200
ACETYLPYRAZINE FEMA 3126E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
ACETYLPYRAZINE FEMA 3126E	99	ALL CATEGORIES	5	0-5 MO.	.007530	.016574	.028770
				6-11 MO.	.065347	.163529	.251760
				12-23 MO.	.126858	.257731	.466495
				2-65+ YR.	.290646	.534815	1.067090
ALLYL METHYL DISULFIDE FEMA 3127E	01	BAKED GOODS(R)	*	0-5 MO.	.002493	.003300	.006800
				6-11 MO.	.018627	.037987	.050800
				12-23 MO.	.039967	.065853	.109000
				2-65+ YR.	.100613	.149453	.274400
ALLYL METHYL DISULFIDE FEMA 3127E	07	FROZN DAIRY(R)	*	0-5 MO.	.000600	.002460	.001500
				6-11 MO.	.005700	.015840	.014250
				12-23 MO.	.008640	.020280	.021600
				2-65+ YR.	.015360	.037020	.038400
ALLYL METHYL DISULFIDE FEMA 3127E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
ALLYL METHYL DISULFIDE FEMA 3127E	16	SOFT CANDY(R)	*	0-5 MO.	.000150	.001500	.000400
				6-11 MO.	.001650	.005100	.004400
				12-23 MO.	.002625	.006975	.007000
				2-65+ YR.	.004350	.013200	.011600
ALLYL METHYL DISULFIDE FEMA 3127E	20	GELATIN PUD(R)	*	0-5 MO.	.001200	.001620	.003000
				6-11 MO.	.007680	.023280	.019200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL METHYL DISULFIDE FEMA 3127E	20	GELATIN PUD(R)	*	12-23 MO.	.008280	.020160	.020700
				2-65+ YR.	.012240	.031500	.030600
ALLYL METHYL DISULFIDE FEMA 3127E	23	BEV TYPE I(R)	*	0-5 MO.	.001440	.002160	.003600
				6-11 MO.	.013620	.046620	.034050
				12-23 MO.	.032520	.097500	.081300
				2-65+ YR.	.062400	.166620	.156000
ALLYL METHYL DISULFIDE FEMA 3127E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000060	**********
				12-23 MO.	**********	.000120	**********
				2-65+ YR.	.019500	.056640	.032500
ALLYL METHYL DISULFIDE FEMA 3127E	99	ALL CATEGORIES	4	0-5 MO.	.006983	.013940	.017500
				6-11 MO.	.067977	.184687	.164100
				12-23 MO.	.122232	.262788	.300000
				2-65+ YR.	.292863	.584533	.700300
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	01	BAKED GOODS(R)	*	0-5 MO.	.009350	.012375	.037400
				6-11 MO.	.069850	.142450	.279400
				12-23 MO.	.149875	.246950	.599500
				2-65+ YR.	.377300	.560450	1.509200
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	07	FROZN DAIRY(R)	*	0-5 MO.	.002600	.010660	.005500
				6-11 MO.	.024700	.068640	.052250
				12-23 MO.	.037440	.087880	.079200
				2-65+ YR.	.066560	.160420	.140800
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	16	SOFT CANDY(R)	*	0-5 MO.	.000550	.005500	.001200
				6-11 MO.	.006050	.018700	.013200
				12-23 MO.	.009625	.025575	.021000
				2-65+ YR.	.015950	.048400	.034800
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	20	GELATIN PUD(R)	*	0-5 MO.	.005200	.007020	.011000
				6-11 MO.	.033280	.100880	.070400
				12-23 MO.	.035880	.087360	.075900

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	20	GELATIN PUD(R)	*	2-65+ YR.	.053040	.136500	.112200
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	23	BEV TYPE I(R)	*	0-5 MO.	.000480	.000720	.002400
				6-11 MO.	.004540	.015540	.022700
				12-23 MO.	.010840	.032500	.054200
				2-65+ YR.	.020800	.055540	.104000
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000020	**********
				12-23 MO.	**********	.000040	**********
				2-65+ YR.	.006500	.018880	.032500
2-BENZOFURANCARBOXALDEHYD FEMA 3128E	99	ALL CATEGORIES	*	0-5 MO.	.018180	.036275	.057500
				6-11 MO.	.138420	.346230	.437950
				12-23 MO.	.243660	.480305	.829800
				2-65+ YR.	.540150	.980190	1.933500
BIPHENYL FEMA 3129E	01	BAKED GOODS(R)	*	0-5 MO.	.000680	.000900	.006800
				6-11 MO.	.005080	.010360	.050800
				12-23 MO.	.010900	.017960	.109000
				2-65+ YR.	.027440	.040760	.274400
BIPHENYL FEMA 3129E	07	FROZN DAIRY(R)	*	0-5 MO.	.000200	.000820	.002000
				6-11 MO.	.001900	.005280	.019000
				12-23 MO.	.002880	.006760	.028800
				2-65+ YR.	.005120	.012340	.051200
BIPHENYL FEMA 3129E	16	SOFT CANDY(R)	*	0-5 MO.	.000220	.002200	.000533
				6-11 MO.	.002420	.007480	.005867
				12-23 MO.	.003850	.010230	.009333
				2-65+ YR.	.006380	.019360	.015467
BIPHENYL FEMA 3129E	20	GELATIN PUD(R)	*	0-5 MO.	.002200	.002970	.006000
				6-11 MO.	.014080	.042680	.038400
				12-23 MO.	.015180	.036960	.041400
				2-65+ YR.	.022440	.057750	.061200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
BIPHENYL FEMA 3129E	23	BEV TYPE I(R)	*	0-5 MO.	.002640	.003960	.007200
				6-11 MO.	.024970	.085470	.068100
				12-23 MO.	.059620	.178750	.162600
				2-65+ YR.	.114400	.305470	.312000
BIPHENYL FEMA 3129E	99	ALL CATEGORIES	*	0-5 MO.	.005940	.010850	.022533
				6-11 MO.	.048450	.151270	.182167
				12-23 MO.	.092430	.250660	.351133
				2-65+ YR.	.175780	.435680	.714267
BUTYLAMINE FEMA 3130E	01	BAKED GOODS(R)	*	0-5 MO.	.004794	.006345	.010285
				6-11 MO.	.035814	.073038	.076835
				12-23 MO.	.076845	.126618	.164863
				2-65+ YR.	.193452	.287358	.415030
BUTYLAMINE FEMA 3130E	07	FROZN DAIRY(R)	*	0-5 MO.	.000050	.000205	.000100
				6-11 MO.	.000475	.001320	.000950
				12-23 MO.	.000720	.001690	.001440
				2-65+ YR.	.001280	.003085	.002560
BUTYLAMINE FEMA 3130E	10	MEAT PRODS(R)	5	0-5 MO.	.001576	.004154	.002944
				6-11 MO.	.029648	.079922	.055407
				12-23 MO.	.043255	.074336	.080835
				2-65+ YR.	.112291	.186340	.209851
BUTYLAMINE FEMA 3130E	16	SOFT CANDY(R)	*	0-5 MO.	.000010	.000100	.000020
				6-11 MO.	.000110	.000340	.000220
				12-23 MO.	.000175	.000465	.000350
				2-65+ YR.	.000290	.000880	.000580
BUTYLAMINE FEMA 3130E	20	GELATIN PUD(R)	*	0-5 MO.	.001525	.002059	.003050
				6-11 MO.	.009760	.029585	.019520
				12-23 MO.	.010523	.025620	.021045
				2-65+ YR.	.015555	.040031	.031110
BUTYLAMINE FEMA 3130E	23	BEV TYPE I(R)	*	0-5 MO.	.000120	.000180	.000240

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYLAMINE FEMA 3130E	23	BEV TYPE I(R)	*	6-11 MO.	.001135	.003885	.002270
				12-23 MO.	.002710	.008125	.005420
				2-65+ YR.	.005200	.013885	.010400
BUTYLAMINE FEMA 3130E	26	RECONST VEG(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000000	.000000	.000000
				12-23 MO.	.000000	.000000	.000000
				2-65+ YR.	.000400	.001200	.000800
BUTYLAMINE FEMA 3130E	99	ALL CATEGORIES	6	0-5 MO.	.008075	.013042	.016639
				6-11 MO.	.076942	.188090	.155202
				12-23 MO.	.134228	.236854	.273953
				2-65+ YR.	.328468	.532780	.670331
SEC-BUTYL ETHYL ETHER FEMA 3131E	01	BAKED GOODS(R)	*	0-5 MO.	.001700	.002250	.003400
				6-11 MO.	.012700	.025900	.025400
				12-23 MO.	.027250	.044900	.054500
				2-65+ YR.	.068600	.101900	.137200
SEC-BUTYL ETHYL ETHER FEMA 3131E	07	FROZN DAIRY(R)	*	0-5 MO.	.000500	.002050	.001000
				6-11 MO.	.004750	.013200	.009500
				12-23 MO.	.007200	.016900	.014400
				2-65+ YR.	.012800	.030850	.025600
SEC-BUTYL ETHYL ETHER FEMA 3131E	16	SOFT CANDY(R)	*	0-5 MO.	.000250	.002500	.000250
				6-11 MO.	.002750	.008500	.002750
				12-23 MO.	.004375	.011625	.004375
				2-65+ YR.	.007250	.022000	.007250
SEC-BUTYL ETHYL ETHER FEMA 3131E	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.002000
				6-11 MO.	.006400	.019400	.012800
				12-23 MO.	.006900	.016800	.013800
				2-65+ YR.	.010200	.026250	.020400
SEC-BUTYL ETHYL ETHER FEMA 3131E	23	BEV TYPE I(R)	*	0-5 MO.	.001800	.002700	.002400
				6-11 MO.	.017025	.058275	.022700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
SEC-BUTYL ETHYL ETHER FEMA 3131E	23	BEV TYPE I(R)	*	12-23 MO.	.040650	.121875	.054200
				2-65+ YR.	.078000	.208275	.104000
SEC-BUTYL ETHYL ETHER FEMA 3131E	99	ALL CATEGORIES	*	0-5 MO.	.005250	.010850	.009050
				6-11 MO.	.043625	.125275	.073150
				12-23 MO.	.086375	.212100	.141275
				2-65+ YR.	.176850	.389275	.294450
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	01	BAKED GOODS(R)	6	0-5 MO.	.001287	.001704	.004760
				6-11 MO.	.009616	.019610	.035560
				12-23 MO.	.020632	.033996	.076300
				2-65+ YR.	.051940	.077153	.192080
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	03	OTHER GRAIN(R)	*	0-5 MO.	.000050	.000170	.000125
				6-11 MO.	.000970	.002860	.002425
				12-23 MO.	.001640	.003790	.004100
				2-65+ YR.	.002780	.006140	.006950
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	04	FATS OILS(R)	*	0-5 MO.	.000005	.000005	.000025
				6-11 MO.	.000028	.000075	.000140
				12-23 MO.	.000063	.000120	.000315
				2-65+ YR.	.000175	.000316	.000875
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	06	CHEESE(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000270	.000970	.000540
				12-23 MO.	.000780	.002220	.001560
				2-65+ YR.	.000940	.002360	.001880
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	07	FROZN DAIRY(R)	4	0-5 MO.	.000460	.001886	.001440
				6-11 MO.	.004370	.012144	.013680
				12-23 MO.	.006624	.015548	.020736
				2-65+ YR.	.011776	.028382	.036864
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	10	MEAT PRODS(R)	6	0-5 MO.	.000105	.000276	.000231
				6-11 MO.	.001967	.005301	.004347
				12-23 MO.	.002869	.004931	.006342

TABLE 13, PART H -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	10	MEAT PRODS(R)	6	2-65+ YR.	.007448	.012360	.016464
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000020	**********
				6-11 MO.	.000160	.000440	.000320
				12-23 MO.	.000560	.001520	.001120
				2-65+ YR.	.001760	.004240	.003520
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	16	SOFT CANDY(R)	4	0-5 MO.	.000100	.001000	.000328
				6-11 MO.	.001100	.003400	.003608
				12-23 MO.	.001750	.004650	.005740
				2-65+ YR.	.002900	.008800	.009512
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	20	GELATIN PUD(R)	*	0-5 MO.	.001433	.001935	.006000
				6-11 MO.	.009173	.027807	.038400
				12-23 MO.	.009890	.024080	.041400
				2-65+ YR.	.014620	.037625	.061200
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	23	BEV TYPE I(R)	4	0-5 MO.	.001344	.002016	.005856
				6-11 MO.	.012712	.043512	.055388
				12-23 MO.	.030352	.091000	.132248
				2-65+ YR.	.058240	.155512	.253760
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	27	GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000005
				6-11 MO.	.000014	.000039	.000070
				12-23 MO.	.000036	.000102	.000180
				2-65+ YR.	.000083	.000213	.000415
2-ISOBUTYL-3-METHOXYPYRAZ FEMA 3132E	99	ALL CATEGORIES	10	0-5 MO.	.004785	.009024	.018770
				6-11 MO.	.040380	.116168	.154478
				12-23 MO.	.075196	.181976	.290041
				2-65+ YR.	.155912	.342340	.616020

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	01	BAKED GOODS(R)	4	0-5 MO.	.009605	.012713	.023800
				6-11 MO.	.071755	.146335	.177800
				12-23 MO.	.153963	.253685	.381500
				2-65+ YR.	.387590	.575735	.960400
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	07	FROZN DAIRY(R)	4	0-5 MO.	.001775	.007278	.004750
				6-11 MO.	.016863	.046860	.045125
				12-23 MO.	.025560	.059995	.068400
				2-65+ YR.	.045440	.109518	.121600
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	10	MEAT PRODS(R)	*	0-5 MO.	.001650	.004350	.004950
				6-11 MO.	.031050	.083700	.093150
				12-23 MO.	.045300	.077850	.135900
				2-65+ YR.	.117600	.195150	.352800
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	16	SOFT CANDY(R)	4	0-5 MO.	.000565	.005650	.001400
				6-11 MO.	.006215	.019210	.015400
				12-23 MO.	.009888	.026273	.024500
				2-65+ YR.	.016385	.049720	.040600
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	20	GELATIN PUD(R)	*	0-5 MO.	.002100	.002835	.006000
				6-11 MO.	.013440	.040740	.038400
				12-23 MO.	.014490	.035280	.041400
				2-65+ YR.	.021420	.055125	.061200
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	23	BEV TYPE I(R)	4	0-5 MO.	.002460	.003690	.007800
				6-11 MO.	.023268	.079643	.073775
				12-23 MO.	.055555	.166563	.176150
				2-65+ YR.	.106600	.284643	.338000
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	99	ALL CATEGORIES	4	0-5 MO.	.018155	.036315	.048700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-ISOBUTYL-3-METHYLPYRAZI FEMA 3133E	99	ALL CATEGORIES	4	6-11 MO.	.162590	.416498	.443650
				12-23 MO.	.304755	.619665	.827850
				2-65+ YR.	.698285	1.279330	1.907100
2-ISOBUTYLTHIAZOLE FEMA 3134E	01	BAKED GOODS(R)	*	0-5 MO.	.009520	.012600	.017680
				6-11 MO.	.071120	.145040	.132080
				12-23 MO.	.152600	.251440	.283400
				2-65+ YR.	.384160	.570640	.713440
2-ISOBUTYLTHIAZOLE FEMA 3134E	07	FROZN DAIRY(R)	*	0-5 MO.	.001600	.006560	.002800
				6-11 MO.	.015200	.042240	.026600
				12-23 MO.	.023040	.054080	.040320
				2-65+ YR.	.040960	.098720	.071680
2-ISOBUTYLTHIAZOLE FEMA 3134E	10	MEAT PRODS(R)	5	0-5 MO.	.000441	.001164	.001378
				6-11 MO.	.008306	.022390	.025927
				12-23 MO.	.012118	.020825	.037826
				2-65+ YR.	.031458	.052203	.098196
2-ISOBUTYLTHIAZOLE FEMA 3134E	14	PROCSD VEGS(R)	*	0-5 MO.	.000140	.000420	.001400
				6-11 MO.	.002400	.005600	.024000
				12-23 MO.	.003900	.006530	.039000
				2-65+ YR.	.008500	.014320	.085000
2-ISOBUTYLTHIAZOLE FEMA 3134E	15	CGNDM RELSH(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000400	.001100	.002400
				12-23 MO.	.001400	.003800	.008400
				2-65+ YR.	.004400	.010600	.026400
2-ISOBUTYLTHIAZOLE FEMA 3134E	16	SOFT CANDY(R)	*	0-5 MO.	.000560	.005600	.001040
				6-11 MO.	.006160	.019040	.011440
				12-23 MO.	.009800	.026040	.018200
				2-65+ YR.	.016240	.049280	.030160
2-ISOBUTYLTHIAZOLE FEMA 3134E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800

TABLE 13, PART 3 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-ISOBUTYLTHIAZOLE FEMA 3134E	20	GELATIN PUD(R)	*	12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
2-ISOBUTYLTHIAZOLE FEMA 3134E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.003840
				6-11 MO.	.022700	.077700	.036320
				12-23 MO.	.054200	.162500	.086720
				2-65+ YR.	.104000	.277700	.166400
2-ISOBUTYLTHIAZOLE FEMA 3134E	27	GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000010
				6-11 MO.	.000014	.000039	.000140
				12-23 MO.	.000036	.000102	.000360
				2-65+ YR.	.000083	.000213	.000830
2-ISOBUTYLTHIAZOLE FEMA 3134E	99	ALL CATEGORIES	6	0-5 MO.	.016662	.032697	.030148
				6-11 MO.	.139100	.351949	.271707
				12-23 MO.	.270894	.558917	.528026
				2-65+ YR.	.610201	1.126176	1.212506
2T,4T-DECADIENAL FEMA 3135E	01	BAKED GOODS(R)	8	0-5 MO.	.011489	.015206	.049376
				6-11 MO.	.085829	.175037	.368864
				12-23 MO.	.184160	.303442	.791461
				2-65+ YR.	.463611	.688659	1.992449
2T,4T-DECADIENAL FEMA 3135E	04	FATS OILS(R)	*	0-5 MO.	.000500	.000500	.000750
				6-11 MO.	.002800	.007500	.004200
				12-23 MO.	.006300	.012000	.009450
				2-65+ YR.	.017500	.031600	.026250
2T,4T-DECADIENAL FEMA 3135E	07	FROZN DAIRY(R)	*	0-5 MO.	.002517	.010318	.004917
				6-11 MO.	.023908	.066440	.046708
				12-23 MO.	.036240	.085063	.070800
				2-65+ YR.	.064427	.155278	.125867
2T,4T-DECADIENAL FEMA 3135E	10	MEAT PRODS(R)	9	0-5 MO.	.004482	.011817	.005070
				6-11 MO.	.084346	.227366	.095408
				12-23 MO.	.123055	.211475	.139195

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2T,4T-DECADIENAL FEMA 3135E	10	MEAT PRODS(R)	9	2-65+ YR.	.319454	.530114	.361353
2T,4T-DECADIENAL FEMA 3135E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.002400
				12-23 MO.	.002800	.007600	.008400
				2-65+ YR.	.008800	.021200	.026400
2T,4T-DECADIENAL FEMA 3135E	16	SOFT CANDY(R)	*	0-5 MO.	.000903	.009033	.001783
				6-11 MO.	.009937	.030713	.019617
				12-23 MO.	.015808	.042005	.031208
				2-65+ YR.	.026197	.079493	.051717
2T,4T-DECADIENAL FEMA 3135E	20	GELATIN PUD(R)	*	0-5 MO.	.002100	.002835	.003500
				6-11 MO.	.013440	.040740	.022400
				12-23 MO.	.014490	.035280	.024150
				2-65+ YR.	.021420	.055125	.035700
2T,4T-DECADIENAL FEMA 3135E	21	SOUPS(R)	*	0-5 MO.	.000002	.000015	.000020
				6-11 MO.	.000233	.000727	.002330
				12-23 MO.	.000348	.000961	.003480
				2-65+ YR.	.000317	.000845	.003170
2T,4T-DECADIENAL FEMA 3135E	23	BEV TYPE I(R)	*	0-5 MO.	.002440	.003660	.004600
				6-11 MO.	.023078	.078995	.043508
				12-23 MO.	.055103	.165208	.103883
				2-65+ YR.	.105733	.282328	.199333
2T,4T-DECADIENAL FEMA 3135E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
2T,4T-DECADIENAL FEMA 3135E	27	GRAVIES(R)	*	0-5 MO.	.000100	.000300	.000200
				6-11 MO.	.001400	.003900	.002800
				12-23 MO.	.003600	.010200	.007200
				2-65+ YR.	.008300	.021300	.016600

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2T,4T-DECADIENAL FEMA 3135E	99	ALL CATEGORIES	11	0-5 MO.	.024533	.053784	.070216
				6-11 MO.	.245771	.633629	.608236
				12-23 MO.	.441905	.873255	1.189227
				2-65+ YR.	1.039009	1.875383	2.855088
2,3-DIETHYLPYRAZINE FEMA 3136E	01	BAKED GOODS(R)	*	0-5 MO.	.010427	.013800	.021533
				6-11 MO.	.077893	.158853	.160867
				12-23 MO.	.167133	.275387	.345167
				2-65+ YR.	.420747	.624987	.868933
2,3-DIETHYLPYRAZINE FEMA 3136E	07	FROZN DAIRY(R)	5	0-5 MO.	.001520	.006232	.003000
				6-11 MO.	.014440	.040128	.028500
				12-23 MO.	.021888	.051376	.043200
				2-65+ YR.	.038912	.093784	.076800
2,3-DIETHYLPYRAZINE FEMA 3136E	10	MEAT PRODS(R)	*	0-5 MO.	.001375	.003625	.002750
				6-11 MO.	.025875	.069750	.051750
				12-23 MO.	.037750	.064875	.075500
				2-65+ YR.	.098000	.162625	.196000
2,3-DIETHYLPYRAZINE FEMA 3136E	16	SOFT CANDY(R)	5	0-5 MO.	.000468	.004680	.000960
				6-11 MO.	.005148	.015912	.010560
				12-23 MO.	.008190	.021762	.016800
				2-65+ YR.	.013572	.041184	.027840
2,3-DIETHYLPYRAZINE FEMA 3136E	20	GELATIN PUD(R)	*	0-5 MO.	.001067	.001440	.002000
				6-11 MO.	.006827	.020693	.012800
				12-23 MO.	.007360	.017920	.013800
				2-65+ YR.	.010880	.028000	.020400
2,3-DIETHYLPYRAZINE FEMA 3136E	23	BEV TYPE I(R)	5	0-5 MO.	.002208	.003312	.004320
				6-11 MO.	.020884	.071484	.040860
				12-23 MO.	.049864	.149500	.097560
				2-65+ YR.	.095680	.255484	.187200
2,3-DIETHYLPYRAZINE FEMA 3136E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,3-DIETHYLPYRAZINE FEMA 3136E	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
2,3-DIETHYLPYRAZINE FEMA 3136E	99	ALL CATEGORIES	5	0-5 MO.	.017064	.033089	.034563
				6-11 MO.	.151067	.376831	.305337
				12-23 MO.	.292185	.580840	.592027
				2-65+ YR.	.681041	1.215504	1.409673
2,6-DIMETHOXYPHENOL FEMA 3137E	01	BAKED GOODS(R)	*	0-5 MO.	.005100	.006750	.017000
				6-11 MO.	.038100	.077700	.127000
				12-23 MO.	.081750	.134700	.272500
				2-65+ YR.	.205800	.305700	.686000
2,6-DIMETHOXYPHENOL FEMA 3137E	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
2,6-DIMETHOXYPHENOL FEMA 3137E	10	MEAT PRODS(R)	*	0-5 MO.	.004921	.012974	.019539
				6-11 MO.	.092605	.249632	.367697
				12-23 MO.	.135105	.232184	.536447
				2-65+ YR.	.350737	.582026	1.392632
2,6-DIMETHOXYPHENOL FEMA 3137E	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
2,6-DIMETHOXYPHENOL FEMA 3137E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
2,6-DIMETHOXYPHENOL FEMA 3137E	21	SOUPS(R)	*	0-5 MO.	.000020	.000150	.000060
				6-11 MO.	.002330	.007270	.006990

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,6-DIMETHOXYPHENOL FEMA 3137E	21	SOUPS(R)	*	12-23 MO.	.003480	.009610	.010440
				2-65+ YR.	.003170	.008450	.009510
2,6-DIMETHOXYPHENOL FEMA 3137E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
2,6-DIMETHOXYPHENOL FEMA 3137E	99	ALL CATEGORIES	4	0-5 MO.	.021241	.044674	.064599
				6-11 MO.	.227435	.634002	.737687
				12-23 MO.	.392135	.854894	1.248887
				2-65+ YR.	.871307	1.715176	2.867142
3,4-DIMETHOXY-1-VINYLBENZ FEMA 3138E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
3,4-DIMETHOXY-1-VINYLBENZ FEMA 3138E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
3,4-DIMETHOXY-1-VINYLBENZ FEMA 3138E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
3,4-DIMETHOXY-1-VINYLBENZ FEMA 3138E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
3,4-DIMETHOXY-1-VINYLBENZ FEMA 3138E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3,4-DIMETHOXY-1-VINYLBENZ FEMA 3138E	23	BEV TYPE I(R)	*	2-65+ YR.	.104000	.277700	.208000
3,4-DIMETHOXY-1-VINYLBENZ FEMA 3138E	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.018000
				6-11 MO.	.072600	.201500	.145200
				12-23 MO.	.140400	.329000	.280800
				2-65+ YR.	.293000	.613300	.586000
P-α,A&-DIMETHYLBENZYL ALCO FEMA 3139E	01	BAKED GOODS(R)	*	0-5 MO.	.013600	.018000	.022100
				6-11 MO.	.101600	.207200	.165100
				12-23 MO.	.218000	.359200	.354250
				2-65+ YR.	.548800	.815200	.891800
P-α,A&-DIMETHYLBENZYL ALCO FEMA 3139E	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005667
				6-11 MO.	.028500	.079200	.053833
				12-23 MO.	.043200	.101400	.081600
				2-65+ YR.	.076800	.185100	.145067
P-α,A&-DIMETHYLBENZYL ALCO FEMA 3139E	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001400
				6-11 MO.	.008800	.027200	.015400
				12-23 MO.	.014000	.037200	.024500
				2-65+ YR.	.023200	.070400	.040600
P-α,A&-DIMETHYLBENZYL ALCO FEMA 3139E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.007000
				6-11 MO.	.025600	.077600	.044800
				12-23 MO.	.027600	.067200	.048300
				2-65+ YR.	.040800	.105000	.071400
P-α,A&-DIMETHYLBENZYL ALCO FEMA 3139E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
P-α,A&-DIMETHYLBENZYL ALCO FEMA 3139E	99	ALL CATEGORIES	*	0-5 MO.	.023800	.047300	.040967
				6-11 MO.	.187200	.468900	.324533
				12-23 MO.	.357000	.727500	.617050
				2-65+ YR.	.793600	1.453400	1.356867

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,6-DIMETHYL-4-HEPTANOL FEMA 3140E	01	BAKED GOODS(R)	*	0-5 MO.	.011900	.015750	.017000
				6-11 MO.	.088900	.181300	.127000
				12-23 MO.	.190750	.314300	.272500
				2-65+ YR.	.480200	.713300	.686000
2,6-DIMETHYL-4-HEPTANOL FEMA 3140E	07	FROZN DAIRY(R)	*	0-5 MO.	.004429	.018157	.017571
				6-11 MO.	.042071	.116914	.166929
				12-23 MO.	.063771	.149686	.253029
				2-65+ YR.	.113371	.273243	.449829
2,6-DIMETHYL-4-HEPTANOL FEMA 3140E	16	SOFT CANDY(R)	*	0-5 MO.	.000914	.009143	.003571
				6-11 MO.	.010057	.031086	.039286
				12-23 MO.	.016000	.042514	.062500
				2-65+ YR.	.026514	.080457	.103571
2,6-DIMETHYL-4-HEPTANOL FEMA 3140E	20	GELATIN PUD(R)	*	0-5 MO.	.008857	.011957	.035143
				6-11 MO.	.056686	.171829	.224914
				12-23 MO.	.061114	.148800	.242486
				2-65+ YR.	.090343	.232500	.358457
2,6-DIMETHYL-4-HEPTANOL FEMA 3140E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
2,6-DIMETHYL-4-HEPTANOL FEMA 3140E	99	ALL CATEGORIES	*	0-5 MO.	.028500	.058607	.078086
				6-11 MO.	.220414	.578829	.603529
				12-23 MO.	.385836	.817800	.938914
				2-65+ YR.	.814429	1.577200	1.805857
AB-SINENSAL FEMA 3141E	01	BAKED GOODS(R)	*	0-5 MO.	.067143	.088866	.134286
				6-11 MO.	.501597	1.022941	1.003193
				12-23 MO.	1.076260	1.773361	2.152521
				2-65+ YR.	2.709412	4.024622	5.418823
AB-SINENSAL FEMA 3141E	07	FROZN DAIRY(R)	4	0-5 MO.	.019018	.077974	.038724

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A&-SINENSAL FEMA 3141E	07	FROZN DAIRY(R)	4	6-11 MO.	.180672	.502079	.367881
				12-23 MO.	.273861	.642813	.557630
				2-65+ YR.	.486865	1.173420	.991342
A&-SINENSAL FEMA 3141E	16	SOFT CANDY(R)	4	0-5 MO.	.003820	.038198	.007778
				6-11 MO.	.042017	.129872	.085556
				12-23 MO.	.066846	.177619	.136111
				2-65+ YR.	.110773	.336139	.225556
A&-SINENSAL FEMA 3141E	20	GELATIN PUD(R)	*	0-5 MO.	.038642	.052167	.077284
				6-11 MO.	.247309	.749654	.494617
				12-23 MO.	.266630	.649185	.533259
				2-65+ YR.	.394148	1.014352	.788296
A&-SINENSAL FEMA 3141E	23	BEV TYPE I(R)	5	0-5 MO.	.004540	.006809	.009214
				6-11 MO.	.042937	.146970	.087148
				12-23 MO.	.102519	.307369	.208080
				2-65+ YR.	.196716	.525270	.399268
A&-SINENSAL FEMA 3141E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
A&-SINENSAL FEMA 3141E	59	ALL CATEGORIES	5	0-5 MO.	.133162	.264014	.267286
				6-11 MO.	1.014532	2.551716	2.038395
				12-23 MO.	1.786117	3.550748	3.587601
				2-65+ YR.	3.962914	7.262602	7.953285
CITRONELLIC ACID FEMA 3142E	C1	BAKED GOODS(R)	*	0-5 MO.	.002040	.002700	.004250
				6-11 MO.	.015240	.031080	.031750
				12-23 MO.	.032700	.053880	.068125
				2-65+ YR.	.082320	.122280	.171500
CITRONELLIC ACID FEMA 3142E	07	FROZN DAIRY(R)	*	0-5 MO.	.001100	.004510	.002250
				6-11 MO.	.010450	.029040	.021375

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CITRONELLIC ACID FEMA 3142E	07	FROZN DAIRY(R)	*	12-23 MO.	.015840	.037180	.032400
				2-65+ YR.	.028160	.067870	.057600
CITRONELLIC ACID FEMA 3142E	16	SOFT CANDY(R)	*	0-5 MO.	.000213	.002133	.000250
				6-11 MO.	.002347	.007253	.002750
				12-23 MO.	.003733	.009920	.004375
				2-65+ YR.	.006187	.018773	.007250
CITRONELLIC ACID FEMA 3142E	20	GELATIN PUD(R)	*	0-5 MO.	.001200	.001620	.002500
				6-11 MO.	.007680	.023280	.016000
				12-23 MO.	.008280	.020160	.017250
				2-65+ YR.	.012240	.031500	.025500
CITRONELLIC ACID FEMA 3142E	23	BEV TYPE I(R)	*	0-5 MO.	.002560	.003840	.005400
				6-11 MO.	.024213	.082880	.051075
				12-23 MO.	.057813	.173333	.121950
				2-65+ YR.	.110933	.296213	.234000
CITRONELLIC ACID FEMA 3142E	99	ALL CATEGORIES	*	0-5 MO.	.007113	.014803	.014650
				6-11 MO.	.059930	.173533	.122950
				12-23 MO.	.118367	.294473	.244100
				2-65+ YR.	.239840	.536637	.495850
2,4-DIMETHYL-2-PENTENOIC FEMA 3143E	01	BAKED GOODS(R)	*	0-5 MO.	.043350	.057375	.070550
				6-11 MO.	.323850	.660450	.527050
				12-23 MO.	.694875	1.144950	1.130875
				2-65+ YR.	1.749300	2.598450	2.846900
2,4-DIMETHYL-2-PENTENOIC FEMA 3143E	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
2,4-DIMETHYL-2-PENTENOIC FEMA 3143E	16	SOFT CANDY(R)	*	0-5 MO.	.001550	.015500	.002600
				6-11 MO.	.017050	.052700	.028600
				12-23 MO.	.027125	.072075	.045500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,4-DIMETHYL-2-PENTENOIC FEMA 3143E	16	SOFT CANDY(R)	*	2-65+ YR.	.044950	.136400	.075400
2,4-DIMETHYL-2-PENTENOIC FEMA 3143E	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
2,4-DIMETHYL-2-PENTENOIC FEMA 3143E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
2,4-DIMETHYL-2-PENTENOIC FEMA 3143E	99	ALL CATEGORIES	*	0-5 MO.	.064700	.114075	.115150
				6-11 MO.	.497800	1.194550	.892150
				12-23 MO.	.971400	1.879025	1.729375
				2-65+ YR.	2.232250	3.861250	3.902300
P@,A&-DIMETHYLSTYRENE FEMA 3144E	01	BAKED GOODS(R)	4	0-5 MO.	.004335	.005738	.008373
				6-11 MO.	.032385	.066045	.062548
				12-23 MO.	.069488	.114495	.134206
				2-65+ YR.	.174930	.259845	.337855
P@,A&-DIMETHYLSTYRENE FEMA 3144E	07	FROZN DAIRY(R)	5	0-5 MO.	.000933	.003827	.001900
				6-11 MO.	.008867	.024640	.018050
				12-23 MO.	.013440	.031547	.027360
				2-65+ YR.	.023893	.057587	.048640
P@,A&-DIMETHYLSTYRENE FEMA 3144E	16	SOFT CANDY(R)	6	0-5 MO.	.000444	.004440	.000993
				6-11 MO.	.004884	.015096	.010927
				12-23 MO.	.007770	.020646	.017383
				2-65+ YR.	.012876	.039072	.028807
P@,A&-DIMETHYLSTYRENE FEMA 3144E	20	GELATIN PUD(R)	4	0-5 MO.	.001050	.001418	.001925
				6-11 MO.	.006720	.020370	.012320
				12-23 MO.	.007245	.017640	.013283
				2-65+ YR.	.010710	.027563	.019635

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
P2,A6-DIMETHYLSTYRENE FEMA 3144E	23	BEV TYPE I(R)	6	0-5 MO.	.001308	.001962	.002373
				6-11 MO.	.012372	.042347	.022448
				12-23 MO.	.029539	.068563	.053598
				2-65+ YR.	.056680	.151347	.102644
P2,A6-DIMETHYLSTYRENE FEMA 3144E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
P2,A6-DIMETHYLSTYRENE FEMA 3144E	99	ALL CATEGORIES	6	0-5 MO.	.008070	.017384	.015584
				6-11 MO.	.065227	.168697	.126292
				12-23 MO.	.127481	.273290	.245830
				2-65+ YR.	.344089	.724213	.667781
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	01	BAKED GOODS(R)	*	0-5 MO.	.010427	.013800	.019833
				6-11 MO.	.077893	.158853	.148167
				12-23 MO.	.167133	.275387	.317917
				2-65+ YR.	.420747	.624987	.800333
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	07	FROZN DAIRY(R)	*	0-5 MO.	.001733	.007107	.003167
				6-11 MO.	.016467	.045760	.030083
				12-23 MO.	.024960	.058587	.045600
				2-65+ YR.	.044373	.106947	.081067
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	10	MEAT PRODS(R)	*	0-5 MO.	.001173	.003093	.002750
				6-11 MO.	.022080	.059520	.051750
				12-23 MO.	.032213	.055360	.075500
				2-65+ YR.	.083627	.138773	.196000
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.002400
				12-23 MO.	.002800	.007600	.008400
				2-65+ YR.	.008800	.021200	.026400
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	16	SOFT CANDY(R)	*	0-5 MO.	.000613	.006133	.001167

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	16	SOFT CANDY(R)	*	6-11 MO.	.006747	.020853	.012833
				12-23 MO.	.010733	.028520	.020417
				2-65+ YR.	.017787	.053973	.033833
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	23	BEV TYPE I(R)	*	0-5 MO.	.001944	.002916	.003408
				6-11 MO.	.018387	.062937	.032234
				12-23 MO.	.043902	.131625	.076964
				2-65+ YR.	.084240	.224937	.147680
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
2,4-DIMETHYL-5-VINYLTHIAZ FEMA 3145E	99	ALL CATEGORIES	4	0-5 MO.	.017891	.035849	.032325
				6-11 MO.	.155174	.389124	.290267
				12-23 MO.	.295542	.591078	.558597
				2-65+ YR.	.744973	1.412117	1.435713
2-FURFURYL DISULFIDE FEMA 3146E	01	BAKED GOODS(R)	4	0-5 MO.	.000255	.000338	.001360
				6-11 MO.	.001905	.003885	.010160
				12-23 MO.	.004088	.006735	.021800
				2-65+ YR.	.010290	.015285	.054880
2-FURFURYL DISULFIDE FEMA 3146E	07	FROZN DAIRY(R)	4	0-5 MO.	.000093	.000379	.000725
				6-11 MO.	.000879	.002442	.006888
				12-23 MO.	.001332	.003127	.010440
				2-65+ YR.	.002368	.005707	.018560
2-FURFURYL DISULFIDE FEMA 3146E	10	MEAT PRODS(R)	*	0-5 MO.	.000055	.000145	.000220
				6-11 MO.	.001035	.002790	.004140

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-FURFURYL DISULFIDE FEMA 3146E	10	MEAT PRODS(R)	*	12-23 MO.	.001510	.002595	.006040
				2-65+ YR.	.003920	.006505	.015680
2-FURFURYL DISULFIDE FEMA 3146E	16	SOFT CANDY(R)	4	0-5 MO.	.000015	.000150	.000080
				6-11 MO.	.000165	.000510	.000880
				12-23 MO.	.000263	.000698	.001400
				2-65+ YR.	.000435	.001320	.002320
2-FURFURYL DISULFIDE FEMA 3146E	20	GELATIN PUD(R)	*	0-5 MO.	.000110	.000149	.000300
				6-11 MO.	.000704	.002134	.001920
				12-23 MO.	.000759	.001848	.002070
				2-65+ YR.	.001122	.002888	.003060
2-FURFURYL DISULFIDE FEMA 3146E	23	BEV TYPE I(R)	*	0-5 MO.	.000096	.000144	.000320
				6-11 MO.	.000908	.003108	.003027
				12-23 MO.	.002168	.006500	.007227
				2-65+ YR.	.004160	.011108	.013867
2-FURFURYL DISULFIDE FEMA 3146E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000001	**********
				12-23 MO.	**********	.000002	**********
				2-65+ YR.	.000325	.000944	.003250
2-FURFURYL DISULFIDE FEMA 3146E	99	ALL CATEGORIES	4	0-5 MO.	.000623	.001304	.003005
				6-11 MO.	.005596	.014870	.027014
				12-23 MO.	.010119	.021504	.048977
				2-65+ YR.	.022620	.043757	.111617
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	01	BAKED GOODS(R)	*	0-5 MO.	.013940	.018450	.030600
				6-11 MO.	.104140	.212380	.228600
				12-23 MO.	.223450	.368180	.490500
				2-65+ YR.	.562520	.835580	1.234800
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	07	FROZN DAIRY(R)	*	0-5 MO.	.002033	.008337	.004667
				6-11 MO.	.019317	.053680	.044333
				12-23 MO.	.029280	.088727	.067280

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	07	FROZN DAIRY(R)	*	2-65+ YR.	.052053	.125457	.119467
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.007150
				6-11 MO.	.062100	.167400	.134550
				12-23 MO.	.090600	.155700	.196300
				2-65+ YR.	.235200	.390300	.509600
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	16	SOFT CANDY(R)	*	0-5 MO.	.000680	.006800	.001533
				6-11 MO.	.007480	.023120	.016867
				12-23 MO.	.011900	.031620	.026833
				2-65+ YR.	.019720	.059840	.044467
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	20	GELATIN PUD(R)	*	0-5 MO.	.002100	.002835	.005000
				6-11 MO.	.013440	.040740	.032000
				12-23 MO.	.014490	.035280	.034500
				2-65+ YR.	.021420	.055125	.051000
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	23	BEV TYPE I(R)	*	0-5 MO.	.002480	.003720	.006400
				6-11 MO.	.023457	.080290	.060533
				12-23 MO.	.056007	.167917	.144533
				2-65+ YR.	.107467	.286957	.277333
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000105	**********
				12-23 MO.	**********	.000210	**********
				2-65+ YR.	.034125	.099120	.081250
1-ETHYL-2-ACETYLPYRROLE FEMA 3147E	99	ALL CATEGORIES	*	0-5 MO.	.024533	.048842	.055350
				6-11 MO.	.229933	.577715	.516883
				12-23 MO.	.425727	.827633	.959867
				2-65+ YR.	1.032505	1.852376	2.317917
ETHYL T2-C4-DECADIENOATE FEMA 3148E	01	BAKED GOODS(R)	*	0-5 MO.	.039950	.052875	.058650
				6-11 MO.	.298450	.608650	.438150
				12-23 MO.	.640375	1.055150	.940125
				2-65+ YR.	1.612100	2.394650	2.366700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL T2-C4-DECADIENOATE FEMA 3148E	07	FROZN DAIRY(R)	5	0-5 MO.	.002291	.009392	.005426
				6-11 MO.	.021762	.060474	.051550
				12-23 MO.	.032986	.077426	.078140
				2-65+ YR.	.058642	.141336	.138915
ETHYL T2-C4-DECADIENOATE FEMA 3148E	16	SOFT CANDY(R)	5	0-5 MO.	.000524	.005240	.001159
				6-11 MO.	.005764	.017817	.012748
				12-23 MO.	.009171	.024367	.020281
				2-65+ YR.	.015197	.046115	.033609
ETHYL T2-C4-DECADIENOATE FEMA 3148E	20	GELATIN PUD(R)	5	0-5 MO.	.004388	.005923	.010465
				6-11 MO.	.028081	.085119	.066977
				12-23 MO.	.030274	.073712	.072209
				2-65+ YR.	.044753	.115174	.106744
ETHYL T2-C4-DECADIENOATE FEMA 3148E	23	BEV TYPE I(R)	5	0-5 MO.	.016024	.024036	.021288
				6-11 MO.	.151562	.518783	.201353
				12-23 MO.	.361880	1.084971	.480762
				2-65+ YR.	.694381	1.854132	.922496
ETHYL T2-C4-DECADIENOATE FEMA 3148E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
ETHYL T2-C4-DECADIENOATE FEMA 3148E	99	ALL CATEGORIES	5	0-5 MO.	.063177	.097467	.096989
				6-11 MO.	.505619	1.291044	.770778
				12-23 MO.	1.074686	2.316026	1.591517
				2-65+ YR.	2.490074	4.740207	3.698464
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	01	BAKED GOODS(R)	9	0-5 MO.	.021845	.028913	.021845
				6-11 MO.	.163195	.332815	.163195
				12-23 MO.	.350163	.576965	.350163
				2-65+ YR.	.881510	1.309415	.881510
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	07	FROZN DAIRY(R)	7	0-5 MO.	.005307	.021759	.005307

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	07	FROZN DAIRY(R)	7	6-11 MO.	.050418	.140109	.050418
				12-23 MO.	.076423	.179381	.076423
				2-65+ YR.	.135863	.327451	.135863
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	10	MEAT PRODS(R)	*	0-5 MO.	.001128	.002973	.002310
				6-11 MO.	.021218	.057195	.043470
				12-23 MO.	.030955	.053198	.063420
				2-65+ YR.	.080360	.133353	.164640
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	16	SOFT CANDY(R)	9	0-5 MO.	.001205	.012050	.001230
				6-11 MO.	.013255	.040970	.013530
				12-23 MO.	.021088	.056033	.021525
				2-65+ YR.	.034945	.106040	.035670
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	20	GELATIN PUD(R)	4	0-5 MO.	.001550	.002093	.003500
				6-11 MO.	.009920	.030070	.022400
				12-23 MO.	.010695	.026040	.024150
				2-65+ YR.	.015810	.040688	.035700
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	23	BEV TYPE I(R)	6	0-5 MO.	.004940	.007410	.004940
				6-11 MO.	.046724	.159932	.046724
				12-23 MO.	.111562	.334479	.111562
				2-65+ YR.	.214067	.571599	.214067
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
2-ETHYL-3,5-DIMETHYLPYRAZ FEMA 3149E	99	ALL CATEGORIES	9	0-5 MO.	.035975	.075197	.039132
				6-11 MO.	.304730	.761101	.339737
				12-23 MO.	.600885	1.226116	.647242
				2-65+ YR.	1.365804	2.497985	1.499949
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	01	BAKED GOODS(R)	5	0-5 MO.	.010653	.014100	.020400
				6-11 MO.	.079587	.162307	.152400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	01	BAKED GOODS(R)	5	12-23 MO.	.170767	.281373	.327000
				2-65+ YR.	.429893	.638573	.823200
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	07	FROZN DAIRY(P)	*	0-5 MO.	.001720	.007052	.003600
				6-11 MO.	.016340	.045408	.034200
				12-23 MO.	.024768	.058136	.051840
				2-65+ YR.	.044032	.106124	.092160
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	16	SOFT CANDY(R)	4	0-5 MO.	.000584	.005840	.001200
				6-11 MO.	.006424	.019856	.013200
				12-23 MO.	.010220	.027156	.021000
				2-65+ YR.	.016936	.051392	.034800
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	20	GELATIN PUD(R)	*	0-5 MO.	.002200	.002970	.004667
				6-11 MO.	.014080	.042680	.029867
				12-23 MO.	.015180	.036960	.032200
				2-65+ YR.	.022440	.057750	.047600
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	23	BEV TYPE I(R)	*	0-5 MO.	.004640	.006960	.006000
				6-11 MO.	.043887	.150220	.056750
				12-23 MO.	.104787	.314167	.135500
				2-65+ YR.	.201067	.536887	.260000
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.032500
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	99	ALL CATEGORIES	5	0-5 MO.	.021997	.042722	.040267
				6-11 MO.	.201717	.532101	.369217
				12-23 MO.	.386121	.821652	.680340

TABLE 13. PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-ETHYL-2,6-DIMETHYLPYRAZ FEMA 3150E	99	ALL CATEGORIES	5	2-65+ YR.	.880918	1.679246	1.603860
2-ETHYL-1-HEXANOL FEMA 3151E	01	BAKED GOODS(R)	*	0-5 MO.	.115600	.153000	.153000
				6-11 MO.	.863600	1.761200	1.143000
				12-23 MO.	1.853000	3.053200	2.452500
				2-65+ YR.	4.664800	6.929200	6.174000
2-ETHYL-1-HEXANOL FEMA 3151E	07	FROZN DAIRY(R)	*	0-5 MO.	.010250	.042025	.017500
				6-11 MO.	.097375	.270600	.166250
				12-23 MO.	.147600	.346450	.252000
				2-65+ YR.	.262400	.632425	.448000
2-ETHYL-1-HEXANOL FEMA 3151E	16	SOFT CANDY(R)	*	0-5 MO.	.003550	.035500	.004850
				6-11 MO.	.039050	.120700	.053350
				12-23 MO.	.062125	.165075	.084875
				2-65+ YR.	.102950	.312400	.140650
2-ETHYL-1-HEXANOL FEMA 3151E	20	GELATIN PUD(R)	*	0-5 MO.	.020500	.027675	.035000
				6-11 MO.	.131200	.397700	.224000
				12-23 MO.	.141450	.344400	.241500
				2-65+ YR.	.209100	.538125	.357000
2-ETHYL-1-HEXANOL FEMA 3151E	23	BEV TYPE I(R)	*	0-5 MO.	.006720	.010080	.010200
				6-11 MO.	.063560	.217560	.096475
				12-23 MO.	.151760	.455000	.230350
				2-65+ YR.	.291200	.777560	.442000
2-ETHYL-1-HEXANOL FEMA 3151E	99	ALL CATEGORIES	*	0-5 MO.	.156620	.268280	.220550
				6-11 MO.	1.194785	2.767760	1.683075
				12-23 MO.	2.355935	4.364125	3.261225
				2-65+ YR.	5.530450	9.189710	7.561650
3-ET-2-MO-2-CYC-PENTENONE FEMA 3152E	01	BAKED GOODS(R)	4	0-5 MO.	.020913	.027679	.041185
				6-11 MO.	.156234	.318619	.307675
				12-23 MO.	.335226	.552355	.660170
				2-65+ YR.	.843909	1.253562	1.661932

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-ET-2-HO-2-CYC-PENTENONE FEMA 3152E	07	FROZN DAIRY(R)	4	0-5 MO.	.002283	.009360	.004755
				6-11 MO.	.021689	.060272	.045170
				12-23 MO.	.032875	.077166	.068468
				2-65+ YR.	.058445	.140862	.121721
3-ET-2-HO-2-CYC-PENTENONE FEMA 3152E	16	SOFT CANDY(R)	4	0-5 MO.	.001230	.012302	.002423
				6-11 MO.	.013532	.041826	.026649
				12-23 MO.	.021528	.057204	.042396
				2-65+ YR.	.035675	.108257	.070257
3-ET-2-HO-2-CYC-PENTENONE FEMA 3152E	20	GELATIN PUD(R)	4	0-5 MO.	.010415	.014060	.021208
				6-11 MO.	.066657	.202053	.135728
				12-23 MO.	.071864	.174974	.146332
				2-65+ YR.	.106234	.273396	.216317
3-ET-2-HO-2-CYC-PENTENONE FEMA 3152E	23	BEV TYPE I(R)	4	0-5 MO.	.004800	.007200	.010053
				6-11 MO.	.045400	.155400	.095083
				12-23 MO.	.108400	.325000	.227026
				2-65+ YR.	.208000	.555400	.435623
3-ET-2-HO-2-CYC-PENTENONE FEMA 3152E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000133	**********
				12-23 MO.	**********	.000267	**********
				2-65+ YR.	.043333	.125867	.108333
3-ET-2-HO-2-CYC-PENTENONE FEMA 3152E	99	ALL CATEGORIES	4	0-5 MO.	.039642	.070602	.079623
				6-11 MO.	.303511	.778303	.610306
				12-23 MO.	.569894	1.186965	1.144392
				2-65+ YR.	1.295597	2.457344	2.614182
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	01	BAKED GOODS(R)	4	0-5 MO.	.013855	.018338	.015980
				6-11 MO.	.103505	.211085	.119380
				12-23 MO.	.222088	.365935	.256150
				2-65+ YR.	.559090	.830485	.644840
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	07	FROZN DAIRY(R)	*	0-5 MO.	.003867	.015853	.003867

TABLE 14, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	07	FROZN DA(RY)(R)	*	6-11 MO.	.036733	.102080	.036733
				12-23 MO.	.055680	.130693	.055680
				2-65+ YR.	.098987	.238573	.098987
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	10	MEAT PRODS(R)	*	0-5 MO.	.004400	.011600	.008800
				6-11 MO.	.082800	.223200	.165600
				12-23 MO.	.120800	.207600	.241600
				2-65+ YR.	.313600	.520400	.627200
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	16	SOFT CANDY(R)	4	0-5 MO.	.000815	.008150	.000940
				6-11 MO.	.008965	.027710	.010340
				12-23 MO.	.014263	.037898	.016450
				2-65+ YR.	.023635	.071720	.027260
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	20	GELATIN PUD(R)	4	0-5 MO.	.005150	.006953	.005150
				6-11 MO.	.032960	.099910	.032960
				12-23 MO.	.035535	.086520	.035535
				2-65+ YR.	.052530	.135188	.052530
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	23	BEV TYPE I(R)	*	0-5 MO.	.006592	.009888	.009200
				6-11 MO.	.062349	.213416	.087017
				12-23 MO.	.148869	.446333	.207767
				2-65+ YR.	.285653	.762749	.398667
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000452	**********
				12-23 MO.	**********	.000904	**********
				2-65+ YR.	.146900	.426688	.213850
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.002914	.002914	.008509
				12-23 MO.	.002914	.008742	.008509
				2-65+ YR.	.005828	.011656	.017018
5-ET-3-HO-4-ME-2/5H/-FURA FEMA 3153E	99	ALL CATEGORIES	6	0-5 MO.	.034679	.070781	.043937
				6-11 MO.	.330227	.880767	.460539

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
5-ET-3-HC-4-ME-2/5H/-FURA FEMA 3153E	99	ALL CATEGORIES	6	12-23 MO.	.600148	1.284625	.821691
				2-65+ YR.	1.486223	2.997459	2.080351
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	01	BAKED GOODS(R)	5	0-5 MO.	.014416	.019080	.035360
				6-11 MO.	.107696	.219632	.264160
				12-23 MO.	.231080	.380752	.566800
				2-65+ YR.	.581728	.864112	1.426880
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	07	FROZN DAIRY(R)	4	0-5 MO.	.001775	.007278	.004500
				6-11 MO.	.016863	.046860	.042750
				12-23 MO.	.025560	.059995	.064800
				2-65+ YR.	.045440	.109518	.115200
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.005500
				6-11 MO.	.020700	.055800	.103500
				12-23 MO.	.030200	.051900	.151000
				2-65+ YR.	.078400	.130100	.392000
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	16	SOFT CANDY(R)	4	0-5 MO.	.000560	.005600	.001350
				6-11 MO.	.006160	.019040	.014850
				12-23 MO.	.009800	.026040	.023625
				2-65+ YR.	.016240	.049280	.039150
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	20	GELATIN PUD(R)	*	0-5 MO.	.002100	.002835	.005000
				6-11 MO.	.013440	.040740	.032000
				12-23 MO.	.014490	.035280	.034500
				2-65+ YR.	.021420	.055125	.051000
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	23	BEV TYPE I(R)	*	0-5 MO.	.002480	.003720	.008000
				6-11 MO.	.023457	.080290	.075667
				12-23 MO.	.056007	.167917	.180667
				2-65+ YR.	.107467	.286957	.346667
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	24	BEV TYPE II(R)	*	2-65+ YR.	.003250	.009440	.032500
2-ETHYL-5-METHYLPYRAZINE FEMA 3154E	99	ALL CATEGORIES	5	0-5 MO.	.022431	.041412	.059710
				6-11 MO.	.188315	.462372	.532927
				12-23 MO.	.367137	.721904	1.021392
				2-65+ YR.	.853945	1.504531	2.403397
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	01	BAKED GOODS(R)	7	0-5 MO.	.012920	.017100	.023664
				6-11 MO.	.096520	.196840	.176784
				12-23 MO.	.207100	.341240	.379320
				2-65+ YR.	.521360	.774440	.954912
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	07	FROZN DAIRY(R)	8	0-5 MO.	.002145	.008795	.003353
				6-11 MO.	.020378	.056628	.031857
				12-23 MO.	.030888	.072501	.048288
				2-65+ YR.	.054912	.132347	.085845
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.003300
				6-11 MO.	.020700	.055800	.062100
				12-23 MO.	.030200	.051900	.090600
				2-65+ YR.	.078400	.130100	.235200
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	16	SOFT CANDY(R)	7	0-5 MO.	.000560	.005600	.001093
				6-11 MO.	.006160	.019040	.012027
				12-23 MO.	.009800	.026040	.019133
				2-65+ YR.	.016240	.049280	.031707
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	20	GELATIN PUD(R)	4	0-5 MO.	.002090	.002822	.006080
				6-11 MO.	.013376	.040546	.038912
				12-23 MO.	.014421	.035112	.041952
				2-65+ YR.	.021318	.054863	.062016
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	23	BEV TYPE I(R)	6	0-5 MO.	.002136	.003204	.005798
				6-11 MO.	.020203	.069153	.054843
				12-23 MO.	.048238	.144625	.130947
				2-65+ YR.	.092560	.247153	.251264

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
3-ETHYL-2-METHYLPYRAZINE FEMA 3155E	99	ALL CATEGORIES	8	0-5 MO.	.020951	.040420	.043289
				6-11 MO.	.177337	.438017	.376523
				12-23 MO.	.340647	.671438	.710241
				2-65+ YR.	.788040	1.397622	1.653444
P@-ETHYLPHENOL FEMA 3156E	01	BAKED GOODS(R)	*	0-5 MO.	.017762	.023508	.042191
				6-11 MO.	.132691	.270607	.315191
				12-23 MO.	.284712	.469122	.676295
				2-65+ YR.	.716743	1.064666	1.702527
P@-ETHYLPHENOL FEMA 3156E	04	FATS OILS(R)	*	0-5 MO.	.000005	.000005	.000100
				6-11 MO.	.000028	.000075	.000560
				12-23 MO.	.000063	.000120	.001260
				2-65+ YR.	.000175	.000316	.003500
P@-ETHYLPHENOL FEMA 3156E	07	FROZN DAIRY(R)	*	0-5 MO.	.007960	.032636	.035720
				6-11 MO.	.075620	.210144	.339340
				12-23 MO.	.114624	.269048	.514368
				2-65+ YR.	.203776	.491132	.914432
P@-ETHYLPHENOL FEMA 3156E	10	MEAT PRODS(R)	*	0-5 MO.	.003046	.008030	.006091
				6-11 MO.	.057315	.154503	.114631
				12-23 MO.	.083620	.143704	.167239
				2-65+ YR.	.217079	.360229	.434158
P@-ETHYLPHENOL FEMA 3156E	16	SOFT CANDY(R)	*	0-5 MO.	.001864	.018640	.007688
				6-11 MO.	.020504	.063376	.084568
				12-23 MO.	.032620	.086676	.134540
				2-65+ YR.	.054056	.164032	.222952
P@-ETHYLPHENOL FEMA 3156E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
Pa-ETHYLPHENOL FEMA 3156E	20	GELATIN PUD(R)	*	6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
Pa-ETHYLPHENOL FEMA 3156E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.009552
				6-11 MO.	.022700	.077700	.090346
				12-23 MO.	.054200	.162500	.215716
				2-65+ YR.	.104000	.277700	.413920
Pa-ETHYLPHENOL FEMA 3156E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
Pa-ETHYLPHENOL FEMA 3156E	27	GRAVIES(R)	*	0-5 MO.	.000010	.000030	.000020
				6-11 MO.	.000140	.000390	.000280
				12-23 MO.	.000360	.001020	.000720
				2-65+ YR.	.000830	.002130	.001660
Pa-ETHYLPHENOL FEMA 3156E	99	ALL CATEGORIES	6	0-5 MO.	.037047	.091849	.109362
				6-11 MO.	.334599	.854595	.996116
				12-23 MO.	.597799	1.199790	1.765339
				2-65+ YR.	1.402459	2.654005	3.904749
ETHYL Pa-TOLYLOXYACETATE FEMA 3157E	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.136000
				6-11 MO.	.254000	.518000	1.016000
				12-23 MO.	.545000	.898000	2.180000
				2-65+ YR.	1.372000	2.038000	5.488000
ETHYL Pa-TOLYLOXYACETATE FEMA 3157E	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	**********
				6-11 MO.	.022000	.068000	**********
				12-23 MO.	.035000	.093000	**********
				2-65+ YR.	.058000	.176000	**********
ETHYL Pa-TOLYLOXYACETATE FEMA 3157E	23	BEV TYPE I(R)	*	0-5 MO.	.005747	.008621	.019200
				6-11 MO.	.054361	.186071	.181600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ETHYL PB-TOLYLOXYACETATE FEMA 3157E	23	BEV TYPE I(R)	*	12-23 MO.	.129795	.389145	.433600
				2-65+ YR.	.249053	.665018	.832000
ETHYL PB-TOLYLOXYACETATE FEMA 3157E	99	ALL CATEGORIES	*	0-5 MO.	.041747	.073621	.155200
				6-11 MO.	.330361	.772071	1.197600
				12-23 MO.	.709795	1.380145	2.613600
				2-65+ YR.	1.679053	2.879018	6.320000
2-FURANMETHANETHIOL FORMA FEMA 3158E	01	BAKED GOODS(R)	*	0-5 MO.	.001870	.002475	.001870
				6-11 MO.	.013970	.028490	.013970
				12-23 MO.	.029975	.046390	.029975
				2-65+ YR.	.075460	.112090	.075460
2-FURANMETHANETHIOL FORMA FEMA 3158E	07	FROZN DAIRY(R)	*	0-5 MO.	.000275	.001128	.000550
				6-11 MO.	.002613	.007260	.005225
				12-23 MO.	.003960	.009295	.007920
				2-65+ YR.	.007040	.016968	.014080
2-FURANMETHANETHIOL FORMA FEMA 3158E	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.001100
				6-11 MO.	.010350	.027900	.020700
				12-23 MO.	.015100	.025950	.030200
				2-65+ YR.	.039200	.065050	.078400
2-FURANMETHANETHIOL FORMA FEMA 3158E	16	SOFT CANDY(R)	*	0-5 MO.	.000060	.000600	.000120
				6-11 MO.	.000660	.002040	.001320
				12-23 MO.	.001050	.002790	.002100
				2-65+ YR.	.001740	.005280	.003480
2-FURANMETHANETHIOL FORMA FEMA 3158E	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.000400
				6-11 MO.	.001280	.003880	.002560
				12-23 MO.	.001380	.003360	.002760
				2-65+ YR.	.002040	.005250	.004080
2-FURANMETHANETHIOL FORMA FEMA 3158E	23	BEV TYPE I(R)	*	0-5 MO.	.001240	.001860	.001320
				6-11 MO.	.011728	.040145	.012485
				12-23 MO.	.028003	.083958	.029810

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-FURANMETHANETHIOL FORMA FEMA 3158E	23	BEV TYPE I(R)	*	2-65+ YR.	.053733	.143478	.057200
2-FURANMETHANETHIOL FORMA FEMA 3158E	59	ALL CATEGORIES	*	0-5 MO.	.004195	.007783	.005360
				6-11 MO.	.040601	.109715	.056260
				12-23 MO.	.079468	.174743	.102765
				2-65+ YR.	.179213	.348116	.232700
FURFURYL METHYL ETHER FEMA 3159E	01	BAKED GOODS(R)	*	0-5 MO.	.025500	.033750	.047600
				6-11 MO.	.190500	.388500	.355600
				12-23 MO.	.408750	.673500	.763000
				2-65+ YR.	1.029000	1.528500	1.920800
FURFURYL METHYL ETHER FEMA 3159E	07	FROZN DAIRY(R)	*	0-5 MO.	.003100	.012710	.006200
				6-11 MO.	.029450	.081840	.058900
				12-23 MO.	.044640	.104780	.089280
				2-65+ YR.	.079360	.191270	.158720
FURFURYL METHYL ETHER FEMA 3159E	10	MEAT PRODS(R)	*	0-5 MO.	.003438	.009063	.007150
				6-11 MO.	.064688	.174375	.134550
				12-23 MO.	.094375	.162188	.196300
				2-65+ YR.	.245000	.406563	.509600
FURFURYL METHYL ETHER FEMA 3159E	16	SOFT CANDY(R)	*	0-5 MO.	.001140	.011400	.002240
				6-11 MO.	.012540	.038760	.024640
				12-23 MO.	.019950	.053010	.039200
				2-65+ YR.	.033060	.100320	.064960
FURFURYL METHYL ETHER FEMA 3159E	20	GELATIN PUD(R)	*	0-5 MO.	.004500	.006075	.008500
				6-11 MO.	.028800	.087300	.054400
				12-23 MO.	.031050	.075600	.058650
				2-65+ YR.	.045900	.118125	.086700
FURFURYL METHYL ETHER FEMA 3159E	23	BEV TYPE I(R)	*	0-5 MO.	.002640	.003960	.005760
				6-11 MO.	.024970	.085470	.054480
				12-23 MO.	.059620	.178750	.130080
				2-65+ YR.	.114400	.305470	.249600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURYL METHYL ETHER FEMA 3159E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
FURFURYL METHYL ETHER FEMA 3159E	27	GRAVIES(R)	*	0-5 MO.	.000050	.000150	.000200
				6-11 MO.	.000700	.001950	.002800
				12-23 MO.	.001800	.005100	.007200
				2-65+ YR.	.004150	.010650	.016600
FURFURYL METHYL ETHER FEMA 3159E	99	ALL CATEGORIES	*	0-5 MO.	.040368	.077108	.077650
				6-11 MO.	.351648	.858395	.685370
				12-23 MO.	.660185	1.253328	1.283710
				2-65+ YR.	1.615870	2.849698	3.136980
FURFURYL METHYL SULFIDE FEMA 3160E	01	BAKED GOODS(R)	*	0-5 MO.	.010223	.013530	.019493
				6-11 MO.	.076369	.155745	.145627
				12-23 MO.	.163863	.269999	.312467
				2-65+ YR.	.412515	.612759	.786613
FURFURYL METHYL SULFIDE FEMA 3160E	07	FROZN DAIRY(R)	4	0-5 MO.	.001378	.005648	.002525
				6-11 MO.	.013086	.036366	.023988
				12-23 MO.	.019836	.046560	.036360
				2-65+ YR.	.035264	.084992	.064640
FURFURYL METHYL SULFIDE FEMA 3160E	10	MEAT PRODS(R)	*	0-5 MO.	.001760	.004640	.003520
				6-11 MO.	.033120	.089280	.066240
				12-23 MO.	.048320	.083040	.096640
				2-65+ YR.	.125440	.208160	.250880
FURFURYL METHYL SULFIDE FEMA 3160E	16	SOFT CANDY(R)	4	0-5 MO.	.000476	.004760	.000910
				6-11 MO.	.005236	.016184	.010010
				12-23 MO.	.008330	.022134	.015925
				2-65+ YR.	.013804	.041688	.026390
FURFURYL METHYL SULFIDE FEMA 3160E	20	GELATIN PUD(R)	*	0-5 MO.	.002007	.002709	.003400

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURYL METHYL SULFIDE FEMA 3160E	20	GELATIN PUD(R)	*	6-11 MO.	.012843	.038929	.021760
				12-23 MO.	.013846	.033712	.023460
				2-65+ YR.	.020468	.052675	.034680
FURFURYL METHYL SULFIDE FEMA 3160E	23	BEV TYPE I(R)	4	0-5 MO.	.001506	.002259	.002460
				6-11 MO.	.014244	.048757	.023268
				12-23 MO.	.034011	.101969	.055555
				2-65+ YR.	.065260	.174257	.106600
FURFURYL METHYL SULFIDE FEMA 3160E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000101	**********
				12-23 MO.	**********	.000201	**********
				2-65+ YR.	.032663	.094872	.066625
FURFURYL METHYL SULFIDE FEMA 3160E	99	ALL CATEGORIES	5	0-5 MO.	.017349	.033546	.032308
				6-11 MO.	.154899	.385362	.290892
				12-23 MO.	.288206	.557614	.540407
				2-65+ YR.	.705413	1.269602	1.336428
FURFURYL ISOPROPYL SULFID FEMA 3161E	01	BAKED GOODS(R)	*	0-5 MO.	.001269	.001680	.001927
				6-11 MO.	.009483	.019339	.014393
				12-23 MO.	.020347	.033525	.030883
				2-65+ YR.	.051221	.076085	.077747
FURFURYL ISOPROPYL SULFID FEMA 3161E	07	FROZN DAIRY(R)	4	0-5 MO.	.000365	.001497	.000650
				6-11 MO.	.003468	.009636	.006175
				12-23 MO.	.005256	.012337	.009360
				2-65+ YR.	.009344	.022521	.016640
FURFURYL ISOPROPYL SULFID FEMA 3161E	10	MEAT PRODS(R)	*	0-5 MO.	.000138	.000363	.000385
				6-11 MO.	.002588	.006975	.007245
				12-23 MO.	.003775	.006488	.010570
				2-65+ YR.	.009800	.016263	.027440
FURFURYL ISOPROPYL SULFID FEMA 3161E	16	SOFT CANDY(R)	4	0-5 MO.	.000066	.000660	.000110
				6-11 MO.	.000726	.002244	.001210

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURYL ISOPROPYL SULFID FEMA 3161E	16	SOFT CANDY(R)	4	12-23 MO.	.001155	.003069	.001925
				2-65+ YR.	.001914	.005808	.003190
FURFURYL ISOPROPYL SULFID FEMA 3161E	20	GELATIN PUDIR)	*	0-5 MO.	.000707	.000954	.000867
				6-11 MO.	.004523	.013709	.005547
				12-23 MO.	.004876	.011872	.005980
				2-65+ YR.	.007208	.018550	.008840
FURFURYL ISOPROPYL SULFID FEMA 3161E	23	BEV TYPE I(R)	4	0-5 MO.	.000756	.001134	.001260
				6-11 MO.	.007151	.024476	.011918
				12-23 MO.	.017073	.051188	.028455
				2-65+ YR.	.032760	.087476	.054600
FURFURYL ISOPROPYL SULFID FEMA 3161E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000003	**********
				12-23 MO.	**********	.000006	**********
				2-65+ YR.	.000975	.002832	.009750
FURFURYL ISOPROPYL SULFID FEMA 3161E	99	ALL CATEGORIES	4	0-5 MO.	.003300	.006287	.005198
				6-11 MO.	.027937	.076381	.046488
				12-23 MO.	.052482	.118484	.087173
				2-65+ YR.	.113222	.229534	.198207
FURFURYL THIOACETATE FEMA 3162E	01	BAKED GOODS(R)	4	0-5 MO.	.002610	.003454	.002610
				6-11 MO.	.019495	.039757	.019495
				12-23 MO.	.041829	.068922	.041829
				2-65+ YR.	.105301	.156417	.105301
FURFURYL THIOACETATE FEMA 3162E	07	FROZN DAIRY(R)	5	0-5 MO.	.000742	.003042	.000775
				6-11 MO.	.007049	.019589	.007363
				12-23 MO.	.010685	.025080	.011160
				2-65+ YR.	.018995	.045781	.019840
FURFURYL THIOACETATE FEMA 3162E	10	MEAT PRODS(R)	*	0-5 MO.	.000303	.000798	.001100
				6-11 MO.	.005693	.015345	.020700
				12-23 MO.	.008305	.014273	.030200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURYL THIOACETATE FEMA 3162E	10	MEAT PRODS(R)	*	2-65+ YR.	.021560	.035778	.078400
FURFURYL THIOACETATE FEMA 3162E	16	SOFT CANDY(R)	5	0-5 MO.	.000143	.001428	.000160
				6-11 MO.	.001571	.004855	.001760
				12-23 MO.	.002499	.006640	.002800
				2-65+ YR.	.004141	.012566	.004640
FURFURYL THIOACETATE FEMA 3162E	20	GELATIN PUD(R)	*	0-5 MO.	.000693	.000936	.000933
				6-11 MO.	.004437	.013451	.005973
				12-23 MO.	.004784	.011648	.006440
				2-65+ YR.	.007072	.018200	.009520
FURFURYL THIOACETATE FEMA 3162E	23	BEV TYPE I(R)	5	0-5 MO.	.001037	.001555	.001037
				6-11 MO.	.009806	.033566	.009806
				12-23 MO.	.023414	.070200	.023414
				2-65+ YR.	.044928	.119966	.044928
FURFURYL THIOACETATE FEMA 3162E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000003	**********
				12-23 MO.	**********	.000006	**********
				2-65+ YR.	.000975	.002832	.003250
FURFURYL THIOACETATE FEMA 3162E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000031	.000093	.000031
				12-23 MO.	.000093	.000279	.000093
				2-65+ YR.	.000186	.000527	.000186
FURFURYL THIOACETATE FEMA 3162E	99	ALL CATEGORIES	6	0-5 MO.	.005527	.011213	.006615
				6-11 MO.	.048082	.126659	.065128
				12-23 MO.	.091609	.197047	.115936
				2-65+ YR.	.203158	.392067	.266065
2-FURYL METHYL KETONE FEMA 3163E	01	BAKED GOODS(R)	*	0-5 MO.	.015543	.020571	.031571
				6-11 MO.	.116114	.236800	.235857
				12-23 MO.	.249143	.410514	.506071
				2-65+ YR.	.627200	.931657	1.274000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-FURYL METHYL KETONE FEMA 3163E	07	FROZN DAIRY(R)	*	0-5 MO.	.002714	.011129	.005571
				6-11 MO.	.025786	.071657	.052929
				12-23 MO.	.039086	.091743	.080229
				2-65+ YR.	.069486	.167471	.142629
2-FURYL METHYL KETONE FEMA 3163E	10	MEAT PRODS(R)	*	0-5 MO.	.004400	.011600	.008800
				6-11 MO.	.082800	.223200	.165600
				12-23 MO.	.120800	.207600	.241600
				2-65+ YR.	.313600	.520400	.627200
2-FURYL METHYL KETONE FEMA 3163E	16	SOFT CANDY(R)	4	0-5 MO.	.000925	.009250	.001857
				6-11 MO.	.010175	.031450	.020429
				12-23 MO.	.016188	.043013	.032500
				2-65+ YR.	.026825	.081400	.053857
2-FURYL METHYL KETONE FEMA 3163E	20	GELATIN PUD(R)	*	0-5 MO.	.003714	.005014	.007714
				6-11 MO.	.023771	.072057	.049371
				12-23 MO.	.025629	.062400	.053229
				2-65+ YR.	.037886	.097500	.078686
2-FURYL METHYL KETONE FEMA 3163E	23	BEV TYPE I(R)	*	0-5 MO.	.003429	.005143	.007200
				6-11 MO.	.032429	.111000	.068100
				12-23 MO.	.077429	.232143	.162600
				2-65+ YR.	.148571	.396714	.312000
2-FURYL METHYL KETONE FEMA 3163E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000175	**********
				12-23 MO.	**********	.000350	**********
				2-65+ YR.	.056875	.165200	.121875
2-FURYL METHYL KETONE FEMA 3163E	99	ALL CATEGORIES	4	0-5 MO.	.030725	.062707	.062714
				6-11 MO.	.291075	.746339	.592286
				12-23 MO.	.528273	1.047762	1.076229
				2-65+ YR.	1.280443	2.360343	2.610246
2,4-HEPTADIENAL -1R,TR FEMA 3164E	01	BAKED GOODS(R)	*	0-5 MO.	.001785	.002363	.003740

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,4-HEPTADIENAL -TR,TR FEMA 3164E	01	BAKED GOODS(R)	*	6-11 MO.	.013335	.027195	.027940
				12-23 MO.	.028613	.047145	.059950
				2-65+ YR.	.072030	.106995	.150920
2,4-HEPTADIENAL -TR,TR FEMA 3164E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
2,4-HEPTADIENAL -TR,TR FEMA 3164E	10	MEAT PRODS(R)	5	0-5 MO.	.001510	.003981	.003165
				6-11 MO.	.028414	.076593	.059561
				12-23 MO.	.041454	.071240	.086896
				2-65+ YR.	.107615	.178581	.225585
2,4-HEPTADIENAL -TR,TR FEMA 3164E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000053	**********
				6-11 MO.	.000420	.001155	.001280
				12-23 MO.	.001470	.003990	.004480
				2-65+ YR.	.004620	.011130	.014080
2,4-HEPTADIENAL -TR,TR FEMA 3164E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006600	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
2,4-HEPTADIENAL -TR,TR FEMA 3164E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
2,4-HEPTADIENAL -TR,TR FEMA 3164E	23	BEV TYPE I(R)	*	0-5 MO.	.001260	.001890	.002640
				6-11 MO.	.011918	.040793	.024970
				12-23 MO.	.028455	.085313	.059620
				2-65+ YR.	.054600	.145793	.114400
2,4-HEPTADIENAL -TR,TR FEMA 3164E	99	ALL CATEGORIES	6	0-5 MO.	.007755	.017086	.015945
				6-11 MO.	.078586	.217736	.162751

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,4-HEPTADIENAL -TR,TR FEMA 3164E	99	ALL CATEGORIES	6	12-23 MO.	.131691	.284388	.274346
				2-65+ YR.	.290665	.574298	.608585
2-HEPTENAL FEMA 3165E	01	BAKED GOODS(R)	4	0-5 MO.	.004945	.006545	.031364
				6-11 MO.	.036941	.075336	.234305
				12-23 MO.	.079263	.130602	.502741
				2-65+ YR.	.199539	.296400	1.265616
2-HEPTENAL FEMA 3165E	07	FROZN DAIRY(R)	4	0-5 MO.	.001139	.004669	.005479
				6-11 MO.	.010819	.030067	.052054
				12-23 MO.	.016400	.038494	.078902
				2-65+ YR.	.029156	.070269	.140271
2-HEPTENAL FEMA 3165E	10	MEAT PRODS(R)	*	0-5 MO.	.000165	.000435	.001137
				6-11 MO.	.003105	.008370	.021390
				12-23 MO.	.004530	.007785	.031207
				2-65+ YR.	.011760	.019515	.081013
2-HEPTENAL FEMA 3165E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000005	**********
				6-11 MO.	.000040	.000110	.000160
				12-23 MO.	.000140	.000380	.000560
				2-65+ YR.	.000440	.001060	.001760
2-HEPTENAL FEMA 3165E	16	SOFT CANDY(R)	4	0-5 MO.	.000156	.001563	.000955
				6-11 MO.	.001720	.005316	.010509
				12-23 MO.	.002736	.007270	.016719
				2-65+ YR.	.004534	.013759	.027706
2-HEPTENAL FEMA 3165E	20	GELATIN PUD(R)	*	0-5 MO.	.001463	.001975	.009554
				6-11 MO.	.009362	.028379	.061144
				12-23 MO.	.010093	.024575	.065921
				2-65+ YR.	.014921	.038399	.097448
2-HEPTENAL FEMA 3165E	23	BEV TYPE I(R)	7	0-5 MO.	.002155	.003233	.010171
				6-11 MO.	.020383	.069769	.096198
				12-23 MO.	.048668	.145913	.229689

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-HEPTENAL FEMA 3165E	23	BEV TYPE I(R)	7	2-65+ YR.	.093385	.249355	.440732
2-HEPTENAL FEMA 3165E	99	ALL CATEGORIES	9	0-5 MO.	.010023	.018425	.058659
				6-11 MO.	.082370	.217346	.475760
				12-23 MO.	.161830	.355020	.925739
				2-65+ YR.	.353734	.688756	2.054545
D&-HEXALACTONE FEMA 3167E	01	BAKED GOODS(R)	*	0-5 MO.	.042293	.055976	.084396
				6-11 MO.	.315953	.644345	.630487
				12-23 MO.	.677930	1.117030	1.352817
				2-65+ YR.	1.706643	2.535086	3.405624
D&-HEXALACTONE FEMA 3167E	07	FROZN DAIRY(R)	*	0-5 MO.	.006204	.025438	.012522
				6-11 MO.	.058941	.163794	.118955
				12-23 MO.	.089342	.209706	.180311
				2-65+ YR.	.158830	.382806	.320552
D&-HEXALACTONE FEMA 3167E	16	SOFT CANDY(R)	*	0-5 MO.	.002462	.024624	.004914
				6-11 MO.	.027087	.083723	.054051
				12-23 MO.	.043093	.114503	.085990
				2-65+ YR.	.071411	.216694	.142497
D&-HEXALACTONE FEMA 3167E	20	GELATIN PUD(R)	*	0-5 MO.	.006495	.008768	.013216
				6-11 MO.	.041568	.126002	.084581
				12-23 MO.	.044815	.109115	.091189
				2-65+ YR.	.066248	.170492	.134801
D&-HEXALACTONE FEMA 3167E	23	BEV TYPE I(R)	*	0-5 MO.	.004093	.006140	.008458
				6-11 MO.	.038717	.132524	.079997
				12-23 MO.	.092443	.277157	.191007
				2-65+ YR.	.177381	.473641	.366508
D&-HEXALACTONE FEMA 3167E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000310	**********
				12-23 MO.	**********	.000619	**********
				2-65+ YR.	.100633	.292300	.204984

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
D&-HEXALACTONE							
FEMA 3161E	99	ALL CATEGORIES	*	0-5 MO.	.061548	.120946	.123505
				6-11 MO.	.482265	1.150696	.968071
				12-23 MO.	.947623	1.628130	1.901313
				2-65+ YR.	2.281146	4.071019	4.574966
3,4-HEXANEDIONE							
FEMA 3168E	01	BAKED GOODS(R)	*	0-5 MO.	.013600	.018000	.027200
				6-11 MO.	.101600	.207200	.203200
				12-23 MO.	.218000	.359200	.436000
				2-65+ YR.	.548800	.815200	1.097600
3,4-HEXANEDIONE							
FEMA 3168E	07	FROZN DAIRY(R)	*	0-5 MO.	.004250	.017425	.008500
				6-11 MO.	.040375	.112200	.080750
				12-23 MO.	.061200	.143650	.122400
				2-65+ YR.	.108800	.262225	.217600
3,4-HEXANEDIONE							
FEMA 3168E	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
3,4-HEXANEDIONE							
FEMA 3168E	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
3,4-HEXANEDIONE							
FEMA 3168E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600
				6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
3,4-HEXANEDIONE							
FEMA 3168E	99	ALL CATEGORIES	*	0-5 MO.	.029150	.067125	.058300
				6-11 MO.	.301875	.787800	.603750
				12-23 MO.	.556100	1.133850	1.112200
				2-65+ YR.	1.286600	2.371325	2.573200
T2-HEXENOIC ACID							
FEMA 3169E	01	BAKED GOODS(R)	7	0-5 MO.	.048987	.064836	.099027

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
T2-HEXENOIC ACID FEMA 3169E	01	BAKED GOODS(R)	7	6-11 MO.	.365961	.746329	.739789
				12-23 MO.	.785230	1.293829	1.587343
				2-65+ YR.	1.976763	2.936329	3.996027
T2-HEXENOIC ACID FEMA 3169E	04	FATS OILS(R)	*	0-5 MO.	.000075	.000075	.000250
				6-11 MO.	.000420	.001125	.001400
				12-23 MO.	.000945	.001800	.003150
				2-65+ YR.	.002625	.004740	.008750
T2-HEXENOIC ACID FEMA 3169E	07	FROZN DAIRY(R)	4	0-5 MO.	.007602	.031170	.015181
				6-11 MO.	.072222	.200702	.144222
				12-23 MO.	.109474	.256959	.218610
				2-65+ YR.	.194620	.469065	.388639
T2-HEXENOIC ACID FEMA 3169E	16	SOFT CANDY(R)	5	0-5 MO.	.002968	.029679	.005913
				6-11 MO.	.032647	.100908	.065041
				12-23 MO.	.051938	.138007	.103475
				2-65+ YR.	.086069	.261174	.171472
T2-HEXENOIC ACID FEMA 3169E	20	GELATIN PUD(R)	4	0-5 MO.	.007581	.010235	.015162
				6-11 MO.	.048520	.147076	.097040
				12-23 MO.	.052310	.127364	.104621
				2-65+ YR.	.077328	.199007	.154657
T2-HEXENOIC ACID FEMA 3169E	23	BEV TYPE I(R)	4	0-5 MO.	.004859	.007288	.009661
				6-11 MO.	.045954	.157297	.091375
				12-23 MO.	.109723	.328967	.218174
				2-65+ YR.	.210539	.562179	.418637
T2-HEXENOIC ACID FEMA 3169E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000800	**********
				2-65+ YR.	.130000	.377600	.260000
T2-HEXENOIC ACID FEMA 3169E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000005	.000005	.000005

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
T2-HEXENOIC ACID FEMA 3169E	31	CHEWING GUM(R)	*	12-23 MO.	.000005	.000015	.000005
				2-65+ YR.	.000010	.000020	.000010
T2-HEXENOIC ACID FEMA 3169E	99	ALL CATEGORIES	9	0-5 MO.	.072072	.143282	.145194
				6-11 MO.	.565729	1.353842	1.138872
				12-23 MO.	1.109626	2.147742	2.235377
				2-65+ YR.	2.677954	4.810115	5.398192
T3-HEXENOIC ACID FEMA 3170E	01	BAKED GOODS(R)	5	0-5 MO.	.023705	.031374	.055136
				6-11 MO.	.177089	.361150	.411895
				12-23 MO.	.379974	.626086	.883790
				2-65+ YR.	.956558	1.420894	2.224880
T3-HEXENOIC ACID FEMA 3170E	07	FROZN DAIRY(R)	4	0-5 MO.	.003527	.014459	.008241
				6-11 MO.	.033502	.093100	.078288
				12-23 MO.	.050782	.119197	.118668
				2-65+ YR.	.090279	.217587	.210965
T3-HEXENOIC ACID FEMA 3170E	16	SOFT CANDY(R)	*	0-5 MO.	.001359	.013592	.002961
				6-11 MO.	.014951	.046212	.032569
				12-23 MO.	.023785	.063201	.051815
				2-65+ YR.	.039416	.119607	.085864
T3-HEXENOIC ACID FEMA 3170E	20	GELATIN PUD(R)	*	0-5 MO.	.003692	.004984	.009808
				6-11 MO.	.023627	.071618	.062773
				12-23 MO.	.025472	.082020	.067678
				2-65+ YR.	.037655	.096906	.100045
T3-HEXENOIC ACID FEMA 3170E	23	BEV TYPE I(R)	4	0-5 MO.	.002645	.003967	.008140
				6-11 MO.	.025016	.085629	.076995
				12-23 MO.	.059731	.179082	.183838
				2-65+ YR.	.114612	.306037	.352751
T3-HEXENOIC ACID FEMA 3170E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
T3-HEXENOIC ACID FEMA 3170E	24	BEV TYPE II(R)	*	2-65+ YR.	.065000	.188800	.130000
T3-HEXENOIC ACID FEMA 3170E	59	ALL CATEGORIES	5	0-5 MO.	.034927	.068376	.084286
				6-11 MO.	.274185	.657909	.662520
				12-23 MO.	.539745	1.049985	1.305787
				2-65+ YR.	1.303521	2.349830	3.104505
C3-HEXEN-1-YL ACETATE FEMA 3171E	01	BAKED GOODS(R)	7	0-5 MO.	.054067	.071559	.103082
				6-11 MO.	.403909	.823719	.770082
				12-23 MO.	.866654	1.427992	1.652341
				2-65+ YR.	2.181743	3.240810	4.159655
C3-HEXEN-1-YL ACETATE FEMA 3171E	07	FROZN DAIRY(R)	11	0-5 MO.	.007312	.029977	.014773
				6-11 MO.	.069460	.193026	.140344
				12-23 MO.	.105287	.247132	.212732
				2-65+ YR.	.187177	.451125	.378191
C3-HEXEN-1-YL ACETATE FEMA 3171E	16	SOFT CANDY(R)	8	0-5 MO.	.003012	.030119	.005958
				6-11 MO.	.033131	.102406	.065540
				12-23 MO.	.052709	.140055	.104268
				2-65+ YR.	.087346	.265051	.172786
C3-HEXEN-1-YL ACETATE FEMA 3171E	20	GELATIN PUD(R)	9	0-5 MO.	.008288	.011189	.016714
				6-11 MO.	.053046	.160795	.106971
				12-23 MO.	.057190	.139245	.115328
				2-65+ YR.	.084542	.217570	.170486
C3-HEXEN-1-YL ACETATE FEMA 3171E	23	BEV TYPE I(R)	11	0-5 MO.	.005511	.008267	.010813
				6-11 MO.	.052127	.178426	.102272
				12-23 MO.	.124462	.373156	.244191
				2-65+ YR.	.238820	.637696	.468559
C3-HEXEN-1-YL ACETATE FEMA 3171E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000407	**********
				12-23 MO.	**********	.000814	**********
				2-65+ YR.	.132210	.384019	.264420

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
C3-HEXEN-1-YL ACETATE FEMA 3171E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000015	.000045	.000016
				12-23 MO.	.000045	.000135	.000048
				2-65+ YR.	.000090	.000255	.000096
C3-HEXEN-1-YL ACETATE FEMA 3171E	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000007	.000007	.000007
				12-23 MO.	.000007	.000021	.000007
				2-65+ YR.	.000014	.000028	.000014
C3-HEXEN-1-YL ACETATE FEMA 3171E	99	ALL CATEGORIES	14	0-5 MO.	.078190	.151112	.151340
				6-11 MO.	.611695	1.458830	1.185232
				12-23 MO.	1.206354	2.328549	2.328916
				2-65+ YR.	2.911941	5.196553	5.614206
HEXYL ISOBUTYRATE FEMA 3172E	01	BAKED GOODS(R)	4	0-5 MO.	.054629	.072304	.108060
				6-11 MO.	.408114	.832296	.807272
				12-23 MO.	.875678	1.442861	1.732139
				2-65+ YR.	2.204460	3.274555	4.360541
HEXYL ISOBUTYRATE FEMA 3172E	07	FROZN DAIRY(R)	6	0-5 MO.	.008023	.032893	.015997
				6-11 MO.	.076216	.211800	.151974
				12-23 MO.	.115527	.271168	.230361
				2-65+ YR.	.205382	.495002	.409531
HEXYL ISOBUTYRATE FEMA 3172E	16	SOFT CANDY(R)	6	0-5 MO.	.003137	.031366	.006271
				6-11 MO.	.034503	.106645	.068976
				12-23 MO.	.054891	.145853	.109734
				2-65+ YR.	.090962	.276024	.181845
HEXYL ISOBUTYRATE FEMA 3172E	20	GELATIN PUD(R)	5	0-5 MO.	.008433	.011385	.016958
				6-11 MO.	.053974	.163608	.108533
				12-23 MO.	.058190	.141681	.117012
				2-65+ YR.	.086020	.221376	.172974
HEXYL ISOBUTYRATE FEMA 3172E	23	BEV TYPE I(R)	7	0-5 MO.	.007066	.010599	.016398

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL ISOBUTYRATE FEMA 3172E	23	BEV TYPE I(R)	7	6-11 MO.	.066830	.228752	.155094
				12-23 MO.	.159567	.478406	.370311
				2-65+ YR.	.306180	.817560	.710561
HEXYL ISOBUTYRATE FEMA 3172E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000401	**********
				12-23 MO.	**********	.000801	**********
				2-65+ YR.	.130231	.378270	.260462
HEXYL ISOBUTYRATE FEMA 3172E	99	ALL CATEGORIES	7	0-5 MO.	.081288	.158547	.163684
				6-11 MO.	.639636	1.543502	1.291849
				12-23 MO.	1.263854	2.480771	2.559558
				2-65+ YR.	3.023235	5.462787	6.095914
1-HYDROXY-2-BUTANONE FEMA 3173E	01	BAKED GOODS(R)	*	0-5 MO.	.042500	.056250	.079900
				6-11 MO.	.317500	.647500	.596900
				12-23 MO.	.681250	1.122500	1.280750
				2-65+ YR.	1.715000	2.547500	3.224200
1-HYDROXY-2-BUTANONE FEMA 3173E	07	FROZN DAIRY(R)	*	0-5 MO.	.005667	.023233	.016333
				6-11 MO.	.053833	.149600	.155167
				12-23 MO.	.081600	.191533	.235200
				2-65+ YR.	.145067	.349633	.418133
1-HYDROXY-2-BUTANONE FEMA 3173E	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.033000
				6-11 MO.	.103500	.279000	.621000
				12-23 MO.	.151000	.259500	.906000
				2-65+ YR.	.392000	.650500	2.352000
1-HYDROXY-2-BUTANONE FEMA 3173E	16	SOFT CANDY(R)	*	0-5 MO.	.001733	.017333	.004867
				6-11 MO.	.019067	.058933	.053533
				12-23 MO.	.030333	.080600	.085167
				2-65+ YR.	.050267	.152533	.141133
1-HYDROXY-2-BUTANONE FEMA 3173E	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.019000
				6-11 MO.	.076800	.232800	.121600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-HYDROXY-2-BUTANONE FEMA 3173E	20	GELATIN PUD(R)	*	12-23 MO.	.082800	.201600	.131100
				2-65+ YR.	.122400	.315000	.193800
1-HYDROXY-2-BUTANONE FEMA 3173E	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.034400
				6-11 MO.	.090800	.310800	.325367
				12-23 MO.	.216800	.650000	.776867
				2-65+ YR.	.416000	1.110800	1.490667
1-HYDROXY-2-BUTANONE FEMA 3173E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
1-HYDROXY-2-BUTANONE FEMA 3173E	99	ALL CATEGORIES	*	0-5 MO.	.077000	.141917	.187500
				6-11 MO.	.661500	1.679133	1.873567
				12-23 MO.	1.243783	2.506733	3.415083
				2-65+ YR.	3.003233	5.597967	8.144933
4-HO-2,5-ME2-3/2H/-FURANO FEMA 3174E	01	CAKED GOODS(R)	5	0-5 MO.	.035534	.047031	.070805
				6-11 MO.	.265462	.541375	.528955
				12-23 MO.	.569593	.938522	1.134963
				2-65+ YR.	1.433912	2.129965	2.857190
4-HO-2,5-ME2-3/2H/-FURANO FEMA 3174E	07	FROZN DAIRY(R)	6	0-5 MO.	.005406	.022167	.010494
				6-11 MO.	.051361	.142731	.099691
				12-23 MO.	.077853	.182739	.151110
				2-65+ YR.	.138406	.333579	.268640
4-HO-2,5-ME2-3/2H/-FURANO FEMA 3174E	16	SOFT CANDY(R)	6	0-5 MO.	.002120	.021202	.004103
				6-11 MO.	.023323	.072088	.045128
				12-23 MO.	.037104	.098591	.071794
				2-65+ YR.	.061487	.186581	.118973
4-HO-2,5-ME2-3/2H/-FURANO FEMA 3174E	20	GELATIN PUD(R)	6	0-5 MO.	.006613	.008927	.012138
				6-11 MO.	.042323	.128291	.077680
				12-23 MO.	.045629	.111097	.083749

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-HO-2,5-ME2-3/2H/-FURANO							
FEMA 3174E	20	GELATIN PUD(R)	6	2-65+ YR.	.067452	.173590	.123803
4-HO-2,5-ME2-3/2H/-FURANO							
FEMA 3174E	23	BEV TYPE I(R)	5	0-5 MO.	.004578	.006866	.007937
				6-11 MO.	.043296	.148200	.075072
				12-23 MO.	.103377	.309942	.179247
				2-65+ YR.	.198363	.529666	.343943
4-HO-2,5-ME2-3/2H/-FURANO							
FEMA 3174E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000360	**********
				12-23 MO.	**********	.000720	**********
				2-65+ YR.	.117033	.339934	.234325
4-HO-2,5-ME2-3/2H/-FURANO							
FEMA 3174E	99	ALL CATEGORIES	6	0-5 MO.	.054251	.106193	.105476
				6-11 MO.	.425765	1.033045	.826525
				12-23 MO.	.833557	1.641611	1.620862
				2-65+ YR.	2.016651	3.693315	3.946873
IONONE -G6							
FEMA 3175E	01	BAKED GOODS(R)	*	0-5 MO.	.026784	.035449	.053567
				6-11 MO.	.200090	.408058	.400181
				12-23 MO.	.429328	.707406	.858655
				2-65+ YR.	1.080803	1.605449	2.161606
IONONE -G6							
FEMA 3175E	07	FROZN DAIRY(R)	*	0-5 MO.	.003939	.016149	.007878
				6-11 MO.	.037417	.103981	.074837
				12-23 MO.	.056717	.133127	.113437
				2-65+ YR.	.100830	.243017	.201666
IONONE -G6							
FEMA 3175E	16	SOFT CANDY(R)	4	0-5 MO.	.001564	.015639	.003128
				6-11 MO.	.017203	.053173	.034406
				12-23 MO.	.027368	.072722	.054737
				2-65+ YR.	.045353	.137624	.090707
IONONE -G6							
FEMA 3175E	20	GELATIN PUD(R)	4	0-5 MO.	.004162	.005619	.008325
				6-11 MO.	.026637	.080745	.053277
				12-23 MO.	.028718	.069923	.057440
				2-65+ YR.	.042453	.109255	.084911

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
IONONE -G6 FEMA 3175E	23	BEV TYPE I(R)	4	0-5 MO.	.002546	.003819	.005093
				6-11 MO.	.024082	.082431	.048169
				12-23 MO.	.057500	.172394	.115011
				2-65+ YR.	.110332	.294608	.220686
IONONE -G6 FEMA 3175E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000206	**********
				12-23 MO.	**********	.000413	**********
				2-65+ YR.	.067048	.194750	.134097
IONONE -G6 FEMA 3175E	27	GRAVIES(R)	*	0-5 MO.	.000001	.000003	.000001
				6-11 MO.	.000014	.000039	.000014
				12-23 MO.	.000036	.000102	.000036
				2-65+ YR.	.000083	.000213	.000083
IONONE -G6 FEMA 3175E	99	ALL CATEGORIES	4	0-5 MO.	.038996	.076678	.077991
				6-11 MO.	.305444	.728633	.610884
				12-23 MO.	.599668	1.156087	1.199316
				2-65+ YR.	1.446904	2.584916	2.893754
PA-MENTHAN-2-ONE FEMA 3176E	01	BAKED GOODS(R)	*	0-5 MO.	.049300	.065250	.091800
				6-11 MO.	.368300	.751100	.685800
				12-23 MO.	.790250	1.302100	1.471500
				2-65+ YR.	1.989400	2.955100	3.704400
PA-MENTHAN-2-ONE FEMA 3176E	07	FROZN DAIRY(R)	5	0-5 MO.	.004566	.018721	.008313
				6-11 MO.	.043377	.120543	.078969
				12-23 MO.	.065751	.154332	.119700
				2-65+ YR.	.116891	.281725	.212800
PA-MENTHAN-2-ONE FEMA 3176E	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.022000
				6-11 MO.	.207000	.558000	.414000
				12-23 MO.	.302000	.519000	.604000
				2-65+ YR.	.784000	1.301000	1.568000
PA-MENTHAN-2-ONE FEMA 3176E	16	SOFT CANDY(R)	5	0-5 MO.	.001808	.018075	.003513

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PA-MENTHAN-2-ONE FEMA 3176E	16	SOFT CANDY(R)	5	6-11 MO.	.019883	.061457	.038638
				12-23 MO.	.031632	.084051	.061469
				2-65+ YR.	.052419	.159064	.101863
PA-MENTHAN-2-ONE FEMA 3176E	20	GELATIN PUD(R)	*	0-5 MO.	.014667	.019800	.017000
				6-11 MO.	.093867	.284533	.108800
				12-23 MO.	.101200	.246400	.117300
				2-65+ YR.	.149600	.385000	.173400
PA-MENTHAN-2-ONE FEMA 3176E	23	BEV TYPE I(R)	5	0-5 MO.	.011941	.017911	.023558
				6-11 MO.	.112940	.386582	.222818
				12-23 MO.	.269662	.808488	.532016
				2-65+ YR.	.517432	1.381643	1.020842
PA-MENTHAN-2-ONE FEMA 3176E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000305	**********
				12-23 MO.	**********	.000611	**********
				2-65+ YR.	.099211	.288168	.177039
PA-MENTHAN-2-ONE FEMA 3176E	99	ALL CATEGORIES	6	0-5 MO.	.093281	.168757	.166183
				6-11 MO.	.845367	2.162520	1.549025
				12-23 MO.	1.560495	3.114981	2.905985
				2-65+ YR.	3.708952	6.751700	6.958344
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	01	BAKED GOODS(R)	*	0-5 MO.	.002122	.002808	.004787
				6-11 MO.	.015850	.032323	.035763
				12-23 MO.	.034008	.056035	.076736
				2-65+ YR.	.085613	.127171	.193178
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	07	FROZN DAIRY(R)	4	0-5 MO.	.000903	.003704	.000903
				6-11 MO.	.008582	.023848	.008582
				12-23 MO.	.013008	.030533	.013008
				2-65+ YR.	.023125	.055736	.023125
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	16	SOFT CANDY(R)	*	0-5 MO.	.000125	.001248	.000282
				6-11 MO.	.001373	.004243	.003098

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	16	SOFT CANDY(R)	*	12-23 MO.	.002184	.005803	.004928
				2-65+ YR.	.003619	.010982	.008166
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	20	GELATIN PUD(R)	*	0-5 MO.	.001248	.001685	.012416
				6-11 MO.	.007987	.024211	.079462
				12-23 MO.	.008611	.020966	.085670
				2-65+ YR.	.012730	.032760	.126643
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	23	BEV TYPE I(R)	4	0-5 MO.	.000964	.001446	.000964
				6-11 MO.	.009118	.031210	.009118
				12-23 MO.	.021770	.065271	.021770
				2-65+ YR.	.041773	.111543	.041773
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.006500
PA-MENTHA-8-THIOL-3-ONE FEMA 3177E	99	ALL CATEGORIES	4	0-5 MO.	.005362	.010890	.019352
				6-11 MO.	.042909	.115845	.136023
				12-23 MO.	.079582	.178628	.202113
				2-65+ YR.	.170110	.347632	.399386
PA-MENTH-1-ENE-9-AL FEMA 3178E	01	BAKED GOODS(R)	*	0-5 MO.	.014450	.019125	.028900
				6-11 MO.	.107950	.220150	.215900
				12-23 MO.	.231625	.381650	.463250
				2-65+ YR.	.583100	.866150	1.166200
PA-MENTH-1-ENE-9-AL FEMA 3178E	07	FROZN DAIRY(R)	*	0-5 MO.	.002833	.011617	.005667
				6-11 MO.	.026917	.074800	.053833
				12-23 MO.	.040800	.095767	.081600
				2-65+ YR.	.072533	.174817	.145067
PA-MENTH-1-ENE-9-AL FEMA 3178E	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.001100
				6-11 MO.	.010350	.027900	.020700
				12-23 MO.	.015100	.025950	.030200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PA-MENTH-1-ENE-9-AL FEMA 3178E	10	MEAT PRODS(R)	*	2-65+ YR.	.039200	.065050	.078400
PA-MENTH-1-ENE-9-AL FEMA 3178E	16	SOFT CANDY(R)	*	0-5 MO.	.001100	.011000	.002200
				6-11 MO.	.012100	.037400	.024200
				12-23 MO.	.019250	.051150	.038500
				2-65+ YR.	.031900	.096800	.063800
PA-MENTH-1-ENE-9-AL FEMA 3178E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
PA-MENTH-1-ENE-9-AL FEMA 3178E	23	BEV TYPE I(R)	*	0-5 MO.	.002000	.003000	.004000
				6-11 MO.	.018917	.064750	.037833
				12-23 MO.	.045167	.135417	.090333
				2-65+ YR.	.086667	.231417	.173333
PA-MENTH-1-ENE-9-AL FEMA 3178E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
PA-MENTH-1-ENE-9-AL FEMA 3178E	99	ALL CATEGORIES	*	0-5 MO.	.024933	.051592	.049867
				6-11 MO.	.201833	.502800	.403667
				12-23 MO.	.379542	.757533	.759083
				2-65+ YR.	.919200	1.728033	1.838400
PA-MENTH-1-EN-3-OL FEMA 3179E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
PA-MENTH-1-EN-3-OL FEMA 3179E	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
Pa-MENTH-1-EN-3-OL FEMA 3179E	16	SOFT CANDY(R)	*	0-5 MO.	.001267	.012667	.002533
				6-11 MO.	.013933	.043067	.027867
				12-23 MO.	.022167	.058900	.044333
				2-65+ YR.	.036733	.111467	.073467
Pa-MENTH-1-EN-3-OL FEMA 3179E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
Pa-MENTH-1-EN-3-OL FEMA 3179E	23	BEV TYPE I(R)	*	0-5 MO.	.003200	.004800	.006400
				6-11 MO.	.030267	.103600	.060533
				12-23 MO.	.072267	.216667	.144533
				2-65+ YR.	.138667	.370267	.277333
Pa-MENTH-1-EN-3-OL FEMA 3179E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
Pa-MENTH-1-EN-3-OL FEMA 3179E	99	ALL CATEGORIES	*	0-5 MO.	.014867	.045167	.029733
				6-11 MO.	.129900	.369467	.259800
				12-23 MO.	.234733	.568367	.469467
				2-65+ YR.	.526000	1.235333	1.052000
2-MERCAPTOPROPIONIC ACID FEMA 3180E	01	BAKED GOODS(R)	*	0-5 MO.	.010023	.013266	.066675
				6-11 MO.	.074881	.152709	.498104
				12-23 MO.	.160669	.264735	1.068766
				2-65+ YR.	.404473	.600813	2.690546
2-MERCAPTOPROPIONIC ACID FEMA 3180E	07	FROZN DAIRY(R)	*	0-5 MO.	.001036	.004250	.009781
				6-11 MO.	.009847	.027363	.092920
				12-23 MO.	.014926	.035034	.140847
				2-65+ YR.	.026534	.063952	.250394
2-MERCAPTOPROPIONIC ACID FEMA 3180E	10	MEAT PRODS(R)	4	0-5 MO.	.007242	.019094	.065908

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-MERCAPTOPROPIONIC ACID FEMA 3180E	10	MEAT PRODS(R)	4	6-11 MO.	.136290	.367391	1.240260
				12-23 MO.	.198839	.341713	1.809461
				2-65+ YR.	.516191	.856588	4.697409
2-MERCAPTOPROPIONIC ACID FEMA 3180E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000784	**********
				6-11 MO.	.006273	.017250	.012727
				12-23 MO.	.021955	.059591	.044545
				2-65+ YR.	.069000	.166227	.140000
2-MERCAPTOPROPIONIC ACID FEMA 3180E	16	SOFT CANDY(R)	*	0-5 MO.	.000207	.002073	.001901
				6-11 MO.	.002280	.007048	.020915
				12-23 MO.	.003628	.009639	.033275
				2-65+ YR.	.006012	.018242	.055141
2-MERCAPTOPROPIONIC ACID FEMA 3180E	20	GELATIN PUD(R)	*	0-5 MO.	.002073	.002799	.019562
				6-11 MO.	.013267	.040216	.125197
				12-23 MO.	.014304	.034826	.134978
				2-65+ YR.	.021145	.054416	.199533
2-MERCAPTOPROPIONIC ACID FEMA 3180E	23	BEV TYPE I(R)	*	0-5 MO.	.002979	.004469	.020524
				6-11 MO.	.028179	.096455	.194124
				12-23 MO.	.067283	.201724	.463503
				2-65+ YR.	.129103	.344731	.889379
2-MERCAPTOPROPIONIC ACID FEMA 3180E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.325000
2-MERCAPTOPROPIONIC ACID FEMA 3180E	99	ALL CATEGORIES	7	0-5 MO.	.023562	.046734	.184351
				6-11 MO.	.271017	.708533	2.184247
				12-23 MO.	.481602	.947463	3.695376
				2-65+ YR.	1.204958	2.199369	9.247401
P-METHOXY-AC-METHYLCINNA FEMA 3182E	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.054400
				6-11 MO.	.203200	.414400	.406400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PA-METHOXY-A&-METHYLCINNA FEMA 3182E	01	BAKED GOODS(R)	*	12-23 MO.	.436000	.718400	.872000
				2-65+ YR.	1.097600	1.630400	2.195200
PA-METHOXY-A&-METHYLCINNA FEMA 3182E	16	SOFT CANDY(R)	*	0-5 MO.	.001450	.014500	.002900
				6-11 MO.	.015950	.049300	.031900
				12-23 MO.	.025375	.067425	.050750
				2-65+ YR.	.042050	.127600	.084100
PA-METHOXY-A&-METHYLCINNA FEMA 3182E	23	BEV TYPE I(R)	*	0-5 MO.	.002100	.003150	.004200
				6-11 MO.	.019863	.067988	.039725
				12-23 MO.	.047425	.142188	.094850
				2-65+ YR.	.091000	.242988	.182000
PA-METHOXY-A&-METHYLCINNA FEMA 3182E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
PA-METHOXY-A&-METHYLCINNA FEMA 3182E	99	ALL CATEGORIES	*	0-5 MO.	.030750	.053650	.061500
				6-11 MO.	.239013	.531888	.478025
				12-23 MO.	.508800	.928413	1.017600
				2-65+ YR.	1.295650	2.189788	2.591300
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	01	BAKED GOODS(R)	8	0-5 MO.	.012494	.016536	.019679
				6-11 MO.	.093336	.190347	.147015
				12-23 MO.	.200269	.329984	.315445
				2-65+ YR.	.504162	.748894	.794112
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	07	FROZN DAIRY(R)	9	0-5 MO.	.002061	.008449	.005396
				6-11 MO.	.019577	.054404	.051260
				12-23 MO.	.029675	.069654	.077699
				2-65+ YR.	.052755	.127149	.138131
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.002200
				6-11 MO.	.010350	.027900	.041400
				12-23 MO.	.015100	.025950	.060400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	10	MEAT PRODS(R)	*	2-65+ YR.	.039200	.065050	.156800
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	16	SOFT CANDY(R)	8	0-5 MO.	.000724	.007239	.001150
				6-11 MO.	.007962	.024611	.012651
				12-23 MO.	.012667	.033659	.020127
				2-65+ YR.	.020992	.063699	.033353
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	20	GELATIN PUD(R)	4	0-5 MO.	.007988	.010784	.011709
				6-11 MO.	.051123	.154966	.074937
				12-23 MO.	.055117	.134197	.080792
				2-65+ YR.	.081477	.209683	.119431
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	23	BEV TYPE I(R)	5	0-5 MO.	.001000	.001500	.001495
				6-11 MO.	.009461	.032385	.014139
				12-23 MO.	.022590	.067728	.033759
				2-65+ YR.	.043346	.115743	.064778
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.002655	.007965	.002655
				12-23 MO.	.007965	.023895	.007965
				2-65+ YR.	.015930	.045135	.015930
2-METHOXY-X-METHYLPYRAZIN FEMA 3183E	99	ALL CATEGORIES	11	0-5 MO.	.024817	.045958	.041629
				6-11 MO.	.194465	.492588	.344057
				12-23 MO.	.343383	.685087	.596187
				2-65+ YR.	.761113	1.384793	1.355035
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	01	BAKED GOODS(R)	*	0-5 MO.	.021250	.028125	.041650
				6-11 MO.	.158750	.323750	.311150
				12-23 MO.	.340625	.561250	.667625
				2-65+ YR.	.857500	1.273750	1.680700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	07	FROZN DAIRY(R)	*	0-5 MO.	.003200	.013120	.007000
				6-11 MO.	.030400	.084480	.066500
				12-23 MO.	.046080	.108160	.100800
				2-65+ YR.	.081920	.197440	.179200
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	10	MEAT PRODS(R)	*	0-5 MO.	.004125	.010875	.009350
				6-11 MO.	.077625	.209250	.175950
				12-23 MO.	.113250	.194625	.256700
				2-65+ YR.	.294000	.487875	.666400
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	16	SOFT CANDY(R)	*	0-5 MO.	.001120	.011200	.002360
				6-11 MO.	.012320	.038080	.025960
				12-23 MO.	.019600	.052080	.041300
				2-65+ YR.	.032480	.098560	.068440
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	20	GELATIN PUD(R)	*	0-5 MO.	.003500	.004725	.006560
				6-11 MO.	.022400	.067900	.041600
				12-23 MO.	.024150	.058800	.044850
				2-65+ YR.	.035700	.091875	.066300
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	23	BEV TYPE I(R)	*	0-5 MO.	.003360	.005040	.008160
				6-11 MO.	.031780	.108780	.077180
				12-23 MO.	.075880	.227500	.184280
				2-65+ YR.	.145600	.388780	.353600
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
1-METHYL-2-ACETYLPYRROLE FEMA 3184E	99	ALL CATEGORIES	*	0-5 MO.	.036555	.073085	.075020
				6-11 MO.	.333275	.832440	.698340
				12-23 MO.	.619585	1.202815	1.295555
				2-65+ YR.	1.512200	2.727080	3.144640
4-METHYLBIPHENYL FEMA 3186E	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.005000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-METHYLBIPHENYL FEMA 3186E	07	FROZN DAIRY(R)	*	6-11 MO.	.028500	.079200	.047500
				12-23 MO.	.043200	.101400	.072000
				2-65+ YR.	.076800	.185100	.128000
4-METHYLBIPHENYL FEMA 3186E	10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.005500
				6-11 MO.	.062100	.167400	.103500
				12-23 MO.	.090600	.155700	.151000
				2-65+ YR.	.235200	.390300	.392000
4-METHYLBIPHENYL FEMA 3186E	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001000
				6-11 MO.	.008800	.027200	.011000
				12-23 MO.	.014000	.037200	.017500
				2-65+ YR.	.023200	.070400	.029000
4-METHYLBIPHENYL FEMA 3186E	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.012000
				6-11 MO.	.068100	.233100	.113500
				12-23 MO.	.162600	.487500	.271000
				2-65+ YR.	.312000	.833100	.520000
4-METHYLBIPHENYL FEMA 3186E	99	ALL CATEGORIES	*	0-5 MO.	.014300	.039800	.023500
				6-11 MO.	.167500	.506900	.275500
				12-23 MO.	.310400	.781800	.511500
				2-65+ YR.	.647200	1.478900	1.069000
3-METHYLCROTONIC ACID FEMA 3187E	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.013600
				6-11 MO.	.050800	.103600	.101600
				12-23 MO.	.109000	.179600	.218000
				2-65+ YR.	.274400	.407600	.548800
3-METHYLCROTONIC ACID FEMA 3187E	07	FROZN DAIRY(R)	*	0-5 MO.	.001930	.007911	.004789
				6-11 MO.	.018331	.050941	.045493
				12-23 MO.	.027786	.065220	.068958
				2-65+ YR.	.049397	.119055	.122592
3-METHYLCROTONIC ACID FEMA 3187E	16	SOFT CANDY(R)	*	0-5 MO.	.000439	.004395	.000986
				6-11 MO.	.004834	.014942	.010845

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	AGE	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-METHYLCROTONIC ACID FEMA 3187E	16	SOFT CANDY(R)	*	12-23 MO.	.007691	.020436	.017254
				2-65+ YR.	.012745	.038674	.028592
3-METHYLCROTONIC ACID FEMA 3187E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.009859
				6-11 MO.	.025600	.077600	.063099
				12-23 MO.	.027600	.067200	.068028
				2-65+ YR.	.040800	.105000	.100563
3-METHYLCROTONIC ACID FEMA 3187E	23	BEV TYPE 1(R)	*	0-5 MO.	.001465	.002198	.002569
				6-11 MO.	.013859	.047438	.024299
				12-23 MO.	.033091	.099210	.058017
				2-65+ YR.	.063495	.169543	.111324
3-METHYLCROTONIC ACID FEMA 3187E	99	ALL CATEGORIES	*	0-5 MO.	.014634	.028904	.031803
				6-11 MO.	.113424	.294521	.245335
				12-23 MO.	.205167	.431666	.430256
				2-65+ YR.	.440837	.839872	.911870
2-METHYL-3-FURANTHIOL FEMA 3188E	C1	BAKED GOODS(R)	*	0-5 MO.	.000340	.000450	.003400
				6-11 MO.	.002540	.005180	.025400
				12-23 MO.	.005450	.008980	.054500
				2-65+ YR.	.013720	.020380	.137200
2-METHYL-3-FURANTHIOL FEMA 3188E	C7	FROZN DAIRY(R)	*	0-5 MO.	.000100	.000410	.001000
				6-11 MO.	.000950	.002640	.009500
				12-23 MO.	.001440	.003380	.014400
				2-65+ YR.	.002560	.006170	.025600
2-METHYL-3-FURANTHIOL FEMA 3188E	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	.001100
				6-11 MO.	.002070	.005580	.020700
				12-23 MO.	.003020	.005140	.030200
				2-65+ YR.	.007840	.013010	.078400
2-METHYL-3-FURANTHIOL FEMA 3188E	16	SOFT CANDY(R)	*	0-5 MO.	.000020	.000200	.000200
				6-11 MO.	.000220	.000680	.002200
				12-23 MO.	.000350	.000930	.003500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYL-3-FURANTHIOL FEMA 3188E	16	SOFT CANDY(R)	*	2-65+ YR.	.000580	.001760	.005800
2-METHYL-3-FURANTHIOL FEMA 3188E	20	GELATIN PUD(R)	*	0-5 MO.	.000100	.000135	.001000
				6-11 MO.	.000640	.001940	.006400
				12-23 MO.	.000690	.001680	.006900
				2-65+ YR.	.001020	.002625	.010200
2-METHYL-3-FURANTHIOL FEMA 3188E	23	BEV TYPE I(R)	*	0-5 MO.	.000120	.000180	.002400
				6-11 MO.	.001135	.003885	.022700
				12-23 MO.	.002710	.008125	.054200
				2-65+ YR.	.005200	.013885	.104000
2-METHYL-3-FURANTHIOL FEMA 3188E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000005	**********
				12-23 MO.	**********	.000010	**********
				2-65+ YR.	.001625	.004720	.032500
2-METHYL-3-FURANTHIOL FEMA 3188E	99	ALL CATEGORIES	*	0-5 MO.	.000790	.001665	.009100
				6-11 MO.	.007555	.019910	.086900
				12-23 MO.	.013660	.028295	.163700
				2-65+ YR.	.032545	.062550	.393700
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	01	BAKED GOODS(R)	*	0-5 MO.	.001700	.002250	.004080
				6-11 MO.	.012700	.025900	.030480
				12-23 MO.	.027250	.044900	.065400
				2-65+ YR.	.068600	.101900	.164640
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	07	FROZN DAIRY(R)	*	0-5 MO.	.000467	.001913	.000867
				6-11 MO.	.004433	.012320	.008233
				12-23 MO.	.006720	.015773	.012480
				2-65+ YR.	.011947	.028793	.022187
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	10	MEAT PRODS(R)	*	0-5 MO.	.000330	.000870	.000660
				6-11 MO.	.006210	.016740	.012420
				12-23 MO.	.009060	.015570	.018120
				2-65+ YR.	.023520	.039030	.047040

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	16	SOFT CANDY(R)	*	0-5 MO.	.000100	.001000	.000240
				6-11 MO.	.001100	.003400	.002640
				12-23 MO.	.001750	.004650	.004200
				2-65+ YR.	.002900	.008800	.006960
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	20	GELATIN PUD(R)	*	0-5 MO.	.001100	.001485	.002000
				6-11 MO.	.007040	.021340	.012800
				12-23 MO.	.007590	.018480	.013800
				2-65+ YR.	.011220	.028875	.020400
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	23	BEV TYPE I(R)	*	0-5 MO.	.001120	.001680	.002080
				6-11 MO.	.010593	.036260	.019673
				12-23 MO.	.025293	.075833	.046973
				2-65+ YR.	.048533	.129593	.090133
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.032500
ME-X-FURFURYL-THIOPYRAZIN FEMA 3189E	99	ALL CATEGORIES	*	0-5 MO.	.004817	.009198	.009927
				6-11 MO.	.042077	.115970	.086247
				12-23 MO.	.077663	.175227	.160973
				2-65+ YR.	.169970	.346432	.383860
5-METHYL-2,3-HEXANEDIONE FEMA 3190E	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	**********
				6-11 MO.	.508000	1.036000	**********
				12-23 MO.	1.090000	1.796000	**********
				2-65+ YR.	2.744000	4.076000	**********
5-METHYL-2,3-HEXANEDIONE FEMA 3190E	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.020000
				6-11 MO.	.095000	.264000	.190000
				12-23 MO.	.144000	.338000	.288000
				2-65+ YR.	.256000	.617000	.512000
5-METHYL-2,3-HEXANEDIONE FEMA 3190E	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.004000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
5-METHYL-2,3-HEXANEDIONE FEMA 3190E	16	SOFT CANDY(R)	*	6-11 MO.	.022000	.068000	.044000
				12-23 MO.	.035000	.093000	.070000
				2-65+ YR.	.058000	.176000	.116000
5-METHYL-2,3-HEXANEDIONE FEMA 3190E	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000
				6-11 MO.	.128000	.388000	.256000
				12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
5-METHYL-2,3-HEXANEDIONE FEMA 3190E	23	BEV TYPE I(R)	*	0-5 MO.	.014400	.021600	.014400
				6-11 MO.	.136200	.466200	.136200
				12-23 MO.	.325200	.975000	.325200
				2-65+ YR.	.624000	1.666200	.624000
5-METHYL-2,3-HEXANEDIONE FEMA 3190E	99	ALL CATEGORIES	*	0-5 MO.	.114400	.199600	.078400
				6-11 MO.	.889200	2.222200	.626200
				12-23 MO.	1.732200	3.538000	.959200
				2-65+ YR.	3.886000	7.060200	1.660000
2-METHYLHEXANOIC ACID FEMA 3191E	01	BAKED GOODS(R)	*	0-5 MO.	.010200	.013500	.013600
				6-11 MO.	.076200	.155400	.101600
				12-23 MO.	.163500	.269400	.218000
				2-65+ YR.	.411600	.611400	.548800
2-METHYLHEXANOIC ACID FEMA 3191E	16	SOFT CANDY(R)	*	0-5 MO.	.000300	.003000	.000800
				6-11 MO.	.003300	.010200	.008800
				12-23 MO.	.005250	.013950	.014000
				2-65+ YR.	.008700	.026400	.023200
2-METHYLHEXANOIC ACID FEMA 3191E	20	GELATIN PUD(R)	*	0-5 MO.	.003000	.004050	.007000
				6-11 MO.	.019200	.058200	.044800
				12-23 MO.	.020700	.050400	.048300
				2-65+ YR.	.030600	.078750	.071400
2-METHYLHEXANOIC ACID FEMA 3191E	99	ALL CATEGORIES	*	0-5 MO.	.013500	.020550	.021400
				6-11 MO.	.098700	.223800	.155200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLHEXANOIC ACID FEMA 3191E	99	ALL CATEGORIES	*	12-23 MO.	.189450	.333750	.280300
				2-65+ YR.	.450900	.716550	.643400
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	01	BAKED GOODS(R)	*	0-5 MO.	.016150	.021375	.027200
				6-11 MO.	.120650	.246050	.203200
				12-23 MO.	.258875	.428550	.436000
				2-65+ YR.	.651700	.968050	1.097600
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.004000
				6-11 MO.	.019000	.052800	.038000
				12-23 MO.	.028800	.067600	.057600
				2-65+ YR.	.051200	.123400	.102400
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	10	MEAT PRODS(R)	4	0-5 MO.	.004895	.012905	.011550
				6-11 MO.	.092115	.248310	.217350
				12-23 MO.	.134390	.230955	.317100
				2-65+ YR.	.348880	.578945	.823200
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000015	**********
				6-11 MO.	.000120	.000331	.000401
				12-23 MO.	.000421	.001144	.001403
				2-65+ YR.	.001324	.003191	.004409
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001600
				6-11 MO.	.008800	.027200	.017600
				12-23 MO.	.014000	.037200	.028000
				2-65+ YR.	.023200	.070400	.046400
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	21	SOUPS(R)	*	0-5 MO.	.000100	.000750	.000400
				6-11 MO.	.011650	.036350	.046600
				12-23 MO.	.017400	.048050	.069600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	21	SOUPS(R)	*	2-65+ YR.	.015850	.042250	.063400
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	23	BEV TYPE I(R)	*	0-5 MO.	.002800	.004200	.006400
				6-11 MO.	.026483	.090650	.060533
				12-23 MO.	.063233	.189583	.144533
				2-65+ YR.	.121333	.323983	.277333
2-METHYL-5-METHOXYTHIAZOL FEMA 3192E	99	ALL CATEGORIES	5	0-5 MO.	.030745	.060845	.059150
				6-11 MO.	.304419	.779291	.634884
				12-23 MO.	.544720	1.068282	1.109436
				2-65+ YR.	1.254288	2.215219	2.496342
1-METHYLNAPHTHALENE FEMA 3193E	07	FROZN DAIRY(R)	*	0-5 MO.	.000300	.001230	.002000
				6-11 MO.	.002850	.007920	.019000
				12-23 MO.	.004320	.010140	.028800
				2-65+ YR.	.007680	.018510	.051200
1-METHYLNAPHTHALENE FEMA 3193E	10	MEAT PRODS(R)	*	0-5 MO.	.000330	.000870	.001100
				6-11 MO.	.006210	.016740	.020700
				12-23 MO.	.009060	.015570	.030200
				2-65+ YR.	.023520	.039030	.078400
1-METHYLNAPHTHALENE FEMA 3193E	16	SOFT CANDY(R)	*	0-5 MO.	.000060	.000600	.000200
				6-11 MO.	.000660	.002040	.002200
				12-23 MO.	.001050	.002790	.003500
				2-65+ YR.	.001740	.005280	.005800
1-METHYLNAPHTHALENE FEMA 3193E	23	BEV TYPE I(R)	*	0-5 MO.	.000720	.001080	.002400
				6-11 MO.	.006810	.023310	.022700
				12-23 MO.	.016260	.048750	.054200
				2-65+ YR.	.031200	.083310	.104000
1-METHYLNAPHTHALENE FEMA 3193E	99	ALL CATEGORIES	*	0-5 MO.	.001410	.003780	.005700
				6-11 MO.	.016530	.050010	.064600
				12-23 MO.	.030690	.077250	.116700
				2-65+ YR.	.064140	.146130	.239400

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2T-METHYL-2-PENTENAL FEMA 3194E	01	BAKED GOODS(R)	*	0-5 MO.	.026067	.034500	.052133
				6-11 MO.	.194733	.397133	.389467
				12-23 MO.	.417833	.688467	.835667
				2-65+ YR.	1.051867	1.562467	2.103733
2T-METHYL-2-PENTENAL FEMA 3194E	07	FROZN DAIRY(R)	*	0-5 MO.	.003333	.013667	.006000
				6-11 MO.	.031667	.088000	.057000
				12-23 MO.	.048000	.112667	.086400
				2-65+ YR.	.085333	.205667	.153600
2T-METHYL-2-PENTENAL FEMA 3194E	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	**********
				6-11 MO.	.207000	.558000	**********
				12-23 MO.	.302000	.519000	**********
				2-65+ YR.	.784000	1.301000	**********
2T-METHYL-2-PENTENAL FEMA 3194E	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.001800
				6-11 MO.	.011000	.034000	.019800
				12-23 MO.	.017500	.046500	.031500
				2-65+ YR.	.029000	.088000	.052200
2T-METHYL-2-PENTENAL FEMA 3194E	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.010000
				6-11 MO.	.038400	.116400	.064000
				12-23 MO.	.041400	.100800	.069000
				2-65+ YR.	.061200	.157500	.102000
2T-METHYL-2-PENTENAL FEMA 3194E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600
				6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
2T-METHYL-2-PENTENAL FEMA 3194E	99	ALL CATEGORIES	*	0-5 MO.	.052200	.102467	.079533
				6-11 MO.	.528200	1.348933	.621067
				12-23 MO.	.935133	1.792433	1.239367
				2-65+ YR.	2.219400	3.870033	2.827533
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	01	BAKED GOODS(R)	*	0-5 MO.	.040800	.054000	.074800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	01	BAKED GOODS(R)	*	6-11 MO.	.304800	.621600	.554800
				12-23 MO.	.654000	1.077600	1.199000
				2-65+ YR.	1.646400	2.445600	3.018400
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	07	FROZN DAIRY(R)	*	0-5 MO.	.004667	.019133	.009333
				6-11 MO.	.046333	.123200	.088667
				12-23 MO.	.067200	.157733	.134400
				2-65+ YR.	.119467	.287933	.238933
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	16	SOFT CANDY(R)	*	0-5 MO.	.001533	.015333	.003000
				6-11 MO.	.016867	.052133	.033000
				12-23 MO.	.026833	.071300	.052500
				2-65+ YR.	.044467	.134933	.087000
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	20	GELATIN PUD(R)	*	0-5 MO.	.006667	.009000	.013333
				6-11 MO.	.042667	.129333	.085333
				12-23 MO.	.046000	.112000	.092000
				2-65+ YR.	.068000	.175000	.136000
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	23	BEV TYPE I(R)	*	0-5 MO.	.004200	.006300	.009600
				6-11 MO.	.039725	.135975	.090600
				12-23 MO.	.094850	.284375	.216800
				2-65+ YR.	.182000	.485975	.416000
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	24	BEV TYPE II(R)		0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000400	**********
				12-23 MO.	**********	.000800	**********
				2-65+ YR.	.130000	.377600	.260000
2T-METHYL-2-PENTENOIC ACI FEMA 3195E	99	ALL CATEGORIES	*	0-5 MO.	.057867	.103767	.110067
				6-11 MO.	.448392	1.062642	.856600
				12-23 MO.	.888883	1.703808	1.694700
				2-65+ YR.	2.190333	3.907042	4.156333
JASMONE FEMA 3196E	01	BAKED GOODS(R)	5	0-5 MO.	.016579	.021938	.034000
				6-11 MO.	.123825	.252525	.254000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
JASMONE FEMA 3196E	01	BAKED GOODS(R)	5	12-23 MO.	.265688	.437775	.545000
				2-65+ YR.	.668850	.993525	1.372000
JASMONE FEMA 3196E	07	FROZN DAIRY(R)	5	0-5 MO.	.002778	.011389	.006222
				6-11 MO.	.026389	.073333	.059111
				12-23 MO.	.040000	.093889	.089600
				2-65+ YR.	.071111	.171389	.159289
JASMONE FEMA 3196E	16	SOFT CANDY(R)	6	0-5 MO.	.000773	.007727	.001782
				6-11 MO.	.008500	.026273	.019600
				12-23 MO.	.013523	.035932	.031182
				2-65+ YR.	.022409	.068000	.051673
JASMONE FEMA 3196E	20	GELATIN PUD(R)	4	0-5 MO.	.004286	.005786	.010286
				6-11 MO.	.027429	.083143	.065829
				12-23 MO.	.029571	.072000	.070971
				2-65+ YR.	.043714	.112500	.104914
JASMONE FEMA 3196E	23	BEV TYPE I(R)	6	0-5 MO.	.002662	.003993	.006655
				6-11 MO.	.025176	.086176	.062941
				12-23 MO.	.060113	.180227	.150282
				2-65+ YR.	.115345	.307995	.288364
JASMONE FEMA 3196E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000137	**********
				12-23 MO.	**********	.000273	**********
				2-65+ YR.	.044417	.129013	.121875
JASMONE FEMA 3196E	59	ALL CATEGORIES	7	0-5 MO.	.027073	.050832	.058944
				6-11 MO.	.211319	.521587	.461481
				12-23 MO.	.408894	.820096	.887035
				2-65+ YR.	.965847	1.782422	2.098115
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	01	BAKED GOODS(R)	*	0-5 MO.	.015867	.021000	.039667
				6-11 MO.	.118533	.241733	.296333
				12-23 MO.	.254333	.419067	.635833

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	01	BAKED GOODS(R)	*	2-65+ YR.	.640267	.951067	1.600667
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	07	FROZN DAIRY(R)	4	0-5 MO.	.002000	.008200	.004500
				6-11 MO.	.019000	.052800	.042750
				12-23 MO.	.028800	.067600	.064800
				2-65+ YR.	.051200	.123400	.115200
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	16	SOFT CANDY(R)	4	0-5 MO.	.000720	.007200	.001800
				6-11 MO.	.007920	.024480	.019800
				12-23 MO.	.012600	.033480	.031500
				2-65+ YR.	.020880	.063360	.052200
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	20	GELATIN PUD(R)	*	0-5 MO.	.003000	.004050	.009500
				6-11 MO.	.019200	.058200	.060800
				12-23 MO.	.020700	.050400	.065550
				2-65+ YR.	.030600	.078750	.096900
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	23	BEV TYPE I(R)	4	0-5 MO.	.002016	.003024	.006960
				6-11 MO.	.019068	.065268	.065830
				12-23 MO.	.045528	.136500	.157180
				2-65+ YR.	.087360	.233268	.301600
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
A-METHYLPHENETHYLBUTYRATE FEMA 3197E	99	ALL CATEGORIES	4	0-5 MO.	.023603	.043474	.062427
				6-11 MO.	.183721	.442581	.485513
				12-23 MO.	.361961	.707247	.954863
				2-65+ YR.	.862807	1.544245	2.329067
METHYL PHENETHYL ETHER FEMA 3198E	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.051000
				6-11 MO.	.254000	.518000	.381000
				12-23 MO.	.545000	.898000	.817500
				2-65+ YR.	1.372000	2.038000	2.058000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL PHENETHYL ETHER FEMA 3198E	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.010000
				6-11 MO.	.066500	.184800	.095000
				12-23 MO.	.100800	.236600	.144000
				2-65+ YR.	.179200	.431900	.256000
METHYL PHENETHYL ETHER FEMA 3198E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
METHYL PHENETHYL ETHER FEMA 3198E	16	SOFT CANDY(R)	*	0-5 MO.	.002100	.021000	.003000
				6-11 MO.	.023100	.071400	.033000
				12-23 MO.	.036750	.097650	.052500
				2-65+ YR.	.060900	.184800	.087000
METHYL PHENETHYL ETHER FEMA 3198E	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.016000
				6-11 MO.	.076800	.232800	.102400
				12-23 MO.	.082800	.201600	.110400
				2-65+ YR.	.122400	.315000	.163200
METHYL PHENETHYL ETHER FEMA 3198E	23	BEV TYPE II(R)	*	0-5 MO.	.004800	.007200	.038400
				6-11 MO.	.045400	.155400	.363200
				12-23 MO.	.108400	.325000	.867200
				2-65+ YR.	.208000	.555400	1.664000
METHYL PHENETHYL ETHER FEMA 3198E	99	ALL CATEGORIES	4	0-5 MO.	.061000	.121000	.120600
				6-11 MO.	.486500	1.218200	1.016000
				12-23 MO.	.903950	1.810750	2.052000
				2-65+ YR.	2.020900	3.655200	4.385000
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.051680
				6-11 MO.	.203200	.414400	.386080
				12-23 MO.	.436000	.718400	.828400
				2-65+ YR.	1.097600	1.630400	2.085440
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	07	FROZN DAIRY(R)	*	0-5 MO.	.004200	.017220	.008800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	07	FROZN DAIRY(R)	*	6-11 MO.	.039900	.110880	.083600
				12-23 MO.	.060480	.141960	.126720
				2-65+ YR.	.107520	.259140	.225280
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	16	SOFT CANDY(R)	*	0-5 MO.	.001520	.015200	.003200
				6-11 MO.	.016720	.051680	.035200
				12-23 MO.	.026600	.070680	.056000
				2-65+ YR.	.044080	.133760	.092800
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.014000
				6-11 MO.	.051200	.155200	.089600
				12-23 MO.	.055200	.134400	.096600
				2-65+ YR.	.081600	.210000	.142800
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.013200
				6-11 MO.	.068100	.233100	.124850
				12-23 MO.	.162600	.487500	.298100
				2-65+ YR.	.312000	.833100	.572000
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
5-METHYL-2-PHEN-2-HEXENAL FEMA 3199E	99	ALL CATEGORIES	*	0-5 MO.	.048120	.090020	.090880
				6-11 MO.	.379120	.965760	.719330
				12-23 MO.	.740880	1.553940	1.405820
				2-65+ YR.	1.805300	3.538400	3.443320
4-METHYL-2-PHEN-2-PENTENA FEMA 3200E	01	BAKED GOODS(R)	*	0-5 MO.	.025500	.033750	.047600
				6-11 MO.	.190500	.388500	.355600
				12-23 MO.	.408750	.673500	.763000
				2-65+ YR.	1.029000	1.528500	1.920800
4-METHYL-2-PHEN-2-PENTENA FEMA 3200E	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008500
				6-11 MO.	.038000	.105600	.080750

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-METHYL-2-PHEN-2-PENTENA FEMA 3200E	07	FROZN DAIRY(R)	*	12-23 MO.	.057600	.135200	.122400
				2-65+ YR.	.102400	.246800	.217600
4-METHYL-2-PHEN-2-PENTENA FEMA 3200E	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.003000
				6-11 MO.	.015400	.047600	.033000
				12-23 MO.	.024500	.065100	.052500
				2-65+ YR.	.040600	.123200	.087000
4-METHYL-2-PHEN-2-PENTENA FEMA 3200E	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.008000
				6-11 MO.	.038400	.116400	.051200
				12-23 MO.	.041400	.100800	.055200
				2-65+ YR.	.061200	.157500	.081600
4-METHYL-2-PHEN-2-PENTENA FEMA 3200E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
4-METHYL-2-PHEN-2-PENTENA FEMA 3200E	59	ALL CATEGORIES	*	0-5 MO.	.039300	.075850	.069500
				6-11 MO.	.305000	.735800	.543250
				12-23 MO.	.586450	1.137100	1.047300
				2-65+ YR.	1.337200	2.333700	2.411000
METHYL PROPYL DISULFIDE FEMA 3201E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
METHYL PROPYL DISULFIDE FEMA 3201E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
METHYL PROPYL DISULFIDE FEMA 3201E	10	MEAT PRODS(R)	*	0-5 MO.	.001540	.004060	.002222
				6-11 MO.	.028980	.078120	.041014
				12-23 MO.	.042280	.072660	.061004

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL PROPYL DISULFIDE FEMA 3201E	10	MEAT PRODS(R)	*	2-65+ YR.	.109760	.182140	.158368
METHYL PROPYL DISULFIDE FEMA 3201E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
METHYL PROPYL DISULFIDE FEMA 3201E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
METHYL PROPYL DISULFIDE FEMA 3201E	23	BEV TYPE (R)	*	0-5 MO.	.002400	.003600	.003216
				6-11 MO.	.022700	.077700	.030418
				12-23 MO.	.054200	.162500	.072628
				2-65+ YR.	.104000	.277700	.139360
METHYL PROPYL DISULFIDE FEMA 3201E	99	ALL CATEGORIES	*	0-5 MO.	.010540	.020960	.012038
				6-11 MO.	.101580	.279620	.122132
				12-23 MO.	.182680	.401660	.219832
				2-65+ YR.	.402760	.795440	.486728
METHYL 2-PYRROLYL KETONE FEMA 3202E	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.011900
				6-11 MO.	.050800	.103600	.088900
				12-23 MO.	.109000	.179600	.190750
				2-65+ YR.	.274400	.407600	.480200
METHYL 2-PYRROLYL KETONE FEMA 3202E	07	FROZN DAIRY(R)	*	0-5 MO.	.010667	.043733	.018000
				6-11 MO.	.101333	.281600	.171000
				12-23 MO.	.153600	.360533	.259200
				2-65+ YR.	.273067	.658133	.460800
METHYL 2-PYRROLYL KETONE FEMA 3202E	10	MEAT PRODS(R)	*	0-5 MO.	.033000	.087000	.055000
				6-11 MO.	.621000	1.674000	1.035000
				12-23 MO.	.906000	1.557000	1.510000
				2-65+ YR.	2.352000	3.903000	3.920000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHYL 2-PYRROLYL KETONE FEMA 3202E	16	SOFT CANDY(R)	4	0-5 MO.	.002150	.021500	.003733
				6-11 MO.	.023650	.073100	.041067
				12-23 MO.	.037625	.099975	.065333
				2-65+ YR.	.062350	.189200	.108267
METHYL 2-PYRROLYL KETONE FEMA 3202E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
METHYL 2-PYRROLYL KETONE FEMA 3202E	23	BEV TYPE I(R)	*	0-5 MO.	.025600	.038400	.043200
				6-11 MO.	.242133	.828800	.408600
				12-23 MO.	.578133	1.733333	.975600
				2-65+ YR.	1.109333	2.962133	1.872000
METHYL 2-PYRROLYL KETONE FEMA 3202E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
METHYL 2-PYRROLYL KETONE FEMA 3202E	99	ALL CATEGORIES	4	0-5 MO.	.080217	.202333	.135833
				6-11 MO.	1.051717	3.000000	1.770167
				12-23 MO.	1.798158	3.964242	3.028483
				2-65+ YR.	4.124050	8.266967	6.979567
5-METHYLQUINOXALINE FEMA 3203E	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
5-METHYLQUINOXALINE FEMA 3203E	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
5-METHYLQUINOXALINE FEMA 3203E	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
5-METHYLQUINOXALINE FEMA 3203E	16	SOFT CANDY(R)	*	6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
5-METHYLQUINOXALINE FEMA 3203E	23	BEV TYPE 1(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
5-METHYLQUINOXALINE FEMA 3203E	99	ALL CATEGORIES	*	0-5 MO.	.023500	.063000	.047000
				6-11 MO.	.275500	.833500	.551000
				12-23 MO.	.511500	1.287500	1.023000
				2-65+ YR.	1.069000	2.435500	2.138000
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	01	BAKED GOODS(R)	*	0-5 MO.	.079900	.105750	.161066
				6-11 MO.	.596900	1.217300	1.203255
				12-23 MO.	1.280750	2.110300	2.581787
				2-65+ YR.	3.224200	4.789300	6.499471
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	07	FROZN DAIRY(R)	*	0-5 MO.	.023767	.097443	.047533
				6-11 MO.	.225782	.627437	.451565
				12-23 MO.	.342238	.803310	.684477
				2-65+ YR.	.608424	1.466397	1.216848
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	10	MEAT PRODS(R)	5	0-5 MO.	.047483	.125182	.095982
				6-11 MO.	.893541	2.408674	1.806205
				12-23 MO.	1.303620	2.240326	2.635139
				2-65+ YR.	3.384231	5.615924	6.840891
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000400	.001100	.000800
				12-23 MO.	.001400	.003800	.002800
				2-65+ YR.	.004400	.010600	.008800
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	16	SOFT CANDY(R)	*	0-5 MO.	.004743	.047426	.009474
				6-11 MO.	.052168	.161248	.104219

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	16	SOFT CANDY(R)	*	12-23 MO.	.082995	.220530	.165803
				2-65+ YR.	.137535	.417348	.274759
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	23	BEV TYPE 1(R)	*	0-5 MO.	.004582	.006873	.004582
				6-11 MO.	.043336	.148336	.043336
				12-23 MO.	.103473	.310227	.103473
				2-65+ YR.	.198545	.530155	.198545
4-METHYL-5-THIAZOLEETHANO FEMA 3204E	99	ALL CATEGORIES	5	0-5 MO.	.162474	.385424	.320637
				6-11 MO.	1.824928	4.602896	3.622180
				12-23 MO.	3.128276	5.722094	6.187279
				2-65+ YR.	7.577735	12.882223	15.059715
4-ME-5-THIAZOLE-ET*OL- AC FEMA 3205E	01	BAKED GOODS(R)	*	0-5 MO.	.082861	.109669	.167269
				6-11 MO.	.619023	1.262416	1.249597
				12-23 MO.	1.328218	2.188513	2.681221
				2-65+ YR.	3.343697	4.966803	6.749790
4-ME-5-THIAZOLE-ET*OL- AC FEMA 3205E	07	FROZN DAIRY(R)	*	0-5 MO.	.024623	.100954	.049246
				6-11 MO.	.233918	.650046	.467836
				12-23 MO.	.354570	.832256	.709141
				2-65+ YR.	.630348	1.519236	1.260695
4-ME-5-THIAZOLE-ET*OL- AC FEMA 3205E	10	MEAT PRODS(R)	*	0-5 MO.	.045216	.119205	.090432
				6-11 MO.	.850879	2.293674	1.701758
				12-23 MO.	1.241379	2.133363	2.482758
				2-65+ YR.	3.222653	5.347795	6.445305
4-ME-5-THIAZOLE-ET*OL- AC FEMA 3205E	16	SOFT CANDY(R)	*	0-5 MO.	.004874	.048742	.009839
				6-11 MO.	.053616	.165723	.108233
				12-23 MO.	.085298	.226650	.172189

TABLE 13, PART D -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, NG. (AGE)	AVERAGE	HIGH A	HIGH B
4-ME-5-THIAZOLE-ET*OL- AC							
FEMA 3205E	16	SOFT CANDY(R)	*	2-65+ YR.	.141352	.428929	.285341
4-ME-5-THIAZOLE-ET*CL- AC							
FEMA 3205E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
4-ME-5-THIAZOLE-ET*CL- AC							
FEMA 3205E	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.007200
				6-11 MO.	.068100	.233100	.068100
				12-23 MO.	.162600	.487500	.162600
				2-65+ YR.	.312000	.833100	.312000
4-ME-5-THIAZOLE-ET*OL- AC							
FEMA 3205E	99	ALL CATEGORIES	4	0-5 MO.	.166774	.392071	.325986
				6-11 MO.	1.838336	4.643758	3.608323
				12-23 MO.	3.185866	5.901682	6.221709
				2-65+ YR.	7.670449	13.148363	15.073531
2-METHYLTHIOACETALDEHYDE							
FEMA 3206E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
2-METHYLTHIOACETALDEHYDE							
FEMA 3206E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
2-METHYLTHIOACETALDEHYDE							
FEMA 3206E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
2-METHYLTHIOACETALDEHYDE							
FEMA 3206E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYLTHIOACETALDEHYDE FEMA 3206E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.004800
				6-11 MO.	.045400	.155400	.045400
				12-23 MO.	.108400	.325000	.108400
				2-65+ YR.	.208000	.555400	.208000
2-METHYLTHIOACETALDEHYDE FEMA 3206E	99	ALL CATEGORIES	*	0-5 MO.	.011400	.020500	.011400
				6-11 MO.	.095300	.279200	.095300
				12-23 MO.	.194600	.491500	.194600
				2-65+ YR.	.397000	.891000	.397000
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	01	BAKED GOODS(R)	*	0-5 MO.	.003740	.004950	.004250
				6-11 MO.	.027940	.056980	.031750
				12-23 MO.	.059950	.098780	.068125
				2-65+ YR.	.150920	.224180	.171500
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	07	FROZN DAIRY(R)	*	0-5 MO.	.000600	.002460	.000750
				6-11 MO.	.005700	.015840	.007125
				12-23 MO.	.008640	.020280	.010800
				2-65+ YR.	.015360	.037020	.019200
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	10	MEAT PRODS(R)	*	0-5 MO.	.000220	.000580	.000550
				6-11 MO.	.004140	.011160	.010350
				12-23 MO.	.006040	.010380	.015100
				2-65+ YR.	.015680	.026020	.039200
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	16	SOFT CANDY(R)	*	0-5 MO.	.000220	.002200	.000250
				6-11 MO.	.002420	.007480	.002750
				12-23 MO.	.003850	.010230	.004375
				2-65+ YR.	.006380	.019360	.007250
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	23	BEV TYPE I(R)	*	0-5 MO.	.001440	.002160	.001800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	23	BEV TYPE II(R)	*	6-11 MO.	.013620	.046620	.017025
				12-23 MO.	.032520	.097500	.040650
				2-65+ YR.	.062400	.166620	.078000
1-/METHYLTHIO/-2-BUTANONE FEMA 3207E	99	ALL CATEGORIES	*	0-5 MO.	.008220	.015050	.009600
				6-11 MO.	.066620	.176880	.081800
				12-23 MO.	.124800	.270770	.152850
				2-65+ YR.	.271140	.525700	.335550
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	01	BAKED GOODS(R)	*	0-5 MO.	.010993	.014550	.014733
				6-11 MO.	.082127	.167487	.110067
				12-23 MO.	.176217	.290353	.236167
				2-65+ YR.	.443613	.658953	.594533
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	07	FROZN DAIRY(R)	5	0-5 MO.	.001320	.005412	.001500
				6-11 MO.	.012540	.034848	.014250
				12-23 MO.	.019008	.044616	.021600
				2-65+ YR.	.033792	.081444	.038400
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	10	MEAT PRODS(R)	*	0-5 MO.	.000369	.000972	.001104
				6-11 MO.	.006935	.018693	.020769
				12-23 MO.	.010117	.017387	.030301
				2-65+ YR.	.026264	.043584	.078661
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000400	.001100	.000800
				12-23 MO.	.001400	.003800	.002800
				2-65+ YR.	.004400	.010600	.008800
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	16	SOFT CANDY(R)	5	0-5 MO.	.000428	.004280	.000467
				6-11 MO.	.004708	.014552	.005133
				12-23 MO.	.007490	.019902	.008167
				2-65+ YR.	.012412	.037664	.013533
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	20	GELATIN PUD(R)	*	0-5 MO.	.002100	.002835	.002500
				6-11 MO.	.013440	.040740	.016000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	20	GELATIN PUD(R)	*	12-23 MO.	.014490	.035280	.017250
				2-65+ YR.	.021420	.055125	.025500
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	23	BEV TYPE I(R)	4	0-5 MO.	.002700	.004050	.003000
				6-11 MO.	.025538	.087413	.028375
				12-23 MO.	.060975	.182813	.067750
				2-65+ YR.	.117000	.312413	.130000
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
/METHYLTHIO/METHYLPYRAZIN FEMA 3208E	59	ALL CATEGORIES	6	0-5 MO.	.017910	.032148	.023304
				6-11 MO.	.145687	.364842	.195394
				12-23 MO.	.289697	.594170	.384034
				2-65+ YR.	.662151	1.209222	.905678
Da-/METHYLTHIO/-PHENOL FEMA 3210E	01	BAKED GOODS(R)	*	0-5 MO.	.001700	.002250	**********
				6-11 MO.	.012700	.025900	**********
				12-23 MO.	.027250	.044900	**********
				2-65+ YR.	.068600	.101900	**********
Da-/METHYLTHIO/-PHENOL FEMA 3210E	07	FROZN DAIRY(R)	*	0-5 MO.	.000050	.000205	.000200
				6-11 MO.	.000475	.001320	.001900
				12-23 MO.	.000720	.001690	.002880
				2-65+ YR.	.001280	.003085	.005120
Da-/METHYLTHIO/-PHENOL FEMA 3210E	10	MEAT PRODS(R)	*	0-5 MO.	.000935	.002465	.002310
				6-11 MO.	.017595	.047430	.043470
				12-23 MO.	.025670	.044115	.063420
				2-65+ YR.	.066640	.110585	.164640
Da-/METHYLTHIO/-PHENOL FEMA 3210E	16	SOFT CANDY(R)	*	0-5 MO.	.000010	.000100	.000040
				6-11 MO.	.000110	.000340	.000440
				12-23 MO.	.000175	.000465	.000700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
O@-/METHYLTHIO/-PHENOL							
FEMA 3210E	16	SOFT CANDY(R)	*	2-65+ YR.	.000290	.000880	.001160
O@-/METHYLTHIO/-PHENOL							
FEMA 3210E	23	BEV TYPE I(R)	*	0-5 MO.	.000120	.000180	.000480
				6-11 MO.	.001135	.003885	.004540
				12-23 MO.	.002710	.008125	.010840
				2-65+ YR.	.005200	.013885	.020800
O@-/METHYLTHIO/-PHENOL							
FEMA 3210E	99	ALL CATEGORIES	*	0-5 MO.	.002815	.005200	.003030
				6-11 MO.	.032015	.078875	.050350
				12-23 MO.	.056525	.099295	.077840
				2-65+ YR.	.142010	.230335	.191720
2-METHYL-5-VINYLPYRAZINE							
FEMA 3211E	01	BAKED GOODS(R)	*	0-5 MO.	.013940	.018450	.028900
				6-11 MO.	.104140	.212380	.215900
				12-23 MO.	.223450	.368180	.463250
				2-65+ YR.	.562520	.835580	1.166200
2-METHYL-5-VINYLPYRAZINE							
FEMA 3211E	07	FROZN DAIRY(R)	*	0-5 MO.	.002050	.008405	.004250
				6-11 MO.	.019475	.054120	.040375
				12-23 MO.	.029520	.069290	.061200
				2-65+ YR.	.052480	.126485	.108800
2-METHYL-5-VINYLPYRAZINE							
FEMA 3211E	16	SOFT CANDY(R)	*	0-5 MO.	.000820	.008200	.001700
				6-11 MO.	.009020	.027880	.018700
				12-23 MO.	.014350	.038130	.029750
				2-65+ YR.	.023780	.072160	.049300
2-METHYL-5-VINYLPYRAZINE							
FEMA 3211E	20	GELATIN PUD(R)	*	0-5 MO.	.002100	.002835	.004500
				6-11 MO.	.013440	.040740	.028800
				12-23 MO.	.014490	.035280	.031050
				2-65+ YR.	.021420	.055125	.045900
2-METHYL-5-VINYLPYRAZINE							
FEMA 3211E	23	BEV TYPE I(R)	*	0-5 MO.	.001320	.001980	.003000
				6-11 MO.	.012485	.042735	.028375
				12-23 MO.	.029810	.089375	.067750
				2-65+ YR.	.057200	.152735	.130000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-METHYL-5-VINYLPYRAZINE FEMA 3211E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000105	**********
				12-23 MO.	**********	.000210	**********
				2-65+ YR.	.034125	.099120	.073125
2-METHYL-5-VINYLPYRAZINE FEMA 3211E	99	ALL CATEGORIES	*	0-5 MO.	.020230	.039870	.042350
				6-11 MO.	.158560	.377960	.332150
				12-23 MO.	.311620	.600465	.653000
				2-65+ YR.	.751525	1.341205	1.573325
2,4-NONADIENAL FEMA 3212E	01	BAKED GOODS(R)	7	0-5 MO.	.006278	.008309	.023318
				6-11 MO.	.046899	.095645	.174196
				12-23 MO.	.100630	.165809	.373767
				2-65+ YR.	.253330	.376302	.940932
2,4-NONADIENAL FEMA 3212E	07	FROZN DAIRY(R)	5	0-5 MO.	.001673	.006860	.006630
				6-11 MO.	.015895	.044172	.062989
				12-23 MO.	.024094	.056553	.095478
				2-65+ YR.	.042833	.103235	.169739
2,4-NONADIENAL FEMA 3212E	10	MEAT PRODS(R)	6	0-5 MO.	.003751	.009889	.020189
				6-11 MO.	.070579	.190257	.379911
				12-23 MO.	.102970	.176959	.554266
				2-65+ YR.	.267314	.443591	1.438890
2,4-NONADIENAL FEMA 3212E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000110	**********
				6-11 MO.	.000880	.002420	.001600
				12-23 MO.	.003080	.008360	.005600
				2-65+ YR.	.009680	.023320	.017600
2,4-NONADIENAL FEMA 3212E	16	SOFT CANDY(R)	6	0-5 MO.	.000392	.003916	.001565
				6-11 MO.	.004308	.013316	.017217
				12-23 MO.	.006854	.018212	.027391
				2-65+ YR.	.011358	.034465	.045391
2,4-NONADIENAL FEMA 3212E	20	GELATIN PUD(R)	*	0-5 MO.	.002378	.003210	.009388

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,4-NONADIENAL FEMA 3212E	20	GELATIN PUD(R)	*	6-11 MO.	.015218	.046129	.060082
				12-23 MO.	.016407	.039947	.064776
				2-65+ YR.	.024253	.062417	.095755
2,4-NONADIENAL FEMA 3212E	23	DEV TYPE (R)	6	0-5 MO.	.002074	.003111	.008591
				6-11 MO.	.019614	.067137	.081259
				12-23 MO.	.046832	.140408	.194020
				2-65+ YR.	.089861	.239947	.372290
2,4-NONADIENAL FEMA 3212E	27	GRAVIES(R)	*	0-5 MO.	.000050	.000150	.000150
				6-11 MO.	.000700	.001950	.002100
				12-23 MO.	.001800	.005100	.005400
				2-65+ YR.	.004150	.010650	.012450
2,4-NONADIENAL FEMA 3212E	99	ALL CATEGORIES	12	0-5 MO.	.016595	.035554	.069831
				6-11 MO.	.174093	.461025	.779355
				12-23 MO.	.302667	.611348	1.320699
				2-65+ YR.	.702780	1.293927	3.093048
2-NONENAL FEMA 3213E	01	BAKED GOODS(R)	4	0-5 MO.	.008341	.011039	.011396
				6-11 MO.	.062309	.127072	.085137
				12-23 MO.	.133695	.220291	.182676
				2-65+ YR.	.336569	.499947	.459874
2-NONENAL FEMA 3213E	07	FROZN DAIRY(R)	*	0-5 MO.	.001568	.006430	.001659
				6-11 MO.	.014898	.041400	.015761
				12-23 MO.	.022582	.053005	.023891
				2-65+ YR.	.040145	.096757	.042473
2-NONENAL FEMA 3213E	10	MEAT PRODS(R)	*	0-5 MO.	.001874	.004940	.003857
				6-11 MO.	.035259	.095046	.072588
				12-23 MO.	.051441	.088403	.105901
				2-65+ YR.	.133541	.221604	.274923
2-NONENAL FEMA 3213E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000080	.000220	.000400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-NONENAL FEMA 3213E	15	CONDM RELSH(R)	*	12-23 MO.	.000280	.000760	.001400
				2-65+ YR.	.000880	.002120	.004400
2-NONENAL FEMA 3213E	16	SOFT CANDY(R)	4	0-5 MO.	.000278	.002781	.000419
				6-11 MO.	.003059	.009456	.004604
				12-23 MO.	.004867	.012933	.007324
				2-65+ YR.	.008066	.024475	.012137
2-NONENAL FEMA 3213E	20	GELATIN PUD(R)	*	0-5 MO.	.003318	.004480	.004455
				6-11 MO.	.021236	.064373	.028509
				12-23 MO.	.022895	.055745	.030736
				2-65+ YR.	.033845	.087102	.045436
2-NONENAL FEMA 3213E	23	BEV TYPE I(R)	4	0-5 MO.	.002740	.004110	.004600
				6-11 MO.	.025916	.088708	.043508
				12-23 MO.	.061878	.185521	.103883
				2-65+ YR.	.118733	.317041	.199333
2-NONENAL FEMA 3213E	99	ALL CATEGORIES	7	0-5 MO.	.018119	.033789	.026386
				6-11 MO.	.162758	.426274	.250508
				12-23 MO.	.297639	.616657	.455812
				2-65+ YR.	.671780	1.249046	1.038576
D6-OCTALACTONE FEMA 3214E	01	BAKED GOODS(R)	6	0-5 MO.	.026596	.035201	.053379
				6-11 MO.	.198689	.405200	.398775
				12-23 MO.	.426320	.702451	.855640
				2-65+ YR.	1.073232	1.594204	2.154014
D6-OCTALACTONE FEMA 3214E	04	FATS OILS(R)	*	0-5 MO.	.000500	.000500	.001500
				6-11 MO.	.002800	.007500	.008400
				12-23 MO.	.006300	.012000	.018900
				2-65+ YR.	.017500	.031600	.052500
D6-OCTALACTONE FEMA 3214E	07	FRCZN DAIRY(R)	6	0-5 MO.	.003726	.015275	.007652
				6-11 MO.	.035394	.098357	.072692
				12-23 MO.	.053649	.125927	.110186

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
D&-OCTALACTONE FEMA 3214E	07	FROZN DAIRY(R)	6	2-65+ YR.	.095377	.229872	.195885
D&-OCTALACTONE FEMA 3214E	16	SOFT CANDY(R)	6	0-5 MO.	.001529	.015287	.003107
				6-11 MO.	.016816	.051976	.034172
				12-23 MO.	.026752	.071085	.054364
				2-65+ YR.	.044332	.134526	.090090
D&-OCTALACTONE FEMA 3214E	20	GELATIN PUD(R)	4	0-5 MO.	.004336	.005853	.009418
				6-11 MO.	.027749	.084115	.060275
				12-23 MO.	.029917	.072842	.064984
				2-65+ YR.	.044225	.113815	.096063
D&-OCTALACTONE FEMA 3214E	23	BEV TYPE I(R)	4	0-5 MO.	.004621	.006931	.012720
				6-11 MO.	.043706	.149601	.120310
				12-23 MO.	.104355	.312871	.287260
				2-65+ YR.	.200238	.534673	.551200
D&-OCTALACTONE FEMA 3214E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000360	**********
				12-23 MO.	**********	.000720	**********
				2-65+ YR.	.117000	.339840	.357500
D&-OCTALACTONE FEMA 3214E	99	ALL CATEGORIES	7	0-5 MO.	.041307	.079048	.087776
				6-11 MO.	.325153	.797109	.694624
				12-23 MO.	.647294	1.297896	1.391333
				2-65+ YR.	1.591904	2.978531	3.497252
2-OCTENAL FEMA 3215E	01	BAKED GOODS(R)	*	0-5 MO.	.007977	.010558	.015954
				6-11 MO.	.059592	.121531	.119185
				12-23 MO.	.127865	.210685	.255731
				2-65+ YR.	.321892	.478146	.643785
2-OCTENAL FEMA 3215E	07	FROZN DAIRY(R)	*	0-5 MO.	.001851	.007589	.003702
				6-11 MO.	.017585	.048868	.035170
				12-23 MO.	.026655	.062566	.053311
				2-65+ YR.	.047387	.114211	.094774

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-OCTENAL FEMA 3215E	10	MEAT PRODS(R)	*	0-5 MO.	.000869	.002291	.001485
				6-11 MO.	.016353	.044082	.027945
				12-23 MO.	.023858	.041001	.040770
				2-65+ YR.	.061936	.102779	.105840
2-OCTENAL FEMA 3215E	16	SOFT CANDY(R)	*	0-5 MO.	.000413	.004128	.000826
				6-11 MO.	.004540	.014034	.009081
				12-23 MO.	.007223	.019194	.014447
				2-65+ YR.	.011970	.036323	.023940
2-OCTENAL FEMA 3215E	20	GELATIN PUD(R)	*	0-5 MO.	.003833	.005175	.007667
				6-11 MO.	.024533	.074367	.049067
				12-23 MO.	.026450	.064400	.052900
				2-65+ YR.	.039100	.100625	.078200
2-OCTENAL FEMA 3215E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.002000	.005500	.004000
				12-23 MO.	.005500	.015500	.011000
				2-65+ YR.	.006500	.018500	.013000
2-OCTENAL FEMA 3215E	23	BEV TYPE 1(R)	4	0-5 MO.	.003214	.004820	.006499
				6-11 MO.	.030395	.104039	.061471
				12-23 MO.	.072573	.217585	.146772
				2-65+ YR.	.139254	.371836	.281628
2-OCTENAL FEMA 3215E	99	ALL CATEGORIES	6	0-5 MO.	.018157	.035061	.036132
				6-11 MO.	.154999	.412421	.305918
				12-23 MO.	.290125	.630930	.574930
				2-65+ YR.	.628040	1.222420	1.241168
2,4-PENTADIENAL FEMA 3217E	01	BAKED GOODS(R)	*	0-5 MO.	.022100	.029250	.044200
				6-11 MO.	.165100	.336700	.330200
				12-23 MO.	.354250	.583700	.708500
				2-65+ YR.	.891800	1.324700	1.783600
2,4-PENTADIENAL FEMA 3217E	07	FROZN DAIRY(R)	*	0-5 MO.	.003500	.014350	.007000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,4-PENTADIENAL FEMA 3217E	07	FROZN DAIRY(R)	*	6-11 MO.	.033250	.092400	.066500
				12-23 MO.	.050400	.118300	.100800
				2-65+ YR.	.089600	.215950	.179200
2,4-PENTADIENAL FEMA 3217E	16	SOFT CANDY(R)	*	0-5 MO.	.001300	.013000	.002600
				6-11 MO.	.014300	.044200	.028600
				12-23 MO.	.022750	.060450	.045500
				2-65+ YR.	.037700	.114400	.075400
2,4-PENTADIENAL FEMA 3217E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
2,4-PENTADIENAL FEMA 3217E	23	BEV TYPE I(R)	*	0-5 MO.	.003000	.004500	.006000
				6-11 MO.	.028375	.097125	.056750
				12-23 MO.	.067750	.203125	.135500
				2-65+ YR.	.130000	.347125	.260000
2,4-PENTADIENAL FEMA 3217E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
2,4-PENTADIENAL FEMA 3217E	59	ALL CATEGORIES	*	0-5 MO.	.033900	.066500	.067800
				6-11 MO.	.266625	.648225	.533250
				12-23 MO.	.522750	1.033175	1.045500
				2-65+ YR.	1.254900	2.295975	2.509800
2-PENTENAL FEMA 3218E	01	BAKED GOODS(R)	*	0-5 MO.	.024077	.031866	.045781
				6-11 MO.	.179867	.366816	.342014
				12-23 MO.	.385936	.635909	.733849
				2-65+ YR.	.971567	1.443188	1.847414
2-PENTENAL FEMA 3218E	07	FROZN DAIRY(R)	4	0-5 MO.	.003698	.015161	.007188
				6-11 MO.	.035130	.097625	.068281

TABLE 13, PART 8 — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-PENTENAL FEMA 3218E	07	FROZN DAIRY(R)	4	12-23 MO.	.053250	.124940	.103500
				2-65+ YR.	.094667	.228161	.184000
2-PENTENAL FEMA 3218E	16	SOFT CANDY(R)	5	0-5 MO.	.001300	.013000	.002579
				6-11 MO.	.014300	.044200	.028371
				12-23 MO.	.022750	.060450	.045135
				2-65+ YR.	.037700	.114400	.074796
2-PENTENAL FEMA 3218E	20	GELATIN PUD(R)	4	0-5 MO.	.004646	.006272	.008875
				6-11 MO.	.029733	.090129	.056800
				12-23 MO.	.032056	.078050	.061238
				2-65+ YR.	.047388	.121953	.090525
2-PENTENAL FEMA 3218E	23	BEV TYPE I(R)	4	0-5 MO.	.002425	.003638	.004850
				6-11 MO.	.022936	.078509	.045873
				12-23 MO.	.054765	.164193	.109529
				2-65+ YR.	.105083	.280593	.210167
2-PENTENAL FEMA 3218E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
2-PENTENAL FEMA 3218E	99	ALL CATEGORIES	5	0-5 MO.	.036145	.069937	.069273
				6-11 MO.	.281967	.677480	.541339
				12-23 MO.	.548757	1.063992	1.053251
				2-65+ YR.	1.321405	2.377096	2.536901
ISOPENTYLAMINE FEMA 3219E	01	BAKED GOODS(R)	4	0-5 MO.	.001972	.002610	.001972
				6-11 MO.	.014732	.030044	.014732
				12-23 MO.	.031610	.052084	.031610
				2-65+ YR.	.079576	.118204	.079576
ISOPENTYLAMINE FEMA 3219E	07	FROZN DAIRY(R)	*	0-5 MO.	.000510	.002091	.000550
				6-11 MO.	.004845	.013464	.005225
				12-23 MO.	.007344	.017238	.007920

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPENTYLAMINE FEMA 3219E	07	FROZN DAIRY(R)	*	2-65+ YR.	.013056	.031467	.014080
ISOPENTYLAMINE FEMA 3219E	10	MEAT PRODS(R)	4	0-5 MO.	.000968	.002552	.002603
				6-11 MO.	.018216	.049104	.048990
				12-23 MO.	.026576	.045672	.071473
				2-65+ YR.	.068992	.114488	.185547
ISOPENTYLAMINE FEMA 3219E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000030	**********
				6-11 MO.	.000240	.000660	.000320
				12-23 MO.	.000840	.002280	.001120
				2-65+ YR.	.002640	.006360	.003520
ISOPENTYLAMINE FEMA 3219E	16	SOFT CANDY(R)	*	0-5 MO.	.000102	.001020	.000110
				6-11 MO.	.001122	.003468	.001210
				12-23 MO.	.001785	.004743	.001925
				2-65+ YR.	.002958	.008976	.003190
ISOPENTYLAMINE FEMA 3219E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
ISOPENTYLAMINE FEMA 3219E	23	BEV TYPE I(R)	*	0-5 MO.	.002416	.003624	.004080
				6-11 MO.	.022851	.078218	.038590
				12-23 MO.	.054561	.163583	.092140
				2-65+ YR.	.104693	.279551	.176800
ISOPENTYLAMINE FEMA 3219E	99	ALL CATEGORIES	7	0-5 MO.	.007968	.014627	.011315
				6-11 MO.	.074806	.213758	.121867
				12-23 MO.	.136516	.319200	.219988
				2-65+ YR.	.292315	.611546	.483113
PHENETHYLAMINE FEMA 3220E	01	BAKED GOODS(R)	*	0-5 MO.	.003434	.004545	.003570
				6-11 MO.	.025654	.052318	.026670
				12-23 MO.	.055045	.090698	.057225
				2-65+ YR.	.138572	.205838	.144060

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENETHYLAMINE FEMA 3220E	07	FROZN DAIRY(R)	*	0-5 MO.	.000510	.002091	.000550
				6-11 MO.	.004845	.013464	.005225
				12-23 MO.	.007344	.017238	.007920
				2-65+ YR.	.013056	.031467	.014080
PHENETHYLAMINE FEMA 3220E	10	MEAT PRODS(R)	*	0-5 MO.	.000924	.002436	.002603
				6-11 MO.	.017388	.046872	.048990
				12-23 MO.	.025368	.043596	.071473
				2-65+ YR.	.065856	.109284	.185547
PHENETHYLAMINE FEMA 3220E	16	SOFT CANDY(R)	*	0-5 MO.	.000135	.001347	.000135
				6-11 MO.	.001481	.004579	.001481
				12-23 MO.	.002357	.006262	.002357
				2-65+ YR.	.003905	.011851	.003905
PHENETHYLAMINE FEMA 3220E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
PHENETHYLAMINE FEMA 3220E	23	BEV TYPE I(R)	*	0-5 MO.	.001224	.001836	.001320
				6-11 MO.	.011577	.039627	.012485
				12-23 MO.	.027642	.082875	.029810
				2-65+ YR.	.053040	.141627	.057200
PHENETHYLAMINE FEMA 3220E	99	ALL CATEGORIES	5	0-5 MO.	.008227	.014955	.010178
				6-11 MO.	.073745	.195660	.107651
				12-23 MO.	.131556	.274269	.182585
				2-65+ YR.	.294829	.552567	.425192
PHENETHYL HEXANOATE FEMA 3221E	01	BAKED GOODS(R)	*	0-5 MO.	.031688	.041940	.045424
				6-11 MO.	.236726	.482776	.339344
				12-23 MO.	.507940	.836936	.728120
				2-65+ YR.	1.278704	1.899416	1.832992
PHENETHYL HEXANOATE FEMA 3221E	07	FROZN DAIRY(R)	*	0-5 MO.	.004091	.016773	.008000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL HEXANOATE FEMA 3221E	07	FROZN DAIRY(R)	*	6-11 MO.	.038864	.108000	.076000
				12-23 MO.	.058909	.138273	.115200
				2-65+ YR.	.104727	.252409	.204800
PHENETHYL HEXANOATE FEMA 3221E	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.002408
				6-11 MO.	.017600	.054400	.026488
				12-23 MO.	.028000	.074400	.042140
				2-65+ YR.	.046400	.140800	.069832
PHENETHYL HEXANOATE FEMA 3221E	20	GELATIN PUD(R)	*	0-5 MO.	.006640	.008964	.013280
				6-11 MO.	.042496	.128816	.084992
				12-23 MO.	.045816	.111552	.091632
				2-65+ YR.	.067728	.174300	.135456
PHENETHYL HEXANOATE FEMA 3221E	23	BEV TYPE I(R)	*	0-5 MO.	.004744	.007116	.009284
				6-11 MO.	.044872	.153593	.087813
				12-23 MO.	.107140	.321221	.209668
				2-65+ YR.	.205581	.548942	.402316
PHENETHYL HEXANOATE FEMA 3221E	99	ALL CATEGORIES	4	0-5 MO.	.048763	.090793	.078396
				6-11 MO.	.380560	.927585	.614637
				12-23 MO.	.747805	1.482382	1.186760
				2-65+ YR.	1.703141	3.015867	2.645396
PHENETHYL OCTANOATE FEMA 3222E	01	BAKED GOODS(R)	*	0-5 MO.	.031688	.041940	.045424
				6-11 MO.	.236728	.482776	.339344
				12-23 MO.	.507940	.836936	.728120
				2-65+ YR.	1.278704	1.899416	1.832992
PHENETHYL OCTANOATE FEMA 3222E	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200
				2-65+ YR.	.102400	.246800	.204800
PHENETHYL OCTANOATE FEMA 3222E	16	SOFT CANDY(R)	*	0-5 MO.	.001545	.015455	.002408
				6-11 MO.	.017000	.052545	.026488

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENETHYL OCTANOATE FEMA 3222E	16	SOFT CANDY(R)	*	12-23 MO.	.027045	.071864	.042140
				2-65+ YR.	.044818	.136000	.069832
PHENETHYL OCTANOATE FEMA 3222E	20	GELATIN PUD(R)	*	0-5 MO.	.006640	.008964	.013280
				6-11 MO.	.042496	.128816	.084992
				12-23 MO.	.045816	.111552	.091632
				2-65+ YR.	.067728	.174300	.135456
PHENETHYL OCTANOATE FEMA 3222E	23	BEV TYPE 1(R)	*	0-5 MO.	.004392	.006588	.010416
				6-11 MO.	.041541	.142191	.098518
				12-23 MO.	.099186	.297375	.235228
				2-65+ YR.	.190320	.508191	.451360
PHENETHYL OCTANOATE FEMA 3222E	59	ALL CATEGORIES	4	0-5 MO.	.048265	.089347	.079528
				6-11 MO.	.375765	.911928	.625342
				12-23 MO.	.737587	1.452927	1.212320
				2-65+ YR.	1.683970	2.964707	2.694440
PHENOL FEMA 3223E	01	BAKED GOODS(R)	*	0-5 MO.	.010427	.013800	.019833
				6-11 MO.	.077893	.158853	.148167
				12-23 MO.	.167133	.275387	.317917
				2-65+ YR.	.420747	.624987	.800333
PHENOL FEMA 3223E	07	FROZN DAIRY(R)	*	0-5 MO.	.001733	.007107	.003167
				6-11 MO.	.016467	.045760	.030083
				12-23 MO.	.024960	.058587	.045600
				2-65+ YR.	.044373	.106947	.081067
PHENOL FEMA 3223E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.003300
				6-11 MO.	.020700	.055800	.062100
				12-23 MO.	.030200	.051900	.090600
				2-65+ YR.	.078400	.130100	.235200
PHENOL FEMA 3223E	16	SOFT CANDY(R)	*	0-5 MO.	.000613	.006133	.001167
				6-11 MO.	.006747	.020853	.012833
				12-23 MO.	.010733	.028520	.020417

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PHENOL FEMA 3223E	16	SOFT CANDY(R)	*	2-65+ YR.	.017787	.053973	.033833
PHENOL FEMA 3223E	20	GELATIN PUD(R)	*	0-5 MO.	.002133	.002880	.003667
				6-11 MO.	.013653	.041387	.023467
				12-23 MO.	.014720	.035840	.025300
				2-65+ YR.	.021760	.056000	.037400
PHENOL FEMA 3223E	23	BEV TYPE I(R)	*	0-5 MO.	.001760	.002640	.002800
				6-11 MO.	.016647	.056980	.026483
				12-23 MO.	.039747	.119167	.063233
				2-65+ YR.	.076267	.203647	.121333
PHENOL FEMA 3223E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
PHENOL FEMA 3223E	99	ALL CATEGORIES	5	0-5 MO.	.017767	.035460	.033933
				6-11 MO.	.152107	.379833	.303133
				12-23 MO.	.287493	.569800	.563067
				2-65+ YR.	.724333	1.364453	1.439167
2-PHENYL-2-BUTENAL FEMA 3224E	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.040936
				6-11 MO.	.203200	.414400	.305816
				12-23 MO.	.436000	.718400	.656180
				2-65+ YR.	1.097600	1.630400	1.651888
2-PHENYL-2-BUTENAL FEMA 3224E	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.006680
				6-11 MO.	.038000	.105600	.063460
				12-23 MO.	.057600	.135200	.096192
				2-65+ YR.	.102400	.246800	.171008
2-PHENYL-2-BUTENAL FEMA 3224E	16	SOFT CANDY(R)	*	0-5 MO.	.001336	.013360	.002144
				6-11 MO.	.014696	.045424	.023584
				12-23 MO.	.023380	.062124	.037520
				2-65+ YR.	.038744	.117568	.062176

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-PHENYL-2-BUTENAL FEMA 3224E	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.012000
				6-11 MO.	.051200	.155200	.076800
				12-23 MO.	.055200	.134400	.082800
				2-65+ YR.	.081600	.210000	.122400
2-PHENYL-2-BUTENAL FEMA 3224E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600
				6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
2-PHENYL-2-BUTENAL FEMA 3224E	99	ALL CATEGORIES	*	0-5 MO.	.045336	.083760	.071360
				6-11 MO.	.352496	.876024	.560460
				12-23 MO.	.680580	1.375124	1.089492
				2-65+ YR.	1.528344	2.760168	2.423472
PHENYL DISULFIDE FEMA 3225E	01	BAKED GOODS(R)	*	0-5 MO.	.001870	.002475	.011900
				6-11 MO.	.013970	.028490	.088900
				12-23 MO.	.029975	.049390	.190750
				2-65+ YR.	.075460	.112090	.480200
PHENYL DISULFIDE FEMA 3225E	07	FROZN DAIRY(R)	*	0-5 MO.	.000400	.001640	.001000
				6-11 MO.	.003800	.010560	.009500
				12-23 MO.	.005760	.013520	.014400
				2-65+ YR.	.010240	.024680	.025600
PHENYL DISULFIDE FEMA 3225E	10	MEAT PRODS(R)	4	0-5 MO.	.000660	.001740	.002933
				6-11 MO.	.012420	.033480	.055200
				12-23 MO.	.018120	.031140	.080533
				2-65+ YR.	.047040	.078060	.209067
PHENYL DISULFIDE FEMA 3225E	16	SOFT CANDY(R)	*	0-5 MO.	.000130	.001300	.000300
				6-11 MO.	.001430	.004420	.003300
				12-23 MO.	.002275	.006045	.005250
				2-65+ YR.	.003770	.011440	.008700
PHENYL DISULFIDE FEMA 3225E	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.002000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENYL DISULFIDE FEMA 3225E	20	GELATIN PUD(R)	*	6-11 MO.	.006400	.019400	.012800
				12-23 MO.	.006900	.016800	.013800
				2-65+ YR.	.010200	.026250	.020400
PHENYL DISULFIDE FEMA 3225E	23	BEV TYPE I(R)	*	0-5 MO.	.000960	.001440	.002400
				6-11 MO.	.009080	.031080	.022700
				12-23 MO.	.021680	.065000	.054200
				2-65+ YR.	.041600	.111080	.104000
PHENYL DISULFIDE FEMA 3225E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
PHENYL DISULFIDE FEMA 3225E	27	GRAVIES(R)	*	0-5 MO.	.000010	.000030	.000500
				6-11 MO.	.000140	.000390	.007000
				12-23 MO.	.000360	.001020	.018000
				2-65+ YR.	.000830	.002130	.041500
PHENYL DISULFIDE FEMA 3225E	99	ALL CATEGORIES	5	0-5 MO.	.005030	.009975	.021033
				6-11 MO.	.047240	.127870	.199400
				12-23 MO.	.085070	.183015	.376933
				2-65+ YR.	.205390	.412930	.921967
1-PHENYL-1,2-PROPANEDIONE FEMA 3226C	01	BAKED GOODS(R)	*	0-5 MO.	.000340	.000450	.000680
				6-11 MO.	.002540	.005180	.005080
				12-23 MO.	.005450	.008980	.010900
				2-65+ YR.	.013720	.020380	.027440
1-PHENYL-1,2-PROPANEDIONE FEMA 3226E	07	FROZN DAIRY(R)	*	0-5 MO.	.003343	.013708	.005030
				6-11 MO.	.031762	.088264	.047785
				12-23 MO.	.048164	.113005	.072432
				2-65+ YR.	.085589	.206284	.128768
1-PHENYL-1,2-PROPANEDIONE FEMA 3226E	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000

TABLE 13, PART 8 — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
1-PHENYL-1,2-PROPANEDIONE FEMA 3226E	10	MEAT PRODS(R)	*	12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
1-PHENYL-1,2-PROPANEDIONE FEMA 3226E	16	SOFT CANDY(R)	*	0-5 MO.	.000510	.005100	.001020
				6-11 MO.	.005610	.017340	.011220
				12-23 MO.	.008925	.023715	.017850
				2-65+ YR.	.014790	.044880	.029580
1-PHENYL-1,2-PROPANEDIONE FEMA 3226E	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.000400
				6-11 MO.	.001280	.003880	.002560
				12-23 MO.	.001380	.003360	.002760
				2-65+ YR.	.002040	.005250	.004080
1-PHENYL-1,2-PROPANEDIONE FEMA 3226E	23	BEV TYPE I(R)	*	0-5 MO.	.008024	.012036	.012072
				6-11 MO.	.075894	.259777	.114181
				12-23 MO.	.181209	.543292	.272626
				2-65+ YR.	.347707	.928444	.523120
1-PHENYL-1,2-PROPANEDIONE FEMA 3226E	59	ALL CATEGORIES	*	0-5 MO.	.017917	.046064	.030202
				6-11 MO.	.220585	.653441	.387826
				12-23 MO.	.396108	.951851	.678568
				2-65+ YR.	.855846	1.855737	1.496988
PROPENYL PROPYL DISULFIDE FEMA 3227E	01	BAKED GOODS(R)	*	0-5 MO.	.013121	.017366	.017000
				6-11 MO.	.098023	.199904	.127000
				12-23 MO.	.210324	.346552	.272500
				2-65+ YR.	.529476	.786496	.686000
PROPENYL PROPYL DISULFIDE FEMA 3227E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
PROPENYL PROPYL DISULFIDE FEMA 3227E	10	MEAT PRODS(R)	*	0-5 MO.	.010947	.028860	.014022
				6-11 MO.	.206002	.555311	.263863
				12-23 MO.	.300545	.516499	.384959

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PROPENYL PROPYL DISULFIDE FEMA 3227E	10	MEAT PRODS(R)	*	2-65+ YR.	.780222	1.294730	.999364
PROPENYL PROPYL DISULFIDE FEMA 3227E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.001700	**********
				6-11 MO.	.013600	.037400	.016000
				12-23 MO.	.047600	.129200	.056000
				2-65+ YR.	.149600	.360400	.176000
PROPENYL PROPYL DISULFIDE FEMA 3227E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
PROPENYL PROPYL DISULFIDE FEMA 3227E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002141
				6-11 MO.	.012800	.038800	.013701
				12-23 MO.	.013800	.033600	.014772
				2-65+ YR.	.020400	.052500	.021837
PROPENYL PROPYL DISULFIDE FEMA 3227E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
PROPENYL PROPYL DISULFIDE FEMA 3227E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.032500
PROPENYL PROPYL DISULFIDE FEMA 3227E	99	ALL CATEGORIES	*	0-5 MO.	.029668	.060326	.036763
				6-11 MO.	.364825	.942415	.454964
				12-23 MO.	.644369	1.231651	.800331
				2-65+ YR.	1.647598	2.945526	2.051100
ISOPROPYL TIGLATE FEMA 3229E	01	BAKED GOODS(R)	*	0-5 MO.	.032640	.043200	.061200
				6-11 MO.	.243840	.497280	.457200
				12-23 MO.	.523200	.862080	.981000
				2-65+ YR.	1.317120	1.956480	2.469600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOPROPYL TIGLATE FEMA 3229E	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200
				2-65+ YR.	.102400	.246800	.204800
ISOPROPYL TIGLATE FEMA 3229E	14	PROCSD VEGS(R)	*	0-5 MO.	.000140	.000420	.000350
				6-11 MO.	.002400	.005600	.006000
				12-23 MO.	.003900	.006530	.009750
				2-65+ YR.	.008500	.014320	.021250
ISOPROPYL TIGLATE FEMA 3229E	16	SOFT CANDY(R)	*	0-5 MO.	.001400	.014000	.002800
				6-11 MO.	.015400	.047600	.030800
				12-23 MO.	.024500	.065100	.049000
				2-65+ YR.	.040600	.123200	.081200
ISOPROPYL TIGLATE FEMA 3229E	20	GELATIN PUD(R)	*	0-5 MO.	.005000	.006750	.010000
				6-11 MO.	.032000	.097000	.064000
				12-23 MO.	.034500	.084000	.069000
				2-65+ YR.	.051000	.131250	.102000
ISOPROPYL TIGLATE FEMA 3229E	23	BEV TYPE I(R)	*	0-5 MO.	.003000	.004500	.006000
				6-11 MO.	.028375	.097125	.056750
				12-23 MO.	.067750	.203125	.135500
				2-65+ YR.	.130000	.347125	.260000
ISOPROPYL TIGLATE FEMA 3229E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
ISOPROPYL TIGLATE FEMA 3229E	99	ALL CATEGORIES	*	0-5 MO.	.046180	.085270	.088350
				6-11 MO.	.360015	.850405	.690750
				12-23 MO.	.711450	1.356435	1.359450
				2-65+ YR.	1.714620	3.007975	3.268850
PYRAZINE ETHANETHIOL FEMA 3230E	01	BAKED GOODS(R)	*	0-5 MO.	.015300	.020250	.037400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PYRAZINE ETHANETHIOL FEMA 3230E	01	BAKED GOODS(R)	*	6-11 MO.	.114300	.233100	.279400
				12-23 MO.	.245250	.404100	.599500
				2-65+ YR.	.617400	.917100	1.509200
PYRAZINE ETHANETHIOL FEMA 3230E	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.007000
				6-11 MO.	.047500	.132000	.066500
				12-23 MO.	.072000	.169000	.100800
				2-65+ YR.	.128000	.308500	.179200
PYRAZINE ETHANETHIOL FEMA 3230E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.006600
				6-11 MO.	.020700	.055800	.124200
				12-23 MO.	.030200	.051900	.181200
				2-65+ YR.	.078400	.130100	.470400
PYRAZINE ETHANETHIOL FEMA 3230E	16	SOFT CANDY(R)	*	0-5 MO.	.000900	.009000	.002200
				6-11 MO.	.009900	.030600	.024200
				12-23 MO.	.015750	.041850	.038500
				2-65+ YR.	.026100	.079200	.063800
PYRAZINE ETHANETHIOL FEMA 3230E	23	BEV TYPE II(R)	*	0-5 MO.	.002400	.003600	.014400
				6-11 MO.	.022700	.077700	.136200
				12-23 MO.	.054200	.162500	.325200
				2-65+ YR.	.104000	.277700	.624000
PYRAZINE ETHANETHIOL FEMA 3230E	99	ALL CATEGORIES	*	0-5 MO.	.024700	.056250	.067600
				6-11 MO.	.215100	.529200	.630500
				12-23 MO.	.417400	.829350	1.245200
				2-65+ YR.	.953900	1.712600	2.846600
PYRAZINYL METHYL SULFIDE FEMA 3231E	01	BAKED GOODS(R)	*	0-5 MO.	.000850	.001125	.002720
				6-11 MO.	.006350	.012950	.020320
				12-23 MO.	.013625	.022450	.043600
				2-65+ YR.	.034300	.050950	.109760
PYRAZINYL METHYL SULFIDE FEMA 3231E	07	FROZN DAIRY(R)	*	0-5 MO.	.000200	.000820	.000550
				6-11 MO.	.001900	.005280	.005225

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PYRAZINYL METHYL SULFIDE FEMA 3231E	07	FROZN DAIRY(R)	*	12-23 MO.	.002880	.006760	.007920
				2-65+ YR.	.005120	.012340	.014080
PYRAZINYL METHYL SULFIDE FEMA 3231E	10	MEAT PRODS(R)	*	0-5 MO.	.001265	.003335	.002530
				6-11 MO.	.023805	.064170	.047610
				12-23 MO.	.034730	.059685	.069460
				2-65+ YR.	.090160	.149615	.180320
PYRAZINYL METHYL SULFIDE FEMA 3231E	16	SOFT CANDY(R)	*	0-5 MO.	.000050	.000500	.000160
				6-11 MO.	.000550	.001700	.001760
				12-23 MO.	.000875	.002325	.002800
				2-65+ YR.	.001450	.004400	.004640
PYRAZINYL METHYL SULFIDE FEMA 3231E	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.001000
				6-11 MO.	.001280	.003880	.006400
				12-23 MO.	.001380	.003360	.006900
				2-65+ YR.	.002040	.005250	.010200
PYRAZINYL METHYL SULFIDE FEMA 3231E	23	BEV TYPE I(R)	*	0-5 MO.	.000480	.000720	.001320
				6-11 MO.	.004540	.015540	.012485
				12-23 MO.	.010840	.032500	.029810
				2-65+ YR.	.020800	.055540	.057200
PYRAZINYL METHYL SULFIDE FEMA 3231E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********
				2-65+ YR.	.003250	.009440	.016250
PYRAZINYL METHYL SULFIDE FEMA 3231E	59	ALL CATEGORIES	*	0-5 MO.	.003045	.006770	.008280
				6-11 MO.	.038425	.103530	.093800
				12-23 MO.	.064330	.127100	.160490
				2-65+ YR.	.157120	.287535	.392450
2-PYRADINEMETHANETHIOL FEMA 3232E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-PYRADINEMETHANETHIOL FEMA 3232E	07	FROZN DAIRY(R)	*	2-65+ YR.	.025600	.061700	.051200
2-PYRADINEMETHANETHIOL FEMA 3232E	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
2-PYRADINEMETHANETHIOL FEMA 3232E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
2-PYRADINEMETHANETHIOL FEMA 3232E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
2-PYRADINEMETHANETHIOL FEMA 3232E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
2-PYRADINEMETHANETHIOL FEMA 3232E	99	ALL CATEGORIES	*	0-5 MO.	.007800	.018200	.015600
				6-11 MO.	.088600	.261300	.177200
				12-23 MO.	.146300	.343000	.292600
				2-65+ YR.	.312600	.669700	.625200
MENTHOFURAN FEMA 3235E	01	BAKED GOODS(R)	*	0-5 MO.	.022440	.029700	.040800
				6-11 MO.	.167640	.341880	.304800
				12-23 MO.	.359700	.592680	.654000
				2-65+ YR.	.905520	1.345080	1.646400
MENTHOFURAN FEMA 3235E	07	FROZN DAIRY(R)	4	0-5 MO.	.003583	.014692	.006833
				6-11 MO.	.034042	.094600	.064917
				12-23 MO.	.051600	.121117	.098400
				2-65+ YR.	.091733	.221092	.174933

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
MENTHOFURAN FEMA 3235E	16	SOFT CANDY(R)	5	0-5 MO.	.001171	.011714	.002267
				6-11 MO.	.012886	.039829	.024933
				12-23 MO.	.020500	.054471	.039667
				2-65+ YR.	.033971	.103086	.065733
MENTHOFURAN FEMA 3235E	20	GELATIN PUD(R)	*	0-5 MO.	.004500	.006075	.007000
				6-11 MO.	.028800	.087300	.044800
				12-23 MO.	.031050	.075600	.048300
				2-65+ YR.	.045900	.118125	.071400
MENTHOFURAN FEMA 3235E	23	BEV TYPE I(R)	5	0-5 MO.	.005314	.007971	.008400
				6-11 MO.	.050264	.172050	.079450
				12-23 MO.	.120014	.359821	.189700
				2-65+ YR.	.230286	.614907	.364000
MENTHOFURAN FEMA 3235E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000163	**********
				12-23 MO.	**********	.000325	**********
				2-65+ YR.	.052813	.153400	.105625
MENTHOFURAN FEMA 3235E	99	ALL CATEGORIES	6	0-5 MO.	.037009	.070152	.065300
				6-11 MO.	.293632	.735821	.518900
				12-23 MO.	.582864	1.204015	1.030067
				2-65+ YR.	1.360223	2.555690	2.428092
ROSE OXIDE FEMA 3236E	01	BAKED GOODS(R)	*	0-5 MO.	.008500	.011250	.013600
				6-11 MO.	.063500	.129500	.101600
				12-23 MO.	.136250	.224500	.218000
				2-65+ YR.	.343000	.509500	.548800
ROSE OXIDE FEMA 3236E	07	FROZN DAIRY(R)	*	0-5 MO.	.001005	.004121	.002025
				6-11 MO.	.009548	.026532	.019238
				12-23 MO.	.014472	.033969	.029160
				2-65+ YR.	.025728	.062009	.051840
ROSE OXIDE FEMA 3236E	16	SOFT CANDY(R)	5	0-5 MO.	.000645	.006449	.001343

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, NG. (AGE)	AVERAGE	HIGH A	HIGH B
ROSE OXIDE FEMA 3236E	16	SOFT CANDY(R)	5	6-11 MO.	.007094	.021927	.014775
				12-23 MO.	.011286	.029988	.023506
				2-65+ YR.	.018702	.056751	.038952
ROSE OXIDE FEMA 3236E	20	GELATIN PUD(R)	*	0-5 MO.	.002018	.002725	.004000
				6-11 MO.	.012916	.039153	.025600
				12-23 MO.	.013925	.033905	.027600
				2-65+ YR.	.020585	.052977	.040800
ROSE OXIDE FEMA 3236E	23	BEV TYPE 1(R)	5	0-5 MO.	.001274	.001911	.001860
				6-11 MO.	.012053	.041255	.017593
				12-23 MO.	.028778	.086280	.042005
				2-65+ YR.	.055219	.147445	.080600
ROSE OXIDE FEMA 3236E	27	CRAVIES(R)	*	0-5 MO.	.000002	.000006	.000005
				6-11 MO.	.000028	.000078	.000070
				12-23 MO.	.000072	.000204	.000180
				2-65+ YR.	.000166	.000426	.000415
ROSE OXIDE FEMA 3236E	99	ALL CATEGORIES	6	0-5 MO.	.013444	.026461	.022833
				6-11 MO.	.105138	.258444	.178875
				12-23 MO.	.204783	.408846	.340451
				2-65+ YR.	.463401	.829108	.761407
TETRAMETHYLPYRAZINE FEMA 3237E	01	BAKED GOODS(R)	*	0-5 MO.	.005993	.007931	.015385
				6-11 MO.	.044768	.091298	.114935
				12-23 MO.	.096056	.158273	.246613
				2-65+ YR.	.241815	.359198	.620830
TETRAMETHYLPYRAZINE FEMA 3237E	07	FROZN DAIRY(R)	*	0-5 MO.	.003253	.013339	.003253
				6-11 MO.	.030907	.085888	.030907
				12-23 MO.	.046846	.109963	.046848
				2-65+ YR.	.083285	.200731	.083285
TETRAMETHYLPYRAZINE FEMA 3237E	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TETRAMETHYLPYRAZINE FEMA 3237E	10	MEAT PRODS(R)	*	12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
TETRAMETHYLPYRAZINE FEMA 3237E	16	SOFT CANDY(R)	*	0-5 MO.	.000602	.006020	.000705
				6-11 MO.	.006622	.020468	.007755
				12-23 MO.	.010535	.027993	.012338
				2-65+ YR.	.017458	.052976	.020445
TETRAMETHYLPYRAZINE FEMA 3237E	20	GELATIN PUD(R)	*	0-5 MO.	.002260	.003051	.005525
				6-11 MO.	.014464	.043844	.035360
				12-23 MO.	.015594	.037968	.038123
				2-65+ YR.	.023052	.059325	.056355
TETRAMETHYLPYRAZINE FEMA 3237E	23	BEV TYPE I(R)	*	0-5 MO.	.003610	.005414	.006630
				6-11 MO.	.034141	.116861	.062709
				12-23 MO.	.081517	.244400	.149728
				2-65+ YR.	.156416	.417661	.287300
TETRAMETHYLPYRAZINE FEMA 3237E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000026	**********
				12-23 MO.	**********	.000052	**********
				2-65+ YR.	.008450	.024544	.033313
TETRAMETHYLPYRAZINE FEMA 3237E	59	ALL CATEGORIES	4	0-5 MO.	.017917	.041555	.035898
				6-11 MO.	.172301	.469984	.334465
				12-23 MO.	.310950	.682448	.614448
				2-65+ YR.	.687276	1.374634	1.415128
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.006800
				6-11 MO.	.050800	.103600	.050800
				12-23 MO.	.109000	.179600	.109000
				2-65+ YR.	.274400	.407600	.274400
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	07	FROZN DAIRY(R)	*	2-65+ YR.	.025600	.061700	.025600
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000008	.000024	.000008
				12-23 MO.	.000024	.000072	.000024
				2-65+ YR.	.000048	.000136	.000048
2,2-THIODIMETHYLENE-DIFUR FEMA 3238E	99	ALL CATEGORIES	*	0-5 MO.	.013500	.024300	.014600
				6-11 MO.	.118708	.309124	.139408
				12-23 MO.	.225124	.470772	.255324
				2-65+ YR.	.508648	.947336	.587048
4-THUJANOL FEMA 3239E	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.054400
				6-11 MO.	.203200	.414400	.406400
				12-23 MO.	.436000	.716400	.872000
				2-65+ YR.	1.097600	1.630400	2.195200

TABLE 13, PART 3 — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
4-THUJANOL FEMA 3239E	07	FROZN DAIRY(R)	*	0-5 MO.	.004070	.016689	.008141
				6-11 MO.	.038669	.107459	.077338
				12-23 MO.	.058614	.137580	.117228
				2-65+ YR.	.104203	.251145	.208406
4-THUJANOL FEMA 3239E	16	SOFT CANDY(R)	*	0-5 MO.	.001558	.015577	.003115
				6-11 MO.	.017135	.052963	.034270
				12-23 MO.	.027261	.072435	.054521
				2-65+ YR.	.045175	.137082	.090349
4-THUJANOL FEMA 3239E	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.016000
				6-11 MO.	.051200	.155200	.102400
				12-23 MO.	.055200	.134400	.110400
				2-65+ YR.	.081600	.210000	.163200
4-THUJANOL FEMA 3239E	23	BEV TYPE II(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
4-THUJANOL FEMA 3239E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
4-THUJANOL FEMA 3239E	99	ALL CATEGORIES	*	0-5 MO.	.043228	.082666	.086456
				6-11 MO.	.332904	.807923	.665808
				12-23 MO.	.631275	1.225716	1.262549
				2-65+ YR.	1.497577	2.695127	2.995155
02-TOLUENETHIOL FEMA 3240E	01	BAKED GOODS(R)	*	0-5 MO.	.002720	.003600	.003060
				6-11 MO.	.020320	.041440	.022860
				12-23 MO.	.043600	.071840	.049050
				2-65+ YR.	.109760	.163040	.123480
02-TOLUENETHIOL FEMA 3240E	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
OA-TOLUENETHIOL FEMA 3240E	10	MEAT PRODS(R)	*	6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
OA-TOLUENETHIOL FEMA 3240E	21	SOUPS(R)	*	0-5 MO.	.000010	.000075	.000040
				6-11 MO.	.001165	.003635	.004660
				12-23 MO.	.001740	.004805	.006960
				2-65+ YR.	.001585	.004225	.006340
OA-TOLUENETHIOL FEMA 3240E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.001100	**********
				6-11 MO.	.004400	.012100	.005600
				12-23 MO.	.012100	.034100	.015400
				2-65+ YR.	.014300	.040700	.018200
OA-TOLUENETHIOL FEMA 3240E	99	ALL CATEGORIES	4	0-5 MO.	.003830	.007675	.005300
				6-11 MO.	.046585	.112975	.074520
				12-23 MO.	.087640	.162645	.131810
				2-65+ YR.	.204045	.338065	.304820
TRIMETHYLAMINE FEMA 3241E	01	BAKED GOODS(R)	4	0-5 MO.	.033580	.044444	.071534
				6-11 MO.	.250864	.511605	.534403
				12-23 MO.	.538272	.886914	1.146651
				2-65+ YR.	1.355062	2.012839	2.886616
TRIMETHYLAMINE FEMA 3241E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
TRIMETHYLAMINE FEMA 3241E	10	MEAT PRODS(R)	6	0-5 MO.	.007277	.019185	.015391
				6-11 MO.	.136940	.369142	.289625
				12-23 MO.	.199786	.343342	.422544
				2-65+ YR.	.518651	.860670	1.096936
TRIMETHYLAMINE FEMA 3241E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000032	**********
				6-11 MO.	.000252	.000693	.000840

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TRIMETHYLAMINE FEMA 3241E	15	CONDM RELSH(R)	*	12-23 MO.	.000882	.002394	.002940
				2-65+ YR.	.002772	.006678	.009240
TRIMETHYLAMINE FEMA 3241E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
TRIMETHYLAMINE FEMA 3241E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
TRIMETHYLAMINE FEMA 3241E	22	SNACK FOODS(R)	*	0-5 MO.	**********	.002000	**********
				6-11 MO.	.008000	.022000	.012000
				12-23 MO.	.022000	.062000	.033000
				2-65+ YR.	.026000	.074000	.039000
TRIMETHYLAMINE FEMA 3241E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
TRIMETHYLAMINE FEMA 3241E	99	ALL CATEGORIES	9	0-5 MO.	.046457	.078061	.092525
				6-11 MO.	.443256	1.053140	.884067
				12-23 MO.	.846840	1.533849	1.691035
				2-65+ YR.	2.058285	3.363687	4.187591
P-CYMENOL-8 FEMA 3242E	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.040800
				6-11 MO.	.203200	.414400	.304800
				12-23 MO.	.436000	.718400	.654000
				2-65+ YR.	1.097600	1.630400	1.646400
P-CYMENOL-8 FEMA 3242E	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PB-CYMENOL-8 FEMA 3242E	07	FROZN DAIRY(R)	*	2-65+ YR.	.102400	.246800	.204800
PB-CYMENOL-8 FEMA 3242E	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
PB-CYMENOL-8 FEMA 3242E	16	SOFT CANDY(R)	*	0-5 MO.	.000470	.004700	.001025
				6-11 MO.	.005170	.015980	.011275
				12-23 MO.	.008225	.021855	.017938
				2-65+ YR.	.013630	.041360	.029725
PB-CYMENOL-8 FEMA 3242E	20	GELATIN PUD(R)	*	0-5 MO.	.004300	.005805	.009000
				6-11 MO.	.027520	.083420	.057600
				12-23 MO.	.029670	.072240	.062100
				2-65+ YR.	.043860	.112875	.091800
PB-CYMENOL-8 FEMA 3242E	23	BEV TYPE I(R)	*	0-5 MO.	.002460	.003690	.004980
				6-11 MO.	.023268	.079643	.047103
				12-23 MO.	.055555	.166563	.112465
				2-65+ YR.	.106600	.284643	.215800
PB-CYMENOL-8 FEMA 3242E	99	ALL CATEGORIES	*	0-5 MO.	.040630	.072395	.068205
				6-11 MO.	.338558	.810643	.579578
				12-23 MO.	.647450	1.218058	1.082503
				2-65+ YR.	1.520890	2.576278	2.502125
ME3-CYCLOHEX-1-ENL BU-2EN FEMA 3243E	01	BAKED GOODS(R)	*	0-5 MO.	.017340	.022950	.028900
				6-11 MO.	.129540	.264180	.215900
				12-23 MO.	.277950	.457980	.463250
				2-65+ YR.	.699720	1.039380	1.186200
ME3-CYCLOHEX-1-ENL BU-2EN FEMA 3243E	07	FROZN DAIRY(R)	*	0-5 MO.	.002100	.008610	.004500
				6-11 MO.	.019950	.055440	.042750
				12-23 MO.	.030240	.070980	.064800
				2-65+ YR.	.053760	.129570	.115200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ME3-CYCLOHEX-1-ENL BU-2EN FEMA 3243E	16	SOFT CANDY(R)	*	0-5 MO.	.000420	.004200	.000900
				6-11 MO.	.004620	.014280	.009900
				12-23 MO.	.007350	.019530	.015750
				2-65+ YR.	.012180	.036960	.026100
ME3-CYCLOHEX-1-ENL BU-2EN FEMA 3243E	20	GELATIN PUD(R)	*	0-5 MO.	.004200	.005670	.009000
				6-11 MO.	.026880	.081480	.057600
				12-23 MO.	.028980	.070560	.062100
				2-65+ YR.	.042840	.110250	.091800
ME3-CYCLOHEX-1-ENL BU-2EN FEMA 3243E	23	BEV TYPE 1(R)	*	0-5 MO.	.005040	.007560	.010800
				6-11 MO.	.047670	.163170	.102150
				12-23 MO.	.113820	.341250	.243900
				2-65+ YR.	.218400	.583170	.468000
ME3-CYCLOHEX-1-ENL BU-2EN FEMA 3243E	59	ALL CATEGORIES	*	0-5 MO.	.029100	.048990	.054100
				6-11 MO.	.228660	.578550	.428300
				12-23 MO.	.458340	.960300	.849800
				2-65+ YR.	1.026900	1.899330	1.867300
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	01	BAKED GOODS(R)	4	0-5 MO.	.017000	.022500	.019267
				6-11 MO.	.127000	.259000	.143933
				12-23 MO.	.272500	.449000	.308833
				2-65+ YR.	.686000	1.019000	.777467
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	07	FROZN DAIRY(R)	4	0-5 MO.	.002750	.011275	.002750
				6-11 MO.	.026125	.072600	.026125
				12-23 MO.	.039600	.092950	.039600
				2-65+ YR.	.070400	.169675	.070400
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	16	SOFT CANDY(R)	4	0-5 MO.	.000700	.007000	.000800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	16	SOFT CANDY(R)	4	6-11 MO.	.007700	.023800	.008800
				12-23 MO.	.012250	.032550	.014000
				2-65+ YR.	.020300	.061600	.023200
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	20	GELATIN PUD(R)	*	0-5 MO.	.003667	.004950	.007333
				6-11 MO.	.023467	.071133	.046933
				12-23 MO.	.025300	.061600	.050600
				2-65+ YR.	.037400	.096250	.074800
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	23	BEV TYPE I(R)	5	0-5 MO.	.003771	.005657	.004800
				6-11 MO.	.035671	.122100	.045400
				12-23 MO.	.085171	.255357	.108400
				2-65+ YR.	.163429	.436386	.208000
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
2,3,5-TRIMETHYLPYRAZINE FEMA 3244E	59	ALL CATEGORIES	5	0-5 MO.	.030088	.057182	.039350
				6-11 MO.	.261363	.660283	.353992
				12-23 MO.	.495221	.995357	.642233
				2-65+ YR.	1.150579	2.090311	1.499967
UNDECANOIC ACID FEMA 3245E	01	BAKED GOODS(R)	4	0-5 MO.	.015867	.021000	.034680
				6-11 MO.	.118533	.241733	.259080
				12-23 MO.	.254333	.419067	.555900
				2-65+ YR.	.640267	.951067	1.399440
UNDECANOIC ACID FEMA 3245E	07	FROZN DAIRY(R)	*	0-5 MO.	.003250	.013325	.006250
				6-11 MO.	.030875	.085800	.059375
				12-23 MO.	.046800	.109850	.090000
				2-65+ YR.	.083200	.200525	.160000
UNDECANOIC ACID FEMA 3245E	16	SOFT CANDY(R)	*	0-5 MO.	.001250	.012500	.002450
				6-11 MO.	.013750	.042500	.026950

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
UNDECANOIC ACID FEMA 3245E	16	SOFT CANDY(R)	*	12-23 MO.	.021875	.058125	.042875
				2-65+ YR.	.036250	.110000	.071050
UNDECANOIC ACID FEMA 3245E	20	GELATIN PUD(R)	*	0-5 MO.	.003500	.004725	.006500
				6-11 MO.	.022400	.067900	.041600
				12-23 MO.	.024150	.058800	.044850
				2-65+ YR.	.035700	.091875	.066300
UNDECANOIC ACID FEMA 3245E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004200
				6-11 MO.	.022700	.077700	.039725
				12-23 MO.	.054200	.162500	.094850
				2-65+ YR.	.104000	.277700	.182000
UNDECANOIC ACID FEMA 3245E	99	ALL CATEGORIES	4	0-5 MO.	.026267	.055150	.054080
				6-11 MO.	.208258	.515633	.426730
				12-23 MO.	.401358	.808342	.828475
				2-65+ YR.	.899417	1.631167	1.878790
2-UNDECANOL FEMA 3246E	01	BAKED GOODS(R)	4	0-5 MO.	.029750	.039375	.061200
				6-11 MO.	.222250	.453250	.457200
				12-23 MO.	.476875	.785750	.981000
				2-65+ YR.	1.200500	1.783250	2.469600
2-UNDECANOL FEMA 3246E	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.014000
				6-11 MO.	.095000	.264000	.133000
				12-23 MO.	.144000	.338000	.201600
				2-65+ YR.	.256000	.617000	.358400
2-UNDECANOL FEMA 3246E	16	SOFT CANDY(R)	*	0-5 MO.	.002500	.025000	.003400
				6-11 MO.	.027500	.085000	.037400
				12-23 MO.	.043750	.116250	.059500
				2-65+ YR.	.072500	.220000	.098600
2-UNDECANOL FEMA 3246E	20	GELATIN PUD(R)	*	0-5 MO.	.018000	.024300	.024000
				6-11 MO.	.115200	.349200	.153600
				12-23 MO.	.124200	.302400	.165600

TABLE 33, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-UNDECANOL FEMA 3246E	20	GELATIN PUD(R)	*	2-65+ YR.	.183600	.472500	.244800
2-UNDECANOL FEMA 3246E	23	BEV TYPE I(R)	*	0-5 MO.	.008400	.012600	.010800
				6-11 MO.	.079450	.271950	.102150
				12-23 MO.	.189700	.568750	.243900
				2-65+ YR.	.364000	.971950	.468000
2-UNDECANOL FEMA 3246E	99	ALL CATEGORIES	4	0-5 MO.	.068650	.142275	.113400
				6-11 MO.	.539400	1.423400	.883350
				12-23 MO.	.978525	2.111150	1.651600
				2-65+ YR.	2.076600	4.064700	3.639400
10-UNDECENOIC ACID FEMA 3247E	01	BAKED GOODS(R)	5	0-5 MO.	.020011	.026486	.094917
				6-11 MO.	.149497	.304880	.709083
				12-23 MO.	.320771	.528537	1.521458
				2-65+ YR.	.807520	1.199509	3.830167
10-UNDECENOIC ACID FEMA 3247E	07	FROZN DAIRY(R)	4	0-5 MO.	.005867	.024053	.026583
				6-11 MO.	.055733	.154880	.252542
				12-23 MO.	.084480	.198293	.382800
				2-65+ YR.	.150187	.361973	.680533
10-UNDECENOIC ACID FEMA 3247E	10	MEAT PRODS(R)	*	0-5 MO.	.011000	.029000	.055000
				6-11 MO.	.207000	.558000	1.035000
				12-23 MO.	.302000	.519000	1.510000
				2-65+ YR.	.784000	1.301000	3.920000
10-UNDECENOIC ACID FEMA 3247E	16	SOFT CANDY(R)	4	0-5 MO.	.001307	.013067	.005583
				6-11 MO.	.014373	.044427	.061417
				12-23 MO.	.022867	.060760	.097708
				2-65+ YR.	.037893	.114987	.161917
10-UNDECENOIC ACID FEMA 3247E	20	GELATIN PUD(R)	4	0-5 MO.	.011067	.014940	.051833
				6-11 MO.	.070827	.214693	.331733
				12-23 MO.	.076360	.185920	.357650
				2-65+ YR.	.112880	.290500	.528700

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
10-UNDECENOIC ACID FEMA 3247E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.008640
				6-11 MO.	.022700	.077700	.081720
				12-23 MO.	.054200	.162500	.195120
				2-65+ YR.	.104000	.277700	.374400
10-UNDECENOIC ACID FEMA 3247E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
10-UNDECENOIC ACID FEMA 3247E	27	GRAVIES(R)	*	0-5 MO.	.000005	.000015	.000010
				6-11 MO.	.000070	.000195	.000140
				12-23 MO.	.000180	.000510	.000360
				2-65+ YR.	.000415	.001065	.000830
10-UNDECENOIC ACID FEMA 3247E	99	ALL CATEGORIES	6	0-5 MO.	.051656	.111161	.242567
				6-11 MO.	.520200	1.354875	2.471635
				12-23 MO.	.860858	1.655720	4.065097
				2-65+ YR.	2.029395	3.641134	9.659047
OO-VINYLANISOLE FEMA 3248E	01	BAKED GOODS(R)	*	0-5 MO.	.011900	.015750	.020400
				6-11 MO.	.088900	.181300	.152400
				12-23 MO.	.190750	.314300	.327000
				2-65+ YR.	.480200	.713300	.823200
OO-VINYLANISOLE FEMA 3248E	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.002000
				6-11 MO.	.019000	.052800	.019000
				12-23 MO.	.028800	.067600	.028800
				2-65+ YR.	.051200	.123400	.051200
OO-VINYLANISOLE FEMA 3248E	16	SOFT CANDY(R)	*	0-5 MO.	.000700	.007000	.001200
				6-11 MO.	.007700	.023800	.013200
				12-23 MO.	.012250	.032550	.021000
				2-65+ YR.	.020300	.061600	.034800
OO-VINYLANISOLE FEMA 3248E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.004000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
O2-VINYLANISOLE FEMA 3248E	20	GELATIN PUD(R)	*	6-11 MO.	.025600	.077600	.025600
				12-23 MO.	.027600	.067200	.027600
				2-65+ YR.	.040800	.105000	.040800
O2-VINYLANISOLE FEMA 3248E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.003600
				6-11 MO.	.022700	.077700	.034050
				12-23 MO.	.054200	.162500	.081300
				2-65+ YR.	.104000	.277700	.156000
O2-VINYLANISOLE FEMA 3248E	99	ALL CATEGORIES	*	0-5 MO.	.021000	.039950	.031200
				6-11 MO.	.163900	.413200	.244250
				12-23 MO.	.313600	.644150	.485700
				2-65+ YR.	.696500	1.281000	1.106000
2,6-XYLENOL FEMA 3249E	01	BAKED GOODS(R)	4	0-5 MO.	.007744	.010249	.010223
				6-11 MO.	.057849	.117975	.076369
				12-23 MO.	.124124	.204520	.163863
				2-65+ YR.	.312473	.464155	.412515
2,6-XYLENOL FEMA 3249E	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.004000
				6-11 MO.	.038000	.105600	.038000
				12-23 MO.	.057600	.135200	.057600
				2-65+ YR.	.102400	.246800	.102400
2,6-XYLENOL FEMA 3249E	10	MEAT PRODS(R)	*	0-5 MO.	.000011	.000029	.000022
				6-11 MO.	.000207	.000558	.000414
				12-23 MO.	.000302	.000519	.000604
				2-65+ YR.	.000784	.001301	.001568
2,6-XYLENOL FEMA 3249E	15	COOKM FELSH(R)	*	0-5 MO.	**********	.000010	**********
				6-11 MO.	.000080	.000220	.000800
				12-23 MO.	.000280	.000760	.002800
				2-65+ YR.	.000880	.002120	.008800
2,6-XYLENOL FEMA 3249E	16	SOFT CANDY(R)	*	0-5 MO.	.000900	.009000	.001600
				6-11 MO.	.009900	.030600	.017600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,6-XYLENOL FEMA 3249E	16	SOFT CANDY(R)	*	12-23 MO.	.015750	.041850	.028000
				2-65+ YR.	.026100	.079200	.046400
2,6-XYLENOL FEMA 3249E	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.008000
				6-11 MO.	.051200	.155200	.051200
				12-23 MO.	.055200	.134400	.055200
				2-65+ YR.	.081600	.210000	.081600
2,6-XYLENOL FEMA 3249E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.004800
				6-11 MO.	.045400	.155400	.045400
				12-23 MO.	.108400	.325000	.108400
				2-65+ YR.	.208000	.555400	.208000
2,6-XYLENOL FEMA 3249E	99	ALL CATEGORIES	4	0-5 MO.	.025455	.053688	.028645
				6-11 MO.	.202636	.565553	.229783
				12-23 MO.	.361656	.842249	.416467
				2-65+ YR.	.732237	1.558976	.861283
TRIPROPIONINE FEMA 3402E	01	BAKED GOODS(R)	*	0-5 MO.	.510000	.675000	1.020000
				6-11 MO.	3.810000	7.770000	7.620000
				12-23 MO.	8.175000	13.470000	16.350000
				2-65+ YR.	20.580000	30.570000	41.160000
TRIPROPIONINE FEMA 3402E	07	FROZN DAIRY(R)	*	0-5 MO.	.200000	.820000	.400000
				6-11 MO.	1.900000	5.280000	3.800000
				12-23 MO.	2.880000	6.760000	5.760000
				2-65+ YR.	5.120000	12.340000	10.240000
TRIPROPIONINE FEMA 3402E	16	SOFT CANDY(R)	*	0-5 MO.	.030000	.300000	.060000
				6-11 MO.	.330000	1.020000	.660000
				12-23 MO.	.525000	1.395000	1.050000
				2-65+ YR.	.870000	2.640000	1.740000
TRIPROPIONINE FEMA 3402E	20	GELATIN PUD(R)	*	0-5 MO.	.300000	.405000	.600000
				6-11 MO.	1.920000	5.820000	3.840000
				12-23 MO.	2.070000	5.040000	4.140000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
TRIPROPIONINE FEMA 3402E	20	GELATIN PUD(R)	*	2-65+ YR.	3.060000	7.875000	6.120000
TRIPROPIONINE FEMA 3402E	23	BEV TYPE I(R)	*	0-5 MO.	.480000	.720000	.960000
				6-11 MO.	4.540000	15.540000	9.080000
				12-23 MO.	10.840000	32.500000	21.680000
				2-65+ YR.	20.800000	55.540000	41.600000
TRIPROPIONINE FEMA 3402E	30	HARD CANDY(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.005525	.016575	.005525
				12-23 MO.	.016575	.049725	.016575
				2-65+ YR.	.033150	.093925	.033150
TRIPROPIONINE FEMA 3402E	99	ALL CATEGORIES	*	0-5 MO.	1.520000	2.920000	3.040000
				6-11 MO.	12.505525	35.446575	25.005525
				12-23 MO.	24.506575	59.214725	48.996575
				2-65+ YR.	50.463150	109.058925	100.893150
BUTYROLACTONE FEMA 3421E	01	BAKED GOODS(R)	*	0-5 MO.	.027253	.036071	.054907
				6-11 MO.	.203598	.415213	.410185
				12-23 MO.	.436855	.719809	.880122
				2-65+ YR.	1.099752	1.633597	2.215646
BUTYROLACTONE FEMA 3421E	07	FROZN DAIRY(R)	*	0-5 MO.	.004008	.016432	.008075
				6-11 MO.	.038075	.105807	.076708
				12-23 MO.	.057713	.135465	.116273
				2-65+ YR.	.102601	.247284	.206707
BUTYROLACTONE FEMA 3421E	10	MEAT PRODS(R)	*	0-5 MO.	.006600	.017400	.013200
				6-11 MO.	.124200	.334800	.248400
				12-23 MO.	.181200	.311400	.362400
				2-65+ YR.	.470400	.780600	.940800
BUTYROLACTONE FEMA 3421E	16	SOFT CANDY(R)	*	0-5 MO.	.001536	.015365	.003096
				6-11 MO.	.016901	.052240	.034061
				12-23 MO.	.026888	.071446	.054188
				2-65+ YR.	.044558	.135209	.089798

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYROLACTONE FEMA 3421E	20	GELATIN PUD(R)	*	0-5 MO.	.004361	.005887	.008839
				6-11 MO.	.027909	.084599	.056571
				12-23 MO.	.030089	.073261	.060991
				2-65+ YR.	.044480	.114471	.090160
BUTYROLACTONE FEMA 3421E	23	BEV TYPE I(R)	*	0-5 MO.	.009818	.014727	.021273
				6-11 MO.	.092864	.317864	.201205
				12-23 MO.	.221727	.664773	.480409
				2-65+ YR.	.425455	1.136045	.921818
BUTYROLACTONE FEMA 3421E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
BUTYROLACTONE FEMA 3421E	99	ALL CATEGORIES	4	0-5 MO.	.053577	.105882	.109390
				6-11 MO.	.503547	1.310622	1.027130
				12-23 MO.	.954473	1.976353	1.954382
				2-65+ YR.	2.219745	4.141606	4.627429
3,4-DIME CYCLOPENT DIONE FEMA 3427E	01	BAKED GOODS(R)	*	0-5 MO.	.022100	.029250	.052700
				6-11 MO.	.165100	.336700	.393700
				12-23 MO.	.354250	.583700	.844750
				2-65+ YR.	.891800	1.324700	2.126600
3,4-DIME CYCLOPENT DIONE FEMA 3427E	07	FROZN DAIRY(R)	*	0-5 MO.	.003500	.014350	.007000
				6-11 MO.	.033250	.092400	.066500
				12-23 MO.	.050400	.118300	.100800
				2-65+ YR.	.089600	.215950	.179200
3,4-DIME CYCLOPENT DIONE FEMA 3427E	16	SOFT CANDY(R)	*	0-5 MO.	.000933	.009333	.003100
				6-11 MO.	.010267	.031733	.034100
				12-23 MO.	.016333	.043400	.054250
				2-65+ YR.	.027067	.082133	.089900
3,4-DIME CYCLOPENT DIONE FEMA 3427E	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.016000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3,4-DIME CYCLOPENT DIONE FEMA 3427E	20	GELATIN PUD(R)	*	6-11 MO.	.051200	.155200	.102400
				12-23 MO.	.055200	.134400	.110400
				2-65+ YR.	.081600	.210000	.163200
3,4-DIME CYCLOPENT DIONE FEMA 3427E	23	BEV TYPE I(R)	*	0-5 MO.	.008400	.012600	.016800
				6-11 MO.	.079450	.271950	.158900
				12-23 MO.	.189700	.568750	.379400
				2-65+ YR.	.364000	.971950	.728000
3,4-DIME CYCLOPENT DIONE FEMA 3427E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
3,4-DIME CYCLOPENT DIONE FEMA 3427E	59	ALL CATEGORIES	*	0-5 MO.	.042933	.076333	.095600
				6-11 MO.	.339267	.888483	.755600
				12-23 MO.	.665883	1.449550	1.489600
				2-65+ YR.	1.616567	3.276733	3.611900
DI-N-PROPYL TRISULFIDE FEMA 3430E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
DI-N-PROPYL TRISULFIDE FEMA 3430E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
DI-N-PROPYL TRISULFIDE FEMA 3430E	10	MEAT PRODS(R)	*	0-5 MO.	.000110	.000290	**********
				6-11 MO.	.002070	.005580	**********
				12-23 MO.	.003020	.005190	**********
				2-65+ YR.	.007840	.013010	**********
DI-N-PROPYL TRISULFIDE FEMA 3430E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200

TABLE 19, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DI-N-PROPYL TRISULFIDE FEMA 3430E	16	SOFT CANDY(R)	*	12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
DI-N-PROPYL TRISULFIDE FEMA 3430E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
DI-N-PROPYL TRISULFIDE FEMA 3430E	23	BEV TYPE II(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
DI-N-PROPYL TRISULFIDE FEMA 3430E	99	ALL CATEGORIES	*	0-5 MO.	.009110	.017190	.009000
				6-11 MO.	.074670	.207080	.072600
				12-23 MO.	.143420	.334190	.140400
				2-65+ YR.	.300840	.626310	.293000
ETHYL ABIETATE FEMA 3433E	23	BEV TYPE II(R)	*	0-5 MO.	.060000	.090000	.240000
				6-11 MO.	.567500	1.942500	2.270000
				12-23 MO.	1.355000	4.062500	5.420000
				2-65+ YR.	2.600000	6.942500	10.400000
ETHYL ABIETATE FEMA 3433E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.002500	**********
				12-23 MO.	**********	.005000	**********
				2-65+ YR.	.812500	2.360000	3.250000
ETHYL ABIETATE FEMA 3433E	99	ALL CATEGORIES	*	0-5 MO.	.060000	.090000	.240000
				6-11 MO.	.567500	1.945000	2.270000
				12-23 MO.	1.355000	4.067500	5.420000
				2-65+ YR.	3.412500	9.302500	13.650000
3-ET-2,5-DIME PYRAZINE FEMA 3434E	01	BAKED GOODS(R)	*	0-5 MO.	.007933	.010500	.014733
				6-11 MO.	.059267	.120867	.110067
				12-23 MO.	.127167	.209533	.236167

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-ET-2,5-DIME PYRAZINE FEMA 3434E	01	BAKED GOODS(R)	*	2-65+ YR.	.320133	.475533	.594533
3-ET-2,5-DIME PYRAZINE FEMA 3434E	07	FROZN DAIRY(R)	*	0-5 MO.	.001250	.005125	.002500
				6-11 MO.	.011875	.033000	.023750
				12-23 MO.	.018000	.042250	.036000
				2-65+ YR.	.032000	.077125	.064000
3-ET-2,5-DIME PYRAZINE FEMA 3434E	16	SOFT CANDY(R)	4	0-5 MO.	.000400	.004000	.000867
				6-11 MO.	.004400	.013600	.009533
				12-23 MO.	.007000	.018600	.015167
				2-65+ YR.	.011600	.035200	.025133
3-ET-2,5-DIME PYRAZINE FEMA 3434E	20	GELATIN PUD(R)	*	0-5 MO.	.002333	.003150	.004667
				6-11 MO.	.014933	.045267	.029867
				12-23 MO.	.016100	.039200	.032200
				2-65+ YR.	.023800	.061250	.047600
3-ET-2,5-DIME PYRAZINE FEMA 3434E	23	BEV TYPE I(R)	*	0-5 MO.	.003000	.004500	.006000
				6-11 MO.	.028375	.097125	.056750
				12-23 MO.	.067750	.203125	.135500
				2-65+ YR.	.130000	.347125	.260000
3-ET-2,5-DIME PYRAZINE FEMA 3434E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000050	**********
				12-23 MO.	**********	.000100	**********
				2-65+ YR.	.016250	.047200	.032500
3-ET-2,5-DIME PYRAZINE FEMA 3434E	99	ALL CATEGORIES	4	0-5 MO.	.014917	.027275	.028767
				6-11 MO.	.118850	.309908	.229967
				12-23 MO.	.236017	.512808	.455033
				2-65+ YR.	.533783	1.043433	1.023767
DIETHYL ANTHRANILATE FEMA 3436E	01	BAKED GOODS(R)	*	0-5 MO.	.052700	.069750	.110500
				6-11 MO.	.393700	.802900	.825500
				12-23 MO.	.844750	1.391900	1.771250
				2-65+ YR.	2.126600	3.158900	4.459000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DIETHYL ANTHRANILATE FEMA 3436E	07	FROZN DAIRY(R)	*	0-5 MO.	.007750	.031775	.016250
				6-11 MO.	.073625	.204600	.154375
				12-23 MO.	.111600	.261950	.234000
				2-65+ YR.	.198400	.478175	.416000
DIETHYL ANTHRANILATE FEMA 3436E	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.003500
				6-11 MO.	.017600	.054400	.038500
				12-23 MO.	.028000	.074400	.061250
				2-65+ YR.	.046400	.140800	.101500
DIETHYL ANTHRANILATE FEMA 3436E	20	GELATIN PUD(R)	*	0-5 MO.	.015500	.020925	.032500
				6-11 MO.	.099200	.300700	.208000
				12-23 MO.	.106950	.260400	.224250
				2-65+ YR.	.158100	.406875	.331500
DIETHYL ANTHRANILATE FEMA 3436E	23	BEV TYPE I(R)	*	0-5 MO.	.018600	.027900	.039000
				6-11 MO.	.175925	.602175	.368875
				12-23 MO.	.420050	1.259375	.880750
				2-65+ YR.	.806000	2.152175	1.690000
DIETHYL ANTHRANILATE FEMA 3436E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
DIETHYL ANTHRANILATE FEMA 3436E	99	ALL CATEGORIES	*	0-5 MO.	.096150	.166350	.201750
				6-11 MO.	.760050	1.964875	1.595250
				12-23 MO.	1.511350	3.248225	3.171500
				2-65+ YR.	3.368000	6.431325	7.160500
ETHYL HEXENOATE FEMA 3437E	01	BAKED GOODS(R)	4	0-5 MO.	.033150	.043875	.089533
				6-11 MO.	.247650	.505050	.666867
				12-23 MO.	.531375	.875550	1.435167
				2-65+ YR.	1.337700	1.987050	3.612933
ETHYL HEXENOATE FEMA 3437E	07	FROZN DAIRY(R)	*	0-5 MO.	.007333	.030067	.014667

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ETHYL HEXENOATE FEMA 3437E	07	FROZN DAIRY(R)	*	6-11 MO.	.069667	.193600	.139333
				12-23 MO.	.105600	.247867	.211200
				2-65+ YR.	.187733	.452467	.375467
ETHYL HEXENOATE FEMA 3437E	16	SOFT CANDY(R)	4	0-5 MO.	.001450	.014500	.003933
				6-11 MO.	.015950	.049300	.043267
				12-23 MO.	.025375	.067425	.068833
				2-65+ YR.	.042050	.127600	.114067
ETHYL HEXENOATE FEMA 3437E	20	GELATIN PUD(R)	*	0-5 MO.	.014667	.019800	.029333
				6-11 MO.	.093867	.284533	.187733
				12-23 MO.	.101200	.246400	.202400
				2-65+ YR.	.149600	.385000	.299200
ETHYL HEXENOATE FEMA 3437E	23	BEV TYPE I(R)	4	0-5 MO.	.013500	.020250	.035200
				6-11 MO.	.127688	.437063	.332933
				12-23 MO.	.304875	.914063	.794933
				2-65+ YR.	.585000	1.562063	1.525333
ETHYL HEXENOATE FEMA 3437E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ETHYL HEXENOATE FEMA 3437E	99	ALL CATEGORIES	4	0-5 MO.	.070100	.128492	.172667
				6-11 MO.	.554821	1.470046	1.372133
				12-23 MO.	1.068425	2.352304	2.712533
				2-65+ YR.	2.464583	4.986179	6.252000
ET ME HYDX-DIHYDFURANONE FEMA 3438E	01	BAKED GOODS(R)	*	0-5 MO.	.028900	.038250	.059500
				6-11 MO.	.215900	.440300	.444500
				12-23 MO.	.463250	.763300	.953750
				2-65+ YR.	1.166200	1.732300	2.401000
ET ME HYDX-DIHYDFURANONE FEMA 3438E	07	FROZN DAIRY(R)	*	0-5 MO.	.005500	.022550	.011000
				6-11 MO.	.052250	.145200	.104500

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ET ME HYDX-DIHYDFURANONE FEMA 3438E	07	FROZN DAIRY(R)	*	12-23 MO.	.079200	.185900	.158400
				2-65+ YR.	.140800	.339350	.281600
ET ME HYDX-DIHYDFURANONE FEMA 3438E	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.002500
				6-11 MO.	.013200	.040800	.027500
				12-23 MO.	.021000	.055800	.043750
				2-65+ YR.	.034800	.105600	.072500
ET ME HYDX-DIHYDFURANONE FEMA 3438E	20	GELATIN PUD(R)	*	0-5 MO.	.011000	.014850	.022000
				6-11 MO.	.070400	.213400	.140800
				12-23 MO.	.075900	.184800	.151800
				2-65+ YR.	.112200	.288750	.224400
ET ME HYDX-DIHYDFURANONE FEMA 3438E	23	BEV TYPE I(R)	*	0-5 MO.	.013200	.019800	.026400
				6-11 MO.	.124850	.427350	.249700
				12-23 MO.	.298100	.893750	.596200
				2-65+ YR.	.572000	1.527350	1.144000
ET ME HYDX-DIHYDFURANONE FEMA 3438E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.065000
ET ME HYDX-DIHYDFURANONE FEMA 3438E	99	ALL CATEGORIES	*	0-5 MO.	.059800	.107450	.121400
				6-11 MO.	.476600	1.267150	.967000
				12-23 MO.	.937450	2.083750	1.903900
				2-65+ YR.	2.058500	4.087750	4.188500
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	01	BAKED GOODS(R)	4	0-5 MO.	.023460	.031050	.059500
				6-11 MO.	.175260	.357420	.444500
				12-23 MO.	.376050	.619620	.953750
				2-65+ YR.	.946680	1.406220	2.401000
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	07	FROZN DAIRY(R)	*	0-5 MO.	.007000	.028700	.014000
				6-11 MO.	.066500	.184800	.133000
				12-23 MO.	.100800	.236600	.201600

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	07	FROZN DAIRY(R)	*	2-65+ YR.	.179200	.431900	.358400
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	16	SOFT CANDY(R)	4	0-5 MO.	.001600	.016000	.003200
				6-11 MO.	.017600	.054400	.035200
				12-23 MO.	.028000	.074400	.056000
				2-65+ YR.	.046400	.140800	.092800
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	20	GELATIN PUD(R)	*	0-5 MO.	.017333	.023400	.031333
				6-11 MO.	.110933	.336267	.200533
				12-23 MO.	.119600	.291200	.216200
				2-65+ YR.	.176800	.455000	.319600
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	23	BEV TYPE I(R)	6	0-5 MO.	.010800	.016200	.024960
				6-11 MO.	.102150	.349650	.236080
				12-23 MO.	.243900	.731250	.563680
				2-65+ YR.	.468000	1.249650	1.081600
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ET ME-P-TOLYL GLYCIDATE FEMA 3439E	99	ALL CATEGORIES	7	0-5 MO.	.060193	.115350	.132993
				6-11 MO.	.472443	1.283037	1.049313
				12-23 MO.	.868350	1.954070	1.991230
				2-65+ YR.	1.979580	4.155570	4.578400
FURFURYL BUTYRATE FEMA 3440E	01	BAKED GOODS(R)	*	0-5 MO.	.051000	.067500	.102000
				6-11 MO.	.381000	.777000	.762000
				12-23 MO.	.817500	1.347000	1.635000
				2-65+ YR.	2.058000	3.057000	4.116000
FURFURYL BUTYRATE FEMA 3440E	07	FROZN DAIRY(R)	*	0-5 MO.	.007500	.030750	.015000
				6-11 MO.	.071250	.198000	.142500
				12-23 MO.	.108000	.253500	.216000
				2-65+ YR.	.192000	.462750	.384000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FURFURYL BUTYRATE FEMA 3440E	16	SOFT CANDY(R)	*	0-5 MO.	.002067	.020667	.006000
				6-11 MO.	.022733	.070267	.066000
				12-23 MO.	.036167	.096100	.105000
				2-65+ YR.	.059933	.181867	.174000
FURFURYL BUTYRATE FEMA 3440E	20	GELATIN PUD(R)	*	0-5 MO.	.015000	.020250	.030000
				6-11 MO.	.096000	.291000	.192000
				12-23 MO.	.103500	.252000	.207000
				2-65+ YR.	.153000	.393750	.306000
FURFURYL BUTYRATE FEMA 3440E	23	BEV TYPE I(R)	*	0-5 MO.	.018000	.027000	.036000
				6-11 MO.	.170250	.582750	.340500
				12-23 MO.	.406500	1.218750	.813000
				2-65+ YR.	.780000	2.082750	1.560000
FURFURYL BUTYRATE FEMA 3440E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.650000
FURFURYL BUTYRATE FEMA 3440E	99	ALL CATEGORIES	*	0-5 MO.	.093567	.166167	.189000
				6-11 MO.	.741233	1.920017	1.503000
				12-23 MO.	1.471667	3.169350	2.976000
				2-65+ YR.	3.567933	7.122117	7.190000
FURFURYL PYRROL FEMA 3441E	01	BAKED GOODS(R)	*	0-5 MO.	.001700	.002250	.006800
				6-11 MO.	.012700	.025900	.050800
				12-23 MO.	.027250	.044900	.109000
				2-65+ YR.	.068600	.101900	.274400
FURFURYL PYRROL FEMA 3441E	07	FROZN DAIRY(R)	*	0-5 MO.	.000500	.002050	.002000
				6-11 MO.	.004750	.013200	.019000
				12-23 MO.	.007200	.016900	.028800
				2-65+ YR.	.012800	.030850	.051200
FURFURYL PYRROL FEMA 3441E	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.002200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
FURFURYL PYRROL FEMA 3441E	10	MEAT PRODS(R)	*	6-11 MO.	.010350	.027900	.041400
				12-23 MO.	.015100	.025950	.060400
				2-65+ YR.	.039200	.065050	.156800
FURFURYL PYRROL FEMA 3441E	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000050	**********
				6-11 MO.	.000400	.001100	.001600
				12-23 MO.	.001400	.003800	.005600
				2-65+ YR.	.004400	.010600	.017600
FURFURYL PYRROL FEMA 3441E	16	SOFT CANDY(R)	*	0-5 MO.	.000100	.001000	.000400
				6-11 MO.	.001100	.003400	.004400
				12-23 MO.	.001750	.004650	.007000
				2-65+ YR.	.002900	.008800	.011600
FURFURYL PYRROL FEMA 3441E	20	GELATIN PUD(R)	*	0-5 MO.	.001000	.001350	.004000
				6-11 MO.	.006400	.019400	.025600
				12-23 MO.	.006900	.016800	.027600
				2-65+ YR.	.010200	.026250	.040800
FURFURYL PYRROL FEMA 3441E	23	BEV TYPE I(R)	*	0-5 MO.	.001200	.001800	.004800
				6-11 MO.	.011350	.038850	.045400
				12-23 MO.	.027100	.081250	.108400
				2-65+ YR.	.052000	.138850	.208000
FURFURYL PYRROL FEMA 3441E	99	ALL CATEGORIES	*	0-5 MO.	.005050	.009950	.020200
				6-11 MO.	.047050	.129750	.188200
				12-23 MO.	.086700	.194250	.346800
				2-65+ YR.	.190100	.382300	.760400
2, 4-HEXADIENAL FEMA 3443E	01	BAKED GOODS(R)	*	0-5 MO.	.026305	.034816	.052611
				6-11 MO.	.196516	.400768	.393032
				12-23 MO.	.421658	.694768	.843316
				2-65+ YR.	1.061495	1.576768	2.122989
2, 4-HEXADIENAL FEMA 3443E	07	FROZN DAIRY(R)	*	0-5 MO.	.004263	.017479	.008526
				6-11 MO.	.040500	.112547	.081000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY No.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2, 4-HEXADIENAL FEMA 3443E	07	FROZN DAIRY(R)	*	12-23 MO.	.061389	.144095	.122779
				2-65+ YR.	.109137	.263037	.218274
2, 4-HEXADIENAL FEMA 3443E	16	SOFT CANDY(R)	*	0-5 MO.	.001547	.015474	.003095
				6-11 MO.	.017021	.052611	.034042
				12-23 MO.	.027079	.071953	.054158
				2-65+ YR.	.044874	.136168	.089747
2, 4-HEXADIENAL FEMA 3443E	20	GELATIN PUD(R)	*	0-5 MO.	.005053	.006821	.010105
				6-11 MO.	.032337	.098021	.064674
				12-23 MO.	.034863	.084884	.069726
				2-65+ YR.	.051537	.132632	.103074
2, 4-HEXADIENAL FEMA 3443E	23	BEV TYPE I(R)	*	0-5 MO.	.003979	.005968	.007958
				6-11 MO.	.037634	.128818	.075268
				12-23 MO.	.089858	.269408	.179716
				2-65+ YR.	.172421	.460397	.344842
2, 4-HEXADIENAL FEMA 3443E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
2, 4-HEXADIENAL FEMA 3443E	99	ALL CATEGORIES	*	0-5 MO.	.041147	.080558	.082295
				6-11 MO.	.324008	.792966	.648016
				12-23 MO.	.634847	1.265508	1.269695
				2-65+ YR.	1.504463	2.757803	3.008926
HEXYL BENZOATE FEMA 3445E	01	BAKED GOODS(R)	*	0-5 MO.	.011900	.015750	.034000
				6-11 MO.	.088900	.181300	.254000
				12-23 MO.	.190750	.314300	.545000
				2-65+ YR.	.480200	.713300	1.372000
HEXYL BENZOATE FEMA 3445E	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.007500
				6-11 MO.	.028500	.079200	.071250
				12-23 MO.	.043200	.101400	.108000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HEXYL BENZOATE FEMA 3445E	07	FROZN DAIRY(R)	*	2-65+ YR.	.076800	.185100	.192000
HEXYL BENZOATE FEMA 3445E	16	SOFT CANDY(R)	*	0-5 MO.	.000700	.007000	.002000
				6-11 MO.	.007700	.023800	.022000
				12-23 MO.	.012250	.032550	.035000
				2-65+ YR.	.020300	.061600	.058000
HEXYL BENZOATE FEMA 3445E	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.015000
				6-11 MO.	.038400	.116400	.096000
				12-23 MO.	.041400	.100800	.103500
				2-65+ YR.	.061200	.157500	.153000
HEXYL BENZOATE FEMA 3445E	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.018000
				6-11 MO.	.068100	.233100	.170250
				12-23 MO.	.162600	.487500	.406500
				2-65+ YR.	.312000	.833100	.780000
HEXYL BENZOATE FEMA 3445E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
HEXYL BENZOATE FEMA 3445E	99	ALL CATEGORIES	*	0-5 MO.	.028800	.053950	.076500
				6-11 MO.	.231600	.633900	.613500
				12-23 MO.	.450200	1.036750	1.198000
				2-65+ YR.	.983000	2.045000	2.717500
HYDROGEN SULPHIDE FEMA 3446E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
HYDROGEN SULPHIDE FEMA 3446E	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
HYDROGEN SULPHIDE FEMA 3446E	10	MEAT PRODS(R)	*	0-5 MO.	.002860	.007540	.006600
				6-11 MO.	.053820	.145080	.124200
				12-23 MO.	.078520	.134940	.181200
				2-65+ YR.	.203840	.338260	.470400
HYDROGEN SULPHIDE FEMA 3446E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
HYDROGEN SULPHIDE FEMA 3446E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
HYDROGEN SULPHIDE FEMA 3446E	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
HYDROGEN SULPHIDE FEMA 3446E	27	GRAVIES(R)	*	0-5 MO.	.000250	.000750	.000500
				6-11 MO.	.003500	.009750	.007000
				12-23 MO.	.009000	.025500	.018000
				2-65+ YR.	.020750	.053250	.041500
HYDROGEN SULPHIDE FEMA 3446E	99	ALL CATEGORIES	*	0-5 MO.	.012110	.025190	.025100
				6-11 MO.	.129920	.356330	.276400
				12-23 MO.	.227920	.489440	.480000
				2-65+ YR.	.517590	1.004810	1.097900
HYDROQUINONE ET ETHR FEMA 3447E	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
				6-11 MO.	.050800	.103600	.127000
				12-23 MO.	.109000	.179600	.272500
				2-65+ YR.	.274400	.407600	.686000
HYDROQUINONE ET ETHR FEMA 3447E	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HYDROQUINON ET ETHR FEMA 3447E	07	FROZN DAIRY(R)	*	6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
HYDROQUINON ET ETHR FEMA 3447E	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	**********
				6-11 MO.	.010350	.027900	**********
				12-23 MO.	.015100	.025950	**********
				2-65+ YR.	.039200	.065050	**********
HYDROQUINON ET ETHR FEMA 3447E	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
HYDROQUINON ET ETHR FEMA 3447E	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
HYDROQUINON ET ETHR FEMA 3447E	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
HYDROQUINON ET ETHR FEMA 3447E	99	ALL CATEGORIES	*	0-5 MO.	.018550	.035250	.045000
				6-11 MO.	.155550	.430900	.363000
				12-23 MO.	.295900	.683950	.702000
				2-65+ YR.	.625200	1.291650	1.465000
3-HYDROXY-PENTANONE-2 FEMA 3448E	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.034000
				6-11 MO.	.127000	.259000	.254000
				12-23 MO.	.272500	.449000	.545000
				2-65+ YR.	.686000	1.019000	1.372000
3-HYDROXY-PENTANONE-2 FEMA 3448E	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-HYDROXY-PENTANONE-2 FEMA 3448E	07	FROZN DAIRY(R)	*	12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
3-HYDROXY-PENTANONE-2 FEMA 3448E	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
3-HYDROXY-PENTANONE-2 FEMA 3448E	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
3-HYDROXY-PENTANONE-2 FEMA 3448E	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
3-HYDROXY-PENTANONE-2 FEMA 3448E	99	ALL CATEGORIES	*	0-5 MO.	.045000	.084500	.090000
				6-11 MO.	.363000	1.007500	.726000
				12-23 MO.	.702000	1.645000	1.404000
				2-65+ YR.	1.465000	3.066500	2.930000
LINALYL PHENYLACETATE FEMA 3449E	01	BAKED GOODS(R)	*	0-5 MO.	.040375	.053438	.082521
				6-11 MO.	.301625	.615125	.616479
				12-23 MO.	.647188	1.066375	1.322760
				2-65+ YR.	1.629250	2.420125	3.329958
LINALYL PHENYLACETATE FEMA 3449E	07	FROZN DAIRY(R)	4	0-5 MO.	.006729	.027590	.015140
				6-11 MO.	.063927	.177650	.143826
				12-23 MO.	.096900	.227446	.218009
				2-65+ YR.	.172267	.415190	.387572
LINALYL PHENYLACETATE FEMA 3449E	16	SOFT CANDY(R)	4	0-5 MO.	.001691	.016906	.003754
				6-11 MO.	.018596	.057479	.041296
				12-23 MO.	.029585	.078611	.065698

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LINALYL PHENYLACETATE FEMA 3449E	16	SOFT CANDY(R)	4	2-65+ YR.	.049026	.148770	.108871
LINALYL PHENYLACETATE FEMA 3449E	20	GELATIN PUD(R)	*	0-5 MO.	.014558	.019653	.030279
				6-11 MO.	.093172	.282428	.193786
				12-23 MO.	.100451	.244577	.208926
				2-65+ YR.	.148493	.382151	.308847
LINALYL PHENYLACETATE FEMA 3449E	23	BEV TYPE I(R)	4	0-5 MO.	.015900	.023850	.036335
				6-11 MO.	.150388	.514763	.343667
				12-23 MO.	.359075	1.076563	.820563
				2-65+ YR.	.689000	1.839763	1.574512
LINALYL PHENYLACETATE FEMA 3449E	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.812500
LINALYL PHENYLACETATE FEMA 3449E	99	ALL CATEGORIES	4	0-5 MO.	.079253	.141436	.168028
				6-11 MO.	.627708	1.648445	1.339054
				12-23 MO.	1.233199	2.695571	2.635956
				2-65+ YR.	3.013036	6.149998	6.522259
MALONIC ACID FEMA 3450E	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.068000
				6-11 MO.	.254000	.518000	.508000
				12-23 MO.	.545000	.898000	1.090000
				2-65+ YR.	1.372000	2.038000	2.744000
MALONIC ACID FEMA 3450E	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.020000
				6-11 MO.	.095000	.264000	.190000
				12-23 MO.	.144000	.338000	.288000
				2-65+ YR.	.256000	.617000	.512000
MALONIC ACID FEMA 3450E	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.004000
				6-11 MO.	.022000	.068000	.044000
				12-23 MO.	.035000	.093000	.070000
				2-65+ YR.	.058000	.176000	.116000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MALONIC ACID FEMA 3450E	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000
				6-11 MO.	.128000	.388000	.256000
				12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
MALONIC ACID FEMA 3450E	23	BEV TYPE I(R)	*	0-5 MO.	.015600	.023400	.048000
				6-11 MO.	.147550	.505050	.454000
				12-23 MO.	.352300	1.056250	1.084000
				2-65+ YR.	.676000	1.805050	2.080000
MALONIC ACID FEMA 3450E	99	ALL CATEGORIES	*	0-5 MO.	.081600	.156400	.180000
				6-11 MO.	.646550	1.743050	1.452000
				12-23 MO.	1.214300	2.721250	2.808000
				2-65+ YR.	2.566000	5.161050	5.860000
ISO-MENTHONE FEMA 3451E	01	BAKED GOODS(R)	*	0-5 MO.	.014450	.019125	.034000
				6-11 MO.	.107950	.220150	.254000
				12-23 MO.	.231625	.381650	.545000
				2-65+ YR.	.583100	.866150	1.372000
ISO-MENTHONE FEMA 3451E	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008750
				6-11 MO.	.038000	.105600	.083125
				12-23 MO.	.057600	.135200	.126000
				2-65+ YR.	.102400	.246800	.224000
ISO-MENTHONE FEMA 3451E	16	SOFT CANDY(R)	*	0-5 MO.	.000850	.008500	.002000
				6-11 MO.	.009350	.028900	.022000
				12-23 MO.	.014875	.039525	.035000
				2-65+ YR.	.024650	.074800	.058000
ISO-MENTHONE FEMA 3451E	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
ISO-MENTHONE FEMA 3451E	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.021000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISO-MENTHONE FEMA 3451E	23	BEV TYPE I(R)	*	6-11 MO.	.090800	.310800	.198625
				12-23 MO.	.216800	.650000	.474250
				2-65+ YR.	.416000	1.110800	.910000
ISO-MENTHONE FEMA 3451E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
ISO-MENTHONE FEMA 3451E	59	ALL CATEGORIES	*	0-5 MO.	.038900	.071925	.085750
				6-11 MO.	.310100	.859550	.685750
				12-23 MO.	.589900	1.374575	1.318250
				2-65+ YR.	1.260650	2.655450	2.930500
3-MERCAP PROPANOIC ACID FEMA 3452E	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
3-MERCAP PROPANOIC ACID FEMA 3452E	07	FROZN DAIRY(R)	*	0-5 MO.	.000550	.002255	.002000
				6-11 MO.	.005225	.014520	.019000
				12-23 MO.	.007920	.018590	.028800
				2-65+ YR.	.014080	.033935	.051200
3-MERCAP PROPANOIC ACID FEMA 3452E	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
3-MERCAP PROPANOIC ACID FEMA 3452E	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
3-MERCAP PROPANOIC ACID FEMA 3452E	23	BEV TYPE II(R)	*	0-5 MO.	.001320	.001980	.004800
				6-11 MO.	.012485	.042735	.045400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-MERCAP PROPANOIC ACID FEMA 3452E	23	BEV TYPE I(R)	*	12-23 MO.	.029810	.089375	.108400
				2-65+ YR.	.057200	.152735	.208000
3-MERCAP PROPANOIC ACID FEMA 3452E	99	ALL CATEGORIES	*	0-5 MO.	.007470	.013435	.018000
				6-11 MO.	.058110	.154655	.145200
				12-23 MO.	.109530	.240665	.280800
				2-65+ YR.	.234680	.460570	.586000
2-METHYL PYRAZINE FEMA 3461E	01	BAKED GOODS(R)	4	0-5 MO.	.014280	.018900	.031280
				6-11 MO.	.106680	.217560	.233680
				12-23 MO.	.228900	.377160	.501400
				2-65+ YR.	.576240	.855960	1.262240
2-METHYL PYRAZINE FEMA 3461E	07	FROZN DAIRY(R)	4	0-5 MO.	.001875	.007688	.004250
				6-11 MO.	.017813	.049500	.040375
				12-23 MO.	.027000	.063375	.061200
				2-65+ YR.	.048000	.115688	.108800
2-METHYL PYRAZINE FEMA 3461E	16	SOFT CANDY(R)	4	0-5 MO.	.000840	.008400	.001840
				6-11 MO.	.009240	.028560	.020240
				12-23 MO.	.014700	.039060	.032200
				2-65+ YR.	.024360	.073920	.053360
2-METHYL PYRAZINE FEMA 3461E	20	GELATIN PUD(R)	*	0-5 MO.	.003000	.004050	.007333
				6-11 MO.	.019200	.058200	.046933
				12-23 MO.	.020700	.050400	.050600
				2-65+ YR.	.030600	.078750	.074800
2-METHYL PYRAZINE FEMA 3461E	23	BEV TYPE I(R)	*	0-5 MO.	.003000	.004500	.008400
				6-11 MO.	.028375	.097125	.079450
				12-23 MO.	.067750	.203125	.189700
				2-65+ YR.	.130000	.347125	.364000
2-METHYL PYRAZINE FEMA 3461E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000075	**********
				12-23 MO.	**********	.000150	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-METHYL PYRAZINE FEMA 3461E	24	BEV TYPE II(R)	*	2-65+ YR.	.024375	.070800	.065000
2-METHYL PYRAZINE FEMA 3461E	99	ALL CATEGORIES	6	0-5 MO.	.022995	.043538	.053103
				6-11 MO.	.181308	.451020	.420678
				12-23 MO.	.359050	.733270	.835100
				2-65+ YR.	.833575	1.542243	1.928200
D-UNDECALACTONE FEMA 3482E	01	BAKED GOODS(R)	4	0-5 MO.	.017000	.022500	.038080
				6-11 MO.	.127000	.259000	.284480
				12-23 MO.	.272500	.449000	.610400
				2-65+ YR.	.686000	1.019000	1.536640
D-UNDECALACTONE FEMA 3482E	04	FATS OILS(R)	*	0-5 MO.	.001000	.001000	.002500
				6-11 MO.	.005600	.015000	.014000
				12-23 MO.	.012600	.024000	.031500
				2-65+ YR.	.035000	.063200	.087500
D-UNDECALACTONE FEMA 3482E	07	FROZN DAIRY(R)	4	0-5 MO.	.003200	.013120	.007400
				6-11 MO.	.030400	.084480	.070300
				12-23 MO.	.046080	.108160	.106560
				2-65+ YR.	.081920	.197440	.189440
D-UNDECALACTONE FEMA 3482E	16	SOFT CANDY(R)	4	0-5 MO.	.000680	.006800	.001680
				6-11 MO.	.007480	.023120	.018480
				12-23 MO.	.011900	.031620	.029400
				2-65+ YR.	.019720	.059840	.048720
D-UNDECALACTONE FEMA 3482E	20	GELATIN PUD(R)	5	0-5 MO.	.002222	.003000	.004922
				6-11 MO.	.014223	.043115	.031499
				12-23 MO.	.015335	.037337	.033960
				2-65+ YR.	.022669	.058338	.050202
D-UNDECALACTONE FEMA 3482E	23	BEV TYPE I(R)	4	0-5 MO.	.007680	.011520	.017760
				6-11 MO.	.072640	.248640	.167980
				12-23 MO.	.173440	.520000	.401080
				2-65+ YR.	.332800	.888640	.769600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
D-UNDECALACTONE FEMA 3482E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
D-UNDECALACTONE FEMA 3482E	99	ALL CATEGORIES	5	0-5 MO.	.031782	.057940	.072342
				6-11 MO.	.257343	.673455	.586739
				12-23 MO.	.531855	1.170317	1.212900
				2-65+ YR.	1.210609	2.380858	2.844602
4-HEPTENAL FEMA 3490E	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.013600
				6-11 MO.	.050800	.103600	.101600
				12-23 MO.	.109000	.179600	.218000
				2-65+ YR.	.274400	.407600	.548800
4-HEPTENAL FEMA 3490E	07	FROZN DAIRY(R)	*	0-5 MO.	.001033	.004237	.003000
				6-11 MO.	.009817	.027280	.028500
				12-23 MO.	.014880	.034927	.043200
				2-65+ YR.	.026453	.063757	.076800
4-HEPTENAL FEMA 3490E	10	MEAT PRODS(R)	*	0-5 MO.	.000017	.000044	.000083
				6-11 MO.	.000311	.000837	.001553
				12-23 MO.	.000453	.000779	.002265
				2-65+ YR.	.001176	.001952	.005880
4-HEPTENAL FEMA 3490E	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000800
				6-11 MO.	.004400	.013600	.008800
				12-23 MO.	.007000	.018600	.014000
				2-65+ YR.	.011600	.035200	.023200
4-HEPTENAL FEMA 3490E	20	GELATIN PUD(R)	*	0-5 MO.	.003000	.004050	.006000
				6-11 MO.	.019200	.058200	.036400
				12-23 MO.	.020700	.050400	.041400
				2-65+ YR.	.030600	.078750	.061200
4-HEPTENAL FEMA 3490E	23	BEV TYPE I(R)	*	0-5 MO.	.003600	.005400	.007200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-HEPTENAL FEMA 3490E	23	BEV TYPE I(R)	*	6-11 MO.	.034050	.116550	.068100
				12-23 MO.	.081300	.243750	.162600
				2-65+ YR.	.156000	.416550	.312000
4-HEPTENAL FEMA 3490E	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
4-HEPTENAL FEMA 3490E	27	GRAVIES(R)	*	0-5 MO.	.000002	.000006	.000010
				6-11 MO.	.000028	.000078	.000140
				12-23 MO.	.000072	.000204	.000360
				2-65+ YR.	.000166	.000426	.000830
4-HEPTENAL FEMA 3490E	99	ALL CATEGORIES	4	0-5 MO.	.014852	.026736	.030693
				6-11 MO.	.118605	.320245	.247093
				12-23 MO.	.233405	.528459	.481825
				2-65+ YR.	.532895	1.098634	1.126210
4-AC-6-T-BLT-1,1-DIME IND FEMA 3250F	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001600
				6-11 MO.	.008800	.027200	.017600
				12-23 MO.	.014000	.037200	.028000
				2-65+ YR.	.023200	.070400	.046400
4-AC-6-T-BLT-1,1-DIME IND FEMA 3250F	59	ALL CATEGORIES	*	0-5 MO.	.000800	.008000	.001600
				6-11 MO.	.008800	.027200	.017600
				12-23 MO.	.014000	.037200	.028000
				2-65+ YR.	.023200	.070400	.046400
ASPARAG,SEED/ROOT EXT FEMA 3258F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000800	**********
				12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
ASPARAG,SEED/ROOT EXT FEMA 3258F	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	**********	.000800	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ASPARAG.SEED/ROOT EXT FEMA 3258F	99	ALL CATEGORIES	*	12-23 MO.	**********	.001600	**********
				2-65+ YR.	.260000	.755200	.520000
DAMAR GUM FEMA 3287F	23	BEV TYPE I(R)	*	0-5 MO.	.096000	.144000	.144000
				6-11 MO.	.908000	3.108000	1.362000
				12-23 MO.	2.168000	6.500000	3.252000
				2-65+ YR.	4.160000	11.108000	6.240000
DAMAR GUM FEMA 3287F	99	ALL CATEGORIES	*	0-5 MO.	.096000	.144000	.144000
				6-11 MO.	.908000	3.108000	1.362000
				12-23 MO.	2.168000	6.500000	3.252000
				2-65+ YR.	4.160000	11.108000	6.240000
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.006500	.017000
				6-11 MO.	.025400	.051800	.127000
				12-23 MO.	.054500	.089800	.272500
				2-65+ YR.	.137200	.203800	.686000
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	07	FROZN DAIRY(R)	*	0-5 MO.	.000500	.002050	.002000
				6-11 MO.	.004750	.013200	.019000
				12-23 MO.	.007200	.016900	.028800
				2-65+ YR.	.012800	.030850	.051200
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.001000
				6-11 MO.	.002200	.006800	.011000
				12-23 MO.	.003500	.009300	.017500
				2-65+ YR.	.005800	.017600	.029000
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	20	GELATIN PUD(R)	*	0-5 MO.	.000700	.000945	.002200
				6-11 MO.	.004480	.013580	.014080
				12-23 MO.	.004830	.011760	.015180
				2-65+ YR.	.007140	.018375	.022440
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	23	BEV TYPE I(R)	*	0-5 MO.	.001024	.001535	.001925
				6-11 MO.	.009682	.033139	.018205
				12-23 MO.	.023116	.069306	.043468

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	23	BEV TYPE I(R)	*	2-65+ YR.	.044356	.118439	.083408
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	24	BEV TYPE III(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000030	**********
				12-23 MO.	**********	.000060	**********
				2-65+ YR.	.009750	.028320	.034125
2,6-DIMETHYL-4-HEPTANONE FEMA 3291F	59	ALL CATEGORIES	*	0-5 MO.	.005824	.011030	.024125
				6-11 MO.	.046512	.118549	.189285
				12-23 MO.	.093146	.197126	.377448
				2-65+ YR.	.217046	.417384	.906173
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	01	BAKED GOODS(R)	4	0-5 MO.	.171344	.226779	.485782
				6-11 MO.	1.280042	2.610479	3.629074
				12-23 MO.	2.746546	4.525502	7.786793
				2-65+ YR.	6.914241	10.270570	19.602716
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	03	OTHER GRAIN(R)	*	0-5 MO.	.016400	.055760	.030650
				6-11 MO.	.318160	.938080	.594610
				12-23 MO.	.537920	1.243120	1.005320
				2-65+ YR.	.911840	2.013920	1.704140
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	07	FROZN DAIRY(R)	*	0-5 MO.	.238976	.979802	3.000000
				6-11 MO.	2.270274	6.308971	28.500000
				12-23 MO.	3.441257	8.077395	43.200000
				2-65+ YR.	6.117790	14.744831	76.800000
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	10	MEAT PRODS(R)	6	0-5 MO.	.048287	.127303	.171097
				6-11 MO.	.908680	2.449486	3.219727
				12-23 MO.	1.325707	2.278285	4.697379
				2-65+ YR.	3.441571	5.711076	12.194520
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	14	PROCSD VEGS(R)	*	0-5 MO.	.088200	.264600	.092400
				6-11 MO.	1.512000	3.528000	1.564000
				12-23 MO.	2.457000	4.113900	2.574000
				2-65+ YR.	5.355000	9.021600	5.610000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	15	CONDM RELSH(R)	*	0-5 MO.	**********	.005248	**********
				6-11 MO.	.041987	.115465	.111053
				12-23 MO.	.146955	.398878	.388687
				2-65+ YR.	.461859	1.112660	1.221588
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	16	SOFT CANDY(R)	*	0-5 MO.	.400000	4.000000	.600000
				6-11 MO.	4.400000	13.600000	6.600000
				12-23 MO.	7.000000	18.600000	10.500000
				2-65+ YR.	11.600000	35.200000	17.400000
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	20	GELATIN PUD(R)	*	0-5 MO.	2.000000	2.700000	4.000000
				6-11 MO.	12.800000	38.800000	25.600000
				12-23 MO.	13.800000	33.600000	27.600000
				2-65+ YR.	20.400000	52.500000	40.800000
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	21	SOUPS(R)	*	0-5 MO.	.089298	.669736	.144087
				6-11 MO.	10.403230	32.459864	16.786111
				12-23 MO.	15.537872	42.907743	25.071102
				2-65+ YR.	14.153751	37.728453	22.837757
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	23	BEV TYPE I(R)	*	0-5 MO.	.285926	.428889	4.800000
				6-11 MO.	2.704381	9.256845	45.400000
				12-23 MO.	6.457156	19.359554	108.400000
				2-65+ YR.	12.390114	33.083988	208.000000
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	26	RECONST VEG(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000000	.000000	.000000
				12-23 MO.	.000000	.000000	.000000
				2-65+ YR.	.016400	.049200	.030000
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	27	GRAVIES(R)	*	0-5 MO.	.002000	.006000	.004990
				6-11 MO.	.028000	.078000	.069860
				12-23 MO.	.072000	.204000	.179641
				2-65+ YR.	.166000	.426000	.414173
DISODIUM-5'-GUANYLATE FEMA 3292F NAS 0541	99	ALL CATEGORIES	13	0-5 MO.	3.340432	9.464117	13.329005

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DISODIUM-5'-GUANYLATE							
FEMA 3292F NAS 0541	99	ALL CATEGORIES	13	6-11 MO.	36.666754	110.145189	132.094436
				12-23 MO.	53.522413	135.308377	231.402922
				2-65+ YR.	81.928566	201.862298	406.614893
DISODIUM-5'-INOSINATE							
FEMA 3293F NAS 0540	01	BAKED GOODS(R)	*	0-5 MO.	.168767	.223369	.477908
				6-11 MO.	1.260792	2.571222	3.570257
				12-23 MO.	2.705243	4.457446	7.660590
				2-65+ YR.	6.810263	10.116120	19.285008
DISODIUM-5'-INOSINATE							
FEMA 3293F NAS 0540	03	OTHER GRAIN(R)	*	0-5 MO.	.016400	.055760	.030650
				6-11 MO.	.318160	.938080	.594610
				12-23 MO.	.537920	1.243120	1.005320
				2-65+ YR.	.911840	2.013920	1.704140
DISODIUM-5'-INOSINATE							
FEMA 3293F NAS 0540	07	FROZN DAIRY(R)	*	0-5 MO.	2.000000	8.200000	3.000000
				6-11 MO.	19.000000	52.800000	28.500000
				12-23 MO.	28.800000	67.600000	43.200000
				2-65+ YR.	51.200000	123.400000	76.800000
DISODIUM-5'-INOSINATE							
FEMA 3293F NAS 0540	10	MEAT PRODS(R)	7	0-5 MO.	.194763	.513466	.345319
				6-11 MO.	3.665086	9.879798	6.498271
				12-23 MO.	5.347131	9.189274	9.480569
				2-65+ YR.	13.881293	23.035155	24.611807
DISODIUM-5'-INOSINATE							
FEMA 3293F NAS 0540	14	PROCSD VEGS(R)	*	0-5 MO.	.088200	.264600	.092400
				6-11 MO.	1.512000	3.528000	1.584000
				12-23 MO.	2.457000	4.113900	2.574000
				2-65+ YR.	5.355000	9.021600	5.610000
DISODIUM-5'-INOSINATE							
FEMA 3293F NAS 0540	15	CONDM RELSH(R)	*	0-5 MO.	**********	.005173	**********
				6-11 MO.	.041386	.113810	.111053
				12-23 MO.	.144850	.393163	.388687
				2-65+ YR.	.455242	1.096718	1.221588
DISODIUM-5'-INOSINATE							
FEMA 3293F NAS 0540	16	SOFT CANDY(R)	*	0-5 MO.	.400000	4.000000	.600000
				6-11 MO.	4.400000	13.600000	6.600000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
DISODIUM-5'-INOSINATE FEMA 3293F NAS 0540	16	SOFT CANDY(R)	*	12-23 MO.	7.000000	18.600000	10.500000
				2-65+ YR.	11.600000	35.200000	17.400000
DISODIUM-5'-INOSINATE FEMA 3293F NAS 0540	20	GELATIN PUD(R)	*	0-5 MO.	2.000000	2.700000	4.000000
				6-11 MO.	12.800000	38.800000	25.600000
				12-23 MO.	13.800000	33.600000	27.600000
				2-65+ YR.	20.400000	52.500000	40.800000
DISODIUM-5'-INOSINATE FEMA 3293F NAS 0540	21	SOUPS(R)	4	0-5 MO.	.075581	.566857	.123446
				6-11 MO.	8.805184	27.473685	14.381426
				12-23 MO.	13.151090	36.316659	21.479554
				2-65+ YR.	11.979585	31.932962	19.566146
DISODIUM-5'-INOSINATE FEMA 3293F NAS 0540	23	BEV TYPE I(R)	*	0-5 MO.	2.400000	3.600000	4.800000
				6-11 MO.	22.700000	77.700000	45.400000
				12-23 MO.	54.200000	162.500000	108.400000
				2-65+ YR.	104.000000	277.700000	208.000000
DISODIUM-5'-INOSINATE FEMA 3293F NAS 0540	26	RECONST VEG(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	.000000	.000000	.000000
				12-23 MO.	.000000	.000000	.000000
				2-65+ YR.	.016400	.049200	.030000
DISODIUM-5'-INOSINATE FEMA 3293F NAS 0540	27	GRAVIES(R)	*	0-5 MO.	.002000	.006000	.002000
				6-11 MO.	.028000	.078000	.028000
				12-23 MO.	.072000	.204000	.072000
				2-65+ YR.	.166000	.426000	.166000
DISODIUM-5'-INOSINATE FEMA 3293F NAS 0540	99	ALL CATEGORIES	14	0-5 MO.	7.345711	20.135225	13.471723
				6-11 MO.	74.530608	227.482594	132.867616
				12-23 MO.	128.215233	338.217562	232.360720
				2-65+ YR.	226.775622	566.491675	415.194689
GLYEST NCCDROS/EST GUM FEMA 3309F	20	GELATIN PUD(R)	*	0-5 MO.	.400742	.541001	.406231
				6-11 MO.	2.564748	7.774392	2.599881
				12-23 MO.	2.765119	6.732463	2.802997

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GLYEST WOODROS/EST GUM FEMA 3309F		20	GELATIN PUD(R)	*	2-65+ YR.	4.087567	10.519473	4.143561
GLYEST WOODROS/EST GUM FEMA 3309F		23	BEV TYPE I(R)	20	0-5 MO.	.199939	.299909	.322209
					6-11 MO.	1.891091	6.473028	3.047561
					12-23 MO.	4.515291	13.537542	7.276555
					2-65+ YR.	8.664027	23.134619	13.962393
GLYEST WOODROS/EST GUM FEMA 3309F		24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.009415	**********
					12-23 MO.	**********	.018829	**********
					2-65+ YR.	3.059756	8.887415	3.250000
GLYEST WOODROS/EST GUM FEMA 3309F		99	ALL CATEGORIES	20	0-5 MO.	.600681	.840910	.728441
					6-11 MO.	4.455838	14.256834	5.647442
					12-23 MO.	7.280410	20.288835	10.079552
					2-65+ YR.	15.811350	42.541506	21.355954
GLYCINE FEMA 3310F	NAS 0356	01	BAKED GOODS(R)	4	0-5 MO.	.431295	.570832	.776791
					6-11 MO.	3.222028	6.570908	5.803088
					12-23 MO.	6.913407	11.391265	12.451508
					2-65+ YR.	17.404026	25.852337	31.345816
GLYCINE FEMA 3310F	NAS 0356	02	BREAK CERLS(R)	*	0-5 MO.	.036000	.102000	.043200
					6-11 MO.	1.338000	3.588000	1.605600
					12-23 MO.	1.566000	3.054000	1.879200
					2-65+ YR.	1.200000	3.108000	1.440000
GLYCINE FEMA 3310F	NAS 0356	06	CHEESE(R)	*	0-5 MO.	**********	.000015	**********
					6-11 MO.	.000405	.001455	.000405
					12-23 MO.	.001170	.003330	.001170
					2-65+ YR.	.001410	.003540	.001410
GLYCINE FEMA 3310F	NAS 0356	07	FROZN DAIRY(R)	*	0-5 MO.	.035000	.143500	.075000
					6-11 MO.	.332500	.924000	.712500
					12-23 MO.	.504000	1.183000	1.080000
					2-65+ YR.	.896000	2.159500	1.920000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP I(1)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GLYCINE								
FEMA 3310F	NAS 0356	10	MEAT PRODS(R)	*	0-5 MO.	.025606	.067507	.104755
					6-11 MO.	.481858	1.298921	1.971298
					12-23 MO.	.703000	1.208136	2.876000
					2-65+ YR.	1.825007	3.028487	7.466172
GLYCINE								
FEMA 3310F	NAS 0356	15	CONDM RELSH(R)	*	0-5 MO.	**********	.002000	**********
					6-11 MO.	.016000	.044000	.080000
					12-23 MO.	.056000	.152000	.280000
					2-65+ YR.	.176000	.424000	.880000
GLYCINE								
FEMA 3310F	NAS 0356	16	SOFT CANDY(R)	*	0-5 MO.	.010000	.100000	.020000
					6-11 MO.	.110000	.340000	.220000
					12-23 MO.	.175000	.465000	.350000
					2-65+ YR.	.290000	.880000	.580000
GLYCINE								
FEMA 3310F	NAS 0356	20	GELATIN PUD(R)	*	0-5 MO.	.070000	.094500	.150000
					6-11 MO.	.448000	1.358000	.960000
					12-23 MO.	.483000	1.176000	1.035000
					2-65+ YR.	.714000	1.837500	1.530000
GLYCINE								
FEMA 3310F	NAS 0356	23	BEV TYPE I(R)	6	0-5 MO.	4.798360	7.197539	4.798380
					6-11 MO.	45.384485	155.346893	45.384673
					12-23 MO.	108.362955	324.888934	108.363404
					2-65+ YR.	207.928918	555.210197	207.929779
GLYCINE								
FEMA 3310F	NAS 0356	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
					6-11 MO.	**********	.002000	**********
					12-23 MO.	**********	.004000	**********
					2-65+ YR.	.650000	1.888000	1.625000
GLYCINE								
FEMA 3310F	NAS 0356	99	ALL CATEGORIES	8	0-5 MO.	5.406261	8.277893	5.968126
					6-11 MO.	51.333276	169.474177	56.737564
					12-23 MO.	118.764532	343.525665	128.316282
					2-65+ YR.	231.085361	594.391560	254.718177
LEEK, OIL								
FEMA 3326F		01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.006800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
LEEK, OIL FEMA 3326F	01	BAKED GOODS(R)	*	6-11 MO.	.050800	.103600	.050800
				12-23 MO.	.109000	.179600	.109000
				2-65+ YR.	.274400	.407600	.274400
LEEK, OIL FEMA 3326F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.002000
				6-11 MO.	.019000	.052800	.019000
				12-23 MO.	.028800	.067600	.028800
				2-65+ YR.	.051200	.123400	.051200
LEEK, OIL FEMA 3326F	10	MEAT PRODS(R)	*	0-5 MO.	.003575	.009425	.007975
				6-11 MO.	.067275	.181350	.150075
				12-23 MO.	.098150	.168675	.218950
				2-65+ YR.	.254800	.422825	.568400
LEEK, OIL FEMA 3326F	15	COMDM RELSH(R)	*	0-5 MO.	**********	.000400	**********
				6-11 MO.	.003200	.008800	.006400
				12-23 MO.	.011200	.030400	.022400
				2-65+ YR.	.035200	.084800	.070400
LEEK, OIL FEMA 3326F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000400
				6-11 MO.	.004400	.013600	.004400
				12-23 MO.	.007000	.018600	.007000
				2-65+ YR.	.011600	.035200	.011600
LEEK, OIL FEMA 3326F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.004000
				6-11 MO.	.025600	.077600	.025600
				12-23 MO.	.027600	.067200	.027600
				2-65+ YR.	.040800	.105000	.040800
LEEK, OIL FEMA 3326F	21	SOUPS(R)	*	0-5 MO.	.000200	.001500	.001000
				6-11 MO.	.023300	.072700	.116500
				12-23 MO.	.034800	.096100	.174000
				2-65+ YR.	.031700	.084500	.158500
LEEK, OIL FEMA 3326F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.004800
				6-11 MO.	.045400	.155400	.045400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, NG. AVERAGE	HIGH A	HIGH B
LEEK, OIL FEMA 3326F	23	BEV TYPE I(R)	*	12-23 MO.	.108400	.325000	.108400
				2-65+ YR.	.208000	.555400	.208000
LEEK, OIL FEMA 3326F	99	ALL CATEGORIES	*	0-5 MO.	.021775	.045125	.026975
				6-11 MO.	.238975	.665850	.418175
				12-23 MO.	.424950	.953175	.696150
				2-65+ YR.	.907700	1.818725	1.383300
MASTIC GUM FEMA 3335F	01	BAKED GOODS(R)	*	0-5 MO.	.000340	.000450	.003400
				6-11 MO.	.002540	.005180	.025400
				12-23 MO.	.005450	.008980	.054500
				2-65+ YR.	.013720	.020380	.137200
MASTIC GUM FEMA 3335F	07	FROZN DAIRY(R)	*	0-5 MO.	.000100	.000410	.001000
				6-11 MO.	.000950	.002640	.009500
				12-23 MO.	.001440	.003380	.014400
				2-65+ YR.	.002560	.006170	.025600
MASTIC GUM FEMA 3335F	16	SOFT CANDY(R)	*	0-5 MO.	.000020	.000200	.000200
				6-11 MO.	.000220	.000680	.002200
				12-23 MO.	.000350	.000930	.003500
				2-65+ YR.	.000580	.001760	.005800
MASTIC GUM FEMA 3335F	20	GELATIN PUD(R)	*	0-5 MO.	.000200	.000270	.002000
				6-11 MO.	.001280	.003880	.012800
				12-23 MO.	.001380	.003360	.013800
				2-65+ YR.	.002040	.005250	.020400
MASTIC GUM FEMA 3335F	23	BEV TYPE I(R)	*	0-5 MO.	.000240	.000360	.002400
				6-11 MO.	.002270	.007770	.022700
				12-23 MO.	.005420	.016250	.054200
				2-65+ YR.	.010400	.027770	.104000
MASTIC GUM FEMA 3335F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000010	**********
				12-23 MO.	**********	.000020	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)		FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
MASTIC GUM								
FEMA 3335F		24	BEV TYPE II(R)	*	2-65+ YR.	.003250	.009440	.032500
MASTIC GUM								
FEMA 3335F		99	ALL CATEGORIES	*	0-5 MO.	.000900	.001690	.009000
					6-11 MO.	.007260	.020160	.072600
					12-23 MO.	.014040	.032920	.140400
					2-65+ YR.	.032550	.070770	.325500
METHIONINE								
FEMA 3344F	NAS 0359	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
					6-11 MO.	.050800	.103600	.127000
					12-23 MO.	.109000	.179600	.272500
					2-65+ YR.	.274400	.407600	.686000
METHIONINE								
FEMA 3344F	NAS 0359	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
					6-11 MO.	.019000	.052800	.047500
					12-23 MO.	.028800	.067600	.072000
					2-65+ YR.	.051200	.123400	.128000
METHIONINE								
FEMA 3344F	NAS 0359	10	MEAT PRODS(R)	*	0-5 MO.	.039869	.105110	.079855
					6-11 MO.	.750265	2.022453	1.502732
					12-23 MO.	1.094589	1.881099	2.192391
					2-65+ YR.	2.841583	4.715433	5.691506
METHIONINE								
FEMA 3344F	NAS 0359	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000050	**********
					6-11 MO.	.000400	.001100	.001600
					12-23 MO.	.001400	.003800	.005600
					2-65+ YR.	.004400	.010600	.017600
METHIONINE								
FEMA 3344F	NAS 0359	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
					6-11 MO.	.004400	.013600	.011000
					12-23 MO.	.007000	.018600	.017500
					2-65+ YR.	.011600	.035200	.029000
METHIONINE								
FEMA 3344F	NAS 0359	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
					6-11 MO.	.025600	.077600	.064000
					12-23 MO.	.027600	.067200	.069000
					2-65+ YR.	.040800	.105000	.102000

TABLE 13, PART 6 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
METHICAINE FEMA 3344F NAS 0359	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
METHICNINE FEMA 3344F NAS 0359	99	ALL CATEGORIES	*	0-5 MO.	.057869	.138960	.124855
				6-11 MO.	.895865	2.426553	1.867332
				12-23 MO.	1.376789	2.542899	2.899991
				2-65+ YR.	3.431983	5.952633	7.174106
METHYL 3-PYRIDYL KETONE FEMA 3355F	01	BAKED GOODS(R)	4	0-5 MO.	.011050	.014625	.024650
				6-11 MO.	.082550	.168350	.184150
				12-23 MO.	.177125	.291850	.395125
				2-65+ YR.	.445900	.662350	.994700
METHYL 3-PYRIDYL KETONE FEMA 3355F	07	FROZN DAIRY(R)	4	0-5 MO.	.001750	.007175	.003750
				6-11 MO.	.016625	.046200	.035625
				12-23 MO.	.025200	.059150	.054000
				2-65+ YR.	.044800	.107975	.096000
METHYL 3-PYRIDYL KETONE FEMA 3355F	16	SOFT CANDY(R)	4	0-5 MO.	.000600	.006000	.001250
				6-11 MO.	.006600	.020400	.013750
				12-23 MO.	.010500	.027900	.021875
				2-65+ YR.	.017400	.052800	.036250
METHYL 3-PYRIDYL KETONE FEMA 3355F	20	GELATIN PUD(R)	*	0-5 MO.	.002667	.003600	.006000
				6-11 MO.	.017067	.051733	.038400
				12-23 MO.	.018400	.044800	.041400
				2-65+ YR.	.027200	.070000	.061200
METHYL 3-PYRIDYL KETONE FEMA 3355F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.005600
				6-11 MO.	.022700	.077700	.052967
				12-23 MO.	.054200	.162500	.126467
				2-65+ YR.	.104000	.277700	.242667
METHYL 3-PYRIDYL KETONE FEMA 3355F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL 3-PYRIDYL KETONE FEMA 3355F	24	BEV TYPE II(R)	*	6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.097500
METHYL 3-PYRIDYL KETONE FEMA 3355F	99	ALL CATEGORIES	4	0-5 MO.	.018467	.035000	.041250
				6-11 MO.	.145542	.364483	.324892
				12-23 MO.	.285425	.586400	.638867
				2-65+ YR.	.671800	1.265225	1.528317
ISO-PROPYL MYRISTATE FEMA 3378F	01	BAKED GOODS(R)	*	0-5 MO.	.068000	.090000	.170000
				6-11 MO.	.508000	1.036000	1.270000
				12-23 MO.	1.090000	1.796000	2.725000
				2-65+ YR.	2.744000	4.076000	6.860000
ISO-PROPYL MYRISTATE FEMA 3378F	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.030000
				6-11 MO.	.095000	.264000	.285000
				12-23 MO.	.144000	.338000	.432000
				2-65+ YR.	.256000	.617000	.768000
ISO-PROPYL MYRISTATE FEMA 3378F	16	SOFT CANDY(R)	*	0-5 MO.	.004000	.040000	.010000
				6-11 MO.	.044000	.136000	.110000
				12-23 MO.	.070000	.186000	.175000
				2-65+ YR.	.116000	.352000	.290000
ISO-PROPYL MYRISTATE FEMA 3378F	20	GELATIN PUD(R)	*	0-5 MO.	.040000	.054000	.100000
				6-11 MO.	.256000	.776000	.640000
				12-23 MO.	.276000	.672000	.690000
				2-65+ YR.	.408000	1.050000	1.020000
ISO-PROPYL MYRISTATE FEMA 3378F	23	BEV TYPE I(R)	*	0-5 MO.	.024000	.036000	.072000
				6-11 MO.	.227000	.777000	.681000
				12-23 MO.	.542000	1.625000	1.626000
				2-65+ YR.	1.040000	2.777000	3.120000
ISO-PROPYL MYRISTATE FEMA 3378F	99	ALL CATEGORIES	*	0-5 MO.	.146000	.261000	.382000
				6-11 MO.	1.130000	2.989000	2.986000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ISO-PROPYL MYRISTATE FEMA 3378F	99	ALL CATEGORIES	*	12-23 MO.	2.122000	4.617000	5.648000
				2-65+ YR.	4.564000	8.872000	12.058000
SORBITAN MONOOLEATE FEMA 3391F	10	MEAT PRODS(R)	*	0-5 MO.	.110000	.290000	.275000
				6-11 MO.	2.070000	5.580000	5.175000
				12-23 MO.	3.020000	5.190000	7.550000
				2-65+ YR.	7.840000	13.010000	19.600000
SORBITAN MONOOLEATE FEMA 3391F	99	ALL CATEGORIES	*	0-5 MO.	.110000	.290000	.275000
				6-11 MO.	2.070000	5.580000	5.175000
				12-23 MO.	3.020000	5.190000	7.550000
				2-65+ YR.	7.840000	13.010000	19.600000
SPIKENARD, EXTRACT FEMA 3393F	23	BEV TYPE I(R)	*	0-5 MO.	.014350	.021524	.023849
				6-11 MO.	.135723	.464568	.225569
				12-23 MO.	.324061	.971586	.538584
				2-65+ YR.	.621815	1.660366	1.033445
SPIKENARD, EXTRACT FEMA 3393F	99	ALL CATEGORIES	*	0-5 MO.	.014350	.021524	.023849
				6-11 MO.	.135723	.464568	.225569
				12-23 MO.	.324061	.971586	.538584
				2-65+ YR.	.621815	1.660366	1.033445
SUCROSE ACET ISOBUTYRATE FEMA 3394F	23	BEV TYPE I(R)	*	0-5 MO.	.084000	.126000	.192000
				6-11 MO.	.794500	2.719500	1.816000
				12-23 MO.	1.897000	5.687500	4.336000
				2-65+ YR.	3.640000	9.719500	8.320000
SUCROSE ACET ISOBUTYRATE FEMA 3394F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.001000	**********
				12-23 MO.	**********	.002000	**********
				2-65+ YR.	.325000	.944000	.975000
SUCROSE ACET ISOBUTYRATE FEMA 3394F	99	ALL CATEGORIES	*	0-5 MO.	.084000	.126000	.192000
				6-11 MO.	.794500	2.720500	1.816000
				12-23 MO.	1.897000	5.689500	4.336000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
SUCROSE ACET ISOBUTYRATE FEMA 3394F	99	ALL CATEGORIES	*	2-65+ YR.	3.965000	10.663500	9.295000
TEA TREE, OIL FEMA 3398F	01	BAKED GOODS(R)	*	0-5 MO.	.020306	.026875	.133603
				6-11 MO.	.151697	.309366	.998090
				12-23 MO.	.325491	.536314	2.141571
				2-65+ YR.	.819402	1.217159	5.391256
TEA TREE, OIL FEMA 3398F	07	FROZN DAIRY(R)	*	0-5 MO.	.003227	.013230	.013103
				6-11 MO.	.030654	.085187	.124474
				12-23 MO.	.046466	.109065	.188677
				2-65+ YR.	.082606	.199093	.335426
TEA TREE, OIL FEMA 3398F	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.005500
				6-11 MO.	.020700	.055800	.103500
				12-23 MO.	.030200	.051900	.151000
				2-65+ YR.	.078400	.130100	.392000
TEA TREE, OIL FEMA 3398F	16	SOFT CANDY(R)	*	0-5 MO.	.002287	.022873	.002287
				6-11 MO.	.025161	.077769	.025161
				12-23 MO.	.040028	.106360	.040028
				2-65+ YR.	.066332	.201284	.066332
TEA TREE, OIL FEMA 3398F	20	GELATIN PUD(R)	*	0-5 MO.	.005733	.007740	.024000
				6-11 MO.	.036693	.111227	.153600
				12-23 MO.	.039560	.096320	.165600
				2-65+ YR.	.058480	.150500	.244800
TEA TREE, OIL FEMA 3398F	23	BEV TYPE 1(R)	*	0-5 MO.	.002490	.003736	.004142
				6-11 MO.	.023556	.080630	.039179
				12-23 MO.	.056244	.168627	.093545
				2-65+ YR.	.107921	.288171	.179496
TEA TREE, OIL FEMA 3398F	99	ALL CATEGORIES	4	0-5 MO.	.035144	.077354	.182635
				6-11 MO.	.288461	.719979	1.444003
				12-23 MO.	.537989	1.068587	2.780421
				2-65+ YR.	1.213142	2.186307	6.609311

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
P-TOLYL OCTANOATE FEMA 3401F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
				6-11 MO.	.050800	.103600	.127000
				12-23 MO.	.109000	.179600	.272500
				2-65+ YR.	.274400	.407600	.686000
P-TOLYL OCTANOATE FEMA 3401F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
P-TOLYL OCTANOATE FEMA 3401F	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.005500
				6-11 MO.	.041400	.111800	.103500
				12-23 MO.	.060400	.103800	.151000
				2-65+ YR.	.156800	.260200	.392000
P-TOLYL OCTANOATE FEMA 3401F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
P-TOLYL OCTANOATE FEMA 3401F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
P-TOLYL OCTANOATE FEMA 3401F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
P-TOLYL OCTANOATE FEMA 3401F	99	ALL CATEGORIES	*	0-5 MO.	.020200	.039600	.050500
				6-11 MO.	.186600	.514600	.466500
				12-23 MO.	.341200	.761800	.853000
				2-65+ YR.	.742800	1.486600	1.857000
2-UNDECEN-1-OL FEMA 3403F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.021760

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP I(1)), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2-UNDECEN-1-OL FEMA 3403F	01	BAKED GOODS(R)	*	6-11 MO.	.050800	.103600	.162560
				12-23 MO.	.109000	.179600	.348800
				2-65+ YR.	.274400	.407600	.878080
2-UNDECEN-1-OL FEMA 3403F	07	FROZN DAIRY(R)	*	0-5 MO.	.001600	.006560	.004400
				6-11 MO.	.015200	.042240	.041800
				12-23 MO.	.023040	.054080	.063360
				2-65+ YR.	.040960	.098720	.112640
2-UNDECEN-1-OL FEMA 3403F	10	MEAT PRODS(R)	*	0-5 MO.	.002200	.005800	.004400
				6-11 MO.	.041400	.111600	.082800
				12-23 MO.	.060400	.103800	.120800
				2-65+ YR.	.156800	.260200	.313600
2-UNDECEN-1-OL FEMA 3403F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001280
				6-11 MO.	.004400	.013600	.014080
				12-23 MO.	.007000	.018600	.022400
				2-65+ YR.	.011600	.035200	.037120
2-UNDECEN-1-OL FEMA 3403F	20	GELATIN PUD(R)	*	0-5 MO.	.003200	.004320	.008800
				6-11 MO.	.020480	.062080	.056320
				12-23 MO.	.022080	.053760	.060720
				2-65+ YR.	.032640	.084000	.089760
2-UNDECEN-1-OL FEMA 3403F	23	BEV TYPE I(R)	*	0-5 MO.	.003840	.005760	.010560
				6-11 MO.	.036320	.124320	.099880
				12-23 MO.	.086720	.260000	.238480
				2-65+ YR.	.166400	.444320	.457600
2-UNDECEN-1-OL FEMA 3403F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
2-UNDECEN-1-OL FEMA 3403F	99	ALL CATEGORIES	*	0-5 MO.	.018040	.035440	.051200
				6-11 MO.	.168600	.457540	.457440

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-UNDECEN-1-OL FEMA 3403F	99	ALL CATEGORIES	*	12-23 MO.	.308240	.670040	.854560
				2-65+ YR.	.715300	1.424440	2.051300
YARA YARA FEMA 3409F	01	BAKED GOODS(R)	6	0-5 MO.	.021571	.028550	.048507
				6-11 MO.	.161149	.328642	.362373
				12-23 MO.	.345772	.569731	.777533
				2-65+ YR.	.870458	1.292998	1.957387
YARA YARA FEMA 3409F	07	FROZN DAIRY(R)	4	0-5 MO.	.003772	.015465	.008472
				6-11 MO.	.035834	.099581	.080484
				12-23 MO.	.054317	.127494	.121997
				2-65+ YR.	.096563	.232732	.216883
YARA YARA FEMA 3409F	16	SOFT CANDY(R)	7	0-5 MO.	.000885	.008848	.001971
				6-11 MO.	.009733	.030084	.021681
				12-23 MO.	.015485	.041145	.034492
				2-65+ YR.	.025660	.077865	.057159
YARA YARA FEMA 3409F	20	GELATIN PUD(R)	5	0-5 MO.	.007315	.009876	.016392
				6-11 MO.	.046818	.141918	.104911
				12-23 MO.	.050476	.122898	.113107
				2-65+ YR.	.074617	.192029	.167202
YARA YARA FEMA 3409F	23	BEV TYPE I(R)	6	0-5 MO.	.008922	.013383	.020289
				6-11 MO.	.084385	.288843	.191902
				12-23 MO.	.201483	.604079	.498198
				2-65+ YR.	.386610	1.032324	.879200
YARA YARA FEMA 3409F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
YARA YARA FEMA 3409F	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000017	.000017	.000017
				12-23 MO.	.000017	.000051	.000017

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
YARA YARA FEMA 3409F	31	CHEWING GUM(R)	*	2-65+ YR.	.000034	.000068	.000034
YARA YARA FEMA 3409F	99	ALL CATEGORIES	10	0-5 MO.	.042465	.076122	.095631
				6-11 MO.	.337937	.889185	.761368
				12-23 MO.	.667550	1.465597	1.505345
				2-65+ YR.	1.486442	2.922416	3.440364
ACTL ME CARBINYL ACET FEMA 3410F	01	BAKED GOODS(R)	*	0-5 MO.	.036175	.047879	.167499
				6-11 MO.	.270250	.551140	1.251316
				12-23 MO.	.579867	.955451	2.684911
				2-65+ YR.	1.459776	2.168384	6.759078
ACTL ME CARBINYL ACET FEMA 3410F	07	FROZN DAIRY(R)	*	0-5 MO.	.005368	.022008	.020000
				6-11 MO.	.050994	.141710	.190000
				12-23 MO.	.077296	.181431	.288000
				2-65+ YR.	.137416	.331193	.512000
ACTL ME CARBINYL ACET FEMA 3410F	16	SOFT CANDY(R)	*	0-5 MO.	.001982	.019823	.009559
				6-11 MO.	.021805	.067398	.105145
				12-23 MO.	.034690	.092176	.167276
				2-65+ YR.	.057486	.174441	.277201
ACTL ME CARBINYL ACET FEMA 3410F	20	GELATIN PUD(R)	*	0-5 MO.	.010736	.014493	.040000
				6-11 MO.	.068708	.208270	.256000
				12-23 MO.	.074076	.180358	.276000
				2-65+ YR.	.109503	.281809	.408000
ACTL ME CARBINYL ACET FEMA 3410F	23	BEV TYPE I(R)	*	0-5 MO.	.012883	.019324	.048000
				6-11 MO.	.121849	.417078	.454000
				12-23 MO.	.290934	.872266	1.084000
				2-65+ YR.	.558250	1.490636	2.080000
ACTL ME CARBINYL ACET FEMA 3410F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.650000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ACTE ME CAFEINYL ACET FEMA 3410F	99	ALL CATEGORIES	*	0-5 MO.	.067144	.123527	.285058
				6-11 MO.	.533606	1.386095	2.256461
				12-23 MO.	1.056863	2.282683	4.500187
				2-65+ YR.	2.484931	4.918463	10.686278
ALLYL CROTONATE FEMA 3411F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.034000
				6-11 MO.	.050800	.103600	.254000
				12-23 MO.	.109000	.179600	.545000
				2-65+ YR.	.274400	.407600	1.372000
ALLYL CROTONATE FEMA 3411F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.005000
				6-11 MO.	.009500	.026400	.047500
				12-23 MO.	.014400	.033800	.072000
				2-65+ YR.	.025600	.061700	.128000
ALLYL CROTONATE FEMA 3411F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.002000
				6-11 MO.	.004400	.013600	.022000
				12-23 MO.	.007000	.018600	.035000
				2-65+ YR.	.011600	.035200	.058000
ALLYL CROTONATE FEMA 3411F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.010000
				6-11 MO.	.012800	.038800	.064000
				12-23 MO.	.013800	.033600	.069000
				2-65+ YR.	.020400	.052500	.102000
ALLYL CROTONATE FEMA 3411F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.012000
				6-11 MO.	.022700	.077700	.113500
				12-23 MO.	.054200	.162500	.271000
				2-65+ YR.	.104000	.277700	.520000
ALLYL CROTONATE FEMA 3411F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
ALLYL CROTONATE FEMA 3411F	99	ALL CATEGORIES	*	0-5 MO.	.012600	.023400	.063000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ALLYL CROTONATE FEMA 3411F	99	ALL CATEGORIES	*	6-11 MO.	.100200	.260200	.501000
				12-23 MO.	.198400	.428300	.992000
				2-65+ YR.	.468500	.929100	2.342500
ALLYL HEXENOATE FEMA 3412F	01	BAKED GOODS(R)	*	0-5 MO.	.011333	.015000	.029467
				6-11 MO.	.084667	.172667	.220133
				12-23 MO.	.181667	.299333	.472333
				2-65+ YR.	.457333	.679333	1.189067
ALLYL HEXENOATE FEMA 3412F	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.007000
				6-11 MO.	.028500	.079200	.066500
				12-23 MO.	.043200	.101400	.100800
				2-65+ YR.	.076800	.185100	.179200
ALLYL HEXENOATE FEMA 3412F	16	SOFT CANDY(R)	*	0-5 MO.	.000667	.006667	.001733
				6-11 MO.	.007333	.022667	.019067
				12-23 MO.	.011667	.031000	.030333
				2-65+ YR.	.019333	.058667	.050267
ALLYL HEXENOATE FEMA 3412F	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.014000
				6-11 MO.	.038400	.116400	.089600
				12-23 MO.	.041400	.100800	.096600
				2-65+ YR.	.061200	.157500	.142800
ALLYL HEXENOATE FEMA 3412F	23	BEV TYPE I(R)	*	0-5 MO.	.007200	.010800	.016800
				6-11 MO.	.068100	.233100	.158900
				12-23 MO.	.162600	.487500	.379400
				2-65+ YR.	.312000	.833100	.728000
ALLYL HEXENOATE FEMA 3412F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
ALLYL HEXENOATE FEMA 3412F	99	ALL CATEGORIES	*	0-5 MO.	.028200	.052667	.069000
				6-11 MO.	.227000	.624133	.554200

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
ALLYL HEXANOATE FEMA 3412F	99	ALL CATEGORIES	*	12-23 MO.	.440533	1.020233	1.079467
				2-65+ YR.	.959167	2.008100	2.451833
AMYL DECANOATE FEMA 3414F	01	BAKED GOODS(R)	*	0-5 MO.	.030421	.040263	.063526
				6-11 MO.	.227263	.463474	.474579
				12-23 MO.	.487632	.803474	1.018289
				2-65+ YR.	1.227579	1.823474	2.563474
AMYL DECANOATE FEMA 3414F	07	FROZN DAIRY(R)	*	0-5 MO.	.004474	.018342	.009342
				6-11 MO.	.042500	.118105	.088750
				12-23 MO.	.064421	.151211	.134526
				2-65+ YR.	.114526	.276026	.239158
AMYL DECANOATE FEMA 3414F	16	SOFT CANDY(R)	*	0-5 MO.	.000921	.009211	.002000
				6-11 MO.	.010132	.031316	.022000
				12-23 MO.	.016118	.042829	.035000
				2-65+ YR.	.026711	.081053	.058000
AMYL DECANOATE FEMA 3414F	20	GELATIN PUD(R)	*	0-5 MO.	.008947	.012079	.018684
				6-11 MO.	.057263	.173579	.119579
				12-23 MO.	.061737	.150316	.128921
				2-65+ YR.	.091263	.234868	.190579
AMYL DECANOATE FEMA 3414F	23	BEV TYPE I(R)	*	0-5 MO.	.010737	.016105	.022421
				6-11 MO.	.101553	.347605	.212066
				12-23 MO.	.242474	.726974	.506342
				2-65+ YR.	.465263	1.242342	.971579
AMYL DECANOATE FEMA 3414F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
AMYL DECANOATE FEMA 3414F	99	ALL CATEGORIES	*	0-5 MO.	.055500	.096000	.115974
				6-11 MO.	.438711	1.134179	.916974
				12-23 MO.	.872382	1.875003	1.823079

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMYL DECANOATE FEMA 3414F	99	ALL CATEGORIES	*	2-65+ YR.	1.957842	3.752163	4.185289
AMYL PHENYLACETATE FEMA 3415F	01	BAKED GOODS(R)	6	0-5 MO.	.029150	.038580	.059964
				6-11 MO.	.217765	.444104	.447964
				12-23 MO.	.467252	.769894	.961182
				2-65+ YR.	1.176274	1.747264	2.419709
AMYL PHENYLACETATE FEMA 3415F	07	FROZN DAIRY(R)	4	0-5 MO.	.006491	.026615	.013414
				6-11 MO.	.061668	.171372	.127431
				12-23 MO.	.093476	.219409	.193159
				2-65+ YR.	.166179	.400518	.343393
AMYL PHENYLACETATE FEMA 3415F	16	SOFT CANDY(R)	5	0-5 MO.	.002116	.021159	.004390
				6-11 MO.	.023275	.071940	.048291
				12-23 MO.	.037028	.098388	.076826
				2-65+ YR.	.061360	.186197	.127312
AMYL PHENYLACETATE FEMA 3415F	20	GELATIN PUD(R)	4	0-5 MO.	.009155	.012359	.019172
				6-11 MO.	.058593	.177610	.122703
				12-23 MO.	.063171	.153807	.132290
				2-65+ YR.	.093383	.240323	.195559
AMYL PHENYLACETATE FEMA 3415F	23	BEV TYPE I(R)	7	0-5 MO.	.009149	.013724	.019781
				6-11 MO.	.086537	.296210	.187095
				12-23 MO.	.206622	.619486	.446721
				2-65+ YR.	.396471	1.058654	.857176
AMYL PHENYLACETATE FEMA 3415F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000128	**********
				12-23 MO.	**********	.000256	**********
				2-65+ YR.	.041652	.120984	.240575
AMYL PHENYLACETATE FEMA 3415F	99	ALL CATEGORIES	10	0-5 MO.	.056061	.112437	.116721
				6-11 MO.	.447838	1.161364	.933484
				12-23 MO.	.867548	1.861240	1.810177
				2-65+ YR.	1.935320	3.753940	4.183724

TABLE 13, PART 8 -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMYL SALICYLATE FEMA 3416F	01	BAKED GOODS(R)	*	0-5 MO.	.084490	.111825	.168964
				6-11 MO.	.631193	1.287235	1.262264
				12-23 MO.	1.354331	2.231539	2.708401
				2-65+ YR.	3.409434	5.064451	6.818214
AMYL SALICYLATE FEMA 3416F	07	FROZN DAIRY(R)	*	0-5 MO.	.009943	.040767	.024850
				6-11 MO.	.094461	.262503	.236072
				12-23 MO.	.143183	.336083	.357836
				2-65+ YR.	.254548	.613500	.636153
AMYL SALICYLATE FEMA 3416F	16	SOFT CANDY(R)	4	0-5 MO.	.004966	.049664	.009939
				6-11 MO.	.054630	.168857	.109328
				12-23 MO.	.086912	.230937	.173931
				2-65+ YR.	.144025	.437043	.288229
AMYL SALICYLATE FEMA 3416F	20	GELATIN PUD(R)	*	0-5 MO.	.019901	.026866	.049735
				6-11 MO.	.127364	.386072	.318304
				12-23 MO.	.137314	.334331	.343172
				2-65+ YR.	.202987	.522392	.507297
AMYL SALICYLATE FEMA 3416F	23	BEV TYPE I(R)	*	0-5 MO.	.002272	.003409	.002400
				6-11 MO.	.021493	.073567	.022700
				12-23 MO.	.051317	.153856	.054200
				2-65+ YR.	.098468	.262929	.104000
AMYL SALICYLATE FEMA 3416F	99	ALL CATEGORIES	4	0-5 MO.	.121573	.232531	.255888
				6-11 MO.	.929141	2.178235	1.948669
				12-23 MO.	1.773057	3.286747	3.637541
				2-65+ YR.	4.109462	6.900315	8.353894
AMYL ISO VALERIANATE FEMA 3417F	01	BAKED GOODS(R)	4	0-5 MO.	.044906	.059435	.192142
				6-11 MO.	.335477	.684161	1.435414
				12-23 MO.	.719822	1.186056	3.079925
				2-65+ YR.	1.812103	2.691739	7.753498
AMYL ISO VALERIANATE FEMA 3417F	07	FROZN DAIRY(R)	5	0-5 MO.	.006183	.025351	.020653

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
AMYL ISO VALERIANATE FEMA 3417F	07	FROZN DAIRY(R)	5	6-11 MO.	.058739	.163233	.196204
				12-23 MO.	.089036	.208988	.297405
				2-65+ YR.	.158287	.381496	.528719
AMYL ISO VALERIANATE FEMA 3417F	16	SOFT CANDY(R)	4	0-5 MO.	.002480	.024801	.010980
				6-11 MO.	.027281	.084323	.120775
				12-23 MO.	.043402	.115324	.192142
				2-65+ YR.	.071922	.218248	.318407
AMYL ISO VALERIANATE FEMA 3417F	20	GELATIN PUD(R)	4	0-5 MO.	.050054	.067573	.146868
				6-11 MO.	.320344	.971044	.939953
				12-23 MO.	.345371	.840904	1.013386
				2-65+ YR.	.510549	1.313913	1.498050
AMYL ISO VALERIANATE FEMA 3417F	23	BEV TYPE I(R)	5	0-5 MO.	.012190	.018285	.051527
				6-11 MO.	.115300	.394662	.487364
				12-23 MO.	.275298	.825386	1.163662
				2-65+ YR.	.528247	1.410522	2.232857
AMYL ISO VALERIANATE FEMA 3417F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000278	**********
				12-23 MO.	**********	.000555	**********
				2-65+ YR.	.090194	.261978	.372238
AMYL ISO VALERIANATE FEMA 3417F	99	ALL CATEGORIES	6	0-5 MO.	.115814	.195445	.422170
				6-11 MO.	.857142	2.297701	3.179711
				12-23 MO.	1.472930	3.177214	5.746520
				2-65+ YR.	3.171303	6.277896	12.703770
ISO-AMYL VALERIANATE FEMA 3418F	01	BAKED GOODS(R)	4	0-5 MO.	.036176	.047880	.192839
				6-11 MO.	.270257	.551155	1.440621
				12-23 MO.	.579883	.955477	3.091096
				2-65+ YR.	1.459815	2.168442	7.781622
ISO-AMYL VALERIANATE FEMA 3418F	07	FROZN DAIRY(R)	4	0-5 MO.	.006020	.024683	.020963
				6-11 MO.	.057193	.158935	.199151

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISO-AMYL VALERIANATE FEMA 3418F	07	FROZN DAIRY(R)	4	12-23 MO.	.086692	.203485	.301871
				2-65+ YR.	.154119	.371451	.536659
ISO-AMYL VALERIANATE FEMA 3418F	16	SOFT CANDY(R)	4	0-5 MO.	.002128	.021280	.011343
				6-11 MO.	.023408	.072352	.124778
				12-23 MO.	.037240	.098952	.198511
				2-65+ YR.	.061712	.187265	.328961
ISO-AMYL VALERIANATE FEMA 3418F	20	GELATIN PUD(R)	4	0-5 MO.	.056337	.076055	.165957
				6-11 MO.	.360558	1.092940	1.062124
				12-23 MO.	.388726	.946464	1.145103
				2-65+ YR.	.574639	1.478850	1.692760
ISO-AMYL VALERIANATE FEMA 3418F	23	BEV TYPE I(R)	5	0-5 MO.	.028127	.042191	.056479
				6-11 MO.	.266036	.910615	.534193
				12-23 MO.	.635204	1.904439	1.275473
				2-65+ YR.	1.218841	3.254540	2.447402
ISO-AMYL VALERIANATE FEMA 3418F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000206	**********
				12-23 MO.	**********	.000411	**********
				2-65+ YR.	.066847	.194164	.328462
ISO-AMYL VALERIANATE FEMA 3418F	99	ALL CATEGORIES	6	0-5 MO.	.128789	.212089	.447581
				6-11 MO.	.977451	2.786203	3.360867
				12-23 MO.	1.727745	4.109229	6.012053
				2-65+ YR.	3.535973	7.654712	13.115867
BUTYL SALICYLATE FEMA 3419F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
BUTYL SALICYLATE FEMA 3419F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
BUTYL SALICYLATE FEMA 3419F	07	FROZN DAIRY(R)	*	2-65+ YR.	.025600	.061700	.025600
BUTYL SALICYLATE FEMA 3419F	16	SOFT CANDY(R)	*	0-5 MO.	.000300	.003000	.000300
				6-11 MO.	.003300	.010200	.003300
				12-23 MO.	.005250	.013950	.005250
				2-65+ YR.	.008700	.026400	.008700
BUTYL SALICYLATE FEMA 3419F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
BUTYL SALICYLATE FEMA 3419F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
BUTYL SALICYLATE FEMA 3419F	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000007	.000007	.000007
				12-23 MO.	.000007	.000021	.000007
				2-65+ YR.	.000014	.000028	.000014
BUTYL SALICYLATE FEMA 3419F	99	ALL CATEGORIES	*	0-5 MO.	.009100	.017900	.009100
				6-11 MO.	.073707	.204907	.073707
				12-23 MO.	.142157	.333671	.142157
				2-65+ YR.	.295914	.622128	.295914
ISOBUTYL ANTHRANILATE FEMA 3420F	01	BAKED GOODS(R)	*	0-5 MO.	.020400	.027000	.040800
				6-11 MO.	.152400	.310800	.304800
				12-23 MO.	.327000	.538800	.654000
				2-65+ YR.	.823200	1.222800	1.646400
ISOBUTYL ANTHRANILATE FEMA 3420F	07	FROZN DAIRY(R)	*	0-5 MO.	.003500	.014350	.007000
				6-11 MO.	.033250	.092400	.066500
				12-23 MO.	.050400	.118300	.100800
				2-65+ YR.	.089600	.215950	.179200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOBUT ME ANTHRANILATE FEMA 3420F	16	SOFT CANDY(R)	*	0-5 MO.	.000933	.009333	.002400
				6-11 MO.	.010267	.031733	.026400
				12-23 MO.	.016333	.043400	.042000
				2-65+ YR.	.027067	.082133	.069600
ISOBUT ME ANTHRANILATE FEMA 3420F	20	GELATIN PUD(R)	*	0-5 MO.	.007000	.009450	.014000
				6-11 MO.	.044800	.135800	.089600
				12-23 MO.	.048300	.117600	.096600
				2-65+ YR.	.071400	.183750	.142800
ISOBUT ME ANTHRANILATE FEMA 3420F	23	BEV TYPE I(R)	*	0-5 MO.	.006400	.009600	.016800
				6-11 MO.	.060533	.207200	.158900
				12-23 MO.	.144533	.433333	.379400
				2-65+ YR.	.277333	.740533	.728000
ISOBUT ME ANTHRANILATE FEMA 3420F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
ISOBUT ME ANTHRANILATE FEMA 3420F	99	ALL CATEGORIES	*	0-5 MO.	.038233	.069733	.081000
				6-11 MO.	.301250	.778433	.646200
				12-23 MO.	.586567	1.252433	1.272800
				2-65+ YR.	1.451100	2.917167	3.091000
CARVOMENTHOL FEMA 3422F	01	BAKED GOODS(R)	*	0-5 MO.	.025187	.033336	.050597
				6-11 MO.	.188161	.383729	.377992
				12-23 MO.	.403730	.665229	.811046
				2-65+ YR.	1.016363	1.509729	2.041753
CARVOMENTHOL FEMA 3422F	07	FROZN DAIRY(R)	*	0-5 MO.	.003671	.015051	.007605
				6-11 MO.	.034875	.096916	.072250
				12-23 MO.	.052863	.124082	.109516
				2-65+ YR.	.093979	.226504	.194695
CARVOMENTHOL FEMA 3422F	16	SOFT CANDY(R)	*	0-5 MO.	.001482	.014816	.002976

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARVOMENTHOL *FEMA 3422F	16	SOFT CANDY(R)	*	6-11 MO.	.016297	.050374	.032739
				12-23 MO.	.025928	.068893	.052086
				2-65+ YR.	.042966	.130379	.086313
CARVOMENTHOL FEMA 3422F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008141
				6-11 MO.	.025600	.077600	.052101
				12-23 MO.	.027600	.067200	.056172
				2-65+ YR.	.040800	.105000	.083037
CARVOMENTHOL FEMA 3422F	23	BEV TYPE I(R)	*	0-5 MO.	.002569	.003854	.005307
				6-11 MO.	.024299	.083172	.050196
				12-23 MO.	.058017	.173944	.119851
				2-65+ YR.	.111324	.297256	.229972
CARVOMENTHOL FEMA 3422F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000200	**********
				12-23 MO.	**********	.000400	**********
				2-65+ YR.	.065000	.188800	.130000
CARVOMENTHOL FEMA 3422F	99	ALL CATEGORIES	*	0-5 MO.	.036908	.072456	.074627
				6-11 MO.	.289232	.691990	.585279
				12-23 MO.	.568138	1.099748	1.148670
				2-65+ YR.	1.370432	2.457668	2.765769
M-CRESOL FEMA 3425F	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.034000
				6-11 MO.	.127000	.259000	.254000
				12-23 MO.	.272500	.449000	.545000
				2-65+ YR.	.686000	1.019000	1.372000
M-CRESOL FEMA 3425F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
M-CRESOL FEMA 3425F	10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.006600
				6-11 MO.	.062100	.167400	.124200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
M-CRESOL FEMA 3425F	10	MEAT PRODS(R)	*	12-23 MO.	.090600	.155700	.181200
				2-65+ YR.	.235200	.390300	.470400
M-CRESOL FEMA 3425F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
M-CRESOL FEMA 3425F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
M-CRESOL FEMA 3425F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
M-CRESOL FEMA 3425F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000001	**********
				12-23 MO.	**********	.000002	**********
				2-65+ YR.	.000325	.000944	.000650
M-CRESOL FEMA 3425F	99	ALL CATEGORIES	*	0-5 MO.	.031500	.056000	.068600
				6-11 MO.	.283500	.725801	.614200
				12-23 MO.	.534900	1.083102	1.155700
				2-65+ YR.	1.233125	2.229244	2.622050
O-CRESOL FEMA 3426F	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.034000
				6-11 MO.	.127000	.259000	.254000
				12-23 MO.	.272500	.449000	.545000
				2-65+ YR.	.686000	1.019000	1.372000
O-CRESOL FEMA 3426F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
O-CRESOL							
FEMA 3426F	07	FROZN DAIRY(R)	*	2-65+ YR.	.051200	.123400	.128000
O-CRESOL							
FEMA 3426F	10	MEAT PRODS(R)	*	0-5 MO.	.003300	.008700	.006600
				6-11 MO.	.062100	.167400	.124200
				12-23 MO.	.090600	.155700	.181200
				2-65+ YR.	.235200	.390300	.470400
O-CRESOL							
FEMA 3426F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
O-CRESOL							
FEMA 3426F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
O-CRESOL							
FEMA 3426F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
O-CRESOL							
FEMA 3426F	24	BEV TYPE II(R)	*	0-5 MO.	**********	**********	.000000
				6-11 MO.	**********	**********	**********
				12-23 MO.	**********	**********	**********
				2-65+ YR.	**********	**********	.000975
O-CRESOL							
FEMA 3426F	99	ALL CATEGORIES	*	0-5 MO.	.031500	.056000	.068600
				6-11 MO.	.283500	.725800	.614200
				12-23 MO.	.534900	1.083100	1.155700
				2-65+ YR.	1.232800	2.228300	2.622375
1,5-DIMET TRITHIOLANE							
FEMA 3428F	10	MEAT PRODS(R)	*	0-5 MO.	.000605	.001595	.002200
				6-11 MO.	.011385	.030690	.041400
				12-23 MO.	.016610	.028545	.060400
				2-65+ YR.	.043120	.071555	.156800

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3,5-DIMET TRITHIOLANE FEMA 3428F	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002800	.007600	.005600
				2-65+ YR.	.008800	.021200	.017600
3,5-DIMET TRITHIOLANE FEMA 3428F	99	ALL CATEGORIES	*	0-5 MO.	.000605	.001695	.002200
				6-11 MO.	.012185	.032890	.043000
				12-23 MO.	.019410	.036145	.066000
				2-65+ YR.	.051920	.092755	.174400
DIOXY ACETOPHENONE FEMA 3429F	10	MEAT PRODS(R)	*	0-5 MO.	.000220	.000580	**********
				6-11 MO.	.004140	.011160	**********
				12-23 MO.	.006040	.010380	**********
				2-65+ YR.	.015680	.026020	**********
DIOXY ACETOPHENONE FEMA 3429F	99	ALL CATEGORIES	*	0-5 MO.	.000220	.000580	**********
				6-11 MO.	.004140	.011160	**********
				12-23 MO.	.006040	.010380	**********
				2-65+ YR.	.015680	.026020	**********
FURFURYLIDEN-2-PROPANAL FEMA 3442F	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.062900
				6-11 MO.	.203200	.414400	.469900
				12-23 MO.	.436000	.718400	1.008250
				2-65+ YR.	1.097600	1.630400	2.538200
FURFURYLIDEN-2-PROPANAL FEMA 3442F	07	FROZN DAIRY(R)	*	0-5 MO.	.005500	.022550	.011000
				6-11 MO.	.052250	.145200	.104500
				12-23 MO.	.079200	.185900	.158400
				2-65+ YR.	.140800	.339350	.281600
FURFURYLIDEN-2-PROPANAL FEMA 3442F	16	SOFT CANDY(R)	*	0-5 MO.	.001600	.016000	.003700
				6-11 MO.	.017600	.054400	.040700
				12-23 MO.	.028000	.074400	.064750
				2-65+ YR.	.046400	.140800	.107300
FURFURYLIDEN-2-PROPANAL FEMA 3442F	20	GELATIN PUD(R)	*	0-5 MO.	.011000	.014850	.022000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
FURFURYLIDEN-2-PROPANAL FEMA 3442F	20	GELATIN PUD(R)	*	6-11 MO.	.070400	.213400	.140800
				12-23 MO.	.075900	.184800	.151800
				2-65+ YR.	.112200	.288750	.224400
FURFURYLIDEN-2-PROPANAL FEMA 3442F	23	BEV TYPE I(R)	*	0-5 MO.	.013200	.019800	.026400
				6-11 MO.	.124850	.427350	.249700
				12-23 MO.	.298100	.893750	.596200
				2-65+ YR.	.572000	1.527350	1.144000
FURFURYLIDEN-2-PROPANAL FEMA 3442F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
FURFURYLIDEN-2-PROPANAL FEMA 3442F	99	ALL CATEGORIES	*	0-5 MO.	.058500	.109200	.126000
				6-11 MO.	.468300	1.255250	1.005600
				12-23 MO.	.917200	2.058250	1.979400
				2-65+ YR.	2.131500	4.398650	4.620500
METHALLYL CAPROATE FEMA 3453F	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.068000
				6-11 MO.	.254000	.518000	.508000
				12-23 MO.	.545000	.898000	1.090000
				2-65+ YR.	1.372000	2.038000	2.744000
METHALLYL CAPROATE FEMA 3453F	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.020000
				6-11 MO.	.095000	.264000	.190000
				12-23 MO.	.144000	.338000	.288000
				2-65+ YR.	.256000	.617000	.512000
METHALLYL CAPROATE FEMA 3453F	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.004000
				6-11 MO.	.022000	.068000	.044000
				12-23 MO.	.035000	.093000	.070000
				2-65+ YR.	.058000	.176000	.116000
METHALLYL CAPROATE FEMA 3453F	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000
				6-11 MO.	.128000	.388000	.256000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHALLYL CAPROATE FEMA 3453F	20	GELATIN PUD(R)	*	12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
METHALLYL CAPROATE FEMA 3453F	23	BEV TYPE I(R)	*	0-5 MO.	.024000	.036000	.048000
				6-11 MO.	.227000	.777000	.454000
				12-23 MO.	.542000	1.625000	1.084000
				2-65+ YR.	1.040000	2.777000	2.080000
METHALLYL CAPROATE FEMA 3453F	99	ALL CATEGORIES	*	0-5 MO.	.090000	.169000	.180000
				6-11 MO.	.726000	2.015000	1.452000
				12-23 MO.	1.404000	3.290000	2.808000
				2-65+ YR.	2.930000	6.133000	5.860000
3-METHYL-3-BUTENE-2-1 FEMA 3454F	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.034000
				6-11 MO.	.127000	.259000	.254000
				12-23 MO.	.272500	.449000	.545000
				2-65+ YR.	.686000	1.019000	1.372000
3-METHYL-3-BUTENE-2-1 FEMA 3454F	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
3-METHYL-3-BUTENE-2-1 FEMA 3454F	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.002000
				6-11 MO.	.008800	.027200	.022000
				12-23 MO.	.014000	.037200	.035000
				2-65+ YR.	.023200	.070400	.058000
3-METHYL-3-BUTENE-2-1 FEMA 3454F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
3-METHYL-3-BUTENE-2-1 FEMA 3454F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
3-METHYL-3-BUTENE-2-1							
FEMA 3454F	23	BEV TYPE I(R)	*	2-65+ YR.	.520000	1.388500	1.040000
3-METHYL-3-BUTENE-2-1							
FEMA 3454F	99	ALL CATEGORIES	*	0-5 MO.	.044800	.082500	.090000
				6-11 MO.	.360800	1.000700	.726000
				12-23 MO.	.698500	1.635700	1.404000
				2-65+ YR.	1.459200	3.048900	2.930000
METHYL FURFURACRYLAT							
FEMA 3455F	01	BAKED GOODS(R)	*	0-5 MO.	.020400	.027000	.052700
				6-11 MO.	.152400	.310800	.393700
				12-23 MO.	.327000	.538800	.844750
				2-65+ YR.	.823200	1.222800	2.126600
METHYL FURFURACRYLAT							
FEMA 3455F	07	FROZN DAIRY(R)	*	0-5 MO.	.003500	.014350	.010000
				6-11 MO.	.033250	.092400	.095000
				12-23 MO.	.050400	.116300	.144000
				2-65+ YR.	.089600	.215950	.256000
METHYL FURFURACRYLAT							
FEMA 3455F	16	SOFT CANDY(R)	*	0-5 MO.	.001300	.013000	.005000
				6-11 MO.	.014300	.044200	.055000
				12-23 MO.	.022750	.060450	.087500
				2-65+ YR.	.037700	.114400	.145000
METHYL FURFURACRYLAT							
FEMA 3455F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
METHYL FURFURACRYLAT							
FEMA 3455F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
METHYL FURFURACRYLAT							
FEMA 3455F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
METHYL FURFURACRYLAT FEMA 3455F	99	ALL CATEGORIES	*	0-5 MO.	.047200	.085850	.111700
				6-11 MO.	.377450	1.030400	.898700
				12-23 MO.	.740150	1.699050	1.756250
				2-65+ YR.	1.735000	3.676150	4.096600
2-ME-5-ISOPROP PYRAZINE FEMA 3458F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.013600
				6-11 MO.	.050800	.103600	.101600
				12-23 MO.	.109000	.179600	.218000
				2-65+ YR.	.274400	.407600	.548800
2-ME-5-ISOPROP PYRAZINE FEMA 3458F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.004000
				6-11 MO.	.019000	.052800	.038000
				12-23 MO.	.028800	.067600	.057600
				2-65+ YR.	.051200	.123400	.102400
2-ME-5-ISOPROP PYRAZINE FEMA 3458F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.000800
				6-11 MO.	.004400	.013600	.008800
				12-23 MO.	.007000	.018600	.014000
				2-65+ YR.	.011600	.035200	.023200
2-ME-5-ISOPROP PYRAZINE FEMA 3458F	20	GELATIN PUDIR)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
2-ME-5-ISOPROP PYRAZINE FEMA 3458F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600
				6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
2-ME-5-ISOPROP PYRAZINE FEMA 3458F	99	ALL CATEGORIES	*	0-5 MO.	.018000	.033800	.036000
				6-11 MO.	.145200	.403000	.290400
				12-23 MO.	.280800	.658000	.561600
				2-65+ YR.	.586000	1.226600	1.172000
4-ME-4-PENTEN-2-ONE FEMA 3459F	01	BAKED GOODS(R)	*	0-5 MO.	.013600	.018000	.027200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
4-ME-4-PENTEN-2-ONE FEMA 3459F	01	BAKED GOODS(R)	*	6-11 MO.	.101600	.207200	.203200
				12-23 MO.	.218000	.359200	.436000
				2-65+ YR.	.548800	.815200	1.097600
4-ME-4-PENTEN-2-ONE FEMA 3459F	07	FROZN DAIRY(R)	*	0-5 MO.	.003000	.012300	.006000
				6-11 MO.	.028500	.079200	.057000
				12-23 MO.	.043200	.101400	.086400
				2-65+ YR.	.076800	.185100	.153600
4-ME-4-PENTEN-2-ONE FEMA 3459F	16	SOFT CANDY(R)	*	0-5 MO.	.000600	.006000	.001200
				6-11 MO.	.006600	.020400	.013200
				12-23 MO.	.010500	.027900	.021000
				2-65+ YR.	.017400	.052800	.034800
4-ME-4-PENTEN-2-ONE FEMA 3459F	20	GELATIN PUD(R)	*	0-5 MO.	.006000	.008100	.012000
				6-11 MO.	.038400	.116400	.076800
				12-23 MO.	.041400	.100800	.082800
				2-65+ YR.	.061200	.157500	.122400
4-ME-4-PENTEN-2-ONE FEMA 3459F	23	BEV TYPE I(R)	*	0-5 MO.	.006000	.009000	.014400
				6-11 MO.	.056750	.194250	.136200
				12-23 MO.	.135500	.406250	.325200
				2-65+ YR.	.260000	.694250	.624000
4-ME-4-PENTEN-2-ONE FEMA 3459F	99	ALL CATEGORIES	*	0-5 MO.	.029200	.053400	.060800
				6-11 MO.	.231850	.617450	.486400
				12-23 MO.	.448600	.995550	.951400
				2-65+ YR.	.964200	1.904850	2.032400
ME PROPENYL DISULFIDE FEMA 3460F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.209800	.137200
ME PROPENYL DISULFIDE FEMA 3460F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ME PROPENYL DISULFIDE FEMA 3460F	07	FROZN DAIRY(R)	*	12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
ME PROPENYL DISULFIDE FEMA 3460F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
ME PROPENYL DISULFIDE FEMA 3460F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
ME PROPENYL DISULFIDE FEMA 3460F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
ME PROPENYL DISULFIDE FEMA 3460F	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400
				2-65+ YR.	.293000	.613300	.293000
2-ME TETRDHYDRDFURANONE FEMA 3463F	01	BAKED GOODS(R)	*	0-5 MO.	.004420	.005850	.006120
				6-11 MO.	.033020	.067340	.045720
				12-23 MO.	.070850	.116740	.098100
				2-65+ YR.	.178360	.264940	.246960
2-ME TETRDHYDRDFURANONE FEMA 3463F	07	FRDZN DAIRY(R)	*	0-5 MO.	**********	**********	.005000
				6-11 MO.	**********	**********	.047500
				12-23 MO.	**********	**********	.072000
				2-65+ YR.	**********	**********	.120000
2-ME TETRDHYDRDFURANONE FEMA 3463F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.001800	**********
				12-23 MO.	**********	.003600	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-ME TETRDHYDROFURANONE							
FEMA 3463F	24	BEV TYPE III(R)	*	2-65+ YR.	.585000	1.699200	**********
2-ME TETRDHYDROFURANONE							
FEMA 3463F	99	ALL CATEGORIES	*	0-5 MO.	.004420	.005850	.011120
				6-11 MO.	.033020	.069140	.093220
				12-23 MO.	.070850	.120340	.170100
				2-65+ YR.	.763360	1.964140	.374960
B-NAPHTH ISOBUTYL ETHER							
FEMA 3464F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
				6-11 MO.	.050800	.103600	.127000
				12-23 MO.	.109000	.179600	.272500
				2-65+ YR.	.274400	.407600	.686000
B-NAPHTH ISOBUTYL ETHER							
FEMA 3464F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
B-NAPHTH ISOBUTYL ETHER							
FEMA 3464F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
B-NAPHTH ISOBUTYL ETHER							
FEMA 3464F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
B-NAPHTH ISOBUTYL ETHER							
FEMA 3464F	23	BEV TYPE I(R)	*	0-5 MO.	.004200	.006300	.012000
				6-11 MO.	.039725	.135975	.113500
				12-23 MO.	.094850	.284375	.271000
				2-65+ YR.	.182000	.485975	.520000
B-NAPHTH ISOBUTYL ETHER							
FEMA 3464F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	**********
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
B-NAPHTH ISOBUTYL ETHER							
FEMA 3464F	99	ALL CATEGORIES	*	0-5 MO.	.017400	.032900	.045000
				6-11 MO.	.139525	.383675	.363000
				12-23 MO.	.267250	.617575	.702000
				2-65+ YR.	.592500	1.251575	1.465000
2,6-NONADIENAL							
FEMA 3465F	01	BAKED GOODS(R)	4	0-5 MO.	.004596	.006083	.009208
				6-11 MO.	.034332	.070016	.068792
				12-23 MO.	.073666	.121380	.147604
				2-65+ YR.	.185449	.275470	.371583
2,6-NONADIENAL							
FEMA 3465F	05	MILK PRODS(R)	*	0-5 MO.	.000540	.000400	.001080
				6-11 MO.	.006240	.030010	.012480
				12-23 MO.	.005450	.017440	.010900
				2-65+ YR.	.003950	.012060	.007900
2,6-NONADIENAL							
FEMA 3465F	07	FROZN DAIRY(R)	5	0-5 MO.	.000823	.003376	.001317
				6-11 MO.	.007822	.021736	.012508
				12-23 MO.	.011856	.027829	.018960
				2-65+ YR.	.021077	.050800	.033707
2,6-NONADIENAL							
FEMA 3465F	10	MEAT PRODS(R)	*	0-5 MO.	.000550	.001450	.001100
				6-11 MO.	.010350	.027900	.020700
				12-23 MO.	.015100	.025950	.030200
				2-65+ YR.	.039200	.065050	.078400
2,6-NONADIENAL							
FEMA 3465F	16	SOFT CANDY(R)	4	0-5 MO.	.000270	.002703	.000542
				6-11 MO.	.002974	.009191	.005958
				12-23 MO.	.004731	.012571	.009479
				2-65+ YR.	.007840	.023789	.015708
2,6-NONADIENAL							
FEMA 3465F	20	GELATIN PUD(R)	6	0-5 MO.	.001360	.001836	.002575
				6-11 MO.	.008704	.026384	.016480
				12-23 MO.	.009384	.022848	.017768
				2-65+ YR.	.013872	.035700	.026265
2,6-NONADIENAL							
FEMA 3465F	23	BEV TYPE I(R)	5	0-5 MO.	.002427	.003641	.004480

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2,6-NONADIENAL FEMA 3465F	23	BEV TYPE I(R)	5	6-11 MO.	.022959	.078588	.042184
				12-23 MO.	.054819	.164357	.100722
				2-65+ YR.	.105189	.280874	.193267
2,6-NONADIENAL FEMA 3465F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
2,6-NONADIENAL FEMA 3465F	99	ALL CATEGORIES	7	0-5 MO.	.010567	.019489	.020282
				6-11 MO.	.093381	.263926	.179102
				12-23 MO.	.175006	.392574	.335632
				2-65+ YR.	.409076	.838143	.889330
NONADIENAL DIME ACETAL FEMA 3466F	01	BAKED GOODS(R)	*	0-5 MO.	.013600	.018000	.013600
				6-11 MO.	.101600	.207200	.101600
				12-23 MO.	.218000	.359200	.218000
				2-65+ YR.	.548800	.815200	.548800
NONADIENAL DIME ACETAL FEMA 3466F	05	MILK PRODS(R)	*	0-5 MO.	.000270	.000200	.000540
				6-11 MO.	.003120	.015005	.006240
				12-23 MO.	.002725	.008720	.005450
				2-65+ YR.	.001975	.006030	.003950
NONADIENAL DIME ACETAL FEMA 3466F	07	FROZN DAIRY(R)	*	0-5 MO.	.002025	.008303	.002050
				6-11 MO.	.019238	.053460	.019475
				12-23 MO.	.029160	.068445	.029520
				2-65+ YR.	.051840	.124943	.052480
NONADIENAL DIME ACETAL FEMA 3466F	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.000800
				6-11 MO.	.008800	.027200	.008800
				12-23 MO.	.014000	.037200	.014000
				2-65+ YR.	.023200	.070400	.023200
NONADIENAL DIME ACETAL FEMA 3466F	20	GELATIN PUD(R)	*	0-5 MO.	.004100	.005535	.004200
				6-11 MO.	.026240	.079540	.026880

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
NONADIENAL DIME ACETAL FEMA 3466F	20	GELATIN PUD(R)	*	12-23 MO.	.028290	.068880	.028980
				2-65+ YR.	.041820	.107625	.042840
NONADIENAL DIME ACETAL FEMA 3466F	23	BEV TYPE I(R)	*	0-5 MO.	.004801	.007202	.009600
				6-11 MO.	.045411	.155439	.090800
				12-23 MO.	.108427	.325081	.216800
				2-65+ YR.	.208052	.555539	.416000
NONADIENAL DIME ACETAL FEMA 3466F	99	ALL CATEGORIES	*	0-5 MO.	.025596	.047239	.030790
				6-11 MO.	.204409	.537844	.253795
				12-23 MO.	.400602	.867526	.512750
				2-65+ YR.	.875687	1.679736	1.087270
NONANEDIOL-1,4-ACETATE FEMA 3467F	01	BAKED GOODS(R)	*	0-5 MO.	.023800	.031500	.030600
				6-11 MO.	.177800	.362600	.228600
				12-23 MO.	.381500	.628600	.490500
				2-65+ YR.	.960400	1.426600	1.234800
NONANEDIOL-1,4-ACETATE FEMA 3467F	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.007000
				6-11 MO.	.047500	.132000	.066500
				12-23 MO.	.072000	.169000	.100800
				2-65+ YR.	.128000	.308500	.179200
NONANEDIOL-1,4-ACETATE FEMA 3467F	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.001400
				6-11 MO.	.011000	.034000	.015400
				12-23 MO.	.017500	.046500	.024500
				2-65+ YR.	.029000	.088000	.040600
NONANEDIOL-1,4-ACETATE FEMA 3467F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.014000
				6-11 MO.	.064000	.194000	.089600
				12-23 MO.	.069000	.168000	.096600
				2-65+ YR.	.102000	.262500	.142800
NONANEDIOL-1,4-ACETATE FEMA 3467F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.016800
				6-11 MO.	.113500	.388500	.158900
				12-23 MO.	.271000	.812500	.379400

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
NONANEDIOL-1,4-ACETATE							
FEMA 3467F	23	BEV TYPE I(R)	*	2-65+ YR.	.520000	1.388500	.728000
NONANEDIOL-1,4-ACETATE							
FEMA 3467F	59	ALL CATEGORIES	*	0-5 MO.	.051800	.093500	.069800
				6-11 MO.	.413800	1.111100	.559000
				12-23 MO.	.811000	1.824600	1.091800
				2-65+ YR.	1.739400	3.474100	2.325400
6-NONENAL							
FEMA 3468F	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.034000
				6-11 MO.	.127000	.259000	.254000
				12-23 MO.	.272500	.449000	.545000
				2-65+ YR.	.686000	1.019000	1.372000
6-NONENAL							
FEMA 3468F	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
6-NONENAL							
FEMA 3468F	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
6-NONENAL							
FEMA 3468F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
6-NONENAL							
FEMA 3468F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
6-NONENAL							
FEMA 3468F	59	ALL CATEGORIES	*	0-5 MO.	.045000	.084500	.090000
				6-11 MO.	.363000	1.007500	.726000
				12-23 MO.	.702000	1.645000	1.404000
				2-65+ YR.	1.465000	3.066500	2.930000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
6-OCTENAL FEMA 3469F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
				6-11 MO.	.050800	.103600	.127000
				12-23 MO.	.109000	.179600	.272500
				2-65+ YR.	.274400	.407600	.686000
6-OCTENAL FEMA 3469F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
6-OCTENAL FEMA 3469F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
6-OCTENAL FEMA 3469F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000
				6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
6-OCTENAL FEMA 3469F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
6-OCTENAL FEMA 3469F	99	ALL CATEGORIES	*	0-5 MO.	.018000	.033800	.045000
				6-11 MO.	.145200	.403000	.363000
				12-23 MO.	.280800	.658000	.702000
				2-65+ YR.	.586000	1.226600	1.465000
2-PENTEN-1-OL FEMA 3470F	01	BAKED GOODS(R)	*	0-5 MO.	.023800	.031500	.040800
				6-11 MO.	.177800	.362600	.304800
				12-23 MO.	.381500	.628600	.654000
				2-65+ YR.	.960400	1.426600	1.646400
2-PENTEN-1-OL FEMA 3470F	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
2-PENTEN-1-OL FEMA 3470F	07	FROZN DAIRY(R)	*	6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
2-PENTEN-1-OL FEMA 3470F	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
2-PENTEN-1-OL FEMA 3470F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
2-PENTEN-1-OL FEMA 3470F	23	BEV TYPE II(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
2-PENTEN-1-OL FEMA 3470F	99	ALL CATEGORIES	*	0-5 MO.	.051800	.093500	.096800
				6-11 MO.	.413800	1.111100	.776800
				12-23 MO.	.811000	1.824600	1.513000
				2-65+ YR.	1.739400	3.474100	3.204400
3-PENTEN-2-ONE FEMA 3471F	01	BAKED GOODS(R)	*	0-5 MO.	.023800	.031500	.040800
				6-11 MO.	.177800	.362600	.304800
				12-23 MO.	.381500	.628600	.654000
				2-65+ YR.	.960400	1.426600	1.646400
3-PENTEN-2-ONE FEMA 3471F	07	FROZN DAIRY(R)	*	0-5 MO.	.003875	.015888	.010000
				6-11 MO.	.036813	.102300	.095000
				12-23 MO.	.055800	.130975	.144000
				2-65+ YR.	.099200	.239088	.256000
3-PENTEN-2-ONE FEMA 3471F	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.002000
				6-11 MO.	.008800	.027200	.022000

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
3-PENTEN-2-ONE FEMA 3471F	16	SOFT CANDY(R)	*	12-23 MO.	.014000	.037200	.035000
				2-65+ YR.	.023200	.070400	.058000
3-PENTEN-2-ONE FEMA 3471F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
3-PENTEN-2-ONE FEMA 3471F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
3-PENTEN-2-ONE FEMA 3471F	99	ALL CATEGORIES	*	0-5 MO.	.050475	.086888	.096800
				6-11 MO.	.400913	1.074600	.776800
				12-23 MO.	.791300	1.777275	1.513000
				2-65+ YR.	1.704800	3.387088	3.204400
PHENYLETHYL VALERATE FEMA 3472F	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.034000
				6-11 MO.	.127000	.259000	.254000
				12-23 MO.	.272500	.449000	.545000
				2-65+ YR.	.686000	1.019000	1.372000
PHENYLETHYL VALERATE FEMA 3472F	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
PHENYLETHYL VALERATE FEMA 3472F	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
PHENYLETHYL VALERATE FEMA 3472F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PHENYLETHYL VALERATE FEMA 3472F	20	GELATIN PUD(R)	*	2-65+ YR.	.102000	.262500	.204000
PHENYLETHYL VALERATE FEMA 3472F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
PHENYLETHYL VALERATE FEMA 3472F	99	ALL CATEGORIES	*	0-5 MO.	.045000	.084500	.090000
				6-11 MO.	.363000	1.007500	.726000
				12-23 MO.	.702000	1.645000	1.404000
				2-65+ YR.	1.465000	3.066500	2.930000
5-PHENYL PENTANOL FEMA 3473F	01	BAKED GOODS(R)	*	0-5 MO.	.027200	.036000	.054400
				6-11 MO.	.203200	.414400	.406400
				12-23 MO.	.436000	.718400	.872000
				2-65+ YR.	1.097600	1.630400	2.195200
5-PHENYL PENTANOL FEMA 3473F	07	FROZN DAIRY(R)	*	0-5 MO.	.006000	.024600	.012000
				6-11 MO.	.057000	.158400	.114000
				12-23 MO.	.086400	.202800	.172800
				2-65+ YR.	.153600	.370200	.307200
5-PHENYL PENTANOL FEMA 3473F	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.002400
				6-11 MO.	.013200	.040800	.026400
				12-23 MO.	.021000	.055800	.042000
				2-65+ YR.	.034800	.105600	.069600
5-PHENYL PENTANOL FEMA 3473F	20	GELATIN PUD(R)	*	0-5 MO.	.012000	.016200	.024000
				6-11 MO.	.076800	.232800	.153600
				12-23 MO.	.082800	.201600	.165600
				2-65+ YR.	.122400	.315000	.244800
5-PHENYL PENTANOL FEMA 3473F	23	BEV TYPE I(R)	*	0-5 MO.	.014400	.021600	.028800
				6-11 MO.	.136200	.466200	.272400
				12-23 MO.	.325200	.975000	.650400
				2-65+ YR.	.624000	1.666200	1.248000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
5-PHENYL PENTANOL FEMA 3473F	99	ALL CATEGORIES	*	0-5 MO.	.060800	.110400	.121600
				6-11 MO.	.486400	1.312600	.972800
				12-23 MO.	.951400	2.153600	1.902800
				2-65+ YR.	2.032400	4.087400	4.064800
1-PHEN-3/5-PROP PYRAZOL FEMA 3474F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
1-PHEN-3/5-PROP PYRAZOL FEMA 3474F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
1-PHEN-3/5-PROP PYRAZOL FEMA 3474F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
1-PHEN-3/5-PROP PYRAZOL FEMA 3474F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038600	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
1-PHEN-3/5-PROP PYRAZOL FEMA 3474F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
1-PHEN-3/5-PROP PYRAZOL FEMA 3474F	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400
				2-65+ YR.	.293000	.613300	.293000
ISO-PHORONE FEMA 3475F	01	BAKED GOODS(R)	*	0-5 MO.	.057120	.075600	.178000

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE — — — SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISO-PHORONE FEMA 3475F	01	BAKED GOODS(R)	*	6-11 MO.	.426720	.870240	1.270000
				12-23 MO.	.915600	1.508640	2.725000
				2-65+ YR.	2.304960	3.423840	6.860000
ISO-PHORONE FEMA 3475F	07	FROZN DAIRY(R)	*	0-5 MO.	.004720	.019352	.004720
				6-11 MO.	.044840	.124608	.044840
				12-23 MO.	.067968	.159536	.067968
				2-65+ YR.	.120832	.291224	.120832
ISO-PHORONE FEMA 3475F	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.010000
				6-11 MO.	.022000	.068000	.110000
				12-23 MO.	.035000	.093000	.175000
				2-65+ YR.	.058000	.176000	.290000
ISO-PHORONE FEMA 3475F	20	GELATIN PUD(R)	*	0-5 MO.	.023400	.031590	.100000
				6-11 MO.	.149760	.453960	.640000
				12-23 MO.	.161460	.393120	.690000
				2-65+ YR.	.238680	.614250	1.020000
ISO-PHORONE FEMA 3475F	23	BEV TYPE I(R)	*	0-5 MO.	.011328	.016992	.024000
				6-11 MO.	.107144	.366744	.227000
				12-23 MO.	.255824	.767000	.542000
				2-65+ YR.	.490880	1.310744	1.040000
ISO-PHORONE FEMA 3475F	99	ALL CATEGORIES	*	0-5 MO.	.098568	.163534	.308720
				6-11 MO.	.750464	1.883552	2.291840
				12-23 MO.	1.435852	2.921296	4.199968
				2-65+ YR.	3.213352	5.816058	9.330832
PROPYL VALERIANATE FEMA 3476F	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.068000
				6-11 MO.	.254000	.518000	.508000
				12-23 MO.	.545000	.898000	1.090000
				2-65+ YR.	1.372000	2.038000	2.744000
PROPYL VALERIANATE FEMA 3476F	07	FROZN DAIRY(R)	*	0-5 MO.	.010000	.041000	.020000
				6-11 MO.	.095000	.264000	.190000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PROPYL VALERIANATE FEMA 3476F	07	FROZN DAIRY(R)	*	12-23 MO.	.144000	.338000	.288000
				2-65+ YR.	.256000	.617000	.512000
PROPYL VALERIANATE FEMA 3476F	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.004000
				6-11 MO.	.022000	.068000	.044000
				12-23 MO.	.035000	.093000	.070000
				2-65+ YR.	.058000	.176000	.116000
PROPYL VALERIANATE FEMA 3476F	20	GELATIN PUD(R)	*	0-5 MO.	.020000	.027000	.040000
				6-11 MO.	.128000	.388000	.256000
				12-23 MO.	.138000	.336000	.276000
				2-65+ YR.	.204000	.525000	.408000
PROPYL VALERIANATE FEMA 3476F	23	BEV TYPE I(R)	*	0-5 MO.	.024000	.036000	.048000
				6-11 MO.	.227000	.777000	.454000
				12-23 MO.	.542000	1.625000	1.084000
				2-65+ YR.	1.040000	2.777000	2.080000
PROPYL VALERIANATE FEMA 3476F	99	ALL CATEGORIES	*	0-5 MO.	.090000	.169000	.180000
				6-11 MO.	.726000	2.015000	1.452000
				12-23 MO.	1.404000	3.290000	2.808000
				2-65+ YR.	2.930000	6.133000	5.860000
TIGLALDEHYDE FEMA 3478F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.013600
				6-11 MO.	.050800	.103600	.101600
				12-23 MO.	.109000	.179600	.218000
				2-65+ YR.	.274400	.407600	.548800
TIGLALDEHYDE FEMA 3478F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.004000
				6-11 MO.	.019000	.052800	.038000
				12-23 MO.	.028800	.067600	.057600
				2-65+ YR.	.051200	.123400	.102400
TIGLALDEHYDE FEMA 3478F	16	SOFT CANDY(R)	*	0-5 MO.	.000300	.003000	.000800
				6-11 MO.	.003300	.010200	.008800
				12-23 MO.	.005250	.013950	.014000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
TIGLALDEHYDE FEMA 3478F	16	SOFT CANDY(R)	*	2-65+ YR.	.008700	.026400	.023200
TIGLALDEHYDE FEMA 3478F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
TIGLALDEHYDE FEMA 3478F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600
				6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
TIGLALDEHYDE FEMA 3478F	99	ALL CATEGORIES	*	0-5 MO.	.017900	.032800	.036000
				6-11 MO.	.144100	.399600	.290400
				12-23 MO.	.279050	.653350	.561600
				2-65+ YR.	.583100	1.217800	1.172000
O-TOLYL ISO-BUTYRATE FEMA 3479F	01	BAKED GOODS(R)	*	0-5 MO.	.023800	.031500	.030600
				6-11 MO.	.177800	.362600	.228600
				12-23 MO.	.381500	.628600	.490500
				2-65+ YR.	.960400	1.426600	1.234800
O-TOLYL ISO-BUTYRATE FEMA 3479F	07	FRCZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.008000
				6-11 MO.	.047500	.132000	.076000
				12-23 MO.	.072000	.169000	.115200
				2-65+ YR.	.128000	.308500	.204800
O-TOLYL ISO-BUTYRATE FEMA 3479F	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.001600
				6-11 MO.	.011000	.034000	.017600
				12-23 MO.	.017500	.046500	.028000
				2-65+ YR.	.029000	.088000	.044400
O-TOLYL ISO-BUTYRATE FEMA 3479F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.016000
				6-11 MO.	.064000	.194000	.102400
				12-23 MO.	.069000	.168000	.110400
				2-65+ YR.	.102000	.262500	.163200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
O-TOLYL ISO-BUTYRATE							
FEMA 3479F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.019200
				6-11 MO.	.113500	.388500	.181600
				12-23 MO.	.271000	.812500	.433600
				2-65+ YR.	.520000	1.388500	.832000
O-TOLYL ISO-BUTYRATE							
FEMA 3479F	59	ALL CATEGORIES	*	0-5 MO.	.051800	.093500	.075400
				6-11 MO.	.413800	1.111100	.606200
				12-23 MO.	.811000	1.824600	1.177700
				2-65+ YR.	1.739400	3.474100	2.481200
2,5-UNDECADIENAL							
FEMA 3481F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
2,5-UNDECADIENAL							
FEMA 3481F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
2,5-UNDECADIENAL							
FEMA 3481F	10	MEAT PRODS(R)	*	0-5 MO.	.001100	.002900	.002200
				6-11 MO.	.020700	.055800	.041400
				12-23 MO.	.030200	.051900	.060400
				2-65+ YR.	.078400	.130100	.156800
2,5-UNDECADIENAL							
FEMA 3481F	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000100	**********
				6-11 MO.	.000800	.002200	.001600
				12-23 MO.	.002800	.007600	.005600
				2-65+ YR.	.008800	.021200	.017600
2,5-UNDECADIENAL							
FEMA 3481F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
2,5-UNDECADIENAL							
FEMA 3481F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
2,5-UNDECADIENAL FEMA 3481F	20	GELATIN PUD(R)	*	6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
2,5-UNDECADIENAL FEMA 3481F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
2,5-UNDECADIENAL FEMA 3481F	99	ALL CATEGORIES	*	0-5 MO.	.010100	.019900	.017800
				6-11 MO.	.094100	.259500	.165500
				12-23 MO.	.173400	.388500	.292600
				2-65+ YR.	.380200	.764600	.656400
VALILLYL ALCOHOL FEMA 3483F	01	BAKED GOODS(R)	*	0-5 MO.	.020400	.027000	.040800
				6-11 MO.	.152400	.310800	.304800
				12-23 MO.	.327000	.538800	.654000
				2-65+ YR.	.823200	1.222800	1.646400
VALILLYL ALCOHOL FEMA 3483F	07	FROZN DAIRY(R)	*	0-5 MO.	.006000	.024600	.012000
				6-11 MO.	.057000	.158400	.114000
				12-23 MO.	.086400	.202800	.172800
				2-65+ YR.	.153600	.370200	.307200
VALILLYL ALCOHOL FEMA 3483F	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.002400
				6-11 MO.	.013200	.040800	.026400
				12-23 MO.	.021000	.055800	.042000
				2-65+ YR.	.034800	.105600	.069600
VALILLYL ALCOHOL FEMA 3483F	20	GELATIN PUD(R)	*	0-5 MO.	.009500	.012825	.024000
				6-11 MO.	.060800	.184300	.153600
				12-23 MO.	.065550	.159600	.165600
				2-65+ YR.	.096900	.249375	.244800
VALILLYL ALCOHOL FEMA 3483F	23	BEV TYPE I(R)	*	0-5 MO.	.014400	.021600	.028800
				6-11 MO.	.136200	.466200	.272400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VALILLYL ALCOHOL FEMA 3483F	23	BEV TYPE I(R)	*	12-23 MO.	.325200	.975000	.650400
				2-65+ YR.	.624000	1.666200	1.248000
VALILLYL ALCOHOL FEMA 3483F	99	ALL CATEGORIES	*	0-5 MO.	.051500	.098025	.108000
				6-11 MO.	.419600	1.160500	.871200
				12-23 MO.	.825150	1.932000	1.684800
				2-65+ YR.	1.732500	3.614175	3.516000
VANILLYLIDENE ACETON FEMA 3484F	01	BAKED GOODS(R)	*	0-5 MO.	.013600	.018000	.027200
				6-11 MO.	.101600	.207200	.203200
				12-23 MO.	.218000	.359200	.436000
				2-65+ YR.	.548800	.815200	1.097600
VANILLYLIDENE ACETON FEMA 3484F	07	FROZN DAIRY(R)	*	0-5 MO.	.004000	.016400	.008000
				6-11 MO.	.038000	.105600	.076000
				12-23 MO.	.057600	.135200	.115200
				2-65+ YR.	.102400	.246800	.204800
VANILLYLIDENE ACETON FEMA 3484F	16	SOFT CANDY(R)	*	0-5 MO.	.000800	.008000	.001600
				6-11 MO.	.008800	.027200	.017600
				12-23 MO.	.014000	.037200	.028000
				2-65+ YR.	.023200	.070400	.046400
VANILLYLIDENE ACETON FEMA 3484F	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.016000
				6-11 MO.	.051200	.155200	.102400
				12-23 MO.	.055200	.134400	.110400
				2-65+ YR.	.081600	.210000	.163200
VANILLYLIDENE ACETON FEMA 3484F	23	BEV TYPE I(R)	*	0-5 MO.	.009600	.014400	.019200
				6-11 MO.	.090800	.310800	.181600
				12-23 MO.	.216800	.650000	.433600
				2-65+ YR.	.416000	1.110800	.832000
VANILLYLIDENE ACETON FEMA 3484F	99	ALL CATEGORIES	*	0-5 MO.	.036000	.067600	.072000
				6-11 MO.	.290400	.806000	.580800
				12-23 MO.	.561600	1.316000	1.123200

TABLE 13, PART B — POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
VANILLYLIDENE ACETON							
FEMA 3484F	99	ALL CATEGORIES	*	2-65+ YR.	1.172000	2.453200	2.344000
VETIVERYL ACETATE							
FEMA 3485F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
VETIVERYL ACETATE							
FEMA 3485F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
VETIVERYL ACETATE							
FEMA 3485F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
VETIVERYL ACETATE							
FEMA 3485F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
VETIVERYL ACETATE							
FEMA 3485F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400
				12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
VETIVERYL ACETATE							
FEMA 3485F	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.018000
				6-11 MO.	.072600	.201500	.145200
				12-23 MO.	.140400	.329000	.280800
				2-65+ YR.	.293000	.613300	.586000
9-DECABRONENE							
FEMA 3486F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
B-BOURBONENE FEMA 3486F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
B-BOURBONENE FEMA 3486F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
B-BOURBONENE FEMA 3486F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
B-BOURBONENE FEMA 3486F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
B-BOURBONENE FEMA 3486F	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400
				2-65+ YR.	.293000	.613300	.293000
CARVONE OXIDE FEMA 3487F	31	CHEWING GUM(R)	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000228	.000228	.000228
				12-23 MO.	.000228	.000684	.000228
				2-65+ YR.	.000456	.000912	.000456
CARVONE OXIDE FEMA 3487F	99	ALL CATEGORIES	*	0-5 MO.	**********	**********	**********
				6-11 MO.	.000228	.000228	.000228
				12-23 MO.	.000228	.000684	.000228
				2-65+ YR.	.000456	.000912	.000456
CARYOPHYLLENE OXIDE FEMA 3488F	01	BAKED GOODS(R)	*	0-5 MO.	.034000	.045000	.085000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
CARYOPHYLLENE OXIDE FEMA 3488F	01	BAKED GOODS(R)	*	6-11 MO.	.254000	.518000	.635000
				12-23 MO.	.545000	.898000	1.362500
				2-65+ YR.	1.372000	2.038000	3.430000
CARYOPHYLLENE OXIDE FEMA 3488F	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
CARYOPHYLLENE OXIDE FEMA 3488F	10	MEAT PRODS(R)	*	0-5 MO.	.005500	.014500	.011000
				6-11 MO.	.103500	.279000	.207000
				12-23 MO.	.151000	.259500	.302000
				2-65+ YR.	.392000	.650500	.784000
CARYOPHYLLENE OXIDE FEMA 3488F	15	CONDM RELSH(R)	*	0-5 MO.	**********	.000500	**********
				6-11 MO.	.004000	.011000	.008000
				12-23 MO.	.014000	.038000	.028000
				2-65+ YR.	.044000	.106000	.088000
CARYOPHYLLENE OXIDE FEMA 3488F	16	SOFT CANDY(R)	*	0-5 MO.	.002000	.020000	.005000
				6-11 MO.	.022000	.068000	.055000
				12-23 MO.	.035000	.093000	.087500
				2-65+ YR.	.058000	.176000	.145000
CARYOPHYLLENE OXIDE FEMA 3488F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
CARYOPHYLLENE OXIDE FEMA 3488F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
CARYOPHYLLENE OXIDE FEMA 3488F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
CARYOPHYLLENE OXIDE FEMA 3488F	24	BEV TYPE II(R)	*	12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.325000
CARYOPHYLLENE OXIDE FEMA 3488F	99	ALL CATEGORIES	*	0-5 MO.	.068500	.132000	.155000
				6-11 MO.	.608500	1.591000	1.355000
				12-23 MO.	1.157000	2.439000	2.604000
				2-65+ YR.	2.778500	5.402000	6.272000
GERANYL ACETONE FEMA 3489F	01	BAKED GOODS(R)	*	0-5 MO.	.017000	.022500	.034000
				6-11 MO.	.127000	.259000	.254000
				12-23 MO.	.272500	.449000	.545000
				2-65+ YR.	.686000	1.019000	1.372000
GERANYL ACETONE FEMA 3489F	07	FROZN DAIRY(R)	*	0-5 MO.	.005000	.020500	.010000
				6-11 MO.	.047500	.132000	.095000
				12-23 MO.	.072000	.169000	.144000
				2-65+ YR.	.128000	.308500	.256000
GERANYL ACETONE FEMA 3489F	16	SOFT CANDY(R)	*	0-5 MO.	.001000	.010000	.002000
				6-11 MO.	.011000	.034000	.022000
				12-23 MO.	.017500	.046500	.035000
				2-65+ YR.	.029000	.088000	.058000
GERANYL ACETONE FEMA 3489F	20	GELATIN PUD(R)	*	0-5 MO.	.010000	.013500	.020000
				6-11 MO.	.064000	.194000	.128000
				12-23 MO.	.069000	.168000	.138000
				2-65+ YR.	.102000	.262500	.204000
GERANYL ACETONE FEMA 3489F	23	BEV TYPE I(R)	*	0-5 MO.	.012000	.018000	.024000
				6-11 MO.	.113500	.388500	.227000
				12-23 MO.	.271000	.812500	.542000
				2-65+ YR.	.520000	1.388500	1.040000
GERANYL ACETONE FEMA 3489F	99	ALL CATEGORIES	*	0-5 MO.	.045000	.084500	.090000
				6-11 MO.	.363000	1.007500	.726000
				12-23 MO.	.702000	1.645000	1.404000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
GERANYL ACETONE							
FEMA 3489F	99	ALL CATEGORIES	*	2-65+ YR.	1.465000	3.066500	2.930000
3-HEXENL PHENYLACETATE							
FEMA 3491F	01	BAKED GOODS(R)	*	0-5 MO.	.012920	.017100	.029920
				6-11 MO.	.096520	.196840	.223520
				12-23 MO.	.207100	.341240	.479600
				2-65+ YR.	.521360	.774440	1.207360
3-HEXENL PHENYLACETATE							
FEMA 3491F	07	FROZN DAIRY(R)	*	0-5 MO.	.003600	.014760	.007800
				6-11 MO.	.034200	.095040	.074100
				12-23 MO.	.051840	.121680	.112320
				2-65+ YR.	.092160	.222120	.199680
3-HEXENL PHENYLACETATE							
FEMA 3491F	16	SOFT CANDY(R)	*	0-5 MO.	.000760	.007600	.001760
				6-11 MO.	.008360	.025840	.019360
				12-23 MO.	.013300	.035340	.030800
				2-65+ YR.	.022040	.066880	.051040
3-HEXENL PHENYLACETATE							
FEMA 3491F	20	GELATIN PUD(R)	*	0-5 MO.	.008000	.010800	.017500
				6-11 MO.	.051200	.155200	.112000
				12-23 MO.	.055200	.134400	.120750
				2-65+ YR.	.081600	.210000	.178500
3-HEXENL PHENYLACETATE							
FEMA 3491F	23	BEV TYPE I(R)	*	0-5 MO.	.008640	.012960	.018720
				6-11 MO.	.081720	.279720	.177060
				12-23 MO.	.195120	.585000	.422760
				2-65+ YR.	.374400	.999720	.811200
3-HEXENL PHENYLACETATE							
FEMA 3491F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
3-HEXENL PHENYLACETATE							
FEMA 3491F	99	ALL CATEGORIES	*	0-5 MO.	.033920	.063220	.075700
				6-11 MO.	.272000	.752740	.606040
				12-23 MO.	.522560	1.217860	1.166230
				2-65+ YR.	1.124060	2.367560	2.610280

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
HEXYL PHENYLACETATE FEMA 3492F	01	BAKED GOODS(R)	*	0-5 MO.	.020400	.027000	.042500
				6-11 MO.	.152400	.310800	.317500
				12-23 MO.	.327000	.538800	.681250
				2-65+ YR.	.823200	1.222800	1.715000
HEXYL PHENYLACETATE FEMA 3492F	07	FROZN DAIRY(R)	*	0-5 MO.	.005500	.022550	.010000
				6-11 MO.	.052250	.145200	.095000
				12-23 MO.	.079200	.185900	.144000
				2-65+ YR.	.140800	.339350	.256000
HEXYL PHENYLACETATE FEMA 3492F	16	SOFT CANDY(R)	*	0-5 MO.	.001200	.012000	.002500
				6-11 MO.	.013200	.040800	.027500
				12-23 MO.	.021000	.055800	.043750
				2-65+ YR.	.034800	.105600	.072500
HEXYL PHENYLACETATE FEMA 3492F	20	GELATIN PUD(R)	*	0-5 MO.	.011000	.014850	.020000
				6-11 MO.	.070400	.213400	.128000
				12-23 MO.	.075900	.184800	.138000
				2-65+ YR.	.112200	.288750	.204000
HEXYL PHENYLACETATE FEMA 3492F	23	BEV TYPE I(R)	*	0-5 MO.	.013200	.019800	.024000
				6-11 MO.	.124850	.427350	.227000
				12-23 MO.	.298100	.893750	.542000
				2-65+ YR.	.572000	1.527350	1.040000
HEXYL PHENYLACETATE FEMA 3492F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
HEXYL PHENYLACETATE FEMA 3492F	99	ALL CATEGORIES	*	0-5 MO.	.051300	.096200	.099000
				6-11 MO.	.413100	1.137650	.795000
				12-23 MO.	.801200	1.859250	1.549000
				2-65+ YR.	1.715500	3.578250	3.450000
ISOAMYL 2-ME BUTYRATE FEMA 3493F	01	BAKED GOODS(R)	*	0-5 MO.	.101493	.134329	.170000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
ISOAMYL 2-ME BUTYRATE FEMA 3493F	01	BAKED GOODS(R)	*	6-11 MO.	.758215	1.546280	1.270000
				12-23 MO.	1.626878	2.680617	2.725000
				2-65+ YR.	4.095553	6.083627	6.860000
ISOAMYL 2-ME BUTYRATE FEMA 3493F	07	FROZN DAIRY(R)	*	0-5 MO.	.019888	.081542	.029925
				6-11 MO.	.188938	.525049	.284292
				12-23 MO.	.286390	.672222	.430927
				2-65+ YR.	.509139	1.227104	.766092
ISOAMYL 2-ME BUTYRATE FEMA 3493F	16	SOFT CANDY(R)	*	0-5 MO.	.005970	.059702	.010000
				6-11 MO.	.065672	.202987	.110000
				12-23 MO.	.104478	.277614	.175000
				2-65+ YR.	.173136	.525377	.290000
ISOAMYL 2-ME BUTYRATE FEMA 3493F	20	GELATIN PUD(R)	*	0-5 MO.	.039776	.053698	.059851
				6-11 MO.	.254569	.771663	.383046
				12-23 MO.	.274458	.668244	.412972
				2-65+ YR.	.405720	1.044132	.610480
ISOAMYL 2-ME BUTYRATE FEMA 3493F	23	BEV TYPE I(R)	*	0-5 MO.	.047732	.071598	.071821
				6-11 MO.	.451463	1.545315	.679308
				12-23 MO.	1.077942	3.231837	1.621961
				2-65+ YR.	2.068376	5.522961	3.112250
ISOAMYL 2-ME BUTYRATE FEMA 3493F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000500	**********
				12-23 MO.	**********	.001000	**********
				2-65+ YR.	.162500	.472000	.650000
ISOAMYL 2-ME BUTYRATE FEMA 3493F	99	ALL CATEGORIES	*	0-5 MO.	.214860	.400869	.341598
				6-11 MO.	1.718857	4.591794	2.726647
				12-23 MO.	3.370146	7.531534	5.365860
				2-65+ YR.	7.414423	14.875201	12.288823
JASMONE FEMA 3494F	01	BAKED GOODS(R)	*	0-5 MO.	.003604	.004770	.009248
				6-11 MO.	.026924	.054908	.069088

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
JASMONE FEMA 3494F	01	BAKED GOODS(R)	*	12-23 MO.	.057770	.095188	.148240
				2-65+ YR.	.145432	.216028	.373184
JASMONE FEMA 3494F	07	FROZN DAIRY(R)	*	0-5 MO.	.000860	.003526	.001720
				6-11 MO.	.008170	.022704	.016340
				12-23 MO.	.012384	.029068	.024768
				2-65+ YR.	.022016	.053062	.044032
JASMONE FEMA 3494F	16	SOFT CANDY(R)	*	0-5 MO.	.000232	.002120	.000544
				6-11 MO.	.002332	.007208	.005984
				12-23 MO.	.003710	.009858	.009520
				2-65+ YR.	.006148	.018656	.015776
JASMONE FEMA 3494F	20	GELATIN PUD(R)	*	0-5 MO.	.001720	.002322	.003440
				6-11 MO.	.011008	.033368	.022016
				12-23 MO.	.011868	.028896	.023736
				2-65+ YR.	.017544	.045150	.035088
JASMONE FEMA 3494F	23	BEV TYPE I(R)	*	0-5 MO.	.002064	.003096	.004128
				6-11 MO.	.019522	.066822	.039044
				12-23 MO.	.046612	.139750	.093224
				2-65+ YR.	.089440	.238822	.178880
JASMONE FEMA 3494F	24	BEV TYPE II(R)	*	0-5 MO.	.000000	.000000	.000000
				6-11 MO.	**********	.000100	**********
				12-23 MO.	**********	.000200	**********
				2-65+ YR.	.032500	.094400	.162500
JASMONE FEMA 3494F	99	ALL CATEGORIES	*	0-5 MO.	.008460	.015834	.019080
				6-11 MO.	.067956	.185110	.152472
				12-23 MO.	.132344	.302960	.299488
				2-65+ YR.	.313080	.666118	.809460
1-P-MENTHEN-9-YL ACETATE FEMA 3495F	01	BAKED GOODS(R)	*	0-5 MO.	.015300	.020250	.030600
				6-11 MO.	.114300	.233100	.228600
				12-23 MO.	.245250	.404100	.490500

TABLE 13. PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
1-P-MENTHEN-9-YL ACETATE							
FEMA 3495F	01	BAKED GOODS(R)	*	2-65+ YR.	.617400	.917100	1.234800
1-P-MENTHEN-9-YL ACETATE							
FEMA 3495F	07	FROZN DAIRY(R)	*	0-5 MO.	.001500	.006150	.004500
				6-11 MO.	.014250	.039600	.042750
				12-23 MO.	.021600	.050700	.064800
				2-65+ YR.	.038400	.092550	.115200
1-P-MENTHEN-9-YL ACETATE							
FEMA 3495F	16	SOFT CANDY(R)	*	0-5 MO.	.000700	.007000	.001400
				6-11 MO.	.007700	.023800	.015400
				12-23 MO.	.012250	.032550	.024500
				2-65+ YR.	.020300	.061600	.040600
1-P-MENTHEN-9-YL ACETATE							
FEMA 3495F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.008000
				6-11 MO.	.025600	.077600	.051200
				12-23 MO.	.027600	.067200	.055200
				2-65+ YR.	.040800	.105000	.081600
1-P-MENTHEN-9-YL ACETATE							
FEMA 3495F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.009600
				6-11 MO.	.045400	.155400	.090800
				12-23 MO.	.108400	.325000	.216800
				2-65+ YR.	.208000	.555400	.416000
1-P-MENTHEN-9-YL ACETATE							
FEMA 3495F	59	ALL CATEGORIES	*	0-5 MO.	.026300	.046000	.054100
				6-11 MO.	.207250	.529500	.428750
				12-23 MO.	.415100	.879550	.851800
				2-65+ YR.	.924900	1.731650	1.888200
PINOCARVEOL							
FEMA 3496F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
PINOCARVEOL							
FEMA 3496F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
PINOCARVEOL FEMA 3496F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
PINOCARVEOL FEMA 3496F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
PINOCARVEOL FEMA 3496F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
PINOCARVEOL FEMA 3496F	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400
				2-65+ YR.	.293000	.613300	.293000
PIPERITENONE FEMA 3497F	01	BAKED GOODS(R)	*	0-5 MO.	.006800	.009000	.017000
				6-11 MO.	.050800	.103600	.127000
				12-23 MO.	.109000	.179600	.272500
				2-65+ YR.	.274400	.407600	.686000
PIPERITENONE FEMA 3497F	07	FROZN DAIRY(R)	*	0-5 MO.	.002000	.008200	.005000
				6-11 MO.	.019000	.052800	.047500
				12-23 MO.	.028800	.067600	.072000
				2-65+ YR.	.051200	.123400	.128000
PIPERITENONE FEMA 3497F	16	SOFT CANDY(R)	*	0-5 MO.	.000400	.004000	.001000
				6-11 MO.	.004400	.013600	.011000
				12-23 MO.	.007000	.018600	.017500
				2-65+ YR.	.011600	.035200	.029000
PIPERITENONE FEMA 3497F	20	GELATIN PUD(R)	*	0-5 MO.	.004000	.005400	.010000

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PIPERITENONE FEMA 3497F	20	GELATIN PUD(R)	*	6-11 MO.	.025600	.077600	.064000
				12-23 MO.	.027600	.067200	.069000
				2-65+ YR.	.040800	.105000	.102000
PIPERITENONE FEMA 3497F	23	BEV TYPE I(R)	*	0-5 MO.	.004800	.007200	.012000
				6-11 MO.	.045400	.155400	.113500
				12-23 MO.	.108400	.325000	.271000
				2-65+ YR.	.208000	.555400	.520000
PIPERITENONE FEMA 3497F	99	ALL CATEGORIES	*	0-5 MO.	.018000	.033800	.045000
				6-11 MO.	.145200	.403000	.363000
				12-23 MO.	.280800	.658000	.702000
				2-65+ YR.	.586000	1.226600	1.465000
PIPERITENONE OXIDE FEMA 3498F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.006800
				6-11 MO.	.025400	.051800	.050800
				12-23 MO.	.054500	.089800	.109000
				2-65+ YR.	.137200	.203800	.274400
PIPERITENONE OXIDE FEMA 3498F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.002000
				6-11 MO.	.009500	.026400	.019000
				12-23 MO.	.014400	.033800	.028800
				2-65+ YR.	.025600	.061700	.051200
PIPERITENONE OXIDE FEMA 3498F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000400
				6-11 MO.	.002200	.006800	.004400
				12-23 MO.	.003500	.009300	.007000
				2-65+ YR.	.005800	.017600	.011600
PIPERITENONE OXIDE FEMA 3498F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.004000
				6-11 MO.	.012800	.038800	.025600
				12-23 MO.	.013800	.033600	.027600
				2-65+ YR.	.020400	.052500	.040800
PIPERITENONE OXIDE FEMA 3498F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.004800
				6-11 MO.	.022700	.077700	.045400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	POSSIBLE DAILY INTAKE, MG. (AGE)	AVERAGE	HIGH A	HIGH B
PIPERITENONE OXIDE FEMA 3498F	23	BEV TYPE I(R)	*	12-23 MO.	.054200	.162500	.108400
				2-65+ YR.	.104000	.277700	.208000
PIPERITENONE OXIDE FEMA 3498F	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.018000
				6-11 MO.	.072600	.201500	.145200
				12-23 MO.	.140400	.329000	.280800
				2-65+ YR.	.293000	.613300	.586000
VERBENOL FEMA 3499F	01	BAKED GOODS(R)	*	0-5 MO.	.003400	.004500	.003400
				6-11 MO.	.025400	.051800	.025400
				12-23 MO.	.054500	.089800	.054500
				2-65+ YR.	.137200	.203800	.137200
VERBENOL FEMA 3499F	07	FROZN DAIRY(R)	*	0-5 MO.	.001000	.004100	.001000
				6-11 MO.	.009500	.026400	.009500
				12-23 MO.	.014400	.033800	.014400
				2-65+ YR.	.025600	.061700	.025600
VERBENOL FEMA 3499F	16	SOFT CANDY(R)	*	0-5 MO.	.000200	.002000	.000200
				6-11 MO.	.002200	.006800	.002200
				12-23 MO.	.003500	.009300	.003500
				2-65+ YR.	.005800	.017600	.005800
VERBENOL FEMA 3499F	20	GELATIN PUD(R)	*	0-5 MO.	.002000	.002700	.002000
				6-11 MO.	.012800	.038800	.012800
				12-23 MO.	.013800	.033600	.013800
				2-65+ YR.	.020400	.052500	.020400
VERBENOL FEMA 3499F	23	BEV TYPE I(R)	*	0-5 MO.	.002400	.003600	.002400
				6-11 MO.	.022700	.077700	.022700
				12-23 MO.	.054200	.162500	.054200
				2-65+ YR.	.104000	.277700	.104000
VERBENOL FEMA 3499F	99	ALL CATEGORIES	*	0-5 MO.	.009000	.016900	.009000
				6-11 MO.	.072600	.201500	.072600
				12-23 MO.	.140400	.329000	.140400

TABLE 13, PART B -- POSSIBLE DAILY INTAKES OF FEMA QUESTIONNAIRE SUBSTANCES NOT IN NAS APPENDIX A (GROUP III), PER FOOD CATEGORY AND TOTAL DIETARY, BASED ON FOOD CONSUMPTION BY TOTAL SAMPLE - - - SEE EXPLANATORY NOTES IN EXHIBITS SECTION

SUBSTANCE NAME (SURVEY NO.)	FOOD CATEGORY NO.	FOOD CATEGORY NAME	NO OF FIRMS	(AGE)	POSSIBLE DAILY INTAKE, MG. AVERAGE	HIGH A	HIGH B
VERBENCL FEMA 3499F	99	ALL CATEGORIES	*	2-65+ YR.	.293000	.613300	.293000