

Table 17 4

SF-36 HEALTH SURVEY SCALE: MENTAL COMPONENT SUMMARY SCALE BY DEVICE PLACEMENT
IMMEDIATE POST-MASTECTOMY - SUBPECTORAL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.61	54.38	4.69	44.13	57.17	7
1 Year	54.94	54.38	2.87	51.49	59.36	7
2 Year	54.03	54.93	3.50	47.99	57.06	5

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	2.33	1.48	6.22	-4.40	13.42	7
2 Year	1.59	1.10	1.70	-0.33	3.86	5

Overall Mean Change (a) (Standard Deviation)	2.05 (3.98)
p-value (b)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_4.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.4

SF-36 HEALTH SURVEY SCALE, MENTAL COMPONENT SUMMARY SCALE BY DEVICE PLACEMENT
REVISION PATIENTS - SUBMUSCULAR

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.84	55.87	4.54	38.87	65.68	112
1 Year	52.61	55.87	7.81	19.62	62.46	95
2 Year	52.98	54.72	6.97	24.47	63.82	97

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-2.15	-0.58	7.80	-39.05	13.42	95
2 Year	-1.69	-1.10	6.37	-26.13	12.42	97

Overall Mean Change (a) (Standard Deviation)	-2.21 (6.75)
p-value (b)	0.0008

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_4.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.4

SF-36 HEALTH SURVEY SCALE: MENTAL COMPONENT SUMMARY SCALE BY DEVICE PLACEMENT
REVISION PATIENTS - SUBGLANDULAR

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	55.18	56.54	7.58	15.51	63.69	62
1 Year	51.11	55.01	10.96	9.89	64.86	57
2 Year	50.31	55.31	11.30	14.44	61.44	52

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-3.99	-1.24	8.68	-41.04	6.73	57
2 Year	-4.32	-2.25	7.77	-28.39	6.18	52

Overall Mean Change (a) (Standard Deviation)	-4.54 (7.92)
p-value (b)	0.0000

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_4.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.4

SF-36 HEALTH SURVEY SCALE. MENTAL COMPONENT SUMMARY SCALE BY DEVICE PLACEMENT
REVISION PATIENTS - SUBPECTORAL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.46	55.91	4.63	41.44	61.00	29
1 Year	54.22	54.57	4.81	42.09	60.91	26
2 Year	55.59	56.17	5.01	39.78	61.68	22

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.15	-0.26	4.85	-13.24	9.11	26
2 Year	0.57	0.35	3.53	-9.36	6.84	22

Overall Mean Change (a) (Standard Deviation)	0.26 (4.21)
p-value (b)	0.9823

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_4.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.4

SF-36 HEALTH SURVEY SCALE: MENTAL COMPONENT SUMMARY SCALE BY DEVICE PLACEMENT
OVERALL PATIENTS - SUBMUSCULAR

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	53.40	55.38	6.62	18.57	65.68	495
1 Year	52.89	55.45	8.27	9.78	65.05	434
2 Year	53.21	55.36	7.91	10.61	67.67	426

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.51	0.00	8.23	-39.05	30.97	432
2 Year	-0.23	0.01	7.60	-46.42	26.02	423

Overall Mean Change (a) (Standard Deviation)	-0.33 (7.10)
p-value (b)	0.0126

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_4.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.4

SF-36 HEALTH SURVEY SCALE: MENTAL COMPONENT SUMMARY SCALE BY DEVICE PLACEMENT
OVERALL PATIENTS - SUBGLANDULAR

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.29	56.41	7.23	15.51	66.38	267
1 Year	52.99	55.58	8.79	9.89	68.74	243
2 Year	51.68	55.15	9.57	8.17	64.77	236

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.34	-0.55	7.65	-41.04	25.26	242
2 Year	-2.70	-1.24	9.49	-49.70	39.18	235

Overall Mean Change (a) (Standard Deviation)	-2.29 (8.13)
p-value (b)	0.0000

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_4.SAS

Creation Date, Time: 23JUL04 08:39

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

(a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.

(b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.4

SF-36 HEALTH SURVEY SCALE: MENTAL COMPONENT SUMMARY SCALE BY DEVICE PLACEMENT
OVERALL PATIENTS - SUBPECTORAL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	53.68	55.97	7.21	12.98	69.15	221
1 Year	53.39	55.33	6.77	10.99	62.45	201
2 Year	53.18	55.33	7.90	11.51	63.75	185

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.52	-0.52	7.15	-26.98	25.10	200
2 Year	-1.05	-0.35	7.78	-46.73	25.00	184

Overall Mean Change (a) (Standard Deviation)	-0.53 (7.03)
p-value (b)	0.0368

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_4.SAS

Creation Date, Time: 23JUL04 08:39

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.5

SF-36 HEALTH SURVEY SCALE, PHYSICAL FUNCTIONING SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	55.94	57.14	3.84	15.19	57.14	550
1 Year	55.97	57.14	3.27	27.78	57.14	504
2 Year	55.29	57.14	4.46	23.58	57.14	497

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.06	0.00	4.56	-29.36	41.95	503
2 Year	-0.62	0.00	5.60	-31.46	41.95	496

Overall Mean Change (a) (Standard Deviation)	-0.26 (4.48)
p-value (b)	0.0012

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_5.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.5

SF-36 HEALTH SURVEY SCALE: PHYSICAL FUNCTIONING SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	53.69	55.05	5.02	25.68	57.14	250
1 Year	53.04	55.05	6.79	19.39	57.14	217
2 Year	53.13	55.05	6.80	17.29	57.14	193

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.79	0.00	6.65	-37.75	25.17	217
2 Year	-0.57	0.00	6.95	-35.66	23.07	193

Overall Mean Change (a) (Standard Deviation)	-0.97 (6.69)
p-value (b)	0.4353

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_5.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17 5

SF-36 HEALTH SURVEY SCALE: PHYSICAL FUNCTIONING SCALE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.97	55.05	4.73	29.88	57.14	106
1 Year	52.40	55.05	6.34	27.78	57.14	87
2 Year	52.71	55.05	6.99	17.29	57.14	78

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.70	0.00	6.01	-29.36	14.68	87
2 Year	-0.22	0.00	6.34	-35.66	12.58	78

Overall Mean Change (a) (Standard Deviation)	-0.72 (6.67)
p-value (b)	0.9953

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_5.SAS

Creation Date, Time: 23JUL04 08:39

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.5

SF-36 HEALTH SURVEY SCALE: PHYSICAL FUNCTIONING SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.74	55.05	5.92	25.68	57.14	71
1 Year	52.25	55.05	7.30	23.58	57.14	66
2 Year	51.77	55.05	7.34	23.58	57.14	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.41	0.00	7.17	-23.07	25.17	66
2 Year	-0.77	0.00	8.47	-27.27	23.07	57

Overall Mean Change (a) (Standard Deviation)	-0.96 (7.35)
p-value (b)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_5.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.5

SF-36 HEALTH SURVEY SCALE: PHYSICAL FUNCTIONING SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	55.01	57.14	5.04	23.58	57.14	205
1 Year	53.85	57.14	6.40	17.29	57.14	182
2 Year	53.96	57.14	5.87	19.39	57.14	172

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.13	0.00	6.09	-37.75	29.36	182
2 Year	-1.34	0.00	5.60	-31.46	16.78	172

Overall Mean Change (a) (Standard Deviation)	-1.11 (5.04)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_5.SAS

Creation Date, Time: 23JUL04 08:39

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.5

SF-36 HEALTH SURVEY SCALE: PHYSICAL FUNCTIONING SCALE
OVERALL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	55.19	57.14	4.51	15.19	57.14	1005
1 Year	54.84	57.14	5.19	17.29	57.14	903
2 Year	54.54	57.14	5.43	17.29	57.14	862
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.39	0.00	5.47	-37.75	41.95	902
2 Year	-0.75	0.00	5.93	-35.66	41.95	861
Overall Mean Change (a) (Standard Deviation)		-0.61 (5.22)				
p-value (b)		<0.0001				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_5.SAS

Creation Date, Time: 23JUL04 08:39

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.6

SF-36 HEALTH SURVEY SCALE: ROLE-PHYSICAL SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	55.47	56.24	3.54	27.95	56.24	549
1 Year	54.67	56.24	5.53	27.95	56.24	503
2 Year	54.11	56.24	6.48	27.95	56.24	500

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.80	0.00	5.92	-28.29	28.29	502
2 Year	-1.39	0.00	7.01	-28.29	28.29	499

Overall Mean Change (a) (Standard Deviation)	-1.06 (5.51)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_6.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.6

SF-36 HEALTH SURVEY SCALE: ROLE-PHYSICAL SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	51.77	56.24	8.75	27.95	56.24	251
1 Year	52.42	56.24	8.21	27.95	56.24	218
2 Year	53.37	56.24	7.46	27.95	56.24	192

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.67	0.00	9.88	-28.29	28.29	218
2 Year	1.46	0.00	10.49	-28.29	28.29	192

Overall Mean Change (a) (Standard Deviation)	0.85 (9.57)
p-value (b)	0.8269

Program Name: G:\MENTOR\COREGEL\3YEAR\TABLES\T17_6.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.6

SF-36 HEALTH SURVEY SCALE: ROLE-PHYSICAL SCALE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	50.96	56.24	8.75	27.95	56.24	107
1 Year	51.77	56.24	8.70	27.95	56.24	87
2 Year	53.49	56.24	7.27	27.95	56.24	77

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.89	0.00	10.94	-21.22	28.29	87
2 Year	2.57	0.00	10.63	-28.29	28.29	77

Overall Mean Change (a) (Standard Deviation)	1.26 (10.01)
p-value (b)	0.3661

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_6.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.6

SF-36 HEALTH SURVEY SCALE: ROLE-PHYSICAL SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	49.70	56.24	10.67	27.95	56.24	71
1 Year	51.21	56.24	9.51	27.95	56.24	66
2 Year	51.78	56.24	9.22	27.95	56.24	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	1.79	0.00	11.40	-28.29	28.29	66
2 Year	2.32	0.00	13.29	-28.29	28.29	57

Overall Mean Change (a) (Standard Deviation)	1.89 (11.78)
p-value (b)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_6.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.6

SF-36 HEALTH SURVEY SCALE: ROLE-PHYSICAL SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.71	56.24	5.22	27.95	56.24	205
1 Year	52.71	56.24	8.07	27.95	56.24	183
2 Year	52.42	56.24	8.29	27.95	56.24	172

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-2.05	0.00	8.86	-28.29	28.29	183
2 Year	-2.21	0.00	9.02	-28.29	28.29	172

Overall Mean Change (a) (Standard Deviation)	-2.36 (7.80)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_6.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.6

SF-36 HEALTH SURVEY SCALE. ROLE-PHYSICAL SCALE
OVERALL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.39	56.24	5.82	27.95	56.24	1005
1 Year	53.73	56.24	6.89	27.95	56.24	904
2 Year	53.61	56.24	7.12	27.95	56.24	864

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.70	0.00	7.72	-28.29	28.29	903
2 Year	-0.92	0.00	8.40	-28.29	28.29	863

Overall Mean Change (a) (Standard Deviation)	-0.86 (7.26)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_6.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.7

SF-36 HEALTH SURVEY SCALE: BODILY PAIN SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	58.81	62.75	5.87	28.49	62.75	549
1 Year	58.11	62.75	6.72	29.35	62.75	503
2 Year	56.53	62.75	8.27	19.93	62.75	499

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.65	0.00	7.28	-29.12	29.12	502
2 Year	-2.31	0.00	8.22	-37.68	29.12	498

Overall Mean Change (a) (Standard Deviation)	-1.55 (6.82)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_7.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.7

SF-36 HEALTH SURVEY SCALE, BODILY PAIN SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.57	55.90	8.48	25.07	62.75	250
1 Year	54.42	55.90	8.94	19.93	62.75	218
2 Year	54.07	55.90	8.18	29.35	62.75	193

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.21	0.00	9.62	-26.55	33.40	217
2 Year	-0.74	0.00	9.71	-33.40	30.83	193

Overall Mean Change (a) (Standard Deviation)	-0.61 (9.16)
p-value (b)	0.3193

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_7.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

(a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.

(b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.7

SF-36 HEALTH SURVEY SCALE: BODILY PAIN SCALE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	53.35	55.90	8.10	29.35	62.75	107
1 Year	52.88	55.90	9.42	29.35	62.75	87
2 Year	53.44	55.90	8.48	29.35	62.75	78

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.34	0.00	10.07	-26.55	33.40	87
2 Year	0.11	0.00	9.77	-26.55	26.55	78

Overall Mean Change (a) (Standard Deviation)	-0.36 (9.26)
p-value (b)	0.7397

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_7.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.7

SF-36 HEALTH SURVEY SCALE: BODILY PAIN SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.79	55.90	9.79	25.07	62.75	70
1 Year	52.87	55.90	9.18	19.93	62.75	66
2 Year	51.98	51.61	8.26	29.35	62.75	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.20	0.00	10.93	-25.26	26.55	65
2 Year	-0.68	0.00	11.56	-33.40	30.83	57

Overall Mean Change (a) (Standard Deviation)	-0.35 (10.56)
p-value (b)	----

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_7.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.7

SF-36 HEALTH SURVEY SCALE: BODILY PAIN SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	57.00	55.90	7.10	29.35	62.75	205
1 Year	55.22	55.90	9.35	19.93	62.75	183
2 Year	54.09	55.90	8.85	25.07	62.75	172

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.91	0.00	8.54	-29.55	24.84	183
2 Year	-2.84	0.00	9.38	-37.68	25.26	172

Overall Mean Change (a) (Standard Deviation)	-2.36 (8.06)
p-value (b)	<0.0001

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_7.SAS

Creation Date, Time: 23JUL04 08.40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.7

SF-36 HEALTH SURVEY SCALE: BODILY PAIN SCALE
OVERALL

Type of Visit	Total Score					
	mean	median	standard deviation	minimum	maximum	n
Preop	57.39	62.75	7.07	25.07	62.75	1004
1 Year	56.64	62.75	8.05	19.93	62.75	904
2 Year	55.49	55.90	8.45	19.93	62.75	864

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.80	0.00	8.17	-29.55	33.40	902
2 Year	-2.06	0.00	8.83	-37.68	30.83	863

Overall Mean Change (a) (Standard Deviation)	-1.49 (7.72)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_7.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.8

SF-36 HEALTH SURVEY SCALE. MENTAL HEALTH SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.36	54.99	6.61	18.64	64.07	549
1 Year	54.06	54.99	6.92	18.64	64.07	502
2 Year	53.42	54.99	8.04	11.82	64.07	498
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.38	0.00	6.68	-29.53	27.26	500
2 Year	-1.06	0.00	8.05	-45.44	29.53	496
Overall Mean Change (a) (Standard Deviation)		-0.73 (6.56)				
p-value (b)		0.0062				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_8.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.8

SF-36 HEALTH SURVEY SCALE: MENTAL HEALTH SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.56	54.99	7.40	27.73	64.07	250
1 Year	53.17	54.99	8.03	7.28	64.07	218
2 Year	53.46	54.99	7.76	16.37	64.07	193

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.52	0.00	7.25	-24.99	24.99	218
2 Year	0.98	0.00	7.48	-27.26	29.53	193

Overall Mean Change (a) (Standard Deviation)	0.77 (6.98)
p-value (b)	0.9530

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_8.SAS

Creation Date, Time: 23JUL04 08.40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.8

SF-36 HEALTH SURVEY SCALE: MENTAL HEALTH SCALE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.86	54.99	7.26	30.00	64.07	106
1 Year	52.79	54.99	8.88	7.28	64.07	87
2 Year	52.51	54.99	7.74	25.45	64.07	78

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.34	0.00	7.70	-22.72	20.45	87
2 Year	0.20	0.00	6.01	-15.90	11.36	78

Overall Mean Change (a) (Standard Deviation)	-0.09 (6.56)
p-value (b)	0.9398

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_8.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.8

SF-36 HEALTH SURVEY SCALE: MENTAL HEALTH SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	50.48	52.72	7.93	30.00	64.07	71
1 Year	52.65	54.99	8.10	30.00	64.07	66
2 Year	53.83	54.99	7.54	23.18	64.07	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	2.07	1.14	7.42	-11.36	24.99	66
2 Year	2.59	2.27	8.64	-15.90	29.53	57

Overall Mean Change (a) (Standard Deviation)	2.71 (7.50)
p-value (b)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_8.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.8

SF-36 HEALTH SURVEY SCALE: MENTAL HEALTH SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.76	57.26	6.44	20.91	64.07	205
1 Year	52.89	54.99	7.98	20.91	64.07	181
2 Year	52.78	54.99	8.16	20.91	64.07	172
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.76	0.00	7.63	-34.08	22.72	181
2 Year	-1.87	0.00	6.98	-38.62	22.72	172
Overall Mean Change (a) (Standard Deviation)	-1.92 (6.61)					
p-value (b)	0.0001					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_8.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.8

SF-36 HEALTH SURVEY SCALE: MENTAL HEALTH SCALE
OVERALL

Type of Visit	Total Score					
	mean	median	standard deviation	minimum	maximum	n
Preop	53.99	54.99	6.83	18.64	64.07	1004
1 Year	53.61	54.99	7.43	7.28	64.07	901
2 Year	53.30	54.99	8.00	11.82	64.07	863

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.44	0.00	7.05	-34.08	27.26	899
2 Year	-0.77	0.00	7.77	-45.44	29.53	861

Overall Mean Change (a) (Standard Deviation)	-0.60 (6.73)
p-value (b)	0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_8.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.9

SF-36 HEALTH SURVEY SCALE: ROLE-EMOTIONAL SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.36	54.99	6.61	18.64	64.07	549
1 Year	54.06	54.99	6.92	18.64	64.07	502
2 Year	53.42	54.99	8.04	11.82	64.07	498

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.38	0.00	6.68	-29.53	27.26	500
2 Year	-1.06	0.00	8.05	-45.44	29.53	496

Overall Mean Change (a) (Standard Deviation)	-0.73 (6.56)
p-value (b)	0.0062

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_9.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.9

SF-36 HEALTH SURVEY SCALE: ROLE-EMOTIONAL SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.56	54.99	7.40	27.73	64.07	250
1 Year	53.17	54.99	8.03	7.28	64.07	218
2 Year	53.46	54.99	7.76	16.37	64.07	193
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.52	0.00	7.25	-24.99	24.99	218
2 Year	0.98	0.00	7.48	-27.26	29.53	193
Overall Mean Change (a) (Standard Deviation)		0.77 (6.98)				
p-value (b)		0.9530				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_9.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.9

SF-36 HEALTH SURVEY SCALE: ROLE-EMOTIONAL SCALE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.86	54.99	7.26	30.00	64.07	106
1 Year	52.79	54.99	8.88	7.28	64.07	87
2 Year	52.51	54.99	7.74	25.45	64.07	78

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.34	0.00	7.70	-22.72	20.45	87
2 Year	0.20	0.00	6.01	-15.90	11.36	78

Overall Mean Change (a) (Standard Deviation)	-0.09 (6.56)
p-value (b)	0.9398

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_9.SAS

Creation Date, Time: 23JUL04 08.40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.9

SF-36 HEALTH SURVEY SCALE: ROLE-EMOTIONAL SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	50.48	52.72	7.93	30.00	64.07	71
1 Year	52.65	54.99	8.10	30.00	64.07	66
2 Year	53.83	54.99	7.54	23.18	64.07	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	2.07	1.14	7.42	-11.36	24.99	66
2 Year	2.59	2.27	8.64	-15.90	29.53	57

Overall Mean Change (a) (Standard Deviation)	2.71 (7.50)
p-value (b)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_9.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.9

SF-36 HEALTH SURVEY SCALE: ROLE-EMOTIONAL SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.76	57.26	6.44	20.91	64.07	205
1 Year	52.89	54.99	7.98	20.91	64.07	181
2 Year	52.78	54.99	8.16	20.91	64.07	172

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.76	0.00	7.63	-34.08	22.72	181
2 Year	-1.87	0.00	6.98	-38.62	22.72	172

Overall Mean Change (a) (Standard Deviation)	-1.92 (6.61)
p-value (b)	0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_9.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.9

SF-36 HEALTH SURVEY SCALE: ROLE-EMOTIONAL SCALE
OVERALL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	53.99	54.99	6.83	18.64	64.07	1004
1 Year	53.61	54.99	7.43	7.28	64.07	901
2 Year	53.30	54.99	8.00	11.82	64.07	863

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.44	0.00	7.05	-34.08	27.26	899
2 Year	-0.77	0.00	7.77	-45.44	29.53	861

Overall Mean Change (a) (Standard Deviation)	-0.60 (6.73)
p-value (b)	0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_9.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.10

SF-36 HEALTH SURVEY SCALE: SOCIAL FUNCTIONING SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	55.12	57.14	5.04	24.57	57.14	549
1 Year	54.47	57.14	5.58	24.57	57.14	503
2 Year	53.57	57.14	7.60	13.71	57.14	498

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.61	0.00	6.74	-32.57	27.14	501
2 Year	-1.61	0.00	8.11	-43.43	32.57	496

Overall Mean Change (a) (Standard Deviation)	-1.10 (6.35)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_10.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.10

SF-36 HEALTH SURVEY SCALE: SOCIAL FUNCTIONING SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.36	57.14	7.70	19.14	57.14	250
1 Year	53.13	57.14	7.24	13.71	57.14	217
2 Year	53.14	57.14	7.93	13.71	57.14	193
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.65	0.00	8.48	-32.57	38.00	216
2 Year	0.71	0.00	9.41	-43.43	38.00	192
Overall Mean Change (a) (Standard Deviation)		0.52 (8.54)				
p-value (b)		0.8750				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_10.SAS

Creation Date, Time: 23JUL04 08.40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.10

SF-36 HEALTH SURVEY SCALE: SOCIAL FUNCTIONING SCALE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.48	57.14	7.28	30.00	57.14	106
1 Year	52.91	57.14	7.47	13.71	57.14	86
2 year	53.59	57.14	6.93	13.71	57.14	78

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.13	0.00	8.54	-21.71	27.14	85
2 Year	1.06	0.00	9.53	-43.43	21.71	77

Overall Mean Change (a) (Standard Deviation)	0.20 (9.05)
p-value (b)	0.8165

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_10.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.10

SF-36 HEALTH SURVEY SCALE: SOCIAL FUNCTIONING SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	49.95	51.71	9.07	19.14	57.14	71
1 Year	52.61	57.14	7.23	24.57	57.14	66
2 Year	51.71	57.14	9.57	19.14	57.14	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	2.55	0.00	9.91	-16.28	38.00	66
2 Year	1.33	0.00	10.72	-38.00	38.00	57

Overall Mean Change (a) (Standard Deviation)	2.20 (9.22)
p-value (b)	---

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_10.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.10

SF-36 HEALTH SURVEY SCALE. SOCIAL FUNCTIONING SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.83	57.14	4.96	30.00	57.14	205
1 Year	52.31	57.14	8.27	13.71	57.14	182
2 Year	52.53	57.14	8.28	24.57	57.14	172

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-2.45	0.00	8.79	-38.00	21.71	182
2 Year	-2.30	0.00	8.61	-27.14	27.14	172

Overall Mean Change (a) (Standard Deviation)	-2.37 (7.87)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_10.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.10

SF-36 HEALTH SURVEY SCALE: SOCIAL FUNCTIONING SCALE
OVERALL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.37	57.14	5.91	19.14	57.14	1004
1 Year	53.71	57.14	6.66	13.71	57.14	902
2 Year	53.27	57.14	7.82	13.71	57.14	863

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.68	0.00	7.69	-38.00	38.00	899
2 Year	-1.23	0.00	8.57	-43.43	38.00	860

Overall Mean Change (a) (Standard Deviation)	-0.97 (7.32)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_10.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.11

SF-36 HEALTH SURVEY SCALE. VITALITY SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					
	mean	median	standard deviation	minimum	maximum	n
Preop	58.01	60.89	6.46	32.49	70.35	549
1 Year	56.99	58.52	7.14	27.75	70.35	502
2 Year	55.55	56.15	8.63	23.02	70.35	498

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-1.07	0.00	6.73	-30.77	23.67	500
2 Year	-2.51	-2.37	8.29	-37.87	21.30	496

Overall Mean Change (a) (Standard Deviation)	-1.79 (6.62)
p-value (b)	<0.0001

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_11.SAS

Creation Date, Time: 23JUL04 08.40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.11

SF-36 HEALTH SURVEY SCALE: VITALITY SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					
	mean	median	standard deviation	minimum	maximum	n
Preop	56.02	58.52	8.36	27.75	70.35	250
1 Year	55.23	56.15	8.56	23.02	70.35	218
2 Year	55.56	58.52	9.27	23.02	70.35	193

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-1.05	0.00	8.29	-28.40	26.03	218
2 Year	-0.45	0.00	9.55	-35.50	28.40	193

Overall Mean Change (a) (Standard Deviation)	-0.98 (8.41)
p-value (b)	0.0480

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_11.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.11

SF-36 HEALTH SURVEY SCALE: VITALITY SCALE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	55.13	58.52	8.81	27.75	70.35	106
1 Year	54.03	56.15	8.67	23.02	70.35	87
2 Year	55.22	58.52	9.84	23.02	70.35	78

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.52	-2.37	8.61	-26.03	23.67	87
2 Year	0.50	0.00	8.23	-30.77	28.40	78

Overall Mean Change (a) (Standard Deviation)	-0.97 (8.34)
p-value (b)	0.3389

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_11.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.11

SF-36 HEALTH SURVEY SCALE: VITALITY SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.72	58.52	9.15	27.75	70.35	71
1 Year	55.01	56.15	9.63	23.02	70.35	66
2 Year	54.70	56.15	10.10	25.39	70.35	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.18	0.00	9.49	-23.67	26.03	66
2 Year	-0.46	0.00	11.82	-35.50	26.03	57

Overall Mean Change (a) (Standard Deviation)	0.09 (9.51)
p-value (b)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_11.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.11

SF-36 HEALTH SURVEY SCALE, VITALITY SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	58.30	60.89	6.21	39.59	70.35	205
1 Year	55.54	56.15	8.02	27.75	70.35	181
2 Year	55.08	57.34	8.45	25.39	70.35	172
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-2.73	-2.37	8.06	-35.50	16.57	181
2 Year	-3.27	-2.37	8.11	-30.77	18.93	172
Overall Mean Change (a) (Standard Deviation)	-3.20 (7.85)					
p-value (b)	<0.0001					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_11.SAS

Creation Date, Time: 23JUL04 08:40

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.11

SF-36 HEALTH SURVEY SCALE: VITALITY SCALE
OVERALL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	57.58	58.52	6.99	27.75	70.35	1004
1 Year	56.27	58.52	7.72	23.02	70.35	901
2 Year	55.46	56.15	8.73	23.02	70.35	863

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.40	0.00	7.43	-35.50	26.03	899
2 Year	-2.20	-2.37	8.60	-37.87	28.40	861

Overall Mean Change (a) (Standard Deviation)	-1.88 (7.38)
p-value (b)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_11.SAS

Creation Date, Time: 23JUL04 08:40

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.12

SF-36 HEALTH SURVEY SCALE: GENERAL HEALTH PERCEPTIONS SCALE
AUGMENTATION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	58.30	59.32	5.55	32.16	64.00	548
1 Year	57.32	57.91	6.84	24.20	64.00	502
2 Year	56.76	57.91	6.94	26.54	64.00	498

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.10	0.00	5.53	-25.75	18.73	499
2 Year	-1.68	0.00	5.90	-29.50	14.05	495

Overall Mean Change (a) (Standard Deviation)	-1.39 (5.31)
p-value (b)	<0.0001

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_12.SAS

Creation Date, Time: 23JUL04 08:41

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.12

SF-36 HEALTH SURVEY SCALE: GENERAL HEALTH PERCEPTIONS SCALE
OVERALL RECONSTRUCTION

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	54.28	55.57	7.65	26.54	64.00	250
1 Year	53.67	55.10	8.40	17.18	64.00	218
2 year	53.73	55.57	8.20	19.52	64.00	192

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.80	0.00	6.95	-28.09	18.73	218
2 Year	-0.36	0.00	6.97	-31.37	24.35	192

Overall Mean Change (a) (Standard Deviation)	-1.01 (6.68)
p-value (b)	0.0074

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_12.SAS

Creation Date, Time: 23JUL04 08.41

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.12

SF-36 HEALTH SURVEY SCALE: GENERAL HEALTH PERCEPTIONS SCALE
DELAYED POST-MASTECTOMY

Total Score						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
Preop	52.37	53.23	7.92	26.54	64.00	106
1 Year	50.86	50.89	8.70	17.18	64.00	87
2 Year	51.83	53.23	8.75	19.52	64.00	77
Change from Preop Assessment						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
1 Year	-1.67	-2.34	8.47	-28.09	18.73	87
2 Year	-0.22	0.00	7.72	-22.00	24.35	77
Overall Mean Change (a) (Standard Deviation)	-1.45 (8.01)					
p-value (b)	0.0491					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_12.SAS

Creation Date, Time: 23JUL04 08:41

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.12

SF-36 HEALTH SURVEY SCALE: GENERAL HEALTH PERCEPTIONS SCALE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	52.99	53.23	7.24	31.23	64.00	71
1 Year	53.01	53.23	8.08	31.23	64.00	66
2 Year	52.41	53.23	8.18	31.23	64.00	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.23	0.00	6.08	-16.39	18.73	66
2 Year	0.01	0.00	7.90	-31.37	18.73	57

Overall Mean Change (a) (Standard Deviation)	-0.26 (6.19)
p-value (b)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_12.SAS

Creation Date, Time: 23JUL04 08:41

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.12

SF-36 HEALTH SURVEY SCALE: GENERAL HEALTH PERCEPTIONS SCALE
REVISION PATIENTS

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	57.79	57.91	5.82	35.91	64.00	204
1 Year	55.69	56.98	7.29	33.57	64.00	181
2 Year	55.59	57.91	7.58	28.88	64.00	172
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-2.09	-0.94	6.86	-28.09	19.66	181
2 Year	-2.25	0.00	7.20	-29.03	19.66	172
Overall Mean Change (a) (Standard Deviation)		-2.21 (6.89)				
p-value (b)		<0.0001				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_12.SAS

Creation Date, Time: 23JUL04 08:41

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 17.12

SF-36 HEALTH SURVEY SCALE: GENERAL HEALTH PERCEPTIONS SCALE
OVERALL

Type of Visit	Total Score					n
	mean	median	standard deviation	minimum	maximum	
Preop	57.20	57.91	6.42	26.54	64.00	1002
1 Year	56.11	57.91	7.48	17.18	64.00	901
2 year	55.85	57.91	7.46	19.52	64.00	862
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.23	0.00	6.19	-28.09	19.66	898
2 Year	-1.50	0.00	6.45	-31.37	24.35	859
Overall Mean Change (a) (Standard Deviation)	-1.47 (6.02)					
p-value (b)	<0.0001					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T17_12.SAS

Creation Date, Time: 23JUL04 08:41

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.1

BODY ESTEEM SCALE: TOTAL SCORE
AUGMENTATION PATIENTS

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	134.49	134.00	19.51	88.00	175.00	542
1 Year	136.33	136.00	20.09	86.00	175.00	495
2 Year	134.78	134.00	20.95	70.00	175.00	491

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	1.65	2.00	16.41	-60.00	58.00	486
2 Year	0.92	1.00	18.38	-58.00	70.00	482

Overall Mean Change (b) (Standard Deviation)	1.14 (15.87)
p-value (b)	0.0565

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_1.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.1

BODY ESTEEM SCALE: TOTAL SCORE
OVERALL RECONSTRUCTION

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	126.43	124.00	21.89	67.00	175.00	249
1 Year	124.29	122.50	22.21	58.00	175.00	216
2 Year	123.87	122.00	23.11	64.00	175.00	190

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-1.97	-1.00	16.64	-74.00	41.00	214
2 Year	-3.07	-3.00	18.00	-47.00	78.00	188

Overall Mean Change (b) (Standard Deviation)	-2.29 (16.66)
p-value (b)	0.2750

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_1.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.1

BODY ESTEEM SCALE: TOTAL SCORE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	120.89	117.00	21.03	67.00	175.00	105
1 Year	116.30	114.50	20.54	58.00	175.00	86
2 Year	117.25	117.00	22.08	64.00	175.00	75

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-2.93	-3.00	14.40	-46.00	34.00	84
2 Year	-3.86	-2.00	16.99	-47.00	35.00	73

Overall Mean Change (b) (Standard Deviation)	-3.33 (14.54)
p-value (b)	0.0390

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_1.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.1

BODY ESTEEM SCALE: TOTAL SCORE
IMMEDIATE POST-MASTECTOMY

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	125.37	123.00	20.78	87.00	175.00	71
1 Year	123.12	123.00	20.40	83.00	175.00	66
2 Year	118.35	118.00	20.59	76.00	174.00	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-1.95	-1.50	16.69	-50.00	41.00	66
2 Year	-7.61	-6.00	15.63	-45.00	38.00	57

Overall Mean Change (b) (Standard Deviation)	-4.15 (15.60)
p-value (c)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_1.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.1

BODY ESTEEM SCALE: TOTAL SCORE
REVISION PATIENTS

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	136.53	135.00	20.15	84.00	175.00	200
1 Year	131.98	130.00	20.54	83.00	175.00	174
2 Year	130.98	130.00	22.45	79.00	175.00	168

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-4.76	-2.00	17.22	-60.00	33.00	169
2 Year	-5.32	-4.00	17.83	-69.00	53.00	164

Overall Mean Change (b) (Standard Deviation)	-5.00 (16.52)
p-value (b)	< 0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_1.SAS

Creation Date, Time: 23JUL04 08:53

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.1

BODY ESTEEM SCALE: TOTAL SCORE
 OVERALL

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	132.88	132.00	20.60	67.00	175.00	991
1 Year	132.54	131.00	21.28	58.00	175.00	885
2 Year	131.59	130.00	22.16	64.00	175.00	849

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.49	0.00	16.81	-74.00	58.00	869
2 Year	-1.21	-1.00	18.35	-69.00	78.00	834

Overall Mean Change (b) (Standard Deviation)	-0.95 (16.37)
p-value (b)	0.3832

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_1.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE. TOTAL SCORE BY DEVICE PLACEMENT
AUGMENTATION PATIENTS - SUBMUSCULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	133.87	133.00	19.33	88.00	175.00	225
1 Year	135.15	136.50	20.00	93.00	175.00	204
2 Year	135.30	134.00	21.41	83.00	175.00	203

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	1.44	1.50	15.85	-46.00	50.00	200
2 Year	2.01	2.00	17.34	-53.00	53.00	199

Overall Mean Change (b) (Standard Deviation)	1.60 (15.06)
p-value (c)	0.0917

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
AUGMENTATION PATIENTS - SUBGLANDULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	134.92	135.00	19.27	91.00	175.00	182
1 Year	137.48	136.50	20.07	93.00	175.00	166
2 Year	134.72	135.50	20.65	70.00	174.00	166
Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	1.88	2.00	16.37	-60.00	58.00	162
2 Year	0.66	1.50	18.44	-58.00	70.00	162
Overall Mean Change (b) (Standard Deviation)		1.17 (15.98)				
p-value (c)		0.1958				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
AUGMENTATION PATIENTS - SUBPECTORAL

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	134.94	135.00	20.24	88.00	175.00	135
1 Year	136.72	134.00	20.32	86.00	175.00	125
2 Year	133.99	131.50	20.70	84.00	175.00	122
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	1.69	2.00	17.45	-41.00	47.00	124
2 Year	-0.51	0.00	19.93	-50.00	60.00	121
Overall Mean Change (b) (Standard Deviation)		0.33 (17.09)				
p-value (c)		0.8269				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE. TOTAL SCORE BY DEVICE PLACEMENT
OVERALL RECONSTRUCTION - SUBMUSCULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	124.41	121.00	21.66	67.00	175.00	157
1 Year	121.09	120.00	20.70	58.00	175.00	135
2 Year	118.93	118.00	21.40	64.00	175.00	123

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-2.44	-2.00	15.21	-50.00	41.00	133
2 Year	-6.24	-6.00	16.89	-47.00	38.00	121

Overall Mean Change (b) (Standard Deviation)	-3.80 (14.93)
p-value (c)	0.0446

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
OVERALL RECONSTRUCTION - SUBGLANDULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	131.67	133.00	23.22	85.00	171.00	21
1 Year	129.50	137.50	23.48	81.00	163.00	18
2 Year	140.94	146.00	21.24	99.00	172.00	17

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-3.78	3.00	26.17	-74.00	36.00	18
2 Year	8.94	8.00	24.03	-32.00	78.00	17

Overall Mean Change (b) (Standard Deviation)	2.90 (28.98)
p-value (c)	0.4303

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18 2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
OVERALL RECONSTRUCTION - SUBPECTORAL

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	131.98	132.00	21.21	88.00	172.00	57
1 Year	133.18	129.50	22.53	93.00	173.00	50
2 Year	131.49	130.00	22.60	78.00	174.00	43

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.34	1.50	15.57	-40.00	37.00	50
2 Year	-0.63	-2.00	16.50	-39.00	40.00	43

Overall Mean Change (b) (Standard Deviation)	-0.25 (13.99)
p-value (c)	0.9871

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
DELAYED POST-MASTECTOMY - SUBMUSCULAR

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	121.64	119.00	21.88	67.00	175.00	80
1 Year	117.87	117.00	21.24	58.00	175.00	67
2 Year	118.21	118.00	22.61	64.00	175.00	62
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-2.18	-2.00	13.87	-39.00	34.00	65
2 Year	-4.00	-1.50	17.31	-47.00	35.00	60
Overall Mean Change (b) (Standard Deviation)	-2.79 (14.13)					
p-value (c)	0.1106					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score, the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
DELAYED POST-MASTECTOMY - SUBPECTORAL

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	117.94	116.50	18.36	88.00	154.00	16
1 Year	111.36	111.00	13.37	93.00	134.00	11
2 Year	112.30	112.00	19.37	78.00	140.00	10

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-4.36	-5.00	13.31	-24.00	12.00	11
2 Year	-3.70	-4.00	18.49	-39.00	28.00	10

Overall Mean Change (b) (Standard Deviation)	-3.69 (14.31)
p-value (c)	0.5081

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18 2

BODY ESTEEM SCALE. TOTAL SCORE BY DEVICE PLACEMENT
IMMEDIATE POST-MASTECTOMY - SUBMUSCULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	125.25	122.00	20.86	87.00	175.00	61
1 Year	122.45	123.00	19.89	83.00	175.00	56
2 Year	117.88	117.50	19.83	76.00	172.00	50

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-2.45	-2.50	17.22	-50.00	41.00	56
2 Year	-7.86	-6.00	15.98	-45.00	38.00	50

Overall Mean Change (b) (Standard Deviation)	-4.56 (16.11)
p-value (c)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18 2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
IMMEDIATE POST-MASTECTOMY - SUBPECTORAL

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	126.86	137.00	17.70	102.00	143.00	7
1 Year	126.14	124.00	17.31	104.00	149.00	7
2 Year	118.80	122.00	6.98	109.00	125.00	5
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.71	7.00	12.43	-19.00	11.00	7
2 Year	-11.00	-15.00	10.02	-21.00	4.00	5
Overall Mean Change (b) (Standard Deviation)		-3.21 (11.02)				
p-value (c)		-----				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score, the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
REVISION PATIENTS - SUBMUSCULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	135.21	133.00	20.60	84.00	175.00	109
1 Year	129.24	126.50	19.32	85.00	175.00	92
2 Year	129.74	129.00	21.88	88.00	175.00	96
Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-5.99	-2.00	16.45	-60.00	29.00	88
2 Year	-5.59	-5.00	17.09	-63.00	53.00	93
Overall Mean Change (b) (Standard Deviation)		-5.02 (16.13)				
p-value (c)		0.0003				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE. TOTAL SCORE BY DEVICE PLACEMENT
REVISION PATIENTS - SUBGLANDULAR

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	138.76	135.50	19.68	100.00	174.00	62
1 Year	134.73	134.00	22.25	86.00	175.00	55
2 Year	131.37	130.00	23.64	79.00	175.00	51
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-4.38	-1.00	19.43	-56.00	33.00	55
2 Year	-6.53	-3.00	19.78	-69.00	20.00	51
Overall Mean Change (b) (Standard Deviation)		-6.87 (18.15)				
p-value (c)		0.0316				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
REVISION PATIENTS - SUBPECTORAL

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	137.93	137.00	18.83	103.00	169.00	28
1 Year	137.77	139.00	17.75	95.00	167.00	26
2 Year	137.70	145.50	21.07	99.00	170.00	20

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.68	-3.00	14.64	-27.00	23.00	25
2 Year	-0.68	0.00	16.52	-34.00	46.00	19

Overall Mean Change (b) (Standard Deviation)	-0.82 (14.41)
p-value (c)	0.6489

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18 2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
OVERALL - SUBMUSCULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	131.14	130.00	20.87	67.00	175.00	491
1 Year	129.48	129.00	20.94	58.00	175.00	431
2 Year	129.27	128.00	22.57	64.00	175.00	422

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-1.34	0.00	16.01	-60.00	50.00	421
2 Year	-2.12	-2.00	17.57	-63.00	53.00	413

Overall Mean Change (b) (Standard Deviation)	-1.59 (15.52)
p-value (c)	0.1441

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
OVERALL - SUBGLANDULAR

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	135.56	135.00	19.72	85.00	175.00	265
1 Year	136.25	137.00	20.88	81.00	175.00	239
2 Year	134.44	135.50	21.40	70.00	175.00	234

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.02	1.00	18.15	-74.00	58.00	235
2 Year	-0.32	1.00	19.51	-69.00	78.00	230

Overall Mean Change (b) (Standard Deviation)	-0.51 (18.06)
p-value (c)	0.7343

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.2

BODY ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
OVERALL - SUBPECTORAL

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	134.55	134.50	20.32	88.00	175.00	220
1 Year	135.98	135.00	20.55	86.00	175.00	201
2 Year	133.81	132.00	21.15	78.00	175.00	185

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	0.88	1.00	16.62	-41.00	47.00	199
2 Year	-0.56	-1.00	18.75	-50.00	60.00	183

Overall Mean Change (b) (Standard Deviation)	0.03 (15.95)
p-value (c)	0.9818

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_2.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as the sum of Q1 through Q35. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 13.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.3

BODY ESTEEM SCALE: CHEST SCALE SCORE
AUGMENTATION PATIENTS

Type of Visit	CHEST Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	2.22	2.00	1.06	1.00	5.00	550
1 Year	4.57	5.00	0.59	2.00	5.00	504
2 Year	4.52	5.00	0.66	1.00	5.00	498

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	2.36	3.00	1.18	-2.00	4.00	503
2 Year	2.32	3.00	1.24	-2.00	4.00	497

Overall Mean Change (b) (Standard Deviation)	2.32 (1.18)
p-value (c)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_3.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.3

BODY ESTEEM SCALE: CHEST SCALE SCORE
OVERALL RECONSTRUCTION

Type of Visit	CHEST Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	2.88	3.00	1.25	1.00	5.00	251
1 Year	3.70	4.00	1.13	1.00	5.00	217
2 Year	3.66	4.00	1.17	1.00	5.00	193
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.87	0.00	1.63	-3.00	4.00	217
2 Year	0.83	0.00	1.68	-3.00	4.00	193
Overall Mean Change (b) (Standard Deviation)		0.81 (1.59)				
p-value (c)		<0.0001				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_3.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.3

BODY ESTEEM SCALE: CHEST SCALE SCORE
DELAYED POST-MASTECTOMY

Type of Visit	CHEST Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	3.06	3.00	1.26	1.00	5.00	107
1 Year	3.30	3.00	1.07	1.00	5.00	87
2 Year	3.22	4.00	1.17	1.00	5.00	78
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.32	0.00	1.36	-3.00	4.00	87
2 Year	0.22	0.00	1.37	-3.00	4.00	78
Overall Mean Change (b) (Standard Deviation)	0.26 (1.26)					
p-value (c)	0.0767					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_3 SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.3

BODY ESTEEM SCALE: CHEST SCALE SCORE
IMMEDIATE POST-MASTECTOMY

Type of Visit	CHEST Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	3.30	4.00	1.10	1.00	5.00	71
1 Year	3.52	4.00	1.06	1.00	5.00	66
2 Year	3.42	4.00	1.03	1.00	5.00	57

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.27	0.00	1.18	-2.00	3.00	66
2 Year	0.11	0.00	1.32	-3.00	2.00	57

Overall Mean Change (b) (Standard Deviation)	0.20 (1.15)
p-value (c)	----

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_3 SAS

Creation Date, Time: 23JUL04 08.53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.3

BODY ESTEEM SCALE: CHEST SCALE SCORE
REVISION PATIENTS

Type of Visit	CHEST Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	3.31	4.00	1.28	1.00	5.00	205
1 Year	3.91	4.00	1.12	1.00	5.00	182
2 Year	3.88	4.00	1.10	1.00	5.00	172

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.59	0.00	1.34	-3.00	4.00	182
2 Year	0.56	0.00	1.33	-3.00	4.00	172

Overall Mean Change (b) (Standard Deviation)	0.56 (1.32)
p-value (c)	<0.0001

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_3.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.3

BODY ESTEEM SCALE: CHEST SCALE SCORE
OVERALL

Type of Visit	CHEST Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	2.61	2.00	1.24	1.00	5.00	1006
1 Year	4.23	4.00	0.95	1.00	5.00	903
2 Year	4.20	4.00	0.97	1.00	5.00	863
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	1.64	2.00	1.56	-3.00	4.00	902
2 Year	1.63	2.00	1.58	-3.00	4.00	862
Overall Mean Change (b) (Standard Deviation)		1.59 (1.55)				
p-value (c)		<0.0001				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_3.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.4

BODY ESTEEM SCALE: HEALTH SCALE SCORE
AUGMENTATION PATIENTS

HEALTH Scale Score (a)						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
Preop	4.41	5.00	0.69	2.00	5.00	550
1 Year	4.32	4.00	0.79	1.00	5.00	504
2 Year	4.27	4.00	0.86	1.00	5.00	499
Change from Preop Assessment						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.10	0.00	0.77	-4.00	2.00	503
2 Year	-0.16	0.00	0.85	-4.00	2.00	498
Overall Mean Change (b) (Standard Deviation)	-0.12 (0.74)					
p-value (c)	0.0013					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_4.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.4

BODY ESTEEM SCALE: HEALTH SCALE SCORE
OVERALL RECONSTRUCTION

Type of Visit	HEALTH Scale Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	4.00	4.00	0.95	1.00	5.00	251
1 Year	3.96	4.00	0.98	1.00	5.00	216
2 Year	3.92	4.00	0.99	1.00	5.00	193
Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.02	0.00	0.90	-3.00	3.00	216
2 Year	-0.08	0.00	1.00	-3.00	2.00	193
Overall Mean Change (b) (Standard Deviation)	-0.06 (0.88)					
p-value (c)	0.3381					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_4.SAS

Creation Date, Time: 23JUL04 08:53

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.4

BODY ESTEEM SCALE: HEALTH SCALE SCORE
DELAYED POST-MASTECTOMY

Type of Visit	HEALTH Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	3.86	4.00	1.05	1.00	5.00	107
1 Year	3.73	4.00	1.03	1.00	5.00	86
2 Year	3.71	4.00	1.03	1.00	5.00	78
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.08	0.00	1.07	-3.00	3.00	86
2 Year	-0.14	0.00	0.96	-3.00	2.00	78
Overall Mean Change (b) (Standard Deviation)	-0.14 (1.01)					
p-value (c)	0.1878					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_4.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.4

BODY ESTEEM SCALE: HEALTH SCALE SCORE
IMMEDIATE POST-MASTECTOMY

Type of Visit	HEALTH Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	3.87	4.00	0.92	2.00	5.00	71
1 Year	3.89	4.00	0.98	2.00	5.00	66
2 Year	3.74	4.00	0.97	2.00	5.00	57
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.05	0.00	0.71	-2.00	2.00	66
2 Year	-0.12	0.00	1.23	-3.00	2.00	57
Overall Mean Change (b) (Standard Deviation)		-0.04 (0.83)				
p-value (c)		----				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_4.SAS

Creation Date, Time: 23JUL04 08.53

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.4

BODY ESTEEM SCALE: HEALTH SCALE SCORE
REVISION PATIENTS

Type of Visit	HEALTH Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	4.43	5.00	0.70	2.00	5.00	205
1 Year	4.22	4.00	0.80	2.00	5.00	181
2 Year	4.08	4.00	0.95	1.00	5.00	172
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.24	0.00	0.83	-3.00	2.00	181
2 Year	-0.37	0.00	0.98	-3.00	2.00	172
Overall Mean Change (b) (Standard Deviation)		-0.32 (0.84)				
p-value (c)		<0.0001				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_4.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 18.4

BODY ESTEEM SCALE: HEALTH SCALE SCORE
OVERALL

Type of Visit	HEALTH Scale Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	4.32	4.00	0.78	1.00	5.00	1006
1 Year	4.21	4.00	0.85	1.00	5.00	901
2 Year	4.15	4.00	0.92	1.00	5.00	864
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.11	0.00	0.82	-4.00	3.00	900
2 Year	-0.18	0.00	0.92	-4.00	2.00	863
Overall Mean Change (b) (Standard Deviation)		-0.15 (0.80)				
p-value (c)		<0.0001				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T18_4.SAS

Creation Date, Time: 23JUL04 08:53

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (b) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19 1

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE
AUGMENTATION PATIENTS

Total Score (a)						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
Preop	35.85	37.00	4.07	20.00	40.00	544
1 Year	36.51	37.00	3.65	21.00	40.00	502
2 Year	36.40	37.00	3.69	21.00	40.00	498
Change from Preop Assessment						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
1 Year	0.66	0.00	3.46	-8.00	12.00	497
2 Year	0.59	0.00	3.70	-14.00	13.00	493
Overall Mean Change (b) (Standard Deviation)		0.60 (3.31)				
p-value (b)		0.0004				

Program Name. Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_1.SAS

Creation Date, Time. 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.1

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE
OVERALL RECONSTRUCTION

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	35.67	36.00	3.77	21.00	40.00	249
1 Year	35.76	36.00	3.86	15.00	40.00	216
2 Year	35.95	37.00	3.82	22.00	40.00	191
Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	0.07	0.00	3.40	-11.00	14.00	215
2 Year	0.16	0.00	3.67	-10.00	11.00	190
Overall Mean Change (b) (Standard Deviation)		0.23 (3.30)				
p-value (b)		0.3730				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_1.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.1

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE
DELAYED POST-MASTECTOMY

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	35.77	36.00	3.69	21.00	40.00	106
1 Year	35.88	36.50	4.09	15.00	40.00	86
2 Year	35.38	36.00	4.26	22.00	40.00	77
Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	0.16	0.00	3.24	-8.00	9.00	85
2 Year	-0.51	0.00	3.41	-10.00	8.00	76
Overall Mean Change (b) (Standard Deviation)		-0.06 (2.97)				
p-value (b)		0.9017				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_1.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.1

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE
IMMEDIATE POST-MASTECTOMY

Total Score (a)						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
Preop	35.52	37.00	3.75	24.00	40.00	71
1 Year	35.23	35.00	3.72	27.00	40.00	65
2 Year	36.07	37.00	3.48	25.00	40.00	57
Change from Preop Assessment						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.20	0.00	3.81	-7.00	14.00	65
2 Year	0.39	0.00	3.36	-8.00	10.00	57
Overall Mean Change (b) (Standard Deviation)	0.29 (3.55)					
p-value (b)	----					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_1.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.1

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE
REVISION PATIENTS

Type of Visit	Total Score (a)					
	mean	median	standard deviation	minimum	maximum	n
Preop	36.37	37.00	3.42	28.00	40.00	198
1 Year	36.47	37.00	3.16	29.00	40.00	182
2 Year	36.09	37.00	3.69	24.00	40.00	171

Type of Visit	Change from Preop Assessment					
	mean	median	standard deviation	minimum	maximum	n
1 Year	0.18	0.00	3.06	-7.00	10.00	176
2 Year	-0.17	0.00	3.60	-11.00	10.00	168

Overall Mean Change (b) (Standard Deviation)	-0.02 (3.13)
p-value (b)	0.7862

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_1.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score, the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.1

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE
OVERALL

Total Score (a)						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
Preop	35.91	37.00	3.88	20.00	40.00	991
1 Year	36.32	37.00	3.62	15.00	40.00	900
2 Year	36.24	37.00	3.72	21.00	40.00	860
Change from Preop Assessment						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
1 Year	0.43	0.00	3.38	-11.00	14.00	888
2 Year	0.35	0.00	3.68	-14.00	13.00	851
Overall Mean Change (b) (Standard Deviation)		0.38 (3.28)				
p-value (b)		0.0024				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_1.SAS

Creation Date, Time: 21JUL04 10:42

Note. Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.2

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
AUGMENTATION PATIENTS - SUBMUSCULAR

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	35.74	37.00	4.14	20.00	40.00	225
1 Year	36.52	37.00	3.52	23.00	40.00	206
2 Year	36.48	38.00	3.72	22.00	40.00	207

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.82	0.00	3.70	-8.00	12.00	204
2 Year	0.80	0.00	4.19	-11.00	13.00	204

Overall Mean Change (b) (Standard Deviation)	0.79 (3.69)
p-value (c)	0.0134

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_2.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.2

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
AUGMENTATION PATIENTS - SUBGLANDULAR

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	36.24	37.00	3.72	22.00	40.00	184
1 Year	36.60	38.00	3.66	23.00	40.00	170
2 Year	36.44	37.00	3.59	25.00	40.00	168
Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	0.40	0.00	2.97	-8.00	8.00	168
2 Year	0.18	0.00	3.53	-14.00	9.00	167
Overall Mean Change (b) (Standard Deviation)		0.27 (2.90)				
p-value (c)		0.1573				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_2.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.2

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
AUGMENTATION PATIENTS - SUBPECTORAL

Total Score (a)						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
Preop	35.50	37.00	4.40	21.00	40.00	135
1 Year	36.35	37.00	3.86	21.00	40.00	126
2 Year	36.20	37.00	3.81	21.00	40.00	123
Change from Preop Assessment						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
1 Year	0.76	0.00	3.69	-7.00	10.00	125
2 Year	0.81	0.50	2.97	-5.00	10.00	122
Overall Mean Change (b) (Standard Deviation)		0.72 (3.16)				
p-value (c)		0.0259				

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_2.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem.
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.2

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
OVERALL RECONSTRUCTION - SUBMUSCULAR

Total Score (a)						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
Preop	35.90	37.00	3.69	21.00	40.00	157
1 Year	35.63	36.00	3.95	15.00	40.00	135
2 Year	35.69	37.00	4.06	22.00	40.00	125
Change from Preop Assessment						
Type of Visit	mean	median	standard deviation	minimum	maximum	n
1 Year	-0.21	0.00	3.68	-11.00	14.00	134
2 Year	-0.35	0.00	3.62	-10.00	10.00	124
Overall Mean Change (b) (Standard Deviation)	-0.06 (3.43)					
p-value (c)	0.4879					

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_2.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.

Table 19.2

ROSENBERG SELF-ESTEEM SCALE: TOTAL SCORE BY DEVICE PLACEMENT
OVERALL RECONSTRUCTION - SUBGLANDULAR

Type of Visit	Total Score (a)					n
	mean	median	standard deviation	minimum	maximum	
Preop	34.05	35.00	4.41	27.00	40.00	21
1 Year	34.33	34.00	4.34	25.00	40.00	18
2 Year	36.00	36.50	4.18	26.00	40.00	16

Type of Visit	Change from Preop Assessment					n
	mean	median	standard deviation	minimum	maximum	
1 Year	-0.22	0.00	2.76	-5.00	4.00	18
2 Year	1.63	1.50	4.33	-7.00	9.00	16

Overall Mean Change (b) (Standard Deviation)	0.68 (3.62)
p-value (c)	0.4621

Program Name: Q:\MENTOR\COREGEL\3YEAR\TABLES\T19_2.SAS

Creation Date, Time: 21JUL04 10:42

Note: Patients who returned for a particular visit outside of the pre-established visit windows are excluded from analyses of that specific visit and are excluded from analyses of the overall mean change.

- (a) The Total Score is scored as items 1 through 10. The results include only patients who had responses for all these questions used to derive the Total Score; the precise wording of each question can be found in Listing 14. Scores for items 1,2,4,6, and 7 have been reversed by subtracting the actual score from 5. Higher scores indicate higher self-esteem
- (b) Obtained by calculating, for each patient, the average change from preop assessment across all postop assessments and then calculating the mean across patients of these averages.
- (c) From Wilcoxon Signed Rank Test on overall mean change. Immediate post-mastectomy patients are excluded from the calculation of p-value for the Overall Reconstruction Patients and Overall Patients.