Table 1.16

TIME TO FIRST REPORT OF EXTRUSION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	19	0	5066	0.9963	0.0037	(0.0020, 0.0054)
1	9	333	4724	0.9944	0.0056	(0.0035, 0.0077)
2	5	31	4688	0.9933	0.0067	(0.0044, 0.0090)
3	6	13	4669	0.9920	0.0080	(0.0055, 0.0105)
4	3	10	4656	0.9914	0.0086	(0.0060, 0.0112)
5	4	12	4640	0.9906	0.0095	(0.0067, 0.0121)
6	1	31	4608	0.9903	0.0097	(0.0070, 0.0124)
11	1	292	4315	0.9901	0.0099	(0.0071, 0.0127)
12	2	420	3893	0.9896	0.0104	(0.0075, 0.0133)
13	4	758	3131	0.9884	0.0116	(0.0085, 0.0147)
14	1	415	2715	0.9881	0.0119	(0.0087, 0.0151)
20	1	715	1999	0.9876	0.0124	(0.0091, 0.0157)
30	2	343	1654	0.9865	0.0135	(0.0099, 0.0171)
33	1	107	1546	0.9859	0.0141	(0.0103, 0.0179)
37	1	571	974	0.9848	0.0152	(0.0109, 0.0195)
61	1	412	561	0.9831	0.0169	(0.0114, 0.0224)

Table 1.17

TIME TO FIRST REPORT OF HEMATOMA (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	46	0	13375	0.9966	0.0034	(0.0024, 0.0044)
1	53	990	12332	0.9923	0.0077	(0.0062, 0.0092)
2	3	73	12256	0.9921	0.0079	(0.0064, 0.0094)
3	3	53	12200	0.9919	0.0082	(0.0065, 0.0097)
4	1	30	12169	0.9918	0.0082	(0.0066, 0.0098)
6	1	106	12062	0.9917	0.0083	(0.0067, 0.0099)
7	2	35	12025	0.9915	0.0085	(0.0069, 0.0101)
8	2	72	11951	0.9914	0.0086	(0.0070, 0.0102)
10	1	274	11676	0.9913	0.0087	(0.0071, 0.0103)
11	4	353	11319	0.9909	0.0091	(0.0075, 0.0107)
12	16	806	10497	0.9895	0.0105	(0.0087, 0.0123)
13	25	1917	8555	0.9868	0.0132	(0.0111, 0.0153)
14	16	1018	7521	0.9849	0.0151	(0.0128, 0.0174)
15	3	723	6795	0.9844	0.0156	(0.0133, 0.0179)
16	6	203	6586	0.9836	0.0164	(0.0140, 0.0188)
17	3	342	6241	0.9831	0.0169	(0.0144, 0.0194)
18	4	174	6063	0.9824	0.0176	(0.0150, 0.0202)
19	2	300	5761	0.9821	0.0179	(0.0153, 0.0205)
20	1	78	5682	0.9819	0.0181	(0.0155, 0.0207)
22	1	246	5435	0.9818	0.0182	(0.0156, 0.0208)
23	1	59	5375	0.9816	0.0184	(0.0157, 0.0211)
31	1	597	4777	0.9814	0.0186	(0.0159, 0.0213)
32	1	106	4670	0.9812	0.0188	(0.0161, 0.0215)
35	1	440	4229	0.9809	0.0191	(0.0163, 0.0219)
37	1	637	3591	0.9807	0.0193	(0.0165, 0.0221)
38	3	392	3196	0.9798	0.0202	(0.0172, 0.0232)
40	2	608	2586	0.9791	0.0209	(0.0178, 0.0240)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
41	2	166	2418	0.9783	0.0217	(0.0184, 0.0250)
47	1	469	1948	0.9778	0.0222	(0.0187, 0.0257)
51	1	161	1786	0.9772	0.0228	(0.0192, 0.0264)
60	1	461	1324	0.9765	0.0235	(0.0196, 0.0274)
61	1	255	1068	0.9756	0.0244	(0.0201, 0.0287)

Table 1.18

TIME TO FIRST REPORT OF HEMATOMA (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	11	0	5074	0.9978	0.0022	(0.0009, 0.0035)
1	12	338	4724	0.9953	0.0047	(0.0028, 0.0066)
3	2	45	4677	0.9949	0.0051	(0.0031, 0.0071)
10	1	209	4467	0.9947	0.0053	(0.0033, 0.0073)
12	1	1162	3304	0.9944	0.0056	(0.0035, 0.0077)
13	1	259	3044	0.9941	0.0060	(0.0037, 0.0081)
14	5	382	2657	0.9923	0.0077	(0.0050, 0.0104)
16	1	318	2338	0.9919	0.0081	(0.0053, 0.0109)
33	1	786	1551	0.9912	0.0088	(0.0057, 0.0119)
36	1	241	1309	0.9905	0.0095	(0.0061, 0.0129)
37	1	332	976	0.9895	0.0105	(0.0065, 0.0145)
61	1	237	738	0.9881	0.0119	(0.0072, 0.0166)

Table 1.19

TIME TO FIRST REPORT OF HYPERTROPHIC SCARRING (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	50	0	13371	0.9963	0.0037	(0.0027, 0.0047)
2	4	1086	12281	0.9960	0.0041	(0.0029, 0.0051)
3	2	35	12244	0.9958	0.0042	(0.0031, 0.0053)
4	1	71	12172	0.9957	0.0043	(0.0032, 0.0054)
5	1	15	12156	0.9956	0.0044	(0.0033, 0.0055)
6	3	37	12116	0.9954	0.0046	(0.0034, 0.0058)
7	3	65	12048	0.9951	0.0049	(0.0037, 0.0061)
8	3	31	12014	0.9949	0.0051	(0.0039, 0.0063)
9	7	83	11924	0.9943	0.0057	(0.0044, 0.0070)
10	7	158	11759	0.9937	0.0063	(0.0049, 0.0077)
11	15	340	11404	0.9924	0.0076	(0.0061, 0.0091)
12	47	909	10448	0.9881	0.0119	(0.0100, 0.0138)
13	85	1691	8672	0.9794	0.0206	(0.0179, 0.0233)
14	51	957	7664	0.9733	0.0267	(0.0236, 0.0298)
15	23	662	6979	0.9702	0.0298	(0.0264, 0.0332)
16	27	477	6475	0.9663	0.0337	(0.0300, 0.0374)
17	11	259	6205	0.9647	0.0353	(0.0315, 0.0391)
18	6	198	6001	0.9637	0.0363	(0.0324, 0.0402)
19	7	230	5764	0.9626	0.0374	(0.0335, 0.0413)
20	5	105	5654	0.9617	0.0383	(0.0343, 0.0423)
21	1	152	5501	0.9616	0.0384	(0.0344, 0.0424)
23	5	195	5301	0.9607	0.0393	(0.0352, 0.0434)
24	3	74	5224	0.9601	0.0399	(0.0358, 0.0440)
25	2	105	5117	0.9598	0.0402	(0.0360, 0.0444)
26	5	84	5028	0.9588	0.0412	(0.0369, 0.0455)
27	1	53	4974	0.9586	0.0414	(0.0371, 0.0457)
28	3	62	4909	0.9580	0.0420	(0.0377, 0.0463)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
29	4	70	4835	0.9572	0.0428	(0.0384, 0.0472)
30	3	76	4756	0.9566	0.0434	(0.0390, 0.0478)
31	1	68	4687	0.9564	0.0436	(0.0392, 0.0480)
32	1	10	4676	0.9562	0.0438	(0.0394, 0.0482)
33	2	84	4590	0.9558	0.0442	(0.0397, 0.0487)
34	1	85	4504	0.9556	0.0444	(0.0399, 0.0489)
35	2	152	4350	0.9552	0.0448	(0.0403, 0.0493)
36	4	262	4084	0.9543	0.0457	(0.0411, 0.0503)
37	8	498	3578	0.9523	0.0477	(0.0429, 0.0525)
38	9	554	3015	0.9497	0.0503	(0.0452, 0.0554)
39	1	258	2756	0.9494	0.0506	(0.0455, 0.0557)
40	5	316	2435	0.9476	0.0524	(0.0470, 0.0578)
42	1	163	2271	0.9471	0.0529	(0.0475, 0.0583)
43	4	87	2180	0.9454	0.0546	(0.0489, 0.0603)
45	1	146	2033	0.9450	0.0550	(0.0493, 0.0607)
47	3	137	1893	0.9435	0.0565	(0.0505, 0.0625)
55	1	291	1601	0.9429	0.0571	(0.0510, 0.0632)
61	1	499	1101	0.9421	0.0579	(0.0516, 0.0642)

Table 1.20

TIME TO FIRST REPORT OF HYPERTROPHIC SCARRING (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	23	0	5062	0.9955	0.0045	(0.0027, 0.0063)
2	1	373	4688	0.9953	0.0047	(0.0028, 0.0066)
4	1	36	4651	0.9951	0.0050	(0.0030, 0.0068)
5	1	9	4641	0.9948	0.0052	(0.0032, 0.0072)
7	2	35	4604	0.9944	0.0056	(0.0035, 0.0077)
8	4	22	4578	0.9935	0.0065	(0.0043, 0.0087)
9	3	37	4538	0.9929	0.0071	(0.0047, 0.0095)
10	3	68	4467	0.9922	0.0078	(0.0053, 0.0103)
11	9	114	4344	0.9902	0.0098	(0.0070, 0.0126)
12	27	465	3852	0.9838	0.0162	(0.0125, 0.0199)
13	49	713	3090	0.9698	0.0302	(0.0249, 0.0355)
14	19	379	2692	0.9634	0.0366	(0.0306, 0.0426)
15	9	237	2446	0.9601	0.0399	(0.0335, 0.0463)
16	9	190	2247	0.9564	0.0436	(0.0368, 0.0504)
17	5	70	2172	0.9542	0.0458	(0.0388, 0.0528)
18	5	89	2078	0.9520	0.0480	(0.0407, 0.0553)
19	4	54	2020	0.9501	0.0499	(0.0424, 0.0574)
20	3	68	1949	0.9487	0.0513	(0.0436, 0.0590)
21	1	29	1919	0.9482	0.0518	(0.0441, 0.0595)
22	3	53	1863	0.9467	0.0533	(0.0454, 0.0612)
23	2	26	1835	0.9456	0.0544	(0.0464, 0.0624)
24	2	50	1783	0.9446	0.0554	(0.0473, 0.0635)
26	3	85	1695	0.9430	0.0570	(0.0487, 0.0653)
27	1	2	1692	0.9424	0.0576	(0.0492, 0.0660)
28	1	40	1651	0.9418	0.0582	(0.0497, 0.0667)
29	1	17	1633	0.9413	0.0587	(0.0502, 0.0672)
30	1	24	1608	0.9407	0.0593	(0.0507, 0.0679)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
32	2	69	1537	0.9395	0.0605	(0.0517, 0.0693)
33	1	35	1501	0.9389	0.0611	(0.0523, 0.0699)
35	1	72	1428	0.9382	0.0618	(0.0529, 0.0707)
36	2	100	1326	0.9368	0.0632	(0.0541, 0.0723)
37	5	256	1065	0.9328	0.0672	(0.0575, 0.0769)
38	3	132	930	0.9300	0.0700	(0.0598, 0.0802)
39	4	112	814	0.9256	0.0744	(0.0634, 0.0854)
41	2	127	685	0.9231	0.0769	(0.0654, 0.0884)
42	1	33	651	0.9217	0.0783	(0.0665, 0.0901)
46	2	95	554	0.9186	0.0814	(0.0688, 0.0940)
47	1	18	535	0.9169	0.0831	(0.0701, 0.0961)
49	1	33	501	0.9151	0.0849	(0.0715, 0.0983)
50	1	13	487	0.9132	0.0868	(0.0729, 0.1007)
61	1	209	277	0.9099	0.0901	(0.0748, 0.1054)

Table 1.21

TIME TO FIRST REPORT OF INFECTION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	65	0	13356	0.9952	0.0048	(0.0036, 0.0060)
1	16	1003	12337	0.9939	0.0061	(0.0048, 0.0074)
2	7	46	12284	0.9933	0.0067	(0.0053, 0.0081)
3	4	39	12241	0.9930	0.0070	(0.0056, 0.0084)
4	3	53	12185	0.9927	0.0073	(0.0058, 0.0088)
5	2	36	12147	0.9926	0.0074	(0.0059, 0.0089)
6	3	35	12109	0.9923	0.0077	(0.0062, 0.0092)
8	3	101	12005	0.9921	0.0079	(0.0064, 0.0094)
9	2	126	11877	0.9919	0.0081	(0.0066, 0.0096)
10	2	118	11757	0.9918	0.0083	(0.0066, 0.0098)
11	7	397	11353	0.9912	0.0089	(0.0072, 0.0104)
12	7	930	10416	0.9905	0.0095	(0.0078, 0.0112)
13	10	1686	8720	0.9895	0.0105	(0.0087, 0.0123)
15	14	1733	6973	0.9878	0.0122	(0.0102, 0.0142)
16	7	429	6537	0.9867	0.0133	(0.0112, 0.0154)
17	3	302	6232	0.9863	0.0137	(0.0115, 0.0159)
18	1	209	6022	0.9861	0.0139	(0.0117, 0.0161)
19	2	188	5832	0.9858	0.0142	(0.0119, 0.0165)
20	2	127	5703	0.9854	0.0146	(0.0123, 0.0169)
21	1	83	5619	0.9853	0.0147	(0.0123, 0.0171)
23	2	274	5343	0.9849	0.0151	(0.0127, 0.0175)
24	1	70	5272	0.9847	0.0153	(0.0129, 0.0177)
25	1	52	5219	0.9845	0.0155	(0.0130, 0.0179)
27	2	204	5013	0.9841	0.0159	(0.0134, 0.0184)
28	1	2	5010	0.9839	0.0161	(0.0136, 0.0186)
31	2	205	4803	0.9835	0.0165	(0.0139, 0.0191)
32	1	47	4755	0.9833	0.0167	(0.0141, 0.0193)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
35	2	430	4323	0.9829	0.0171	(0.0144, 0.0198)
37	1	835	3487	0.9826	0.0174	(0.0146, 0.0202)
38	1	388	3098	0.9823	0.0177	(0.0149, 0.0205)
41	1	682	2415	0.9819	0.0181	(0.0152, 0.0210)
48	1	480	1934	0.9814	0.0186	(0.0155, 0.0217)
54	2	258	1674	0.9803	0.0197	(0.0163, 0.0231)
59	1	213	1460	0.9796	0.0204	(0.0167, 0.0241)
61	1	382	1077	0.9787	0.0213	(0.0172, 0.0254)

Table 1.22

TIME TO FIRST REPORT OF INFECTION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	28	0	5057	0.9945	0.0055	(0.0035, 0.0075)
1	15	328	4714	0.9913	0.0087	(0.0061, 0.0113)
2	6	23	4685	0.9901	0.0099	(0.0071, 0.0127)
4	5	31	4649	0.9890	0.0110	(0.0081, 0.0139)
5	3	14	4632	0.9884	0.0116	(0.0086, 0.0146)
6	3	20	4609	0.9877	0.0123	(0.0092, 0.0154)
7	1	17	4591	0.9875	0.0125	(0.0094, 0.0156)
9	3	103	4485	0.9869	0.0131	(0.0099, 0.0163)
10	1	28	4456	0.9867	0.0133	(0.0101, 0.0165)
12	2	598	3856	0.9862	0.0138	(0.0105, 0.0171)
13	5	713	3138	0.9847	0.0153	(0.0118, 0.0188)
14	1	433	2704	0.9843	0.0157	(0.0121, 0.0193)
15	3	245	2456	0.9832	0.0168	(0.0130, 0.0206)
16	1	181	2274	0.9827	0.0173	(0.0134, 0.0212)
18	3	208	2063	0.9814	0.0186	(0.0144, 0.0228)
20	1	76	1986	0.9809	0.0191	(0.0148, 0.0234)
29	2	310	1674	0.9798	0.0202	(0.0156, 0.0248)
32	1	104	1569	0.9792	0.0208	(0.0161, 0.0255)
33	1	27	1541	0.9786	0.0214	(0.0165, 0.0263)
37	1	572	968	0.9775	0.0225	(0.0172, 0.0278)
39	1	113	854	0.9764	0.0236	(0.0179, 0.0293)
43	1	226	627	0.9748	0.0252	(0.0187, 0.0317)
50	1	116	510	0.9729	0.0271	(0.0197, 0.0345)
61	1	126	383	0.9704	0.0296	(0.0207, 0.0385)

Table 1.23

TIME TO FIRST REPORT OF IRRITATION/INFLAMMATION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	66	0	13355	0.9951	0.0049	(0.0037, 0.0061)
1	21	996	12338	0.9934	0.0066	(0.0052, 0.0080)
2	3	62	12273	0.9932	0.0068	(0.0054, 0.0082)
3	1	36	12236	0.9931	0.0069	(0.0055, 0.0083)
4	4	54	12178	0.9928	0.0073	(0.0057, 0.0087)
5	4	55	12119	0.9924	0.0076	(0.0061, 0.0091)
6	1	19	12099	0.9923	0.0077	(0.0062, 0.0092)
7	2	79	12018	0.9922	0.0078	(0.0063, 0.0093)
8	1	73	11944	0.9921	0.0079	(0.0064, 0.0094)
9	1	85	11858	0.9920	0.0080	(0.0065, 0.0095)
10	2	108	11748	0.9918	0.0082	(0.0067, 0.0097)
11	7	394	11347	0.9912	0.0088	(0.0072, 0.0104)
12	21	822	10504	0.9893	0.0107	(0.0089, 0.0125)
13	36	1767	8701	0.9857	0.0143	(0.0121, 0.0165)
14	13	976	7712	0.9841	0.0159	(0.0136, 0.0182)
15	10	682	7020	0.9828	0.0172	(0.0147, 0.0196)
16	11	416	6593	0.9812	0.0188	(0.0162, 0.0214)
17	5	367	6221	0.9804	0.0196	(0.0169, 0.0223)
18	3	186	6032	0.9799	0.0201	(0.0173, 0.0229)
19	4	210	5818	0.9793	0.0207	(0.0179, 0.0235)
20	2	169	5647	0.9789	0.0211	(0.0182, 0.0240)
21	1	89	5557	0.9788	0.0212	(0.0183, 0.0241)
23	3	179	5375	0.9782	0.0218	(0.0188, 0.0248)
24	2	131	5242	0.9779	0.0221	(0.0191, 0.0251)
25	3	126	5113	0.9773	0.0227	(0.0196, 0.0258)
26	1	14	5098	0.9771	0.0229	(0.0198, 0.0260)
28	2	130	4966	0.9767	0.0233	(0.0202, 0.0264)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
30	3	151	4812	0.9761	0.0239	(0.0207, 0.0271)
31	1	46	4765	0.9759	0.0241	(0.0209, 0.0273)
32	1	103	4661	0.9757	0.0243	(0.0210, 0.0276)
34	1	176	4484	0.9755	0.0245	(0.0212, 0.0278)
35	5	57	4422	0.9744	0.0256	(0.0222, 0.0290)
36	7	269	4146	0.9728	0.0272	(0.0236, 0.0308)
37	7	541	3598	0.9710	0.0290	(0.0252, 0.0328)
38	4	711	2883	0.9698	0.0302	(0.0262, 0.0342)
39	2	98	2783	0.9692	0.0308	(0.0267, 0.0349)
40	2	215	2566	0.9684	0.0316	(0.0274, 0.0358)
41	3	179	2384	0.9672	0.0328	(0.0284, 0.0372)
42	2	83	2299	0.9664	0.0336	(0.0290, 0.0382)
44	4	204	2091	0.9647	0.0353	(0.0304, 0.0402)
48	1	176	1914	0.9642	0.0358	(0.0308, 0.0408)
49	2	43	1869	0.9632	0.0368	(0.0316, 0.0420)
50	1	55	1813	0.9626	0.0374	(0.0321, 0.0427)
53	1	130	1682	0.9621	0.0379	(0.0325, 0.0433)
54	1	16	1665	0.9615	0.0385	(0.0330, 0.0440)
55	1	41	1623	0.9609	0.0391	(0.0335, 0.0447)
57	2	68	1553	0.9597	0.0403	(0.0345, 0.0461)
58	1	69	1483	0.9590	0.0410	(0.0350, 0.0470)
60	1	259	1223	0.9582	0.0418	(0.0356, 0.0480)
61	1	160	1062	0.9573	0.0427	(0.0363, 0.0491)

Table 1.24

TIME TO FIRST REPORT OF IRRITATION/INFLAMMATION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	20	0	5065	0.9961	0.0039	(0.0022, 0.0056)
1	15	343	4707	0.9929	0.0071	(0.0048, 0.0094)
2	3	21	4683	0.9923	0.0077	(0.0053, 0.0102)
3	4	17	4662	0.9914	0.0086	(0.0060, 0.0112)
4	1	13	4648	0.9912	0.0088	(0.0062, 0.0114)
5	1	12	4635	0.9910	0.0090	(0.0064, 0.0116)
8	2	72	4561	0.9906	0.0094	(0.0067, 0.0121)
10	2	78	4481	0.9901	0.0099	(0.0071, 0.0127)
11	1	280	4200	0.9899	0.0101	(0.0073, 0.0129)
12	6	550	3644	0.9884	0.0116	(0.0085, 0.0147)
13	8	513	3123	0.9861	0.0139	(0.0105, 0.0173)
14	4	447	2672	0.9847	0.0153	(0.0116, 0.0190)
16	1	341	2330	0.9843	0.0157	(0.0119, 0.0195)
17	3	172	2155	0.9830	0.0170	(0.0129, 0.0211)
18	2	68	2085	0.9820	0.0180	(0.0137, 0.0223)
20	2	94	1989	0.9810	0.0190	(0.0145, 0.0235)
21	3	72	1914	0.9795	0.0205	(0.0157, 0.0253)
28	1	235	1678	0.9790	0.0210	(0.0161, 0.0259)
29	1	6	1671	0.9784	0.0216	(0.0166, 0.0266)
33	1	120	1550	0.9777	0.0223	(0.0171, 0.0275)
37	2	443	1105	0.9762	0.0238	(0.0182, 0.0294)
38	3	226	876	0.9731	0.0269	(0.0203, 0.0335)
51	1	373	502	0.9712	0.0288	(0.0212, 0.0364)
57	1	63	438	0.9690	0.0310	(0.0223, 0.0397)
61	1	66	371	0.9664	0.0336	(0.0235, 0.0437)

Table 1.25

TIME TO FIRST REPORT OF LYMPHADENOPATHY (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	12	0	13409	0.9991	0.0009	(0.0004, 0.0014)
2	3	1107	12299	0.9989	0.0011	(0.0005, 0.0017)
8	2	291	12006	0.9987	0.0013	(0.0007, 0.0019)
10	1	211	11794	0.9986	0.0014	(0.0008, 0.0020)
11	8	429	11357	0.9979	0.0021	(0.0013, 0.0029)
12	7	1144	10206	0.9973	0.0027	(0.0018, 0.0036)
13	17	1448	8741	0.9955	0.0045	(0.0032, 0.0058)
14	18	1121	7602	0.9933	0.0067	(0.0051, 0.0083)
15	2	542	7058	0.9930	0.0070	(0.0053, 0.0087)
16	5	468	6585	0.9923	0.0077	(0.0059, 0.0095)
17	5	427	6153	0.9915	0.0085	(0.0066, 0.0104)
18	1	91	6061	0.9913	0.0087	(0.0068, 0.0106)
21	1	484	5576	0.9912	0.0088	(0.0068, 0.0108)
25	1	412	5163	0.9910	0.0090	(0.0070, 0.0110)
29	1	256	4906	0.9908	0.0092	(0.0072, 0.0112)
32	1	212	4693	0.9906	0.0094	(0.0073, 0.0115)
33	1	7	4685	0.9903	0.0097	(0.0076, 0.0118)
34	3	144	4538	0.9897	0.0103	(0.0081, 0.0125)
35	1	168	4369	0.9895	0.0105	(0.0082, 0.0128)
36	1	271	4097	0.9892	0.0108	(0.0085, 0.0131)
37	6	465	3626	0.9877	0.0123	(0.0097, 0.0149)
38	4	438	3184	0.9865	0.0135	(0.0106, 0.0164)
39	3	327	2854	0.9855	0.0145	(0.0114, 0.0176)
40	3	328	2523	0.9844	0.0156	(0.0123, 0.0189)
41	1	111	2411	0.9840	0.0160	(0.0126, 0.0194)
43	1	247	2163	0.9836	0.0164	(0.0129, 0.0199)
51	1	418	1744	0.9830	0.0170	(0.0133, 0.0207)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
56	1	130	1613	0.9824	0.0176	(0.0137, 0.0215)
59	1	117	1495	0.9817	0.0183	(0.0142, 0.0224)
61	2	422	1071	0.9802	0.0198	(0.0152, 0.0244)

Table 1.26

TIME TO FIRST REPORT OF LYMPHADENOPATHY (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	5	0	5080	0.9990	0.0010	(0.0001, 0.0019)
11	1	762	4317	0.9988	0.0012	(0.0002, 0.0022)
12	3	398	3916	0.9980	0.0020	(0.0007, 0.0033)
13	5	792	3119	0.9966	0.0034	(0.0016, 0.0052)
15	2	626	2491	0.9959	0.0041	(0.0020, 0.0062)
23	1	632	1858	0.9953	0.0047	(0.0024, 0.0070)
28	1	162	1695	0.9948	0.0052	(0.0026, 0.0078)
32	1	101	1593	0.9941	0.0059	(0.0030, 0.0088)
33	1	39	1553	0.9935	0.0065	(0.0034, 0.0096)
36	1	390	1162	0.9926	0.0074	(0.0039, 0.0109)
37	1	101	1060	0.9917	0.0083	(0.0043, 0.0123)
43	2	402	656	0.9892	0.0108	(0.0055, 0.0161)
47	1	89	566	0.9874	0.0126	(0.0063, 0.0189)
61	1	186	379	0.9848	0.0152	(0.0071, 0.0233)

Table 1.27

TIME TO FIRST REPORT OF NECROSIS (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	6	0	13415	0.9996	0.0004	(0.0000, 0.0008)
1	7	1039	12369	0.9990	0.0010	(0.0005, 0.0015)
2	3	79	12287	0.9987	0.0013	(0.0007, 0.0019)
3	1	50	12236	0.9987	0.0013	(0.0007, 0.0019)
9	1	320	11915	0.9986	0.0014	(0.0007, 0.0021)
10	1	305	11609	0.9985	0.0015	(0.0008, 0.0022)
11	1	783	10825	0.9984	0.0016	(0.0009, 0.0023)
12	6	276	10543	0.9978	0.0022	(0.0014, 0.0030)
13	7	1783	8753	0.9971	0.0029	(0.0019, 0.0039)
14	5	981	7767	0.9965	0.0035	(0.0024, 0.0046)
15	1	690	7076	0.9964	0.0037	(0.0024, 0.0048)
22	3	1547	5526	0.9959	0.0041	(0.0028, 0.0054)
26	1	364	5161	0.9957	0.0043	(0.0030, 0.0056)
31	1	336	4824	0.9955	0.0045	(0.0031, 0.0059)
32	1	106	4717	0.9953	0.0047	(0.0032, 0.0062)
37	1	1158	3558	0.9950	0.0050	(0.0034, 0.0066)
38	2	366	3190	0.9944	0.0056	(0.0038, 0.0074)
48	1	1240	1949	0.9939	0.0061	(0.0041, 0.0081)
61	1	801	1147	0.9930	0.0070	(0.0044, 0.0096)

Table 1.28

TIME TO FIRST REPORT OF NECROSIS (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	15	0	5070	0.9971	0.0030	(0.0014, 0.0044)
1	8	335	4727	0.9954	0.0046	(0.0027, 0.0065)
2	3	34	4690	0.9947	0.0053	(0.0033, 0.0073)
3	3	17	4670	0.9941	0.0059	(0.0038, 0.0080)
4	2	13	4655	0.9937	0.0063	(0.0041, 0.0085)
5	2	19	4634	0.9932	0.0068	(0.0045, 0.0091)
7	1	33	4600	0.9930	0.0070	(0.0047, 0.0093)
10	1	134	4465	0.9928	0.0072	(0.0048, 0.0096)
11	1	149	4315	0.9926	0.0074	(0.0050, 0.0098)
12	4	445	3866	0.9916	0.0084	(0.0058, 0.0110)
14	9	1180	2677	0.9889	0.0111	(0.0080, 0.0142)
15	2	210	2465	0.9881	0.0119	(0.0086, 0.0152)
29	2	782	1681	0.9871	0.0129	(0.0093, 0.0165)
33	1	134	1546	0.9865	0.0135	(0.0097, 0.0173)
37	1	574	971	0.9855	0.0145	(0.0102, 0.0188)
61	1	597	373	0.9829	0.0171	(0.0104, 0.0238)

Table 1.29

TIME TO FIRST REPORT OF REMOVAL WITH OR WITHOUT REPLACEMENT (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	497	0	12924	0.9630	0.0370	(0.0338, 0.0402)
1	60	812	12052	0.9582	0.0418	(0.0384, 0.0452)
2	25	42	11985	0.9562	0.0438	(0.0403, 0.0473)
3	22	28	11935	0.9545	0.0455	(0.0420, 0.0490)
4	13	32	11890	0.9534	0.0466	(0.0430, 0.0502)
5	22	24	11844	0.9517	0.0483	(0.0446, 0.0520)
6	10	18	11816	0.9509	0.0491	(0.0454, 0.0528)
7	15	42	11759	0.9497	0.0503	(0.0466, 0.0540)
8	6	38	11715	0.9492	0.0508	(0.0471, 0.0545)
9	12	89	11614	0.9482	0.0518	(0.0480, 0.0556)
10	7	123	11484	0.9476	0.0524	(0.0486, 0.0562)
11	27	363	11094	0.9454	0.0546	(0.0507, 0.0585)
12	31	823	10240	0.9426	0.0574	(0.0534, 0.0614)
13	51	1741	8448	0.9374	0.0626	(0.0584, 0.0668)
14	28	982	7438	0.9341	0.0659	(0.0615, 0.0703)
15	16	668	6754	0.9320	0.0680	(0.0635, 0.0725)
16	9	373	6372	0.9308	0.0692	(0.0646, 0.0738)
17	12	284	6076	0.9290	0.0710	(0.0663, 0.0757)
18	8	248	5820	0.9277	0.0723	(0.0676, 0.0770)
19	10	212	5598	0.9261	0.0739	(0.0691, 0.0787)
20	5	77	5516	0.9252	0.0748	(0.0699, 0.0797)
21	9	120	5387	0.9237	0.0763	(0.0713, 0.0813)
22	9	77	5301	0.9222	0.0778	(0.0727, 0.0829)
23	6	91	5204	0.9211	0.0789	(0.0738, 0.0840)
24	11	97	5096	0.9191	0.0809	(0.0756, 0.0862)
25	5	75	5016	0.9182	0.0818	(0.0765, 0.0871)
26	7	81	4928	0.9169	0.0831	(0.0777, 0.0885)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
27	2	70	4856	0.9166	0.0834	(0.0780, 0.0888)
28	4	56	4796	0.9158	0.0842	(0.0787, 0.0897)
29	2	35	4759	0.9154	0.0846	(0.0791, 0.0901)
30	7	66	4686	0.9141	0.0859	(0.0803, 0.0915)
32	2	97	4587	0.9137	0.0863	(0.0807, 0.0919)
33	4	76	4507	0.9129	0.0871	(0.0815, 0.0927)
34	3	90	4414	0.9123	0.0877	(0.0820, 0.0934)
35	2	117	4295	0.9118	0.0882	(0.0825, 0.0939)
36	14	248	4033	0.9088	0.0912	(0.0853, 0.0971)
37	13	549	3471	0.9056	0.0944	(0.0883, 0.1005)
38	11	515	2945	0.9025	0.0975	(0.0911, 0.1039)
39	8	301	2636	0.8999	0.1001	(0.0935, 0.1067)
40	4	119	2513	0.8985	0.1015	(0.0948, 0.1082)
41	6	167	2340	0.8962	0.1038	(0.0968, 0.1108)
42	4	104	2232	0.8946	0.1054	(0.0983, 0.1125)
43	7	124	2101	0.8918	0.1082	(0.1008, 0.1156)
44	5	100	1996	0.8896	0.1104	(0.1028, 0.1180)
45	2	35	1959	0.8887	0.1113	(0.1036, 0.1190)
46	1	40	1918	0.8882	0.1118	(0.1040, 0.1196)
47	3	49	1866	0.8868	0.1132	(0.1053, 0.1211)
48	1	36	1829	0.8863	0.1137	(0.1057, 0.1217)
49	4	62	1763	0.8844	0.1156	(0.1074, 0.1238)
50	2	49	1712	0.8833	0.1167	(0.1084, 0.1250)
51	1	46	1665	0.8828	0.1172	(0.1088, 0.1256)
52	4	19	1642	0.8807	0.1193	(0.1107, 0.1279)
54	4	59	1579	0.8785	0.1215	(0.1127, 0.1303)
55	1	27	1551	0.8779	0.1221	(0.1132, 0.1310)
56	1	19	1531	0.8774	0.1226	(0.1136, 0.1316)
57	1	35	1495	0.8768	0.1232	(0.1142, 0.1322)
58	4	53	1438	0.8744	0.1256	(0.1163, 0.1349)
59	3	27	1408	0.8726	0.1274	(0.1179, 0.1369)
60	2	173	1233	0.8712	0.1288	(0.1191, 0.1385)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
61	4	108	1121	0.8682	0.1318	(0.1217, 0.1419)

Table 1.30

TIME TO FIRST REPORT OF REMOVAL WITH OR WITHOUT REPLACEMENT (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	210	0	4875	0.9587	0.0413	(0.0358, 0.0468)
1	32	252	4591	0.9521	0.0479	(0.0420, 0.0538)
2	10	18	4563	0.9500	0.0500	(0.0440, 0.0560)
3	10	9	4544	0.9479	0.0521	(0.0460, 0.0582)
4	6	10	4528	0.9467	0.0533	(0.0471, 0.0595)
5	8	8	4512	0.9450	0.0550	(0.0487, 0.0613)
6	11	14	4487	0.9427	0.0573	(0.0509, 0.0637)
7	6	17	4464	0.9414	0.0586	(0.0521, 0.0651)
8	6	16	4442	0.9401	0.0599	(0.0533, 0.0665)
9	7	63	4372	0.9387	0.0613	(0.0546, 0.0680)
10	2	39	4331	0.9382	0.0618	(0.0551, 0.0685)
11	3	146	4182	0.9376	0.0624	(0.0557, 0.0691)
12	15	392	3775	0.9340	0.0660	(0.0591, 0.0729)
13	12	803	2960	0.9307	0.0693	(0.0621, 0.0765)
14	9	343	2608	0.9277	0.0723	(0.0649, 0.0797)
15	7	273	2328	0.9251	0.0749	(0.0673, 0.0825)
16	5	110	2213	0.9230	0.0770	(0.0692, 0.0848)
17	5	113	2095	0.9208	0.0792	(0.0712, 0.0872)
18	5	85	2005	0.9186	0.0814	(0.0731, 0.0897)
19	3	44	1958	0.9172	0.0828	(0.0744, 0.0912)
20	2	57	1899	0.9162	0.0838	(0.0753, 0.0923)
21	5	52	1842	0.9138	0.0862	(0.0775, 0.0949)
22	1	37	1804	0.9133	0.0867	(0.0779, 0.0955)
24	4	72	1728	0.9112	0.0888	(0.0798, 0.0978)
25	2	37	1689	0.9102	0.0898	(0.0807, 0.0989)
26	3	33	1653	0.9085	0.0915	(0.0822, 0.1008)
28	1	37	1615	0.9080	0.0920	(0.0827, 0.1013)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
29	3	19	1593	0.9063	0.0937	(0.0842, 0.1032)
30	4	22	1567	0.9040	0.0960	(0.0863, 0.1057)
31	1	19	1547	0.9034	0.0966	(0.0868, 0.1064)
32	1	24	1522	0.9028	0.0972	(0.0873, 0.1071)
33	3	40	1479	0.9010	0.0990	(0.0889, 0.1091)
34	3	30	1446	0.8992	0.1008	(0.0905, 0.1111)
35	2	54	1390	0.8979	0.1021	(0.0917, 0.1125)
36	2	192	1196	0.8965	0.1035	(0.0929, 0.1141)
37	2	219	975	0.8947	0.1053	(0.0945, 0.1161)
38	2	110	863	0.8928	0.1072	(0.0961, 0.1183)
39	2	102	759	0.8905	0.1095	(0.0980, 0.1210)
40	3	38	718	0.8868	0.1132	(0.1010, 0.1254)
42	3	109	606	0.8827	0.1173	(0.1043, 0.1303)
43	1	16	589	0.8812	0.1188	(0.1055, 0.1321)
44	1	17	571	0.8797	0.1203	(0.1067, 0.1339)
45	2	19	550	0.8766	0.1234	(0.1092, 0.1376)
48	1	47	502	0.8748	0.1252	(0.1106, 0.1398)
54	1	72	429	0.8728	0.1272	(0.1121, 0.1423)
61	1	100	328	0.8701	0.1299	(0.1139, 0.1459)

Table 1.31

TIME TO FIRST REPORT OF REOPERATION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	99	0	13322	0.9926	0.0074	(0.0060, 0.0088)
1	18	992	12312	0.9912	0.0088	(0.0072, 0.0104)
2	3	60	12249	0.9909	0.0091	(0.0075, 0.0107)
3	10	45	12194	0.9901	0.0099	(0.0082, 0.0116)
4	2	36	12156	0.9900	0.0100	(0.0083, 0.0117)
5	6	41	12109	0.9895	0.0105	(0.0088, 0.0122)
6	5	27	12077	0.9891	0.0109	(0.0091, 0.0127)
7	3	56	12018	0.9888	0.0112	(0.0094, 0.0130)
8	7	45	11966	0.9882	0.0118	(0.0099, 0.0137)
9	10	104	11852	0.9874	0.0126	(0.0107, 0.0145)
10	5	136	11711	0.9870	0.0130	(0.0110, 0.0150)
11	28	329	11354	0.9846	0.0154	(0.0133, 0.0175)
12	59	858	10437	0.9793	0.0207	(0.0182, 0.0232)
13	103	1735	8599	0.9686	0.0314	(0.0282, 0.0346)
14	66	974	7559	0.9607	0.0393	(0.0356, 0.0430)
15	30	655	6874	0.9567	0.0433	(0.0393, 0.0473)
16	14	399	6461	0.9547	0.0453	(0.0412, 0.0494)
17	14	318	6129	0.9526	0.0474	(0.0431, 0.0517)
18	11	212	5906	0.9508	0.0492	(0.0448, 0.0536)
19	4	186	5716	0.9502	0.0498	(0.0454, 0.0542)
20	4	160	5552	0.9495	0.0505	(0.0461, 0.0549)
21	4	77	5471	0.9488	0.0512	(0.0467, 0.0557)
22	7	137	5327	0.9476	0.0524	(0.0478, 0.0570)
23	4	49	5274	0.9469	0.0531	(0.0485, 0.0577)
24	5	126	5143	0.9459	0.0541	(0.0494, 0.0588)
25	4	88	5051	0.9452	0.0548	(0.0501, 0.0595)
26	2	97	4952	0.9448	0.0552	(0.0504, 0.0600)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
27	3	56	4893	0.9442	0.0558	(0.0510, 0.0606)
28	4	52	4837	0.9435	0.0565	(0.0516, 0.0614)
29	2	59	4776	0.9431	0.0569	(0.0520, 0.0618)
31	1	103	4672	0.9429	0.0571	(0.0522, 0.0620)
32	5	88	4579	0.9419	0.0581	(0.0531, 0.0631)
33	3	73	4503	0.9412	0.0588	(0.0538, 0.0638)
34	7	74	4422	0.9398	0.0602	(0.0550, 0.0654)
35	9	107	4306	0.9378	0.0622	(0.0569, 0.0675)
36	7	252	4047	0.9363	0.0637	(0.0583, 0.0691)
37	21	523	3503	0.9310	0.0690	(0.0632, 0.0748)
38	17	427	3059	0.9262	0.0738	(0.0676, 0.0800)
39	14	341	2704	0.9217	0.0783	(0.0717, 0.0849)
40	3	171	2530	0.9207	0.0793	(0.0726, 0.0860)
41	9	182	2339	0.9172	0.0828	(0.0757, 0.0899)
42	2	150	2187	0.9164	0.0836	(0.0764, 0.0908)
43	3	50	2134	0.9151	0.0849	(0.0776, 0.0922)
44	1	120	2013	0.9147	0.0853	(0.0780, 0.0926)
45	3	16	1994	0.9133	0.0867	(0.0792, 0.0942)
46	1	66	1927	0.9128	0.0872	(0.0797, 0.0947)
48	1	111	1815	0.9123	0.0877	(0.0801, 0.0953)
49	4	21	1790	0.9103	0.0897	(0.0819, 0.0975)
50	2	51	1737	0.9093	0.0907	(0.0827, 0.0987)
51	2	51	1684	0.9082	0.0918	(0.0837, 0.0999)
53	2	68	1614	0.9071	0.0929	(0.0847, 0.1011)
55	1	77	1536	0.9065	0.0935	(0.0852, 0.1018)
56	1	25	1510	0.9059	0.0941	(0.0857, 0.1025)
58	1	71	1438	0.9053	0.0947	(0.0863, 0.1031)
59	2	32	1404	0.9040	0.0960	(0.0874, 0.1046)
60	3	125	1276	0.9020	0.0980	(0.0891, 0.1069)
61	3	198	1075	0.8996	0.1004	(0.0911, 0.1097)

Table 1.32

TIME TO FIRST REPORT OF REOPERATION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	52	0	5033	0.9898	0.0102	(0.0074, 0.0130)
1	7	335	4691	0.9883	0.0117	(0.0087, 0.0147)
2	3	25	4663	0.9877	0.0123	(0.0092, 0.0154)
3	1	7	4655	0.9875	0.0125	(0.0094, 0.0156)
4	6	19	4630	0.9862	0.0138	(0.0106, 0.0170)
5	2	27	4601	0.9858	0.0142	(0.0109, 0.0175)
6	2	13	4586	0.9853	0.0147	(0.0113, 0.0181)
7	4	8	4574	0.9845	0.0155	(0.0121, 0.0189)
8	5	26	4543	0.9834	0.0166	(0.0130, 0.0202)
9	4	60	4479	0.9825	0.0175	(0.0138, 0.0212)
10	2	41	4436	0.9821	0.0179	(0.0142, 0.0216)
11	25	107	4304	0.9765	0.0235	(0.0192, 0.0278)
12	66	411	3827	0.9607	0.0393	(0.0336, 0.0450)
13	113	701	3013	0.9293	0.0707	(0.0628, 0.0786)
14	48	383	2582	0.9134	0.0866	(0.0776, 0.0956)
15	18	233	2331	0.9068	0.0932	(0.0838, 0.1026)
16	13	142	2176	0.9016	0.0984	(0.0886, 0.1082)
17	10	115	2051	0.8973	0.1027	(0.0926, 0.1128)
18	7	81	1963	0.8942	0.1058	(0.0955, 0.1161)
19	8	65	1890	0.8905	0.1095	(0.0989, 0.1201)
20	5	41	1844	0.8881	0.1119	(0.1011, 0.1227)
21	5	55	1784	0.8856	0.1144	(0.1035, 0.1253)
22	2	45	1737	0.8846	0.1154	(0.1044, 0.1264)
23	2	18	1717	0.8836	0.1164	(0.1053, 0.1275)
24	2	51	1664	0.8826	0.1174	(0.1062, 0.1286)
25	3	36	1625	0.8809	0.1191	(0.1078, 0.1304)
26	2	31	1592	0.8799	0.1201	(0.1087, 0.1315)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
27	3	15	1574	0.8782	0.1218	(0.1103, 0.1333)
28	1	37	1536	0.8776	0.1224	(0.1108, 0.1340)
29	1	22	1513	0.8770	0.1230	(0.1114, 0.1346)
30	1	37	1475	0.8764	0.1236	(0.1119, 0.1353)
32	2	57	1416	0.8752	0.1248	(0.1130, 0.1366)
34	1	52	1363	0.8746	0.1254	(0.1136, 0.1372)
35	2	55	1306	0.8733	0.1267	(0.1147, 0.1387)
36	3	73	1230	0.8712	0.1288	(0.1166, 0.1410)
37	11	219	1000	0.8625	0.1375	(0.1244, 0.1506)
38	5	128	867	0.8578	0.1422	(0.1286, 0.1558)
39	6	104	757	0.8514	0.1486	(0.1341, 0.1631)
40	1	88	668	0.8501	0.1499	(0.1352, 0.1646)
41	3	29	636	0.8462	0.1538	(0.1386, 0.1690)
43	5	78	553	0.8393	0.1607	(0.1444, 0.1770)
44	1	5	547	0.8378	0.1622	(0.1457, 0.1787)
46	1	39	507	0.8361	0.1639	(0.1471, 0.1807)
48	1	31	475	0.8344	0.1656	(0.1485, 0.1827)
49	1	17	457	0.8325	0.1675	(0.1500, 0.1850)
54	1	51	405	0.8305	0.1695	(0.1516, 0.1874)
55	2	7	396	0.8263	0.1737	(0.1550, 0.1924)
58	1	25	370	0.8241	0.1759	(0.1568, 0.1950)
59	1	14	355	0.8218	0.1782	(0.1586, 0.1978)
61	2	74	279	0.8165	0.1835	(0.1627, 0.2043)

Table 1.33

TIME TO FIRST REPORT OF RUPTURE (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	34	0	13387	0.9975	0.0025	(0.0016, 0.0034)
2	4	1092	12291	0.9971	0.0029	(0.0020, 0.0038)
3	3	39	12249	0.9969	0.0031	(0.0022, 0.0040)
6	1	132	12116	0.9968	0.0032	(0.0022, 0.0042)
8	2	128	11986	0.9967	0.0034	(0.0023, 0.0043)
10	1	205	11780	0.9966	0.0034	(0.0024, 0.0044)
11	1	891	10888	0.9965	0.0035	(0.0025, 0.0045)
12	1	362	10525	0.9964	0.0036	(0.0026, 0.0046)
13	8	1884	8633	0.9955	0.0045	(0.0033, 0.0057)
14	3	1415	7215	0.9952	0.0048	(0.0035, 0.0061)
15	1	466	6748	0.9950	0.0050	(0.0037, 0.0063)
16	1	224	6523	0.9949	0.0051	(0.0038, 0.0064)
23	2	1093	5428	0.9945	0.0055	(0.0041, 0.0069)
28	2	451	4975	0.9941	0.0059	(0.0044, 0.0074)
32	1	268	4706	0.9939	0.0061	(0.0045, 0.0077)
33	1	28	4677	0.9937	0.0063	(0.0047, 0.0079)
34	2	125	4550	0.9933	0.0067	(0.0050, 0.0084)
36	1	455	4094	0.9930	0.0070	(0.0052, 0.0088)
39	2	1301	2791	0.9924	0.0076	(0.0056, 0.0096)
40	2	129	2660	0.9917	0.0083	(0.0061, 0.0105)
42	3	300	2357	0.9905	0.0095	(0.0069, 0.0121)
43	1	174	2182	0.9901	0.0099	(0.0072, 0.0126)
49	1	313	1868	0.9895	0.0105	(0.0076, 0.0134)
51	1	96	1771	0.9890	0.0110	(0.0079, 0.0141)
52	1	27	1743	0.9884	0.0116	(0.0083, 0.0149)
57	1	157	1585	0.9878	0.0122	(0.0087, 0.0157)
58	2	64	1519	0.9865	0.0135	(0.0096, 0.0174)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
60	2	295	1222	0.9849	0.0151	(0.0106, 0.0196)
61	1	22	1199	0.9841	0.0159	(0.0111, 0.0207)

Table 1.34

TIME TO FIRST REPORT OF RUPTURE (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	8	0	5077	0.9984	0.0016	(0.0005, 0.0027)
2	1	387	4689	0.9982	0.0018	(0.0006, 0.0030)
12	1	1125	3563	0.9979	0.0021	(0.0008, 0.0034)
13	2	459	3102	0.9973	0.0027	(0.0012, 0.0042)
15	3	638	2461	0.9963	0.0037	(0.0017, 0.0057)
16	1	116	2344	0.9958	0.0042	(0.0021, 0.0063)
33	1	789	1554	0.9952	0.0048	(0.0023, 0.0073)
37	1	575	978	0.9942	0.0058	(0.0026, 0.0090)
61	1	192	785	0.9929	0.0071	(0.0031, 0.0111)

Table 1.35

TIME TO FIRST REPORT OF SEROMA (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	47	0	13374	0.9965	0.0035	(0.0025, 0.0045)
1	23	1035	12316	0.9947	0.0053	(0.0041, 0.0065)
2	3	37	12276	0.9944	0.0056	(0.0043, 0.0069)
3	3	27	12246	0.9942	0.0058	(0.0045, 0.0071)
4	4	53	12189	0.9938	0.0062	(0.0049, 0.0075)
5	7	35	12147	0.9933	0.0067	(0.0053, 0.0081)
6	4	43	12100	0.9929	0.0071	(0.0057, 0.0085)
7	3	74	12023	0.9927	0.0073	(0.0058, 0.0088)
8	1	92	11930	0.9926	0.0074	(0.0059, 0.0089)
9	1	57	11872	0.9925	0.0075	(0.0060, 0.0090)
10	1	117	11754	0.9924	0.0076	(0.0061, 0.0091)
11	4	492	11258	0.9921	0.0079	(0.0064, 0.0094)
12	13	1000	10245	0.9909	0.0091	(0.0074, 0.0108)
13	17	1512	8716	0.9891	0.0109	(0.0090, 0.0128)
14	14	1006	7696	0.9874	0.0126	(0.0105, 0.0147)
15	6	729	6961	0.9866	0.0134	(0.0112, 0.0156)
16	6	335	6620	0.9857	0.0143	(0.0120, 0.0166)
17	4	403	6213	0.9851	0.0149	(0.0125, 0.0173)
19	1	340	5872	0.9849	0.0151	(0.0127, 0.0175)
20	1	236	5635	0.9848	0.0152	(0.0128, 0.0176)
21	1	47	5587	0.9846	0.0154	(0.0130, 0.0178)
22	1	71	5515	0.9844	0.0156	(0.0131, 0.0180)
31	1	721	4793	0.9842	0.0158	(0.0133, 0.0183)
32	1	104	4688	0.9840	0.0160	(0.0135, 0.0185)
34	1	212	4475	0.9838	0.0162	(0.0137, 0.0187)
35	1	193	4281	0.9836	0.0164	(0.0138, 0.0190)
36	1	86	4194	0.9833	0.0167	(0.0141, 0.0193)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
37	2	568	3624	0.9828	0.0172	(0.0145, 0.0199)
38	2	529	3093	0.9822	0.0178	(0.0150, 0.0206)
39	1	308	2784	0.9818	0.0182	(0.0153, 0.0211)
40	2	204	2578	0.9811	0.0189	(0.0158, 0.0220)
47	1	619	1958	0.9806	0.0194	(0.0161, 0.0227)
61	1	882	1075	0.9797	0.0203	(0.0166, 0.0240)

Table 1.36

TIME TO FIRST REPORT OF SEROMA (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	14	0	5071	0.9972	0.0028	(0.0014, 0.0042)
1	7	342	4722	0.9958	0.0042	(0.0024, 0.0060)
2	4	40	4678	0.9949	0.0051	(0.0031, 0.0071)
3	1	16	4661	0.9947	0.0053	(0.0033, 0.0073)
6	1	53	4607	0.9945	0.0055	(0.0034, 0.0076)
8	1	33	4573	0.9943	0.0057	(0.0036, 0.0078)
9	1	43	4529	0.9941	0.0059	(0.0037, 0.0081)
10	1	43	4485	0.9938	0.0062	(0.0040, 0.0084)
11	3	459	4023	0.9931	0.0069	(0.0046, 0.0092)
12	1	160	3862	0.9929	0.0071	(0.0047, 0.0095)
13	6	879	2977	0.9911	0.0089	(0.0061, 0.0117)
20	1	983	1993	0.9906	0.0094	(0.0065, 0.0123)
24	2	165	1826	0.9896	0.0104	(0.0071, 0.0137)
27	1	109	1716	0.9890	0.0110	(0.0076, 0.0144)
33	1	172	1543	0.9884	0.0116	(0.0079, 0.0153)
37	1	571	971	0.9874	0.0126	(0.0084, 0.0168)
61	1	337	633	0.9858	0.0142	(0.0090, 0.0194)

Table 1.37

TIME TO FIRST REPORT OF WRINKLING (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	13421	1.0000	0.0000	(0.0000, 0.0000)
0	229	0	13192	0.9829	0.0171	(0.0149, 0.0193)
1	15	928	12249	0.9817	0.0183	(0.0160, 0.0206)
2	6	48	12195	0.9813	0.0187	(0.0164, 0.0210)
3	6	29	12160	0.9808	0.0192	(0.0169, 0.0215)
4	4	45	12111	0.9805	0.0195	(0.0171, 0.0219)
5	10	42	12059	0.9796	0.0204	(0.0180, 0.0228)
6	5	24	12030	0.9792	0.0208	(0.0184, 0.0232)
7	11	53	11966	0.9783	0.0217	(0.0192, 0.0242)
8	14	31	11921	0.9772	0.0228	(0.0203, 0.0253)
9	12	72	11837	0.9762	0.0238	(0.0212, 0.0264)
10	20	144	11673	0.9745	0.0255	(0.0228, 0.0282)
11	61	324	11288	0.9694	0.0306	(0.0276, 0.0336)
12	170	797	10321	0.9542	0.0458	(0.0421, 0.0495)
13	369	1559	8393	0.9171	0.0829	(0.0777, 0.0881)
14	170	866	7357	0.8975	0.1025	(0.0967, 0.1083)
15	115	578	6664	0.8828	0.1172	(0.1109, 0.1235)
16	78	379	6207	0.8722	0.1278	(0.1211, 0.1345)
17	53	282	5872	0.8645	0.1355	(0.1286, 0.1424)
18	31	188	5653	0.8599	0.1401	(0.1330, 0.1472)
19	33	189	5431	0.8548	0.1452	(0.1379, 0.1525)
20	22	113	5296	0.8513	0.1487	(0.1413, 0.1561)
21	18	102	5176	0.8483	0.1517	(0.1442, 0.1592)
22	18	82	5076	0.8454	0.1546	(0.1470, 0.1622)
23	16	88	4972	0.8427	0.1573	(0.1497, 0.1649)
24	14	84	4874	0.8403	0.1597	(0.1520, 0.1674)
25	13	97	4764	0.8380	0.1620	(0.1542, 0.1698)
26	9	70	4685	0.8364	0.1636	(0.1557, 0.1715)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
27	11	60	4614	0.8345	0.1655	(0.1576, 0.1734)
28	6	55	4553	0.8334	0.1666	(0.1586, 0.1746)
29	12	54	4487	0.8312	0.1688	(0.1608, 0.1768)
30	6	35	4446	0.8300	0.1700	(0.1619, 0.1781)
31	8	56	4382	0.8285	0.1715	(0.1634, 0.1796)
32	8	71	4303	0.8270	0.1730	(0.1648, 0.1812)
33	8	51	4244	0.8255	0.1745	(0.1663, 0.1827)
34	8	107	4129	0.8239	0.1761	(0.1678, 0.1844)
35	9	88	4032	0.8221	0.1779	(0.1695, 0.1863)
36	28	228	3776	0.8162	0.1838	(0.1752, 0.1924)
37	58	468	3250	0.8028	0.1972	(0.1881, 0.2063)
38	57	369	2824	0.7878	0.2122	(0.2025, 0.2219)
39	29	277	2518	0.7793	0.2207	(0.2106, 0.2308)
40	11	198	2309	0.7758	0.2242	(0.2139, 0.2345)
41	16	120	2173	0.7702	0.2298	(0.2192, 0.2404)
42	8	105	2060	0.7673	0.2327	(0.2220, 0.2434)
43	14	85	1961	0.7620	0.2380	(0.2270, 0.2490)
44	7	76	1878	0.7592	0.2408	(0.2297, 0.2519)
45	4	42	1832	0.7576	0.2424	(0.2312, 0.2536)
46	6	63	1763	0.7551	0.2449	(0.2335, 0.2563)
47	5	36	1722	0.7529	0.2471	(0.2356, 0.2586)
48	6	39	1677	0.7502	0.2498	(0.2381, 0.2615)
49	4	47	1626	0.7484	0.2516	(0.2398, 0.2634)
50	3	63	1560	0.7470	0.2530	(0.2412, 0.2648)
51	1	11	1548	0.7465	0.2535	(0.2416, 0.2654)
52	3	64	1481	0.7450	0.2550	(0.2430, 0.2670)
53	2	9	1470	0.7440	0.2560	(0.2440, 0.2680)
54	1	32	1437	0.7435	0.2565	(0.2444, 0.2686)
55	2	25	1410	0.7425	0.2575	(0.2454, 0.2696)
56	2	18	1390	0.7414	0.2586	(0.2464, 0.2708)
57	4	48	1338	0.7392	0.2608	(0.2484, 0.2732)
58	1	19	1318	0.7387	0.2613	(0.2489, 0.2737)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
59	1	65	1252	0.7381	0.2619	(0.2495, 0.2743)
60	6	57	1189	0.7345	0.2655	(0.2528, 0.2782)
61	10	234	945	0.7277	0.2723	(0.2590, 0.2856)

Table 1.38

TIME TO FIRST REPORT OF WRINKLING (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	5085	1.0000	0.0000	(0.0000, 0.0000)
0	59	0	5026	0.9884	0.0116	(0.0087, 0.0145)
1	4	308	4714	0.9876	0.0124	(0.0093, 0.0155)
3	1	55	4658	0.9874	0.0126	(0.0095, 0.0157)
5	4	36	4618	0.9865	0.0135	(0.0103, 0.0167)
6	4	24	4590	0.9856	0.0144	(0.0111, 0.0177)
7	1	9	4580	0.9854	0.0146	(0.0113, 0.0179)
8	6	17	4557	0.9841	0.0159	(0.0124, 0.0194)
9	7	40	4510	0.9826	0.0174	(0.0138, 0.0210)
10	6	40	4464	0.9813	0.0187	(0.0149, 0.0225)
11	11	146	4307	0.9789	0.0211	(0.0171, 0.0251)
12	48	404	3855	0.9673	0.0327	(0.0275, 0.0379)
13	114	692	3049	0.9353	0.0647	(0.0571, 0.0723)
14	48	390	2611	0.9197	0.0803	(0.0716, 0.0890)
15	27	221	2363	0.9097	0.0903	(0.0809, 0.0997)
16	16	138	2209	0.9034	0.0966	(0.0868, 0.1064)
17	14	109	2086	0.8975	0.1025	(0.0923, 0.1127)
18	15	69	2002	0.8909	0.1091	(0.0984, 0.1198)
19	4	62	1936	0.8891	0.1109	(0.1001, 0.1217)
20	6	55	1875	0.8863	0.1137	(0.1027, 0.1247)
21	8	63	1804	0.8825	0.1175	(0.1062, 0.1288)
22	3	23	1778	0.8810	0.1190	(0.1076, 0.1304)
23	4	39	1735	0.8790	0.1210	(0.1095, 0.1325)
24	3	38	1694	0.8774	0.1226	(0.1110, 0.1342)
25	4	36	1654	0.8753	0.1247	(0.1129, 0.1365)
26	1	24	1629	0.8748	0.1252	(0.1134, 0.1370)
27	4	18	1607	0.8726	0.1274	(0.1154, 0.1394)
28	2	46	1559	0.8715	0.1285	(0.1164, 0.1406)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
29	3	25	1531	0.8698	0.1302	(0.1180, 0.1424)
30	1	8	1522	0.8693	0.1307	(0.1185, 0.1429)
31	7	17	1498	0.8653	0.1347	(0.1222, 0.1472)
32	2	23	1473	0.8641	0.1359	(0.1233, 0.1485)
33	5	40	1428	0.8611	0.1389	(0.1261, 0.1517)
34	6	34	1388	0.8574	0.1426	(0.1295, 0.1557)
35	5	60	1323	0.8543	0.1457	(0.1323, 0.1591)
36	9	56	1258	0.8484	0.1516	(0.1378, 0.1654)
37	29	207	1022	0.8272	0.1728	(0.1573, 0.1883)
38	22	166	834	0.8077	0.1923	(0.1752, 0.2094)
39	13	62	759	0.7947	0.2053	(0.1871, 0.2235)
40	6	73	680	0.7881	0.2119	(0.1930, 0.2308)
41	8	60	612	0.7784	0.2216	(0.2018, 0.2414)
42	5	28	579	0.7719	0.2281	(0.2077, 0.2485)
45	3	62	514	0.7677	0.2323	(0.2115, 0.2531)
46	2	21	491	0.7646	0.2354	(0.2142, 0.2566)
47	1	11	479	0.7630	0.2370	(0.2156, 0.2584)
48	1	12	466	0.7614	0.2386	(0.2170, 0.2602)
49	1	8	457	0.7597	0.2403	(0.2185, 0.2621)
50	4	17	436	0.7529	0.2471	(0.2246, 0.2696)
51	1	9	426	0.7512	0.2488	(0.2261, 0.2715)
52	2	7	417	0.7476	0.2524	(0.2293, 0.2755)
53	1	14	402	0.7457	0.2543	(0.2308, 0.2778)
54	1	9	392	0.7439	0.2561	(0.2324, 0.2798)
55	1	3	388	0.7419	0.2581	(0.2342, 0.2820)
57	1	19	368	0.7399	0.2601	(0.2360, 0.2842)
58	1	4	363	0.7379	0.2621	(0.2376, 0.2866)
60	1	17	345	0.7358	0.2642	(0.2395, 0.2889)
61	1	115	229	0.7326	0.2674	(0.2419, 0.2929)

Appendix G
Kaplan-Meier Tables I

Table 1.1

TIME TO FIRST REPORT OF ASYMMETRY (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
1	7	2	1358	0.9942	0.0059	(0.0018, 0.0098)
2	1	0	1357	0.9934	0.0066	(0.0023, 0.0109)
3	2	5	1350	0.9920	0.0081	(0.0033, 0.0127)
4	1	2	1347	0.9912	0.0088	(0.0039, 0.0137)
6	2	1	1344	0.9897	0.0103	(0.0049, 0.0157)
7	8	3	1333	0.9838	0.0162	(0.0095, 0.0229)
8	2	0	1331	0.9824	0.0176	(0.0106, 0.0246)
9	4	3	1324	0.9794	0.0206	(0.0131, 0.0281)
10	2	5	1317	0.9779	0.0221	(0.0143, 0.0299)
11	5	3	1309	0.9742	0.0258	(0.0174, 0.0342)
12	8	4	1297	0.9682	0.0318	(0.0225, 0.0411)
13	10	8	1279	0.9608	0.0392	(0.0289, 0.0495)
14	8	9	1262	0.9547	0.0453	(0.0342, 0.0564)
15	5	9	1248	0.9509	0.0491	(0.0376, 0.0606)
16	7	9	1232	0.9456	0.0544	(0.0423, 0.0665)
17	3	15	1214	0.9433	0.0567	(0.0443, 0.0691)
18	3	8	1203	0.9409	0.0591	(0.0465, 0.0717)
19	2	22	1179	0.9394	0.0606	(0.0478, 0.0734)
20	1	19	1159	0.9385	0.0615	(0.0486, 0.0744)
21	6	47	1106	0.9336	0.0664	(0.0530, 0.0798)
22	1	9	1096	0.9328	0.0672	(0.0537, 0.0807)
23	2	30	1064	0.9310	0.0690	(0.0553, 0.0827)
24	4	24	1036	0.9275	0.0725	(0.0584, 0.0866)
25	3	16	1017	0.9247	0.0753	(0.0609, 0.0897)
27	3	53	961	0.9219	0.0781	(0.0634, 0.0928)
28	4	30	927	0.9180	0.0820	(0.0669, 0.0971)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
29	2	28	897	0.9160	0.0840	(0.0687, 0.0993)
30	1	35	861	0.9150	0.0850	(0.0696, 0.1004)
31	1	11	849	0.9139	0.0861	(0.0705, 0.1017)
32	2	14	833	0.9117	0.0883	(0.0725, 0.1041)
33	4	22	807	0.9072	0.0928	(0.0765, 0.1091)
34	2	9	796	0.9050	0.0950	(0.0784, 0.1116)
35	3	13	780	0.9015	0.0985	(0.0815, 0.1155)
36	5	15	760	0.8957	0.1043	(0.0867, 0.1219)
37	2	9	749	0.8933	0.1067	(0.0888, 0.1246)
38	1	3	745	0.8921	0.1079	(0.0899, 0.1259)
39	5	22	718	0.8860	0.1140	(0.0953, 0.1327)
40	1	8	709	0.8848	0.1152	(0.0964, 0.1340)
41	2	17	690	0.8823	0.1177	(0.0986, 0.1368)
42	1	3	686	0.8810	0.1190	(0.0998, 0.1382)
43	3	21	662	0.8771	0.1229	(0.1033, 0.1425)
44	3	7	652	0.8731	0.1269	(0.1069, 0.1469)
47	1	23	628	0.8717	0.1283	(0.1081, 0.1485)
48	2	10	616	0.8689	0.1311	(0.1105, 0.1517)
49	1	10	605	0.8674	0.1326	(0.1120, 0.1532)
50	3	5	597	0.8631	0.1369	(0.1157, 0.1581)
51	1	12	584	0.8616	0.1384	(0.1170, 0.1598)
54	1	10	573	0.8601	0.1399	(0.1183, 0.1615)
61	1	64	508	0.8584	0.1416	(0.1198, 0.1634)

Table 1.2

TIME TO FIRST REPORT OF ASYMMETRY (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	2	0	631	0.9953	0.0047	(0.0000, 0.0101)
2	2	0	629	0.9921	0.0079	(0.0010, 0.0148)
5	3	2	624	0.9874	0.0126	(0.0039, 0.0213)
6	1	1	622	0.9858	0.0142	(0.0050, 0.0234)
7	2	0	620	0.9826	0.0174	(0.0072, 0.0276)
8	1	1	618	0.9810	0.0190	(0.0084, 0.0296)
9	4	2	612	0.9747	0.0253	(0.0130, 0.0375)
10	4	0	608	0.9683	0.0317	(0.0180, 0.0454)
11	4	3	601	0.9619	0.0381	(0.0231, 0.0531)
12	4	2	595	0.9555	0.0445	(0.0284, 0.0606)
13	2	1	592	0.9523	0.0477	(0.0310, 0.0644)
14	3	6	583	0.9474	0.0526	(0.0351, 0.0701)
15	4	0	579	0.9409	0.0591	(0.0406, 0.0776)
16	4	2	573	0.9344	0.0656	(0.0462, 0.0850)
17	5	7	561	0.9262	0.0738	(0.0532, 0.0944)
18	1	6	554	0.9245	0.0755	(0.0547, 0.0963)
19	1	12	541	0.9228	0.0772	(0.0562, 0.0982)
24	3	65	473	0.9174	0.0826	(0.0608, 0.1044)
25	2	22	449	0.9134	0.0866	(0.0643, 0.1089)
29	2	68	379	0.9090	0.0910	(0.0679, 0.1141)
30	1	32	346	0.9064	0.0936	(0.0701, 0.1171)
33	1	29	316	0.9035	0.0965	(0.0724, 0.1206)
34	1	3	312	0.9006	0.0994	(0.0747, 0.1241)
35	2	5	305	0.8948	0.1052	(0.0793, 0.1311)
37	5	11	289	0.8798	0.1202	(0.0916, 0.1488)
38	6	6	277	0.8613	0.1387	(0.1071, 0.1703)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
39	1	7	269	0.8582	0.1418	(0.1097, 0.1739)
40	1	5	263	0.8549	0.1451	(0.1126, 0.1776)
42	1	12	250	0.8515	0.1485	(0.1154, 0.1816)
48	1	23	226	0.8477	0.1523	(0.1186, 0.1860)
49	1	5	220	0.8439	0.1561	(0.1216, 0.1906)
50	1	3	216	0.8400	0.1600	(0.1249, 0.1951)
53	2	6	208	0.8321	0.1679	(0.1314, 0.2044)
54	2	2	204	0.8241	0.1759	(0.1381, 0.2137)
55	2	1	201	0.8160	0.1840	(0.1450, 0.2230)
56	1	5	195	0.8118	0.1882	(0.1486, 0.2278)
58	2	8	185	0.8033	0.1967	(0.1557, 0.2377)
60	2	10	173	0.7944	0.2056	(0.1633, 0.2479)
61	2	2	169	0.7851	0.2149	(0.1712, 0.2586)

Table 1.3

TIME TO FIRST REPORT OF BREAST PAIN (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	2	0	1366	0.9985	0.0015	(0.0000, 0.0035)
2	1	4	1361	0.9978	0.0022	(0.0000, 0.0047)
4	1	5	1355	0.9971	0.0029	(0.0000, 0.0058)
6	1	1	1353	0.9963	0.0037	(0.0005, 0.0069)
7	5	2	1346	0.9926	0.0074	(0.0029, 0.0119)
8	2	3	1341	0.9912	0.0088	(0.0038, 0.0138)
9	1	1	1339	0.9904	0.0096	(0.0044, 0.0148)
10	2	3	1334	0.9889	0.0111	(0.0055, 0.0167)
11	5	9	1320	0.9852	0.0148	(0.0084, 0.0212)
12	1	3	1316	0.9845	0.0155	(0.0089, 0.0221)
13	4	5	1307	0.9815	0.0185	(0.0113, 0.0257)
14	5	9	1293	0.9777	0.0223	(0.0144, 0.0302)
15	4	9	1280	0.9747	0.0253	(0.0169, 0.0337)
16	4	11	1265	0.9716	0.0284	(0.0195, 0.0373)
17	1	21	1243	0.9708	0.0292	(0.0202, 0.0382)
18	1	0	1242	0.9701	0.0299	(0.0208, 0.0390)
20	1	50	1191	0.9692	0.0308	(0.0215, 0.0401)
23	2	82	1107	0.9676	0.0324	(0.0229, 0.0419)
24	2	21	1084	0.9658	0.0342	(0.0244, 0.0440)
25	2	31	1051	0.9640	0.0360	(0.0259, 0.0461)
27	2	41	1008	0.9621	0.0379	(0.0275, 0.0483)
28	2	41	965	0.9601	0.0399	(0.0291, 0.0507)
29	1	14	950	0.9591	0.0409	(0.0300, 0.0518)
31	1	46	903	0.9581	0.0419	(0.0308, 0.0530)
34	2	46	855	0.9559	0.0441	(0.0326, 0.0556)
35	3	16	836	0.9525	0.0475	(0.0354, 0.0596)
36	2	15	819	0.9502	0.0498	(0.0373, 0.0623)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
39	1	27	791	0.9490	0.0510	(0.0383, 0.0637)
40	2	19	770	0.9465	0.0535	(0.0404, 0.0666)
41	1	10	759	0.9453	0.0547	(0.0414, 0.0680)
42	1	13	745	0.9440	0.0560	(0.0425, 0.0695)
43	2	24	719	0.9414	0.0586	(0.0446, 0.0726)
48	1	39	679	0.9400	0.0600	(0.0458, 0.0742)
49	1	8	670	0.9386	0.0614	(0.0470, 0.0758)
50	2	6	662	0.9358	0.0642	(0.0493, 0.0791)
51	1	14	647	0.9344	0.0656	(0.0504, 0.0808)
54	1	10	636	0.9329	0.0671	(0.0517, 0.0825)
55	1	20	615	0.9314	0.0686	(0.0529, 0.0843)
58	1	19	595	0.9298	0.0702	(0.0543, 0.0861)
59	1	15	579	0.9282	0.0718	(0.0556, 0.0880)
61	1	25	553	0.9265	0.0735	(0.0570, 0.0900)

Table 1.4

TIME TO FIRST REPORT OF BREAST PAIN (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	2	0	631	0.9953	0.0047	(0.0000, 0.0101)
4	1	0	630	0.9937	0.0063	(0.0001, 0.0125)
8	1	6	623	0.9921	0.0079	(0.0010, 0.0148)
10	2	3	618	0.9889	0.0111	(0.0029, 0.0193)
11	3	1	614	0.9841	0.0159	(0.0061, 0.0257)
12	1	2	611	0.9825	0.0175	(0.0072, 0.0278)
13	1	0	610	0.9809	0.0191	(0.0084, 0.0298)
15	3	6	601	0.9760	0.0240	(0.0120, 0.0360)
16	1	2	598	0.9744	0.0256	(0.0132, 0.0380)
17	2	7	589	0.9711	0.0289	(0.0157, 0.0421)
18	1	6	582	0.9695	0.0305	(0.0170, 0.0440)
19	1	16	565	0.9677	0.0323	(0.0184, 0.0462)
20	2	7	556	0.9643	0.0357	(0.0210, 0.0504)
25	1	86	469	0.9622	0.0378	(0.0226, 0.0530)
35	1	136	332	0.9593	0.0407	(0.0245, 0.0569)
37	2	16	314	0.9534	0.0466	(0.0286, 0.0646)
39	2	13	299	0.9472	0.0528	(0.0330, 0.0726)
40	1	3	295	0.9440	0.0560	(0.0352, 0.0768)
50	1	40	254	0.9403	0.0597	(0.0377, 0.0817)
54	1	8	245	0.9365	0.0635	(0.0404, 0.0866)
56	1	7	237	0.9325	0.0675	(0.0432, 0.0918)
58	1	9	227	0.9284	0.0716	(0.0461, 0.0971)
60	1	10	216	0.9242	0.0758	(0.0491, 0.1025)
61	1	1	214	0.9199	0.0801	(0.0523, 0.1079)

Table 1.5

TIME TO FIRST REPORT OF CALCIFICATION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
4	1	9	1358	0.9993	0.0007	(0.0000, 0.0021)
9	1	8	1349	0.9985	0.0015	(0.0000, 0.0035)
12	1	18	1330	0.9978	0.0022	(0.0000, 0.0047)
17	1	43	1286	0.9970	0.0030	(0.0001, 0.0059)
35	1	410	875	0.9959	0.0041	(0.0004, 0.0078)
61	1	51	823	0.9947	0.0054	(0.0009, 0.0097)

Table 1.6

TIME TO FIRST REPORT OF CALCIFICATION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
61	0	634	0	1.0000	0.0000	(0.0000, 0.0000)

Table 1.7

TIME TO FIRST REPORT OF CAPSULAR CONTRACTURE III (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
2	4	2	1361	0.9963	0.0037	(0.0005, 0.0069)
4	2	7	1352	0.9949	0.0051	(0.0013, 0.0089)
6	2	1	1349	0.9934	0.0066	(0.0023, 0.0109)
8	5	5	1339	0.9897	0.0103	(0.0049, 0.0157)
10	3	9	1327	0.9875	0.0125	(0.0066, 0.0184)
11	3	2	1322	0.9853	0.0147	(0.0083, 0.0211)
12	3	5	1314	0.9830	0.0170	(0.0101, 0.0239)
13	4	9	1301	0.9800	0.0200	(0.0125, 0.0275)
14	3	9	1289	0.9777	0.0223	(0.0144, 0.0302)
15	2	8	1279	0.9762	0.0238	(0.0157, 0.0319)
17	1	15	1263	0.9755	0.0245	(0.0162, 0.0328)
18	2	14	1247	0.9739	0.0261	(0.0176, 0.0346)
21	1	82	1164	0.9731	0.0269	(0.0182, 0.0356)
23	2	53	1109	0.9713	0.0287	(0.0197, 0.0377)
24	3	19	1087	0.9687	0.0313	(0.0219, 0.0407)
25	3	37	1047	0.9660	0.0340	(0.0241, 0.0439)
26	1	21	1025	0.9650	0.0350	(0.0249, 0.0451)
28	1	55	969	0.9640	0.0360	(0.0257, 0.0463)
29	1	17	951	0.9630	0.0370	(0.0266, 0.0474)
31	1	57	893	0.9619	0.0381	(0.0275, 0.0487)
33	1	27	865	0.9608	0.0392	(0.0284, 0.0500)
34	2	6	857	0.9586	0.0414	(0.0301, 0.0527)
35	2	12	843	0.9563	0.0437	(0.0320, 0.0554)
36	1	14	828	0.9552	0.0448	(0.0329, 0.0567)
39	1	39	788	0.9540	0.0460	(0.0339, 0.0581)
40	1	8	779	0.9527	0.0473	(0.0350, 0.0596)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
43	3	48	728	0.9490	0.0510	(0.0380, 0.0640)
44	1	4	723	0.9477	0.0523	(0.0391, 0.0655)
48	1	33	689	0.9463	0.0537	(0.0403, 0.0671)
49	1	9	679	0.9449	0.0551	(0.0414, 0.0688)
50	2	6	671	0.9421	0.0579	(0.0437, 0.0721)
51	1	13	657	0.9407	0.0593	(0.0449, 0.0737)
54	1	12	644	0.9392	0.0608	(0.0461, 0.0755)
58	1	39	604	0.9377	0.0623	(0.0473, 0.0773)
61	1	43	560	0.9360	0.0640	(0.0487, 0.0793)

Table 1.8

TIME TO FIRST REPORT OF CAPSULAR CONTRACTURE III (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
2	1	0	632	0.9968	0.0032	(0.0000, 0.0076)
8	1	6	625	0.9953	0.0048	(0.0000, 0.0101)
9	2	0	623	0.9921	0.0079	(0.0010, 0.0148)
11	2	4	617	0.9889	0.0111	(0.0029, 0.0193)
12	1	1	615	0.9873	0.0127	(0.0039, 0.0215)
14	1	7	607	0.9856	0.0144	(0.0051, 0.0237)
15	1	2	604	0.9840	0.0160	(0.0062, 0.0258)
16	1	0	603	0.9824	0.0176	(0.0073, 0.0279)
17	3	7	593	0.9775	0.0225	(0.0108, 0.0342)
18	1	6	586	0.9758	0.0242	(0.0121, 0.0363)
19	1	19	566	0.9741	0.0259	(0.0134, 0.0384)
20	1	13	552	0.9723	0.0277	(0.0147, 0.0407)
24	1	50	501	0.9704	0.0296	(0.0161, 0.0431)
25	1	19	481	0.9684	0.0316	(0.0176, 0.0456)
29	2	70	409	0.9640	0.0360	(0.0208, 0.0512)
30	1	33	375	0.9614	0.0386	(0.0226, 0.0546)
31	1	5	369	0.9588	0.0412	(0.0244, 0.0580)
33	1	25	343	0.9560	0.0440	(0.0264, 0.0616)
34	1	6	336	0.9532	0.0468	(0.0284, 0.0652)
35	1	10	325	0.9503	0.0497	(0.0305, 0.0689)
39	2	24	299	0.9442	0.0558	(0.0350, 0.0766)
54	1	55	243	0.9403	0.0597	(0.0376, 0.0818)
55	1	1	241	0.9364	0.0636	(0.0403, 0.0869)
56	1	5	235	0.9324	0.0676	(0.0431, 0.0921)
58	2	8	225	0.9244	0.0756	(0.0489, 0.1023)
59	2	5	218	0.9160	0.0840	(0.0552, 0.1128)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
61	1	8	209	0.9117	0.0883	(0.0583, 0.1183)

Table 1.9

TIME TO FIRST REPORT OF CAPSULAR CONTRACTURE IV (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
2	1	4	1362	0.9985	0.0015	(0.0000, 0.0035)
5	1	5	1356	0.9978	0.0022	(0.0000, 0.0047)
10	1	13	1342	0.9971	0.0029	(0.0000, 0.0058)
12	1	9	1332	0.9963	0.0037	(0.0005, 0.0069)
14	1	14	1317	0.9956	0.0045	(0.0009, 0.0079)
17	1	41	1275	0.9948	0.0052	(0.0013, 0.0091)
21	1	82	1192	0.9939	0.0061	(0.0019, 0.0103)
28	2	186	1004	0.9921	0.0079	(0.0030, 0.0128)
31	1	70	933	0.9910	0.0090	(0.0037, 0.0143)
34	1	40	892	0.9899	0.0101	(0.0044, 0.0158)
35	3	25	864	0.9866	0.0134	(0.0065, 0.0203)
39	1	42	821	0.9854	0.0146	(0.0073, 0.0219)
42	1	41	779	0.9841	0.0159	(0.0082, 0.0236)
50	1	71	707	0.9827	0.0173	(0.0092, 0.0254)
54	1	27	679	0.9813	0.0187	(0.0101, 0.0273)
61	1	83	595	0.9796	0.0204	(0.0112, 0.0296)

Table 1.10

TIME TO FIRST REPORT OF CAPSULAR CONTRACTURE IV (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
5	1	2	631	0.9984	0.0016	(0.0000, 0.0047)
8	1	4	626	0.9968	0.0032	(0.0000, 0.0076)
10	1	3	622	0.9952	0.0048	(0.0000, 0.0102)
12	1	3	618	0.9936	0.0064	(0.0002, 0.0126)
13	1	0	617	0.9920	0.0080	(0.0010, 0.0150)
25	1	122	494	0.9900	0.0100	(0.0020, 0.0180)
50	2	224	268	0.9843	0.0157	(0.0043, 0.0271)
54	1	9	258	0.9805	0.0195	(0.0059, 0.0331)
56	1	7	250	0.9766	0.0234	(0.0079, 0.0389)
61	1	20	229	0.9723	0.0277	(0.0101, 0.0453)

Table 1.11

TIME TO FIRST REPORT OF CAPSULAR CONTRACTURE III & IV (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
2	4	2	1361	0.9963	0.0037	(0.0005, 0.0069)
4	3	7	1351	0.9941	0.0059	(0.0019, 0.0099)
5	2	0	1349	0.9927	0.0073	(0.0028, 0.0118)
6	1	1	1347	0.9919	0.0081	(0.0034, 0.0128)
8	5	5	1337	0.9882	0.0118	(0.0061, 0.0175)
10	2	7	1328	0.9868	0.0132	(0.0071, 0.0193)
11	5	4	1319	0.9830	0.0170	(0.0101, 0.0239)
12	4	5	1310	0.9801	0.0199	(0.0125, 0.0273)
13	4	9	1297	0.9771	0.0229	(0.0149, 0.0309)
14	3	5	1289	0.9748	0.0252	(0.0168, 0.0336)
15	3	12	1274	0.9725	0.0275	(0.0188, 0.0362)
17	1	15	1258	0.9717	0.0283	(0.0194, 0.0372)
18	3	14	1241	0.9694	0.0306	(0.0214, 0.0398)
21	1	82	1158	0.9686	0.0314	(0.0220, 0.0408)
23	2	53	1103	0.9668	0.0332	(0.0236, 0.0428)
24	3	19	1081	0.9642	0.0358	(0.0257, 0.0459)
25	3	37	1041	0.9615	0.0385	(0.0280, 0.0490)
26	1	21	1019	0.9605	0.0395	(0.0288, 0.0502)
28	1	55	963	0.9595	0.0405	(0.0297, 0.0513)
29	1	17	945	0.9585	0.0415	(0.0305, 0.0525)
31	1	53	891	0.9574	0.0426	(0.0314, 0.0538)
33	2	31	858	0.9552	0.0448	(0.0332, 0.0564)
34	2	6	850	0.9530	0.0470	(0.0351, 0.0589)
35	3	12	835	0.9496	0.0504	(0.0379, 0.0629)
36	2	14	819	0.9473	0.0527	(0.0398, 0.0656)
39	1	39	779	0.9461	0.0539	(0.0408, 0.0670)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
40	1	8	770	0.9448	0.0552	(0.0419, 0.0685)
42	3	31	736	0.9411	0.0589	(0.0450, 0.0728)
43	1	17	718	0.9398	0.0602	(0.0461, 0.0743)
44	1	4	713	0.9385	0.0615	(0.0472, 0.0758)
48	1	33	679	0.9371	0.0629	(0.0484, 0.0774)
49	1	9	669	0.9357	0.0643	(0.0495, 0.0791)
50	2	6	661	0.9329	0.0671	(0.0519, 0.0823)
51	2	13	646	0.9300	0.0700	(0.0543, 0.0857)
54	1	12	633	0.9286	0.0714	(0.0555, 0.0873)
58	1	39	593	0.9270	0.0730	(0.0568, 0.0892)
61	1	41	551	0.9253	0.0747	(0.0582, 0.0912)

Table 1.12

TIME TO FIRST REPORT OF CAPSULAR CONTRACTURE III & IV (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
2	1	0	632	0.9968	0.0032	(0.0000, 0.0076)
5	1	2	629	0.9953	0.0047	(0.0000, 0.0101)
8	1	4	624	0.9937	0.0063	(0.0001, 0.0125)
9	3	0	621	0.9889	0.0111	(0.0029, 0.0193)
10	2	3	616	0.9857	0.0143	(0.0050, 0.0236)
11	1	1	614	0.9841	0.0159	(0.0061, 0.0257)
12	1	1	612	0.9825	0.0175	(0.0072, 0.0278)
13	2	1	609	0.9793	0.0207	(0.0095, 0.0319)
14	1	6	602	0.9777	0.0223	(0.0107, 0.0339)
15	1	2	599	0.9760	0.0240	(0.0120, 0.0360)
16	1	0	598	0.9744	0.0256	(0.0132, 0.0380)
17	3	7	588	0.9695	0.0305	(0.0170, 0.0440)
18	1	6	581	0.9678	0.0322	(0.0183, 0.0461)
19	1	19	561	0.9661	0.0339	(0.0196, 0.0482)
20	1	13	547	0.9643	0.0357	(0.0210, 0.0504)
24	1	49	497	0.9624	0.0376	(0.0225, 0.0527)
25	1	19	477	0.9604	0.0396	(0.0240, 0.0552)
29	2	70	405	0.9560	0.0440	(0.0273, 0.0607)
30	1	33	371	0.9534	0.0466	(0.0292, 0.0640)
31	1	5	365	0.9508	0.0492	(0.0311, 0.0673)
33	1	25	339	0.9480	0.0520	(0.0332, 0.0708)
34	1	6	332	0.9451	0.0549	(0.0353, 0.0745)
35	1	10	321	0.9422	0.0578	(0.0374, 0.0782)
39	2	23	296	0.9361	0.0639	(0.0419, 0.0859)
50	1	46	249	0.9324	0.0676	(0.0447, 0.0905)
54	1	9	239	0.9285	0.0715	(0.0474, 0.0956)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
55	2	1	236	0.9207	0.0793	(0.0530, 0.1056)
56	1	5	230	0.9167	0.0833	(0.0561, 0.1105)
58	2	8	220	0.9086	0.0914	(0.0622, 0.1206)
59	2	5	213	0.9002	0.0998	(0.0686, 0.1310)
61	1	7	205	0.8958	0.1042	(0.0721, 0.1363)

Table 1.13

TIME TO FIRST REPORT OF DELAYED WOUND HEALING (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
1	2	0	1365	0.9978	0.0022	(0.0000, 0.0047)
3	2	4	1359	0.9963	0.0037	(0.0005, 0.0069)
4	1	5	1353	0.9956	0.0044	(0.0009, 0.0079)
9	1	9	1343	0.9949	0.0051	(0.0013, 0.0089)
10	1	1	1341	0.9941	0.0059	(0.0018, 0.0100)
12	1	16	1324	0.9934	0.0066	(0.0023, 0.0109)
18	1	51	1272	0.9926	0.0074	(0.0028, 0.0120)
25	1	188	1083	0.9917	0.0083	(0.0034, 0.0132)
30	1	130	952	0.9906	0.0094	(0.0041, 0.0147)
39	1	126	825	0.9894	0.0106	(0.0048, 0.0164)
40	1	11	813	0.9882	0.0118	(0.0055, 0.0181)
61	1	128	684	0.9868	0.0132	(0.0063, 0.0201)

Table 1.14

TIME TO FIRST REPORT OF DELAYED WOUND HEALING (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	1	0	632	0.9968	0.0032	(0.0000, 0.0076)
2	3	0	629	0.9921	0.0079	(0.0010, 0.0148)
3	1	0	628	0.9905	0.0095	(0.0020, 0.0170)
8	1	6	621	0.9889	0.0111	(0.0029, 0.0193)
13	1	7	613	0.9873	0.0127	(0.0040, 0.0214)
15	1	5	607	0.9857	0.0143	(0.0050, 0.0236)
34	1	259	347	0.9829	0.0171	(0.0063, 0.0279)
61	1	3	343	0.9800	0.0200	(0.0079, 0.0321)

Table 1.15

TIME TO FIRST REPORT OF EXTRUSION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
1	2	2	1363	0.9978	0.0022	(0.0000, 0.0047)
4	2	7	1354	0.9963	0.0037	(0.0005, 0.0069)
16	1	62	1291	0.9956	0.0044	(0.0009, 0.0079)
18	1	15	1275	0.9948	0.0052	(0.0013, 0.0091)
61	1	317	957	0.9937	0.0063	(0.0019, 0.0107)

Table 1.16

TIME TO FIRST REPORT OF EXTRUSION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	1	0	632	0.9968	0.0032	(0.0000, 0.0076)
2	3	0	629	0.9921	0.0079	(0.0010, 0.0148)
4	1	0	628	0.9905	0.0095	(0.0020, 0.0170)
13	2	13	613	0.9873	0.0127	(0.0040, 0.0214)
61	1	381	231	0.9831	0.0169	(0.0049, 0.0289)

Table 1.17

TIME TO FIRST REPORT OF HEMATOMA (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
1	1	2	1365	0.9993	0.0007	(0.0000, 0.0021)
2	1	2	1362	0.9985	0.0015	(0.0000, 0.0035)
4	1	5	1356	0.9978	0.0022	(0.0000, 0.0047)
10	1	12	1343	0.9971	0.0029	(0.0000, 0.0058)
12	1	10	1332	0.9963	0.0037	(0.0005, 0.0069)
13	1	10	1321	0.9956	0.0045	(0.0009, 0.0079)
14	1	10	1310	0.9948	0.0052	(0.0014, 0.0090)
23	1	164	1145	0.9939	0.0061	(0.0019, 0.0103)
34	1	259	885	0.9928	0.0072	(0.0025, 0.0119)
35	1	6	878	0.9917	0.0083	(0.0031, 0.0135)
37	1	25	852	0.9905	0.0095	(0.0038, 0.0152)
39	1	26	825	0.9893	0.0107	(0.0045, 0.0169)
61	1	225	599	0.9877	0.0123	(0.0054, 0.0192)

Table 1.18

TIME TO FIRST REPORT OF HEMATOMA (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
1	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
13	1	12	620	0.9968	0.0032	(0.0000, 0.0076)
17	1	15	604	0.9952	0.0048	(0.0000, 0.0102)
27	1	146	457	0.9930	0.0070	(0.0001, 0.0139)
61	1	139	317	0.9899	0.0101	(0.0009, 0.0193)

Table 1.19

TIME TO FIRST REPORT OF HYPERTROPHIC SCARRING (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
6	1	10	1356	0.9985	0.0015	(0.0000, 0.0035)
7	1	2	1353	0.9978	0.0022	(0.0000, 0.0047)
8	1	3	1349	0.9971	0.0029	(0.0000, 0.0058)
10	2	7	1340	0.9956	0.0044	(0.0009, 0.0079)
11	1	5	1334	0.9948	0.0052	(0.0014, 0.0090)
12	2	1	1331	0.9933	0.0067	(0.0024, 0.0110)
13	3	8	1320	0.9911	0.0089	(0.0039, 0.0139)
15	2	18	1300	0.9896	0.0104	(0.0050, 0.0158)
16	2	11	1287	0.9880	0.0120	(0.0062, 0.0178)
17	1	21	1265	0.9873	0.0127	(0.0067, 0.0187)
20	1	56	1208	0.9864	0.0136	(0.0074, 0.0198)
24	1	97	1110	0.9856	0.0144	(0.0080, 0.0208)
28	1	100	1009	0.9846	0.0154	(0.0087, 0.0221)
32	1	106	902	0.9835	0.0165	(0.0094, 0.0236)
36	1	44	857	0.9823	0.0177	(0.0103, 0.0251)
37	1	12	844	0.9812	0.0188	(0.0111, 0.0265)
39	1	28	815	0.9800	0.0200	(0.0119, 0.0281)
48	1	96	718	0.9786	0.0214	(0.0129, 0.0299)
54	1	40	677	0.9772	0.0228	(0.0139, 0.0317)
55	1	24	652	0.9757	0.0243	(0.0149, 0.0337)
61	1	41	610	0.9741	0.0259	(0.0160, 0.0358)

Table 1.20

TIME TO FIRST REPORT OF HYPERTROPHIC SCARRING (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
8	1	6	627	0.9984	0.0016	(0.0000, 0.0047)
10	1	3	623	0.9968	0.0032	(0.0000, 0.0076)
11	1	1	621	0.9952	0.0048	(0.0000, 0.0102)
12	1	1	619	0.9936	0.0064	(0.0001, 0.0127)
13	1	2	616	0.9920	0.0080	(0.0010, 0.0150)
29	1	193	422	0.9896	0.0104	(0.0021, 0.0187)
35	1	75	346	0.9868	0.0132	(0.0032, 0.0232)
37	2	13	331	0.9809	0.0191	(0.0062, 0.0320)
40	2	17	312	0.9748	0.0252	(0.0099, 0.0405)
53	1	55	256	0.9710	0.0290	(0.0120, 0.0460)
55	1	3	252	0.9672	0.0328	(0.0143, 0.0513)
61	1	14	237	0.9631	0.0369	(0.0169, 0.0569)

Table 1.21

TIME TO FIRST REPORT OF INFECTION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
1	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
2	3	2	1362	0.9971	0.0029	(0.0000, 0.0058)
4	1	7	1354	0.9963	0.0037	(0.0005, 0.0069)
8	1	6	1347	0.9956	0.0044	(0.0009, 0.0079)
9	1	2	1344	0.9949	0.0051	(0.0013, 0.0089)
10	2	5	1337	0.9934	0.0066	(0.0023, 0.0109)
12	1	9	1327	0.9926	0.0074	(0.0029, 0.0119)
13	1	5	1321	0.9919	0.0081	(0.0033, 0.0129)
17	1	44	1276	0.9911	0.0089	(0.0039, 0.0139)
18	1	6	1269	0.9903	0.0097	(0.0045, 0.0149)
22	1	98	1170	0.9895	0.0105	(0.0050, 0.0160)
25	1	87	1082	0.9886	0.0114	(0.0056, 0.0172)
27	2	48	1032	0.9867	0.0133	(0.0070, 0.0196)
28	1	35	996	0.9857	0.0143	(0.0077, 0.0209)
31	1	61	934	0.9846	0.0154	(0.0085, 0.0223)
36	1	75	858	0.9835	0.0165	(0.0092, 0.0238)
42	1	80	777	0.9822	0.0178	(0.0101, 0.0255)
61	1	44	732	0.9809	0.0191	(0.0110, 0.0272)

Table 1.22

TIME TO FIRST REPORT OF INFECTION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	5	0	628	0.9905	0.0095	(0.0020, 0.0170)
2	1	0	627	0.9890	0.0110	(0.0029, 0.0191)
13	2	13	612	0.9858	0.0142	(0.0050, 0.0234)
15	1	5	606	0.9841	0.0159	(0.0062, 0.0256)
19	1	31	574	0.9824	0.0176	(0.0073, 0.0279)
35	1	230	343	0.9796	0.0204	(0.0087, 0.0321)
40	2	29	312	0.9735	0.0265	(0.0122, 0.0408)
61	1	81	230	0.9693	0.0307	(0.0142, 0.0472)

Table 1.23

TIME TO FIRST REPORT OF IRRITATION/INFLAMMATION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
1	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
3	1	4	1362	0.9985	0.0015	(0.0000, 0.0035)
7	1	9	1352	0.9978	0.0022	(0.0000, 0.0047)
9	2	3	1347	0.9963	0.0037	(0.0005, 0.0069)
10	2	3	1342	0.9948	0.0052	(0.0014, 0.0090)
12	2	12	1328	0.9933	0.0067	(0.0024, 0.0110)
13	3	5	1320	0.9911	0.0089	(0.0039, 0.0139)
14	1	13	1306	0.9903	0.0097	(0.0045, 0.0149)
18	1	37	1268	0.9896	0.0104	(0.0050, 0.0158)
20	1	56	1211	0.9887	0.0113	(0.0056, 0.0170)
21	1	34	1176	0.9879	0.0121	(0.0062, 0.0180)
22	1	8	1167	0.9871	0.0129	(0.0068, 0.0190)
24	1	69	1097	0.9862	0.0138	(0.0074, 0.0202)
27	1	59	1037	0.9852	0.0148	(0.0082, 0.0214)
28	1	42	994	0.9842	0.0158	(0.0089, 0.0227)
29	1	15	978	0.9832	0.0168	(0.0096, 0.0240)
31	1	46	931	0.9822	0.0178	(0.0104, 0.0252)
33	1	42	888	0.9811	0.0189	(0.0112, 0.0266)
39	1	73	814	0.9798	0.0202	(0.0121, 0.0283)
61	1	41	772	0.9786	0.0214	(0.0130, 0.0298)

Table 1.24

TIME TO FIRST REPORT OF IRRITATION/INFLAMMATION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	1	0	632	0.9968	0.0032	(0.0000, 0.0076)
2	2	0	630	0.9937	0.0063	(0.0001, 0.0125)
8	1	4	625	0.9921	0.0079	(0.0010, 0.0148)
13	1	9	615	0.9905	0.0095	(0.0019, 0.0171)
15	1	5	609	0.9889	0.0111	(0.0029, 0.0193)
61	1	377	231	0.9846	0.0154	(0.0037, 0.0271)

Table 1.25

TIME TO FIRST REPORT OF LYMPHADENOPATHY (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
1	1	2	1365	0.9993	0.0007	(0.0000, 0.0021)
34	1	469	895	0.9982	0.0019	(0.0000, 0.0044)
61	1	51	843	0.9970	0.0030	(0.0000, 0.0065)

Table 1.26

TIME TO FIRST REPORT OF LYMPHADENOPATHY (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
33	1	271	362	0.9972	0.0028	(0.0000, 0.0082)
35	1	14	347	0.9944	0.0056	(0.0000, 0.0134)
61	1	14	332	0.9914	0.0086	(0.0000, 0.0183)

Table 1.27

TIME TO FIRST REPORT OF NECROSIS (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
4	1	9	1358	0.9993	0.0007	(0.0000, 0.0021)
18	1	77	1280	0.9985	0.0015	(0.0000, 0.0036)
61	1	585	694	0.9970	0.0030	(0.0000, 0.0065)

Table 1.28

TIME TO FIRST REPORT OF NECROSIS (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	2	0	631	0.9953	0.0047	(0.0000, 0.0101)
3	1	0	630	0.9937	0.0063	(0.0001, 0.0125)
61	1	6	623	0.9921	0.0079	(0.0010, 0.0148)

Table 1.29

TIME TO FIRST REPORT OF REMOVAL WITH OR WITHOUT REPLACEMENT (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	2	0	1366	0.9985	0.0015	(0.0000, 0.0035)
1	21	0	1345	0.9832	0.0168	(0.0100, 0.0236)
2	7	2	1336	0.9781	0.0219	(0.0141, 0.0297)
3	6	2	1328	0.9737	0.0263	(0.0178, 0.0348)
4	4	5	1319	0.9707	0.0293	(0.0204, 0.0382)
5	12	0	1307	0.9619	0.0381	(0.0279, 0.0483)
6	5	1	1301	0.9582	0.0418	(0.0312, 0.0524)
8	9	3	1289	0.9516	0.0484	(0.0370, 0.0598)
9	6	3	1280	0.9471	0.0529	(0.0410, 0.0648)
10	4	3	1273	0.9442	0.0558	(0.0436, 0.0680)
11	11	5	1257	0.9360	0.0640	(0.0510, 0.0770)
12	8	7	1242	0.9300	0.0700	(0.0564, 0.0836)
13	12	5	1225	0.9210	0.0790	(0.0646, 0.0934)
14	6	9	1210	0.9165	0.0835	(0.0688, 0.0982)
15	8	9	1193	0.9104	0.0896	(0.0744, 0.1048)
16	4	11	1178	0.9074	0.0926	(0.0771, 0.1081)
17	4	7	1167	0.9043	0.0957	(0.0800, 0.1114)
18	5	14	1148	0.9003	0.0997	(0.0837, 0.1157)
19	2	22	1124	0.8987	0.1013	(0.0851, 0.1175)
20	1	19	1104	0.8979	0.1021	(0.0859, 0.1183)
21	4	48	1052	0.8946	0.1054	(0.0889, 0.1219)
22	2	29	1021	0.8929	0.1071	(0.0905, 0.1237)
23	2	14	1005	0.8911	0.1089	(0.0921, 0.1257)
24	4	22	979	0.8875	0.1125	(0.0954, 0.1296)
25	5	31	943	0.8829	0.1171	(0.0997, 0.1345)
26	3	22	918	0.8801	0.1199	(0.1022, 0.1376)
27	1	19	898	0.8791	0.1209	(0.1031, 0.1387)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
28	2	17	879	0.8771	0.1229	(0.1050, 0.1408)
29	4	38	837	0.8730	0.1270	(0.1087, 0.1453)
30	2	35	800	0.8709	0.1291	(0.1106, 0.1476)
31	1	6	793	0.8698	0.1302	(0.1116, 0.1488)
32	5	25	763	0.8642	0.1358	(0.1167, 0.1549)
33	2	21	740	0.8619	0.1381	(0.1188, 0.1574)
34	2	8	730	0.8595	0.1405	(0.1210, 0.1600)
35	4	14	712	0.8548	0.1452	(0.1252, 0.1652)
36	5	11	696	0.8487	0.1513	(0.1307, 0.1719)
38	1	15	680	0.8474	0.1526	(0.1320, 0.1732)
39	3	13	664	0.8437	0.1563	(0.1353, 0.1773)
40	2	17	645	0.8411	0.1589	(0.1377, 0.1801)
41	4	18	623	0.8358	0.1642	(0.1424, 0.1860)
42	1	2	620	0.8345	0.1655	(0.1437, 0.1873)
43	3	20	597	0.8304	0.1696	(0.1475, 0.1917)
44	1	5	591	0.8290	0.1710	(0.1487, 0.1933)
45	1	6	584	0.8275	0.1725	(0.1500, 0.1950)
46	1	5	578	0.8261	0.1739	(0.1514, 0.1964)
47	1	6	571	0.8247	0.1753	(0.1526, 0.1980)
48	1	16	554	0.8232	0.1768	(0.1539, 0.1997)
49	1	2	551	0.8217	0.1783	(0.1552, 0.2014)
50	4	4	543	0.8157	0.1843	(0.1606, 0.2080)
51	2	10	531	0.8127	0.1873	(0.1634, 0.2112)
54	2	10	519	0.8096	0.1904	(0.1663, 0.2145)
55	1	12	506	0.8080	0.1920	(0.1677, 0.2163)
61	3	35	468	0.8030	0.1970	(0.1721, 0.2219)

Table 1.30

TIME TO FIRST REPORT OF REMOVAL WITH OR WITHOUT REPLACEMENT (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	8	0	625	0.9858	0.0142	(0.0050, 0.0234)
2	5	0	620	0.9779	0.0221	(0.0107, 0.0335)
3	3	0	617	0.9732	0.0268	(0.0142, 0.0394)
4	2	0	615	0.9700	0.0300	(0.0167, 0.0433)
5	2	2	611	0.9669	0.0331	(0.0192, 0.0470)
6	4	1	606	0.9605	0.0395	(0.0243, 0.0547)
9	2	3	601	0.9574	0.0426	(0.0269, 0.0583)
10	2	3	596	0.9542	0.0458	(0.0295, 0.0621)
11	4	0	592	0.9478	0.0522	(0.0349, 0.0695)
12	5	2	585	0.9397	0.0603	(0.0417, 0.0789)
13	6	1	578	0.9301	0.0699	(0.0499, 0.0899)
14	2	5	571	0.9269	0.0731	(0.0527, 0.0935)
15	5	1	565	0.9187	0.0813	(0.0599, 0.1027)
16	6	2	557	0.9089	0.0911	(0.0686, 0.1136)
17	6	7	544	0.8991	0.1009	(0.0772, 0.1246)
19	1	20	523	0.8974	0.1026	(0.0787, 0.1265)
23	4	61	458	0.8902	0.1098	(0.0851, 0.1345)
24	1	4	453	0.8883	0.1117	(0.0868, 0.1366)
25	2	23	428	0.8842	0.1158	(0.0903, 0.1413)
27	2	36	390	0.8799	0.1201	(0.0940, 0.1462)
29	3	34	353	0.8728	0.1272	(0.1002, 0.1542)
30	2	34	317	0.8676	0.1324	(0.1046, 0.1602)
31	1	5	311	0.8648	0.1352	(0.1070, 0.1634)
32	2	18	291	0.8590	0.1410	(0.1118, 0.1702)
33	1	6	284	0.8560	0.1440	(0.1144, 0.1736)
35	2	11	271	0.8499	0.1501	(0.1195, 0.1807)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
36	2	10	259	0.8434	0.1566	(0.1248, 0.1884)
37	1	2	256	0.8401	0.1599	(0.1278, 0.1920)
38	3	4	249	0.8301	0.1699	(0.1362, 0.2036)
40	1	10	238	0.8266	0.1734	(0.1391, 0.2077)
42	2	13	223	0.8194	0.1806	(0.1451, 0.2161)
48	1	22	200	0.8153	0.1847	(0.1486, 0.2208)
50	1	6	193	0.8111	0.1889	(0.1521, 0.2257)
54	2	8	183	0.8025	0.1975	(0.1591, 0.2359)
58	2	14	167	0.7934	0.2066	(0.1666, 0.2466)
59	1	3	163	0.7886	0.2114	(0.1706, 0.2522)
61	1	6	156	0.7835	0.2165	(0.1748, 0.2582)

Table 1.31

TIME TO FIRST REPORT OF REOPERATION (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
1	4	0	1363	0.9963	0.0037	(0.0005, 0.0069)
2	1	2	1360	0.9956	0.0044	(0.0009, 0.0079)
3	2	5	1353	0.9941	0.0059	(0.0019, 0.0099)
4	1	2	1350	0.9934	0.0066	(0.0023, 0.0109)
6	2	1	1347	0.9919	0.0081	(0.0034, 0.0128)
7	2	3	1342	0.9905	0.0095	(0.0043, 0.0147)
8	1	2	1339	0.9897	0.0103	(0.0049, 0.0157)
9	3	1	1335	0.9875	0.0125	(0.0066, 0.0184)
10	3	5	1327	0.9853	0.0147	(0.0083, 0.0211)
11	2	3	1322	0.9838	0.0162	(0.0095, 0.0229)
12	2	7	1313	0.9823	0.0177	(0.0107, 0.0247)
13	2	10	1301	0.9808	0.0192	(0.0119, 0.0265)
14	2	5	1294	0.9793	0.0207	(0.0131, 0.0283)
15	3	8	1283	0.9770	0.0230	(0.0150, 0.0310)
16	2	17	1264	0.9755	0.0245	(0.0162, 0.0328)
17	2	1	1261	0.9739	0.0261	(0.0176, 0.0346)
23	1	143	1117	0.9731	0.0269	(0.0182, 0.0356)
24	1	25	1091	0.9722	0.0278	(0.0189, 0.0367)
25	2	36	1053	0.9703	0.0297	(0.0205, 0.0389)
26	2	6	1045	0.9685	0.0315	(0.0220, 0.0410)
27	1	30	1014	0.9675	0.0325	(0.0228, 0.0422)
28	1	17	996	0.9666	0.0334	(0.0235, 0.0433)
29	3	40	953	0.9636	0.0364	(0.0260, 0.0468)
30	1	35	917	0.9625	0.0375	(0.0269, 0.0481)
31	1	20	896	0.9615	0.0385	(0.0277, 0.0493)
32	1	18	877	0.9604	0.0396	(0.0286, 0.0506)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
34	1	31	845	0.9592	0.0408	(0.0296, 0.0520)
36	1	17	827	0.9581	0.0419	(0.0305, 0.0533)
39	1	30	796	0.9569	0.0431	(0.0315, 0.0547)
40	1	17	778	0.9556	0.0444	(0.0325, 0.0563)
42	2	23	753	0.9531	0.0469	(0.0346, 0.0592)
43	1	22	730	0.9518	0.0482	(0.0356, 0.0608)
44	1	8	721	0.9505	0.0495	(0.0367, 0.0623)
46	1	15	705	0.9492	0.0508	(0.0377, 0.0639)
47	1	6	698	0.9478	0.0522	(0.0389, 0.0655)
49	2	22	674	0.9450	0.0550	(0.0412, 0.0688)
51	1	18	655	0.9436	0.0564	(0.0423, 0.0705)
54	1	13	641	0.9421	0.0579	(0.0435, 0.0723)
55	1	20	620	0.9406	0.0594	(0.0448, 0.0740)
61	1	42	577	0.9390	0.0610	(0.0460, 0.0760)

Table 1.32

TIME TO FIRST REPORT OF REOPERATION (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	2	0	631	0.9953	0.0047	(0.0000, 0.0101)
2	1	0	630	0.9937	0.0063	(0.0001, 0.0125)
3	2	0	628	0.9905	0.0095	(0.0020, 0.0170)
4	1	0	627	0.9890	0.0110	(0.0029, 0.0191)
6	1	3	623	0.9874	0.0126	(0.0039, 0.0213)
8	1	3	619	0.9858	0.0142	(0.0050, 0.0234)
10	2	3	614	0.9826	0.0174	(0.0072, 0.0276)
11	3	1	610	0.9778	0.0222	(0.0107, 0.0337)
12	2	1	607	0.9746	0.0254	(0.0131, 0.0377)
13	4	1	602	0.9681	0.0319	(0.0182, 0.0456)
14	5	6	591	0.9601	0.0399	(0.0246, 0.0552)
15	2	0	589	0.9568	0.0432	(0.0273, 0.0591)
16	3	2	584	0.9519	0.0481	(0.0313, 0.0649)
19	2	31	551	0.9486	0.0514	(0.0340, 0.0688)
29	1	153	397	0.9462	0.0538	(0.0359, 0.0717)
31	1	39	357	0.9435	0.0565	(0.0379, 0.0751)
32	1	18	338	0.9408	0.0592	(0.0399, 0.0785)
34	1	11	326	0.9379	0.0621	(0.0419, 0.0823)
35	1	6	319	0.9350	0.0650	(0.0442, 0.0858)
37	2	18	299	0.9288	0.0712	(0.0489, 0.0935)
38	1	2	296	0.9257	0.0743	(0.0512, 0.0974)
39	1	7	288	0.9225	0.0775	(0.0536, 0.1014)
40	2	8	278	0.9160	0.0840	(0.0587, 0.1093)
42	1	9	268	0.9126	0.0874	(0.0613, 0.1135)
44	1	8	259	0.9091	0.0909	(0.0640, 0.1178)
49	1	19	239	0.9053	0.0947	(0.0669, 0.1225)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
50	1	3	235	0.9015	0.0985	(0.0699, 0.1271)
53	1	5	229	0.8975	0.1025	(0.0729, 0.1321)
54	1	2	226	0.8936	0.1064	(0.0760, 0.1368)
56	1	7	218	0.8895	0.1105	(0.0791, 0.1419)
58	1	8	209	0.8853	0.1147	(0.0824, 0.1470)
59	1	3	205	0.8810	0.1190	(0.0859, 0.1521)
61	1	6	198	0.8765	0.1235	(0.0894, 0.1576)

Table 1.33

TIME TO FIRST REPORT OF RUPTURE (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
3	1	8	1358	0.9985	0.0015	(0.0000, 0.0035)
8	1	7	1350	0.9978	0.0022	(0.0000, 0.0047)
11	1	13	1336	0.9970	0.0030	(0.0001, 0.0059)
12	1	7	1328	0.9963	0.0037	(0.0005, 0.0069)
14	1	12	1315	0.9955	0.0045	(0.0009, 0.0081)
15	1	10	1304	0.9948	0.0052	(0.0013, 0.0091)
24	1	196	1107	0.9939	0.0061	(0.0019, 0.0103)
27	1	56	1050	0.9929	0.0071	(0.0025, 0.0117)
35	1	170	879	0.9918	0.0082	(0.0031, 0.0133)
40	2	59	818	0.9895	0.0105	(0.0044, 0.0166)
48	2	96	720	0.9869	0.0131	(0.0061, 0.0201)
61	1	34	685	0.9854	0.0146	(0.0071, 0.0221)

Table 1.34

TIME TO FIRST REPORT OF RUPTURE (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
11	1	9	624	0.9984	0.0016	(0.0000, 0.0047)
13	1	3	620	0.9968	0.0032	(0.0000, 0.0076)
61	1	269	350	0.9940	0.0061	(0.0000, 0.0131)

Table 1.35

TIME TO FIRST REPORT OF SEROMA (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
1	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
3	1	4	1362	0.9985	0.0015	(0.0000, 0.0035)
4	2	5	1355	0.9971	0.0029	(0.0000, 0.0058)
9	2	8	1345	0.9956	0.0044	(0.0009, 0.0079)
10	2	2	1341	0.9941	0.0059	(0.0018, 0.0100)
12	1	12	1328	0.9934	0.0066	(0.0023, 0.0109)
20	2	104	1222	0.9918	0.0082	(0.0034, 0.0130)
25	2	135	1085	0.9901	0.0099	(0.0045, 0.0153)
32	2	168	915	0.9881	0.0119	(0.0058, 0.0180)
34	1	35	879	0.9869	0.0131	(0.0067, 0.0195)
37	1	31	847	0.9858	0.0142	(0.0074, 0.0210)
39	1	26	820	0.9846	0.0154	(0.0082, 0.0226)
40	1	11	808	0.9834	0.0166	(0.0090, 0.0242)
43	1	48	759	0.9821	0.0179	(0.0099, 0.0259)
61	1	48	710	0.9807	0.0193	(0.0109, 0.0277)

Table 1.36

TIME TO FIRST REPORT OF SEROMA (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
8	1	4	629	0.9984	0.0016	(0.0000, 0.0047)
13	1	9	619	0.9968	0.0032	(0.0000, 0.0076)
27	1	159	459	0.9946	0.0054	(0.0000, 0.0115)
61	1	123	335	0.9917	0.0083	(0.0000, 0.0167)

Table 1.37

TIME TO FIRST REPORT OF WRINKLING (PATIENT LEVEL), REVISION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	1368	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	1367	0.9993	0.0007	(0.0000, 0.0021)
1	3	2	1362	0.9971	0.0029	(0.0000, 0.0058)
2	1	1	1360	0.9963	0.0037	(0.0005, 0.0069)
3	1	3	1356	0.9956	0.0044	(0.0009, 0.0079)
4	2	3	1351	0.9941	0.0059	(0.0018, 0.0100)
5	2	0	1349	0.9927	0.0073	(0.0028, 0.0118)
6	1	1	1347	0.9919	0.0081	(0.0034, 0.0128)
7	1	3	1343	0.9912	0.0088	(0.0038, 0.0138)
8	2	2	1339	0.9897	0.0103	(0.0049, 0.0157)
9	2	2	1335	0.9882	0.0118	(0.0061, 0.0175)
10	1	4	1330	0.9875	0.0125	(0.0066, 0.0184)
11	2	4	1324	0.9860	0.0140	(0.0077, 0.0203)
12	2	6	1316	0.9845	0.0155	(0.0089, 0.0221)
13	6	5	1305	0.9800	0.0200	(0.0125, 0.0275)
14	11	11	1283	0.9717	0.0283	(0.0194, 0.0372)
15	3	7	1273	0.9694	0.0306	(0.0214, 0.0398)
16	2	11	1260	0.9679	0.0321	(0.0227, 0.0415)
17	2	16	1242	0.9664	0.0336	(0.0239, 0.0433)
18	1	5	1236	0.9656	0.0344	(0.0246, 0.0442)
20	3	41	1192	0.9632	0.0368	(0.0267, 0.0469)
21	1	41	1150	0.9624	0.0376	(0.0274, 0.0478)
22	1	36	1113	0.9615	0.0385	(0.0281, 0.0489)
23	1	11	1101	0.9606	0.0394	(0.0289, 0.0499)
24	2	24	1075	0.9589	0.0411	(0.0303, 0.0519)
25	3	16	1056	0.9562	0.0438	(0.0326, 0.0550)
27	2	53	1001	0.9543	0.0457	(0.0343, 0.0571)
28	1	21	979	0.9533	0.0467	(0.0351, 0.0583)

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
29	2	37	940	0.9513	0.0487	(0.0368, 0.0606)
30	1	15	924	0.9503	0.0497	(0.0376, 0.0618)
31	1	30	893	0.9492	0.0508	(0.0386, 0.0630)
32	3	30	860	0.9460	0.0540	(0.0413, 0.0667)
33	1	10	849	0.9448	0.0552	(0.0423, 0.0681)
34	1	9	839	0.9437	0.0563	(0.0432, 0.0694)
35	2	23	814	0.9414	0.0586	(0.0452, 0.0720)
36	2	6	806	0.9391	0.0609	(0.0471, 0.0747)
37	1	8	797	0.9379	0.0621	(0.0482, 0.0760)
38	2	5	790	0.9356	0.0644	(0.0501, 0.0787)
40	3	31	756	0.9320	0.0680	(0.0532, 0.0828)
42	3	23	730	0.9282	0.0718	(0.0565, 0.0871)
43	1	20	709	0.9269	0.0731	(0.0576, 0.0886)
44	4	8	697	0.9216	0.0784	(0.0621, 0.0947)
47	1	27	669	0.9203	0.0797	(0.0632, 0.0962)
48	1	7	661	0.9189	0.0811	(0.0644, 0.0978)
49	1	9	651	0.9175	0.0825	(0.0656, 0.0994)
50	1	4	646	0.9160	0.0840	(0.0669, 0.1011)
55	2	45	599	0.9131	0.0869	(0.0694, 0.1044)
59	1	29	569	0.9115	0.0885	(0.0708, 0.1062)
60	1	12	556	0.9099	0.0901	(0.0721, 0.1081)
61	2	5	549	0.9066	0.0934	(0.0749, 0.1119)

Table 1.38

TIME TO FIRST REPORT OF WRINKLING (PATIENT LEVEL), RECONSTRUCTION

Months Following Procedure	Number With Event	Number Lost To Follow-up	Number Remaining	Estimated Proportion Without Event	Estimated Proportion With Event	95% CI for Proportion With Event
0	0	0	634	1.0000	0.0000	(0.0000, 0.0000)
0	1	0	633	0.9984	0.0016	(0.0000, 0.0047)
1	1	0	632	0.9968	0.0032	(0.0000, 0.0076)
4	1	0	631	0.9953	0.0047	(0.0000, 0.0101)
5	1	2	628	0.9937	0.0063	(0.0001, 0.0125)
6	1	1	626	0.9921	0.0079	(0.0010, 0.0148)
9	1	3	622	0.9905	0.0095	(0.0019, 0.0171)
10	2	1	619	0.9873	0.0127	(0.0040, 0.0214)
11	2	2	615	0.9841	0.0159	(0.0061, 0.0257)
12	4	2	609	0.9777	0.0223	(0.0108, 0.0338)
13	3	1	605	0.9729	0.0271	(0.0144, 0.0398)
14	4	6	595	0.9664	0.0336	(0.0195, 0.0477)
15	1	0	594	0.9648	0.0352	(0.0208, 0.0496)
17	2	8	584	0.9615	0.0385	(0.0234, 0.0536)
20	1	38	545	0.9598	0.0402	(0.0248, 0.0556)
24	1	48	496	0.9578	0.0422	(0.0263, 0.0581)
25	2	20	474	0.9539	0.0461	(0.0294, 0.0628)
34	1	139	334	0.9510	0.0490	(0.0314, 0.0666)
35	2	2	330	0.9453	0.0547	(0.0355, 0.0739)
36	2	11	317	0.9394	0.0606	(0.0398, 0.0814)
37	1	3	313	0.9364	0.0636	(0.0420, 0.0852)
42	2	32	279	0.9301	0.0699	(0.0468, 0.0930)
45	1	9	269	0.9266	0.0734	(0.0495, 0.0973)
60	1	54	214	0.9223	0.0777	(0.0524, 0.1030)
61	1	1	212	0.9180	0.0820	(0.0553, 0.1087)