BIBLIOGRAPHY FOR SDA CTFA BRIEFING DOCUMENT FOR 10-20-2005 MEETING OF FDA NON-PRESCRIPTION DRUGS ADVISORY COMMITTEE

BRIEFING DOCUMENT, Tab 5

Dermatotoxicology, Fifth Edition, Chapter Thirty-three, Animal, Human, and In Vitro Test Methods for Predicting Skin Irritation, Sunita M. Patil, Ester Partick, and Howard I. Maibach., 411-436

BENEFITS REFERENCES

Akiyama H, Tada J, Toi Y, Kanzaki H, Arata J. 1997. Changes in *Staphylococcus aureus* density and lesion severity after topical application of povidone-iodine in cases of atopic dermatitis. J. Dermat. Sci. 16:23-3o

Aly, R and Maibach HI. 1981. *In vivo* methods for testing topical antimicrobial agents. J. Soc. Cosmet. Chem. 32: 317 - 323.

Black RE, Dykes AC, Anderson KE, Wells JG, Sinclair SP, Gary GW, Hatch MH, Gangarosa EJ. 1981. Handwashing to prevent diarrhea in day-care centers. American Journal of Epidermiology. Vol. 113(4):445-451.

Boddie RL, Nickerson SC, Adkinson RW. 1997. Efficacies of teat germicides containing 0.5% chlorhexidine and 1% iodine during experimental challenge with *Staphylococcus aureus* and *Streptococcus agalactiae*. J Dairy Sci. 1997 Nov;80(11):2809-14.

Boyce JM, Opal SM, Chow JW, Zervos MJ, Potter-Bynoe G, Sherman CB, Romulo RL, Fortna S, Medeiros AA. 1994. Outbreak of Multidrug-Resistant Enterococcus faecium with Transferable vanB Class Vancomycin Resistance. Journal of Clinical Microbiology. p. 1148-1153.

Breneman DL, Berga CA, Keswick BH, Newman PB. 1998. Effect of an antibacterial bar Soap on atopic dermatitis. *Abst. Annual Meeting Am. Acad. Derm.* [Poster Abstract]

Butz AM, Larson E, Fosarelli P and Yolken R. 1990. Occurrence of infectious symptoms in children in day care homes. Am. J. Infect. Control 6: 347-353.

Chen Y, Jackson KM, Chea FP, Schaffner DW. 2001. Quantification and variability analysis of bacterial cross-contamination in common food service tasks. Journal of Food Protection 64(1):72-80.

BIBLIOGRAPHY FOR SDA CTFA BRIEFING DOCUMENT FOR 10-20-2005 MEETING OF FDA NON-PRESCRIPTION DRUGS ADVISORY COMMITTEE

Cogan TA, Bloomfield SF, Humphrey TJ. 1999. The effectiveness of hygiene procedures for prevention of cross-contamination from chicken carcasses in the domestic kitchen. Letters in Appl. Microbiology 29:354-358.

Dyer D, Shinder A, Shinder F. 2000. Alcohol-free instant hand sanitizer reduces elementary school illness absenteeism. Familv Medicine. 32:633-638.

Falsey AR, Criddle MM, Kolassa JE, McCann RM, Brower CA, Hall WJ. 1999. Evaluation of a handwashing intervention to reduce respiratory illness rates in senior day-care centers. Infect. Control Hosp. Epidem. 20:200-202.

FDA. 1978. Topical Antimicrobial Drug Products for Over-the-Counter Human Use: Tentative Final Monograph, Jan.6, 1978, 43 Fed. Reg. 1210-1249. http://www.fda.gov/cder/otcmonographs/Antimicrobial/antimicrobial_TF_19780106.pdf

FDA, Center for Food Safety and Applied Nutrition. 2001a. Draft assessment of the relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods: FDA/ Center for Food Safety and Applied Nutrition, USDA/Food Safety and Inspection Service, Centers for Disease Control and Prevention, January 2001. http://www.foodsafety.gov/~dms/lmrisk1.html

FDA, Center for Food Safety and Applied Nutrition. 2001b. Draft risk assessment on the public health impact of *Vibrio parahaemolyticus* in raw mollusks and shellfish. FDA/ Center for Food Safety and Applied Nutrition, USDA/Food Safety and Inspection Service, Centers for Disease Control and Prevention, January 2001. http://www.cfsan.fda.gov/~dms/vprisk2.html.

FDA, Center for Food Safety and Applied Nutrition. 2001c. National Food Safety Initiative, Produce and Imported Foods Safety Initiative, 2000-2002 Update, May 2001. http://www.cfsan.fda.gov/~dms/3fs3-toc.html.

Fendler E, Ali Y, Hammond B, Lyons M, Kelley M, Vowell N. 2002. The impact of alcohol hand sanitizer use on infection rates in an extended care facility. Amer. J. Infect. Control 30:226-233.

Gibson, LL, Rose JB, Haas CN. 1999. Use of quantitative microbial risk assessment for evaluation of the benefits of laundry sanitation. Am. J. Infect.

Control. 27(6): S34-S39.

Gibson LL, Rose JB, Haas CN, Gerba CP, Rusin PA. 2002. Quantitative assessment of risk reduction from hand washing with antibacterial Soap. Journal of Applied Microbiology Symposium Supplement 2002 92:136S-143S.

Guinan M, McGuckin M, Ali Y. 2002. The effect of a comprehensive handwashing program on absenteeism in elementary schools. Amer. J. Infect. Control 30:217-220.

Hammond B, Ali Y, Fendler E, Dolan M, Donovan S. 2000. Effect of hand sanitizer use on elementary school absenteeism. Amer. J. Infect. Control 28:340-346.

Hendley JO and Gwaltney JM. 1988. Mechanisms of transmission of rhinovirus infections. Epidemiology Reviews 10: 242-258.

Hicks WG, Kennedy TJ, Keister DM, Miller ML. 1981. Evaluation of a teat dip of chlorhexidine digluconate (.5%) with glycerin (6%). J Dairy Sci. 1981 Nov;64(11):2266-9.

Hoffmann K, Winstead K, Edmundson M, Weber D, Rutala W. 1999. Comparison of a novel triclosan hand protectant versus handwashing alone for reducing transient hand bacterial colonization and nosocomial infections. Amer. J. Infect. Control 27:208ff. [Poster presented at the APIC 1999 26th Annual Education Conference and International Meeting, Baltimore, Maryland, June 20-24, 1999.].

Isaacs D, Dobson SR, Wilkinson AR, Hope PL, Eglin R, Moxon ER. 1989. Conservative management of an echovirus 11 outbreak in a neonatal unit. The Lancet, March 11, 1989, pp. 543-545.

Isaacs D, Dickson H, O'Callaghan C, Sheaves R, Winter A, Moxon ER. 1991. Handwashing and cohorting in prevention of hospital acquired infections with respiratory syncytial virus. Arch Dis Child. 1991 Feb;66(2):227-31.

Keswick BH, Berge CA, Bartolo RG, Watson DD. 1996. Antimicrobial Soaps: Their Role in Personal Hygiene. In: Cutaneous Infection and Therapy. Eds. Aly, R.; Beutner; Maibach,HI. Marcel Dekker NY. Chapter 6, pp. 49-82.

Kovats J. Studies on Chlorhexidin-Containing Disinfectants with Particular Reference to the Control of Mastitis. Institute for Animal Hygiene, University of Veterinary Sciences, Ungarn, l400 Budapest, Landler J. str.2. Undated;pp.613-619. [In German with English abstract]

Krilove LR, Barone SR, Mandel FS, Cusack TM, Gaber DJ, Rubino JR. 1996. Impact of an infection control program in a specialized preschool. Amer. J. Infect. Control 24: 167-173.

Larson, E. and Rotter ML. 1990. Handwashing: Are Experimental Models a Substitute for Clinical Trials? Two Viewpoints. Infect. Control Hosp. Epidemiol. 11(2): 63-66.

Larson, E. 2001. Hygiene of the Skin: When is Clean too Clean? Emerging Infectious Diseases, Vol. 7, No. 2, March-April 2001.

Larson E, Lin SX, Gomez-Pichardo C, Della-Latta P. 2004. Effect of Antibacterial Home Cleaning and Handwashing Products on Infectious Disease Symptoms: A Randomized Double-Blind Trial, Annuals of Internal Medicine, 2004;140:321-329.

Leigh DA and Joy G. 1993. Treatment of familial staphylococcal infection -- comparison of mupirocin nasal ointment and chlorhexidine/neomycin (Naseptin) cream in eradication of nasal carriage. J. Antimicrobial Chemotherapy 31:909-917.

Luby SP, Agboatwalla M, Schnell BM, Hoekstra RM, Rahbar MH, Keswick BH. 2002. The Effect of Antibacterial Soap on Impetigo Incidence, Karachi, Pakistan, Am J. Trop Med. Hyg., 67(4), 2002, pp. 430-435.

Luby SP, Agboatwalla M, Feikin DR, Painter J, Billhimer W, Altaf A, Hoekstra RM. 2005. Effect of Handwashing on Child Health: A Randomized Controlled Trial, The Lancet, Vol. 366, No. 9481, July 16, 2005

Lucet JC, Rigaud MP, Mentre F, Kassis N, Deblangy C, Andremont A, Bouvet E. 2002. Hand contamination before and after different hand hygiene techniques: a randomized clinical trial. J. Hosp. Infection 50:276-280.

Ly VT, Simmons PA, Edrington TB, Wechsler S, DeLand PN. 1997. Efficacy of hand washing procedures on bacterial contamination of hydrogel contact lenses. Optom. & Vis. Sci., 74:288-292.

BIBLIOGRAPHY FOR SDA CTFA BRIEFING DOCUMENT FOR 10-20-2005 MEETING OF FDA NON-PRESCRIPTION DRUGS ADVISORY COMMITTEE

MacKenzie AR. 1970. Effectiveness of antibacterial Soap in a healthy population. JAMA 211:973-976.

Marshall PJ. 1997. Use of triclosan to reduce the incidence of MRSA. Presented at Australian Infection Control Association, May 1997, Melbourne, Australia.

Marzulli FN, and Bruch M. 1981. Antibacterial Soap: Benefits Versus Risks. In Maibach, H. I. and R. Aly (Eds.) *Skin Microbiology: Relevance to Clinical Infection.* Springer-Verlag, New York. pp. 125-134.

McFarland L, Mulligan ME, Kwok RYY, Stamm WE. 1989. Nosocomial *Clostridium difficile* Infections. N Engl J Med. , 320;204-10.

Miller, P.J. 1982. Semmelweis. Infect. Control 3(5): 405-409.

Montville R, Chen YH, Schaffner DW. 2002. Risk assessment of hand washing efficacy using literature and experimental data. International Journal of Food Microbiology 73:305-313.

Noble WC. (Ed.) 1993. *The Skin Microflora and Microbial Skin Disease*. Cambridge University Press, Great Britain. pp. 73-101, 135-172.

Pankey JW, Philpot WN, Boddie RL, Watts JL. 1983. Evaluation of nine teat dip formulations under experimental challenge to *Staphylococcus aureus* and *Streptococcus agalactiae.* J Dairy Sci. 1983 Jan;66(1):161-7.

Peters F and Flick-Fillies D. 1991. Hand disinfection to prevent puerperal mastitis. The Lancet 338 (Sept. 28):831.

Presidential/Congressional Commission on Risk Assessment and Risk Management. 1997. Risk Assessment and Risk Management in Regulatory Decision-Making. Volume I, GPO stock number 055-000-00567-2; Volume II GPO stock number 055-000-00568-1.
http://www.riskworld.com/Nreports/1996/risk_rpt/RR6ME001.HTM

Roach, M. 1994. How to Win at GERM Warfare. Health July/Aug. pp. 77-80.

Rose JB and Haas CN. 1999. A risk assessment framework for the evaluation of skin infections and the potential impact of antibacterial Soap washing. Amer. J. Infect. Control 27:526-533.

Samalonis L. 1999. Decreasing the incidence of external ocular eye disease. Eye World 4:52-53.

Scott E. 1999. Hygiene issues in the home. Amer. J. Infect. Control 27:S22-S25.

Scott E, Bloomfield SF, Barlow CG. 1982. An Investigation of Microbial Contamination in the Home. J. Hyg. (Camb.) 89: 279-293.

Shahin R, Johnson IL, Jamieson F, McGeer A, Tolkin J, Ford-Jones EL. 1999. Methicillin-resistant *Staphylococcus aureus* carriage in a child care center following a case of disease. Arch Pediatr Adolesc Med. 1999;153:864-868.

Sheldrake RF, Hoare RJ. 1981. Effect of teat skin disinfection on the rate of infection and interval to infection in cows exposed to high levels of *Staphylococcus aureus.* J Dairy Res. 1981 Feb;48(1):1-5.

Sheldrake RF, Hoare RJ. 1983. Role of pre-milking teat skin disinfection in preventing *Staphylococcus aureus* mastitis. J Dairy Res. 1983 Feb;50(1):101-5.

Shinder FS, Dyer DL. no date. Alcohol-free instant hand sanitizer reduces illness absenteeism in an elementary school. Woodward Laboratories.

Singh G, Marples RR, Kligman AM. 1971. Experimental *Staphylococcus aureus* infections in humans. J. Invest. Derm. 57:149-162.

Sugimoto K, Kuroki H, Kanazawa M, Kurosaki T, Abe H, Takahashi Y, Ishiwada N, Nezu Y, Hoshioka A, Toba T. 1997. New successful treatment with disinfectant for atopic dermatitis. Dermatology 195 (Suppl.2):62-68

Taplin, D., 1981. Chapter 15. Chlorhexidine and Clinical Infections. In Maibach, H. and R Aly (Eds.) *Skin Microbiology: Relevance to Clinical Infection*. Springer-Verlag, New York. pp. 113-124.

BIBLIOGRAPHY FOR SDA CTFA BRIEFING DOCUMENT FOR 10-20-2005 MEETING OF FDA NON-PRESCRIPTION DRUGS ADVISORY COMMITTEE

RESISTANCE REFERENCES

Aiello AE, Marshall B, Levy SB, Della-Latta P, Larson E. (2004) Relationship between triclosan and susceptibilities of bacteria isolated from hands in the community. Antimicrob Agents Chemother. **48(8)**: 2973 – 2979.

Aiello AE, Marshall B, Levy SB, Della-Latta P, Lin SX, Larson E. (2005) Antibacterial Cleaning Products and Drug Resistance. Emerging Infectious Diseases. **11(10)**: 1565 – 1570.

Al-Doori Z, Morrison D, Edwards G, Gemmell C. (2003) Susceptibility of MRSA to triclosan. J Antimicrob Chemother. **51(1)**: 185 – 186.

Centers for Disease Control and Prevention. (2004) Web page and "Executive Summary" *in Antimicrobial* Resistance Interagency Task Force 2003 Annual Report. The Centers for Disease Control and Prevention, Atlanta, GA. **(**http://www.cdc.gov/drugresistance/actionplan/2003report/index.htm**)**

Cole EC, Addison RM, Rubino JR, Leese KE, Dulaney PD, Newell MS, Wilkins J, Gaber DJ, Wineinger T, Criger DA. (2003) Investigation of antibiotic and antibacterial agent cross-resistance in target bacteria from homes of antibacterial product users and nonusers. J Appl Microbiol. **95(4)**: 664 – 676.

Fan F, Yan K, Wallis NG, Reed S, Moore TD, Rittenhouse SF, DeWolf WE Jr, Huang J, McDevitt D, Miller WH, Seefeld MA, Newlander KA, Jakas DR, Head MS, Payne DJ. (2002) Defining and combating the mechanisms of triclosan resistance in clinical isolates of *Staphylococcus aureus*. Antimicrob Agents Chemother. **46(11)**: 3343 – 3347.

Gilbert P, Allison DG, McBain AJ. (2002) Biofilms *in vitro* and *in vivo*: do singular mechanisms imply cross-resistance? J Appl Micro Symp Suppl. **92**: 98S – 110S.

Gilbert P, McBain AJ. (2002) Literature-based evaluation of the potential risks associated with impregnation of medical devices and implants with triclosan. Surg Infect. **3 Suppl 1**: S55 – 63.

Goodfellow G, Lee-Brotherton V, Daniels J, Roberts A, Nestmann E. (2003) Antibacterial resistance and triclosan. Society of Toxicology Annual Meeting, Salt Lake City, UT.

BIBLIOGRAPHY FOR SDA CTFA BRIEFING DOCUMENT FOR 10-20-2005 MEETING OF FDA NON-PRESCRIPTION DRUGS ADVISORY COMMITTEE

Kampf G, Kramer A. (2004) Epidemiologic background of hand hygiene and evaluation of the most important agents for scrubs and rubs. Clin Microbiol Rev. **17(4)**: 863 – 893.

Lambert RJW. (2004) Comparative analysis of antibiotic and antimicrobial biocide susceptibility data in clinical isolates of methicillin-sensitive *Staphylococcus aureus*, methicillin-resistant *Staphylococcus aureus* and *Pseudomonas aeruginosa* between 1989 and 2000. J Appl Microbiol. **97(4)**: 699 – 711.

Lear JC, Maillard JY, Dettmar PW, Goddard PA, Russell AD. (2002) Chloroxylenol- and triclosan-tolerant bacteria from industrial sources. J Ind Micro Biotech. **29**: 238 – 242.

Marshall BM, Robleto E, Dumont T, Billhimer W, Wiandt K, Keswick B, Levy SB. (2003) The frequency of bacteria and antibiotic resistance in homes that use and do not use surface antibacterial agents. American Society of Microbiology, General Meeting, Washington, DC, Poster A-147.

McBain AJ, Bartolo RG, Catrenich CE, Charbonneau D, Ledder RG, Price BB, Gilbert P. (2003) Exposure of sink drain microcosms to triclosan: Population dymamics and antimicrobial susceptibility. Appl Environ Micro. **69(9)**:5433 – 5442.

National Nosocomial Infections Surveillance System. (2004) "National Nosocomial Infections Surveillance (NNIS) System Report, data summary from January 1992 through June 2004, issued October 2004." Am. J. Infect. Control **32**: 470 – 485.

Randall LP, Ridley AM, Cooles SW, Sharma M, Sayers AR, Pumbwe L, Newell DG, Piddock LJ, Woodward MJ. (2003) Prevalence of multiple antibiotic resistance in 443 *Campylobacter* spp. Isolated from humans and animals. J Antimicrob Chemother. **52(3)**: 507 – 510.

Russell AD. (2003) Biocide use and antibiotic resistance: the relevance of laboratory findings to clinical and environmental situations. Lancet Infect Dis. **3**: 794 – 803.

Russell AD. (2004) Whither triclosan? J Antimicrob Chemother. **53(5)**: 693 – 695.

Schmid MB, Kaplan N. (2004) Reduced triclosan susceptibility in methicillin-resistant *Staphylococcus epidermidis*. Antimicrob Agents Chemother. **48(4)**: 1397 – 1399.

Scientific Committee on Cosmetic Products and Non-Food Products intended for Consumers. (2002) Opinion on Triclosan (P32), adopted during the 21st plenary meeting of 17 September 2002. SCCNFP/0600/02.

ENVIRONMENTAL REFERENCES

Ciba. 2003. IRGASAN® DP 300 Ciba® IRGACARE® MP. Antimicrobials. Toxicological and ecotoxcicological data. Official registrations.

Federle TW, Kaiser SK, Nuck BA. 2002. Fate and effects of triclosan in activated sludge. *Environ Toxico Chem.* **21** (7), 1330–1337.

Gledhill WE. 1975. Biodegradation of 3,4,4'-trichlocarbanilide, TCC, in sewage and activated sludge, *Water Res*. **9**, 649-654.

Halden RU and Paull DH. 2005a. Co-occurrence of triclocarban and triclosan in U.S. water resources. *Environ Sci Technol.* **39** (6), 1420-1426.

Halden RU and Paull DH. 2005b. Response to comment on Co-occurrence of triclocarban and triclosan in U.S. water resources. *Environ Sci Technol.* **39** (16), 6335-6.

Kolpin DW, Furlong ET, Meyer MT, Thurman EM, Zaugg SD, Barber LB, Buxton HT. 2002. Pharmaceuticals, hormones, and other organic wastewater contaminants in U.S. streams, 1999-2000: A national reconnaissance. *Environ Sci Technol*. **36** (6), 1202-1211.

Kolpin DW, Skopec M, Meyer MT, Furlong ET, Zaugg SD. 2004. Urban contribution of pharmaceuticals and other organic wastewater contaminants to stream during differing flow conditions, *Sci Tot Environ*. **32***,* 119-130.

Latch DE, Packer JL, Stender BL, VanOverbeke J, Arnold WA, McNeill K. 2005. Aqueous photochemistry of triclosan: Formation of 2,4,-dichlorphenol, 2,8-dichlorodibenzo-p-dioxin, and oligomerization products. *Environ Toxico Chem.* **24** (3), 517–525.

McAvoy DC, Schatowitz B, Jacob M, Hauk M, Eckhoff WS. 2002. Measurement of Triclosan in wastewater treatment systems. *Environ Toxicol Chem.* **21** (7), 1323–1329.

BIBLIOGRAPHY FOR SDA CTFA BRIEFING DOCUMENT FOR 10-20-2005 MEETING OF FDA NON-PRESCRIPTION DRUGS ADVISORY COMMITTEE

Orvos DR, Versteeg D, Inauen M, Capdevielle A, Rothenstein A, Cunningham, V. 2002. Aquatic toxicity of triclosan. *Environ Toxicol Chem.* **21** (7), 1338–1349.

Reiss R, Mackay N, Habig C, Griffin J. 2002. An ecological risk assessment for Triclosan in lotic systems following discharge from wastewater treatment plants in the United States*. Environ Toxicol Chem* **21** (11), 2483–2492.

Samsøe-Petersen L, Winter-Nielsen M, Madsen T. 2003. Fate and effects of triclosan. Environmental Project No. 861. Danish Environmental Protection Agency.

Sanderson H. 2005. Comment on co-occurrence of triclocarban and triclosan in U.S. water resources. *Environ Sci Technol.* **39** (16), 6336.

TCC Consortium 2002. High Production Volume (HPV) chemical challenge program data availability and screening level assessment for triclocarban CAS# 101-20-2. (TCC Consortia), http://www.epa.gov/chemrtk/tricloca/c14186.pdf

Thomas PM, Foster GD. 2005. Tracking acidic pharmaceuticals, caffeine, and triclosan through wastewater treatment process. *Environ Toxicol Chem.* **24** (1), 25–30.