



Advanced Hearing Systems, Inc.™

Your local **Beltone** dispenser

15 EVERGREEN AVE. & (County Line)
WARMINSTER, PA 18974
PHONE 215-672-5041
FAX 215-672-7258

October 9, 2000

Honorable Donna Shalala
Secretary of Health and Human Services
200 Independence Avenue, S.W.
Room 615F
Washington, D.C. 20201

Dear Secretary Shalala:

As a hearing care provider, I write with respect to hearing aids. I have been fitting hearing aids for 18 years. As the AARP has confirmed, hearing aids are highly effective but dramatically underutilized medical devices.

3924
00
00
27
3:00

I am very concerned with reports that the Food and Drug Administration (FDA) has reportedly sent to you a proposal for revising the current regulations governing the dispensing of hearing aids in this country that would dramatically increase the cost of hearing health care services and restrict access to hearing health care providers. Please stop and carefully consider the impact that this proposed rule will have on the nation's hearing impaired and on the nation's small business hearing aid specialists. In particular, please ensure that any proposed rule meets the obligations of the Small Business Regulatory Enforcement Fairness Act.

Hearing impairment is a major health care concern. Please don't let the FDA put forth their proposed rule that would impede access to needed hearing health care services for millions of Americans.

Very truly yours,

Paul Rehner
Paul Rehner, BC-HIS

93N 0372

C4831


Advanced Hearing Systems, Inc.
Your local Beltone dispenser

15 EVERGREEN AVE. & (County Line)
WARMINSTER, PA 18974

Honorable Donna Shalala
Secretary of Health and Human Services
200 Independence Ave, S.W.
Room 615F
Washington, DC 20201

