

Attachment II
Summaries of Selected Adverse Reaction Reports Related to Olestra
Ninth Report to the FDA

#9-1 [4/19/03] A 36-year-old woman sought medical attention for severe abdominal cramps. She was also concerned for her children's and husband's health because they had eaten products with olestra.

#9-9 [5/1/03] A 22-year-old woman had bloody stools after eating chips with olestra.

#9-19 [5/24/03] A 55-year-old man vomited continuously for 24 hours after eating olestra.

#9-27 [6/21/03] A 44-year-old man had bloody stools after eating olestra.

#9-35 [07/14/04] A 46-year-old man lost control of his bowels at work after eating potato chips with olestra.

#9-63 [8/8/2003] A 27-year-old woman sought medical attention after experiencing rectal bleeding due to eating food that contained olestra.

#9-68 [8/14/03] A 46-year-old man experienced loose stools, cramping, flatulence, and bloody stools after eating olestra.

#9-96 [10/3/03] A 22-year-old woman sought medical help for severe abdominal cramping, blood in her stools, and vomiting after eating food containing olestra.

#9-115 [11/24/03] A 48-year-old woman sought medical help for diarrhea, flatulence, and fecal urgency after eating products containing olestra.

#9-120 [12/28/03] An 83-year-old woman experienced severe diarrhea, nausea, fecal urgency, abdominal cramping, and vomited while passed out, after ingesting olestra.

#9-127 [01/20/04] A 52-year-old woman was rushed to the hospital after passing out while having diarrhea that persisted several days. Her symptoms began after eating a product containing olestra.

#9-132 [01/29/04] A 28-year-old woman went to the emergency room for severe abdominal cramping after eating chips containing olestra. She was given 2 doses of morphine. She was hospitalized for 3 days with gastrointestinal problems.

#9-139 [02/13/04] A 33-year-old woman went to the emergency room for intense intestinal spasms, nausea, fecal urgency, and flatulence after eating olestra.

#9-148 [03/01/04] A 27-year-old woman and 2-year-old boy went to the emergency room after experiencing diarrhea, abdominal cramping, and vomiting after eating an olestra product.

Attachment II - continued
Summaries of Selected Adverse Reaction Reports Related to Olestra
Ninth Report to the FDA

- Page 2 -

#9-169 [03/22/04] A 32-year-old woman went to her physician after experiencing anal leakage in public. She experienced this a second time and connected both problems to having eaten a product containing olestra.

#9-170 [03/26/04] A 31-year-old woman went to the emergency room for severely greasy and loose stools. She underwent testing and retesting.

#9-182 [04/18/04] A 27-year-old male went to the emergency room for severe abdominal cramping, diarrhea, and gas. As much as a week later, his abdominal cramps returned each time he ate a meal.

#9-271 [09/08/04] A 40-year-old woman was admitted to the hospital due to abdominal cramping, vomiting, and loose stools. She underwent a battery of tests for gall bladder disease, cancer, kidney stones, and ulcers. Her problems appear to have been caused by olestra foods.

#9-272 [09/22/04] A 40-year-old woman was admitted to the emergency room for abdominal cramping, severe diarrhea, and dehydration after eating products containing olestra.