I

# U.S. Teenage Pregnancy Statistics

## Overall Trends, Trends by Race and Ethnicity And State-by-State Information

The Alan Guttmacher Institute
120 Wall Street, New York, NY 10005
www.guttmacher.org

Updated February 19, 2004

THE ALAN GUTTMACHER INSTITUTE
NEW YORK & WASHINGTON

# Summary

Rates of pregnancy, birth and abortion among U.S. teenagers continued their downward trend in 2000 (Table 1). Nationwide, the teenage pregnancy rate declined by 2% between 1999 and 2000 (from 85.7 to 83.6 pregnancies per 1,000 women aged 15–19). From 1986 to 2000, the rate dropped by 22% and, more importantly, fell by 28% since peaking in 1990.

The birthrate for teenagers also declined by 2% between 1999 and 2000 (from 48.8 to 47.7 births per 1,000 women aged 15–19). The 2000 rate was 5% lower than the 1986 rate and 23% lower than the peak rate of 61.8 births per 1,000 women reached in 1991.

Teenagers' abortion rate in 2000 was 24.0 per 1,000 women aged 15–19—some 3% lower than the 1999 rate of 24.7 per 1,000. From 1986 to 2000, the abortion rate dropped by 43%; during the same period, the proportion of teenage pregnancies ending in abortion fell from 46% to 33%—a decline of more than one-quarter (27%).

White, black and Hispanic adolescents have experienced declines in pregnancy rates, although to different extents (Table 1). Among black women aged 15–19, the nationwide pregnancy rate fell by 32% between 1990 and 2000 (from 224 to 153 per 1,000); among white teenagers, it declined by 28% during that time (from 99 to 71 per 1,000). The pregnancy rate among Hispanic teenagers, who may be of any race, increased from 162 to 170 per 1,000 women aged 15–19 between 1990 and 1992, but then fell to 138 per 1,000 by 2000—15% below the 1990 rate.

Teenage pregnancy rates in 2000 varied widely by state, ranging from 42 pregnancies per 1,000 women aged 15–19 in North Dakota to 113 per 1,000 in Nevada and 128 per 1,000 in the District of Columbia (Table 2). The highest state adolescent pregnancy rates after Nevada's were in Arizona, Mississippi, New Mexico and Texas. Vermont, New Hampshire, Minnesota and Maine had the lowest rates after North Dakota's.

Teenage birthrates for 2000 also varied considerably by state (Table 2). The highest rates (66–71 births per 1,000 women aged 15–19) were in Mississippi, Texas, Arizona, Arkansas and New Mexico; in the District of Columbia, 56 births occurred per 1,000 teenage women. New Hampshire, Vermont, Massachusetts, North Dakota and Maine had the lowest rates (23–29 per 1,000).

Statewide teenage abortion rates were highest (36–47 abortions per 1,000 women aged 15–19) in New Jersey, New York, Maryland, California and Nevada (Table 2); the rate in the District of Columbia was 55 per 1,000. Teenagers in Utah, South Dakota, Kentucky and North Dakota had the lowest abortion rates (6–8 per 1,000).

Overall in 2000, one-third of pregnancies among 15–19-year-olds ended in abortion (Table 2). However, in New Jersey, 60% of teenage pregnancies ended in abortion, as did at least 50% in New York, Massachusetts and the District of Columbia. By contrast, only

13% of pregnancies among teenagers in Kentucky and Utah ended in abortion; the proportion was also relatively low (15–16%) in Louisiana, Arkansas and South Dakota.

Between 1988 and 2000, teenage pregnancy rates declined in every state and in the District of Columbia (Table 3). Teenage birthrates increased between 1988 and 1992 in all but four states (Maine, Maryland, New Hampshire and New Jersey); birthrates then fell in all states between 1992 and 2000. By 2000, they were lower than the 1998 rates in all states except Colorado, Iowa, Nebraska and Texas. Teenage abortion rates between 1988 and 2000 declined in every state except Mississippi and Wyoming.

Of the states with available 2000 pregnancy data by race and Hispanic ethnicity (Table 4), Arkansas had the highest the pregnancy rate per 1,000 non-Hispanic white teenagers (77 per 1,000). Pregnancy rates among this group were also high in other southern states: Alabama, Tennessee, Mississippi, Kentucky and South Carolina (71–73 per 1,000). North Dakota had the lowest pregnancy rate among non-Hispanic white teenagers (33 per 1,000).

Pregnancy rates per 1,000 black women aged 15–19 were highest in New Jersey (209 per 1,000), and next highest in Wisconsin, Delaware, Pennsylvania and Oregon (161–177 per 1,000). They were lowest in Utah, New Mexico, West Virginia, Rhode Island and Colorado (71–114 per 1,000).

Georgia, Arizona, Tennessee, Colorado and Delaware had the highest pregnancy rates among Hispanic women aged 15–19 (154–169 per 1,000). In contrast, pregnancy rates among Hispanic teenagers were lowest in Mississippi, Missouri, South Dakota and Ohio (71–115 per 1,000).

Overall, approximately 822,000 pregnancies occurred among women aged 15–19 in 2000; roughly two-thirds of these pregnancies were among 18–19-year-olds (Table 5). In general, states with the largest numbers of teenagers also had the greatest number of teenage pregnancies. California reported the highest number of adolescent pregnancies (113,000), followed by Texas, New York, Florida and Illinois (with about 37,000–80,000 each). The smallest numbers of teenage pregnancies were in Vermont, North Dakota, Wyoming, South Dakota and Alaska, all of which reported fewer than 2,000 pregnancies among women aged 15–19.

This report concludes with a series of tables that were used to calculate rates of pregnancy, birth and abortion in 2000, including numbers of teenage pregnancies, births, abortions and miscarriages, as well as population counts (Tables 5–9). A parallel set of tables of 1999 data (Tables 10–16) follows the 2000 set.

*The preparation of this report was made possible by grants from the Marion Cohen Memorial Foundation and the David and Lucile Packard Foundation.*

# About the Tables

## Data Sources and Methodology

The data sources and methods for estimating state teenage pregnancy rates in 1999 and 2000 are similar to those used to measure pregnancy rates for 1996 and 1992.[1] Pregnancies are calculated as the sum of births, miscarriages (including stillbirths) and abortions. The number of births to teenagers in each state and teenage birthrates were obtained from the National Center for Health Statistics (NCHS).[2] The number of miscarriages was estimated as 20% of births plus 10% of abortions; these proportions attempt to account for miscarriages that occur after the pregnancy has lasted long enough to be noticed by the woman (6–7 weeks after her last menstrual period).[3]

The annual numbers of abortions in each state for 1987, 1988, 1991, 1992, 1995, 1996, 1999 and 2000 were calculated from survey data that The Alan Guttmacher Institute (AGI) collected from all known abortion providers. Data for other years were interpolated from the AGI numbers, after adjustment for annual trends based on state health department data compiled by the Centers for Disease Control and Prevention.[4]

The national numbers of abortions by age, race and Hispanic ethnicity were estimated from distributions that we obtained by summing state health department data, after accounting for year-to-year changes in the reporting states.* In 2000, however, data on the race and ethnicity of teenagers having abortions were incomplete in 29 states.

The numbers of teenage abortions by state of residence were calculated from the number of abortions performed in each state for women of all ages (residents and nonresidents), which we estimated from the AGI provider surveys. We reassigned abortions to the woman's state of residence on the basis of information provided by state abortion reporting agencies. In 2000, for six states where complete residence-based information was unavailable, we asked a sample of abortion facilities for information about the state in which women obtaining abortions said they lived.† To estimate the number of nonresidents who had abortions in each state, we applied the percentage distribution of women having abortions, by state of residence, to our count of the total number of abortions that took place in each state.

Of the state residents having abortions, the proportion who were aged 15–17 and 18–19 and members of the various racial and ethnic groups were taken from state health department reports. For states with no information on the age of women having abortions in 2000,‡ we estimated the proportion of abortions obtained by teenagers by using several measures, including the national distribution, the distribution from neighboring or nearby and demographically similar states, and historical distributions from the state (see notes to tables for state-specific calculation methods).

Our calculation methods assume that teenagers travel outside their home state for abortion services in the same proportions as older women.§ This assumption may not be valid in states where minors travel out-of-state to avoid parental involvement requirements or in states to which teenagers travel.

For 1990–2000, NCHS recently released revised population estimates based on the results of the 2000 census. To maintain comparability with prior years, these estimates convert the multiple race responses for an individual from the 2000 decennial census into a single response.[5] Thus we have recalculated all 1990–1999 rates using updated denominators. Furthermore, NCHS publishes birthrates with April 1 population denominators for the decennial census years, and with July 1 denominators for other years. To maintain consistency, we have based all rates on July 1 denominators.

## Interpreting the Data

Because health department abortion statistics are incomplete or nonexistent in many states, care should be used in interpreting the teenage abortion and pregnancy data. For the states with no information on the age of women having abortions, the teenage abortion rate was estimated. Similarly, error is introduced by the assumption that teenagers have abortions out-of-state in the same proportions as older women. Therefore, one cannot draw inferences about the effects of parental involvement requirements on the number of abortions obtained by minors.

Births and abortions are reported according to the woman's age at the time of the event, not the age at which she became pregnant; teenage pregnancy rates are therefore understated. For example, the rate for women aged 18–19 would be higher than that shown if pregnancies beginning at age 19 and ending at age 20 were included.

## Footnotes

* For a description of the methodology for estimating the number of abortions according to women's characteristics, see Henshaw SK and Van Vort J, *Abortion Factbook, 1992 Edition: Readings, Trends, and State and Local Data to 1988*, New York: The Alan Guttmacher Institute, 1992, p. 164.

† The six states were Arizona, Florida, Iowa, Louisiana, Massachusetts and New Hampshire. In addition, we assumed that no out-of-state women obtained abortions in Alaska, and that for California, the percentage (0.5%) and distribution of out-of-state abortions in 2000 was the same as those in 1982, the last year for which this information is available.

‡ These states were Alaska, California, Florida, New Hampshire and Wyoming.

§ In 1996 only, we used age-specific data on state of residence for some states.

## References

**1.** Henshaw SK and Feivelson DJ, Teenage abortion and pregnancy statistics by state, 1996, *Family Planning Perspectives*, 2000, 32(6):272–280; and Henshaw SK, Teenage abortion, birth and pregnancy statistics by state, 1992, *Family Planning Perspectives*, 1997, 29(3):115–122.

**2.** National Center for Health Statistics (NCHS), 2000 natality data set, CD-ROM, Hyattsville, MD: NCHS, 2002; and NCHS, 1999 natality data set, CD-ROM, Hyattsville, MD: NCHS, 2001.

**3.** Leridon H, *Human Fertility: The Basic Components,* Chicago: University of Chicago Press, 1977, Table 4.20.

**4.** Elam-Evans et al., Abortion surveillance—United States, 2000, *Morbidity and Mortality Weekly Report,* 52(SS-12):1–32.

**5.** NCHS, U.S. Census populations with bridged race categories, 2003, <http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm>, accessed Feb. 10, 2004; and Ingram DD et al., United States Census 2000 population with bridged race categories, *Vital and Health Statistics,* 2000, Series 2, No. 135.

**Table 1. Rates of pregnancy, birth and abortion per 1,000 women aged 15–19, and abortion ratio, by race and ethnicity, 1986-2000**

| Race/ethnicity and measure | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TOTAL | | | | | | | | | | | | | | | |
| Pregnancy rate* | 106.7 | 106.6 | 111.4 | 114.9 | 116.9 | 115.3 | 111.0 | 108.0 | 104.6 | 99.6 | 95.6 | 91.4 | 88.7 | 85.7 | 83.6 |
| Birthrate | 50.2 | 50.6 | 53.0 | 57.3 | 60.3 | 61.8 | 60.3 | 59.0 | 58.2 | 56.0 | 53.5 | 51.3 | 50.3 | 48.8 | 47.7 |
| Abortion rate | 42.3 | 41.8 | 43.5 | 42.0 | 40.5 | 37.4 | 35.2 | 33.9 | 31.6 | 29.4 | 28.6 | 27.1 | 25.8 | 24.7 | 24.0 |
| Abortion ratio† | 45.7 | 45.2 | 45.1 | 42.3 | 40.2 | 37.7 | 36.9 | 36.5 | 35.2 | 34.5 | 34.8 | 34.6 | 33.9 | 33.6 | 33.4 |
| WHITE | | | | | | | | | | | | | | | |
| **All** | | | | | | | | | | | | | | | |
| Pregnancy rate* | 90.0 | 89.6 | 93.0 | 95.8 | 98.8 | 96.6 | 92.3 | 90.0 | 87.8 | 84.9 | 81.4 | 77.9 | 75.9 | 73.4 | 71.4 |
| Birthrate | 42.3 | 42.5 | 44.4 | 47.9 | 51.2 | 52.6 | 51.4 | 50.6 | 50.5 | 49.5 | 47.5 | 45.5 | 44.9 | 44.0 | 43.2 |
| Abortion rate | 35.6 | 35.1 | 36.1 | 34.8 | 33.9 | 30.4 | 27.9 | 26.6 | 24.7 | 23.2 | 22.2 | 21.1 | 20.0 | 18.7 | 17.9 |
| Abortion ratio† | 45.7 | 45.2 | 44.9 | 42.1 | 39.8 | 36.6 | 35.2 | 34.4 | 32.8 | 31.9 | 31.9 | 31.7 | 30.8 | 29.8 | 29.3 |
| **Non-Hispanic** | | | | | | | | | | | | | | | |
| Pregnancy rate* | u | u | u | u | 87.3 | 82.7 | 77.0 | 74.6 | 71.8 | 68.8 | 65.5 | 62.9 | 60.2 | 57.4 | 54.7 |
| Birthrate | u | u | u | 39.9 | 41.5 | 42.7 | 41.0 | 40.2 | 39.8 | 38.6 | 36.9 | 35.4 | 34.7 | 33.6 | 32.2 |
| Abortion rate | u | u | u | u | 32.9 | 28.7 | 25.3 | 24.0 | 21.8 | 20.5 | 19.3 | 18.6 | 16.9 | 15.5 | 14.6 |
| Abortion ratio† | u | u | u | u | 44.2 | 40.2 | 38.1 | 37.4 | 35.4 | 34.7 | 34.3 | 34.4 | 32.7 | 31.7 | 31.3 |
| NONWHITE | | | | | | | | | | | | | | | |
| **All** | | | | | | | | | | | | | | | |
| Pregnancy rate* | 180.7 | 180.1 | 189.1 | 193.4 | 189.4 | 188.5 | 183.5 | 177.6 | 169.0 | 155.1 | 148.9 | 141.6 | 136.2 | 130.8 | 128.2 |
| Birthrate | 84.8 | 85.5 | 89.2 | 95.9 | 96.3 | 97.8 | 94.6 | 91.2 | 87.5 | 80.5 | 75.9 | 72.6 | 70.2 | 66.1 | 64.4 |
| Abortion rate | 71.8 | 70.4 | 74.5 | 71.3 | 67.0 | 64.7 | 63.6 | 62.0 | 58.2 | 53.2 | 52.5 | 49.4 | 47.3 | 46.8 | 46.3 |
| Abortion ratio† | 45.8 | 45.2 | 45.5 | 42.6 | 41.0 | 39.8 | 40.2 | 40.5 | 39.9 | 39.8 | 40.9 | 40.5 | 40.3 | 41.4 | 41.8 |
| **Black** | | | | | | | | | | | | | | | |
| Pregnancy rate* | u | u | u | u | 223.8 | 222.3 | 216.6 | 209.9 | 198.7 | 181.4 | 175.1 | 168.1 | 162.0 | 156.1 | 153.3 |
| Birthrate | 95.8 | 97.6 | 102.7 | 111.5 | 112.9 | 114.8 | 111.3 | 107.3 | 102.9 | 94.4 | 89.6 | 86.3 | 83.5 | 79.1 | 77.4 |
| Abortion rate | u | u | u | u | 80.3 | 76.9 | 75.5 | 73.8 | 68.3 | 61.9 | 61.4 | 58.7 | 56.2 | 55.7 | 54.9 |
| Abortion ratio† | u | u | u | u | 41.6 | 40.1 | 40.4 | 40.7 | 39.9 | 39.6 | 40.7 | 40.5 | 40.2 | 41.3 | 41.5 |
| HISPANIC | | | | | | | | | | | | | | | |
| Pregnancy rate* | u | u | u | u | 162.2 | 169.1 | 169.7 | 165.8 | 164.4 | 158.5 | 152.8 | 143.5 | 142.5 | 139.4 | 137.9 |
| Birthrate | u | u | u | 100.8 | 99.5 | 104.6 | 103.3 | 101.8 | 101.3 | 99.3 | 94.6 | 89.6 | 87.9 | 86.8 | 87.1 |
| Abortion rate | u | u | u | u | 38.9 | 39.6 | 41.6 | 39.7 | 39.0 | 35.8 | 35.7 | 32.7 | 33.7 | 32.1 | 30.3 |
| Abortion ratio† | u | u | u | u | 28.1 | 27.5 | 28.7 | 28.0 | 27.8 | 26.5 | 27.4 | 26.8 | 27.7 | 27.0 | 25.8 |

*Includes estimated number of pregnancies ending in miscarriage or stillbirth. †Abortions per 100 pregnancies ending in abortion or live birth; denominator excludes miscarriages and stillbirths.

**Notes:** In this and subsequent tables, data are tabulated according to the woman's age at the pregnancy outcome and, for births, according to the mother's race (not the child's). Numbers and rates may differ slightly from those published previously because we revised the number of abortions in 1993 through 1997 and used population estimates that came from the 2000 census. u=unavailable.

**Table 2. Ranking by rates of pregnancy, birth and abortion per 1,000 women aged 15–19, these rates by age-group, and abortion ratios—all according to state of residence, 2000**

| State | Pregnancy rate* | | | | Birthrate | | | | Abortion rate | | | | Abortion ratio† |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Rank | 15–19 | 15–17 | 18–19 | Rank | 15–19 | 15–17 | 18–19 | Rank | 15–19 | 15–17 | 18–19 | |
| **U.S. total** | **na** | **84** | **48** | **136** | **na** | **48** | **27** | **78** | **na** | **24** | **14** | **38** | **33** |
| Alabama | 15 | 90 | 54 | 142 | 9 | 61 | 37 | 96 | 30 | 16 | 9 | 24 | 20 |
| Alaska‡ | 30 | 73 | 37 | 140 | 21 | 48 | 24 | 93 | 35 | 14 | 8 | 26 | 23 |
| Arizona | 2 | 104 | 62 | 168 | 3 | 67 | 40 | 108 | 19 | 21 | 12 | 35 | 24 |
| Arkansas | 10 | 93 | 51 | 155 | 4 | 66 | 35 | 112 | 41 | 12 | 8 | 19 | 16 |
| California‡ | 7 | 96 | 55 | 156 | 23 | 47 | 27 | 78 | 5 | 36 | 21 | 58 | 43 |
| Colorado | 22 | 82 | 48 | 133 | 15 | 51 | 29 | 84 | 21 | 19 | 12 | 29 | 27 |
| Connecticut | 33 | 70 | 42 | 113 | 44 | 31 | 16 | 54 | 9 | 30 | 21 | 44 | 49 |
| Delaware | 11 | 93 | 62 | 131 | 19 | 48 | 30 | 72 | 8 | 31 | 24 | 41 | 39 |
| District of Columbia | na | 128 | 119 | 135 | na | 56 | 50 | 61 | na | 55 | 53 | 57 | 50 |
| Florida§ | 6 | 97 | 55 | 163 | 16 | 51 | 28 | 85 | 7 | 33 | 19 | 56 | 40 |
| Georgia | 8 | 95 | 55 | 154 | 6 | 63 | 36 | 102 | 22 | 18 | 11 | 29 | 23 |
| Hawaii | 12 | 93 | 50 | 158 | 26 | 46 | 23 | 82 | 6 | 34 | 21 | 55 | 42 |
| Idaho | 37 | 62 | 31 | 106 | 27 | 43 | 21 | 74 | 45 | 10 | 6 | 16 | 19 |
| Illinois | 20 | 87 | 53 | 138 | 20 | 48 | 28 | 79 | 10 | 27 | 18 | 40 | 36 |
| Indiana | 31 | 73 | 39 | 121 | 17 | 49 | 26 | 82 | 38 | 12 | 7 | 20 | 20 |
| Iowa | 43 | 55 | 30 | 89 | 39 | 35 | 18 | 57 | 42 | 12 | 7 | 19 | 26 |
| Kansas | 34 | 69 | 36 | 118 | 24 | 46 | 23 | 81 | 39 | 12 | 8 | 19 | 21 |
| Kentucky | 25 | 76 | 41 | 124 | 14 | 56 | 30 | 91 | 47 | 8 | 5 | 13 | 13 |
| Louisiana | 19 | 87 | 50 | 140 | 7 | 62 | 36 | 100 | 44 | 11 | 7 | 18 | 15 |
| Maine | 46 | 52 | 27 | 90 | 46 | 29 | 14 | 53 | 31 | 15 | 9 | 24 | 34 |
| Maryland | 13 | 91 | 53 | 151 | 30 | 41 | 23 | 69 | 3 | 38 | 22 | 62 | 48 |
| Massachusetts | 40 | 60 | 34 | 94 | 48 | 26 | 15 | 41 | 11 | 26 | 14 | 41 | 50 |
| Michigan | 27 | 75 | 42 | 123 | 32 | 40 | 22 | 67 | 15 | 24 | 14 | 39 | 38 |
| Minnesota | 47 | 50 | 26 | 85 | 45 | 30 | 16 | 51 | 36 | 13 | 7 | 21 | 29 |
| Mississippi | 3 | 103 | 64 | 156 | 1 | 71 | 45 | 107 | 28 | 16 | 9 | 25 | 18 |
| Missouri | 29 | 74 | 40 | 124 | 18 | 49 | 27 | 81 | 34 | 14 | 7 | 25 | 22 |
| Montana | 38 | 60 | 33 | 102 | 37 | 37 | 19 | 64 | 32 | 14 | 9 | 23 | 28 |
| Nebraska | 41 | 59 | 32 | 99 | 36 | 38 | 19 | 65 | 40 | 12 | 8 | 19 | 25 |
| Nevada | 1 | 113 | 64 | 194 | 8 | 61 | 33 | 108 | 4 | 36 | 22 | 59 | 37 |
| New Hampshire§ | 48 | 47 | 22 | 83 | 50 | 23 | 10 | 43 | 25 | 17 | 9 | 29 | 42 |
| New Jersey | 16 | 90 | 52 | 154 | 43 | 32 | 17 | 57 | 1 | 47 | 29 | 78 | 60 |
| New Mexico | 4 | 103 | 64 | 163 | 5 | 66 | 39 | 106 | 18 | 22 | 15 | 33 | 25 |
| New York | 14 | 91 | 57 | 139 | 42 | 33 | 19 | 54 | 2 | 46 | 31 | 67 | 58 |
| North Carolina | 9 | 95 | 54 | 152 | 13 | 59 | 33 | 94 | 17 | 22 | 12 | 35 | 27 |
| North Dakota | 50 | 42 | 21 | 71 | 47 | 28 | 13 | 48 | 48 | 8 | 5 | 12 | 22 |
| Ohio | 28 | 74 | 40 | 124 | 25 | 46 | 24 | 78 | 27 | 17 | 10 | 27 | 27 |
| Oklahoma | 21 | 86 | 48 | 141 | 10 | 60 | 33 | 99 | 37 | 12 | 8 | 19 | 17 |
| Oregon | 23 | 79 | 44 | 130 | 28 | 43 | 23 | 72 | 13 | 25 | 15 | 40 | 37 |
| Pennsylvania | 39 | 60 | 34 | 96 | 41 | 34 | 20 | 54 | 23 | 17 | 10 | 28 | 34 |
| Rhode Island | 36 | 67 | 38 | 99 | 40 | 34 | 21 | 49 | 16 | 23 | 12 | 36 | 40 |
| South Carolina | 17 | 89 | 57 | 132 | 12 | 59 | 36 | 89 | 24 | 17 | 13 | 23 | 23 |
| South Dakota | 44 | 54 | 27 | 94 | 35 | 38 | 19 | 67 | 49 | 7 | 3 | 13 | 16 |
| Tennessee | 18 | 89 | 50 | 144 | 11 | 60 | 34 | 97 | 29 | 16 | 9 | 26 | 21 |
| Texas | 5 | 101 | 59 | 165 | 2 | 69 | 41 | 110 | 26 | 17 | 9 | 30 | 20 |
| Utah | 45 | 53 | 30 | 81 | 34 | 39 | 21 | 60 | 50 | 6 | 4 | 9 | 13 |
| Vermont | 49 | 44 | 23 | 75 | 49 | 24 | 11 | 43 | 33 | 14 | 9 | 22 | 37 |
| Virginia | 32 | 72 | 38 | 120 | 31 | 41 | 21 | 69 | 20 | 21 | 11 | 34 | 34 |
| Washington | 26 | 75 | 42 | 125 | 33 | 39 | 20 | 67 | 12 | 26 | 16 | 40 | 40 |
| West Virginia | 35 | 67 | 34 | 112 | 22 | 47 | 23 | 80 | 46 | 10 | 6 | 15 | 17 |
| Wisconsin | 42 | 55 | 30 | 93 | 38 | 35 | 19 | 60 | 43 | 12 | 7 | 19 | 25 |
| Wyoming** | 24 | 77 | 42 | 132 | 29 | 42 | 19 | 77 | 14 | 25 | 17 | 36 | 37 |

*Includes estimated number of pregnancies ending in miscarriage or stillbirth. †Abortions per 100 pregnancies ending in abortion or live birth. ‡Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age nationally. §Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in neighboring or similar states. **Abortion estimates are based on the number of abortions among all women in the state and the average proportion of abortions obtained by women of the same age in Wyoming in 1992, 1996 and 1999.

**Notes:** Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the pregnancy and abortion rates may be too low because minors have traveled to other states for abortion services. na=not applicable.

**Table 3. Rates of pregnancy, birth and abortion per 1,000 women aged 15–19, according to state of residence, selected years**

| State | Pregnancy rate* | | | | Birthrate | | | | Abortion rate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1988 | 1992 | 1996 | 2000 | 1988 | 1992 | 1996 | 2000 | 1988 | 1992 | 1996 | 2000 |
| **U.S. total** | **111** | **111** | **96** | **84** | **53** | **60** | **53** | **48** | **43** | **35** | **29** | **24** |
| Alabama | 110 | 116 | 103 | 90 | 63 | 72 | 67 | 61 | 32† | 27 | 20 | 16 |
| Alaska | 111 | 111 | 82 | 73 | 57 | 65 | 51 | 48 | 38† | 30† | 19† | 14‡ |
| Arizona | 127 | 131 | 115 | 104 | 69 | 80 | 72 | 67 | 40 | 32 | 26 | 21 |
| Arkansas | 115 | 115 | 106 | 93 | 70 | 75 | 74 | 66 | 27 | 23 | 16 | 12 |
| California | 154 | 157 | 122 | 96 | 58 | 73 | 61 | 47 | 76† | 63† | 45† | 36‡ |
| Colorado | 102 | 111 | 92 | 82 | 49 | 58 | 51 | 51 | 39 | 37 | 29 | 19 |
| Connecticut | 107 | 95 | 84 | 70 | 36 | 39 | 37 | 31 | 58 | 44 | 37 | 30 |
| Delaware | 117 | 119 | 89 | 93 | 53 | 59 | 54 | 48 | 49† | 44 | 23 | 31 |
| District of Columbia | 209 | 254 | 199 | 128 | 74 | 107 | 79 | 56 | 110 | 115 | 49 | 55 |
| Florida† | 133 | 125 | 111 | 97 | 63 | 65 | 57 | 51 | 52† | 42† | 39† | 33† |
| Georgia | 122 | 126 | 107 | 95 | 69 | 74 | 67 | 63 | 37 | 34 | 24 | 18 |
| Hawaii | 134 | 140 | 103 | 93 | 49 | 54 | 49 | 46 | 68 | 68 | 40 | 34 |
| Idaho | 73 | 77 | 69 | 62 | 45 | 52 | 47 | 43 | 17 | 14 | 12 | 10 |
| Illinois | 112 | 111 | 103 | 87 | 54 | 63 | 55 | 48 | 43† | 32 | 33 | 27 |
| Indiana | 89 | 94 | 87 | 73 | 52 | 59 | 55 | 49 | 25 | 22 | 19 | 12 |
| Iowa | 69 | 66 | 57 | 55 | 33 | 41 | 37 | 35 | 27† | 16† | 12† | 12 |
| Kansas | 88 | 90 | 78 | 69 | 49 | 56 | 49 | 46 | 27 | 21 | 17 | 12 |
| Kentucky | 96 | 99 | 88 | 76 | 60 | 65 | 61 | 56 | 22 | 19 | 13 | 8 |
| Louisiana | 107 | 108 | 97 | 87 | 68 | 76 | 67 | 62 | 23 | 15 | 15 | 11 |
| Maine | 82 | 70 | 58 | 52 | 41 | 40 | 32 | 29 | 30 | 20 | 18 | 15 |
| Maryland | 129 | 118 | 105 | 91 | 51 | 51 | 46 | 41 | 61 | 52 | 44 | 38 |
| Massachusetts | 97 | 86 | 76 | 60 | 32 | 38 | 31 | 26 | 53 | 38 | 36 | 26 |
| Michigan | 111 | 108 | 87 | 75 | 47 | 57 | 46 | 40 | 49 | 37 | 29 | 24 |
| Minnesota | 69 | 64 | 56 | 50 | 31 | 36 | 32 | 30 | 29 | 19 | 16 | 13 |
| Mississippi | 106 | 121 | 106 | 103 | 73 | 84 | 74 | 71 | 16 | 19 | 16 | 16 |
| Missouri | 99 | 100 | 85 | 74 | 55 | 63 | 53 | 49 | 30 | 22 | 19 | 14 |
| Montana | 74 | 81 | 66 | 60 | 39 | 46 | 39 | 37 | 24 | 23 | 17 | 14 |
| Nebraska | 75 | 71 | 62 | 59 | 37 | 41 | 39 | 38 | 27 | 20 | 14 | 12 |
| Nevada | 142 | 143 | 140 | 113 | 65 | 71 | 69 | 61 | 59 | 53 | 51 | 36 |
| New Hampshire | 87 | 62 | 56 | 47 | 33 | 31 | 28 | 23 | 43† | 22† | 20† | 17† |
| New Jersey | 112 | 96 | 96 | 90 | 39 | 39 | 35 | 32 | 60 | 45 | 49 | 47 |
| New Mexico | 124 | 128 | 109 | 103 | 72 | 80 | 70 | 66 | 35 | 30 | 22 | 22 |
| New York | 116 | 118 | 103 | 91 | 40 | 45 | 40 | 33 | 61 | 59 | 50 | 46 |
| North Carolina | 122 | 120 | 103 | 95 | 61 | 69 | 62 | 59 | 45 | 34 | 25 | 22 |
| North Dakota | 57 | 59 | 49 | 42 | 31 | 37 | 32 | 28 | 18 | 13 | 10 | 8 |
| Ohio | 96 | 93 | 81 | 74 | 52 | 58 | 50 | 46 | 31 | 21 | 18 | 17 |
| Oklahoma | 105 | 100 | 90 | 86 | 62 | 70 | 63 | 60 | 27† | 14† | 13† | 12 |
| Oregon | 105 | 99 | 89 | 79 | 48 | 53 | 50 | 43 | 43 | 32 | 26 | 25 |
| Pennsylvania | 87 | 84 | 68 | 60 | 41 | 45 | 38 | 34 | 34 | 27 | 20 | 17 |
| Rhode Island | 86 | 93 | 79 | 67 | 38 | 46 | 39 | 34 | 36 | 35 | 30 | 23 |
| South Carolina | 114 | 109 | 94 | 89 | 65 | 70 | 60 | 59 | 33 | 23 | 19 | 17 |
| South Dakota | 69 | 74 | 60 | 54 | 44 | 48 | 40 | 38 | 15 | 14 | 10 | 7 |
| Tennessee | 110 | 111 | 97 | 89 | 64 | 71 | 64 | 60 | 31 | 24 | 18 | 16 |
| Texas | 117 | 122 | 113 | 101 | 69 | 78 | 73 | 69 | 31 | 26 | 23 | 17 |
| Utah | 69 | 65 | 58 | 53 | 44 | 46 | 41 | 39 | 15 | 9 | 7 | 6 |
| Vermont | 81 | 71 | 59 | 44 | 33 | 36 | 30 | 24 | 37 | 26 | 22 | 14 |
| Virginia | 106 | 101 | 87 | 72 | 46 | 52 | 45 | 41 | 46 | 35 | 29 | 21 |
| Washington | 109 | 107 | 87 | 75 | 47 | 51 | 46 | 39 | 47 | 42 | 29 | 26 |
| West Virginia | 78 | 85 | 73 | 67 | 50 | 56 | 51 | 47 | 17† | 16 | 12 | 10 |
| Wisconsin | 74 | 73 | 61 | 55 | 38 | 42 | 37 | 35 | 26 | 21 | 15 | 12 |
| Wyoming | 82 | 81 | 75 | 77 | 48 | 50 | 45 | 42 | 23 | 19 | 20 | 25§ |

*Includes estimated number of pregnancies ending in miscarriage or stillbirth. Some pregnancy rates were based on state-specific special calculations (see footnotes in abortion rate column). †Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in neighboring or similar states. ‡Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age nationally. §Abortion estimates are based on the average number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in Wyoming in 1992, 1996 and 1999.

**Note:** Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the pregnancy and abortion rates may be too low because minors have traveled to other states for abortion services.

**Table 4. Rates of pregnancy, birth and abortion rates per 1,000 women aged 15–19, by race and ethnicity, according to state of residence, 2000**

| State | Non-Hispanic white | | | Black | | | Hispanic | | |
|---|---|---|---|---|---|---|---|---|---|
| | Pregnancy* | Birth | Abortion | Pregnancy* | Birth | Abortion | Pregnancy* | Birth | Abortion |
| **U.S. total†** | **55** | **32** | **15** | **153** | **77** | **55** | **138** | **87** | **30** |
| Alabama | 73 | 49 | 12 | 123 | 82 | 23 | 136 | 107 | 6 |
| Alaska | u | 31 | u | u | 73 | u | u | 72 | u |
| Arizona | 68 | 38 | 20 | 122 | 74 | 31 | 164 | 114 | 25 |
| Arkansas | 77 | 56 | 10 | 141 | 97 | 22 | 132 | 103 | 8 |
| California | u | 22 | u | u | 56 | u | u | 79 | u |
| Colorado | 59 | 31 | 20 | 114 | 80 | 16 | 154 | 113 | 16 |
| Connecticut | u | 15 | u | u | 59 | u | u | 89 | u |
| Delaware | 62 | 32 | 22 | 166 | 85 | 58 | 154 | 103 | 28 |
| District of Columbia | u | 2 | u | u | 81 | u | u | 85 | u |
| Florida | u | 37 | u | u | 82 | u | u | 58 | u |
| Georgia | 70 | 46 | 13 | 127 | 81 | 27 | 169 | 132 | 10 |
| Hawaii | 56 | 20 | 29 | 143 | 64 | 60 | 146 | 100 | 23 |
| Idaho | 54 | 36 | 10 | ‡ | ‡ | ‡ | 135 | 105 | 9 |
| Illinois | u | 26 | u | u | 94 | u | u | 90 | u |
| Indiana | (63) | 42 | (11) | 145 | 91 | 32 | u | 95 | u |
| Iowa | (49) | 30 | (11) | 128 | 86 | 23 | u | 97 | u |
| Kansas | 56 | 37 | 10 | 142 | 86 | 35 | 133 | 100 | 12 |
| Kentucky | (71) | 53 | (7) | 119 | 84 | 17 | u | 92 | u |
| Louisiana | (62) | 43 | (9) | 127 | 92 | 15 | u | 40 | u |
| Maine | 51 | 29 | 15 | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Maryland | u | 26 | u | 150 | 67 | 64 | u | 62 | u |
| Massachusetts | u | 16 | u | u | 56 | u | u | 88 | u |
| Michigan | u | 27 | u | u | 80 | u | u | 81 | u |
| Minnesota | 36 | 21 | 10 | 160 | 89 | 48 | 147 | 105 | 19 |
| Mississippi | 72 | 52 | 9 | 139 | 93 | 24 | 71 | 52 | 7 |
| Missouri | 60 | 41 | 10 | 152 | 92 | 39 | 109 | 80 | 12 |
| Montana | (51) | 28 | (15) | ‡ | ‡ | ‡ | u | 64 | u |
| Nebraska | u | 29 | u | u | 85 | u | u | 105 | u |
| Nevada | u | 40 | u | u | 77 | u | u | 108 | u |
| New Hampshire | u | 21 | u | u | 34 | u | u | 58 | u |
| New Jersey | 35 | 13 | 18 | 209 | 67 | 116 | 130 | 69 | 43 |
| New Mexico | 70 | 39 | 21 | 101 | 56 | 31 | 128 | 85 | 23 |
| New York | 52 | 17 | 28 | 167 | 53 | 93 | 130 | 64 | 48 |
| North Carolina | u | 43 | u | 132 | 79 | 34 | u | 147 | u |
| North Dakota | 33 | 20 | 8 | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Ohio | 59 | 38 | 13 | 159 | 93 | 43 | 115 | 80 | 17 |
| Oklahoma | u | 50 | u | 122 | 84 | 19 | u | 97 | u |
| Oregon | 67 | 35 | 23 | 161 | 69 | 71 | 151 | 103 | 24 |
| Pennsylvania | 41 | 24 | 11 | 165 | 82 | 61 | 128 | 91 | 17 |
| Rhode Island | u | 19 | u | 111 | 55 | 41 | u | 94 | u |
| South Carolina | 71 | 44 | 16 | 116 | 79 | 19 | 126 | 96 | 9 |
| South Dakota | 40 | 27 | 7 | ‡ | ‡ | ‡ | 111 | 77 | 17 |
| Tennessee | 73 | 50 | 12 | 141 | 90 | 30 | 155 | 120 | 10 |
| Texas | 65 | 40 | 15 | 120 | 76 | 26 | 142 | 103 | 16 |
| Utah | 43 | 32 | 5 | 71 | 45 | 15 | 141 | 107 | 11 |
| Vermont | 44 | 24 | 14 | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Virginia | u | 30 | u | 118 | 68 | 33 | u | 71 | u |
| Washington | u | 30 | u | u | 56 | u | u | 101 | u |
| West Virginia | (66) | 47 | (9) | 103 | 67 | 20 | u | 9 | u |
| Wisconsin | 39 | 24 | 10 | 177 | 111 | 39 | 137 | 98 | 17 |
| Wyoming | u | 36 | u | ‡ | ‡ | ‡ | u | 81 | u |

*Includes estimated number of pregnancies ending in miscarriage or stillbirth. †Includes estimates for states not shown.
‡Rate not calculated because population base of women aged 15–19 was <500.

**Notes:** In states with parental notification or consent requirements for minors, pregnancy and abortion rates may be too low because minors may have traveled to other states for abortion services. Numbers of pregnancies, pregnancy rates and abortion rates in parentheses include abortions obtained by Hispanic women; in these states, ≤ 10% of births to white women 15–19 were to Hispanics. u=unavailable.

**Table 5. Number of pregnancies and births among women younger than 20, by age-group, according to state of residence, 2000**

| State | Pregnancies* | | | | Births | | | |
|---|---|---|---|---|---|---|---|---|
| | <15 | 15–19 | 15–17 | 18–19 | <15 | 15–19 | 15–17 | 18–19 |
| **U.S. total** | **19,640** | **821,810** | **281,900** | **539,910** | **8,519** | **468,990** | **157,209** | **311,781** |
| Alabama | 370 | 14,400 | 5,030 | 9,360 | 201 | 9,727 | 3,403 | 6,324 |
| Alaska† | 30 | 1,770 | 590 | 1,180 | 14 | 1,162 | 381 | 781 |
| Arizona | 390 | 18,610 | 6,630 | 11,990 | 218 | 12,018 | 4,296 | 7,722 |
| Arkansas | 220 | 8,980 | 2,910 | 6,070 | 130 | 6,400 | 2,021 | 4,379 |
| California† | 2,850 | 113,000 | 39,320 | 73,680 | 896 | 55,463 | 18,914 | 36,549 |
| Colorado | 230 | 12,130 | 4,340 | 7,790 | 117 | 7,550 | 2,614 | 4,936 |
| Connecticut | 170 | 7,420 | 2,790 | 4,630 | 66 | 3,277 | 1,077 | 2,200 |
| Delaware | 80 | 2,540 | 940 | 1,610 | 31 | 1,330 | 452 | 878 |
| District of Columbia | 100 | 2,410 | 970 | 1,440 | 31 | 1,057 | 408 | 649 |
| Florida‡ | 1,450 | 48,440 | 16,710 | 31,730 | 531 | 25,166 | 8,648 | 16,518 |
| Georgia | 770 | 27,370 | 9,380 | 17,990 | 396 | 17,994 | 6,114 | 11,880 |
| Hawaii | 50 | 3,600 | 1,190 | 2,410 | 18 | 1,788 | 542 | 1,246 |
| Idaho | 50 | 3,420 | 1,000 | 2,410 | 16 | 2,349 | 671 | 1,678 |
| Illinois | 930 | 37,480 | 13,680 | 23,800 | 391 | 20,714 | 7,152 | 13,562 |
| Indiana | 280 | 16,020 | 5,020 | 11,000 | 128 | 10,846 | 3,354 | 7,492 |
| Iowa | 100 | 6,020 | 1,880 | 4,130 | 48 | 3,788 | 1,138 | 2,650 |
| Kansas | 120 | 7,030 | 2,160 | 4,870 | 56 | 4,706 | 1,379 | 3,327 |
| Kentucky | 210 | 10,610 | 3,320 | 7,290 | 130 | 7,775 | 2,403 | 5,372 |
| Louisiana | 450 | 15,780 | 5,330 | 10,450 | 274 | 11,269 | 3,796 | 7,473 |
| Maine | 20 | 2,250 | 700 | 1,550 | 7 | 1,273 | 363 | 910 |
| Maryland | 530 | 15,910 | 5,650 | 10,260 | 168 | 7,202 | 2,499 | 4,703 |
| Massachusetts | 240 | 12,160 | 3,880 | 8,280 | 90 | 5,308 | 1,740 | 3,568 |
| Michigan | 540 | 26,270 | 8,820 | 17,450 | 223 | 14,122 | 4,620 | 9,502 |
| Minnesota | 180 | 9,120 | 2,880 | 6,240 | 92 | 5,495 | 1,739 | 3,756 |
| Mississippi | 410 | 11,630 | 4,170 | 7,460 | 237 | 8,028 | 2,928 | 5,100 |
| Missouri | 280 | 14,950 | 4,720 | 10,230 | 134 | 9,852 | 3,202 | 6,650 |
| Montana | 20 | 2,070 | 700 | 1,370 | 6 | 1,268 | 406 | 862 |
| Nebraska | 70 | 3,860 | 1,240 | 2,620 | 34 | 2,477 | 753 | 1,724 |
| Nevada | 140 | 7,130 | 2,510 | 4,620 | 65 | 3,861 | 1,299 | 2,562 |
| New Hampshire‡ | 20 | 2,000 | 570 | 1,430 | 4 | 995 | 257 | 738 |
| New Jersey | 580 | 23,080 | 8,330 | 14,750 | 132 | 8,087 | 2,660 | 5,427 |
| New Mexico | 150 | 7,290 | 2,750 | 4,540 | 78 | 4,655 | 1,700 | 2,955 |
| New York | 1,530 | 56,420 | 21,050 | 35,370 | 355 | 20,783 | 6,958 | 13,825 |
| North Carolina | 670 | 24,790 | 8,210 | 16,590 | 337 | 15,353 | 5,087 | 10,266 |
| North Dakota | 10 | 1,070 | 300 | 770 | 4 | 706 | 187 | 519 |
| Ohio | 710 | 29,650 | 9,600 | 20,060 | 307 | 18,455 | 5,796 | 12,659 |
| Oklahoma | 190 | 11,110 | 3,680 | 7,430 | 121 | 7,780 | 2,523 | 5,257 |
| Oregon | 160 | 9,360 | 3,150 | 6,210 | 66 | 5,094 | 1,657 | 3,437 |
| Pennsylvania | 720 | 24,950 | 8,280 | 16,660 | 295 | 14,177 | 4,763 | 9,414 |
| Rhode Island | 60 | 2,430 | 750 | 1,680 | 28 | 1,250 | 415 | 835 |
| South Carolina | 340 | 12,760 | 4,640 | 8,120 | 208 | 8,382 | 2,921 | 5,461 |
| South Dakota | 30 | 1,620 | 490 | 1,130 | 19 | 1,155 | 353 | 802 |
| Tennessee | 400 | 17,070 | 5,600 | 11,470 | 226 | 11,458 | 3,777 | 7,681 |
| Texas | 1,750 | 80,050 | 28,140 | 51,910 | 1,122 | 54,315 | 19,640 | 34,675 |
| Utah | 70 | 5,660 | 1,760 | 3,910 | 38 | 4,146 | 1,271 | 2,875 |
| Vermont | 10 | 970 | 290 | 670 | 2 | 521 | 138 | 383 |
| Virginia | 400 | 16,920 | 5,280 | 11,650 | 179 | 9,630 | 2,960 | 6,670 |
| Washington | 280 | 15,630 | 5,280 | 10,340 | 118 | 8,127 | 2,560 | 5,567 |
| West Virginia | 60 | 4,050 | 1,210 | 2,840 | 29 | 2,839 | 817 | 2,022 |
| Wisconsin | 210 | 10,980 | 3,570 | 7,420 | 99 | 6,977 | 2,222 | 4,755 |
| Wyoming§ | 20 | 1,550 | 510 | 1,040 | 4 | 840 | 235 | 605 |

*Rounded to the nearest 10; includes estimated number of pregnancies ending in miscarriage or stillbirth. †Abortion estimates are based on the number of abortions to all women in the state and the proportion of abortions obtained by women of the same age nationally. ‡Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in neighboring or similar states. §Abortion estimates are based on the number of abortions among all women in the state and the average proportion of abortions obtained by women of the same age in Wyoming in 1992, 1996 and 1999.

**Note:** Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of pregnancies may be too low because minors have traveled to other states for abortion services.

**Table 6. Number of abortions and number of miscarriages and stillbirths among women younger than 20, by age-group, according to state of residence, 2000**

| State | Abortions* | | | | Miscarriages and stillbirths* | | | |
|---|---|---|---|---|---|---|---|---|
| | <15 | 15–19 | 15–17 | 18–19 | <15 | 15–19 | 15–17 | 18–19 |
| **U.S. total** | **8,560** | **235,470** | **84,770** | **150,700** | **2,560** | **117,350** | **39,920** | **77,430** |
| Alabama | 120 | 2,480 | 860 | 1,610 | 50 | 2,190 | 770 | 1,430 |
| Alaska‡ | 10 | 340 | 120 | 220 | † | 270 | 90 | 180 |
| Arizona | 120 | 3,810 | 1,340 | 2,470 | 60 | 2,780 | 990 | 1,790 |
| Arkansas | 60 | 1,180 | 440 | 740 | 30 | 1,400 | 450 | 950 |
| California‡ | 1,620 | 42,230 | 15,110 | 27,110 | 340 | 15,320 | 5,290 | 10,020 |
| Colorado | 80 | 2,790 | 1,090 | 1,690 | 30 | 1,790 | 630 | 1,160 |
| Connecticut | 80 | 3,170 | 1,360 | 1,810 | 20 | 970 | 350 | 620 |
| Delaware | 40 | 860 | 360 | 500 | 10 | 350 | 130 | 230 |
| District of Columbia | 60 | 1,040 | 430 | 600 | 10 | 320 | 130 | 190 |
| Florida§ | 740 | 16,590 | 5,760 | 10,830 | 180 | 6,690 | 2,310 | 4,390 |
| Georgia | 270 | 5,250 | 1,860 | 3,390 | 110 | 4,120 | 1,410 | 2,720 |
| Hawaii | 30 | 1,320 | 490 | 830 | 10 | 490 | 160 | 330 |
| Idaho | 20 | 540 | 180 | 360 | 10 | 520 | 150 | 370 |
| Illinois | 420 | 11,480 | 4,640 | 6,840 | 120 | 5,290 | 1,890 | 3,400 |
| Indiana | 110 | 2,730 | 900 | 1,830 | 40 | 2,440 | 760 | 1,680 |
| Iowa | 40 | 1,340 | 470 | 870 | 10 | 890 | 270 | 620 |
| Kansas | 50 | 1,260 | 460 | 800 | 20 | 1,070 | 320 | 750 |
| Kentucky | 50 | 1,170 | 400 | 770 | 30 | 1,670 | 520 | 1,150 |
| Louisiana | 110 | 2,050 | 700 | 1,350 | 70 | 2,460 | 830 | 1,630 |
| Maine | 10 | 660 | 240 | 410 | † | 320 | 100 | 220 |
| Maryland | 300 | 6,600 | 2,410 | 4,190 | 60 | 2,100 | 740 | 1,360 |
| Massachusetts | 120 | 5,260 | 1,630 | 3,630 | 30 | 1,590 | 510 | 1,080 |
| Michigan | 240 | 8,480 | 2,980 | 5,500 | 70 | 3,670 | 1,220 | 2,450 |
| Minnesota | 70 | 2,290 | 720 | 1,570 | 20 | 1,330 | 420 | 910 |
| Mississippi | 120 | 1,820 | 600 | 1,220 | 60 | 1,790 | 650 | 1,140 |
| Missouri | 100 | 2,840 | 800 | 2,050 | 40 | 2,250 | 720 | 1,530 |
| Montana | 20 | 500 | 200 | 300 | † | 300 | 100 | 200 |
| Nebraska | 20 | 810 | 300 | 500 | 10 | 580 | 180 | 400 |
| Nevada | 60 | 2,270 | 870 | 1,400 | 20 | 1,000 | 350 | 650 |
| New Hampshire§ | 20 | 730 | 230 | 500 | † | 270 | 70 | 200 |
| New Jersey | 380 | 12,160 | 4,670 | 7,490 | 60 | 2,830 | 1,000 | 1,830 |
| New Mexico | 50 | 1,550 | 640 | 910 | 20 | 1,090 | 400 | 680 |
| New York | 1,000 | 28,620 | 11,550 | 17,070 | 170 | 7,020 | 2,550 | 4,470 |
| North Carolina | 240 | 5,790 | 1,910 | 3,880 | 90 | 3,650 | 1,210 | 2,440 |
| North Dakota | † | 200 | 70 | 130 | † | 160 | 40 | 120 |
| Ohio | 310 | 6,820 | 2,400 | 4,420 | 90 | 4,370 | 1,400 | 2,970 |
| Oklahoma | 40 | 1,620 | 600 | 1,020 | 30 | 1,720 | 560 | 1,150 |
| Oregon | 70 | 2,950 | 1,050 | 1,900 | 20 | 1,310 | 440 | 880 |
| Pennsylvania | 330 | 7,210 | 2,330 | 4,880 | 90 | 3,560 | 1,190 | 2,370 |
| Rhode Island | 30 | 850 | 230 | 620 | 10 | 330 | 110 | 230 |
| South Carolina | 90 | 2,450 | 1,030 | 1,430 | 50 | 1,920 | 690 | 1,230 |
| South Dakota | † | 220 | 60 | 150 | † | 250 | 80 | 180 |
| Tennessee | 110 | 3,020 | 970 | 2,050 | 60 | 2,590 | 850 | 1,740 |
| Texas | 360 | 13,520 | 4,160 | 9,360 | 260 | 12,220 | 4,340 | 7,870 |
| Utah | 20 | 630 | 210 | 410 | 10 | 890 | 280 | 620 |
| Vermont | † | 310 | 120 | 200 | † | 140 | 40 | 100 |
| Virginia | 170 | 4,880 | 1,570 | 3,310 | 50 | 2,410 | 750 | 1,670 |
| Washington | 130 | 5,340 | 2,010 | 3,330 | 40 | 2,160 | 710 | 1,450 |
| West Virginia | 20 | 590 | 210 | 380 | 10 | 630 | 180 | 440 |
| Wisconsin | 80 | 2,370 | 820 | 1,560 | 30 | 1,630 | 530 | 1,110 |
| Wyoming** | 20 | 490 | 210 | 290 | † | 220 | 70 | 150 |

*Rounded to the nearest 10. †<5 abortions or miscarriages/stillbirths. ‡Abortion estimates are based on the number of abortions to all women in the state and the proportion of abortions obtained by women of the same age nationally. §Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in neighboring or similar states. **Abortion estimates are based on the number of abortions among all women in the state and the average proportion of abortions obtained by women of the same age in Wyoming in 1992, 1996 and 1999.

**Note:** Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of abortions and miscarriages may be too low because minors have traveled to other states for abortion services.

**Table 7. Population estimates among women aged 15–19, by age-group, according to state of residence, 2000**

| State | Population | | |
|---|---|---|---|
| | 15–19 | 15–17 | 18–19 |
| **U.S. total** | **9,826,251** | **5,848,159** | **3,978,092** |
| Alabama | 159,102 | 93,096 | 66,006 |
| Alaska | 24,148 | 15,748 | 8,400 |
| Arizona | 178,642 | 107,170 | 71,472 |
| Arkansas | 96,376 | 57,216 | 39,160 |
| California | 1,182,526 | 711,724 | 470,802 |
| Colorado | 148,373 | 89,804 | 58,569 |
| Connecticut | 106,439 | 65,612 | 40,827 |
| Delaware | 27,426 | 15,205 | 12,221 |
| District of Columbia | 18,768 | 8,115 | 10,653 |
| Florida | 497,983 | 303,577 | 194,406 |
| Georgia | 287,098 | 170,640 | 116,458 |
| Hawaii | 38,863 | 23,628 | 15,235 |
| Idaho | 54,769 | 31,977 | 22,792 |
| Illinois | 430,275 | 257,781 | 172,494 |
| Indiana | 219,730 | 128,760 | 90,970 |
| Iowa | 109,544 | 63,108 | 46,436 |
| Kansas | 101,613 | 60,420 | 41,193 |
| Kentucky | 139,429 | 80,497 | 58,932 |
| Louisiana | 180,517 | 105,890 | 74,627 |
| Maine | 43,599 | 26,405 | 17,194 |
| Maryland | 175,482 | 107,642 | 67,840 |
| Massachusetts | 203,508 | 115,869 | 87,639 |
| Michigan | 350,542 | 208,835 | 141,707 |
| Minnesota | 182,859 | 109;590 | 73,269 |
| Mississippi | 113,307 | 65,435 | 47,872 |
| Missouri | 201,880 | 119,320 | 82,560 |
| Montana | 34,497 | 21,098 | 13,399 |
| Nebraska | 65,381 | 38,977 | 26,404 |
| Nevada | 62,828 | 39,049 | 23,779 |
| New Hampshire | 42,761 | 25,511 | 17,250 |
| New Jersey | 256,582 | 160,600 | 95,982 |
| New Mexico | 71,021 | 43,174 | 27,847 |
| New York | 622,580 | 368,612 | 253,968 |
| North Carolina | 262,292 | 152,894 | 109,398 |
| North Dakota | 25,473 | 14,740 | 10,733 |
| Ohio | 399,817 | 238,258 | 161,559 |
| Oklahoma | 129,483 | 76,595 | 52,888 |
| Oregon | 119,188 | 71,538 | 47,650 |
| Pennsylvania | 415,550 | 242,815 | 172,735 |
| Rhode Island | 36,560 | 19,569 | 16,991 |
| South Carolina | 143,024 | 81,498 | 61,526 |
| South Dakota | 30,219 | 18,189 | 12,030 |
| Tennessee | 191,825 | 112,368 | 79,457 |
| Texas | 791,597 | 476,679 | 314,918 |
| Utah | 107,344 | 59,158 | 48,186 |
| Vermont | 22,046 | 13,046 | 9,000 |
| Virginia | 236,561 | 139,512 | 97,049 |
| Washington | 208,102 | 125,480 | 82,622 |
| West Virginia | 60,473 | 35,134 | 25,339 |
| Wisconsin | 198,183 | 118,395 | 79,788 |
| Wyoming | 20,066 | 12,206 | 7,860 |

**Table 8. Number of pregnancies, births and abortions among women aged 15–19, by race and ethnicity, according to state of residence, 2000**

| State | Pregnancies* | | | Births | | | Abortions* | | |
|---|---|---|---|---|---|---|---|---|---|
| | Non-Hispanic white | Black | Hispanic | Non-Hispanic white | Black | Hispanic | Non-Hispanic white | Black | Hispanic |
| **U.S. total** | **346,980** | **235,650** | **204,980** | **204,056** | **118,954** | **129,469** | **92,830** | **84,460** | **45,110** |
| Alabama | 7,310 | 6,600 | 390 | 4,976 | 4,380 | 305 | 1,210 | 1,220 | 20 |
| Alaska | u | u | u | 483 | 80 | 83 | u | u | u |
| Arizona | 6,670 | 930 | 9,480 | 3,732 | 559 | 6,585 | 1,990 | 240 | 1,440 |
| Arkansas | 5,470 | 2,890 | 460 | 3,942 | 1,992 | 358 | 670 | 460 | 30 |
| California | u | u | u | 10,279 | 5,406 | 36,919 | u | u | u |
| Colorado | 6,190 | 850 | 4,810 | 3,258 | 594 | 3,539 | 2,070 | 120 | 520 |
| Connecticut | u | u | u | 1,108 | 851 | 1,249 | u | u | u |
| Delaware | 1,160 | 1,120 | 240 | 589 | 577 | 158 | 420 | 390 | 40 |
| District of Columbia | u | u | 150 | 10 | 926 | 126 | u | u | u |
| Florida | u | u | u | 10,311 | 9,255 | 5,481 | u | u | u |
| Georgia | 11,510 | 12,890 | 2,580 | 7,593 | 8,213 | 2,004 | 2,180 | 2,760 | 160 |
| Hawaii | 470 | 130 | u | 164 | 57 | 414 | 250 | 50 | 100 |
| Idaho | 2,590 | 30 | 670 | 1,724 | 18 | 517 | 480 | 10 | 40 |
| Illinois | u | u | u | 7,063 | 7,647 | 5,832 | u | u | u |
| Indiana | (11,600) | 3,240 | 1,020 | 7,858 | 2,045 | 851 | (1,970) | 720 | u |
| Iowa | (4,930) | 410 | 410 | 3,061 | 272 | 344 | (1,140) | 70 | u |
| Kansas | 4,640 | 1,030 | 1,100 | 3,070 | 629 | 832 | 860 | 250 | 100 |
| Kentucky | (8,740) | 1,530 | u | 6,472 | 1,075 | 194 | (890) | 210 | † |
| Louisiana | (6,350) | 9,030 | 200 | 4,422 | 6,546 | 170 | (950) | 1,070 | u |
| Maine | 2,110 | 40 | u | 1,205 | 20 | 14 | 610 | 10 | 10 |
| Maryland | u | 8,840 | 640 | 2,645 | 3,934 | 533 | u | 3,740 | u |
| Massachusetts | u | u | u | 2,543 | 1,009 | 1,727 | u | u | u |
| Michigan | u | u | u | 7,204 | 4,545 | 1,152 | u | u | u |
| Minnesota | 5,580 | 1,400 | 920 | 3,280 | 779 | 660 | 1,500 | 420 | 120 |
| Mississippi | 4,280 | 7,140 | 110 | 3,075 | 4,796 | 80 | 540 | 1,260 | 10 |
| Missouri | 9,920 | 4,230 | 550 | 6,782 | 2,541 | 407 | 1,620 | 1,070 | 60 |
| Montana | (1,530) | 10 | u | 854 | 10 | 61 | (460) | † | u |
| Nebraska | u | u | u | 1,615 | 293 | 404 | u | u | u |
| Nevada | u | u | u | 1,518 | 445 | 1,658 | u | u | u |
| New Hampshire | u | u | u | 854 | 18 | 53 | u | u | u |
| New Jersey | 5,310 | 10,090 | 5,640 | 1,961 | 3,259 | 3,000 | 2,690 | 5,620 | 1,860 |
| New Mexico | 1,790 | 190 | 4,460 | 1,001 | 103 | 2,976 | 540 | 60 | 810 |
| New York | 18,300 | 22,890 | 14,660 | 6,010 | 7,325 | 7,251 | 10,080 | 12,820 | 5,410 |
| North Carolina | u | 9,400 | u | 7,229 | 5,621 | 1,996 | u | 2,420 | u |
| North Dakota | 770 | 10 | u | 472 | 9 | 20 | 180 | † | 10 |
| Ohio | 19,550 | 8,760 | 1,130 | 12,432 | 5,127 | 787 | 4,210 | 2,370 | 170 |
| Oklahoma | u | 1,560 | u | 4,619 | 1,076 | 813 | u | 240 | u |
| Oregon | 6,560 | 460 | 1,760 | 3,423 | 198 | 1,209 | 2,230 | 200 | 290 |
| Pennsylvania | 13,710 | 8,510 | 2,340 | 8,066 | 4,218 | 1,665 | 3,660 | 3,130 | 310 |
| Rhode Island | u | 340 | u | 540 | 170 | 385 | u | 120 | u |
| South Carolina | 5,970 | 6,200 | 470 | 3,738 | 4,217 | 361 | 1,350 | 1,040 | 30 |
| South Dakota | 1,030 | 20 | 60 | 698 | 14 | 41 | 180 | † | 10 |
| Tennessee | 10,540 | 5,680 | 690 | 7,224 | 3,631 | 536 | 1,700 | 1,210 | 50 |
| Texas | 23,910 | 12,660 | 42,430 | 14,811 | 8,065 | 30,924 | 5,580 | 2,710 | 4,840 |
| Utah | 4,010 | 90 | 1,270 | 2,924 | 55 | 962 | 460 | 20 | 100 |
| Vermont | 930 | 10 | u | 501 | 2 | 3 | 300 | 10 | † |
| Virginia | u | 6,880 | u | 4,656 | 3,987 | 864 | u | 1,900 | u |
| Washington | u | u | u | 4,806 | 536 | 1,968 | u | u | u |
| West Virginia | (3,780) | 250 | u | 2,663 | 161 | 5 | (530) | 50 | u |
| Wisconsin | 6,560 | 2,640 | 1,210 | 3,960 | 1,656 | 867 | 1,640 | 590 | 150 |
| Wyoming | u | u | u | 632 | 12 | 126 | u | u | u |

*Rounded to the nearest 10. †<5 abortions.

**Notes:** Numbers of pregnancies include estimates of the numbers of miscarriages and stillbirths. Numbers of pregnancies and abortions in parentheses include abortions obtained by Hispanic women; in these states ≤ 10% of births to white women 15–19 were to Hispanics. Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of abortions and pregnancies may be too low because minors have traveled to other states for abortion services. u=unavailable.

**Table 9. Number of miscarriages and stillbirths, and total population, among women aged 15–19, by race and ethnicity, according to state of residence, 2000**

| State | Miscarriages and stillbirths* | | | Population | | |
|---|---|---|---|---|---|---|
| | Non-Hispanic white | Black | Hispanic | Non-Hispanic white | Black | Hispanic |
| **U.S. total** | **50,090** | **32,240** | **30,400** | **6,344,322** | **1,537,501** | **1,486,384** |
| Alabama | 1,120 | 1,000 | 60 | 100,676 | 53,481 | 2,840 |
| Alaska | u | u | u | 15,638 | 1,102 | 1,145 |
| Arizona | 950 | 140 | 1,460 | 98,067 | 7,600 | 57,673 |
| Arkansas | 860 | 440 | 70 | 70,829 | 20,460 | 3,489 |
| California | u | u | u | 470,069 | 97,258 | 469,600 |
| Colorado | 860 | 130 | 760 | 104,527 | 7,452 | 31,318 |
| Connecticut | u | u | u | 76,032 | 14,382 | 14,058 |
| Delaware | 160 | 150 | 40 | 18,664 | 6,750 | 1,529 |
| District of Columbia | u | u | u | 5,514 | 11,419 | 1,474 |
| Florida | u | u | u | 282,354 | 113,159 | 93,750 |
| Georgia | 1,740 | 1,920 | 420 | 163,783 | 101,779 | 15,239 |
| Hawaii | 60 | 20 | 90 | 8,379 | 893 | 4,136 |
| Idaho | 390 | † | 110 | 47,999 | 343 | 4,938 |
| Illinois | u | u | u | 270,175 | 81,146 | 64,487 |
| Indiana | (1,770) | 480 | u | 185,573 | 22,413 | 8,954 |
| Iowa | (730) | 60 | u | 100,746 | 3,176 | 3,543 |
| Kansas | 700 | 150 | 180 | 82,876 | 7,282 | 8,316 |
| Kentucky | (1,380) | 240 | 40 | 123,134 | 12,849 | 2,107 |
| Louisiana | (980) | 1,420 | u | 101,976 | 71,116 | 4,220 |
| Maine | 300 | 10 | † | 41,822 | 436 | 470 |
| Maryland | u | 1,160 | u | 100,719 | 58,817 | 8,585 |
| Massachusetts | u | u | u | 157,701 | 17,900 | 19,629 |
| Michigan | u | u | u | 269,627 | 57,145 | 14,269 |
| Minnesota | 810 | 200 | 140 | 157,034 | 8,753 | 6,277 |
| Mississippi | 670 | 1,090 | 20 | 59,221 | 51,427 | 1,532 |
| Missouri | 1,520 | 620 | 90 | 165,289 | 27,719 | 5,103 |
| Montana | (220) | † | u | 30,110 | 184 | 958 |
| Nebraska | u | u | u | 56,392 | 3,444 | 3,846 |
| Nevada | u | u | u | 37,571 | 5,767 | 15,311 |
| New Hampshire | u | u | u | 40,523 | 527 | 910 |
| New Jersey | 660 | 1,210 | 790 | 153,233 | 48,287 | 43,376 |
| New Mexico | 250 | 30 | 680 | 25,626 | 1,855 | 34,868 |
| New York | 2,210 | 2,750 | 1,990 | 354,025 | 137,329 | 112,724 |
| North Carolina | u | 1,370 | u | 169,325 | 71,391 | 13,593 |
| North Dakota | 110 | † | † | 23,035 | 230 | 378 |
| Ohio | 2,910 | 1,260 | 170 | 329,293 | 55,246 | 9,797 |
| Oklahoma | u | 240 | u | 91,677 | 12,792 | 8,358 |
| Oregon | 910 | 60 | 270 | 97,620 | 2,870 | 11,696 |
| Pennsylvania | 1,980 | 1,160 | 360 | 337,576 | 51,507 | 18,283 |
| Rhode Island | u | 50 | u | 28,308 | 3,073 | 4,083 |
| South Carolina | 880 | 950 | 80 | 84,221 | 53,379 | 3,743 |
| South Dakota | 160 | † | 10 | 25,783 | 249 | 532 |
| Tennessee | 1,620 | 850 | 110 | 144,419 | 40,202 | 4,466 |
| Texas | 3,520 | 1,880 | 6,670 | 366,068 | 105,826 | 298,803 |
| Utah | 630 | 10 | 200 | 92,673 | 1,221 | 8,992 |
| Vermont | 130 | † | † | 21,132 | 218 | 303 |
| Virginia | u | 990 | u | 156,200 | 58,488 | 12,254 |
| Washington | u | u | u | 158,929 | 9,640 | 19,515 |
| West Virginia | (590) | 40 | u | 57,075 | 2,400 | 534 |
| Wisconsin | 960 | 390 | 190 | 167,431 | 14,915 | 8,828 |
| Wyoming | u | u | u | 17,653 | 204 | 1,552 |

*Estimated as 20% of births plus 10% of abortions and rounded to the nearest 10. †<5 miscarriages/stillbirths.

**Notes:** Numbers of miscarriages and stillbirths in parentheses include those estimated from abortions obtained by Hispanic women; in these states≤ 10% of births to white women 15–19 were to Hispanics. Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of miscarriages and stillbirths may be too low because minors have traveled to other states for abortion services. u=unavailable.

**Table 10. Ranking by rates of pregnancy, birth and abortion per 1,000 women aged 15–19, these rates by age-group, and abortion ratios—all according to state of residence, 1999**

| State | Pregnancy rate* | | | | Birthrate | | | | Abortion rate | | | | Abortion ratio† |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Rank | 15–19 | 15–17 | 18–19 | Rank | 15–19 | 15–17 | 18–19 | Rank | 15–19 | 15–17 | 18–19 | |
| **U.S. total** | **na** | **86** | **51** | **137** | **na** | **49** | **28** | **79** | **na** | **25** | **15** | **39** | **34** |
| Alabama | 16 | 91 | 55 | 142 | 9 | 61 | 37 | 95 | 28 | 16 | 10 | 26 | 21 |
| Alaska‡ | 27 | 76 | 41 | 144 | 24 | 48 | 25 | 91 | 27 | 17 | 9 | 32 | 26 |
| Arizona | 2 | 105 | 64 | 163 | 3 | 68 | 42 | 106 | 21 | 21 | 13 | 33 | 24 |
| Arkansas | 12 | 93 | 52 | 153 | 5 | 66 | 36 | 109 | 41 | 13 | 7 | 20 | 16 |
| California‡ | 7 | 100 | 60 | 160 | 21 | 49 | 29 | 79 | 4 | 37 | 23 | 60 | 43 |
| Colorado | 23 | 83 | 52 | 130 | 18 | 50 | 30 | 80 | 19 | 21 | 15 | 30 | 30 |
| Connecticut | 34 | 72 | 46 | 113 | 44 | 33 | 19 | 54 | 9 | 30 | 22 | 44 | 48 |
| Delaware | 11 | 94 | 62 | 134 | 16 | 51 | 33 | 73 | 8 | 30 | 21 | 42 | 37 |
| District of Columbia | na | 133 | 124 | 139 | na | 56 | 53 | 58 | na | 59 | 54 | 63 | 51 |
| Florida§ | 6 | 101 | 59 | 163 | 15 | 52 | 30 | 84 | 7 | 35 | 21 | 56 | 40 |
| Georgia | 8 | 99 | 59 | 157 | 7 | 64 | 37 | 101 | 20 | 21 | 13 | 32 | 25 |
| Hawaii | 14 | 93 | 54 | 154 | 27 | 45 | 24 | 79 | 6 | 35 | 23 | 54 | 44 |
| Idaho | 36 | 67 | 37 | 108 | 28 | 43 | 25 | 70 | 39 | 13 | 7 | 22 | 24 |
| Illinois | 20 | 87 | 53 | 138 | 19 | 50 | 29 | 81 | 12 | 25 | 17 | 37 | 34 |
| Indiana | 30 | 75 | 41 | 123 | 17 | 51 | 28 | 82 | 38 | 13 | 7 | 22 | 21 |
| Iowa | 43 | 56 | 30 | 91 | 39 | 35 | 19 | 58 | 42 | 12 | 7 | 19 | 26 |
| Kansas | 33 | 73 | 39 | 122 | 23 | 48 | 25 | 83 | 37 | 13 | 8 | 21 | 22 |
| Kentucky | 25 | 78 | 43 | 128 | 14 | 56 | 30 | 93 | 46 | 10 | 6 | 15 | 14 |
| Louisiana | 19 | 89 | 52 | 141 | 8 | 63 | 37 | 100 | 44 | 12 | 7 | 19 | 16 |
| Maine | 46 | 52 | 27 | 93 | 46 | 30 | 14 | 56 | 33 | 15 | 9 | 23 | 33 |
| Maryland | 9 | 96 | 59 | 156 | 30 | 42 | 25 | 70 | 3 | 42 | 27 | 66 | 50 |
| Massachusetts | 40 | 60 | 36 | 93 | 47 | 27 | 16 | 42 | 13 | 25 | 15 | 38 | 48 |
| Michigan | 26 | 77 | 43 | 127 | 31 | 41 | 23 | 69 | 14 | 25 | 14 | 40 | 37 |
| Minnesota | 47 | 51 | 28 | 85 | 45 | 30 | 17 | 51 | 40 | 13 | 7 | 22 | 30 |
| Mississippi | 4 | 102 | 62 | 156 | 1 | 71 | 44 | 107 | 31 | 15 | 8 | 24 | 18 |
| Missouri | 31 | 75 | 41 | 124 | 20 | 49 | 27 | 82 | 35 | 14 | 7 | 24 | 22 |
| Montana | 39 | 61 | 34 | 105 | 38 | 36 | 18 | 65 | 29 | 16 | 11 | 25 | 31 |
| Nebraska | 41 | 60 | 33 | 100 | 36 | 38 | 20 | 64 | 36 | 14 | 8 | 22 | 27 |
| Nevada | 1 | 116 | 72 | 184 | 6 | 64 | 37 | 105 | 5 | 36 | 25 | 52 | 36 |
| New Hampshire§ | 49 | 45 | 23 | 78 | 50 | 24 | 11 | 43 | 32 | 15 | 9 | 24 | 39 |
| New Jersey | 15 | 91 | 53 | 155 | 43 | 33 | 18 | 58 | 1 | 47 | 29 | 77 | 59 |
| New Mexico | 5 | 101 | 64 | 160 | 4 | 67 | 42 | 106 | 22 | 19 | 13 | 29 | 22 |
| New York | 13 | 93 | 59 | 143 | 41 | 35 | 20 | 56 | 2 | 47 | 32 | 69 | 57 |
| North Carolina | 10 | 95 | 57 | 146 | 13 | 58 | 35 | 88 | 15 | 23 | 13 | 36 | 28 |
| North Dakota | 50 | 41 | 21 | 70 | 48 | 27 | 13 | 47 | 49 | 8 | 5 | 13 | 23 |
| Ohio | 29 | 75 | 42 | 125 | 25 | 46 | 25 | 78 | 25 | 18 | 11 | 28 | 28 |
| Oklahoma§ | 22 | 84 | 47 | 139 | 11 | 60 | 33 | 99 | 45 | 11 | 6 | 18 | 15 |
| Oregon | 21 | 85 | 49 | 139 | 26 | 46 | 25 | 77 | 11 | 27 | 17 | 42 | 37 |
| Pennsylvania | 38 | 62 | 36 | 98 | 40 | 35 | 21 | 55 | 24 | 18 | 10 | 29 | 34 |
| Rhode Island | 37 | 65 | 40 | 94 | 42 | 34 | 21 | 47 | 16 | 23 | 13 | 34 | 41 |
| South Carolina | 18 | 89 | 58 | 131 | 12 | 59 | 37 | 87 | 26 | 17 | 12 | 24 | 23 |
| South Dakota | 44 | 56 | 28 | 98 | 35 | 39 | 19 | 68 | 48 | 9 | 5 | 15 | 18 |
| Tennessee | 17 | 91 | 51 | 146 | 10 | 61 | 34 | 98 | 30 | 16 | 9 | 26 | 21 |
| Texas | 3 | 104 | 63 | 165 | 2 | 70 | 43 | 109 | 23 | 19 | 10 | 31 | 21 |
| Utah | 45 | 53 | 30 | 81 | 34 | 39 | 22 | 59 | 50 | 6 | 4 | 9 | 13 |
| Vermont | 48 | 46 | 25 | 76 | 49 | 25 | 12 | 44 | 34 | 14 | 10 | 21 | 37 |
| Virginia | 28 | 76 | 41 | 125 | 29 | 43 | 23 | 71 | 17 | 22 | 12 | 36 | 34 |
| Washington | 24 | 79 | 45 | 131 | 33 | 41 | 22 | 70 | 10 | 27 | 17 | 42 | 40 |
| West Virginia | 35 | 68 | 36 | 112 | 22 | 48 | 25 | 81 | 47 | 9 | 5 | 13 | 15 |
| Wisconsin | 42 | 57 | 32 | 93 | 37 | 36 | 21 | 60 | 43 | 12 | 7 | 20 | 25 |
| Wyoming | 32 | 73 | 41 | 125 | 32 | 41 | 22 | 72 | 18 | 22 | 13 | 35 | 34 |

*Includes estimated number of pregnancies ending in miscarriage or stillbirth. †Abortions per 100 pregnancies ending in abortion or live birth. ‡Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age nationally. §Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in neighboring or

**Notes:** Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the pregnancy and abortion rates may be too low because minors have traveled to other states for abortion services. na=not applicable.

**Table 11. Rates of pregnancy, birth and abortion per 1,000 women aged 15–19, by race and ethnicity, according to state of residence, 1999**

| State | Non-Hispanic white | | | Black | | | Hispanic | | |
|---|---|---|---|---|---|---|---|---|---|
| | Pregnancy* | Birth | Abortion | Pregnancy* | Birth | Abortion | Pregnancy* | Birth | Abortion |
| **U.S. total†** | **57** | **34** | **16** | **156** | **79** | **56** | **139** | **87** | **32** |
| Alabama | 74 | 49 | 13 | 123 | 82 | 23 | 138 | 102 | 14 |
| Alaska | u | 34 | u | u | 69 | u | u | 59 | u |
| Arizona | 59 | 40 | 10 | 126 | 81 | 27 | 159 | 113 | 21 |
| Arkansas | 78 | 56 | 11 | 138 | 98 | 19 | 132 | 103 | 7 |
| California | u | 24 | u | u | 59 | u | u | 81 | u |
| Colorado | 63 | 32 | 23 | 112 | 73 | 22 | 143 | 109 | 12 |
| Connecticut | u | 16 | u | u | 59 | u | u | 97 | u |
| Delaware | 66 | 34 | 23 | 165 | 92 | 50 | 145 | 94 | 29 |
| District of Columbia | u | 3 | u | u | 81 | u | u | 66 | u |
| Florida | u | 39 | u | u | 82 | u | u | 58 | u |
| Georgia | 76 | 49 | 16 | 133 | 82 | 31 | 149 | 116 | 9 |
| Hawaii | u | 18 | u | 92 | 42 | 38 | u | 98 | u |
| Idaho | 59 | 38 | 13 | ‡ | ‡ | ‡ | 130 | 95 | 14 |
| Illinois | u | 28 | u | u | 100 | u | u | 89 | u |
| Indiana | (65) | 44 | (11) | 157 | 96 | 38 | u | 83 | u |
| Iowa | (50) | 31 | (11) | 143 | 91 | 31 | u | 100 | u |
| Kansas | 60 | 39 | 12 | 158 | 97 | 38 | 129 | 99 | 9 |
| Kentucky | u | 53 | u | u | 84 | u | 104 | 86 | 1 |
| Louisiana | (64) | 45 | (9) | 127 | 91 | 16 | u | 39 | u |
| Maine | 49 | 28 | 14 | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Maryland | u | 27 | u | 154 | 70 | 63 | u | 57 | u |
| Massachusetts | u | 17 | u | u | 60 | u | u | 88 | u |
| Michigan | u | 28 | u | u | 82 | u | u | 81 | u |
| Minnesota | 37 | 21 | 10 | 163 | 93 | 47 | 139 | 102 | 15 |
| Mississippi | 72 | 51 | 10 | 136 | 94 | 22 | 61 | 47 | 5 |
| Missouri | 62 | 42 | 10 | 150 | 91 | 37 | 105 | 75 | 13 |
| Montana | (53) | 29 | (17) | ‡ | ‡ | ‡ | u | 57 | u |
| Nebraska | u | 28 | u | u | 98 | u | u | 105 | u |
| Nevada | u | 45 | u | u | 87 | u | u | 105 | u |
| New Hampshire | u | 22 | u | ‡ | ‡ | ‡ | u | 58 | u |
| New Jersey | 36 | 14 | 18 | 212 | 71 | 115 | 139 | 71 | 49 |
| New Mexico | 69 | 39 | 20 | 87 | 57 | 18 | 126 | 88 | 19 |
| New York | 46 | 18 | 22 | 168 | 54 | 93 | 159 | 66 | 73 |
| North Carolina | u | 43 | u | 133 | 79 | 34 | u | 136 | u |
| North Dakota | (34) | 21 | (8) | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Ohio | 62 | 39 | 14 | 155 | 89 | 44 | 99 | 66 | 18 |
| Oklahoma | u | 52 | u | u | 82 | u | u | 91 | u |
| Oregon | 75 | 39 | 26 | 156 | 66 | 70 | 156 | 108 | 24 |
| Pennsylvania | 42 | 25 | 11 | 173 | 84 | 66 | 132 | 93 | 19 |
| Rhode Island | u | 19 | u | 108 | 48 | 45 | u | 79 | u |
| South Carolina | 73 | 45 | 17 | 114 | 78 | 18 | 123 | 89 | 14 |
| South Dakota | 42 | 28 | 8 | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Tennessee | 76 | 52 | 12 | 141 | 90 | 30 | 129 | 97 | 12 |
| Texas | 69 | 42 | 17 | 124 | 80 | 25 | 144 | 103 | 18 |
| Utah | 44 | 32 | 5 | 74 | 48 | 15 | 133 | 103 | 9 |
| Vermont | 46 | 25 | 15 | ‡ | ‡ | ‡ | ‡ | ‡ | ‡ |
| Virginia | u | 31 | u | 126 | 72 | 35 | u | 67 | u |
| Washington | u | 32 | u | u | 60 | u | u | 96 | u |
| West Virginia | (66) | 48 | (8) | 110 | 75 | 19 | ‡ | ‡ | ‡ |
| Wisconsin | 40 | 25 | 10 | 184 | 119 | 37 | 125 | 90 | 15 |
| Wyoming | u | 38 | u | ‡ | ‡ | ‡ | u | 64 | u |

*Includes estimated number of pregnancies ending in miscarriage or stillbirth. †Includes estimates for states not shown. ‡Rate not calculated because population base of women aged 15–19 was <500.

**Notes:** In states with parental notification or consent requirements for minors, pregnancy and abortion rates may be too low because minors may have traveled to other states for abortion services. Numbers of pregnancies, pregnancy rates and abortion rates in parentheses include abortions obtained by Hispanic women; in these states, ≤ 10% of births to white women 15–19 were to Hispanics. u=unavailable.

**Table 12. Number of pregnancies and births among women younger than 20, by age-group, according to state of residence, 1999**

| State | Pregnancies* | | | | Births | | | |
|---|---|---|---|---|---|---|---|---|
| | <15 | 15–19 | 15–17 | 18–19 | <15 | 15–19 | 15–17 | 18–19 |
| **U.S. total** | **20,460** | **836,290** | **293,570** | **542,730** | **9,054** | **476,050** | **163,588** | **312,462** |
| Alabama | 410 | 14,730 | 5,160 | 9,570 | 221 | 9,850 | 3,459 | 6,391 |
| Alaska† | 40 | 1,780 | 630 | 1,150 | 17 | 1,123 | 396 | 727 |
| Arizona | 400 | 18,150 | 6,540 | 11,600 | 236 | 11,789 | 4,243 | 7,546 |
| Arkansas | 190 | 9,060 | 2,980 | 6,080 | 109 | 6,434 | 2,098 | 4,336 |
| California† | 2,930 | 115,570 | 41,620 | 73,950 | 1,038 | 56,635 | 20,230 | 36,405 |
| Colorado | 210 | 12,100 | 4,550 | 7,550 | 106 | 7,251 | 2,579 | 4,672 |
| Connecticut | 170 | 7,500 | 2,930 | 4,560 | 50 | 3,386 | 1,191 | 2,195 |
| Delaware | 60 | 2,570 | 940 | 1,630 | 33 | 1,384 | 496 | 888 |
| District of Columbia | 80 | 2,550 | 1,010 | 1,530 | 37 | 1,076 | 438 | 638 |
| Florida‡ | 1,520 | 48,440 | 17,160 | 31,280 | 544 | 24,912 | 8,770 | 16,142 |
| Georgia | 830 | 28,190 | 9,940 | 18,250 | 418 | 18,027 | 6,236 | 11,791 |
| Hawaii | 70 | 3,620 | 1,310 | 2,320 | 15 | 1,759 | 578 | 1,181 |
| Idaho | 50 | 3,690 | 1,200 | 2,480 | 30 | 2,396 | 793 | 1,603 |
| Illinois | 950 | 37,590 | 13,740 | 23,850 | 421 | 21,417 | 7,408 | 14,009 |
| Indiana | 290 | 16,690 | 5,260 | 11,430 | 165 | 11,189 | 3,539 | 7,650 |
| Iowa | 100 | 6,220 | 1,960 | 4,270 | 44 | 3,948 | 1,199 | 2,749 |
| Kansas | 130 | 7,410 | 2,350 | 5,060 | 51 | 4,920 | 1,499 | 3,421 |
| Kentucky | 200 | 11,140 | 3,560 | 7,590 | 118 | 8,045 | 2,524 | 5,521 |
| Louisiana | 430 | 16,220 | 5,620 | 10,610 | 270 | 11,538 | 4,023 | 7,515 |
| Maine | 30 | 2,270 | 720 | 1,560 | 10 | 1,313 | 373 | 940 |
| Maryland | 600 | 16,550 | 6,200 | 10,350 | 165 | 7,238 | 2,608 | 4,630 |
| Massachusetts | 240 | 12,140 | 4,080 | 8,060 | 73 | 5,524 | 1,861 | 3,663 |
| Michigan | 640 | 27,000 | 9,010 | 17,990 | 270 | 14,547 | 4,755 | 9,792 |
| Minnesota | 180 | 9,220 | 3,050 | 6,180 | 89 | 5,503 | 1,805 | 3,698 |
| Mississippi | 350 | 11,780 | 4,180 | 7,600 | 208 | 8,200 | 2,961 | 5,239 |
| Missouri | 310 | 15,150 | 4,870 | 10,280 | 143 | 10,006 | 3,241 | 6,765 |
| Montana | 20 | 2,120 | 730 | 1,390 | 11 | 1,249 | 395 | 854 |
| Nebraska | 60 | 3,950 | 1,300 | 2,650 | 35 | 2,470 | 791 | 1,679 |
| Nevada | 150 | 6,860 | 2,600 | 4,260 | 73 | 3,777 | 1,336 | 2,441 |
| New Hampshire‡ | 30 | 1,890 | 570 | 1,330 | 6 | 997 | 271 | 726 |
| New Jersey | 610 | 23,000 | 8,400 | 14,600 | 172 | 8,282 | 2,786 | 5,496 |
| New Mexico | 170 | 7,200 | 2,790 | 4,410 | 102 | 4,753 | 1,814 | 2,939 |
| New York | 1,590 | 57,670 | 21,630 | 36,040 | 389 | 21,489 | 7,308 | 14,181 |
| North Carolina | 720 | 24,620 | 8,540 | 16,070 | 352 | 15,049 | 5,280 | 9,769 |
| North Dakota | 10 | 1,080 | 310 | 760 | 7 | 703 | 198 | 505 |
| Ohio | 700 | 30,320 | 10,010 | 20,320 | 329 | 18,710 | 5,994 | 12,716 |
| Oklahoma‡ | 210 | 10,980 | 3,630 | 7,350 | 135 | 7,850 | 2,579 | 5,271 |
| Oregon | 180 | 10,110 | 3,490 | 6,630 | 86 | 5,492 | 1,795 | 3,697 |
| Pennsylvania | 700 | 25,760 | 8,700 | 17,050 | 279 | 14,604 | 5,010 | 9,594 |
| Rhode Island | 40 | 2,390 | 770 | 1,620 | 16 | 1,222 | 414 | 808 |
| South Carolina | 370 | 12,900 | 4,770 | 8,140 | 208 | 8,467 | 3,062 | 5,405 |
| South Dakota | 20 | 1,700 | 520 | 1,180 | 17 | 1,175 | 355 | 820 |
| Tennessee | 440 | 17,490 | 5,760 | 11,730 | 247 | 11,723 | 3,860 | 7,863 |
| Texas | 1,820 | 81,180 | 29,530 | 51,660 | 1,165 | 54,367 | 20,121 | 34,246 |
| Utah | 60 | 5,810 | 1,850 | 3,960 | 43 | 4,253 | 1,342 | 2,911 |
| Vermont | 20 | 1,010 | 320 | 680 | 8 | 549 | 156 | 393 |
| Virginia | 470 | 17,610 | 5,580 | 12,030 | 207 | 9,935 | 3,109 | 6,826 |
| Washington | 330 | 16,290 | 5,580 | 10,700 | 138 | 8,441 | 2,701 | 5,740 |
| West Virginia | 50 | 4,250 | 1,300 | 2,950 | 25 | 3,044 | 904 | 2,140 |
| Wisconsin | 230 | 11,260 | 3,800 | 7,460 | 117 | 7,194 | 2,428 | 4,766 |
| Wyoming | 20 | 1,500 | 510 | 990 | 6 | 845 | 276 | 569 |

*Rounded to the nearest 10; includes estimated number of pregnancies ending in miscarriage or stillbirth. †Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age nationally. ‡Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in neighboring or similar states.

**Note:** Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of pregnancies may be too low because minors have traveled to other states for abortion services.

**Table 13. Number of abortions and number of miscarriages and stillbirths among women younger than 20, by age-group, according to state of residence, 1999**

| State | Abortions* | | | | Miscarriages and stillbirths* | | | |
|---|---|---|---|---|---|---|---|---|
| | <15 | 15–19 | 15–17 | 18–19 | <15 | 15–19 | 15–17 | 18–19 |
| **U.S. total** | **8,720** | **240,940** | **88,420** | **152,520** | **2,680** | **119,300** | **41,560** | **77,740** |
| Alabama | 130 | 2,640 | 920 | 1,720 | 60 | 2,230 | 780 | 1,450 |
| Alaska‡ | 10 | 400 | 140 | 250 | † | 260 | 90 | 170 |
| Arizona | 110 | 3,640 | 1,320 | 2,320 | 60 | 2,720 | 980 | 1,740 |
| Arkansas | 50 | 1,220 | 420 | 790 | 30 | 1,410 | 460 | 950 |
| California‡ | 1,530 | 43,280 | 15,770 | 27,520 | 360 | 15,660 | 5,620 | 10,030 |
| Colorado | 80 | 3,090 | 1,320 | 1,770 | 30 | 1,760 | 650 | 1,110 |
| Connecticut | 100 | 3,120 | 1,370 | 1,750 | 20 | 990 | 370 | 610 |
| Delaware | 20 | 820 | 310 | 510 | 10 | 360 | 130 | 230 |
| District of Columbia | 40 | 1,140 | 440 | 700 | 10 | 330 | 130 | 200 |
| Florida§ | 790 | 16,860 | 6,030 | 10,830 | 190 | 6,670 | 2,360 | 4,310 |
| Georgia | 300 | 5,960 | 2,240 | 3,730 | 110 | 4,200 | 1,470 | 2,730 |
| Hawaii | 50 | 1,380 | 560 | 820 | 10 | 490 | 170 | 320 |
| Idaho | 10 | 740 | 230 | 510 | 10 | 550 | 180 | 370 |
| Illinois | 400 | 10,810 | 4,410 | 6,400 | 120 | 5,360 | 1,920 | 3,440 |
| Indiana | 90 | 2,970 | 920 | 2,050 | 40 | 2,530 | 800 | 1,730 |
| Iowa | 40 | 1,350 | 470 | 880 | 10 | 920 | 290 | 640 |
| Kansas | 60 | 1,370 | 500 | 870 | 20 | 1,120 | 350 | 770 |
| Kentucky | 50 | 1,360 | 480 | 870 | 30 | 1,740 | 550 | 1,190 |
| Louisiana | 100 | 2,160 | 720 | 1,450 | 60 | 2,520 | 880 | 1,650 |
| Maine | 20 | 630 | 240 | 390 | † | 330 | 100 | 230 |
| Maryland | 360 | 7,150 | 2,790 | 4,350 | 70 | 2,160 | 800 | 1,360 |
| Massachusetts | 140 | 5,010 | 1,680 | 3,330 | 30 | 1,610 | 540 | 1,070 |
| Michigan | 290 | 8,670 | 3,000 | 5,670 | 80 | 3,780 | 1,250 | 2,530 |
| Minnesota | 60 | 2,380 | 800 | 1,580 | 20 | 1,340 | 440 | 900 |
| Mississippi | 90 | 1,760 | 570 | 1,190 | 50 | 1,820 | 650 | 1,170 |
| Missouri | 120 | 2,860 | 900 | 1,960 | 40 | 2,290 | 740 | 1,550 |
| Montana | 10 | 560 | 240 | 330 | † | 310 | 100 | 200 |
| Nebraska | 20 | 900 | 320 | 580 | 10 | 580 | 190 | 390 |
| Nevada | 60 | 2,120 | 910 | 1,210 | 20 | 970 | 360 | 610 |
| New Hampshire§ | 20 | 630 | 220 | 410 | † | 260 | 80 | 190 |
| New Jersey | 370 | 11,880 | 4,600 | 7,280 | 70 | 2,840 | 1,020 | 1,830 |
| New Mexico | 40 | 1,360 | 560 | 800 | 20 | 1,090 | 420 | 670 |
| New York | 1,020 | 28,990 | 11,690 | 17,290 | 180 | 7,200 | 2,630 | 4,570 |
| North Carolina | 270 | 5,960 | 2,010 | 3,960 | 100 | 3,610 | 1,260 | 2,350 |
| North Dakota | † | 210 | 70 | 140 | † | 160 | 50 | 120 |
| Ohio | 280 | 7,150 | 2,560 | 4,600 | 90 | 4,460 | 1,450 | 3,000 |
| Oklahoma§ | 40 | 1,420 | 480 | 930 | 30 | 1,710 | 560 | 1,150 |
| Oregon | 70 | 3,200 | 1,210 | 1,990 | 20 | 1,420 | 480 | 940 |
| Pennsylvania | 340 | 7,480 | 2,450 | 5,040 | 90 | 3,670 | 1,250 | 2,420 |
| Rhode Island | 20 | 840 | 250 | 590 | † | 330 | 110 | 220 |
| South Carolina | 110 | 2,490 | 990 | 1,500 | 50 | 1,940 | 710 | 1,230 |
| South Dakota | † | 260 | 80 | 180 | † | 260 | 80 | 180 |
| Tennessee | 130 | 3,110 | 1,020 | 2,090 | 60 | 2,660 | 870 | 1,780 |
| Texas | 390 | 14,490 | 4,890 | 9,600 | 270 | 12,320 | 4,510 | 7,810 |
| Utah | 10 | 640 | 210 | 430 | 10 | 910 | 290 | 620 |
| Vermont | 10 | 320 | 120 | 190 | † | 140 | 40 | 100 |
| Virginia | 200 | 5,170 | 1,680 | 3,490 | 60 | 2,500 | 790 | 1,710 |
| Washington | 150 | 5,600 | 2,130 | 3,470 | 40 | 2,250 | 750 | 1,490 |
| West Virginia | 20 | 550 | 200 | 350 | 10 | 660 | 200 | 460 |
| Wisconsin | 80 | 2,390 | 800 | 1,580 | 30 | 1,680 | 570 | 1,110 |
| Wyoming | 20 | 440 | 160 | 280 | † | 210 | 70 | 140 |

*Rounded to the nearest 10. †<5 abortions or miscarriages/stillbirths. ‡Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age nationally. §Abortion estimates are based on the number of abortions among all women in the state and the proportion of abortions obtained by women of the same age in neighboring or similar states.

**Note:** Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of abortions and miscarriages may be too low because minors have traveled to other states for abortion services.

**Table 14. Population estimates among women aged 15–19, by age-group, according to state of residence, 1999**

| State | Population | | |
|---|---|---|---|
| | 15–19 | 15–17 | 18–19 |
| **U.S. total** | **9,761,569** | **5,810,904** | **3,950,665** |
| Alabama | 161,690 | 94,541 | 67,149 |
| Alaska | 23,567 | 15,589 | 7,978 |
| Arizona | 173,368 | 102,137 | 71,231 |
| Arkansas | 97,269 | 57,600 | 39,669 |
| California | 1,154,633 | 693,318 | 461,315 |
| Colorado | 145,017 | 86,897 | 58,120 |
| Connecticut | 103,613 | 63,309 | 40,304 |
| Delaware | 27,299 | 15,147 | 12,152 |
| District of Columbia | 19,213 | 8,201 | 11,012 |
| Florida | 481,898 | 289,885 | 192,013 |
| Georgia | 283,808 | 167,277 | 116,531 |
| Hawaii | 39,097 | 24,064 | 15,033 |
| Idaho | 55,083 | 32,109 | 22,974 |
| Illinois | 431,253 | 258,406 | 172,847 |
| Indiana | 221,560 | 128,604 | 92,956 |
| Iowa | 111,498 | 64,505 | 46,993 |
| Kansas | 102,221 | 60,924 | 41,297 |
| Kentucky | 142,606 | 83,375 | 59,231 |
| Louisiana | 183,175 | 107,826 | 75,349 |
| Maine | 43,451 | 26,688 | 16,763 |
| Maryland | 171,587 | 105,237 | 66,350 |
| Massachusetts | 201,583 | 114,814 | 86,769 |
| Michigan | 351,020 | 209,037 | 141,983 |
| Minnesota | 181,500 | 109,240 | 72,260 |
| Mississippi | 115,717 | 66,892 | 48,825 |
| Missouri | 202,455 | 119,865 | 82,590 |
| Montana | 34,674 | 21,473 | 13,201 |
| Nebraska | 65,795 | 39,363 | 26,432 |
| Nevada | 59,135 | 35,927 | 23,208 |
| New Hampshire | 41,820 | 24,815 | 17,005 |
| New Jersey | 252,487 | 158,475 | 94,012 |
| New Mexico | 71,114 | 43,505 | 27,609 |
| New York | 620,076 | 368,223 | 251,853 |
| North Carolina | 259,279 | 148,873 | 110,406 |
| North Dakota | 26,081 | 15,243 | 10,838 |
| Ohio | 402,533 | 239,569 | 162,964 |
| Oklahoma | 130,625 | 77,631 | 52,994 |
| Oregon | 119,020 | 71,173 | 47,847 |
| Pennsylvania | 415,900 | 242,543 | 173,357 |
| Rhode Island | 36,461 | 19,314 | 17,147 |
| South Carolina | 144,637 | 82,639 | 61,998 |
| South Dakota | 30,482 | 18,445 | 12,037 |
| Tennessee | 192,848 | 112,654 | 80,194 |
| Texas | 781,157 | 467,694 | 313,463 |
| Utah | 109,716 | 60,763 | 48,953 |
| Vermont | 21,953 | 13,016 | 8,937 |
| Virginia | 233,103 | 136,851 | 96,252 |
| Washington | 205,963 | 124,274 | 81,689 |
| West Virginia | 62,818 | 36,441 | 26,377 |
| Wisconsin | 198,303 | 118,301 | 80,002 |
| Wyoming | 20,408 | 12,506 | 7,902 |

**Note:** To partition the estimated number of 15–19-year-olds in 1999 into age-groups 15–17 and 18–19, proportions from the 2000 census were used.

**Table 15. Number of pregnancies, births and abortions among women aged 15–19, by race and ethnicity, according to state of residence, 1999**

| State | Pregnancies* | | | Births | | | Abortions* | | |
|---|---|---|---|---|---|---|---|---|---|
| | Non-Hispanic white | Black | Hispanic | Non-Hispanic white | Black | Hispanic | Non-Hispanic white | Black | Hispanic |
| **U.S. total** | **364,010** | **239,230** | **200,330** | **212,923** | **121,166** | **124,677** | **98,640** | **85,300** | **46,110** |
| Alabama | 7,520 | 6,760 | 360 | 5,051 | 4,481 | 264 | 1,320 | 1,260 | 40 |
| Alaska | u | u | u | 518 | 75 | 63 | u | u | u |
| Arizona | 5,660 | 930 | 8,810 | 3,826 | 593 | 6,281 | 970 | 200 | 1,160 |
| Arkansas | 5,610 | 2,910 | 410 | 3,975 | 2,061 | 321 | 760 | 400 | 20 |
| California | u | u | u | 11,154 | 5,639 | 36,709 | u | u | u |
| Colorado | 6,540 | 820 | 4,310 | 3,277 | 531 | 3,264 | 2,370 | 160 | 350 |
| Connecticut | u | u | u | 1,170 | 831 | 1,302 | u | u | u |
| Delaware | 1,240 | 1,110 | 210 | 629 | 614 | 137 | 440 | 330 | 40 |
| District of Columbia | u | u | 120 | 14 | 956 | 100 | u | u | u |
| Florida | u | u | u | 10,661 | 8,993 | 5,126 | u | u | u |
| Georgia | 12,370 | 13,460 | 2,020 | 7,955 | 8,315 | 1,579 | 2,570 | 3,170 | 120 |
| Hawaii | u | 90 | u | 145 | 41 | 411 | u | 40 | u |
| Idaho | 2,890 | 30 | 620 | 1,838 | 12 | 454 | 620 | 20 | 70 |
| Illinois | u | u | u | 7,520 | 8,158 | 5,585 | u | u | u |
| Indiana | (12,140) | 3,530 | 850 | 8,210 | 2,164 | 706 | (2,080) | 850 | u |
| Iowa | (5,150) | 430 | 390 | 3,220 | 275 | 322 | (1,170) | 90 | u |
| Kansas | 5,010 | 1,140 | 1,020 | 3,283 | 700 | 787 | 980 | 270 | 70 |
| Kentucky | u | u | u | 6,756 | 1,093 | 151 | u | u | † |
| Louisiana | (6,640) | 9,170 | 200 | 4,640 | 6,585 | 165 | (980) | 1,150 | u |
| Maine | 2,050 | 30 | u | 1,157 | 19 | 18 | 600 | 10 | † |
| Maryland | u | 8,860 | 550 | 2,637 | 4,048 | 460 | u | 3,640 | u |
| Massachusetts | u | u | u | 2,730 | 1,050 | 1,698 | u | u | u |
| Michigan | u | u | u | 7,471 | 4,668 | 1,116 | u | u | u |
| Minnesota | 5,810 | 1,330 | 800 | 3,352 | 757 | 584 | 1,630 | 390 | 90 |
| Mississippi | 4,360 | 7,240 | 80 | 3,097 | 4,969 | 63 | 590 | 1,160 | 10 |
| Missouri | 10,290 | 4,140 | 500 | 7,012 | 2,520 | 356 | 1,710 | 1,010 | 60 |
| Montana | (1,620) | 10 | u | 877 | 5 | 53 | (520) | † | u |
| Nebraska | u | u | u | 1,589 | 329 | 372 | u | u | u |
| Nevada | u | u | u | 1,608 | 470 | 1,475 | u | u | u |
| New Hampshire | u | u | u | 880 | 11 | 49 | u | u | u |
| New Jersey | 5,420 | 10,120 | 5,860 | 2,068 | 3,378 | 2,977 | 2,670 | 5,510 | 2,080 |
| New Mexico | 1,790 | 160 | 4,390 | 1,025 | 105 | 3,045 | 510 | 30 | 670 |
| New York | 16,340 | 22,880 | 17,830 | 6,350 | 7,361 | 7,348 | 7,930 | 12,770 | 8,190 |
| North Carolina | u | 9,490 | u | 7,206 | 5,675 | 1,613 | u | 2,440 | u |
| North Dakota | (800) | 20 | u | 492 | 13 | 21 | (190) | 10 | u |
| Ohio | 20,590 | 8,550 | 940 | 13,042 | 4,916 | 627 | 4,490 | 2,410 | 170 |
| Oklahoma | u | u | u | 4,873 | 1,063 | 738 | u | u | u |
| Oregon | 7,400 | 440 | 1,730 | 3,801 | 185 | 1,195 | 2,580 | 200 | 270 |
| Pennsylvania | 14,210 | 8,820 | 2,330 | 8,475 | 4,272 | 1,631 | 3,680 | 3,360 | 340 |
| Rhode Island | u | 320 | u | 541 | 144 | 311 | u | 140 | u |
| South Carolina | 6,200 | 6,200 | 400 | 3,865 | 4,249 | 293 | 1,420 | 1,000 | 50 |
| South Dakota | 1,100 | 30 | 40 | 726 | 13 | 26 | 210 | 10 | 10 |
| Tennessee | 11,020 | 5,770 | 510 | 7,574 | 3,674 | 386 | 1,750 | 1,240 | 50 |
| Texas | 25,210 | 13,010 | 41,910 | 15,320 | 8,397 | 30,151 | 6,210 | 2,670 | 5,210 |
| Utah | 4,240 | 80 | 1,170 | 3,080 | 51 | 906 | 500 | 20 | 80 |
| Vermont | 960 | 10 | u | 518 | 7 | 3 | 310 | † | † |
| Virginia | u | 7,290 | u | 4,856 | 4,202 | 757 | u | 2,040 | u |
| Washington | u | u | u | 5,136 | 552 | 1,799 | u | u | u |
| West Virginia | (3,940) | 270 | u | 2,829 | 180 | 23 | (500) | 50 | u |
| Wisconsin | 6,820 | 2,710 | 1,040 | 4,206 | 1,755 | 755 | 1,610 | 550 | 120 |
| Wyoming | u | u | u | 688 | 11 | 101 | u | u | u |

*Rounded to the nearest 10. †<5 abortions.

**Notes:** Numbers of pregnancies include estimates of the numbers of miscarriages and stillbirths. Numbers of pregnancies and abortions in parentheses include abortions obtained by Hispanic women; in these states≤ 10% of births to white women 15–19 were to Hispanics. Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of abortions and pregnancies may be too lov because minors have traveled to other states for abortion services. u=unavailable.

**Table 16. Number of miscarriages and stillbirths, and total population, among women aged 15–19, by race and ethnicity, according to state of residence, 1999**

| State | Miscarriages and stillbirths* | | | Population | | |
|---|---|---|---|---|---|---|
| | Non-Hispanic white | Black | Hispanic | Non-Hispanic white | Black | Hispanic |
| **U.S. total** | **52,450** | **32,760** | **29,550** | **6,345,417** | **1,532,399** | **1,437,096** |
| Alabama | 1,140 | 1,020 | 60 | 102,146 | 54,849 | 2,583 |
| Alaska | u | u | u | 15,440 | 1,083 | 1,068 |
| Arizona | 860 | 140 | 1,370 | 95,976 | 7,349 | 55,376 |
| Arkansas | 870 | 450 | 70 | 71,562 | 21,035 | 3,118 |
| California | u | u | u | 460,217 | 95,594 | 455,912 |
| Colorado | 890 | 120 | 690 | 103,028 | 7,274 | 30,032 |
| Connecticut | u | u | u | 74,241 | 13,987 | 13,485 |
| Delaware | 170 | 160 | 30 | 18,693 | 6,683 | 1,460 |
| District of Columbia | u | u | u | 5,501 | 11,863 | 1,519 |
| Florida | u | u | u | 274,975 | 110,103 | 88,690 |
| Georgia | 1,850 | 1,980 | 330 | 163,180 | 101,018 | 13,573 |
| Hawaii | u | 10 | u | 8,065 | 974 | 4,189 |
| Idaho | 430 | † | 100 | 48,631 | 289 | 4,769 |
| Illinois | u | u | u | 272,047 | 81,946 | 62,682 |
| Indiana | (1,850) | 520 | u | 187,972 | 22,468 | 8,470 |
| Iowa | (760) | 60 | u | 103,256 | 3,018 | 3,204 |
| Kansas | 750 | 170 | 160 | 84,008 | 7,231 | 7,922 |
| Kentucky | u | u | 30 | 126,550 | 13,028 | 1,764 |
| Louisiana | (1,030) | 1,430 | u | 103,521 | 72,229 | 4,187 |
| Maine | 290 | † | † | 41,761 | 390 | 455 |
| Maryland | u | 1,170 | u | 98,683 | 57,672 | 8,102 |
| Massachusetts | u | u | u | 156,727 | 17,467 | 19,313 |
| Michigan | u | u | u | 270,616 | 57,263 | 13,854 |
| Minnesota | 830 | 190 | 130 | 157,182 | 8,164 | 5,747 |
| Mississippi | 680 | 1,110 | 10 | 60,143 | 53,120 | 1,347 |
| Missouri | 1,570 | 610 | 80 | 166,457 | 27,679 | 4,721 |
| Montana | (230) | † | u | 30,469 | 131 | 925 |
| Nebraska | u | u | u | 57,268 | 3,362 | 3,547 |
| Nevada | u | u | u | 36,003 | 5,411 | 14,081 |
| New Hampshire | u | u | u | 39,761 | 488 | 852 |
| New Jersey | 680 | 1,230 | 800 | 150,975 | 47,814 | 42,145 |
| New Mexico | 260 | 20 | 680 | 26,079 | 1,854 | 34,763 |
| New York | 2,060 | 2,750 | 2,290 | 353,552 | 136,587 | 111,821 |
| North Carolina | u | 1,380 | u | 168,201 | 71,450 | 11,825 |
| North Dakota | (120) | † | u | 23,760 | 194 | 336 |
| Ohio | 3,060 | 1,220 | 140 | 332,480 | 55,254 | 9,477 |
| Oklahoma | u | u | u | 92,835 | 12,955 | 8,129 |
| Oregon | 1,020 | 60 | 270 | 98,430 | 2,800 | 11,063 |
| Pennsylvania | 2,060 | 1,190 | 360 | 339,356 | 50,916 | 17,590 |
| Rhode Island | u | 40 | u | 28,450 | 2,992 | 3,950 |
| South Carolina | 920 | 950 | 60 | 85,183 | 54,464 | 3,287 |
| South Dakota | 170 | † | 10 | 26,239 | 157 | 405 |
| Tennessee | 1,690 | 860 | 80 | 145,509 | 40,826 | 3,977 |
| Texas | 3,680 | 1,950 | 6,550 | 363,928 | 105,172 | 291,902 |
| Utah | 670 | 10 | 190 | 95,791 | 1,068 | 8,822 |
| Vermont | 130 | † | † | 21,129 | 195 | 264 |
| Virginia | u | 1,040 | u | 154,726 | 57,987 | 11,219 |
| Washington | u | u | u | 158,817 | 9,212 | 18,795 |
| West Virginia | (620) | 40 | u | 59,518 | 2,412 | 447 |
| Wisconsin | 1,000 | 410 | 160 | 168,391 | 14,716 | 8,364 |
| Wyoming | u | u | u | 17,989 | 206 | 1,568 |

*Estimated as 20% of births plus 10% of abortions and rounded to the nearest 10. †<5 miscarriages/stillbirths.

**Notes:** Numbers of miscarriages and stillbirths in parentheses include those estimated from abortions obtained by Hispanic women; in these states≤ 10% of births to white women 15–19 were to Hispanics. Even though abortions have been tabulated according to state of residence where possible, in states with parental notification or consent requirements for minors, the number of miscarriages and stillbirths may be too low because minors have traveled to other states for abortion services. u=unavailable.