C

Loperamide HCl 2 mg Orally Dissolving Strips / Anti-diarrheal

Drug Facts

Active ingredient (in each strip)	***Purpose***
Loperamide HCl 2 mg	Anti-diarrheal

Use controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Do not use if you have bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are taking antibiotics

When using this product

- tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptons get worse
- diarrhea last for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.
- place one strip on tongue; strip disintegrates with or without water
- if required, fold the strip along the middle and cut (or tear) to halve the dose

adults and children 12 years and over	2 strips after the first loose stool; 1 strip after each subsequent loose stool; but no more than 4 strips in 24 hours
children 9-11 years (60-95 lbs)	1 strip after the first loose stool; 1/2 strip after each subsequent loose stool; but no more than 3 strips in 24 hours
children 6-8 years (48-59 lbs)	1 strip after the first loose stool; 1/2 strip after each subsequent loose stool; but no more than 2 strips in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- **safety sealed: do not use if pouch is open or torn**
- store between 20° to 25° C (68° to 77°F)
- protect from moisture
- use strip immediately after opening individual pouch
- read the directions and warnings before use

Inactive ingredients

[Information will be included when the ANDA is submitted]

Questions or Comments?

[A telephone number will be included when the ANDA is submitted]