NEW DIETARY INGREDIENT NOTIFICATION FOR OMEGA-3 PHOSPHOLIPIDS

APPENDIX D

References A-G

Natural ASA
Strandveien 15
N – 1325 Lysaker
Norway

May 15, 2006

REFERENCES

Abril, R.; Barclay, W. 1998. Production of docosahexaenoic acid-enriched poultry eggs and meat using an algae-based feed ingredient. In: Simopoulos, A.P. (Ed.). The Return of ω-3 Fatty Acids into the Food Supply: International Conference on ... 1. Land-based Animal Food Products, Sep. 18-19, 1997, Bethesda, Maryland. S. Karger; Basel, Switz./New York, World Review of Nutrition and Dietetics, Vol. 83, pp. 77-88.

Ackman, R.G.; Eaton, C.A.; Sipos, J.C.; Loew, F.M.; Hancock, D. 1977. A comparison of fatty acids from high levels of docosenoic acids of rapeseed oil (erucic acid) and of partially hydrogenated fish oil (primarily cetoleic acid) in a non-human primate species in a short-term exploratory study. Bibl Nutr Dieta 25:170-185.

Aggett, P.J.; Haschke, F.; Heine, W.; Hernell, O.; Koletzko, B.; Launiala, K.; Rey, J.; Rubino, A.; Schöch, G.; Senterre, J.; Tormo, R. (ESPGHAN Committee on Nutrition). 1991. Comment on the content and composition of lipids in infant formulas. Acta Paediatr Scand 80(8&9):887-896.

Almdahl, S.M.; Nilsen, D.W.T.; Østerud, B.; Sørlie, D.G.; Vaag, J. 1993. Thromboplastin activities and monocytes in the coronary circulation of reperfused human myocardium. Scand J Thorac Cardiovasc Surg 27(1):81-86.

Amate, L.; Gil, A.; Ramirez, M. 2001. Feeding infant piglets formula with long-chain polyunsaturated fatty acids as triacylglycerols or phospholipids influences the distribution of these fatty acids in plasma lipoprotein fractions. J Nutr 131(4):1250-1255.

Anderson, B.G.; Reker, D.; Ristich, M.; Friedman, E.; Banay-Schwartz, M.; Volavka, J. 1982. Lecithin treatment of tardive dyskinesia--A progress report. Psychopharmacol Bull 18(1):87-88.

Anderson, B.G.; Reker, D.; Banay-Schwartz, M.; Webb, E.; Volavka, J. 1983. Lecithin plus lithium in tardive dyskinesia. Psychopharmacol Bull 19(1):124-126.

Arterburn, L.M.; Boswell, K.D.; Koskelo, E.; Kassner, S.L.; Kelly, C.; Kyle, D.J. 2000. A combined subchronic (90-day) toxicity and neurotoxicity study of a single- cell source of docosahexaenoic acid triglyceride (DHASCO® oil). Food Chem Toxicol 38(1):35-49.

Astorg, P.; Arnault, N.; Czernichow, S.; Noisette, N.; Galan, P.; Hercberg, S. 2004. Dietary intakes and food sources of n-6 and n-3 PUFA in French adult men and women. Lipids 39(6):527-535.

Bhise, A.; Krishnan, P.V.; Aggarwal, R.; Gaiha, M.; Bhattacharjee, J. 2005. Effect of low-dose omega-3 fatty acids substitution on blood pressure, hyperinsulinemia and dyslipidemia in Indians with essential hypertension: A pilot study. Indian J Clin Biochem 20(2):4-9.

Bjorneboe, A.; Soyland, E.; Bjorneboe, G.E.; Rajka, G.; Drevon, C.A. 1987. Effect of dietary supplementation with eicosapentaenoic acid in the treatment of atopic dermatitis. Br J Dermatol 117(4):463-469.

Bønaa, K.H.; Bjerve, K.S.; Straume, B.; Gram, I.T.; Thelle, D. 1990. Effect of eicosapentaenoic and docosahexaenoic acids on blood pressure in hypertension. A population-based intervention trial from the Tromsø study. N Engl J Med 322(12):795-801.

Bondía-Martínez, E.; López-Sabater, M.C.; Castellote-Bargalló, A.I.; Rodríguez-Palmero, M.; González-Corbella, M.J.; Rivero-Urgell, M.; Campoy-Folgoso, C.; Bayés-García, R. 1998. Fatty acid composition of plasma and erythrocytes in term infants fed human milk and formulae with and without docosahexaenoic and arachidonic acids from egg yolk lecithin. Early Hum Dev 53(Suppl.):S109-S119.

Brantom, P.G.; Gaunt, I.F.; Hardy, J.; Grasso, P. 1973. Long term feeding and reproduction studies on emulsifier YN in rats. Food Cosmet Toxicol 11(5):755-769.

Brinkman, S.D.; Smith, R.C.; Meyer, J.S.; Vroulis, G.; Shaw, T.; Gordon, J.R.; Allen, R.H. 1982. Lecithin and memory training in suspected Alzheimer's disease. J Gerontol 37(1):4-9.

Brister, S.J.; Buchanan, M.R. 1998. Effects of linoleic acid and/or marine fish oil supplements on vessel wall thromboresistance in patients undergoing cardiac surgery. In: Sinzinger, H.; Samuelsson, B.; Vane, J.R.; Paoletti, R.; Ramwell, P.; Wong, P.Y.-K. (Eds.). Recent Advances in Prostaglandin, Thromboxane, and Leukotriene Research. 10th International Conference on Prostaglandins and Related Compounds - Proceedings, Sep. 22–27, 1996, Vienna, Austria. Plenum Press; New York, Advances in Experimental Medicine and Biology, Vol. 433, pp. 275-278.

Buchman, A.L.; Dubin, M.; Jenden, D.; Moukarzel, A.; Roch, M.H.; Rice, K.; Gornbein, J.; Ament, M.E.; Eckhert, C.D. 1992. Lecithin increases plasma free choline and decreases hepatic steatosis in long-term total parenteral nutrition patients. Gastroenterology 102(4, Part 1):1363-1370.

Bunea, R.; El Farrah, K.; Deutsch, L. 2004. Evaluation of the effects of Neptune Krill Oil on the clinical course of hyperlipidemia. Altern Med Rev 9(4):420-428.

Burns, C.P.; Halabi, S.; Clamon, G.H.; Hars, V.; Wagner, B.A.; Hohl, R.J.; Lester, E.; Kirshner, J.J.; Vinciguerra, V.; Paskett, E. 1999. Phase I clinical study of fish oil fatty acid capsules for patients with cancer cachexia: Cancer and Leukemia Group B Study 9473. Clin Cancer Res 5(12):3942-3947.

Canty, D.J.; Zeisel, S.H. 1994. Lecithin and choline in human health and disease. Nutr Rev 52(10):327-339.

Carlson, S.E.; Ford, A.J.; Werkman, S.H.; Peeples, J.M.; Koo, W.W.K. 1996. Visual acuity and fatty acid status of term infants fed human milk and formulas with and without docosahexaenoate and arachidonate from egg yolk lecithin. Pediatr Res 39(5):882-888.

Carlson, S.E.; Montalto, M.B.; Ponder, D.L.; Werkman, S.H.; Korones, S.B. 1998. Lower incidence of necrotizing enterocolitis in infants fed a preterm formula with egg phospholipids. Pediatr Res 44(4):491-498.

CFR. 2005a. Part 184—Direct food substances affirmed as generally recognized as safe. Subpart B—Listing of specific subtances affirmed as GRAS. Sections § 184.1065, 184.1259, 184.1400, 184.1472, 184.1555—[Linoleic acid, Cocoa butter substitute, Lecithin, Menhaden oil, Rapeseed oil]. In: Code of Federal Regulations Title 21—Food and Drugs. U.S. Government Printing Office; Washington, DC, pp. 489, 510-511, 532, 541-544 & 548-550, . Available from: http://www.access.gpo.gov/nara/cfr/waisidx_05/21cfr184_05.html.

CFR. 2005b. Part 582—Substances generally recognized as safe. Subpart B—General purpose food additives. Section § 542.1400—Lecithin. In: Code of Federal Regulations Title 21—Food and Drugs. . U.S. Government Printing Office; Washington, DC, p. 534. Available from: http://a257.g.akamaitech.net/7/257/2422/01apr20051500/edocket.access.gpo.gov/cfr_2005/aprqtr/pdf/21cfr582.1400.pdf.

CFR. 2005c. Part 182— Substances generally recognized as safe. Sections § 182.10, 184.20 —[Spices and other natural seasonings and flavorings, Essential oils, oleoresins (solvent-free), and natural extractives (including distillates)]. In: Code of Federal Regulations Title 21—Food and Drugs. U.S. Government Printing Office; Washington, DC, pp. 467-471 . Available from: http://www.access.gpo.gov/nara/cfr/waisidx_05/21cfr182_05.html.

CFR. 2005d. Part 172— Food additives permitted for direct addition to food for human consumption. Sections § 172.210, 172.510, 172.615, 172.860—[Coatings on fresh citrus fruit, Natural flavoring substances and natural substances used in conjunction with flavors, Chewing gum base, Fatty acids]. In: Code of Federal Regulations Title 21—Food and Drugs. U.S. Government Printing Office; Washington, DC, pp. 39-40, 57-57, 67-68 & 98-99. Available from: http://www.access.gpo.gov/nara/cfr/waisidx_05/21cfr172_05.html.

CFR. 2005e. Part 164— Tree nut and peanut products. Section § 164.150—Peanut butter. In: Code of Federal Regulations Title 21—Food and Drugs. U.S. Government Printing Office; Washington, DC, p. 528. Available from: http://a257.g.akamaitech.net/7/257/2422/01apr20051500/edocket.access.gpo.gov/cfr_2005/aprqtr/pdf/21cfr164.150.pdf.

CFR. 2005f. Part 101—Food labeling. Section § 101.12— Reference amounts customarily consumed per eating occasion. In: Code of Federal Regulations Title 21—Food and Drugs. U.S. Government Printing Office; Washington, DC, pp. 52-61. Available from: http://a257.g.akamaitech.net/7/257/2422/01apr20051500/edocket.access.gpo.gov/cfr_2005/aprqtr/pdf/21cfr101.12.pdf.

Chamberlain, S.; Robinson, N.; Walker, J.; Smith, C.; Benton, S.; Kennard, C.; Swash, M.; Kilkenny, B.; Bradbury, S. 1980. Effect of lecithin on disability and plasma free-choline levels in Friedreich's ataxia. J Neurol Neurosurg Psychiatry 43(9):843-845.

Chatellier, G.; Lacomblez, L. 1990. Tacrine (tetrahydroaminoacridine; THA) and lecithin in senile dementia of the Alzheimer type: A multicentre trial. (On Behalf of Groupe Francais d'Etude de la Tetrahydroaminoacridine). BMJ 300(6723):495-499.

Chin, J.P.; Dart, A.M. 1994. Therapeutic restoration of endothelial function in hypercholesterolaemic subjects: Effect of fish oils. Clin Exp Pharmacol Physiol 21(10):749-755.

Christensen, J.H.; Gustenhoff, P.; Ejlersen, E.; Jessen, T.; Korup, E.; Rasmussen, K.; Dyerberg, J.; Schmidt, E.B. 1995. n-3 Fatty acids and ventricular extrasystoles in patients with ventricular tachyarrhythmias. Nutr Res 15(1):1-8.

CIR. 2001. Final report on the safety assessment of lecithin and hydrogenated lecithin. Int J Toxicol 20(Suppl. 1):21-45.

Clark, W.F.; Parbtani, A.; Naylor, C.D.; Levinton, C.M.; Muirhead, N.; Spanner, E.; Huff, M.W.; Philbrick, D.J.; Holub, B.J. 1993. Fish oil in lupus nephritis: Clinical findings and methodologial implications. Kidney Int 44(1):75-85.

CODEX-STAN 210. 2005. Codex Standard for Named Vegetable Oils. Codex Alimentarius Commission; Rome. [CODEX STAN 210 (Amended 2003, 2005)]. Available from: http://www.codexalimentarius.net/download/standards/336/CXS_210e.pdf.

Cohen, B.M.; Miller, A.L.; Lipinski, J.F.; Pope, H.G. 1980. Lecithin in mania: A preliminary report. Am J Psychiatry 137(2):242-243.

Connor, W.E.; Prince, M.J.; Ullmann, D.; Riddle, M.; Hatcher, L.; Smith, F. E.; Wilson, D. 1993. The hypotriglyceridemic effect of fish oil in adult-onset diabetes with adverse glucose control. Ann N Y Acad Sci 683:337-340.

Copeman, L.A.; Parrish, C.C. 2004. Lipid classes, fatty acids, and sterols in seafood from Gilbert Bay, Southern Labrador. J Agric Food Chem 52(15):4872-4881 & Erratum 53(7):2778.

Cunnane, S.C.; Francescutti, V.; Brenna, J.T.; Crawford M.A. 2000. Breast-fed infants achieve a higher rate of brain and whole body docosahexaenoate accumulation than formula-fed infants not consuming dietary docosahexaenoate. Lipids 35(1):105-111. Cited In: Mathews *et al.,* 2002.

De Vizia, B.; Raia, V.; Spano, C.; Pavlidis, C.; Coruzzo, A.; Alessio, M. 2003. Effect of an 8-month treatment with omega-3 fatty acids (eicosapentaenoic and docosahexaenoic) in patients with cystic fibrosis. JPEN 27(1):52-57.

Del Castillo, M.L.; Dobson, G.; Brennan, R.; Gordon, S. 2004. Fatty acid content and juice characteristics in black currant (*Ribes nigrum* L.) genotypes. J Agric Food Chem 52(4):948-952.

Eritsland, J.; Seljeflot, M.; Abdelnoor, M.; Arnesen, H. 1994a. Long-term influence of omega-3 fatty acids on fibrinoylsis, fibrinogen, and serum lipids. Fibrinolysis 8:120-125.

Eritsland, J.; Seljeflot, M.; Abdelnoor, M.; Arnesen, H.; Torjesen, P.A. 1994b. Long-term effects on N-3 fatty acids on serum lipids and glycemic control. Scand J Clin Lab Invest 54:273-280.

Eritsland, J.; Arnesen, H.; Seljeflot, I.; Kierulf, P. 1995a. Long-term effects of *n*-3 polunsaturated fatty acids on hemostatic variables and bleeding episodes in patients with coronary artery disease. Blood Coagul Fibrinolysis 6(1):17-22.

Eritsland, J.; Arnesen, H.; Seljeflot, I.; Høstmark, A.T. 1995b. Long-term metabolic effects of n-3 polyunsaturated fatty acids in patients with coronary artery disease. Am J Clin Nutr 61:831-836.

Eritsland, J.; Arnesen, H.; Grønseth, K.; Fjeld, N.B.; Abdelnoor, M. 1996. Effect of dietary supplementation with n-3 fatty acids on coronary artery bypass graft patency. Am J Cardiol 77(1):31-36.

European Commission. 1996. Commission directive 96/4/EC, Euratom of 16 February 1996 amending Directive 91/321/EEC on infant formuale and follow-on formuale. Off J Eur Comm 39(49):12-16.

FAO/WHO. 1994. Report of a Joint Expert Consultation. Fats and Oils in Human Nutrition. Food and Agriculture Organization of the United Nations (FAO) / World Health Organization (WHO); Geneva, Switz., FOA Food and Nutrition Paper No. 57, pp. 49-55. Available from: http://www.fao.org/docrep/V4700E/V4700E00.htm.

Fasching, P.; Rohac, M.; Liener, K.; Schneider, B.; Nowotny, P.; Waldhausl, W. 1996. Fish oil supplementation *versus* Gemfibrozil treatment in hyperlipidemic NIDDM. Horm Metab Res 28(5):230-236.

FCC. 2003. Lecithin. In: Food Chemicals Codex (5th Ed.). National Academy Press (NAP); Washington, DC, pp. 248-249.

FDA. 1985. Direct food substances recognized as safe: Low erucic acid rapeseed oil (Final rule - 21 CFR Part 184) [Docket No. 82G-0207]. Fed Regist (US) 50(18):3745-3755.

FDA. 1997a. Premarket notification for a new dietary ingredient; Final rule [21 CFR Part 190 - Docket No. 96N-0232]. Fed Regist (US) 62(184):49886-49892.

FDA. 1997b. Substances affirmed as generally recognized as safe: Menhaden oil (Final rule) [21 CFR, Part 184, Docket No. 86G-0289]. Fed Regist (US) 62(108):30751-30757.

FDA. 2000a. Agency Response Letter GRAS Notice No. GRN 000043 [Lipase Enzyme Preparation, Sep. 22, 2000]. Food and Drug Administration, U.S. (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Premarket Approval; Washington, DC. Available from: http://www.cfsan.fda.gov/~rdb/opa-g043.html.

FDA. 2000b. Letter Regarding Dietary Supplement Health Claim for Omega-3 Fatty Acids and Coronary Heart Disease (Docket No. 91N-0103) [To Jonathan W. Emord, Emord & Associates, P.C. from Christine J. Lewis, Director]. Food and Drug Administration, U.S. (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Nutritional Products, Labeling, and Dietary Supplements. Available from: http://vm.cfsan.fda.gov/~dms/ds-ltr11.html.

FDA. 2001. Agency Response Letter GRAS Notice No. GRN 000080 [ARASCO (Arachidonic Acid-Rich Single-Cell Oil)]. U.S.Food and Drug Administration (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Food Additive Safety; College Park, Maryland. Available from: http://www.cfsan.fda.gov/~rdb/opa-g080.html.

FDA. 2002a. Agency Response Letter GRAS Notice No. GRN 000109 [Tuna Oil]. U.S. Food and Drug Administration (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Food Additive Safety; College Park, Maryland. Available from: http://www.cfsan.fda.gov/~rdb/opa-g109.html.

FDA. 2002b. Agency Response Letter GRAS Notice No. GRN 000105 [Fish Oil Concentrate]. U.S. Food and Drug Administration (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Food Additive Safety; College Park, Maryland. Available from: http://www.cfsan.fda.gov/~rdb/opa-g105.html.

FDA. 2002c. Agency Response Letter GRAS Notice No. GRN 000102 [Small Planktivorous Pelagic Fish Body Oil]. U.S. Food and Drug Administration (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Food Additive Safety; College Park, Maryland. Available from: http://www.cfsan.fda.gov/~rdb/opa-g102.html.

FDA. 2004a. Agency Response Letter GRAS Notice No. GRN 000138 [Fish Oil]. U.S. Food and Drug Administration (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Food Additive Safety; College Park, Maryland. Available from: http://www.cfsan.fda.gov/~rdb/opa-g138.html.

FDA. 2004b. Agency Response Letter GRAS Notice No. GRN 000146 [Salmon Oil]. U.S. Food and Drug Administration (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Food Additive Safety; College Park, Maryland. Available from: http://www.cfsan.fda.gov/~rdb/opa-g146.html.

FDA. 2004c. Agency Response Letter GRAS Notice No. GRN 000137 [Algal oil (Schizochytrium sp.)]. U.S. Food and Drug Administration (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Food Additive Safety; College Park, Maryland. Available from: http://www.cfsan.fda.gov/~rdb/opa-g137.html.

FDA. 2004d. Substances affirmed as generally recognized as safe: Menhaden oil; Tentative final rule [21 CFR, Part 184, Docket No. 1999P-5332]. Fed Regist (US) 69(10):2313-2317.

FDRL. 1973a. Approximate LD50 of FDA 71-88 (Lecithin) in Mice. Submitted by FDA in response to a Freedom of Information (FOI) request dated 11/27/95 Re: Food and Drug Research Laboratories Inc. (FDRL). DHEW Contract No. 71-260 ; Lab No. 1762]. Cited In: CIR, 2001.

FDRL. 1973b. Approximate LD50 of FDA 71-88 (Lecithin) in Rats. Submitted by FDA in response to a FOI request dated 11/27/95 Re: Food and Drug Research Laboratories Inc. (FDRL). [DHEW Contract No. FDA 71-260 ; Lab No. 1763]. Cited In: CIR, 2001.

FDRL. 1973c. Approximate LD50 of FDA 71-88 (Lecithin) in Rabbits. Submitted by FDA in response to a FOI request dated 11/27/95 Re: Food and Drug Research Laboratories Inc. (FDRL). [DHEW Contract No. 71-260 ; Lab No. 1764]. Cited In: CIR, 2001.

FDRL. 1973d. Teratologic Evaluation of FDA 71-88 (Lecithin) in Mice. Submitted by FDA in response to a FOI request dated 11/27/95 Re: Food and Drug Research Laboratories Inc. (FDRL). [DHEW Contract No. 71-260 ; Lab No. 1765]. Cited In: CIR, 2001.

FDRL. 1973e. Teratologic Evaluation of FDA 71-88 (Lecithin) in Rats. Submitted by FDA in response to a FOI request dated 11/27/95 Re: Food and Drug Research Laboratories Inc. (FDRL). [DHEW Contract No. 71-260 ; Lab No. 1766]. Cited In: CIR, 2001.

FDRL. 1974. Teratologic Evaluation of FDA 71-88 (Lecithin) in Rabbits. Submitted by FDA in response to a FOI request dated 11/27/95 Re: Food and Drug Research Laboratories Inc. (FDRL). [DHEW Contract No. FDA 71-260 ; Lab No. 1767]. Cited In: CIR, 2001.

Francois, C.A.; Connor, S.L.; Wander, R.C.; Connor, W.E. 1998. Acute effects of dietary fatty acids on the fatty acids of human milk. Am J Clin Nutr 67(2):301-308.

Freeman, M.P.; Hibbeln, J.R.; Wisner, K.L.; Brumbach, B.H.; Watchman, M.; Gelenberg, A.J. 2006. Randomized dose-ranging pilot trial of omega-3 fatty acids for postpartum depression. Acta Psychiatr Scand 113(1):31-35.

Garcia, C.A.; Tweedy, J.R.; Blass, J.P.; McDowell, F.H. 1982. Lecithin and parkinsonian dementia. In: Corkin, S.; Davis, K.L.; Growdon, J.H.; Usdin, E.; Wurtman, R.J. (Eds.). Alzheimer's Disease: A Report of Progress in Research. Raven Press; New York, Aging, Vol. 19, pp. 443-449.

Gelenberg, A.J.; Wojcik, J.D.; Growdon, J.H. 1979a. Lecithin for the treatment of tardive dyskinesia. In: Barbeau, A.; Growdon, J.H.; Wurtman, R.J. (Eds.). Choline And Lecithin In Brain Disorders. Raven Press; New York, Nutrition and The Brain, Vol. 5, pp. 285-303.

Gelenberg, A.J.; Doller-Wojcik, J.C.; Growdon, J.H. 1979b. Choline and lecithin in the treatment of tardive dyskinesia: Preliminary results from a pilot study. Am J Psychiatry 136(6):772-776.

Gelenberg, A.J.; Dorer, D.J.; Wojcik, J.D.; Falk, W.E.; Brotman, A.W.; Leah, Y.L. 1990. A crossover study of lecithin treatment of tardive dyskinesia. J Clin Psychiatry 51(4):149-153.

Gil, A.; Ramirez, M.; Gil, M. 2003. Role of long-chain polyunsaturated fatty acids in infant nutrition. Eur J Clin Nutr 57(Suppl, 1):S31-S34.

Gogos, C.A.; Ginopoulos, P.; Salsa, B.; Apostolidou, E.; Zoumbos, N.C.; Kalfarentzos, F. 1998. Dietary omega-3 polyunsaturated fatty acids plus vitamin E restore immunodeficiency and prolong survival for severly ill patients with generalized malignancy: A randomized control trial. Cancer 82(2):395-402.

Gorbunov, D.A.; Semenov, D.V.; Shipitsin, M.V.; Nevinsky, G.A. 2001. Unusual phospholipids of human breast milk. Dokl Biochem Biophys 377:62-64.

Goren, A.; Stankiewicz, H.; Goldstein, R.; Drukker, A. 1991. Fish oil treatment of hyperlipidemia in children and adolescents receiving renal replacement therapy. Pediatrics 88(2):265-268.

Gray, D.R.; Gozzip, C.G.; Eastham, J.H.; Kashyap, M.L. 1996. Fish oil as an adjuvant in the treatment of hypertension. Pharmacotherapy 16(2):295-300.

Growdon, J.H.; Corkin, S.; Huff, F.J.; Rosen, T.J. 1986. Piracetam combined with lecithin in the treatment of Alzheimer's disease. Neurobiol Aging 7(4):269-276.

Hamazaki, K.; Itomura, M.; Huan, M.; Nishizawa, H.; Sawazaki, S.; Tanouchi, M.; Watanabe, S.; Hamazaki, T.; Terasawa, K.; Yazawa, K. 2005. Effect of omega-3 fatty acid-containing phospholipids on blood catecholamine concentrations in healthy volunteers: A randomized, placebo-controlled, double-blind trial. Nutrition 21(6):705-710.

Hansen, J.-B.; Olsen, J.O.; Wilsgard, L.; Lyngmo, V.; Svensson, B. 1993a. Comparative effects of prolonged intake of highly purified fish oils as ethyl ester or triglyceride on lipids, haemostasis and platelet function in normolipaemic men. Eur J Clin Nutr 47(7):497-507.

Hansen, J.-B.; Lyngmo, V.; Svensson, B.; Nordøy, A. 1993b. Inhibition of exercise-induced shortening of bleeding time by fish oil in familial hypercholesterolemia (Type IIa). Arterioscler Thromb 13(1):98-104.

Harel, Z.; Gascon, G.; Riggs, S.; Vaz, R.; Brown, W.; Exil, G. 2002. Supplementation with omega-3 polyunsaturated fatty acids in the management of recurrent migraines in adolescents. J Adolesc Health 31(2):154-161.

Harris, W.S.; Windsor, S.L.; Caspermeyer, J.J. 1993. Modification of lipid-related atherosclerosis risk factors by omega-3 fatty acid ethyl esters in hypertriglyceridemic patients. J Nutr Biochem 4:706-712.

Henderson, W.R. (Jr.); Astley, S.J.; McCready, M.M.; Kushmerick, P.; Casey, S.; Becker, J.W.; Ramsey, B.W. 1994. Oral absorption of omega-3 fatty acids in patients with cystic fibrosis who have pancreatic insufficiency and in healthy control subjects. J Pediatr 124(3):400-408.

Houtsmüller, U.M.T. 1979. Metabolic fate of dietary lecithin. In: Barbeau, A.; Growdon, J.H.; Wurtman, R.J. (Eds.). Choline and Lecithin in Brain Disorders. Raven Press; New York, Nutrition and the Brain, Vol. 5, pp. 83-94.

Hung, P.; Gu, J.Y.; Kaku, S.; Yunoki, S.; Ohkura, K.; Ikeda, I.; Tachibana, H.; Sugano, M.; Yazawa, K.; Yamada, K. 2000. Dietary effects of eicosapentaenoic and docosahexaenoic acid esters on lipid metabolism and immune parameters in Sprague-Dawley rats. Biosci Biotechnol Biochem 64(12):2588-2593.

Ilowite, N.T.; Copperman, N.; Leicht, T.; Kwong, T.; Jacobson, M.S. 1995. Effects of dietary modification and fish oil supplementation on dyslipoproteinemia in pediatric systemic lupus erythematosus. J Rheumatol 22(7):1347-1351.

Innis, S.M. 2004. Polyunsaturated fatty acids in human milk: An essential role in infant development. In: Pickering, L.K.; Morrow, A.L.; Ruiz-Palacios, G.M.; Schanler, R.J. (Eds.). Protecting Infants through Human Milk: Advancing the Scientific Evidence. Springer; New York, Advances in Experimental Medicine and Biology, Vol. 554, pp. 27-43.

Innis, S.M.; Elias, S.L. 2003. Intakes of essential n-6 and n-3 polyunsaturated fatty acids among pregnant Canadian women. Am J Clin Nutr 77(2):473-478.

Innis, S.M.; Kuhnlein, H.V. 1988. Long-chain n-3 fatty acids in breast milk of Inuit women consuming traditional foods. Early Hum Dev 18(2&3):185-189.

Jackson, I.V.; Nuttall, E.A.; Ibe, I.O.; Perez-Cruet, J. 1979. Treatment of tardive dyskinesia with lecithin. Am J Psychiatry 136(11):1458-1460.

Jackson, I.V.; Davis, L.G.; Cohen, R.K.; Nuttall, E.A. 1981. Lecithin administration in tardive dyskinesia: Clinical and biomedical correlates. Biol Psychiatry 16(1):85-90.

JECFA. 1974. Lecithin. In: Toxicological Evaluation of Some Food Additives Including Anticaking Agents, Antimicrobials, Antioxidants, Emulsifiers and Thickening Agents. 17th JECFA Session, June 25-July 4, 1973, Geneva. Food and Agriculture Organization of the United Nations (FAO); Rome. FAO Nutrition Meetings Report Series, No. 53A / WHO Technical Report Series, No. 539 / WHO Food Additives Series, No. 5, pp. 234-235. Available from: http://www.inchem.org/documents/jecfa/jecmono/v05je42.htm.

JECFA. 1987. Lead (Evaluation of health risk to infants and children). In: Toxicological Evaluation of Certain Food Additives and Contaminants, 30th JECFA Session, June 2-11, 1986, Rome. Food and Agriculture Organization of the United Nations (FAO). Cambridge University Press, Cambridge, Eng.; New York, WHO Food Additives Series, No. 21, pp. 223-255 & 281. Available from: http://www.inchem.org/documents/jecfa/jecmono/v21je16.htm.

JECFA. 1989. Contaminants: [Arsenic, Cadmium, Methylmercury]. In: Toxicological Evaluation of Certain Food Additives and Contaminants. 33rd JECFA Session, Mar. 21-30, 1989, Geneva. Food and Agriculture Organization of the United Nations (FAO). Cambridge University Press; Cambridge, Engl./New York. WHO Food Additives Series, No. 24, pp. 154-163, 163-219, 295-328. Available from: http://www.inchem.org/documents/jecfa/jecmono/v024je01.htm.

JECFA. 2002. Polychlorinated dibenzodioxins, polychlorinated dibenzofurans, and coplanar polychlorinated biphenyls. In: Safety Evaluation of Certain Food Additives and Contaminants – 57th meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA), June 5-14, 2001, Rome. World Health Organization (WHO); Geneva. International Programme on Chemical Safety (IPCS), Joint FAO/WHO Expert Committee on Food Additives (JECFA), Foodand Agriculture Oganization of the United States (FAO). WHO Food Additives Series, No. 48, pp. 451-664 & 692. Available from: http://www.inchem.org/documents/jecfa/jecmono/v48je20.htm.

Jensen, R.G. 1989. The Lipids of Human Milk. CRC Press; Boca Raton, Florida, pp. 65-92. Cited In: Gorbunov *et al.*, 2001.

Jónsson, A.; Pálmadóttir, H.; Kristbergson, K. 1997. Fatty acid composition in ocean-ranched Atlantic salmon (*Salmo salar*). Int J Food Sci Technol 32(6):547-551.

Kragballe, K.; Fogh, K. 1989. A low-fat diet supplemented with dietary fish oil (Max-EPA) results in improvement of psoriasis and in formation of leukotriene B5. Acta Derm Venereol 69(1):23-28.

Krokan, H.E.; Bjerve, K.S.; Mork, E. 1993. The enteral bioavailability of eicosapentaenoic acid and docosahexaenoic acid is as good from ethyl esters as from glyceryl esters in spite of lower hydrolytic rates by pancreatic lipase in vitro. Biochim Biophys Acta 1168(1):59-67.

Kruger, M.C.; Coetzer, H.; de Winter, R.; Gericke, G.; van Papendorp, D.H. 1998. Calcium, gamma-linolenic acid and eicosapentaenoic acid supplementation in senile osteoporosis. Aging (Milano) 10(5):385-394.

Kurlandsky, L.E.; Bennink, M.R.; Webb, P.M.; Ulrich, P.J.; Baer, L.J. 1994. The absorption and effect of dietary supplementation with omega-3 fatty acids on serum leukotriene B4 in patients with cystic fibrosis. Pediatr Pulmonol 18(4):211-217.

Leaf, A.; Jorgensen, M.B.; Jacobs, A.K.; Cote, G.; Schoenfeld, D.A.; Scheer, J.; Weiner, B.H.; Slack, J.D.; Kellett, M.A.; Raizner, A.E.; Weber, P.C.; Mahrer, P.R.; Rossouw, J.E. 1994. Do fish oils prevent restenosis after coronary angioplasty? Circulation 90(5):2248-2257.

Lechowski, R.; Bielecki, W.; Sawosz, E.; Krawiec, M.; Klucinski, W. 1999. The effect of lecithin supplementation on the biochemical profile and morphological changes in the liver of rats fed different animal fats. Vet Res Commun 23(1):1-14.

Leigh-Firbank, E.C.; Minihane, A.M.; Leake, D.S.; Wright, J.W.; Murphy, M.C.; Griffin, B.A.; Williams, C.M. 2002. Eicosapentaenoic acid and docosahexaenoic acid from fish oils: Differential associations with lipid responses. Br J Nutr 87(5):435-445.

Lemaitre-Delaunay, D.; Pachiaudi, C.; Laville, M.; Pousin, J.; Armstrong, M.; Lagarde, M. 1999. Blood compartmental metabolism of docosahexaenoic acid (DHA) in humans after ingestion of a single dose of [^{13}C]DHA in phosphatidylcholine. J Lipid Res 40(10):1867-1874.

Levy, E.; Roy, C.C. 1989. Developmental aspects of intestinal lipoprotein synthesis and secretion. In: Lebenthal, E. (Ed.). Human Gastrointestinal Development. Raven Press; New York, pp. 491-503. Cited In: Amate et al., 2001.

Litton Bionetics, Inc. 1975. Mutagenic Evaluation of Compound FDA 71-88, Lecithin. Produced by: Litton Bionetics, Inc.; Kensington, Maryland [LBI-2468-323] for the Food and Drug Administration, U.S. (FDA); Washington, DC [FDABF-GRAS-323; PB-245 478/3/XAB]. Cited In: CIR, 2001.

Maki, K.C.; Van Elswyk, M.E.; McCarthy, D.; Seeley, M.A.; Veith, P.E.; Hess, S.P.; Ingram, K.A.; Halvorson, J.J.; Calaguas, E.M.; Davidson, M.H. 2003. Lipid responses in mildly hypertriglyceridemic men and women to consumption of docosahexaenoic acid-enriched eggs. Int J Vitam Nutr Res 73(5):357-368.

Maltby, N.; Broe, G.A.; Creasey, H.; Jorm, A.F.; Christensen, H.; Brooks, W.S. 1994. Efficacy of tacrine and lecithin in mild to moderate alzheimer's disease: Double blind trial. BMJ 308(6933):879-883.

Mathews, S.A.; Oliver, W.T.; Phillips, O.T.; Odle, J.; Diersen-Schade, D.A.; Harrell, R.J. 2002. Comparison of triglycerides and PL as supplemental sources of dietary long-chain polyunsaturated fatty acids in piglets. J Nutr 132(10):3081-3089.

McGrath, L.T.; Brennan, G.M.; Donnelly, J.P.; Johnston, G.D.; Hayes, J.R.; McVeigh, E.G. 1996. Effect of dietary fish oil supplementation on peroxidation of serum lipids in patients with non-insulin dependent diabetes mellitus. Atherosclerosis 121(2):275-283.

McVeigh, G.E.; Brennan, G.M.; Cohn, J.N.; Finkelstein, S.M.; Hayes, R.J.; Johnston, G.D. 1994. Fish oil improves arterial compliance in non-insulin-dependent diabetes mellitus. Arterioscler Thromb 14(9):1425-1429.

Merritt, R.J.; Auestad, N.; Kruger, C.; Buchanan, S. 2003. Safety evaluation of sources of docosahexaenoic acid and arachidonic acid for use in infant formulas in newborn piglets. Food Chem Toxicol 41(6):897-904.

Meyer, B.J.; Mann, N.J.; Lewis, J.L.; Milligan, G.C.; Sinclair, A.J.; Howe, P.R. 2003. Dietary intakes and food sources of omega-6 and omega-3 polyunsaturated fatty acids. Lipids 38(4):391-398.

Minami, A.; Ishimura, N.; Sakamoto, S.; Takishita, E.; Mawatari, K.; Okada, K.; Nakaya, Y. 2002. Effect of eicosapentaenoic acid ethyl ester v. oleic acid-rich safflower oil on insulin resistance in type 2 diabetic model rats with hypertriacylglycerolaemia. Br J Nutr 87(2):157-162.

Misso, N.L.A.; Thompson, P.J. 1995. Fish oil supplementation inhibits platelet aggregation and ATP release induced by platelet-activating factor and other agonists. Platelets 6(5):275-282.

Morgan, D.R.; Dixon, L.J.; Hanratty, C.G.; El-Sherbeeny, N.; Hamilton, P.B.; McGrath, L.T.; Leahey, W.J.; Johnston, G.D.; McVeigh, G.E. 2006. Effects of dietary omega-3 fatty acid supplementation on endothelium-dependent vasodilation in patients with chronic heart failure. Am J Cardiol 97(4):547-551.

Nagakura, T.; Matsuda, S.; Shichijyo, K.; Sugimoto, H.; Hata, K. 2000. Dietary supplementation with fish oil rich in ω-3 polyunsaturated fatty acids in children with bronchial asthma. Eur Respir J 16(5):861-865.

Nakamura, M.T.; Nara, T.Y. 2003. Essential fatty acid synthesis and its regulation in mammals. Prostaglandins Leukot Essent Fatty Acids 68(2):145-150.

National Marine Fisheries Service. UN Food and Agriculture Organization. 1996. Cited In: Abril and Barclay, 1998.

Nordøy, A.; Hatcher, L.; Goodnight, S.; Fitzgerald, G.A.; Conner, W.E. 1994. Effects of dietary fat content, saturated fatty acids, and fish oil on eicosanoid poduction and hemostatic parameters in normal men. J Lab Clin Med 123(6):914-920.

Partos, L. 2004. Novozymes Enzyme Pierces Trans Fat Market. Decision News Media SAS; Montpellier, France. Available from: http://www.foodnavigator.com/news/ng.asp?n=55356-novozymes-enzyme-pierces.

PDRNS. 2001. Flaxseed oil. In: PDR® for Nutritional Supplements (1st Ed.). Physicians' Desk Reference (PDR); Demoines, Iowa/Medical Economics Data Production Company; Montvale, New Jersey, pp. 150-152. Available from: http://www.pdrhealth.com/drug_info/nmdrugprofiles/nutsupdrugs/fla_0107.shtml.

Pomara, N.; Domino, E.F.; Yoon, H.; Brinkman, S.; Tamminga, C.A.; Gershon, S. 1983. Failure of single-dose lecithin to alter aspects of central cholinergic activity in Alzheimer's disease. J Clin Psychiatry 44(8):293-295.

Poulsen, R.C.; Kruger, M.C. 2004. Detrimental effect of high dose eicosapentaenoic acid supplementation on bone density in ovariectomised sprague dawley rats. Asia Pac J Clin Nutr 13(Suppl.):S49 [Abstract].

Prisco, D.; Paniccia, R.; Filippini, M.; Francalanci, I.; Bandinelli, B.; Comeglio, P.; Rostagno, C.; Abbate, R.; Neri Serneri, G.G. 1994. No changes in PAI-1 levels after four-month n-3 PUFA ethyl ester supplementation in healthy subjects. Thromb Res 76(3):237-244.

Prisco, D.; Filippini, M.; Francalanci, I.; Paniccia, R.; Gensini, G.F.; Neri Serneri, G.G. 1995. Effect of n-3 fatty acid ethyl ester supplementation on fatty acid composition of the single platelet PL and on platelet functions. Metabolism Clin Exp 44(5):562-569.

Randels, P.M.; Marco, L.A.; Ford, D.I.; Mitchell, R.; Scholl, M.; Plesnarski, J. 1984. Lithium and lecithin treatment in Alzheimer's disease: A pilot study. Hillside J Clin Psychiatry 6(2):139-147.

Rhodes, L.E.; White, S.I. 1998. Dietary fish oil as a photoprotective agent in hydroa vacciniforme. Br J Dermatol 138(1):173-178.

Romano, C.; Cucchiara, S.; Barabino, A.; Annese, V.; Sferlazzas, C. 2005. Usefulness of -3 fatty acid supplementation in addition to mesalazine in maintaining remission in pediatric Crohn's disease: A double-blind randomized, placebo-controlled study. World J Gastroenterol 11(45):7118-7121.

Sacks, F.M.; Stone, P.H.; Gibson, C.M.; Silverman, D.I.; Rosner, B.; Pasternak, R.C. (For the HARP Research Group). 1995. Controlled trial of fish oil for regression of human coronary atherosclerosis. J Am Coll Cardiol 25(7):1492-1498.

Sala-Vila, A.; Castellote-Bargallo, A.I.; Rodriguez-Palmero-Seuma, M.; Lopez-Sabater, M.C. 2003. High-performance liquid chromatography with evaporative light-scattering detection for the determination of phospholipid classes in human milk, infant formulas and phospholipid sources of long-chain polyunsaturated fatty acids. J Chromatogr A 1008(1):73-80.

Sala-Vila, A.; Castellote, A.KI.; Campoy, C.; Rivero, M.; Rodriguez-Palmero, M.; López-Sabater, M.C. 2004. The source of long-chain PUFA in formula supplements does not affect the fatty acid compoisition of plasma lipids in full-term infants. J Nutr 134(4):868-873.

Sampalis, F.; Bunea, R.; Pelland, M.F.; Kowalski, O.; Duguet, N.; Dupuis, S. 2003. Evaluation of the effects of Neptune Krill Oil on the management of premenstrual syndrome and dysmenorrhea. Altern Med Rev 8(2):171-179.

Sanders, T.A.B.; Oakley, F.R.; Miller, G.J.; Mitropoulos, K.A.; Crook, D.; Oliver, M.F. 1997. Influence of *n-6 versus n-3* polyunsaturated fatty acids in diets low in saturated fatty acids on plasma lipoproteins and hemostatic factors. Arterioscler Thromb Vasc Biol 17(12):3449-3460.

Schecter, A.;Cramer, P.; Boggess, K.; Stanley, J.; Päpke, O.; Olson, J.; Silver, A.; Schmitz, M. 2001. Intake of dioxins and related compounds from food in the U.S. population. J Toxicol Environ Health A 63(1):1-18.

Shah, A.B.; Combes, R.D.; Rowland, I.R. 1991. Interaction with microsomal lipid as a major factor resposnible for S9-mediated inhibition of 1,8-dinitropyrene mutagenicity. Mutat Res 249(1):93-104.

Silva, J.M.; Souza, I.; Silva, R.; Tavares, P.; Teixeira, F.; Silva, P.S. 1996. The triglyceride lowering effect of fish oils is affected by fish consumption. Int J Cardiol 57(1):75-80.

Smuts, C.M.; Huang, M.; Mundy, D.; Plasse, T.; Major, S.; Carlson, S.E. 2003. A randomized trial of docosahexaenoic acid supplementation during the third trimester of pregnancy. Obstet Gynecol 101(3):469-479.

Swahn, E.; von Schenck, H.; Olsson, A.G. 1998. Omega-3 ethyl ester concentrate decreases total apoloprotein CIII and increases antithrombin III in postmyocardial infarction patients. Clin Drug Invest 15(6):473-482.

Takagi, T.; Eaton, C.A.; Ackman, R.G. 1980. Distribution of fatty-acids in lipids of the common Atlantic sea-urchin *Strongylocentrotus droebachiensis.* Can J Fish Aquat Sci 37(2):195-202.

Thies, N.H. 1997. The effect of 12 months' treatment with eicosapentaenoic acid in five children with cystic fibrosis. J Paediatr Child Health 33(4):349-351.

U.S. EPA. 2002. 2. Breast milk intake. In: Child-Specific Exposure Factors Handbook (Interim Report). U.S. Environmental Protection Agency (U.S. EPA), Office of Research and Development, National Center for Environmental Assessment; Washington, DC. [EPA-600-P-00-002B], pp. 2-1 to 2-20. Available from: http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?PrintVersion=True&deid=55145.

USDA. 2005. Composition of Food: Raw, Processed, Prepared [Results on: "Mollusks, mussel, blue, cooked, moist heat" ; "Fish, herring, Atlantic, cooked, dry heat" ; "Milk, human, mature, fluid" ; and "Oil, peanut, salad or cooking"]. In: USDA National Nutrient Database for Standard Reference, Release 18. U.S. Department of Agriculture (USDA), Agricultural Research Service (ARS), Beltsville Human Nutrition Research Center Nutrient Data Laboratory; Beltsville, Maryland. Available from: http://www.nal.usda.gov/fnic/foodcomp/Data/SR18/sr18.html.

Vickar, G.M. 1982. A case study: Idiopathic dyskinesia treated with choline and lecithin. J Orthomol Psychiatry 11(2):77-80.

Volavka, J.; O'Donnell, J.; Muragali, R.; Anderson, B.G.; Gaztanaga, P.; Boggiano, W.; Whittaker, R.; Sta. Maria, T. 1986. Lithium and lecithin in tardive dyskinesia: An update. Psychiatry Res 19(2):101-104.

von Schacky, C.; Angerer, P.; Kothny, W.; Theisen, K.; Mudra, H. 1999. The effect of dietary ω-3 fatty acids on coronary atherosclerosis: A randomized, double-blind, placebo-controlled trial. Ann Intern Med 130(7):554-562.

Wang, L.; Shimizu, Y.; Kaneko, S.; Hanaka, S.; Abe, T.; Shimasaki, H.; Hisaki, H.; Nakajima, H. 2000. Comparison of the fatty acid composition of total lipids and phospholipids in breast milk from Japanese women. Pediatr Int 42(1):14-20.

Weinstock-Guttman, B.; Baier, M.; Park, Y.; Feichter, J.; Lee-Kwen, P.; Gallagher, E.; Venkatraman, J.; Meksawan, K.; Deinehert, S.; Pendergast, D.; Awad, A.B.; Ramanathan, M.; Munschauer, F.; Rudick, R. 2005. Low fat dietary intervention with -3 fatty acid supplementation in multiple sclerosis patients. Prostaglandins 73(5):397-404.

Wigmore, S.J.; Ross, J.A.; Falconer, J.S.; Plester, C.E.; Tisdale, M.J.; Carter, D.C.; Fearon, K.C. 1996. The effect of polyunsaturated fatty acids on the progress of cachexia in patients with pancreatic cancer. Nutrition 12(1):S27-S30.

Wilbur, K.; Kulik, A.V.; Brecht, T.C. 1982. Lecithin for tardive dyskinesia. Am J Psychiatry 139(10):1375.

Wohl, D.A.; Tien, H.C.; Busby M.; Cunningham, C.; Macintosh, B.; Napravnik, S.; Danan, E.; Donovan, K.; Hossenipour, M.; Simpson, R.J. (Jr.). 2005. Randomized study of the safety and efficacy of fish oil (omega-3 fatty acid) supplementation with dietary and exercise counseling for the treatment of antiretroviral therapy-associated hypertriglyceridemia. Clin Infect Dis 41(10):1498-1504.

Wood, J.L.; Allison, R.G. 1982. Effects of consumption of choline and lecithin on neurological and cardiovascular systems. Fed Proc 41(14):3015-3021.

Wurtman, J.J. 1979. Sources of lecithin and choline in the diet. In: Barbeau, A.; Growdon, J.H.; Wurtman, R.J. (Eds.). Choline and Lecithin in Brain Disorders. Raven Press; New York, Nutrition and the Brain, Vol. 5, pp. 73-81.

Yackulic, C.F.; Anderson, B.G.; Reker, D.; Webb, E.; Volavka, J. 1982. The safety of lecithin diet supplementation in schizophrenic patients. Biol Psychiatry 17(12):1445-1448.

Zeisel, S.H.; Blusztajn, J.K.; Wurtman, R.J. 1979. Brain lecithin biosynthesis: Evidence that bovine brain can make cholie molecules. In: Barbeau, A.; Growdon, J.H.; Wurtman, R.J. (Eds.). Choline and Lecithin in Brain Disorders. Raven Press; New York, Nutrition and the Brain, Vol. 5, pp. 47-55.

Zeisel, S.H.; Gelenberg, A.J.; Growdon, J.H.; Wurtman, R.J. 1980. Use of choline and lecithin in the treatment of tardive dyskinesia. In: Cattabeni, F.; Racagni, G.; Spano, P.F.; Costa, E. (Eds.). Long-Term Effects of Neuroleptics. Raven Press; New York, Advances in Biochemical Psychopharmacology, Vol. 24, pp. 463-470.

Zeisel, S.H.; Garry, P.J.; Brigida, M.; Magil, S.G.; Goodwin, J.S.; Alvarez, N. 1982. Serum choline concentrations in aged humans. In: Corkin, S.; Davis, K.; Growdon, J.; Usdin, E.; Wurtman, R. (Eds.). Alzheimer's Disease: A Report of Progress in Research. Raven Press; New York, Aging, Vol. 19, pp. 45-47.

Zubr, J.; Matthäus, B. 2002. Effects of growth conditions on fatty acids and tocopherols in *Camelina sativa* oil. Ind Crops Prod 15(2):155-162.