


ActivEze
GREENLINE

DATE: DEC 18 1997
Responsible for the text:


Egan Badart

FRONT LABEL: contains ingredients that regulate metabolism of muscles and joints; enhance circulation and improve removal of body wastes.*

BACK LABEL: The ingredients of the herbal components support diet's abilities to regulate water household, and digestion. Vitamin E is an antioxidant^{1,2}. Taurine improves the utilization of dietary potassium by its ability to increase intracellular potassium concentration, ⁸. Bioflavonoids enhance circulation, strengthen capillary walls ^{3,5,7}. *

* This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

References:

1. Haeger, K. (1974) Long-time treatment of intermittent claudication with Vitamin E. Am. J. Clin. Nutr. 27(10):1179-81.
2. Hermann, W.J. (1979) The effect of tocopherol on high-density lipoprotein cholesterol: A clinical observation. Am. J. Clin. Path. 72:848-852.
3. Havsteen, B. (1983) Flavonoids, a class of natural products with high pharmacological potency, Biochem. Pharmacol. 32(7):1141.
4. Kanimura, M. (1972) Antiinflammatory activity of Vitamin E. J. Vitaminol, 18(4):204-209.
5. Kuhnau, J. (1976) The flavonoids. A class of semi-essential food components: their role in human nutrition. World Rev. Nutr. Diet. 24:117.
6. Leonard, P.J. and Losowsky, M.S. (1971) Effect of alpha-tocopherol administration on red cell survival in vitamin E-deficient human subjects. Am. J. Nutr. 24:388-93.
7. Middleton, E. (1984) The flavonoids, Trends Pharm. Sci. 5:335.
8. Durelli L., Mutani R., Fassio, F. Satta, A., Bartoli, E. 1982. Taurine and hyperexcitable human muscle: effect of taurine on potassium-induced hyperexcitability of dystrophic myotonic and normal muscles. Ann. Neurol. vol. 11 (3), p. 258 -65.

97S - 0162