

THE FINDINGS AND CONCLUSIONS IN THIS REPORT HAVE NOT BEEN FORMALLY DISSEMINATED BY FDA AND SHOULD NOT BE CONSTRUED TO REPRESENT ANY AGENCY DETERMINATION OR POLICY.

BIBLIOGRAPHY

All References Related to Overview Assessment of Artificial Food Colors/Additives and Hyperactivity (ADHD) and Problem Behaviors in Children

(I) Clinical Trials

(Ia) Reviewed Clinical Trials Prior to 1982 (n=16)

(Ib) Reviewed Clinical Trials From 1982 to Present (n=17)

(Ic) References Excluded from Overview (n=2)

(II) Animal/Laboratory Studies and Background Information

(IIa) Animal/Laboratory Studies (n=17 referenced in review)

(IIb) Background Information (n=51)

I CLINICAL TRIALS

Ia. Reviewed Clinical Trials Published Prior To 1982 (n=16)

1. Adams W. Lack of behavioral effects from Feingold diet violations. *Perceptual and Motor Skills*, 1981, 52: 307-313.
2. Connors CK, Goyette CH and Newman EB. Dose-Time Effect of Artificial Colors. *Journal of Learning Disabilities*, 1980 (November),13 (No.9):48-52.
3. Connors CK, Goyette CH, Southwick DA, lees JM, and Andrulonis PA. Food additives and hyperkinesis: A controlled double-blind experiment. *Pediatrics*, 58 (August, No.2), 1976: 154-166.
4. Connors CK. Artificial colors in the diet and disruptive behavior. In R Knights and D Bakker (Eds.) *Treatment of Hyperactive and Learning Disordered Children: Current Research*. Baltimore, University Park Press, 1980: 113-120.
5. Goyette CH, Connors CK, Petti TA and Curtis LE. Effects of Artificial Colors on Hyperkinetic Children: A Double-Blind Challenge Study. *Psychopharmacology Bulletin*, 14 (No.2), 1978: 39-40.
6. Harley JP, Ray RS, Tomasi L, Eichman PL, Matthews CG, Chun R, Cleeland CS and Traisman E. Hyperkinesis and food additives: testing the Feingold hypothesis. *Pediatrics*. 1978, Jun; 61(6):818-28
7. Harley P, Matthews CG and Eichman P. Synthetic Food Colors and Hyperactivity in Children: Double-Blind Challenge Experiment. *Pediatrics*, 62, 1978: 975-983.

8. Levy F and Hobbes G. Hyperkinesis and Diet: A Replication Study in Hyperactive Children. *American Journal of Psychiatry*. 1978;135: 1559-1560.
9. Levy F, Dumbrell S, Hobbes G, Ryan M, Wilton N and Woodhill JM. Hyperkinesis and Diet: A Double-Blind Crossover Trial With A Tartrazine Challenge. *Medical Journal of Australia*, 1 (No.2, January), 1978: 61-64.
10. Mattes J and Gittelman R. Effects of Artificial Food Colorings In Children With Hyperactive Symptoms: A Critical Review and Results of a Controlled Study. *Archives of General Psychiatry*, 38, 1981:714-718.
11. Mattes J and Gittelman-Klein R. A Crossover Study of Artificial Food Colorings in a Hyperkinetic Child. *American Journal of Psychiatry*, 135 (No.8), 1978: 987-988.
12. Rose TL. The Functional Relationship Between Artificial Food Colors and Hyperactivity. *Journal of Applied Behavior Analysis*, 115 (No.4, Winter), 1978: 439-446.
13. Spring C, Vermeersch J, Blunden D and Sterling H. Case Studies of Effects of Artificial Food Colors on Hyperactivity. *The Journal of Special Education*, 1981, 15 (Number 3): 361-372.
14. Swanson JM and Kinsbourne M. Food dyes impair performance of hyperactive children on a laboratory learning test. *Science*, 1980, 207 (March 28): 1485-1487.
15. Weiss B, Hicks William J, Margen S, Abrams B, Caan B, Citron LJ, Cox C, McKibben J, Ogan D and Schultz S. Behavioral Responses to Artificial Food Colors. *Science*, 207 (March), 1980: 1487-1489.
16. Williams JI, Cram DM, Tausig FT and Webster E. Relative Effects of Drugs and Diet on Hyperactive Behaviors: An Experimental Study. *Pediatrics*, 61, 1978: 811-817.

Ib. Reviewed Clinical Trials Published From 1982 to Present (n=17)

17. Bateman B, Warner JO, Hutchinson E, Dean T, Rowlandson P, Gant C, Grundy J, Fitzgerald C and Stevenson J. The effects of a double blind, placebo controlled, artificial food colourings and benzoate preservative challenge on hyperactivity in a general population sample of preschool children. *Arch Dis Child*. 2004, Jun; 89(6):506-11.
18. Boris M and Mandel FS. Foods and additives are common causes of the attention deficit hyperactive disorder in children. *Ann Allergy*. 1994, May; 72(5):462-8.
19. Carter CM, Urbanowicz M, Hemsley R, Mantilla L, Strobel S, Graham PJ, Taylor E. Effects of a few food diet in attention deficit disorder. *Arch Dis Child*. 1993, Nov; 69(5):564-8.
20. David TJ. Reactions to dietary tartrazine. *Archives of Disease in Childhood*, 62, 1987:119-122.
21. Egger J, Carter CM, Graham PJ, Gumley D and Soothill JF. Controlled trial of oligoantigenic treatment in the hyperkinetic syndrome. *Lancet*. 1985, Mar 9; 1(8428):540-5
22. Egger J., Stolla A and McEwen LM. Controlled trial of hyposensitization in children with food-induced hyperkinetic syndrome. *The Lancet*, 339 (May), 1992: 1150-1153.
23. Kaplan BJ, McNicol J, Conte RA and Moghadam HK. Dietary replacement in preschool-aged hyperactive boys. *Pediatrics*, 83 (No.1, January), 1989: 7-17.

24. McCann D, Barrett A, Cooper A, Crumpler D, Dalen L, Grimshaw K, Kitchin E, Lok K, Porteous L, Prince E, Sonuga-Barke E, Warner JO, Stevenson J. Food additives and hyperactive behaviour in 3-year-old and 8/9-year-old children in the community: a randomised, double-blinded, placebo-controlled trial. *Lancet*. 2007, Nov 3; 370(9598):1560-7.
25. Pollock I, Warner JO. Effects of artificial food colours on childhood behaviour. *Arch Dis Child*. 1990, Jan; 65(1):74-7.
26. Rowe KS, Rowe KJ. Synthetic food coloring and behavior: a dose response effect in a double-blind, placebo-controlled, repeated-measures study. *J Pediatr*. 1994, Nov; 125(5 Pt 1):691-8
27. Rowe KS. Synthetic food colourings and 'hyperactivity': a double-blind crossover study. *Aust Paediatr J*. 1988, Apr; 24(2):143-7.
28. Salamy J, Shucard D, Alexander H, Peterson D, Braud L. Physiological changes in hyperactive children following the ingestion of food additives. *Int J Neurosci*. 1982, May; 16(3-4):241-6.
29. Sarantinos J, Rowe KS and Briggs DR. Synthetic Food Colouring and Behavioral Change In Children With Attention Deficit Disorder: A Double-Blind, Placebo Controlled (Challenge Study). *Proc. Nutr. Aust.*, 15, 1990: 233.
30. Schmidt MH, Mocks P, Lay B, Eisert HG, Fojkar R, Fritz-Sigmund D, Marcus A and Musaeus B. Does oligoantigenic diet influence hyperactive/conduct-disordered children - a controlled trial. *European Child & Adolescent Psychiatry*, 6, 1997: 88-95.
31. Thorley G. Pilot study to assess behavioural and cognitive effects of artificial food colours in a group of retarded children. *Dev Med Child Neurol*. 1984, Feb; 26(1):56-61.
32. Uhlig T, Merckenschlager A, Brandmaier R, Egger J. Topographic mapping of brain electrical activity in children with food-induced attention deficit hyperkinetic disorder. *Eur J Pediatr*. 1997, Jul; 156(7):557-61.
33. Wilson N and Scott A. A double-blind assessment of additive intolerance in children using a 12 day challenge period at home. *Clinical and Experimental Allergy*, 19, 1989: 267-272.

Ic. References Originally Listed but Excluded from Overview (n=2)

34. Harley JP, Tomasi L, Ray R, Eichman P, Matthews C, Chun R, Traisman E and Cleeland C. An experimental evaluation of hyperactivity and food additives – Phase I. *Univ Wisconsin Madison Rep*, 207, 1977. REASON NOT USED: this reference was included in the original list of clinical study references but was excluded from the overview since it was only an early outline of the fully published study (Harley et al, 1978) which was reviewed.
35. Silfverdal SA, Hernell O. Food additives can increase hyperactivity in children. Results from a British study confirm the connection. *Lakartidningen*. 2008 Feb 6-12; 105(6):354-5. REASON NOT USED: this is a commentary and not a clinical study.

II ANIMAL LABORATORY STUDIES and BACKGROUND INFORMATION

IIa. Animal Laboratory Studies (n=17 referenced in review)

36. Chambille I. Retinal ganglion cells expressing the FOS protein after light stimulation in the Syrian hamster are relatively insensitive to neonatal treatment with monosodium glutamate. *J Comp Neurol.* 1998, Mar 23; 392(4):458-67. (Study not relevant to this overview – study does not include food colors and dose of MSG is clearly neurotoxic/neuropathologic at 400 g/kg)
37. Clough RW, Aravich PF, Sladek CD. Monosodium glutamate neurotoxicity a sex-specific impairment of blood pressure but not vasopressin in developing rats. *Brain Res Bull*, 17 (No.1), 1986 : 51-58. (Study not relevant to this overview - study does not include food colors and dose of MSG is clearly neurotoxic/neuropathologic at 400 g/kg;also, the study findings are questionable due to the very small n and the fact that all rats apparently came from the same few litters such that litter effects were not controlled.)
38. Dawson, R Jr, Simkins JW and Wallace DR. Age and dose-dependent effects of neonatal monosodium glutamate MSG administration to female rats. *Neurotoxicol Teratol*, 11(No.4), 1989 : 331-338. (Study not relevant to this overview – study does not include food colors and dose of MSG is clearly neurotoxic/neuropathologic at 400 g/kg)
39. Ford GP, Stevenson BI and Evans JG. Long-term toxicity study of carmoisine in rats using animals exposed in utero. *Food Chem Toxicol.* 1987, Dec; 25(12):919-25.
40. Galloway WD, Olvey KM and Brown NT. Behavioral effects of erythrosine following light exposure. *Neurobehav Toxicol Teratol.* 1986 Sep-Oct; 8(5):493-7.
41. Goldenring JR, Batter DK and Shaywitz BA Effect of chronic Erythrosin B administration on developing rats. *Neurobehav Toxicol Teratol.* 1981 Jan-Feb; 3: 57-58.
42. Goldenring JR, Batter DK and Shaywitz BA. Sulfanilic acid: behavioral change related to azo food dyes in developing rats. *Neurobehav Toxicol Teratol.* 1982 Jan-Feb; 4(1):43-9.
43. Kiss A, Skultetyova I, Jezova D. Corticotropin-releasing hormone synthesizing neurons in the hypothalamic paraventricular nucleus of rats neonatally treated with monosodium glutamate can respond to different stress paradigms. *Neurol Res.* 1999, Dec; 21(8):775-80. (Study not relevant to this overview – study does not include food colors and dose of MSG is clearly neurotoxic/neuropathologic at 400 g/kg)
44. Kiss P Hauser D Tamas A Lubics A Racz B Horvath ZS Farkas J Zimmermann F Stepien A Lengvari I Reglodi D. Changes in open-field activity and novelty-seeking behavior in periadolescent rats neonatally treated with monosodium glutamate. *Neurotox Res.* 2007, Sep; 12(2):85-93. (Study not relevant to this overview – study does not include food colors and dose of MSG is clearly neurotoxic/neuropathologic at 400 g/kg)
45. Kluwe WM Montgomery CA Giles HD Prejean JD. Encephalopathy In Rats And Nephropathy In Rats And Mice After Subchronic Oral Exposure To Benzaldehyde. *Food and Chemical Toxicology*, 1983, 21(No. 3): 245-250.
46. Lafferman JA and Silbergeld EK. Erythrosine B inhibits dopamine transport in rat caudate synaptosomes. *Science*, 1979 (July), 205: 410-412. (Reviewed in MacGibbon, 1983; Mailman and Lewis, 1983; Silbergeld and Anderson, 1981.)

-
47. Lau K, McLean WG, Williams DP, Howard CV. Synergistic interactions between commonly used food additives in a developmental neurotoxicity test. *Toxicol Sci.* 2006, Mar; 90(1):178-87.
 48. Levitan H, Ziylan YZ and Rapoport SI. Brain uptake of the food dye erythrosine B. *Int Res Commun Syst Med Sci*, 13 (No.1), 1985: 64.65.
 49. Maher TJ, Wurtman RJ. Possible neurologic effects of aspartame, a widely used food additive. *Environ Health Perspect.* 1987, Nov; 75:53-7. (Study not relevant to this overview – study does not include food colors)
 50. Mailman, RB, Ferris RN, Tang GLM, et al. Erythrosine (Red No. 3) and its nonspecific biochemical actions: what relation to behavioral changes? *Science*, 1980, 207 : 535-557.
 51. Sobotka TJ, Brodie RE and Spaid SL. Tartrazine and the developing nervous system of rats. *J Toxicol Environ Hlth*, 1977, 2 : 1211-1220.
 52. Sun YM, Ho ML, Hsu HK and Peng MT. The effects of neonatal monosodium glutamate treatment on sex-odor attractivity and approach behavior in rats. *KAOHSIUNG J MED SCI*; 9 (4). 1993. 232-242 (Study not relevant to this overview – study does not include food colors and dose of MSG is clearly neurotoxic/neuropathologic at 400 g/kg)
 53. Tanaka T. Effects of amaranth on F1 generation mice. *Toxicol Lett.* 1992, May; 60(3):315-24.
 54. Tanaka T. Reproductive and neurobehavioral effects of Allura Red AC administered to mice in the diet. *Toxicology.* 1994, Sep 6; 92(1-3):169-77.
 55. Tanaka T. Reproductive and neurobehavioural effects of lac dye administered in the diet to mice. *Food Addit Contam.* 1997 May-Jun; 14(4):373-80.
 56. Tanaka T. Reproductive and neurobehavioural toxicity study of erythrosine administered to mice in the diet. *Food Chem Toxicol.* 2001, May; 39(5):447-54.
 57. Tanaka T. Reproductive and neurobehavioural toxicity study of tartrazine administered to mice in the diet. *Food Chem Toxicol.* 2006, Feb; 44(2):179-87.
 58. Vorhees CV, Butcher RE, Brunner RL, Wootten V, Sobotka TJ. Developmental toxicity and psychotoxicity of FD and C red dye No. 40(allura red AC) in rats. *Toxicology.* 1983; 28(3):207-17.
 59. Vorhees CV, Butcher RE, Brunner RL, Wootten V, Sobotka TJ. A developmental toxicity and psychotoxicity evaluation of FD and C red dye #3 (erythrosine) in rats. *Arch Toxicol.* 1983, Aug; 53(4):253-64.

Iib. Background Information (n=51)

60. Arnold LE. Treatment alternatives for Attention-Deficit Hyperactivity Disorder (ADHD). *Journal of Attention Disorders*, 3 (No.1/April). 1999: 30-48.
61. Banerjee TD, Middleton F, Faraone SV. Environmental risk factors for attention-deficit hyperactivity disorder. *Acta Paediatr.* 2007, Sep; 96(9):1269-74.

-
62. Bishop CL Attention deficit disorder and the Feingold diet *Can. J. Hosp. Pharm.*; VOL 36 ISS Fall 1983, P71-74(REF 17).
 63. Brenner A Food additives and behavior. *Md Med J.*1986,May; 35(5):344-5.
 64. Brookes KJ, Mill J, Guindalini C, Curran S, Xu XH, Knight J, et al. A common haplotype of the dopamine transporter gene associated with attention-deficit/hyperactivity disorder and interacting with maternal use of alcohol. *Archives of General Psychiatry.* 2006, 63: 74-81. (Reviewed in Banerjee et al, 2007; Stevenson, 2006.)
 65. Center for Science in the Public Interest. Diet, ADHD & Behavior/A Quarter-Century Review: 2008 Update on Food Dyes and Behavior. Center for Science in the Public Interest. Washington, DC 20009.
 66. Conners CK (b). Symptom patterns in hyperkinetic, neurotic, and normal children. *Child Development*, 1970, 41:667-682.
 67. Cormier E Elder JH. Diet and child behavior problems: fact or fiction? *Pediatr Nurs.* 2007 Mar-Apr; 33(2):138-43
 68. Cruz NV Bahna SL Do food or additives cause behavior disorders? *Pediatr Ann.* 2006, Oct; 35(10):744-5, 748-54.
 69. Edwards AM. Food-allergic disease. *Clinical and Experimental Allergy*, 1995, 25 (Suppl. 1): 16-19.
 70. Faraone SB, Dolye AE, Mick E and Biederman J. Meta-analysis of the association between the 7 repeat allele of the dopamine d4 receptor gene and Attention-Deficit Hyperactivity Disorder. *American Journal of Psychiatry.* 2001, 158 : 1052-1057. (Reviewed in Stevenson, 2006)
 71. Faraone SV, Perlis RH, Doyle AE, Smoller JW, Goralnick J, Holmgren MA, et al. Molecular genetics of attention deficit hyperactivity disorder. *Biol Psychiatry.* 2005 57:1313-1323. (Reviewed in Banerjee et al, 2007)
 72. Feingold B. *Hearings on Food Additives and Hyperactivity in Children.* Congressional Record, U.S. Senate, October 30, 1973. (Reviewed in Schauss, 1983)
 73. Feingold, B. 1975 Hyperkinesis and rearing disabilities linked to artificial food flavors and colors. *Am J Nurs*, 1975, 75:797. (Reviewed in Mattes, 1983; Thorley, 1983; Stevenson, 2006)
 74. Goodman R and Stevenson J. A twin study of hyperactivity number 2: The aetiological role of genes, family factors and perinatal adversity. *Journal of Child Psychology and Psychiatry.* 1989, 30: 691-709. (Reviewed in Stevenson, 2006)
 75. Kavale KA, Forness SR. Hyperactivity and diet treatment: a meta-analysis of the Feingold hypothesis. *J Learn Disabil.* 1983 Jun-Jul; 16(6):324-30.
 76. Kidd PM Autism, an extreme challenge to integrative medicine. Part 2: medical management. *Altern Med Rev.* 2002, Dec; 7(6):472-99.
 77. King DS Psychological and behavioral effects of food and chemical exposure in sensitive individuals. *Nutr Health.* 1984; 3(3):137-51.
 78. Krummel DA Seligson FH Guthrie HA Hyperactivity: is candy causal? *Crit Rev Food Sci Nutr.* 1996, Jan; 36(1-2):31-47.

79. Lipton MA Mayo JP Diet and hyperkinesis--an update. *J Am Diet Assoc.* 1983, Aug; 83(2):132-4.
80. Lucarelli S, Frediani T, Zingoni AM, Ferruzzi F, Giardino O, Qunitieri F, Barbato M, D'Eufemia P, and Cardi E. Food allergy and infantile autism. *PANMINERVA MEDICA*; 37 (3). 1995. 137-141.
81. MacGibbon B Adverse reactions to food additives. *Proc Nutr Soc.* 1983, Jun; 42(2): 233-240.
82. Mailman RB Lewis MH Food additives and childhood hyperactivity. *ASDC J Dent Child.* 1983 Jul-Aug; 50(4):283-6.
83. Mattes JA The Feingold diet: a current reappraisal. *J Learn Disabil.* 1983 Jun-Jul; 16(6):319-23.
84. National Institutes of Health. Diagnosis and Treatment of Attention Deficit Hyperactivity Disorder: NIH Consensus Statement. 1998 (November 16-18), 16: 1-37.
85. National Institutes of Health. Defined Diets and Childhood Hyperactivity: NIH Consensus Statement. (1)*Am J Clin Nutr.* 1983 (Jan), 37(1):161-5.; and (2)*Clin Pediatr (Phila).* 1982 (Oct 21), 10:6 27-30.
86. Pollock I Hyperactivity and food additives. *Bibl Nutr Dieta.* 1991(48):81-9.
87. Rapp DJ. Food additives and hyperactivity : Letter. *LANCET* 1982, 1(8281) 1128
88. Ribon A, Joshi S Is there any relationship between food additives and hyperkinesis? *Ann Allergy.* 1982, May; 48(5):275-8.
89. Rimland B The Feingold diet: an assessment of the reviews by Mattes, by Kavale and Forness and others. *J Learn Disabil.* 1983 Jun-Jul; 16(6):331-3
90. Rippere V Food additives and hyperactive children: a critique of Conners. *Br J Clin Psychol.* 1983, Feb; 22 Pt 1:19-32.
91. Robinson J and Ferguson A. Food sensitivity and the nervous system. *Nutr Res Rev*, 1992, 5: 203. (Reviewed in Young, 1997)
92. Schauss AG. Nutrition and behavior: Complex interdisciplinary research. *Nutrition and Health.* 1984, 3: 9-37.
93. Schab DW Trinh NT Do artificial food colors promote hyperactivity in children with hyperactive syndromes? A meta-analysis of double-blind placebo-controlled trials. *J Dev Behav Pediatr.* 2004 (December), 25(6):423-34.
94. Schnoll R, Burshteyn D, Cea-Aravena J. Nutrition in the treatment of attention-deficit hyperactivity disorder: a neglected but important aspect. *Appl Psychophysiol Biofeedback.* 2003, Mar; 28(1):63-75.
95. Shaywitz BA Sullivan CM Anderson GM Gillespie SM Sullivan B Shaywitz SE Aspartame does not affect behavior and cognitive function in children with Attention-Deficit Disorder (ADD). 103rd Annual Meeting of the American Pediatric Society and 62nd Annual Meeting of the American Society for Pediatric Research. Washington, D.C. May 3-6, 1993. *Pediatric Research*, 1993, 33 (4 Part 2): 17A.
96. Silbergeld EK Anderson SM Artificial food colors and childhood behavior disorders. *Bull N Y Acad Med.* 1982, Apr; 58(3):275-95.

-
97. Sonuga-Barke EJS. The dual pathway model of AD/HD: an elaboration fo neuro-developmental characteristics. *Neuroscience and Biobehavioral Reviews*. 2003, 27: 593-604. (Reviewed in Stevenson, 2006)
 98. Stare FJ, Whelan EM, Sheridan M. Diet and hyperactivity: is there a relationship? *Pediatrics*, 1980, 66:521. (Reviewed in Bishop, 1983)
 99. Stevenson J Dietary influences on cognitive development and behaviour in children. *Proc Nutr Soc*. 2006, Nov; 65(4):361-5.
 100. Stevenson J, Sonuga-Barke E and Warner J. Chronic and acute effects of artificial colourings and preservatives on children's behaviour. Study Report: School of Psychology, University of Southampton (England). 2007 (b)
 101. Story M Neumark-Sztainer D Diet and adolescent behavior: is there a relationship? *Adolesc Med*. 1998, Jun; 9(2):283-98, vi.
 102. Taylor EA Attention deficit disorder and hyperkinesis. *Indian J Pediatr*. 1984 Mar-Apr; 51(409):193-204.
 103. Thorley G Childhood hyperactivity and food additives. *Dev Med Child Neurol*. 1983, Aug; 25(4):531-4.
 104. Watson R European agency rejects links between hyperactivity and food additives. *BMJ*. 2008, Mar 29; 336(7646):687
 105. Weber RW Food additives and allergy. *Ann Allergy*. 1993, Mar; 70(3):183-90.
 106. Weiss B Food additives as a source of behavioral disturbances in children. *Neurotoxicology*. 1986 (Summer); 7(2):197-208.
 107. Wender EH The food additive-free diet in the treatment of behavior disorders: a review. *J Dev Behav Pediatr*. 1986, Feb; 7(1):35-42.
 108. Wolraich ML, Lingren SD, Stumbo PJ, Stegink PJ, Appelbaum MI and Kiritsy MC. Effects of diets high in sucrose or aspartame on the behavior and cognitive performance of children. *New England Journal of Medicine*, 330 (No. 5), 1994: 301-307.
 109. Wolraich ML, Wilson DB, White W. The effect of sugar on the beahvior or cognition of children: A meta-analysis. *JAMA*. 1995, 274: 1617.
 110. Young E Prevalence of intolerance to food additives. *Environmental Toxicology and Pharmacology*, 1997, 4 (1-2). 111-114.