

## Attachment F: Bibliography / Endnotes

- 
- <sup>1</sup> Strollo PJ, Upper-Airway Stimulation for Obstructive Sleep Apnea, *N Engl J Med* 2014;370:139-49
- <sup>2</sup> Young T, Palta M, Dempsey J, Peppard PE, Nieto FJ, Hla KM. Burden of Sleep Apnea: Rationale, Design, and Major Findings of the Wisconsin Sleep Cohort Study. *WMJ*. August 2009, Vol. 108(5), pp. 246-246.
- <sup>3</sup> Comparative Effectiveness Review: Diagnosis and Treatment of Obstructive Sleep Apnea; Agency for Healthcare Research and Quality Publication (AHRQ) Publication No. 11-EHC052 July 2011
- <sup>4</sup> Elshaug AG, et al, Upper Airway Surgery Should Not be First Line Treatment for Obstructive Sleep Apnea in Adults. *BMJ* January 2008 Vol. 336 pp 44.
- <sup>5</sup> Kushida CA, Littner MR, Morgenthaler T, et al. Practice Parameters for the Indications for Polysomnography and Related Procedures: An Update for 2005. *Sleep* 2005;28(4):499-519
- <sup>6</sup> Peppard PE, Young T, Palta M, Skatrud J. Prospective study of the association between sleep-disordered breathing and hypertension. *N Engl J Med*. 2000 May 11;342(19):1378-84
- <sup>7</sup> Nieto FJ, Young TB, Lind BK, Shahar E, Samet JM, Redline S, D'Agostino RB, Newman AB, Lebowitz MD, Pickering TG. Association of sleep-disordered breathing, sleep apnea, and hypertension in a large community-based study. *Sleep Heart Health Study*. *JAMA*. 2000 Apr 12;283(14):1829-36
- <sup>8</sup> Punjabi NM, Sorkin JD, Katzel LI, Goldberg AP, Schwartz AR, Smith PL. Sleep-disordered breathing and insulin resistance in middle-aged and overweight men. *Am J Respir Crit Care Med*. 2002 Mar 1;165(5):677-82
- <sup>9</sup> Shahar E, Whitney CW, Redline S, Lee ET, Newman AB, Javier Nieto F, O'Connor GT, Boland LL, Schwartz JE, Samet JM. Sleep-disordered breathing and cardiovascular disease: cross-sectional results of the Sleep Heart Health Study. *Am J Respir Crit Care Med*. 2001 Jan;163(1):19-25
- <sup>10</sup> Sin DD, Fitzgerald F, Parker JD, Newton G, Floras JS, Bradley TD. Risk factors for central and obstructive sleep apnea in 450 men and women with congestive heart failure. *Am J Respir Crit Care Med*. 1999 Oct;160(4):1101-6
- <sup>11</sup> Young T, PhD et al., Sleep Disordered Breathing and Mortality: Eighteen-Year Follow Up of the Wisconsin Sleep Cohort, *SLEEP*, Vol. 31, No. 8, 2008.
- <sup>12</sup> Kapur VK, MD MPH, Obstructive Sleep Apnea: Diagnosis, Epidemiology, and Economics, *Respiratory Care*, September 2010 Vol. 55 No 9.
- <sup>13</sup> Schäfer H, Koehler U, Santiago E, Hasper E, Tasco S. Lüderitz. Obstructive sleep apnea as a risk marker in coronary artery disease. *Cardiology* 1999; 79-84
- <sup>14</sup> Yang A, Schäfer H, Manka R, Andrié R, Schwab J, Lewalter T, Lüderitz B, Tasci S. Influence of obstructive sleep apnea on heart rate turbulence. *Basic Res Cardio* 2005; 100: 439-445
- <sup>15</sup> Arzt M, Young T, Finn L, Skatrud J, Bradley T. Association of sleep-disordered breathing and the occurrence of stroke. *Am J Respir Crit Care Med*. 2005; 172: 1447-1451

- <sup>16</sup> Lavie P, Herer P, Hoffstein V. Obstructive sleep apnoea syndrome as a risk factor for hypertension: population study. *BMJ* 2000; 320: 479-482
- <sup>17</sup> Kushida, CA, et al., *Effects of continuous positive airway pressure on neurocognitive function in obstructive sleep apnea patients: The Apnea Positive Pressure Long-term Efficacy Study (APPLES)*. *Sleep* 2012; 35(12): 1593-1602.
- <sup>18</sup> Clinical Guideline for the Evaluation, Management and Long-term care of Obstructive Sleep Apnea; J. Epstien, M.D., et al *Journal of Clinical sleep Medicine*, Vol. 5, No. 3, 2009
- <sup>19</sup> Sundaram S, Lim J, Lasserson TJ. Surgery for obstructive sleep apnoea in adults. *Cochrane Database of Systematic Reviews*, 2005, Issue 4. Art. No.: CD001004. DOI: 10.1002/14651858.CD001004.pub2.
- <sup>20</sup> Schwartz, AR, et al., *Therapeutic electrical stimulation of the hypoglossal nerve in obstructive sleep apnea*. *Arch Otolaryngol Head Neck Surg* 2001; 127(10): 1216-1223.
- <sup>21</sup> Van de Heyning, PH, et al., *Implanted upper airway stimulation device for obstructive sleep apnea*. *Laryngoscope* 2012; 122(7): 1626-1633.
- <sup>22</sup> Maurer, JT, et al., *Operative technique of upper airway stimulation: an implantable treatment of obstructive sleep apnea*. *Operative Techniques in Otolaryngology - Head and Neck Surgery* 2012; 23(3): 227-233.
- <sup>23</sup> Weaver TE; Maislin G; Dinges DF et al. Relationship between hours of CPAP use and achieving normal levels of sleepiness and daily functioning. *SLEEP* 2007;30(6):711-719.
- <sup>24</sup> Weaver TE, Laizner AM, Evans LK, et al. An instrument to measure functional status outcomes for disorders of excessive sleepiness. *Sleep* 1997;20:835-43.
- <sup>25</sup> Johns MW. Sensitivity and specificity of the multiple sleep latency test (MSLT), the maintenance of wakefulness test and the Epworth sleepiness scale: failure of the MSLT as a gold standard. *J Sleep Res* 2000;9:5-11.
- <sup>26</sup> Johns, M. W. A new method for measuring daytime sleepiness: the Epworth sleepiness scale. *Sleep*, 1991, 14: 540–545.
- <sup>27</sup> M. W. and Hocking, B. Daytime sleepiness and sleep habits of Australian workers. *Sleep*, 1997, 20: 844–849.
- <sup>28</sup> Epstein, LJ, et al., *Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults*. *J Clin Sleep Med* 2009; 5(3): 263-276.
- <sup>29</sup> Kushida, CA, et al., *Practice parameters for the use of continuous and bilevel positive airway pressure devices to treat adult patients with sleep-related breathing disorders*. *Sleep* 2006; 29(3): 375-380.
- <sup>30</sup> Elshaug, AG, JR Moss, JE Hiller, and GJ Maddern, *Upper airway surgery should not be first line treatment for obstructive sleep apnoea in adults*. *BMJ* 2008; 336(7634): 44-45.
- <sup>31</sup> Young, T, et al., *Burden of sleep apnea: rationale, design, and major findings of the Wisconsin Sleep Cohort study*. *WJM* 2009; 108(5): 246-249.
- <sup>32</sup> Balk, EM, et al., in *Diagnosis and Treatment of Obstructive Sleep Apnea in Adults*. 2011: Rockville (MD).
- <sup>33</sup> Antonopoulos, CN, TN Sergentanis, SS Daskalopoulou, and ET Petridou, *Nasal continuous positive airway pressure (nCPAP) treatment for obstructive sleep apnea, road traffic accidents and driving simulator performance: a meta-analysis*. *Sleep Med Rev* 2011; 15(5): 301-310.

- <sup>34</sup> Mulgrew, AT, et al., *Risk and severity of motor vehicle crashes in patients with obstructive sleep apnoea/hypopnoea*. Thorax 2008; 63(6): 536-541.
- <sup>35</sup> Ellen, RL, et al., *Systematic review of motor vehicle crash risk in persons with sleep apnea*. J Clin Sleep Med 2006; 2(2): 193-200.
- <sup>36</sup> Tregear, S, J Reston, K Schoelles, and B Phillips, *Obstructive sleep apnea and risk of motor vehicle crash: systematic review and meta-analysis*. J Clin Sleep Med 2009; 5(6): 573-581.
- <sup>37</sup> Sassani, A, et al., *Reducing motor-vehicle collisions, costs, and fatalities by treating obstructive sleep apnea syndrome*. Sleep 2004; 27(3): 453-458.
- <sup>38</sup> Omachi, TA, DM Claman, PD Blanc, and MD Eisner, *Obstructive sleep apnea: a risk factor for work disability*. Sleep 2009; 32(6): 791-798.
- <sup>39</sup> Narkiewicz, K, et al., *Altered cardiovascular variability in obstructive sleep apnea*. Circulation 1998; 98(11): 1071-1077.
- <sup>40</sup> Luthje, L and S Andreas, *Obstructive sleep apnea and coronary artery disease*. Sleep Med Rev 2008; 12(1): 19-31.
- <sup>41</sup> Narkiewicz, K, et al., *Altered cardiovascular variability in obstructive sleep apnea*. Circulation 1998; 98(11): 1071-1077.
- <sup>42</sup> Caples, SM, AS Gami, and VK Somers, *Obstructive sleep apnea*. Ann Intern Med 2005; 142(3): 187-197.
- <sup>43</sup> Finn, L, T Young, M Palta, and DG Fryback, *Sleep-disordered breathing and self-reported general health status in the Wisconsin Sleep Cohort Study*. Sleep 1998; 21(7): 701-706.
- <sup>44</sup> D'Ambrosio, C, T Bowman, and V Mohsenin, *Quality of life in patients with obstructive sleep apnea: effect of nasal continuous positive airway pressure--a prospective study*. Chest 1999; 115(1): 123-129.
- <sup>45</sup> Baldwin, CM, et al., *The association of sleep-disordered breathing and sleep symptoms with quality of life in the Sleep Heart Health Study*. Sleep 2001; 24(1): 96-105.
- <sup>46</sup> El-Sherbini, AM, AS Bediwy, and A El-Mitwalli, *Association between obstructive sleep apnea (OSA) and depression and the effect of continuous positive airway pressure (CPAP) treatment*. Neuropsychiatr Dis Treat 2011; 7: 715-721.
- <sup>47</sup> Smith, R, et al., *What are obstructive sleep apnea patients being treated for prior to this diagnosis?* Chest 2002; 121(1): 164-172.
- <sup>48</sup> Kushida, CA, et al., *Effects of continuous positive airway pressure on neurocognitive function in obstructive sleep apnea patients: The Apnea Positive Pressure Long-term Efficacy Study (APPLES)*. Sleep 2012; 35(12): 1593-1602.
- <sup>49</sup> Engleman, HM and MR Wild, *Improving CPAP use by patients with the sleep apnoea/hypopnoea syndrome (SAHS)*. Sleep Med Rev 2003; 7(1): 81-99.
- <sup>50</sup> Weaver, TE and AM Sawyer, *Adherence to continuous positive airway pressure treatment for obstructive sleep apnoea: implications for future interventions*. Indian J Med Res 2010; 131: 245-258.
- <sup>51</sup> Epstein, LJ, et al., *Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults*. J Clin Sleep Med 2009; 5(3): 263-276.
- <sup>52</sup> Hoffstein, V, *Review of oral appliances for treatment of sleep-disordered breathing*. Sleep Breath 2007; 11(1): 1-22.

- <sup>53</sup> Rosenthal, L. et al, *Journal of Clinical Sleep Medicine*, Vol.5, No. 6, 2009
- <sup>54</sup> Won, CH, KK Li, and C Guilleminault, *Surgical treatment of obstructive sleep apnea: upper airway and maxillomandibular surgery*. *Proc Am Thorac Soc* 2008; 5(2): 193-199.
- <sup>55</sup> Comparative Effectiveness Review: Diagnosis and Treatment of Obstructive Sleep Apnea; Agency for Healthcare Research and Quality Publication (AHRQ) Publication No. 11-EHC052 July 2011
- <sup>56</sup> Elshaug, A. G, et al, Upper airway surgery should not be first line treatment for obstructive sleep apnoea in adults, *BMJ*, 2008, Vol. 336: 44-5
- <sup>57</sup> Albarrak, M, et al., *Utilization of healthcare resources in obstructive sleep apnea syndrome: a 5-year follow-up study in men using CPAP*. *Sleep* 2005; 28(10): 1306-1311.
- <sup>58</sup> Kapur, V, et al., *The medical cost of undiagnosed sleep apnea*. *Sleep* 1999; 22(6): 749-755.
- <sup>59</sup> Tarasiuk, A, et al., *Determinants affecting health-care utilization in obstructive sleep apnea syndrome patients*. *Chest* 2005; 128(3): 1310-1314.
- <sup>60</sup> Van de Heyning, PH, et al., *Implanted upper airway stimulation device for obstructive sleep apnea*. *Laryngoscope* 2012; 122(7): 1626-1633.
- <sup>61</sup> Maurer, JT, et al., *Operative technique of upper airway stimulation: an implantable treatment of obstructive sleep apnea*. *Operative Techniques in Otolaryngology - Head and Neck Surgery* 2012; 23(3): 227-233.
- <sup>62</sup> Troell, RJ, NB Powell, RW Riley, KK Li, and C Guilleminault, *Comparison of postoperative pain between laser-assisted uvulopalatoplasty, uvulopalatopharyngoplasty, and radiofrequency volumetric tissue reduction of the palate*. *Otolaryngol Head Neck Surg* 2000; 122(3): 402-409.
- <sup>63</sup> Rombaux, P, et al., *Postoperative pain and side effects after uvulopalatopharyngoplasty, laser-assisted uvulopalatoplasty, and radiofrequency tissue volume reduction in primary snoring*. *Laryngoscope* 2003; 113(12): 2169-2173.
- <sup>64</sup> Kushida, CA, et al., *Clinical guidelines for the manual titration of positive airway pressure in patients with obstructive sleep apnea*. *J Clin Sleep Med* 2008; 4(2): 157-171.
- <sup>65</sup> Schwartz, AR, et al., *Therapeutic electrical stimulation of the hypoglossal nerve in obstructive sleep apnea*. *Arch Otolaryngol Head Neck Surg* 2001; 127(10): 1216-1223.
- <sup>66</sup> Van de Heyning, PH, et al., *Implanted upper airway stimulation device for obstructive sleep apnea*. *Laryngoscope* 2012; 122(7): 1626-1633.
- <sup>67</sup> Maurer, JT, et al., *Operative technique of upper airway stimulation: an implantable treatment of obstructive sleep apnea*. *Operative Techniques in Otolaryngology - Head and Neck Surgery* 2012; 23(3): 227-233.
- <sup>68</sup> Weaver, TE, et al., *An instrument to measure functional status outcomes for disorders of excessive sleepiness*. *Sleep* 1997; 20(10): 835-843.
- <sup>69</sup> Weaver, TE, ER Chasens, and S Arora, *Modafinil improves functional outcomes in patients with residual excessive sleepiness associated with CPAP treatment*. *J Clin Sleep Med* 2009; 5(6): 499-505.

- <sup>70</sup> Weaver, TE, et al., Relationship between hours of CPAP use and achieving normal levels of sleepiness and daily functioning. *Sleep* 2007; 30(6): 711-719.
- <sup>71</sup> Weaver, TE, et al., Relationship between hours of CPAP use and achieving normal levels of sleepiness and daily functioning. *Sleep* 2007; 30(6): 711-719.
- <sup>72</sup> Johns, MW, Sensitivity and specificity of the multiple sleep latency test (MSLT), the maintenance of wakefulness test and the Epworth sleepiness scale: Failure of the MSLT as a gold standard. *Journal of Sleep Research* 2000; 9(1): 5-11.
- <sup>73</sup> Weaver, TE, et al., *An instrument to measure functional status outcomes for disorders of excessive sleepiness*. *Sleep* 1997; 20(10): 835-843.
- <sup>74</sup> Weaver, TE, ER Chasens, and S Arora, *Modafinil improves functional outcomes in patients with residual excessive sleepiness associated with CPAP treatment*. *J Clin Sleep Med* 2009; 5(6): 499-505.
- <sup>75</sup> Weaver, TE, et al., *Relationship between hours of CPAP use and achieving normal levels of sleepiness and daily functioning*. *Sleep* 2007; 30(6): 711-719.
- <sup>76</sup> Johns, MW, *Sensitivity and specificity of the multiple sleep latency test (MSLT), the maintenance of wakefulness test and the Epworth sleepiness scale: Failure of the MSLT as a gold standard*. *Journal of Sleep Research* 2000; 9(1): 5-11.
- <sup>77</sup> Kushida, CA, et al., *Effects of continuous positive airway pressure on neurocognitive function in obstructive sleep apnea patients: The Apnea Positive Pressure Long-term Efficacy Study (APPLES)*. *Sleep* 2012; 35(12): 1593-1602.
- <sup>78</sup> Peppard PE, Young T, Palta M, Skatrud J. Prospective study of the association between sleep-disordered breathing and hypertension. *N Engl J Med*. 2000 May 11;342(19):1378-84
- <sup>79</sup> Nieto FJ, Young TB, Lind BK, Shahar E, Samet JM, Redline S, D'Agostino RB, Newman AB, Lebowitz MD, Pickering TG. Association of sleep-disordered breathing, sleep apnea, and hypertension in a large community-based study. *Sleep Heart Health Study*. *JAMA*. 2000 Apr 12;283(14):1829-36
- <sup>80</sup> Punjabi NM, Sorkin JD, Katzel LI, Goldberg AP, Schwartz AR, Smith PL. Sleep-disordered breathing and insulin resistance in middle-aged and overweight men. *Am J Respir Crit Care Med*. 2002 Mar 1;165(5):677-82
- <sup>81</sup> Shahar E, Whitney CW, Redline S, Lee ET, Newman AB, Javier Nieto F, O'Connor GT, Boland LL, Schwartz JE, Samet JM. Sleep-disordered breathing and cardiovascular disease: cross-sectional results of the Sleep Heart Health Study. *Am J Respir Crit Care Med*. 2001 Jan;163(1):19-25
- <sup>82</sup> Sin DD, Fitzgerald F, Parker JD, Newton G, Floras JS, Bradley TD. Risk factors for central and obstructive sleep apnea in 450 men and women with congestive heart failure. *Am J Respir Crit Care Med*. 1999 Oct;160(4):1101-6
- <sup>83</sup> Young T, PhD et al., *Sleep Disordered Breathing and Mortality: Eighteen-Year Follow Up of the Wisconsin Sleep Cohort*, SLEEP, Vol. 31, No. 8, 2008.
- <sup>84</sup> *Diagnosis and Treatment of Obstructive Sleep Apnea in Adults*, Comparative Effectiveness Review Number 32, Agency for Healthcare Research and Quality, Publication Number 11-EHC052, July 2011.
- <sup>85</sup> Elshaug, A. G, et al, Upper airway surgery should not be first line treatment for obstructive sleep apnoea in adults, *BMJ*, 2008, Vol. 336: 44-5

- <sup>86</sup> Peppard PE, Young T, Palta M, Skatrud J. Prospective study of the association between sleep-disordered breathing and hypertension. *N Engl J Med*. 2000 May 11;342(19):1378-84
- <sup>87</sup> Nieto FJ, Young TB, Lind BK, Shahar E, Samet JM, Redline S, D'Agostino RB, Newman AB, Lebowitz MD, Pickering TG. Association of sleep-disordered breathing, sleep apnea, and hypertension in a large community-based study. *Sleep Heart Health Study*. *JAMA*. 2000 Apr 12;283(14):1829-36
- <sup>88</sup> Punjabi NM, Sorkin JD, Katzel LI, Goldberg AP, Schwartz AR, Smith PL. Sleep-disordered breathing and insulin resistance in middle-aged and overweight men. *Am J Respir Crit Care Med*. 2002 Mar 1;165(5):677-82
- <sup>89</sup> Shahar E, Whitney CW, Redline S, Lee ET, Newman AB, Javier Nieto F, O'Connor GT, Boland LL, Schwartz JE, Samet JM. Sleep-disordered breathing and cardiovascular disease: cross-sectional results of the Sleep Heart Health Study. *Am J Respir Crit Care Med*. 2001 Jan;163(1):19-25
- <sup>90</sup> Sin DD, Fitzgerald F, Parker JD, Newton G, Floras JS, Bradley TD. Risk factors for central and obstructive sleep apnea in 450 men and women with congestive heart failure. *Am J Respir Crit Care Med*. 1999 Oct;160(4):1101-6
- <sup>91</sup> Young T, PhD et al., *Sleep Disordered Breathing and Mortality: Eighteen-Year Follow Up of the Wisconsin Sleep Cohort*, SLEEP, Vol. 31, No. 8, 2008.