

CVM ADE Comprehensive Clinical Detail Listing:

Cumulative Date Range: 1/1/1987 thru 4/30/2013

Drug Listing: A;B;C

[Drug:] Acepromazine

Defect, Not Applicable

[Sign:] Pd-vial(s), Damaged

Number of times reported: [5]

[Sign:] Pd-solution, Abn

Number of times reported: [4]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [3]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [3]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-contamination

Number of times reported: [2]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-potency, Hi

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Acepromazine

Missing, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] P Hi, Bld

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Acepromazine

Missing, Dog

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Drug:] Acepromazine

Missing, Horse

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Drug:] Acepromazine

Missing, Missing Information

[Sign:] Fever, Body

Number of times reported: [1]

[Drug:] Acepromazine

Oral, Cat

[Sign:] Death

Number of times reported: [17]

[Sign:] Convulsion(s)

Number of times reported: [6]

[Sign:] Apnea

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Sedation Prolonged

Number of times reported: [2]

[Sign:] Shock

Number of times reported: [2]

[Sign:] Stupor

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Sign:] Pr-lung(s), Edema

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest

Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Stiffness, Limb(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Acepromazine

Oral, Dog

[Sign:] Death

Number of times reported: [14]

[Sign:] Depression/lethargy
Number of times reported: [11]

[Sign:] Sedation
Number of times reported: [10]

[Sign:] Ineffect, Sedation
Number of times reported: [8]

[Sign:] Sedation Prolonged
Number of times reported: [8]

[Sign:] Ataxia
Number of times reported: [7]

[Sign:] Collapse
Number of times reported: [6]

[Sign:] Ineffect, Tranquilizat
Number of times reported: [6]

[Sign:] Sedation Too Deep
Number of times reported: [6]

[Sign:] Convulsion(s)
Number of times reported: [5]

[Sign:] Aggression
Number of times reported: [4]

[Sign:] Anorexia
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]

[Sign:] Staggering
Number of times reported: [4]

[Sign:] Vomiting
Number of times reported: [4]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [3]

[Sign:] Bun Hi, Bld
Number of times reported: [3]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Diarrhea
Number of times reported: [3]

[Sign:] Nervousness
Number of times reported: [3]

[Sign:] Stupor
Number of times reported: [3]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Eye Disorder
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Hypothermia, Body
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] P Hi, Bld
Number of times reported: [2]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Co2 Hi, Bld
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Destructiveness
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Globulin Lo, Bld
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Horner's Syndrome
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Incontinence
Number of times reported: [1]

[Sign:] Infection
Number of times reported: [1]

[Sign:] Infection, Incision Site
Number of times reported: [1]

[Sign:] Inflamm
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Neuropathy
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Perforation, Gi
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] S-irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Sleep Abn
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Acepromazine

Oral, Horse

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Acepromazine

Oral, Human

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Drug:] Acepromazine

Oral, Various

[Sign:] Ineffect, Tranquilizat

Number of times reported: [1]

[Drug:] Acepromazine

Parenteral, Cat

[Sign:] Death

Number of times reported: [28]

[Sign:] Apnea

Number of times reported: [17]

[Sign:] Arrest, Heart

Number of times reported: [13]

[Sign:] Anesth Recov Prolonged

Number of times reported: [10]

[Sign:] Ataxia

Number of times reported: [8]
[Sign:] Depression/lethargy
Number of times reported: [7]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Bun Hi, Bld
Number of times reported: [5]
[Sign:] Death(euthanized)
Number of times reported: [5]
[Sign:] Creatinine Hi, Bld
Number of times reported: [4]
[Sign:] Fever, Body
Number of times reported: [4]
[Sign:] Blindness
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Hypothermia, Body
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Head Bobbing
Number of times reported: [2]
[Sign:] Horner's Syndrome
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Nystagmus

Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Polycythemia
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Albumin Hi, Urine
Number of times reported: [1]
[Sign:] Anesth Duration Brief
Number of times reported: [1]
[Sign:] Anesth Induc Turbulent
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Anesth Too Deep
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Constipation

Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Glossitis
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Ineffect, Sedation
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] K Hi, Blood
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]
[Sign:] Pr-cerebellum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Pr-thymus, Lesion(s)

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Uveitis

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Drug:] Acepromazine

Parenteral, Cattle

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Acepromazine

Parenteral, Dog

[Sign:] Death

Number of times reported: [18]

[Sign:] Depression/lethargy

Number of times reported: [9]

[Sign:] Anesth Recov Prolonged

Number of times reported: [8]

[Sign:] Arrest, Heart

Number of times reported: [8]

[Sign:] Convulsion(s)

Number of times reported: [8]
[Sign:] Anorexia
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Bradycardia
Number of times reported: [5]
[Sign:] Pallor, Mucous Membran
Number of times reported: [5]
[Sign:] Apnea
Number of times reported: [4]
[Sign:] Bun Hi, Bld
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [4]
[Sign:] Creatinine Hi, Bld
Number of times reported: [4]
[Sign:] Fever, Body
Number of times reported: [4]
[Sign:] Sedation Prolonged
Number of times reported: [4]
[Sign:] Alopecia
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Shock
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Distress, Resp

Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Hematochezia
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Ineffect, Sedation
Number of times reported: [2]
[Sign:] Inflamm, Skin
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Monos Hi, Bld
Number of times reported: [2]
[Sign:] Platelets Hi, Bld
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Polypnea
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Segs Hi, Bld
Number of times reported: [2]
[Sign:] Skin, Necrosis
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anemia, Regen

Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Inj Site Abscess

Number of times reported: [1]
[Sign:] Inj Site Hair, Abn
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Rbc, Aniso
Number of times reported: [1]
[Sign:] Rbc, Nucleated
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Salivary Gland Abn

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Stool Abn

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Mult Sites

Number of times reported: [1]

[Sign:] Syncope

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Acepromazine

Parenteral, Horse

[Sign:] Prolapse, Penis

Number of times reported: [6]

[Sign:] Death

Number of times reported: [4]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Hyperactivity

Number of times reported: [3]

[Sign:] Circling

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Pacing
Number of times reported: [2]

[Sign:] Priapism
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bld, Penis
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Edema, Prepuce
Number of times reported: [1]

[Sign:] Excess Expected Effect
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Phallitis
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]

[Sign:] Sweating
Number of times reported: [1]

[Sign:] Swelling, Prepuce
Number of times reported: [1]

[Drug:] Acepromazine

Parenteral, Pig

[Sign:] Prolapse, Penis
Number of times reported: [1]

[Drug:] Acepromazine

Parenteral, Rabbit

[Sign:] Inj Site Necrosis
Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Drug:] Acepromazine

Parenteral, Various

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Drug:] Acepromazine

Unknown, Cat

[Sign:] Death

Number of times reported: [8]

[Sign:] Anesth Recov Turbulent

Number of times reported: [2]

[Sign:] Anesth Induc Turbulent

Number of times reported: [1]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Deafness

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Discharge, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

- [Sign:] Hyperactivity
Number of times reported: [1]
- [Sign:] Ineffect, Sedation
Number of times reported: [1]
- [Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
- [Sign:] Mydriasis
Number of times reported: [1]
- [Sign:] Thrashing/paddling
Number of times reported: [1]
- [Sign:] Vomiting
Number of times reported: [1]

[Drug:] Acepromazine

Unknown, Dog

- [Sign:] Anorexia
Number of times reported: [4]
- [Sign:] Death
Number of times reported: [4]
- [Sign:] Vomiting
Number of times reported: [4]
- [Sign:] Sedation Too Deep
Number of times reported: [3]
- [Sign:] Anesth Recov Prolonged
Number of times reported: [2]
- [Sign:] Bun Hi, Bld
Number of times reported: [2]
- [Sign:] Creatinine Hi, Bld
Number of times reported: [2]
- [Sign:] Death(euthanized)
Number of times reported: [2]
- [Sign:] Depression/lethargy
Number of times reported: [2]
- [Sign:] Hyperactivity
Number of times reported: [2]
- [Sign:] Nervousness
Number of times reported: [2]
- [Sign:] P Hi, Bld
Number of times reported: [2]
- [Sign:] Polydipsia
Number of times reported: [2]
- [Sign:] Aggression

Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Spec Gravity Hi, Urine

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Acepromazine

Unknown, Horse

[Sign:] Prolapse, Penis

Number of times reported: [2]

[Sign:] Colitis

Number of times reported: [1]

[Drug:] Acepromazine

Unknown, Mouse

[Sign:] Death

Number of times reported: [1]

[Drug:] Acepromazine

Unknown, Pig

[Sign:] Prolapse, Penis

Number of times reported: [1]

[Drug:] Acepromazine

Various, Horse

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Circling

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Drug:] Acepromazine

Various, Unknown

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Drug:] Acepromazine

Various, Various

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Drug:] Albendazole

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [20]

[Sign:] Pd-cap(s), Abn

Number of times reported: [9]

[Sign:] Pd-underfill, Package

Number of times reported: [5]

[Sign:] Pd-seal, Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-dispenser, Abn

Number of times reported: [2]

[Sign:] Pd-suspension, Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-applicator, Abn

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Drug:] Albendazole

Intrauterine, Cattle

[Sign:] Birth Defect(s)

Number of times reported: [1]

[Sign:] Birth Weight Lo

Number of times reported: [1]

[Sign:] Bone, Abn

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Albendazole

Missing, Goat

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

[Drug:] Albendazole

Missing, Rabbit

[Sign:] Coagulation Disorder

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Inj Site Bld

Number of times reported: [2]

[Sign:] Pancytopenia

Number of times reported: [1]

[Drug:] Albendazole

Not Applicable, Human

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Drug:] Albendazole

Oral, Alpaca

[Sign:] Death

Number of times reported: [4]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [2]

[Sign:] Segs Lo, Bld

Number of times reported: [2]

[Sign:] Septicemia

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anemia, Aplastic

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Cns Disorder

Number of times reported: [1]

[Sign:] Congestion, Lung(s)

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Watery

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

- [Sign:] Ill
Number of times reported: [1]
- [Sign:] Infarct
Number of times reported: [1]
- [Sign:] Pd-contamination
Number of times reported: [1]
- [Sign:] Pneumonia
Number of times reported: [1]
- [Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
- [Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
- [Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [1]
- [Sign:] Recumbency
Number of times reported: [1]
- [Sign:] Shock
Number of times reported: [1]
- [Sign:] Tachycardia
Number of times reported: [1]
- [Sign:] Tox
Number of times reported: [1]
- [Sign:] Weakness
Number of times reported: [1]

[Drug:] Albendazole

Oral, Cat

- [Sign:] Bun Hi, Bld
Number of times reported: [1]
- [Sign:] Depression/lethargy
Number of times reported: [1]
- [Sign:] Fever, Body
Number of times reported: [1]
- [Sign:] Ineffect, Coccidia
Number of times reported: [1]
- [Sign:] Stomatitis
Number of times reported: [1]
- [Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Albendazole

Oral, Cattle

[Sign:] Death
Number of times reported: [29]

[Sign:] Dyspnea
Number of times reported: [9]

[Sign:] Ineffect, Flukes
Number of times reported: [8]

[Sign:] Diarrhea
Number of times reported: [7]

[Sign:] Hypersalivation
Number of times reported: [6]

[Sign:] Recumbency
Number of times reported: [6]

[Sign:] Ineffect, Strongyles
Number of times reported: [5]

[Sign:] Anorexia
Number of times reported: [4]

[Sign:] Fever, Body
Number of times reported: [4]

[Sign:] Ineffect, Lungworms
Number of times reported: [4]

[Sign:] Ineffect, Worms
Number of times reported: [4]

[Sign:] Abortion
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Ineffect, Stomach Worm
Number of times reported: [3]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]

[Sign:] Sound Abn, Respiratory
Number of times reported: [3]

[Sign:] Adipsia
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Death(stillborn)
Number of times reported: [2]

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Distress, Resp
Number of times reported: [2]

[Sign:] Ineffect, Ascarids
Number of times reported: [2]

[Sign:] Ineffect, Coccidia
Number of times reported: [2]

[Sign:] Ineffect, Parasite(s)
Number of times reported: [2]

[Sign:] Paresis
Number of times reported: [2]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Breathing, Difficult
Number of times reported: [1]

[Sign:] Cachexia
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Cystitis
Number of times reported: [1]

[Sign:] Death(slaughtered)
Number of times reported: [1]

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Froth
Number of times reported: [1]

[Sign:] Froth, Nose
Number of times reported: [1]

[Sign:] Hair, Abn
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Ineffect, Small Strong
Number of times reported: [1]

[Sign:] Ineffect, Tapes
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Laryngitis
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Necrosis
Number of times reported: [1]

[Sign:] Off Feed
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Pharyngitis
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

- [Sign:] Prolapse, Tongue
Number of times reported: [1]
- [Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
- [Sign:] Residue, Meat
Number of times reported: [1]
- [Sign:] Respiratory Disorder
Number of times reported: [1]
- [Sign:] Staggering
Number of times reported: [1]
- [Sign:] Swelling, Head/face
Number of times reported: [1]
- [Sign:] Swelling, Neck
Number of times reported: [1]
- [Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
- [Sign:] Vocalization
Number of times reported: [1]
- [Sign:] Weakness, Newborn
Number of times reported: [1]
- [Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Albendazole

Oral, Chicken

- [Sign:] Death
Number of times reported: [1]

[Drug:] Albendazole

Oral, Deer

- [Sign:] Residue, Meat
Number of times reported: [3]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Albendazole

Oral, Dog

- [Sign:] Anorexia
Number of times reported: [36]
- [Sign:] Wbc Lo, Bld

Number of times reported: [34]
[Sign:] Depression/lethargy
Number of times reported: [33]
[Sign:] Vomiting
Number of times reported: [30]
[Sign:] Diarrhea
Number of times reported: [18]
[Sign:] Death
Number of times reported: [17]
[Sign:] Fever, Body
Number of times reported: [16]
[Sign:] Platelets Lo, Bld
Number of times reported: [12]
[Sign:] Diarrhea, Bloody
Number of times reported: [10]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [7]
[Sign:] Anemia
Number of times reported: [7]
[Sign:] Segs Lo, Bld
Number of times reported: [7]
[Sign:] Dehydration
Number of times reported: [6]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [5]
[Sign:] Weakness
Number of times reported: [5]
[Sign:] Convulsion(s)
Number of times reported: [4]
[Sign:] Melena
Number of times reported: [4]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [4]
[Sign:] Vomiting, Bloody
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Eosinos Lo, Bld
Number of times reported: [3]
[Sign:] Pr-cecum, Lesion(s)

Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Amylase Hi, Bld
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Bun Lo, Bld
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Enteritis
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Infection
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [2]
[Sign:] Pancytopenia
Number of times reported: [2]
[Sign:] Polycythemia
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Albumin Hi, Bld

Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anemia, Aplastic
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Birth Defect(s)
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Cachexia
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Distention, Abdomen

Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paresis

Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Rectum
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Reproduction Disorder
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Teeth, Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Vestibular Disorder
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Albendazole

Oral, Goat

[Sign:] Death

Number of times reported: [17]

[Sign:] Residue, Milk

Number of times reported: [5]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Recumbency

Number of times reported: [3]

[Sign:] Residue, Meat

Number of times reported: [3]

[Sign:] Abortion

Number of times reported: [2]

[Sign:] Death(stillborn)

Number of times reported: [2]

[Sign:] Pallor, Mucous Membran

Number of times reported: [2]

[Sign:] Weakness

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Birth Defect(s), Limb(

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Fertility, Reduced

Number of times reported: [1]

[Sign:] Ggt Hi, Bld

Number of times reported: [1]

[Sign:] Ineffect, Nematodes

Number of times reported: [1]

[Sign:] Ineffect, Parasite(s)

Number of times reported: [1]

[Sign:] Ineffect, Stomach Worm

Number of times reported: [1]

[Sign:] Ineffect, Worms

Number of times reported: [1]

[Sign:] Pallor

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Posture Abn

Number of times reported: [1]

[Sign:] Pr-gi, Parasitism

Number of times reported: [1]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Albendazole

Oral, Horse

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Drug:] Albendazole

Oral, Human

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Human Exposure, Ingest

Number of times reported: [1]

[Drug:] Albendazole

Oral, Llama

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Necrosis

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Albendazole

Oral, Other

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Ineffect, Flukes

Number of times reported: [1]

[Drug:] Albendazole

Oral, Sheep

[Sign:] Death

Number of times reported: [42]

[Sign:] Ineffect, Tapes

Number of times reported: [13]

[Sign:] Anorexia

Number of times reported: [9]

[Sign:] Ineffect, Stomach Worm

Number of times reported: [8]

[Sign:] Ineffect, Worms

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [4]

[Sign:] Ineffect, Nematodes

Number of times reported: [4]

[Sign:] Anemia
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [3]

[Sign:] Ineffect, Parasite(s)
Number of times reported: [3]

[Sign:] Ineffect, Strongyles
Number of times reported: [3]

[Sign:] Pallor, Mucous Membran
Number of times reported: [3]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Discharge, Nose
Number of times reported: [2]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Pain, Abdomen
Number of times reported: [2]

[Sign:] Pneumonia
Number of times reported: [2]

[Sign:] Posture Abn
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Swelling, Neck
Number of times reported: [2]

[Sign:] Acidosis, Rumen
Number of times reported: [1]

[Sign:] Anestrus
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Death(tx Failure)
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Enlargement(s)
Number of times reported: [1]

[Sign:] Enteritis
Number of times reported: [1]

[Sign:] Fertility, Lack Of
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Froth, Nose
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Ineffect, Ascarids
Number of times reported: [1]

[Sign:] Ineffect, Flukes
Number of times reported: [1]

[Sign:] Ineffect, Large Strong
Number of times reported: [1]

[Sign:] Ineffect, Whips
Number of times reported: [1]

[Sign:] Ineffect, Whips Preven
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Necrosis
Number of times reported: [1]

[Sign:] Odor
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Photosensitization
Number of times reported: [1]

[Sign:] Pr-gi, Edema
Number of times reported: [1]

[Sign:] Pr-gi, Parasitism
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Pr-pharynx, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-thyroid, Lesion(s)
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Sign:] Sperm Abn
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Albendazole

Oral, Turkey

[Sign:] Residue, Meat
Number of times reported: [1]

[Drug:] Albendazole

Parenteral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Albendazole

Parenteral, Llama

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Albendazole

Parenteral, Sheep

[Sign:] Residue, Meat

Number of times reported: [1]

[Drug:] Albendazole

Topical, Dog

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Albendazole

Topical, Human

[Sign:] Application Site Inflamm

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Albendazole

Unknown, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Albendazole

Unknown, Goat

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Birth Defect(s)

Number of times reported: [1]

[Drug:] Albendazole

Unknown, Human

[Sign:] Death

Number of times reported: [1]

[Drug:] Albendazole

Unknown, Rabbit

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Alendronate

Oral, Dog

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Drug:] Allopurinol

Oral, Dog

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Drug:] Altrenogest

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [6]

[Sign:] Pd-cap(s), Abn

Number of times reported: [5]

[Sign:] Pd-solution, Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-odor, Abn

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-contam, Insects

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat

Number of times reported: [1]

[Drug:] Altrenogest

Not Applicable, Human

[Sign:] Taste Abnormality

Number of times reported: [1]

[Drug:] Altrenogest

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Headache
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Altrenogest

Oral, Dog

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Birth Defect(s)
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Altrenogest

Oral, Horse

[Sign:] Pain, Abdomen
Number of times reported: [5]

[Sign:] Ineffect, Estrus Suppr
Number of times reported: [4]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Laminitis
Number of times reported: [2]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]

[Sign:] Sweating
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Circulatory Disorder
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

- [Sign:] Depression/lethargy
Number of times reported: [1]
- [Sign:] Edema, Limb(s)
Number of times reported: [1]
- [Sign:] Fever, Body
Number of times reported: [1]
- [Sign:] Head Pressing
Number of times reported: [1]
- [Sign:] Icterus, Body
Number of times reported: [1]
- [Sign:] Ineffect, Estrus Synch
Number of times reported: [1]
- [Sign:] Inflam, Skin
Number of times reported: [1]
- [Sign:] Lameness
Number of times reported: [1]
- [Sign:] Skin Disorder
Number of times reported: [1]
- [Sign:] Vasculitis
Number of times reported: [1]
- [Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Altrenogest

Oral, Human

- [Sign:] Diarrhea
Number of times reported: [2]
- [Sign:] Pain, Abdomen
Number of times reported: [2]
- [Sign:] Headache
Number of times reported: [1]
- [Sign:] Nausea
Number of times reported: [1]
- [Sign:] Vomiting
Number of times reported: [1]

[Drug:] Altrenogest

Parenteral, Horse

- [Sign:] Inj Site Pain
Number of times reported: [5]
- [Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vasculitis

Number of times reported: [1]

[Drug:] Altrenogest

Parenteral, Human

[Sign:] Hair, Abn

Number of times reported: [1]

[Sign:] Mammary, Hyperplasia

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Drug:] Altrenogest

Parenteral, Pig

[Sign:] Death

Number of times reported: [1]

[Drug:] Altrenogest

Topical, Human

[Sign:] Menses, Abnormal

Number of times reported: [25]

[Sign:] Headache

Number of times reported: [10]

[Sign:] Pain, Abdomen

Number of times reported: [8]

[Sign:] Reproduction Disorder

Number of times reported: [6]

[Sign:] Rash

Number of times reported: [5]

[Sign:] Behavior Disorder

Number of times reported: [4]

[Sign:] Estrus Behavior

Number of times reported: [4]

[Sign:] Estrus Cycle Abnormal

Number of times reported: [4]

[Sign:] Human Exposure

Number of times reported: [4]

[Sign:] Nausea

Number of times reported: [4]

[Sign:] Anestrus

Number of times reported: [3]
[Sign:] Bld, Vagina
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Fertility, Reduced
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Pain, Muscle(s)
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Estrus Too Soon
Number of times reported: [1]
[Sign:] Hot Flash
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Pain, Joint(s)

Number of times reported: [1]

[Sign:] Pain, Ovary

Number of times reported: [1]

[Sign:] Pruritis, Feet/digit(s)

Number of times reported: [1]

[Sign:] Sleep Abn

Number of times reported: [1]

[Sign:] Swelling, Mammary

Number of times reported: [1]

[Sign:] Testosterone Low

Number of times reported: [1]

[Sign:] Uterus, Contractions

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Altrenogest

Unknown, Horse

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Edema, Multiple Sites

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Neoplasm

Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Mult Sites
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Altrenogest

Unknown, Human

[Sign:] Human Exposure
Number of times reported: [2]

[Sign:] Menses, Abnormal
Number of times reported: [2]

[Sign:] Nausea
Number of times reported: [2]

[Sign:] Pain, Abdomen
Number of times reported: [2]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]

[Sign:] Headache
Number of times reported: [1]

[Sign:] Insomnia
Number of times reported: [1]

[Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Altrenogest

Various, Human

[Sign:] Taste Abnormality
Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Aluminum Hydroxide

Not Applicable, Fish, Pet

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Drug:] Amikacin

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [7]

[Sign:] Pd-container(s), Abn

Number of times reported: [4]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [3]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [3]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-contamination

Number of times reported: [2]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Amikacin

Parenteral, Cat

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Amikacin

Parenteral, Chicken

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Amikacin

Parenteral, Dog

[Sign:] Pain

Number of times reported: [4]

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Deafness

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Inj Site Slough

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Drug:] Amikacin

Parenteral, Horse

[Sign:] Wbc Hi, Synovial Fluid

Number of times reported: [2]

[Sign:] Inj Site Effusion

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Stiffness

Number of times reported: [1]

[Sign:] Pain, Joint(s)

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Drug:] Amikacin

Parenteral, Sheep

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Discomfort

Number of times reported: [1]

[Sign:] Tenesmus, Rectal

Number of times reported: [1]

[Drug:] Amikacin

Topical, Cat

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Drug:] Amikacin

Unknown, Dog

[Sign:] Fever, Body

Number of times reported: [1]

[Drug:] Amikacin

Unknown, Various

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Aminopentamide

Defect, Not Applicable

- [Sign:] Pd-underfill, Vial(s)
Number of times reported: [5]
- [Sign:] Pd-container(s), Damag
Number of times reported: [3]
- [Sign:] Pd-cap(s), Abn
Number of times reported: [2]
- [Sign:] Pd-color, Abn
Number of times reported: [2]
- [Sign:] Pd-label(s), Abn
Number of times reported: [2]
- [Sign:] Pd-missing, Cap
Number of times reported: [2]
- [Sign:] Pd-solution, Abn
Number of times reported: [2]
- [Sign:] Pd-tablet(s), Abn
Number of times reported: [2]
- [Sign:] Pd-underfill, Package
Number of times reported: [2]
- [Sign:] Pd-missing, Label(s)
Number of times reported: [1]
- [Sign:] Pd-seal, Abn
Number of times reported: [1]
- [Sign:] Pd-vial(s), Abn
Number of times reported: [1]
- [Sign:] Pd-vial(s), Damaged
Number of times reported: [1]
- [Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Aminopentamide

Missing, Cat

- [Sign:] Blindness
Number of times reported: [1]
- [Sign:] Cardiomegaly
Number of times reported: [1]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Nervousness
Number of times reported: [1]
- [Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Drug:] Aminopentamide

Missing, Dog

[Sign:] Blindness

Number of times reported: [1]

[Drug:] Aminopentamide

Oral, Cat

[Sign:] Mydriasis

Number of times reported: [5]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Pupil(s), Areflexia

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Drug:] Aminopentamide

Oral, Dog

[Sign:] Ineffect, Antiemetic

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Wbc Hi, Bld

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Diarrhea, Bloody

Number of times reported: [2]

[Sign:] Distention, Abdomen

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]

[Sign:] Wbc Lo, Bld
Number of times reported: [2]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anemia, Regen
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]

[Sign:] Bld, Eye(s)
Number of times reported: [1]

[Sign:] Bld, Mult Sites
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Gastroenteritis
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Gingiva, Abn
Number of times reported: [1]

[Sign:] Grinding Teeth
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hepatomegaly
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Immune Disorder
Number of times reported: [1]

[Sign:] Inflam, Skin
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Rbc Abn
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

- [Sign:] Shaking, Head/face
Number of times reported: [1]
- [Sign:] Skin, Crust(s)
Number of times reported: [1]
- [Sign:] Skin Disorder
Number of times reported: [1]
- [Sign:] Slough, Skin
Number of times reported: [1]
- [Sign:] Stiffness
Number of times reported: [1]
- [Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]
- [Sign:] Ulcer(s), Skin
Number of times reported: [1]
- [Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Aminopentamide

Parenteral, Cat

- [Sign:] Mydriasis
Number of times reported: [4]
- [Sign:] Death
Number of times reported: [2]
- [Sign:] Nausea
Number of times reported: [2]
- [Sign:] Tachycardia
Number of times reported: [2]
- [Sign:] Vomiting
Number of times reported: [2]
- [Sign:] Albumin Lo, Bld
Number of times reported: [1]
- [Sign:] Anaphylaxis/toid
Number of times reported: [1]
- [Sign:] Apnea
Number of times reported: [1]
- [Sign:] Arrest, Heart
Number of times reported: [1]
- [Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
- [Sign:] Ca Lo, Bld
Number of times reported: [1]
- [Sign:] Congestion, Skin

Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sedation

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Aminopentamide

Parenteral, Dog

[Sign:] Death

Number of times reported: [7]

[Sign:] Anorexia

Number of times reported: [6]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [5]

[Sign:] Bun Hi, Bld

Number of times reported: [5]

[Sign:] Ineffect, Antiemetic

Number of times reported: [5]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [5]

[Sign:] Anemia

Number of times reported: [4]

[Sign:] Creatinine Hi, Bld

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [4]

[Sign:] Wbc Lo, Bld

Number of times reported: [4]

[Sign:] Albumin Lo, Bld

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Pr-spleen, Lesion(s)

Number of times reported: [3]

[Sign:] Vomiting
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Bld, Urine
Number of times reported: [2]

[Sign:] Chemistry Abn
Number of times reported: [2]

[Sign:] Melena
Number of times reported: [2]

[Sign:] Monos Hi, Bld
Number of times reported: [2]

[Sign:] Pain, Abdomen
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran
Number of times reported: [2]

[Sign:] P Hi, Bld
Number of times reported: [2]

[Sign:] Platelets Lo, Bld
Number of times reported: [2]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]

[Sign:] Radiograph(s) Abn
Number of times reported: [2]

[Sign:] Rbc Abn
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Shock
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Us-liver Abn
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Bld, Rectum
Number of times reported: [1]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Dic
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Dilatation, Stomach
Number of times reported: [1]

[Sign:] Dry Mouth Syndrome
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Electrolyte Disorder
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Enlargement(s), Skin
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Gastritis
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Inflamm, Skin
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]

[Sign:] Paralysis, All Limbs
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Platelets Abn
Number of times reported: [1]

[Sign:] Platelets Hi, Bld
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Pt Prolonged, Bld
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Retina Abn
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Slough, Skin
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]

[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Sign:] Wbc Abn
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Aminopentamide

Unknown, Cat

[Sign:] Bun Lo, Bld

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Creatinine Lo, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Lipase Hi, Bld

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Aminopentamide

Unknown, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Bld

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Effusion, Peritoneal

Number of times reported: [1]

[Sign:] Hepatomegaly

Number of times reported: [1]

[Sign:] Ineffect, Antiemetic

Number of times reported: [1]

[Sign:] Necrosis

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Tenesmus, Rectal
Number of times reported: [1]

[Sign:] Tenesmus, Urinary
Number of times reported: [1]

[Drug:] Aminopentamide

Various, Cat

[Sign:] Mydriasis
Number of times reported: [1]

[Drug:] Aminopentamide, Attapulgite, Bismuth, Kanamycin, Pectin

Defect, Not Applicable

[Sign:] Pd-suspension, Abn
Number of times reported: [6]

[Sign:] Pd-odor, Abn
Number of times reported: [3]

[Sign:] Pd-contam, Mold
Number of times reported: [2]

[Sign:] Pd-missing, Label(s)
Number of times reported: [2]

[Sign:] Pd-color, Abn
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-seal, Abn
Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]

[Drug:] Aminopentamide, Attapulgite, Bismuth, Kanamycin, Pectin

Oral, Cat

[Sign:] Death
Number of times reported: [2]

[Sign:] Glucose Hi, Bld
Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] K Lo, Bld

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Drug:] Aminopentamide, Attapulgate, Bismuth, Kanamycin, Pectin

Oral, Dog

[Sign:] Alk Phos Hi, Bld

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [2]

[Sign:] Bun Hi, Bld

Number of times reported: [2]

[Sign:] Ca Hi, Bld

Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [2]

[Sign:] Creatinine Hi, Bld

Number of times reported: [2]

[Sign:] Hyperesthesia

Number of times reported: [2]

[Sign:] Icterus, Body

Number of times reported: [2]

[Sign:] Nervousness

Number of times reported: [2]

[Sign:] Odor, Mouth

Number of times reported: [2]

[Sign:] Pacing

Number of times reported: [2]

[Sign:] P Hi, Bld

Number of times reported: [2]

[Sign:] Recumbency

Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Encephalopathy

Number of times reported: [1]

[Drug:] Aminopentamide, Attapulgate, Bismuth, Kanamycin, Pectin

Unknown, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Drug:] Amitraz

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [21]

[Sign:] Pd-cap(s), Abn

Number of times reported: [8]

[Sign:] Pd-solution, Abn

Number of times reported: [6]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [5]

[Sign:] Pd-seal, Abn

Number of times reported: [4]

[Sign:] Pd-odor, Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Drug:] Amitraz

Inhalation, Human

[Sign:] Headache

Number of times reported: [3]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Human Exposure, Inhala

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Drug:] Amitraz

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Amitraz

Oral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amitraz

Oral, Human

[Sign:] Unconscious

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Drug:] Amitraz

Parenteral, Dog

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Inj Site Inflamm
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Amitraz

Parenteral, Human

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Drug:] Amitraz

Topical, Cat

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Pulse Thready

Number of times reported: [1]

[Drug:] Amitraz

Topical, Dog

[Sign:] Depression/lethargy

Number of times reported: [153]

[Sign:] Vomiting

Number of times reported: [83]

[Sign:] Death

Number of times reported: [58]

[Sign:] Ataxia

Number of times reported: [43]

[Sign:] Anorexia

Number of times reported: [39]

[Sign:] Convulsion(s)

Number of times reported: [35]

[Sign:] Diarrhea

Number of times reported: [30]

[Sign:] Ineffect, Demodex Mites

Number of times reported: [22]

[Sign:] Congestion, Skin

Number of times reported: [20]

[Sign:] Sedation

Number of times reported: [20]

[Sign:] Fever, Body

Number of times reported: [16]

[Sign:] Pruritis

Number of times reported: [16]

[Sign:] Hypersalivation

Number of times reported: [14]

[Sign:] Aggression

Number of times reported: [10]

[Sign:] Weakness

Number of times reported: [10]

[Sign:] Hypothermia, Body

Number of times reported: [9]

[Sign:] Swelling, Head/face

Number of times reported: [9]

[Sign:] Collapse
Number of times reported: [8]

[Sign:] Bloat
Number of times reported: [7]

[Sign:] Bradycardia
Number of times reported: [7]

[Sign:] Hypothermia
Number of times reported: [7]

[Sign:] Unconscious
Number of times reported: [7]

[Sign:] Vocalization
Number of times reported: [7]

[Sign:] Weight Loss
Number of times reported: [7]

[Sign:] Anemia
Number of times reported: [6]

[Sign:] Diarrhea, Bloody
Number of times reported: [6]

[Sign:] Pallor, Mucous Membran
Number of times reported: [6]

[Sign:] Polydipsia
Number of times reported: [6]

[Sign:] Stupor
Number of times reported: [6]

[Sign:] Urticaria
Number of times reported: [6]

[Sign:] Alopecia
Number of times reported: [5]

[Sign:] Glucose Lo, Bld
Number of times reported: [5]

[Sign:] Ill
Number of times reported: [5]

[Sign:] Pain
Number of times reported: [5]

[Sign:] Polyuria
Number of times reported: [5]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [5]

[Sign:] Shock
Number of times reported: [5]

[Sign:] Trembling
Number of times reported: [5]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [4]

[Sign:] Amylase Hi, Bld
Number of times reported: [4]

[Sign:] Behavior Disorder
Number of times reported: [4]

[Sign:] Bld(petechiae)
Number of times reported: [4]

[Sign:] Death(euthanized)
Number of times reported: [4]

[Sign:] Distress, Resp
Number of times reported: [4]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Hematochezia
Number of times reported: [4]

[Sign:] Hyperactivity
Number of times reported: [4]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [4]

[Sign:] Miosis
Number of times reported: [4]

[Sign:] Platelets Lo, Bld
Number of times reported: [4]

[Sign:] Recumbency
Number of times reported: [4]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]

[Sign:] Confusion
Number of times reported: [3]

[Sign:] Coughing
Number of times reported: [3]

[Sign:] Dehydration
Number of times reported: [3]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]

[Sign:] Edema
Number of times reported: [3]

[Sign:] Edema, Head/face
Number of times reported: [3]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Glucose Hi, Bld
Number of times reported: [3]

[Sign:] Glucose, Urine
Number of times reported: [3]

[Sign:] Ineffect, Mites
Number of times reported: [3]

[Sign:] Inflamm, Skin
Number of times reported: [3]

[Sign:] Lesion(s), Skin
Number of times reported: [3]

[Sign:] Melena
Number of times reported: [3]

[Sign:] Mydriasis
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Polypnea
Number of times reported: [3]

[Sign:] Shaking
Number of times reported: [3]

[Sign:] Swelling, Limb(s)
Number of times reported: [3]

[Sign:] Tachycardia
Number of times reported: [3]

[Sign:] Wbc Hi, Bld
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Apnea
Number of times reported: [2]

[Sign:] Apprehension
Number of times reported: [2]

[Sign:] Bands Hi, Bld
Number of times reported: [2]

[Sign:] Biting/chewing
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Cataract(s)
Number of times reported: [2]

[Sign:] Constipation
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Deafness
Number of times reported: [2]

[Sign:] Diabetes Mellitus
Number of times reported: [2]

[Sign:] Diarrhea, Mild
Number of times reported: [2]

[Sign:] Discharge, Nose
Number of times reported: [2]

[Sign:] Dysphagia
Number of times reported: [2]

[Sign:] Edema, Cornea(s)
Number of times reported: [2]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]

[Sign:] Globulin Hi, Bld
Number of times reported: [2]

[Sign:] Head Tilt
Number of times reported: [2]

[Sign:] Icterus, Body
Number of times reported: [2]

[Sign:] Incontinence, Urinary
Number of times reported: [2]

[Sign:] Liver Disorder
Number of times reported: [2]

[Sign:] Lockjaw
Number of times reported: [2]

[Sign:] Nervousness
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [2]

[Sign:] Pressure Lo, Bld
Number of times reported: [2]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]

[Sign:] Proprioceptive Disorde
Number of times reported: [2]

[Sign:] Pustule(s)
Number of times reported: [2]

[Sign:] Reflex(es) Abn
Number of times reported: [2]

[Sign:] Skin, Scab(s)
Number of times reported: [2]

[Sign:] Somnolence
Number of times reported: [2]

[Sign:] Sore(s)
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Stumbling
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Thrashing/paddling
Number of times reported: [2]

[Sign:] Twitch
Number of times reported: [2]

[Sign:] Urination
Number of times reported: [2]

[Sign:] Vomiting, Bloody
Number of times reported: [2]

[Sign:] Wbc Lo, Bld
Number of times reported: [2]

[Sign:] Wbc, Urine
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Ammonia Hi, Bld
Number of times reported: [1]

[Sign:] Application Site Erythema
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Atony, Bladder
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bld, Passing
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Blindness, Partial
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Cachexia
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Chemistry Abn
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Dic
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Edema, Multiple Sites
Number of times reported: [1]

[Sign:] Edema, Ventral
Number of times reported: [1]

[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Enlargement(s), Skin
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Fly Biting
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Hair, Shedding
Number of times reported: [1]

[Sign:] Head Pressing
Number of times reported: [1]

[Sign:] Heart Failure
Number of times reported: [1]

[Sign:] Hyperadrenocorticism
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypertonia
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Ineffect, Sarcoptes Mites
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S
Number of times reported: [1]

[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]

[Sign:] Leukoderma
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Pancreatitis
Number of times reported: [1]

[Sign:] Paraesthesia, Eye(s)/l
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]

[Sign:] Seborrhea
Number of times reported: [1]

[Sign:] Segs Lo, Bld
Number of times reported: [1]

[Sign:] Self-mutilation
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Skin Disorder
Number of times reported: [1]

[Sign:] Skin, Dry
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Sign:] Swelling, Prepuce
Number of times reported: [1]

[Sign:] Syncope
Number of times reported: [1]

[Sign:] Tech Error, Mixing
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Gi
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Drug:] Amitraz

Topical, Human

[Sign:] Rash
Number of times reported: [24]

[Sign:] Pruritis
Number of times reported: [8]

[Sign:] Urticaria
Number of times reported: [6]

[Sign:] Congestion, Skin
Number of times reported: [4]

[Sign:] Depression/lethargy
Number of times reported: [4]

[Sign:] Dizziness
Number of times reported: [3]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [2]
[Sign:] Human Exposure
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Irritation, Skin
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Papule(s)
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Swelling
Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Human Exposure, Hand(s)
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Inflamm, Skin

Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pd-cap(s), Abn
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Vomiting
Number of times reported: [1]
[Sign:] Weakness
Number of times reported: [1]

[Drug:] Amitraz

Topical, Other

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Amitraz

Unknown, Dog

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Polycythemia

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Amitraz

Unknown, Human

[Sign:] Congestion, Skin

Number of times reported: [3]

[Sign:] Headache

Number of times reported: [3]

[Sign:] Nausea
Number of times reported: [3]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Reaction, Unspecified
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Human Exposure, Topica
Number of times reported: [1]

[Sign:] Inflammation, Skin
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Taste Abnormality
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Amitriptyline

Oral, Cat

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Drug:] Amitriptyline

Oral, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Drug:] Amitriptyline

Topical, Cat

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Amlodipine Besylate

Oral, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Amoxicillin

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn

Number of times reported: [62]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [48]

[Sign:] Pd-color, Abn
Number of times reported: [44]

[Sign:] Pd-tube(s), Abn
Number of times reported: [36]

[Sign:] Pd-dispenser, Abn
Number of times reported: [32]

[Sign:] Pd-seal, Abn
Number of times reported: [32]

[Sign:] Pd-underfill, Package
Number of times reported: [27]

[Sign:] Pd-applicator, Abn
Number of times reported: [19]

[Sign:] Pd-syringe, Abn
Number of times reported: [18]

[Sign:] Pd-product Defect
Number of times reported: [14]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [14]

[Sign:] Pd-container(s), Abn
Number of times reported: [12]

[Sign:] Pd-missing, Cap
Number of times reported: [11]

[Sign:] Pd-suspension, Abn
Number of times reported: [11]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [11]

[Sign:] Pd-vial(s), Damaged
Number of times reported: [11]

[Sign:] Pd-container(s), Damag
Number of times reported: [9]

[Sign:] Pd-tube(s), Damaged
Number of times reported: [8]

[Sign:] Pd-missing, Label(s)
Number of times reported: [6]

[Sign:] Pd-odor, Abn
Number of times reported: [5]

[Sign:] Pd-solution, Abn
Number of times reported: [5]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [5]

[Sign:] Pd-label(s), Abn
Number of times reported: [4]

[Sign:] Pd-unknown
Number of times reported: [4]

[Sign:] Pd-contamination
Number of times reported: [3]

[Sign:] Pd-defect Unknown
Number of times reported: [3]

[Sign:] Pd-granules/powder, Abn
Number of times reported: [3]

[Sign:] Pd-vial(s), Abn
Number of times reported: [3]

[Sign:] Unpalatable
Number of times reported: [2]

[Sign:] Pd-contam, Insects
Number of times reported: [1]

[Sign:] Pd-contam, Mold
Number of times reported: [1]

[Sign:] Pd-gel/paste, Abn
Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)
Number of times reported: [1]

[Drug:] Amoxicillin

Intramammary, Cattle

[Sign:] Residue, Milk
Number of times reported: [58]

[Sign:] Ineffect, Antibiotic
Number of times reported: [2]

[Drug:] Amoxicillin

Intranasal, Dog

[Sign:] Pneumonia
Number of times reported: [1]

[Drug:] Amoxicillin

Missing, Cat

[Sign:] Diarrhea
Number of times reported: [1]

[Drug:] Amoxicillin

Missing, Missing Information

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Amoxicillin

Missing, Unknown

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Amoxicillin

Missing, Various

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Amoxicillin

Oral, Cat

[Sign:] Vomiting

Number of times reported: [42]

[Sign:] Anorexia

Number of times reported: [23]

[Sign:] Depression/lethargy

Number of times reported: [18]

[Sign:] Diarrhea

Number of times reported: [16]

[Sign:] Death

Number of times reported: [11]

[Sign:] Ineffect, Antibiotic

Number of times reported: [7]

[Sign:] Alopecia

Number of times reported: [5]

[Sign:] Fever, Body

Number of times reported: [5]

[Sign:] Anemia

Number of times reported: [4]

[Sign:] Behavior Disorder

Number of times reported: [4]

[Sign:] Hypersalivation

Number of times reported: [4]

[Sign:] Recumbency

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [3]
[Sign:] Congestion, Skin
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Ear Disorder
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Apnea

Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Congestion, Sinus
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Icterus

Number of times reported: [1]
[Sign:] Ineffect, Coccidia
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pd-suspension, Abn
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-esophagus, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Rash

Number of times reported: [1]

[Sign:] Reflux, Stomach

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Skin, Crust(s)

Number of times reported: [1]

[Sign:] Stranguria

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Ear(s)

Number of times reported: [1]

[Sign:] Tenesmus, Urinary

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Amoxicillin

Oral, Dog

[Sign:] Vomiting

Number of times reported: [34]

[Sign:] Death

Number of times reported: [17]

[Sign:] Anorexia
Number of times reported: [16]

[Sign:] Depression/lethargy
Number of times reported: [15]

[Sign:] Fever, Body
Number of times reported: [9]

[Sign:] Ineffect, Antibiotic
Number of times reported: [7]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [6]

[Sign:] Convulsion(s)
Number of times reported: [6]

[Sign:] Dyspnea
Number of times reported: [6]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [6]

[Sign:] Anemia
Number of times reported: [5]

[Sign:] Ataxia
Number of times reported: [5]

[Sign:] Bld, Urine
Number of times reported: [5]

[Sign:] Bun Hi, Bld
Number of times reported: [5]

[Sign:] Diarrhea
Number of times reported: [5]

[Sign:] Congestion, Skin
Number of times reported: [4]

[Sign:] Eruption(s)
Number of times reported: [4]

[Sign:] Inflamm, Skin
Number of times reported: [4]

[Sign:] Pruritis
Number of times reported: [4]

[Sign:] Trembling
Number of times reported: [4]

[Sign:] Urticaria
Number of times reported: [4]

[Sign:] Wbc Hi, Bld
Number of times reported: [4]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Creatinine Hi, Bld
Number of times reported: [3]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Edema, Head/face
Number of times reported: [3]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]

[Sign:] Glucose Hi, Bld
Number of times reported: [3]

[Sign:] Melena
Number of times reported: [3]

[Sign:] Polydipsia
Number of times reported: [3]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]

[Sign:] Rash
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Cyanosis
Number of times reported: [2]

[Sign:] Glucose Lo, Bld
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]

[Sign:] Necrosis
Number of times reported: [2]

[Sign:] P Hi, Bld
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Skin, Necrosis
Number of times reported: [2]

[Sign:] Skin, Scab(s)
Number of times reported: [2]

[Sign:] Stranguria
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Ulcer(s), Skin
Number of times reported: [2]

[Sign:] Wbc Lo, Bld
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Amylase Hi, Bld
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Birth Defect(s)
Number of times reported: [1]

[Sign:] Birth Defect(s), Head/
Number of times reported: [1]

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld, Feet/digit(s)
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Bld, Skin
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Crystals, Urine
Number of times reported: [1]

[Sign:] Deafness
Number of times reported: [1]

[Sign:] Diarrhea, Muroid
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Ecg Abn
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Edema, Ventral
Number of times reported: [1]

[Sign:] Enlargement(s), Skin
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hemoglobin, Urine
Number of times reported: [1]

[Sign:] Hepatitis
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypomotility
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Incontinence, Urinary
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Lockjaw
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Papule(s)
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]

[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]

[Sign:] Pruritis, Tail
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Sepsis
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Stiffness, Neck
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Sign:] Us-liver Abn
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Amoxicillin

Oral, Ferret

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Drug:] Amoxicillin

Oral, Human

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amoxicillin

Oral, Rabbit

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Pr-colon, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Amoxicillin

Oral, Various

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Amoxicillin

Parenteral, Cat

[Sign:] Inj Site Pain

Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Apnea
Number of times reported: [2]
[Sign:] Depression/lethargy
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ill

Number of times reported: [1]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Neoplasm
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Respiratory Disorder
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Uremia

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Amoxicillin

Parenteral, Cattle

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Cyanosis

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Swelling, Head/face

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Drug:] Amoxicillin

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Inj Site Pain

Number of times reported: [3]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Inj Site Mass

Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Slough, Skin
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Depression/lethargy
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Seroma
Number of times reported: [1]
[Sign:] Leukoderma

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Ventrum

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Amoxicillin

Parenteral, Horse

[Sign:] Death

Number of times reported: [1]

[Drug:] Amoxicillin

Parenteral, Unknown

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Amoxicillin

Parenteral, Various

[Sign:] Inj Site Pain

Number of times reported: [2]

[Drug:] Amoxicillin

Topical, Dog

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Drug:] Amoxicillin

Topical, Human

[Sign:] Headache

Number of times reported: [1]

[Sign:] Packaging container(s), Damaged

Number of times reported: [1]

[Sign:] Packaging odor, Abnormal

Number of times reported: [1]

[Sign:] Packaging product Defect

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Amoxicillin

Topical, Rabbit

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Drug:] Amoxicillin

Unknown, Cat

[Sign:] Injection Site Pain

Number of times reported: [2]

[Sign:] Stupor

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Nystagmus, Horizontal

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amoxicillin

Unknown, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Amoxicillin

Unknown, Dog

[Sign:] Inj Site Pain

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Amoxicillin

Unknown, Unknown

[Sign:] Inj Site Pain

Number of times reported: [2]

[Drug:] Amoxicillin

Various, Unknown

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Amoxicillin

Various, Various

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Defect, Not Applicable

[Sign:] Pd-color, Abn

Number of times reported: [2,406]

[Sign:] Pd-suspension, Abn

Number of times reported: [1,397]

[Sign:] Pd-seal, Abn

Number of times reported: [233]

[Sign:] Pd-underfill, Package

Number of times reported: [215]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [142]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [90]

[Sign:] Pd-solution, Abn

Number of times reported: [86]

[Sign:] Pd-odor, Abn

Number of times reported: [84]

[Sign:] Pd-container(s), Abn

Number of times reported: [51]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [51]

[Sign:] Pd-product Defect

Number of times reported: [35]

[Sign:] Pd-container(s), Damag

Number of times reported: [32]

[Sign:] Pd-cap(s), Abn

Number of times reported: [30]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [20]

[Sign:] Pd-label(s), Abn
Number of times reported: [17]

[Sign:] Pd-missing, Cap
Number of times reported: [16]

[Sign:] Pd-dispenser, Abn
Number of times reported: [14]

[Sign:] Pd-contamination
Number of times reported: [12]

[Sign:] Pd-applicator, Abn
Number of times reported: [9]

[Sign:] Pd-vial(s), Abn
Number of times reported: [9]

[Sign:] Pd-vial(s), Damaged
Number of times reported: [7]

[Sign:] Unpalatable
Number of times reported: [6]

[Sign:] Pd-unknown
Number of times reported: [4]

[Sign:] Pd-contam, Mold
Number of times reported: [3]

[Sign:] Pd-missing, Label(s)
Number of times reported: [3]

[Sign:] No Signs
Number of times reported: [2]

[Sign:] Pd-contam, Insects
Number of times reported: [1]

[Sign:] Pd-defect Unknown
Number of times reported: [1]

[Sign:] Tech Error, Mixing
Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Intrauterine, Cat

[Sign:] Death
Number of times reported: [1]

[Sign:] Death(stillborn)
Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Missing, Human

[Sign:] Rash

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Ophthalmic, Cat

[Sign:] Conjunctivitis

Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Bird

[Sign:] Anorexia

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Bobcat

[Sign:] Albumin Lo, Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Enteritis

Number of times reported: [1]

[Sign:] Infection

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Lymphs Lo, Bld

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-bone Marrow, Lesion

Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-thymus, Lesion(s)

Number of times reported: [1]

[Sign:] Segs Lo, Bld

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Cat

[Sign:] Vomiting

Number of times reported: [295]

[Sign:] Anorexia

Number of times reported: [144]

[Sign:] Depression/lethargy

Number of times reported: [129]

[Sign:] Diarrhea

Number of times reported: [118]

[Sign:] Ineffect, Antibiotic

Number of times reported: [113]

[Sign:] Death

Number of times reported: [62]

[Sign:] Ataxia

Number of times reported: [42]

[Sign:] Fever, Body

Number of times reported: [41]

[Sign:] Death(euthanized)
Number of times reported: [35]

[Sign:] Anemia
Number of times reported: [34]

[Sign:] Dehydration
Number of times reported: [31]

[Sign:] Convulsion(s)
Number of times reported: [29]

[Sign:] Hypersalivation
Number of times reported: [29]

[Sign:] Bun Hi, Bld
Number of times reported: [28]

[Sign:] Weight Loss
Number of times reported: [25]

[Sign:] Dyspnea
Number of times reported: [24]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [23]

[Sign:] Weakness
Number of times reported: [22]

[Sign:] Pd-color, Abn
Number of times reported: [20]

[Sign:] Creatinine Hi, Bld
Number of times reported: [19]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [18]

[Sign:] Mydriasis
Number of times reported: [18]

[Sign:] Glucose Hi, Bld
Number of times reported: [17]

[Sign:] Radiograph(s) Abn
Number of times reported: [17]

[Sign:] Anaphylaxis/toid
Number of times reported: [15]

[Sign:] Pruritis
Number of times reported: [15]

[Sign:] Vocalization
Number of times reported: [15]

[Sign:] Wbc Hi, Bld
Number of times reported: [15]

[Sign:] Hiding
Number of times reported: [14]

[Sign:] Blindness
Number of times reported: [13]

[Sign:] Hypothermia
Number of times reported: [13]

[Sign:] Congestion, Skin
Number of times reported: [12]

[Sign:] Hypothermia, Body
Number of times reported: [12]

[Sign:] Pallor, Mucous Membran
Number of times reported: [12]

[Sign:] Platelets Lo, Bld
Number of times reported: [12]

[Sign:] Trembling
Number of times reported: [12]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [11]

[Sign:] Alopecia
Number of times reported: [11]

[Sign:] Bld, Urine
Number of times reported: [11]

[Sign:] Inflam, Skin
Number of times reported: [11]

[Sign:] Sneezing
Number of times reported: [11]

[Sign:] Stupor
Number of times reported: [11]

[Sign:] Pd-suspension, Abn
Number of times reported: [10]

[Sign:] Adipsia
Number of times reported: [9]

[Sign:] Collapse
Number of times reported: [9]

[Sign:] Diarrhea, Bloody
Number of times reported: [9]

[Sign:] Diarrhea, Mild
Number of times reported: [9]

[Sign:] Recumbency
Number of times reported: [9]

[Sign:] Swelling, Head/face
Number of times reported: [9]

[Sign:] Behavior Disorder
Number of times reported: [8]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [8]

[Sign:] Head Tilt
Number of times reported: [8]

[Sign:] Icterus, Body
Number of times reported: [8]

[Sign:] Ineffect
Number of times reported: [8]

[Sign:] Melena
Number of times reported: [8]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [8]

[Sign:] P Hi, Bld
Number of times reported: [8]

[Sign:] Reflex(es) Abn
Number of times reported: [8]

[Sign:] Albumin Lo, Bld
Number of times reported: [7]

[Sign:] Anisocoria
Number of times reported: [7]

[Sign:] Glucose, Urine
Number of times reported: [7]

[Sign:] Polydipsia
Number of times reported: [7]

[Sign:] Polyuria
Number of times reported: [7]

[Sign:] Segs Hi, Bld
Number of times reported: [7]

[Sign:] Vomiting, Bloody
Number of times reported: [7]

[Sign:] Wbc Lo, Bld
Number of times reported: [7]

[Sign:] Circling
Number of times reported: [6]

[Sign:] Confusion
Number of times reported: [6]

[Sign:] Hyperpnea
Number of times reported: [6]

[Sign:] Pain
Number of times reported: [6]

[Sign:] Polypnea
Number of times reported: [6]

[Sign:] Pupil(s), Areflexia
Number of times reported: [6]

[Sign:] Staggering
Number of times reported: [6]

[Sign:] Twitch
Number of times reported: [6]

[Sign:] Unconscious
Number of times reported: [6]

[Sign:] Us Abn
Number of times reported: [6]

[Sign:] Distress, Resp
Number of times reported: [5]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [5]

[Sign:] Epistaxis
Number of times reported: [5]

[Sign:] Glucose Lo, Bld
Number of times reported: [5]

[Sign:] Incontinence, Urinary
Number of times reported: [5]

[Sign:] Infection, Skin
Number of times reported: [5]

[Sign:] Kidney Failure
Number of times reported: [5]

[Sign:] K Lo, Bld
Number of times reported: [5]

[Sign:] Lesion(s), Skin
Number of times reported: [5]

[Sign:] Nervousness
Number of times reported: [5]

[Sign:] Rash
Number of times reported: [5]

[Sign:] Sound Abn, Respiratory
Number of times reported: [5]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [5]

[Sign:] Stool Abn
Number of times reported: [5]

[Sign:] Stumbling
Number of times reported: [5]

[Sign:] Urticaria
Number of times reported: [5]

[Sign:] Vestibular Disorder
Number of times reported: [5]

[Sign:] Aggression
Number of times reported: [4]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [4]

[Sign:] Azotemia
Number of times reported: [4]

[Sign:] Bilirubin, Urine
Number of times reported: [4]

[Sign:] Conjunctivitis
Number of times reported: [4]

[Sign:] Constipation
Number of times reported: [4]

[Sign:] Cpk Hi, Bld
Number of times reported: [4]

[Sign:] Cyanosis
Number of times reported: [4]

[Sign:] Distention, Abdomen
Number of times reported: [4]

[Sign:] Edema, Head/face
Number of times reported: [4]

[Sign:] Gi, Abnormal
Number of times reported: [4]

[Sign:] K Hi, Bld
Number of times reported: [4]

[Sign:] Lameness
Number of times reported: [4]

[Sign:] Liver Disorder
Number of times reported: [4]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [4]

[Sign:] Murmur, Heart
Number of times reported: [4]

[Sign:] Neurological Disorder
Number of times reported: [4]

[Sign:] Nystagmus
Number of times reported: [4]

[Sign:] Pain, Abdomen
Number of times reported: [4]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [4]

[Sign:] Pneumonia
Number of times reported: [4]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [4]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [4]

[Sign:] Protein, Urine
Number of times reported: [4]

[Sign:] Reaction, Unspecified
Number of times reported: [4]

[Sign:] Respiratory Disorder
Number of times reported: [4]

[Sign:] Segs Lo, Bld
Number of times reported: [4]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]

[Sign:] Shock
Number of times reported: [4]

[Sign:] Skin, Crust(s)
Number of times reported: [4]

[Sign:] Urination Abn
Number of times reported: [4]

[Sign:] Wbc, Urine
Number of times reported: [4]

[Sign:] Wheezing
Number of times reported: [4]

[Sign:] Abscess, Skin
Number of times reported: [3]

[Sign:] Anuria
Number of times reported: [3]

[Sign:] Apnea
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [3]

[Sign:] Arrest, Heart
Number of times reported: [3]

[Sign:] Bands Hi, Bld
Number of times reported: [3]

[Sign:] Blindness, Temp
Number of times reported: [3]

[Sign:] Ca Lo, Bld
Number of times reported: [3]

[Sign:] Congestion, Lung(s)
Number of times reported: [3]

[Sign:] Dehiscence
Number of times reported: [3]

[Sign:] Diarrhea, Severe
Number of times reported: [3]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]

[Sign:] Edema, Limb(s)
Number of times reported: [3]

[Sign:] Effusion, Pleural
Number of times reported: [3]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Globulin Hi, Bld
Number of times reported: [3]

[Sign:] Hematochezia
Number of times reported: [3]

[Sign:] Hepatomegaly
Number of times reported: [3]

[Sign:] Hyperesthesia
Number of times reported: [3]

[Sign:] Incontinence, Fecal
Number of times reported: [3]

[Sign:] Kidney Disorder
Number of times reported: [3]

[Sign:] Loss Of Condition
Number of times reported: [3]

[Sign:] Lymphs Lo, Bld
Number of times reported: [3]

[Sign:] Microorganisms, Urine
Number of times reported: [3]

[Sign:] Miosis
Number of times reported: [3]

[Sign:] Nephritis
Number of times reported: [3]

[Sign:] Pd-product Defect
Number of times reported: [3]

[Sign:] Pr-lung(s), Edema
Number of times reported: [3]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [3]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [3]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]

[Sign:] Skin, Necrosis
Number of times reported: [3]

[Sign:] Skin, Scab(s)
Number of times reported: [3]

[Sign:] Slough, Skin
Number of times reported: [3]

[Sign:] Spasm
Number of times reported: [3]

[Sign:] Tachycardia
Number of times reported: [3]

[Sign:] Tongue, Abn
Number of times reported: [3]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [3]

[Sign:] Ulcer(s), Skin
Number of times reported: [3]

[Sign:] Ulcer(s), Tongue
Number of times reported: [3]

[Sign:] Urination
Number of times reported: [3]

[Sign:] Urine Abn
Number of times reported: [3]

[Sign:] Us-liver Abn
Number of times reported: [3]

[Sign:] Amylase Hi, Bld
Number of times reported: [2]

[Sign:] Anemia, Regen
Number of times reported: [2]

[Sign:] Arrhythmia
Number of times reported: [2]

[Sign:] Bld, Abn
Number of times reported: [2]

[Sign:] Bld(ecchymoses)
Number of times reported: [2]

[Sign:] Bld, Eye(s)
Number of times reported: [2]

[Sign:] Bld(petechiae)
Number of times reported: [2]

[Sign:] Bun Lo, Bld
Number of times reported: [2]

[Sign:] Ca Hi, Bld
Number of times reported: [2]

[Sign:] Calculi, Kidney
Number of times reported: [2]

[Sign:] Cardiomegaly
Number of times reported: [2]

[Sign:] Chloride Lo, Bld
Number of times reported: [2]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [2]

[Sign:] Coughing
Number of times reported: [2]

[Sign:] Culture/titer Data Abn
Number of times reported: [2]

[Sign:] Deafness
Number of times reported: [2]

[Sign:] Difficulty Rising
Number of times reported: [2]

[Sign:] Digestion Disorder
Number of times reported: [2]

[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Dysphagia
Number of times reported: [2]

[Sign:] Edema
Number of times reported: [2]

[Sign:] Enlargement(s), Skin
Number of times reported: [2]

[Sign:] Epiphora
Number of times reported: [2]

[Sign:] Eye Disorder
Number of times reported: [2]

[Sign:] Gastritis
Number of times reported: [2]

[Sign:] Hair, Abn
Number of times reported: [2]

[Sign:] Heart Disorder
Number of times reported: [2]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Hyphema
Number of times reported: [2]

[Sign:] Icterus
Number of times reported: [2]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Incision Site Discharge
Number of times reported: [2]

[Sign:] Infection
Number of times reported: [2]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [2]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [2]

[Sign:] Lipase Hi, Bld
Number of times reported: [2]

[Sign:] Mass
Number of times reported: [2]

[Sign:] Microorganisms, Urine
Number of times reported: [2]

[Sign:] Necrosis, Tumor
Number of times reported: [2]

[Sign:] Neoplasm
Number of times reported: [2]

[Sign:] Neoplasm, Spleen
Number of times reported: [2]

[Sign:] No Signs
Number of times reported: [2]

[Sign:] Odor, Mouth
Number of times reported: [2]

[Sign:] Otitis
Number of times reported: [2]

[Sign:] Pain, Limb(s)
Number of times reported: [2]

[Sign:] Paresthesia
Number of times reported: [2]

[Sign:] Pressure Lo, Bld
Number of times reported: [2]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]

[Sign:] Pulse Thready
Number of times reported: [2]

[Sign:] Scale(s), Skin
Number of times reported: [2]

[Sign:] Self-mutilation
Number of times reported: [2]

[Sign:] Shaking, Head/face
Number of times reported: [2]

[Sign:] Slough, Feet/digit(s)
Number of times reported: [2]

[Sign:] Somnolence
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Ulcer(s)
Number of times reported: [2]

[Sign:] Unpalatable, Won't Swa
Number of times reported: [2]

[Sign:] Vision Disorder
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Acid Urine
Number of times reported: [1]

[Sign:] Alkaline Urine
Number of times reported: [1]

[Sign:] Anemia, Heinz Body
Number of times reported: [1]

[Sign:] Anemia, Hemolytic
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]

[Sign:] Application Site, Alopecia
Number of times reported: [1]

[Sign:] Application Site Skin, Dry
Number of times reported: [1]

[Sign:] Ascites
Number of times reported: [1]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bld, Gi
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Mult Sites
Number of times reported: [1]

[Sign:] Bld, Retina
Number of times reported: [1]

[Sign:] Bld, Vagina
Number of times reported: [1]

[Sign:] Blindness, Partial
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Breathing, Difficult
Number of times reported: [1]

[Sign:] Calculi, Bladder
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Cellulitis
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Congestion, Sinus
Number of times reported: [1]

[Sign:] Creatinine Lo, Bld
Number of times reported: [1]

[Sign:] Crystals, Urine
Number of times reported: [1]

[Sign:] Cystitis
Number of times reported: [1]

[Sign:] Deafness, Temp
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Diabetes
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]

[Sign:] Diarrhea, Muroid
Number of times reported: [1]

[Sign:] Discharge, Ear(s)
Number of times reported: [1]

[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Dissociation
Number of times reported: [1]

[Sign:] Dysuria
Number of times reported: [1]

[Sign:] Ecg, Abn
Number of times reported: [1]

[Sign:] Edema, Cornea(s)
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]

[Sign:] Edema, Larynx
Number of times reported: [1]

[Sign:] Effusion
Number of times reported: [1]

[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Emphysema
Number of times reported: [1]

[Sign:] Emphysema, Sq
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Erythema Multiforme
Number of times reported: [1]

[Sign:] Flatulence
Number of times reported: [1]

[Sign:] Froth
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Gingivitis
Number of times reported: [1]

[Sign:] Granuloma
Number of times reported: [1]

[Sign:] Grinding Teeth
Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Horner's Syndrome
Number of times reported: [1]

[Sign:] Immune Disorder
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]

[Sign:] Infection, Feet/digit(
Number of times reported: [1]

[Sign:] Infection, Urinary Tra
Number of times reported: [1]

[Sign:] Inj Site Abscess
Number of times reported: [1]

[Sign:] Inj Site Neoplasm
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Seroma
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Insomnia
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Irritation, Ear(s)
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Irritation, Perineum
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] K Hi, Urine
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Monos Hi, Bld
Number of times reported: [1]

[Sign:] Monos Lo, Bld
Number of times reported: [1]

[Sign:] Moribund
Number of times reported: [1]

[Sign:] Mri Scan Abn
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Mucous Membr, Red
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Neoplasm, Kidney(s)
Number of times reported: [1]

[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]

[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [1]

[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] Obstruction, Trachea
Number of times reported: [1]

[Sign:] Opacity, Cornea(s)
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pain, Joint(s)
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Pancytopenia
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]

[Sign:] Pawing
Number of times reported: [1]

[Sign:] Pd-granules/powder, Abn
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Platelets Hi, Bld
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]

[Sign:] Pressure Hi, Bld
Number of times reported: [1]

[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]

[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-thyroid, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis, Ear(s)
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Reticulocytes Hi, Bld
Number of times reported: [1]

[Sign:] Retina Abn
Number of times reported: [1]

[Sign:] Saliva, Abn
Number of times reported: [1]

[Sign:] Sediment, Urine
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Skin Abnormal
Number of times reported: [1]

[Sign:] Slough, Ear(s)
Number of times reported: [1]

[Sign:] Sound Abn, Voice
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Strabismus
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Tech Error, Mixing
Number of times reported: [1]

- [Sign:] Tenesmus, Rectal
Number of times reported: [1]
- [Sign:] Thrashing/paddling
Number of times reported: [1]
- [Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
- [Sign:] Unknown
Number of times reported: [1]
- [Sign:] Unpalatable
Number of times reported: [1]
- [Sign:] Unpalatable, Won't Eat
Number of times reported: [1]
- [Sign:] Uveitis
Number of times reported: [1]
- [Sign:] Vomiting Roundworms
Number of times reported: [1]
- [Sign:] Vomiting, Severe
Number of times reported: [1]
- [Sign:] Weight Increase
Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Dog

- [Sign:] Vomiting
Number of times reported: [297]
- [Sign:] Ineffect, Antibiotic
Number of times reported: [233]
- [Sign:] Depression/lethargy
Number of times reported: [219]
- [Sign:] Anorexia
Number of times reported: [217]
- [Sign:] Death
Number of times reported: [108]
- [Sign:] Alk Phos Hi, Bld
Number of times reported: [91]
- [Sign:] Sgpt/alt Hi, Bld
Number of times reported: [84]
- [Sign:] Convulsion(s)
Number of times reported: [75]
- [Sign:] Anemia
Number of times reported: [70]
- [Sign:] Ataxia

Number of times reported: [70]
[Sign:] Diarrhea
Number of times reported: [69]
[Sign:] Fever, Body
Number of times reported: [65]
[Sign:] Death(euthanized)
Number of times reported: [60]
[Sign:] Wbc Hi, Bld
Number of times reported: [60]
[Sign:] Radiograph(s) Abn
Number of times reported: [49]
[Sign:] Bun Hi, Bld
Number of times reported: [47]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [46]
[Sign:] Dyspnea
Number of times reported: [43]
[Sign:] Polydipsia
Number of times reported: [42]
[Sign:] Platelets Lo, Bld
Number of times reported: [38]
[Sign:] Urticaria
Number of times reported: [35]
[Sign:] Weight Loss
Number of times reported: [35]
[Sign:] Bld, Urine
Number of times reported: [34]
[Sign:] Pruritis
Number of times reported: [33]
[Sign:] Creatinine Hi, Bld
Number of times reported: [29]
[Sign:] Dehydration
Number of times reported: [29]
[Sign:] Coughing
Number of times reported: [28]
[Sign:] Congestion, Skin
Number of times reported: [27]
[Sign:] Trembling
Number of times reported: [27]
[Sign:] Albumin Lo, Bld
Number of times reported: [26]
[Sign:] Polyuria

Number of times reported: [24]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [23]
[Sign:] Inflammation, Skin
Number of times reported: [22]
[Sign:] Lesion(s), Skin
Number of times reported: [21]
[Sign:] Pallor, Mucous Membran
Number of times reported: [21]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [21]
[Sign:] Swelling, Head/face
Number of times reported: [21]
[Sign:] Anaphylaxis/toid
Number of times reported: [20]
[Sign:] Melena
Number of times reported: [20]
[Sign:] Polypnea
Number of times reported: [20]
[Sign:] Glucose Hi, Bld
Number of times reported: [19]
[Sign:] Icterus, Body
Number of times reported: [19]
[Sign:] P Hi, Bld
Number of times reported: [19]
[Sign:] Recumbency
Number of times reported: [19]
[Sign:] Vocalization
Number of times reported: [19]
[Sign:] Confusion
Number of times reported: [18]
[Sign:] Hypersalivation
Number of times reported: [18]
[Sign:] Icterus
Number of times reported: [18]
[Sign:] Incontinence, Urinary
Number of times reported: [18]
[Sign:] Vomiting, Bloody
Number of times reported: [18]
[Sign:] Diarrhea, Bloody
Number of times reported: [17]
[Sign:] Pain, Abdomen

Number of times reported: [17]
[Sign:] Segs Hi, Bld
Number of times reported: [17]
[Sign:] Weakness
Number of times reported: [17]
[Sign:] Edema, Head/face
Number of times reported: [16]
[Sign:] Lameness
Number of times reported: [16]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [16]
[Sign:] Tachycardia
Number of times reported: [16]
[Sign:] Us Abn
Number of times reported: [16]
[Sign:] Collapse
Number of times reported: [15]
[Sign:] Protein, Urine
Number of times reported: [15]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [15]
[Sign:] Alopecia
Number of times reported: [14]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [14]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [14]
[Sign:] Wbc Lo, Bld
Number of times reported: [14]
[Sign:] Culture/titer Data Abn
Number of times reported: [13]
[Sign:] Nervousness
Number of times reported: [13]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [13]
[Sign:] Adipsia
Number of times reported: [12]
[Sign:] Bld(ecchymoses)
Number of times reported: [12]
[Sign:] Distention, Abdomen
Number of times reported: [12]
[Sign:] Hyperactivity

Number of times reported: [12]
[Sign:] Pain
Number of times reported: [12]
[Sign:] Pd-color, Abn
Number of times reported: [12]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [12]
[Sign:] Ulcer(s), Skin
Number of times reported: [12]
[Sign:] Bilirubin, Urine
Number of times reported: [11]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [11]
[Sign:] Circling
Number of times reported: [11]
[Sign:] Ggt Hi, Bld
Number of times reported: [11]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [11]
[Sign:] Skin, Necrosis
Number of times reported: [11]
[Sign:] Stupor
Number of times reported: [11]
[Sign:] Us-liver Abn
Number of times reported: [11]
[Sign:] Wbc, Urine
Number of times reported: [11]
[Sign:] Chemistry Abn
Number of times reported: [10]
[Sign:] Hyperpnea
Number of times reported: [10]
[Sign:] Infection, Urinary Tra
Number of times reported: [10]
[Sign:] Pneumonia
Number of times reported: [10]
[Sign:] Pustule(s)
Number of times reported: [10]
[Sign:] Skin, Crust(s)
Number of times reported: [10]
[Sign:] Sound Abn, Respiratory
Number of times reported: [10]
[Sign:] Amylase Hi, Bld

Number of times reported: [9]
[Sign:] Behavior Disorder
Number of times reported: [9]
[Sign:] Diarrhea, Mild
Number of times reported: [9]
[Sign:] Difficulty Rising
Number of times reported: [9]
[Sign:] Glucose, Urine
Number of times reported: [9]
[Sign:] Lymphs Lo, Bld
Number of times reported: [9]
[Sign:] Pancreatitis
Number of times reported: [9]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [9]
[Sign:] Aggression
Number of times reported: [8]
[Sign:] Coagulation Disorder
Number of times reported: [8]
[Sign:] Deafness
Number of times reported: [8]
[Sign:] Discomfort
Number of times reported: [8]
[Sign:] Head Tilt
Number of times reported: [8]
[Sign:] Hepatitis
Number of times reported: [8]
[Sign:] Infection, Skin
Number of times reported: [8]
[Sign:] K Lo, Bld
Number of times reported: [8]
[Sign:] Lipase Hi, Bld
Number of times reported: [8]
[Sign:] Liver Disorder
Number of times reported: [8]
[Sign:] Pd-tablet(s), Abn
Number of times reported: [8]
[Sign:] Sneezing
Number of times reported: [8]
[Sign:] Stool Abn
Number of times reported: [8]
[Sign:] Arrest, Heart

Number of times reported: [7]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [7]
[Sign:] Edema, Limb(s)
Number of times reported: [7]
[Sign:] Glucose Lo, Bld
Number of times reported: [7]
[Sign:] Ineffect
Number of times reported: [7]
[Sign:] Infection
Number of times reported: [7]
[Sign:] K Hi, Bld
Number of times reported: [7]
[Sign:] Kidney Failure
Number of times reported: [7]
[Sign:] Locomotion Disorder
Number of times reported: [7]
[Sign:] Necrosis
Number of times reported: [7]
[Sign:] Nystagmus
Number of times reported: [7]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [7]
[Sign:] Rash
Number of times reported: [7]
[Sign:] Reluctant To Move
Number of times reported: [7]
[Sign:] Bld
Number of times reported: [6]
[Sign:] Bld(petechiae)
Number of times reported: [6]
[Sign:] Blindness
Number of times reported: [6]
[Sign:] Ca Lo, Bld
Number of times reported: [6]
[Sign:] Conjunctivitis
Number of times reported: [6]
[Sign:] Discharge, Nose
Number of times reported: [6]
[Sign:] Eye Disorder
Number of times reported: [6]
[Sign:] Froth, Mouth/lip(s)

Number of times reported: [6]
[Sign:] Hypothermia
Number of times reported: [6]
[Sign:] Keratoconjunctivitis S
Number of times reported: [6]
[Sign:] Murmur, Heart
Number of times reported: [6]
[Sign:] Na Lo, Bld
Number of times reported: [6]
[Sign:] Neurological Disorder
Number of times reported: [6]
[Sign:] Otitis
Number of times reported: [6]
[Sign:] Pain, Joint(s)
Number of times reported: [6]
[Sign:] Pupil(s), Areflexia
Number of times reported: [6]
[Sign:] Somnolence
Number of times reported: [6]
[Sign:] Twitch
Number of times reported: [6]
[Sign:] Apnea
Number of times reported: [5]
[Sign:] Apprehension
Number of times reported: [5]
[Sign:] Bun Lo, Bld
Number of times reported: [5]
[Sign:] Constipation
Number of times reported: [5]
[Sign:] Coombs Test Pos
Number of times reported: [5]
[Sign:] Cpk Hi, Bld
Number of times reported: [5]
[Sign:] Diabetes Mellitus
Number of times reported: [5]
[Sign:] Distress, Resp
Number of times reported: [5]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [5]
[Sign:] Effusion, Peritoneal
Number of times reported: [5]
[Sign:] Epistaxis

Number of times reported: [5]
[Sign:] Eruption(s)
Number of times reported: [5]
[Sign:] Gagging
Number of times reported: [5]
[Sign:] Globulin Hi, Bld
Number of times reported: [5]
[Sign:] Hepatomegaly
Number of times reported: [5]
[Sign:] Immune Disorder
Number of times reported: [5]
[Sign:] Mydriasis
Number of times reported: [5]
[Sign:] Nausea
Number of times reported: [5]
[Sign:] Polycythemia
Number of times reported: [5]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [5]
[Sign:] Slough, Skin
Number of times reported: [5]
[Sign:] Splenomegaly
Number of times reported: [5]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [5]
[Sign:] Swelling, Limb(s)
Number of times reported: [5]
[Sign:] Unconscious
Number of times reported: [5]
[Sign:] Urination Abn
Number of times reported: [5]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [5]
[Sign:] Abn Color, Urine
Number of times reported: [4]
[Sign:] Abscess, Skin
Number of times reported: [4]
[Sign:] Ascites
Number of times reported: [4]
[Sign:] Bands Hi, Bld
Number of times reported: [4]
[Sign:] Bone, Abn

Number of times reported: [4]
[Sign:] Bradycardia
Number of times reported: [4]
[Sign:] Casts, Urine
Number of times reported: [4]
[Sign:] Crystals, Urine
Number of times reported: [4]
[Sign:] Cyanosis
Number of times reported: [4]
[Sign:] Cystitis
Number of times reported: [4]
[Sign:] Ear Disorder
Number of times reported: [4]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Effusion, Pleural
Number of times reported: [4]
[Sign:] Heart Disorder
Number of times reported: [4]
[Sign:] Incision Site Discharge
Number of times reported: [4]
[Sign:] Inj Site Swelling
Number of times reported: [4]
[Sign:] Mass
Number of times reported: [4]
[Sign:] Microorganisms, Urine
Number of times reported: [4]
[Sign:] Monos Hi, Bld
Number of times reported: [4]
[Sign:] Neoplasm
Number of times reported: [4]
[Sign:] No Signs
Number of times reported: [4]
[Sign:] Pain, Head/face
Number of times reported: [4]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [4]
[Sign:] Pallor
Number of times reported: [4]
[Sign:] Paresis
Number of times reported: [4]
[Sign:] Pd-suspension, Abn

Number of times reported: [4]
[Sign:] Polyphagia
Number of times reported: [4]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]
[Sign:] Proprioceptive Disorde
Number of times reported: [4]
[Sign:] Rbc, Aniso
Number of times reported: [4]
[Sign:] Rbc, Nucleated
Number of times reported: [4]
[Sign:] Rbc, Polychrom
Number of times reported: [4]
[Sign:] Reflex(es) Abn
Number of times reported: [4]
[Sign:] Skin Disorder
Number of times reported: [4]
[Sign:] Skin, Scab(s)
Number of times reported: [4]
[Sign:] Sore(s)
Number of times reported: [4]
[Sign:] Swelling
Number of times reported: [4]
[Sign:] Swelling, Joint(s)
Number of times reported: [4]
[Sign:] Vomiting, Unproductive
Number of times reported: [4]
[Sign:] Anemia, Hemolytic
Number of times reported: [3]
[Sign:] Anemia, Regen
Number of times reported: [3]
[Sign:] Arrhythmia
Number of times reported: [3]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [3]
[Sign:] Birth Defect(s)
Number of times reported: [3]
[Sign:] Biting/chewing
Number of times reported: [3]
[Sign:] Bld, Incision Site

Number of times reported: [3]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Blepharospasm
Number of times reported: [3]
[Sign:] Cardiomegaly
Number of times reported: [3]
[Sign:] Cellulitis
Number of times reported: [3]
[Sign:] Chloride Lo, Bld
Number of times reported: [3]
[Sign:] Cholesterol Lo, Bld
Number of times reported: [3]
[Sign:] Congestion, Lung(s)
Number of times reported: [3]
[Sign:] Creatinine Lo, Bld
Number of times reported: [3]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [3]
[Sign:] Deafness, Temp
Number of times reported: [3]
[Sign:] Death(stillborn)
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Edema, Cornea(s)
Number of times reported: [3]
[Sign:] Enlargement(s)
Number of times reported: [3]
[Sign:] Enlargement(s), Skin
Number of times reported: [3]
[Sign:] Epiphora
Number of times reported: [3]
[Sign:] Gingiva, Abn
Number of times reported: [3]
[Sign:] Globulin Lo, Bld
Number of times reported: [3]
[Sign:] Hematochezia

Number of times reported: [3]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [3]
[Sign:] Hypopnea
Number of times reported: [3]
[Sign:] Hypothermia, Body
Number of times reported: [3]
[Sign:] Ill
Number of times reported: [3]
[Sign:] Inj Site Bld
Number of times reported: [3]
[Sign:] Irritation, Skin
Number of times reported: [3]
[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [3]
[Sign:] Lymphs Hi, Bld
Number of times reported: [3]
[Sign:] Oliguria
Number of times reported: [3]
[Sign:] Pacing
Number of times reported: [3]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [3]
[Sign:] Pain, Neck
Number of times reported: [3]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [3]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [3]
[Sign:] Pressure Lo, Bld
Number of times reported: [3]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [3]
[Sign:] Respiratory Disorder
Number of times reported: [3]
[Sign:] Skin, Dry
Number of times reported: [3]
[Sign:] Spasm
Number of times reported: [3]
[Sign:] Staggering

Number of times reported: [3]
[Sign:] Staring
Number of times reported: [3]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [3]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [3]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [3]
[Sign:] Ulcer(s), Gi
Number of times reported: [3]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [3]
[Sign:] Vestibular Disorder
Number of times reported: [3]
[Sign:] Weight Increase
Number of times reported: [3]
[Sign:] Wheezing
Number of times reported: [3]
[Sign:] Albumin Hi, Bld
Number of times reported: [2]
[Sign:] Anemia, Sphero
Number of times reported: [2]
[Sign:] Anuria
Number of times reported: [2]
[Sign:] Azotemia
Number of times reported: [2]
[Sign:] Balance Disorder
Number of times reported: [2]
[Sign:] Basos Hi, Bld
Number of times reported: [2]
[Sign:] Birth Defect(s), Head/
Number of times reported: [2]
[Sign:] Birth Defect(s), Limb(
Number of times reported: [2]
[Sign:] Bld, Abn
Number of times reported: [2]
[Sign:] Bld, Feet/digit(s)
Number of times reported: [2]
[Sign:] Bld, Skin
Number of times reported: [2]
[Sign:] Blindness, Partial

Number of times reported: [2]
[Sign:] Blindness, Temp
Number of times reported: [2]
[Sign:] Cachexia
Number of times reported: [2]
[Sign:] Ca Hi, Bld
Number of times reported: [2]
[Sign:] Cns Disorder
Number of times reported: [2]
[Sign:] Congestion, Ear(s)
Number of times reported: [2]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Congestion, Sinus
Number of times reported: [2]
[Sign:] Death(newborn)
Number of times reported: [2]
[Sign:] Defecation Abn
Number of times reported: [2]
[Sign:] Dehiscence
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Diarrhea, Severe
Number of times reported: [2]
[Sign:] Discharge, Vulva
Number of times reported: [2]
[Sign:] Distress
Number of times reported: [2]
[Sign:] Dysmetria
Number of times reported: [2]
[Sign:] Edema, Feet/digit(s)
Number of times reported: [2]
[Sign:] Edema, Neck
Number of times reported: [2]
[Sign:] Edema, Ventral
Number of times reported: [2]
[Sign:] Effusion
Number of times reported: [2]
[Sign:] Effusion, Pericardial
Number of times reported: [2]
[Sign:] Eosinos Lo, Bld

Number of times reported: [2]
[Sign:] Exercise Intolerance
Number of times reported: [2]
[Sign:] Flatulence
Number of times reported: [2]
[Sign:] Gall Bladder, Abn
Number of times reported: [2]
[Sign:] Gastritis
Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Hair, Abn Color
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Incision Site Abn
Number of times reported: [2]
[Sign:] Incontinence, Fecal
Number of times reported: [2]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [2]
[Sign:] Inflamm
Number of times reported: [2]
[Sign:] Inj Site Seroma
Number of times reported: [2]
[Sign:] Insomnia
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Kidney Disorder
Number of times reported: [2]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [2]
[Sign:] Leukoderma
Number of times reported: [2]
[Sign:] Loss Of Condition
Number of times reported: [2]
[Sign:] Mass, Abdomen
Number of times reported: [2]
[Sign:] Microorganisms, Urine

Number of times reported: [2]
[Sign:] Miosis
Number of times reported: [2]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [2]
[Sign:] Na Hi, Bld
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] Nephritis
Number of times reported: [2]
[Sign:] Nose Abn
Number of times reported: [2]
[Sign:] Nystagmus, Horizontal
Number of times reported: [2]
[Sign:] Nystagmus, Rotary
Number of times reported: [2]
[Sign:] Odor, Mouth
Number of times reported: [2]
[Sign:] Opisthotonos
Number of times reported: [2]
[Sign:] Papule(s)
Number of times reported: [2]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [2]
[Sign:] Pd-product Defect
Number of times reported: [2]
[Sign:] Perforation, Gi
Number of times reported: [2]
[Sign:] Peritonitis
Number of times reported: [2]
[Sign:] Pollakiuria
Number of times reported: [2]
[Sign:] Polycythemia(relative)
Number of times reported: [2]
[Sign:] Posture Abn
Number of times reported: [2]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [2]
[Sign:] Pressure Hi, Bld

Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [2]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]
[Sign:] Rbc Abn
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Scale(s), Skin
Number of times reported: [2]
[Sign:] Segs Lo, Bld
Number of times reported: [2]
[Sign:] Septicemia
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Sleep Abn
Number of times reported: [2]
[Sign:] Slough, Tongue
Number of times reported: [2]
[Sign:] Steatitis
Number of times reported: [2]
[Sign:] Stiffness
Number of times reported: [2]
[Sign:] Stiffness, Limb(s)
Number of times reported: [2]
[Sign:] Swelling, Ear(s)
Number of times reported: [2]
[Sign:] Swelling, Feet/digit(s)

Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Swelling, Mult Sites
Number of times reported: [2]
[Sign:] Syncope
Number of times reported: [2]
[Sign:] Teeth, Abn
Number of times reported: [2]
[Sign:] Tenesmus
Number of times reported: [2]
[Sign:] Tenesmus, Rectal
Number of times reported: [2]
[Sign:] Tissue, Granulation
Number of times reported: [2]
[Sign:] Ulcer(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Tongue
Number of times reported: [2]
[Sign:] Urine Abn
Number of times reported: [2]
[Sign:] Vomiting, Severe
Number of times reported: [2]
[Sign:] Wbc Abn
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Ammonia Hi, Bld
Number of times reported: [1]
[Sign:] Arthritis
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Passing

Number of times reported: [1]
[Sign:] Bld, Penis
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Retina
Number of times reported: [1]
[Sign:] Bld, Vagina
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Calculi, Kidney
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Che Lo, Rbc
Number of times reported: [1]
[Sign:] Cholecystitis
Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Colon, Abn
Number of times reported: [1]
[Sign:] Congestion, Nose
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Distention, Cecum

Number of times reported: [1]
[Sign:] Dizziness
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dystocia
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Multiple Sites
Number of times reported: [1]
[Sign:] Edema, Tongue
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Embolus
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Enlargement(s), Neck
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Erythema Multiforme
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Granuloma
Number of times reported: [1]
[Sign:] Granuloma, Lick

Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Hyperkeratosis
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hyposmia
Number of times reported: [1]
[Sign:] Icterus, Serum
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]
[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Abscess
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Iris(bld)
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(
Number of times reported: [1]
[Sign:] Jerking
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Liver Disorder, Obstru

Number of times reported: [1]
[Sign:] Lockjaw
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Mg Hi, Bld
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Odor, Urine
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Paresthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-contamination
Number of times reported: [1]
[Sign:] Pd-underfill, Package
Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Photosensitization

Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [1]
[Sign:] Prostatomegaly
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Regurgitation
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Residue, Milk
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Rhinitis
Number of times reported: [1]
[Sign:] Rolling
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Shaking, Head/face

Number of times reported: [1]
[Sign:] Slough
Number of times reported: [1]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]
[Sign:] Sound Abn, Voice
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Stranguria
Number of times reported: [1]
[Sign:] Stricutre, Esophagus
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling, Anus
Number of times reported: [1]
[Sign:] Swelling, Brisket/ches
Number of times reported: [1]
[Sign:] Swelling, Prepuce
Number of times reported: [1]
[Sign:] Swelling, Scrotum
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Tablet(s), Undigest
Number of times reported: [1]
[Sign:] Tears, Abn
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Tox

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneou

Number of times reported: [1]

[Sign:] Ulcer(s), Pylorus

Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Uveitis

Number of times reported: [1]

[Sign:] Vaginitis

Number of times reported: [1]

[Sign:] Vasculitis

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Volvulus, Stomach

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Ferret

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Human

[Sign:] Pd-color, Abn

Number of times reported: [3]

[Sign:] Pd-odor, Abn

Number of times reported: [2]

[Sign:] Pd-suspension, Abn

Number of times reported: [2]

[Sign:] Circulatory Disorder

Number of times reported: [1]

[Sign:] Flatulence

Number of times reported: [1]

[Sign:] Human Exposure

Number of times reported: [1]

[Sign:] Human Exposure, Mouth/

Number of times reported: [1]

[Sign:] Insomnia

Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Syncope

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Monkey

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Other

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dilitation, Stomach

Number of times reported: [1]

[Sign:] Mass, Abdomen

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Rabbit

[Sign:] Anorexia

Number of times reported: [3]

[Sign:] Death

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Rat

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Unknown

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Oral, Various

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Topical, Human

[Sign:] Urticaria

Number of times reported: [4]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Human Exposure, Hand(s)

Number of times reported: [1]

[Sign:] Human Exposure, Topica

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Unknown, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Unknown, Dog

[Sign:] Deafness

Number of times reported: [1]

[Drug:] Amoxicillin, Clavulanate

Unknown, Human

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Infection

Number of times reported: [1]

[Drug:] Ampicillin

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [59]

[Sign:] Pd-suspension, Abn

Number of times reported: [42]

[Sign:] Pd-color, Abn

Number of times reported: [12]

[Sign:] Pd-vial(s), Abn

Number of times reported: [11]

[Sign:] Pd-missing, Label(s)

Number of times reported: [8]

[Sign:] Pd-seal, Abn

Number of times reported: [8]

[Sign:] Pd-cap(s), Abn

Number of times reported: [5]

[Sign:] Pd-container(s), Damag

Number of times reported: [5]

[Sign:] Pd-underfill, Package

Number of times reported: [4]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [4]

[Sign:] Pd-contamination

Number of times reported: [3]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [3]

[Sign:] Pd-label(s), Abn

Number of times reported: [2]

[Sign:] Pd-missing, Cap

Number of times reported: [2]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Drug:] Ampicillin

Inhalation, Human

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Drug:] Ampicillin

Missing, Cat

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Ampicillin

Missing, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Anuria

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Distress

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Perforation, Stomach

Number of times reported: [1]

[Sign:] Peritonitis

Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Ampicillin

Parenteral, Cat

[Sign:] Death

Number of times reported: [7]

[Sign:] Arrest, Heart

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Convulsion(s)

Number of times reported: [4]

[Sign:] Fever, Body

Number of times reported: [4]

[Sign:] Anemia

Number of times reported: [3]

[Sign:] Inj Site Mass

Number of times reported: [3]

[Sign:] Kidney Failure

Number of times reported: [3]

[Sign:] Anesth Recov Prolonged

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Bun Hi, Bld

Number of times reported: [2]

[Sign:] Ca Hi, Bld

Number of times reported: [2]

[Sign:] Creatinine Hi, Bld

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Death(tx Failure)

Number of times reported: [2]

[Sign:] Dehydration

Number of times reported: [2]

[Sign:] Head Tilt

Number of times reported: [2]

[Sign:] Inj Site Necrosis

Number of times reported: [2]
[Sign:] Inj Site Neoplasm
Number of times reported: [2]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [2]
[Sign:] Vomiting
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysphagia

Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Edema
Number of times reported: [1]
[Sign:] Inj Site Fibrosis
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nystagmus, Positional
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] P Hi, Bld

Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Tachycardia
Number of times reported: [1]
[Sign:] Tracheitis
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Ampicillin

Parenteral, Cattle

[Sign:] Residue, Milk
Number of times reported: [12]

[Sign:] Dyspnea
Number of times reported: [7]

[Sign:] Death
Number of times reported: [4]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Staggering
Number of times reported: [3]

[Sign:] Urticaria
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Cyanosis
Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Residue, Meat
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Sign:] Udder, Cyanosis
Number of times reported: [1]

[Drug:] Ampicillin

Parenteral, Dog

[Sign:] Death
Number of times reported: [9]

[Sign:] Anaphylaxis/toid
Number of times reported: [6]

[Sign:] Fever, Body
Number of times reported: [6]

[Sign:] Inj Site Pain

Number of times reported: [6]
[Sign:] Inj Site Swelling
Number of times reported: [6]
[Sign:] Vomiting
Number of times reported: [6]
[Sign:] Anorexia
Number of times reported: [5]
[Sign:] Depression/lethargy
Number of times reported: [5]
[Sign:] Wbc Hi, Bld
Number of times reported: [5]
[Sign:] Bradycardia
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Monos Hi, Bld
Number of times reported: [4]
[Sign:] Pallor, Mucous Membran
Number of times reported: [4]
[Sign:] Segs Hi, Bld
Number of times reported: [4]
[Sign:] Anemia
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Ineffect, Antibiotic
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [2]
[Sign:] Basos Hi, Bld
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Death(tx Failure)
Number of times reported: [2]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [2]
[Sign:] Hypothermia, Body

Number of times reported: [2]
[Sign:] Inj Site Abn
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Platelets Hi, Bld
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem

Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement, Salivary Gland
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hypothermia

Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Liver Disorder
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Mult Sites

Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Ampicillin

Parenteral, Horse

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Ampicillin

Parenteral, Unknown

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Ampicillin

Unknown, Cat

- [Sign:] Anaphylaxis/toid
Number of times reported: [1]
- [Sign:] Anorexia
Number of times reported: [1]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Depression/lethargy
Number of times reported: [1]
- [Sign:] Fever, Body
Number of times reported: [1]
- [Sign:] Ineffect, Antibiotic
Number of times reported: [1]
- [Sign:] Inj Site Pain
Number of times reported: [1]
- [Sign:] Vomiting
Number of times reported: [1]

[Drug:] Ampicillin

Unknown, Cattle

- [Sign:] Residue, Meat
Number of times reported: [2]
- [Sign:] Anaphylaxis/toid
Number of times reported: [1]
- [Sign:] Ineffect, Antibiotic
Number of times reported: [1]
- [Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
- [Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]
- [Sign:] Residue, Milk
Number of times reported: [1]

[Drug:] Ampicillin

Unknown, Dog

- [Sign:] Inj Site Pain
Number of times reported: [2]
- [Sign:] Pd-suspension, Abn
Number of times reported: [2]
- [Sign:] Vomiting
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Cachexia
Number of times reported: [1]

[Sign:] Co2 Lo, Bld
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Globulin Hi, Bld
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Monos Hi, Bld
Number of times reported: [1]

[Sign:] Monos Lo, Bld
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Ampicillin

Unknown, Horse

[Sign:] Death

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Amprolium

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [4]

[Sign:] Pd-color, Abn

Number of times reported: [3]

[Sign:] Pd-solution, Abn

Number of times reported: [3]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Drug:] Amprolium

Inhalation, Human

[Sign:] Headache

Number of times reported: [2]

[Sign:] Irritation, Pharynx/th

Number of times reported: [2]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amprolium

Intramammary, Dog

[Sign:] Epistaxis

Number of times reported: [1]

[Drug:] Amprolium

Oral, Alpaca

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Electrolyte Disorder

Number of times reported: [2]

[Sign:] Kidney Failure

Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld

Number of times reported: [2]

[Sign:] Wbc Lo, Bld

Number of times reported: [2]

[Drug:] Amprolium

Oral, Cat

[Sign:] Death

Number of times reported: [2]

[Drug:] Amprolium

Oral, Cattle

[Sign:] Ineffect, Coccidia

Number of times reported: [44]

[Sign:] Death

Number of times reported: [24]

[Sign:] Diarrhea, Bloody

Number of times reported: [17]

[Sign:] Diarrhea

Number of times reported: [8]

[Sign:] Recumbency

Number of times reported: [6]

[Sign:] Diarrhea, Mild

Number of times reported: [5]

[Sign:] Tail Disorder

Number of times reported: [5]

[Sign:] Collapse
Number of times reported: [4]

[Sign:] Shaking
Number of times reported: [4]

[Sign:] Bloat
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Hematochezia
Number of times reported: [3]

[Sign:] Loss Of Condition
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Infection, Feet/digit(
Number of times reported: [2]

[Sign:] Lameness
Number of times reported: [2]

[Sign:] Nervousness
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [2]

[Sign:] Stiffness, Front Limb(
Number of times reported: [2]

[Sign:] Stiffness, Hind Limb(s
Number of times reported: [2]

[Sign:] Swelling, Feet/digit(s
Number of times reported: [2]

[Sign:] Tech Error, Mixing
Number of times reported: [2]

[Sign:] Weight Loss
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Bld, Anus
Number of times reported: [1]

[Sign:] Bld, Rectum
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Death(stillborn)
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Hair, Abn
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Opisthotonos
Number of times reported: [1]

[Sign:] Poor Performance
Number of times reported: [1]

[Sign:] Posture Abn
Number of times reported: [1]

[Sign:] Pr-gi, Parasitism
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Drug:] Amprolium

Oral, Chicken

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Death
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Drug:] Amprolium

Oral, Deer

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Amprolium

Oral, Dog

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Mydriasis

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Amprolium

Oral, Goat

[Sign:] Death

Number of times reported: [3]

[Sign:] Death(stillborn)

Number of times reported: [2]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Drug:] Amprolium

Oral, Human

[Sign:] Pain, Abdomen

Number of times reported: [6]

[Sign:] Irritation, Pharynx/th

Number of times reported: [2]

[Sign:] Tongue, Abn

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Mou

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Amprolium

Oral, Rabbit

[Sign:] Death

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Birth Defect(s)

Number of times reported: [1]

[Sign:] Fertility, Reduced

Number of times reported: [1]

[Drug:] Amprolium

Oral, Sheep

[Sign:] Death

Number of times reported: [4]

[Sign:] Discharge, Nose

Number of times reported: [2]

[Sign:] Vocalization

Number of times reported: [2]

[Sign:] Defecation Abn

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Mucoïd

Number of times reported: [1]

[Drug:] Amprolium

Topical, Fish

[Sign:] Death

Number of times reported: [1]

[Drug:] Amprolium

Topical, Human

[Sign:] Pain, Brisket/chest

Number of times reported: [2]

[Sign:] Sweating

Number of times reported: [2]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Drug:] Amprolium

Unknown, Cattle

[Sign:] Diarrhea, Bloody

Number of times reported: [4]

[Sign:] Death

Number of times reported: [3]

[Sign:] Ineffect, Coccidia

Number of times reported: [2]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Drug:] Amprolium

Unknown, Horse

[Sign:] Behavior Disorder

Number of times reported: [2]

[Sign:] Weight Loss

Number of times reported: [2]

[Drug:] Amprolium

Unknown, Human

[Sign:] Headache

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Muscle(s)

Number of times reported: [1]

[Drug:] Anti-inflammatory

Oral, Dog

[Sign:] Bld

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Anti-inflammatory

Topical, Horse

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Drug:] Apramycin

Oral, Pig

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Arecoline

Oral, Dog

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Arsenamide

Parenteral, Dog

[Sign:] Death
Number of times reported: [23]

[Sign:] Vomiting
Number of times reported: [14]

[Sign:] Depression/lethargy
Number of times reported: [9]

[Sign:] Anorexia
Number of times reported: [6]

[Sign:] Icterus
Number of times reported: [6]

[Sign:] Icterus, Body
Number of times reported: [3]

[Sign:] Ineffect, Hw Adults
Number of times reported: [3]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Confusion

Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Swelling, Limb(s)
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Edema
Number of times reported: [1]
[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Liver Profile Hi

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Arsenamide

Unknown, Dog

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Icterus, Body

Number of times reported: [1]

[Drug:] Aspirin

Oral, Dog

[Sign:] Anemia

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Weakness

Number of times reported: [2]

[Sign:] Balance Disorder

Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Platelets Abn
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Drug:] Aspirin, Methylprednisolone

Oral, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bld

Number of times reported: [1]

[Sign:] Coagulation Disorder

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Drug:] Atipamezole

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [22]

[Sign:] Pd-solution, Abn

Number of times reported: [20]

[Sign:] Pd-seal, Abn

Number of times reported: [18]

[Sign:] Pd-color, Abn

Number of times reported: [9]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [4]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [3]

[Sign:] Pd-vial(s), Abn

Number of times reported: [3]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-defect Unknown

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-unknown

Number of times reported: [1]

[Drug:] Atipamezole

Missing, Cat

[Sign:] Hyperpnea

Number of times reported: [3]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Mydriasis

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Bld, Rectum

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Diarrhea, Mucoid

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Infection, Uterus
Number of times reported: [1]

[Sign:] Injury
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Atipamezole

Missing, Dog

[Sign:] Anorexia
Number of times reported: [3]

[Sign:] Death
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Diarrhea, Bloody
Number of times reported: [2]

[Sign:] Hyperpnea
Number of times reported: [2]

[Sign:] Ineffect, Reversal
Number of times reported: [2]

[Sign:] Polycythemia
Number of times reported: [2]

[Sign:] Urticaria

Number of times reported: [2]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] P Hi, Bld

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Pneumonia, Aspiration

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Atipamezole

Missing, Other

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Atipamezole

Missing, Turtle

[Sign:] Death

Number of times reported: [2]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Moribund

Number of times reported: [1]

[Drug:] Atipamezole

Not Applicable, Human

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Atipamezole

Not Applicable, Not Applicable

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Drug:] Atipamezole

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Atipamezole

Oral, Cat

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Kidney Disorder

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Atipamezole

Oral, Dog

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Albumin Hi, Urine

Number of times reported: [1]

[Sign:] Albumin Lo, Bld

Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bld, Gi

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Cystitis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Incontinence, Urinary

Number of times reported: [1]

[Sign:] Ineffect, Reversal

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Sign:] Loss Of Condition

Number of times reported: [1]

[Sign:] Microorganisms, Urine

Number of times reported: [1]

[Sign:] Monos Hi, Bld

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] P Hi, Bld

Number of times reported: [1]

[Sign:] Segs Hi, Bld

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Atipamezole

Parenteral, Cat

[Sign:] Hypersalivation

Number of times reported: [50]

[Sign:] Death

Number of times reported: [46]

[Sign:] Ineffect, Reversal

Number of times reported: [21]

[Sign:] Apnea

Number of times reported: [17]

[Sign:] Ataxia

Number of times reported: [17]

[Sign:] Polypnea

Number of times reported: [17]

[Sign:] Arrest, Heart

Number of times reported: [16]

[Sign:] Hyperpnea

Number of times reported: [16]

[Sign:] Vocalization

Number of times reported: [16]

[Sign:] Vomiting

Number of times reported: [16]

[Sign:] Anorexia

Number of times reported: [15]

[Sign:] Depression/lethargy

Number of times reported: [15]

[Sign:] Convulsion(s)

Number of times reported: [13]

[Sign:] Hypothermia
Number of times reported: [12]

[Sign:] Hyperactivity
Number of times reported: [11]

[Sign:] Dyspnea
Number of times reported: [10]

[Sign:] Fever, Body
Number of times reported: [10]

[Sign:] Trembling
Number of times reported: [10]

[Sign:] Anaphylaxis/toid
Number of times reported: [8]

[Sign:] Death(euthanized)
Number of times reported: [8]

[Sign:] Anisocoria
Number of times reported: [7]

[Sign:] Distress, Resp
Number of times reported: [7]

[Sign:] Mydriasis
Number of times reported: [7]

[Sign:] Cyanosis
Number of times reported: [6]

[Sign:] Diarrhea
Number of times reported: [6]

[Sign:] Hypothermia, Body
Number of times reported: [6]

[Sign:] Nervousness
Number of times reported: [6]

[Sign:] Recumbency
Number of times reported: [6]

[Sign:] Tachycardia
Number of times reported: [6]

[Sign:] Twitch
Number of times reported: [6]

[Sign:] Bradycardia
Number of times reported: [5]

[Sign:] Collapse
Number of times reported: [5]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [5]

[Sign:] Glucose Hi, Bld
Number of times reported: [5]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [5]

[Sign:] Swelling, Head/face
Number of times reported: [5]

[Sign:] Bun Hi, Bld
Number of times reported: [4]

[Sign:] Confusion
Number of times reported: [4]

[Sign:] Head Tilt
Number of times reported: [4]

[Sign:] Hiding
Number of times reported: [4]

[Sign:] Kidney Failure
Number of times reported: [4]

[Sign:] Pr-lung(s), Edema
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]

[Sign:] Weight Loss
Number of times reported: [4]

[Sign:] Adipsia
Number of times reported: [3]

[Sign:] Aggression
Number of times reported: [3]

[Sign:] Anesth Recov Turbulent
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [3]

[Sign:] Behavior Disorder
Number of times reported: [3]

[Sign:] Creatinine Hi, Bld
Number of times reported: [3]

[Sign:] Deafness
Number of times reported: [3]

[Sign:] Dehydration
Number of times reported: [3]

[Sign:] Edema, Limb(s)
Number of times reported: [3]

[Sign:] Neurological Disorder
Number of times reported: [3]

[Sign:] Nystagmus
Number of times reported: [3]

[Sign:] Nystagmus, Horizontal
Number of times reported: [3]

[Sign:] Radiograph(s) Abn
Number of times reported: [3]

[Sign:] Vestibular Disorder
Number of times reported: [3]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Anesth Recov Prolonged
Number of times reported: [2]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]

[Sign:] Biting/chewing
Number of times reported: [2]

[Sign:] Bld, Scrotum
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Circling
Number of times reported: [2]

[Sign:] Defecation
Number of times reported: [2]

[Sign:] Diarrhea, Mild
Number of times reported: [2]

[Sign:] Distress
Number of times reported: [2]

[Sign:] Head Bobbing
Number of times reported: [2]

[Sign:] Horner's Syndrome
Number of times reported: [2]

[Sign:] Ineffect, Antidote
Number of times reported: [2]

[Sign:] K Hi, Bld
Number of times reported: [2]

[Sign:] Murmur, Heart
Number of times reported: [2]

[Sign:] P Hi, Bld
Number of times reported: [2]

[Sign:] Respiratory Disorder
Number of times reported: [2]

[Sign:] Sedation
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Shaking, Head/face
Number of times reported: [2]

[Sign:] Skin, Necrosis
Number of times reported: [2]

[Sign:] Sound Abn, Respiratory
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Urination
Number of times reported: [2]

[Sign:] Acidosis
Number of times reported: [1]

[Sign:] Anuria
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bld, Ear(s)
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Breathing, Periodic
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Congestion, Mucous Mem
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Discharge, Vulva
Number of times reported: [1]

[Sign:] Dysphagia
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Incontinence, Fecal
Number of times reported: [1]

[Sign:] Inj Site Abn
Number of times reported: [1]

[Sign:] Inj Site Necrosis
Number of times reported: [1]

[Sign:] Irritation, Ear(s)
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Miosis
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Na Hi, Bld
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Neoplasm
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Otitis
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pain, Limb(s)
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Reluctant To Climb
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Scrotum, Abn
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Sedation Relapse
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Slough, Tongue
Number of times reported: [1]

[Sign:] Somnolence
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Atipamezole

Parenteral, Chimpanzee

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Atipamezole

Parenteral, Dog

[Sign:] Ineffect, Reversal

Number of times reported: [177]

[Sign:] Death

Number of times reported: [165]

[Sign:] Convulsion(s)

Number of times reported: [73]

[Sign:] Vomiting

Number of times reported: [69]

[Sign:] Depression/lethargy

Number of times reported: [55]

[Sign:] Arrest, Heart

Number of times reported: [46]

[Sign:] Hyperactivity

Number of times reported: [45]

[Sign:] Apnea

Number of times reported: [41]

[Sign:] Polypnea

Number of times reported: [38]

[Sign:] Trembling

Number of times reported: [36]

[Sign:] Fever, Body

Number of times reported: [35]

[Sign:] Anorexia

Number of times reported: [34]

[Sign:] Hypersalivation

Number of times reported: [34]

[Sign:] Ataxia

Number of times reported: [33]

[Sign:] Bradycardia
Number of times reported: [33]

[Sign:] Tachycardia
Number of times reported: [33]

[Sign:] Ineffect, Antidote
Number of times reported: [32]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [27]

[Sign:] Anesth Recov Prolonged
Number of times reported: [26]

[Sign:] Vocalization
Number of times reported: [26]

[Sign:] Collapse
Number of times reported: [25]

[Sign:] Nervousness
Number of times reported: [22]

[Sign:] Death(euthanized)
Number of times reported: [21]

[Sign:] Sedation Prolonged
Number of times reported: [21]

[Sign:] Dyspnea
Number of times reported: [20]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [19]

[Sign:] Diarrhea
Number of times reported: [19]

[Sign:] Sedation Relapse
Number of times reported: [18]

[Sign:] Bun Hi, Bld
Number of times reported: [16]

[Sign:] Confusion
Number of times reported: [15]

[Sign:] Hyperpnea
Number of times reported: [15]

[Sign:] Diarrhea, Bloody
Number of times reported: [14]

[Sign:] Pallor, Mucous Membran
Number of times reported: [14]

[Sign:] Creatinine Hi, Bld
Number of times reported: [13]

[Sign:] Recumbency
Number of times reported: [13]

[Sign:] Twitch
Number of times reported: [12]

[Sign:] Incontinence, Urinary
Number of times reported: [11]

[Sign:] Radiograph(s) Abn
Number of times reported: [11]

[Sign:] Anesth Recov Turbulent
Number of times reported: [10]

[Sign:] Hypothermia
Number of times reported: [10]

[Sign:] Hypothermia, Body
Number of times reported: [10]

[Sign:] Apprehension
Number of times reported: [9]

[Sign:] Deafness
Number of times reported: [9]

[Sign:] Weakness
Number of times reported: [9]

[Sign:] Arrhythmia
Number of times reported: [8]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [8]

[Sign:] Ineffect, Sedation
Number of times reported: [8]

[Sign:] P Hi, Bld
Number of times reported: [8]

[Sign:] Polydipsia
Number of times reported: [8]

[Sign:] Sedation
Number of times reported: [8]

[Sign:] Blindness
Number of times reported: [7]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [7]

[Sign:] Mydriasis
Number of times reported: [7]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [7]

[Sign:] Shock
Number of times reported: [7]

[Sign:] Wbc Hi, Bld
Number of times reported: [7]

[Sign:] Weight Loss
Number of times reported: [7]

[Sign:] Behavior Disorder
Number of times reported: [6]

[Sign:] Dehydration
Number of times reported: [6]

[Sign:] Glucose Lo, Bld
Number of times reported: [6]

[Sign:] Neurological Disorder
Number of times reported: [6]

[Sign:] Nystagmus
Number of times reported: [6]

[Sign:] Opisthotonos
Number of times reported: [6]

[Sign:] Pain, Abdomen
Number of times reported: [6]

[Sign:] Anemia
Number of times reported: [5]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [5]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [5]

[Sign:] Blindness, Temp
Number of times reported: [5]

[Sign:] Congestion, Lung(s)
Number of times reported: [5]

[Sign:] Epistaxis
Number of times reported: [5]

[Sign:] Glucose Hi, Bld
Number of times reported: [5]

[Sign:] Ineffect
Number of times reported: [5]

[Sign:] Pain
Number of times reported: [5]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [5]

[Sign:] Pr-lung(s), Edema
Number of times reported: [5]

[Sign:] Stupor
Number of times reported: [5]

[Sign:] Vomiting, Bloody
Number of times reported: [5]

[Sign:] Circling
Number of times reported: [4]

[Sign:] Cyanosis
Number of times reported: [4]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [4]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [4]

[Sign:] Hypopnea
Number of times reported: [4]

[Sign:] Icterus, Body
Number of times reported: [4]

[Sign:] Ineffect, Delayed Effe
Number of times reported: [4]

[Sign:] Interaction, Drug(s)
Number of times reported: [4]

[Sign:] Murmur, Heart
Number of times reported: [4]

[Sign:] Pacing
Number of times reported: [4]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [4]

[Sign:] Platelets Lo, Bld
Number of times reported: [4]

[Sign:] Polyuria
Number of times reported: [4]

[Sign:] Pressure Hi, Bld
Number of times reported: [4]

[Sign:] Pressure Lo, Bld
Number of times reported: [4]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [4]

[Sign:] Shaking
Number of times reported: [4]

[Sign:] Unconscious
Number of times reported: [4]

[Sign:] Urination
Number of times reported: [4]

[Sign:] Urticaria
Number of times reported: [4]

[Sign:] Aggression
Number of times reported: [3]

[Sign:] Albumin Lo, Bld
Number of times reported: [3]

[Sign:] Anaphylaxis/toid
Number of times reported: [3]

[Sign:] Azotemia
Number of times reported: [3]

[Sign:] Bld
Number of times reported: [3]

[Sign:] Bld, Urine
Number of times reported: [3]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]

[Sign:] Congestion, Mucous Mem
Number of times reported: [3]

[Sign:] Congestion, Skin
Number of times reported: [3]

[Sign:] Defecation
Number of times reported: [3]

[Sign:] Diarrhea, Mild
Number of times reported: [3]

[Sign:] Diarrhea, Watery
Number of times reported: [3]

[Sign:] Discomfort
Number of times reported: [3]

[Sign:] Distress, Resp
Number of times reported: [3]

[Sign:] Edema, Head/face
Number of times reported: [3]

[Sign:] Eye Disorder
Number of times reported: [3]

[Sign:] Ggt Hi, Bld
Number of times reported: [3]

[Sign:] Gingiva, Abn
Number of times reported: [3]

[Sign:] Glucose, Urine
Number of times reported: [3]

[Sign:] Head Bobbing
Number of times reported: [3]

[Sign:] Head Tilt
Number of times reported: [3]

[Sign:] K Lo, Bld
Number of times reported: [3]

[Sign:] Lameness
Number of times reported: [3]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [3]

[Sign:] Pallor
Number of times reported: [3]

[Sign:] Pancreatitis
Number of times reported: [3]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [3]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [3]

[Sign:] Proprioceptive Disorde
Number of times reported: [3]

[Sign:] Reflex(es) Abn
Number of times reported: [3]

[Sign:] Segs Hi, Bld
Number of times reported: [3]

[Sign:] Somnolence
Number of times reported: [3]

[Sign:] Sound Abn, Respiratory
Number of times reported: [3]

[Sign:] Swelling, Head/face
Number of times reported: [3]

[Sign:] Thrashing/paddling
Number of times reported: [3]

[Sign:] Us-liver Abn
Number of times reported: [3]

[Sign:] Abn Color, Urine
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [2]

[Sign:] Amylase Hi, Bld
Number of times reported: [2]

[Sign:] Ascites
Number of times reported: [2]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [2]

[Sign:] Bld, Abdomen
Number of times reported: [2]

[Sign:] Bld(hematoma)
Number of times reported: [2]

[Sign:] Bld, Rectum
Number of times reported: [2]

[Sign:] Bld, Scrotum
Number of times reported: [2]

[Sign:] Capillary Refill Prolo
Number of times reported: [2]

[Sign:] Coagulation Disorder
Number of times reported: [2]

[Sign:] Coughing
Number of times reported: [2]

[Sign:] Difficulty Rising
Number of times reported: [2]

[Sign:] Fibrosis
Number of times reported: [2]

[Sign:] Hallucination
Number of times reported: [2]

[Sign:] Heart Disorder
Number of times reported: [2]

[Sign:] Hyperesthesia
Number of times reported: [2]

[Sign:] Inj Site Inflam
Number of times reported: [2]

[Sign:] Iris(bld)
Number of times reported: [2]

[Sign:] Kidney Failure
Number of times reported: [2]

[Sign:] Lesion(s), Skin
Number of times reported: [2]

[Sign:] Liver Disorder
Number of times reported: [2]

[Sign:] Locomotion Disorder
Number of times reported: [2]

[Sign:] Melena
Number of times reported: [2]

[Sign:] Moribund
Number of times reported: [2]

[Sign:] Mucous Membr, Muddy
Number of times reported: [2]

[Sign:] Neoplasm, Spleen
Number of times reported: [2]

[Sign:] No Signs
Number of times reported: [2]

[Sign:] Pain, Back
Number of times reported: [2]

[Sign:] Pneumonia, Aspiration
Number of times reported: [2]

[Sign:] Polycythemia
Number of times reported: [2]

[Sign:] Polyphagia
Number of times reported: [2]

[Sign:] Posture Abn
Number of times reported: [2]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]

[Sign:] Pruritis
Number of times reported: [2]

[Sign:] Pupil(s), Areflexia
Number of times reported: [2]

[Sign:] Rash
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Splenomegaly
Number of times reported: [2]

[Sign:] Staggering
Number of times reported: [2]

[Sign:] Staring
Number of times reported: [2]

[Sign:] Stiffness
Number of times reported: [2]

[Sign:] Stiffness, Front Limb(
Number of times reported: [2]

[Sign:] Stumbling
Number of times reported: [2]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [2]

[Sign:] Urination Abn
Number of times reported: [2]

[Sign:] Us Abn
Number of times reported: [2]

[Sign:] Uveitis
Number of times reported: [2]

[Sign:] Adipose, Inflammation
Number of times reported: [1]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Albuminuria
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hemolytic
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Anuria
Number of times reported: [1]

[Sign:] Arrhythmia, Block
Number of times reported: [1]

[Sign:] Arthritis
Number of times reported: [1]

[Sign:] Balance Disorder
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld, Ear(s)
Number of times reported: [1]

[Sign:] Bld, Incision Site
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Bld, Retina
Number of times reported: [1]

[Sign:] Bld, Sclera
Number of times reported: [1]

[Sign:] Blepharospasm
Number of times reported: [1]

[Sign:] Blindness, Partial
Number of times reported: [1]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Cervical Spine Abn
Number of times reported: [1]

[Sign:] Co2 Hi, Bld
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Crystals, Urine
Number of times reported: [1]

[Sign:] Deafness, Temp
Number of times reported: [1]

[Sign:] Death(newborn)
Number of times reported: [1]

[Sign:] Destructiveness
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Diarrhea, Projectile
Number of times reported: [1]

[Sign:] Dic
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Dysmetria
Number of times reported: [1]

[Sign:] Ecg Abn
Number of times reported: [1]

[Sign:] Ecg, Abn
Number of times reported: [1]

[Sign:] Edema, Cornea(s)
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Neck
Number of times reported: [1]

[Sign:] Effusion, Joint(s)
Number of times reported: [1]

[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Fibrillation, Ventricu
Number of times reported: [1]

[Sign:] Fibrinogen Hi, Bld
Number of times reported: [1]

[Sign:] Fly Biting
Number of times reported: [1]

[Sign:] Froth, Nose
Number of times reported: [1]

[Sign:] Gagging
Number of times reported: [1]

[Sign:] Gall Bladder, Abn
Number of times reported: [1]

[Sign:] Hco3 Hi, Bld
Number of times reported: [1]

[Sign:] Head Pressing
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hemoglobin, Urine
Number of times reported: [1]

[Sign:] Hepatitis
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Horner's Syndrome
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Serum
Number of times reported: [1]

[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]

[Sign:] Incontinence, Fecal
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Sign:] Infection, Urinary Tra
Number of times reported: [1]

[Sign:] Inflamm, Skin
Number of times reported: [1]

[Sign:] Inj Site Alopecia
Number of times reported: [1]

[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Insomnia
Number of times reported: [1]

[Sign:] Joint Disorder
Number of times reported: [1]

[Sign:] Ketones, Urine
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] Leg Disorder
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Lockjaw
Number of times reported: [1]

[Sign:] Microorganisms, Urine
Number of times reported: [1]

[Sign:] Miosis
Number of times reported: [1]

[Sign:] Monos Hi, Bld
Number of times reported: [1]

[Sign:] Na Hi, Bld
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Neoplasm, Bone
Number of times reported: [1]

[Sign:] Neoplasm, Liver
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal
Number of times reported: [1]

[Sign:] Nystagmus, Vertical
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pain, Limb(s)
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Perforation, Gi
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Priapism
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]

[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]

[Sign:] Prolapse, Tongue
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Rbc, Nucleated
Number of times reported: [1]

[Sign:] Rolling
Number of times reported: [1]

[Sign:] Sedation Too Deep
Number of times reported: [1]

[Sign:] Segs Lo, Bld
Number of times reported: [1]

[Sign:] Skin Abnormal
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Swelling, Neck
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Sign:] Swelling, Scrotum
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Uremia

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Atipamezole

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Atipamezole

Parenteral, Monkey

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Ineffect, Reversal

Number of times reported: [1]

[Drug:] Atipamezole

Parenteral, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Drug:] Atipamezole

Parenteral, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Drug:] Atipamezole

Topical, Dog

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Atipamezole

Unknown, Cat

[Sign:] Hypersalivation

Number of times reported: [7]

[Sign:] Death

Number of times reported: [6]

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Apnea

Number of times reported: [4]

[Sign:] Arrest, Heart

Number of times reported: [4]

[Sign:] Vocalization

Number of times reported: [4]

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Polypnea

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Hyperactivity

Number of times reported: [2]

[Sign:] Ineffect, Reversal

Number of times reported: [2]

[Sign:] Mydriasis

Number of times reported: [2]

[Sign:] Nystagmus

Number of times reported: [2]

[Sign:] Unconscious

Number of times reported: [2]

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Anuria

Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Cellulitis
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Fibrillation
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Hair, Abn
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Inj Site Inflam
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Nephritis
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Vestibular Disorder
Number of times reported: [1]

[Drug:] Atipamezole

Unknown, Dog

[Sign:] Ineffect, Reversal
Number of times reported: [28]

[Sign:] Death
Number of times reported: [19]

[Sign:] Depression/lethargy
Number of times reported: [12]

[Sign:] Fever, Body
Number of times reported: [10]

[Sign:] Vomiting
Number of times reported: [10]

[Sign:] Anorexia
Number of times reported: [8]

[Sign:] Polypnea
Number of times reported: [8]

[Sign:] Arrest, Heart
Number of times reported: [7]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [5]

[Sign:] Diarrhea, Bloody

Number of times reported: [5]
[Sign:] Ineffect, Antidote
Number of times reported: [5]
[Sign:] Sedation Relapse
Number of times reported: [5]
[Sign:] Tachycardia
Number of times reported: [5]
[Sign:] Apnea
Number of times reported: [4]
[Sign:] Death(euthanized)
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Hyperactivity
Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Vocalization
Number of times reported: [4]
[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Hypersalivation
Number of times reported: [3]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Wbc Hi, Bld
Number of times reported: [3]
[Sign:] Adipsia
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bun Lo, Bld

Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Death(newborn)
Number of times reported: [2]
[Sign:] Head Pressing
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Opisthotonos
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Sedation Prolonged
Number of times reported: [2]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Volvulus, Stomach
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Arrhythmia

Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Dehiscence
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dry Mouth Syndrome
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Fibrillation, Ventricu
Number of times reported: [1]
[Sign:] Gall Bladder, Abn

Number of times reported: [1]
[Sign:] Ggt Hi, Bld
Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Nausea
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Back

Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Prostatomegaly
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Thrashing/paddling
Number of times reported: [1]
[Sign:] Trembling, Face
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]
[Sign:] Vomiting, Bloody
Number of times reported: [1]
[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Atipamezole

Unknown, Human

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Atipamezole

Unknown, Pig

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Atipamezole

Unknown, Various

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Drug:] Atipamezole

Various, Dog

[Sign:] Ineffect, Reversal

Number of times reported: [5]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Drug:] Atropine

Parenteral, Dog

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Drug:] Atropine

Unknown, Dog

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Atropine

Various, Dog

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Attapulgite, Bismuth, Kanamycin

Defect, Not Applicable

[Sign:] Pd-missing, Label(s)

Number of times reported: [5]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [4]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Drug:] Attapulgite, Bismuth, Kanamycin

Oral, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Attapulgate, Bismuth, Kanamycin

Oral, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Rash

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Anorexia (not Nursing)

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Hiding

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Nystagmus, Horizontal

Number of times reported: [1]

[Sign:] Opisthotonos

Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Stiffness, Front Limb(

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Tablet(s), Undigest

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Azaperone

Parenteral, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Prolapse, Penis

Number of times reported: [1]

[Drug:] Azathioprine

Oral, Dog

[Sign:] Alk Phos Hi, Bld

Number of times reported: [7]

[Sign:] Ggt Hi, Bld

Number of times reported: [6]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [5]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [5]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Encephalopathy

Number of times reported: [1]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Sign:] Melena

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pancytopenia

Number of times reported: [1]

[Sign:] Sepsis

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

[Drug:] Bacitracin

Inhalation, Human

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Irritation

Number of times reported: [1]

[Drug:] Bacitracin, Hydrocortisone, Neomycin, Polymyxin B

Defect, Not Applicable

[Sign:] Pd-underfill, Package
Number of times reported: [2]
[Sign:] Pd-defect Unknown
Number of times reported: [1]
[Sign:] Pd-tube(s), Abn
Number of times reported: [1]

[Drug:] Bacitracin, Hydrocortisone, Neomycin, Polymyxin B
Ophthalmic, Cat

[Sign:] Anaphylaxis/toid
Number of times reported: [5]
[Sign:] Death
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Application Site, Alopecia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Lipase Hi, Bld

Number of times reported: [1]

[Sign:] Melena

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Drug:] Bacitracin, Hydrocortisone, Neomycin, Polymyxin B

Ophthalmic, Dog

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [3]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [2]

[Sign:] Conjunctivitis

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

[Sign:] Opacity, Cornea(s)

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Bacitracin, Hydrocortisone, Neomycin, Polymyxin B

Ophthalmic, Not Applicable

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Bacitracin, Hydrocortisone, Neomycin, Polymyxin B

Unknown, Dog

[Sign:] S-irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Bacitracin Methylene Disalicylate

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Drug:] Bacitracin Methylene Disalicylate

Inhalation, Human

[Sign:] Congestion, Sinus

Number of times reported: [1]

[Drug:] Bacitracin Methylene Disalicylate

Oral, Chicken

[Sign:] Tox

Number of times reported: [1]

[Drug:] Bacitracin Methylene Disalicylate

Oral, Pig

[Sign:] Ineffect

Number of times reported: [6]

[Sign:] Death

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bld, Gi

Number of times reported: [1]

[Sign:] Bld(hematoma)

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Pallor

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Drug:] Bacitracin Methylene Disalicylate

Oral, Turkey

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Defect, Not Applicable

[Sign:] Pd-tube(s), Abn

Number of times reported: [2]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Ophthalmic, Cat

[Sign:] Conjunctivitis

Number of times reported: [14]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [12]

[Sign:] Vomiting

Number of times reported: [9]

[Sign:] Anaphylaxis/toid

Number of times reported: [7]

[Sign:] Death

Number of times reported: [6]
[Sign:] Hypersalivation
Number of times reported: [6]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [5]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [5]
[Sign:] Arrest, Heart
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [3]
[Sign:] Defecation
Number of times reported: [3]
[Sign:] Diarrhea
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Epiphora
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Polypnea
Number of times reported: [2]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Bld, Eye(s)
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Dilatation, Stomach
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Pallor
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest

Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [1]

[Sign:] Pulse Thready

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Squinting

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Ophthalmic, Dog

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [5]

[Sign:] Conjunctivitis

Number of times reported: [3]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Congestion

Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] S-irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Ophthalmic, Horse

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] S-irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Ophthalmic, Rabbit

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Ophthalmic, Various

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Oral, Dog

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Topical, Cat

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [3]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Topical, Dog

[Sign:] Deafness

Number of times reported: [2]

[Drug:] Bacitracin, Neomycin, Polymyxin B

Topical, Various

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Defect, Not Applicable

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-applicator, Abn

Number of times reported: [1]

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Inhalation, Human

[Sign:] Bronchitis

Number of times reported: [1]

[Sign:] Choking

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Ophthalmic, Human

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Blindness, Temp

Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Edema, Cornea(s)

Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Topical, Cat

[Sign:] Pr-tendon(s), Lesion(s)

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Topical, Horse

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Unknown, Dog

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Unknown, Human

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Human Exposure

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Drug:] Balsam Peru, Trypsin, Castor Oil

Various, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Benzalkonium Chloride

Topical, Cat

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Congestion, Tongue

Number of times reported: [1]

[Sign:] Cpk Hi, Bld

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Drug:] Benzocaine

Topical, Horse

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Application Site Inflamm

Number of times reported: [1]

[Sign:] Application Site Lesion(s)

Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Drug:] Beta-aminopropionitrile

Parenteral, Horse

[Sign:] Inj Site Pain

Number of times reported: [2]

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Lameness

Number of times reported: [2]

[Sign:] Swelling, Tendon(s)

Number of times reported: [2]

[Sign:] Edema, Limb(s)

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Sepsis

Number of times reported: [1]

[Sign:] Pr-tendon(s), Lesion(s)

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Drug:] Betamethasone

Defect, Not Applicable

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [1]

[Drug:] Betamethasone

Parenteral, Cat

- [Sign:] Ataxia
Number of times reported: [1]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Diabetes Mellitus
Number of times reported: [1]
- [Sign:] Glucose, Urine
Number of times reported: [1]
- [Sign:] Hyperpnea
Number of times reported: [1]
- [Sign:] Liver Failure
Number of times reported: [1]
- [Sign:] Polydipsia
Number of times reported: [1]
- [Sign:] Polyuria
Number of times reported: [1]

[Drug:] Betamethasone

Parenteral, Dog

- [Sign:] Depression/lethargy
Number of times reported: [3]
- [Sign:] Polyuria
Number of times reported: [2]
- [Sign:] Vomiting
Number of times reported: [2]
- [Sign:] Bld, Passing
Number of times reported: [1]
- [Sign:] Bradycardia
Number of times reported: [1]
- [Sign:] Capillary Refill Prolo
Number of times reported: [1]
- [Sign:] Collapse
Number of times reported: [1]
- [Sign:] Congestion, Skin
Number of times reported: [1]
- [Sign:] Cyanosis
Number of times reported: [1]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Diabetes Mellitus
Number of times reported: [1]
- [Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pupil(s), Areflexia

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Betamethasone

Parenteral, Horse

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Effusion, Joint(s)

Number of times reported: [1]

[Sign:] Laminitis

Number of times reported: [1]

[Sign:] Pain, Joint(s)

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Defect, Not Applicable

[Sign:] Pd-applicator, Abn

Number of times reported: [84]

[Sign:] Pd-missing, Cap

Number of times reported: [61]

[Sign:] Pd-dispenser, Abn

Number of times reported: [22]

[Sign:] Pd-tube(s), Abn

Number of times reported: [19]

[Sign:] Pd-tube(s), Leaking
Number of times reported: [14]

[Sign:] Pd-tube(s), Damaged
Number of times reported: [9]

[Sign:] Pd-vial(s), Leaking
Number of times reported: [6]

[Sign:] Pd-cap(s), Abn
Number of times reported: [3]

[Sign:] Pd-label(s), Abn
Number of times reported: [3]

[Sign:] Pd-product Defect
Number of times reported: [3]

[Sign:] Pd-underfill, Tube(s)
Number of times reported: [3]

[Sign:] Pd-defect Unknown
Number of times reported: [2]

[Sign:] Pd-gel/paste, Abn
Number of times reported: [2]

[Sign:] Pd-seal, Abn
Number of times reported: [2]

[Sign:] Pd-underfill, Package
Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [2]

[Sign:] Pd-container(s), Abn
Number of times reported: [1]

[Sign:] Pd-missing, Label(s)
Number of times reported: [1]

[Sign:] Pd-suspension, Abn
Number of times reported: [1]

[Sign:] Pd-vial(s), Abn
Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Missing, Dog

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Deafness, Temp
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Ophthalmic, Dog

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [5]

[Sign:] Blepharospasm

Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [2]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Application Site Inflammation

Number of times reported: [1]

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Keratoconjunctivitis Sicca

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Oral, Dog

[Sign:] Vomiting

Number of times reported: [9]

[Sign:] Diarrhea, Mild

Number of times reported: [5]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [4]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Deafness

Number of times reported: [1]

[Sign:] Dysuria

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Opacity, Cornea(s)

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Topical, Cat

[Sign:] Deafness

Number of times reported: [9]

[Sign:] Ataxia

Number of times reported: [8]

[Sign:] Head Tilt

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Vestibular Disorder

Number of times reported: [4]

[Sign:] Alopecia

Number of times reported: [3]

[Sign:] Deafness, Temp

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Blindness

Number of times reported: [2]

[Sign:] Circling

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Horner's Syndrome

Number of times reported: [2]

[Sign:] Miosis

Number of times reported: [2]

[Sign:] Nystagmus
Number of times reported: [2]

[Sign:] Nystagmus, Horizontal
Number of times reported: [2]

[Sign:] Pruritis, Ear(s)
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Cystitis
Number of times reported: [1]

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Ear Disorder
Number of times reported: [1]

[Sign:] Eye Disorder
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Hair, Abn
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Incontinence, Urinary
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] Mass
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pr-ear(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Sign:] Tympanic Mem, Ruptured
Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Topical, Dog

[Sign:] Deafness
Number of times reported: [407]

[Sign:] Deafness, Temp
Number of times reported: [297]

[Sign:] Deafness, Partial
Number of times reported: [107]

[Sign:] Irritation, Ear(s)
Number of times reported: [30]

[Sign:] Congestion, Ear(s)

Number of times reported: [19]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [12]
[Sign:] Head Tilt
Number of times reported: [11]
[Sign:] Application Site Erythema
Number of times reported: [10]
[Sign:] Ataxia
Number of times reported: [10]
[Sign:] Depression/lethargy
Number of times reported: [10]
[Sign:] Ineffect
Number of times reported: [10]
[Sign:] Rash
Number of times reported: [10]
[Sign:] Death(euthanized)
Number of times reported: [9]
[Sign:] Ear Disorder
Number of times reported: [8]
[Sign:] Congestion, Skin
Number of times reported: [7]
[Sign:] Swelling, Ear(s)
Number of times reported: [7]
[Sign:] Tympanic Mem, Ruptured
Number of times reported: [7]
[Sign:] Urticaria
Number of times reported: [7]
[Sign:] Vestibular Disorder
Number of times reported: [7]
[Sign:] Vomiting
Number of times reported: [7]
[Sign:] Application Site Inflammation
Number of times reported: [6]
[Sign:] Application Site Lesion(s)
Number of times reported: [6]
[Sign:] Anaphylaxis/toid
Number of times reported: [5]
[Sign:] Ineffect, Antibiotic
Number of times reported: [5]
[Sign:] Inflammation, Skin
Number of times reported: [5]
[Sign:] Papule(s)

Number of times reported: [5]
[Sign:] Swelling, Head/face
Number of times reported: [5]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [5]
[Sign:] Anorexia
Number of times reported: [4]
[Sign:] Application Site Pain
Number of times reported: [4]
[Sign:] Death
Number of times reported: [4]
[Sign:] Diarrhea
Number of times reported: [4]
[Sign:] Nystagmus
Number of times reported: [4]
[Sign:] Otitis
Number of times reported: [4]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Locomotion Disorder
Number of times reported: [3]
[Sign:] Polydipsia
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Application Site Alopecia
Number of times reported: [2]
[Sign:] Azotemia
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bradycardia
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]
[Sign:] Discharge, Ear(s)
Number of times reported: [2]
[Sign:] Edema

Number of times reported: [2]
[Sign:] Ineffect, Antiinflam
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Pruritis
Number of times reported: [2]
[Sign:] Pruritis, Ear(s)
Number of times reported: [2]
[Sign:] Pustule(s)
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Ulcer(s), Skin
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Application Site Edema
Number of times reported: [1]
[Sign:] Application Site Swelling
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Birth Defect(s), Head/
Number of times reported: [1]
[Sign:] Bld, Abdomen
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness

Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Cervical Spine Abn
Number of times reported: [1]
[Sign:] Death(stillborn)
Number of times reported: [1]
[Sign:] Dehiscence
Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Hiding
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Inflamm
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Irritation
Number of times reported: [1]
[Sign:] Kidney Failure

Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran
Number of times reported: [1]
[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paraesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reflex(es) Abn
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Sleep Abn
Number of times reported: [1]
[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Strabismus

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Topical, Guinea Pig

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Topical, Human

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Skin

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Topical, Various

[Sign:] Deafness, Temp

Number of times reported: [1]

[Sign:] Vestibular Disorder

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Unknown, Dog

[Sign:] Deafness

Number of times reported: [3]

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Unknown, Human

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Sinusitis

Number of times reported: [1]

[Drug:] Betamethasone, Clotrimazole, Gentamicin

Various, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [4]

[Sign:] Pd-underfill, Package

Number of times reported: [3]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Sign:] Pd-applicator, Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Intranasal, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Distention, Abdomen

Number of times reported: [1]

[Sign:] Hair, Abn

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Not Applicable, Not Applicable

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Ophthalmic, Cat

[Sign:] Staggering

Number of times reported: [2]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Balance Disorder

Number of times reported: [1]

[Sign:] Blindness, Partial

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Eye Disorder

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Ophthalmic, Dog

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [3]

[Sign:] Edema, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Edema, Head/face

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Oral, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Topical, Cat

[Sign:] Deafness

Number of times reported: [4]

[Sign:] Weight Loss

Number of times reported: [2]

[Sign:] Anisocoria

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Cachexia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Head Tilt

Number of times reported: [1]

[Sign:] Horner's Syndrome

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Topical, Dog

[Sign:] Deafness

Number of times reported: [12]
[Sign:] Deafness, Temp
Number of times reported: [6]
[Sign:] Bun Hi, Bld
Number of times reported: [5]
[Sign:] Creatinine Hi, Bld
Number of times reported: [4]
[Sign:] Vomiting
Number of times reported: [4]
[Sign:] Application Site Pain
Number of times reported: [3]
[Sign:] Depression/lethargy
Number of times reported: [3]
[Sign:] Kidney Failure
Number of times reported: [3]
[Sign:] Polyuria
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Death(euthanized)
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Urticaria
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Accidental Exposure
Number of times reported: [1]
[Sign:] Application Site Inflamm
Number of times reported: [1]
[Sign:] Apprehension

Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Inflamm, Skin
Number of times reported: [1]
[Sign:] Irritation, Ear(s)
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Vestibular Disorder

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Topical, Human

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Betamethasone, Gentamicin

Various, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Boldenone

Defect, Not Applicable

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Drug:] Boldenone

Parenteral, Horse

[Sign:] Aggression

Number of times reported: [3]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Boldenone

Unknown, Cattle

[Sign:] Fertility, Reduced

Number of times reported: [1]

[Drug:] Boldenone

Unknown, Horse

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Dementia

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Botanical Products

Defect, Not Applicable

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Drug:] Botanical Products

Oral, Dog

[Sign:] Distention, Abdomen

Number of times reported: [2]

[Sign:] Pain

Number of times reported: [2]

[Sign:] Recumbency

Number of times reported: [2]

[Sign:] Urination Abn

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Drug:] Botanical Products

Topical, Horse

[Sign:] Application Site Inflammation

Number of times reported: [1]

[Drug:] Botanical Products

Topical, Parrot

[Sign:] Feathers, Abnormal

Number of times reported: [1]

[Drug:] Botanical Products

Unknown, Horse

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Fibrosis

Number of times reported: [1]

[Sign:] Inj Site Infection

Number of times reported: [1]

[Drug:] Bunamidine

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Buprenorphine

Missing, Dog

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Distress, Respiratory

Number of times reported: [1]

[Sign:] Protrusion, Eye(s)

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Drug:] Buprenorphine

Parenteral, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Drug:] Buprenorphine

Parenteral, Dog

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Miosis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Weakness, Newborn

Number of times reported: [1]

[Drug:] Buspirone

Oral, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Butamisolol

Parenteral, Dog

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Staggering
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Butamisolol

Unknown, Dog

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Ineffect, Whips

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Drug:] Butorphanol

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn

Number of times reported: [89]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [36]

[Sign:] Pd-seal, Abn

Number of times reported: [33]

[Sign:] Pd-underfill, Package

Number of times reported: [27]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [26]

[Sign:] Pd-missing, Label(s)

Number of times reported: [23]

[Sign:] Pd-solution, Abn

Number of times reported: [21]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [17]

[Sign:] Pd-cap(s), Abn

Number of times reported: [13]

[Sign:] Pd-missing, Cap

Number of times reported: [13]

[Sign:] Pd-vial(s), Abn

Number of times reported: [11]

[Sign:] Pd-label(s), Abn

Number of times reported: [9]

[Sign:] Pd-contamination

Number of times reported: [7]

[Sign:] Pd-product Defect

Number of times reported: [6]

[Sign:] Pd-color, Abn

Number of times reported: [5]

[Sign:] Pd-container(s), Abn

Number of times reported: [4]

[Sign:] Pd-container(s), Damag

Number of times reported: [4]

[Sign:] Pd-potency, Lo

Number of times reported: [3]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Butorphanol

Inhalation, Various

[Sign:] Fever, Body

Number of times reported: [1]

[Drug:] Butorphanol

Missing, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Epistaxis

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Vestibular Disorder

Number of times reported: [1]

[Drug:] Butorphanol

Missing, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Butorphanol

Missing, Dog

[Sign:] Death

Number of times reported: [4]

[Sign:] Apnea

Number of times reported: [2]

[Sign:] Arrest, Heart

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Anesth Too Deep

Number of times reported: [1]

[Sign:] Bilirubin, Urine

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Unknown

Number of times reported: [1]

[Drug:] Butorphanol

Missing, Horse

[Sign:] Distress

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Sign:] Twitch
Number of times reported: [1]

[Drug:] Butorphanol

Oral, Cat

[Sign:] Death
Number of times reported: [9]

[Sign:] Anorexia
Number of times reported: [6]

[Sign:] Ataxia
Number of times reported: [6]

[Sign:] Hyperactivity
Number of times reported: [6]

[Sign:] Vomiting
Number of times reported: [6]

[Sign:] Depression/lethargy
Number of times reported: [5]

[Sign:] Mydriasis
Number of times reported: [5]

[Sign:] Confusion
Number of times reported: [3]

[Sign:] Dehydration
Number of times reported: [3]

[Sign:] Weight Loss
Number of times reported: [3]

[Sign:] Aggression
Number of times reported: [2]

[Sign:] Anisocoria
Number of times reported: [2]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Bradycardia
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Glucose Hi, Bld
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Deafness, Partial
Number of times reported: [1]
[Sign:] Defecation
Number of times reported: [1]
[Sign:] Dementia

Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Dissociation
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Ketosis
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)

Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Segs Hi, Bld
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Torticollis
Number of times reported: [1]
[Sign:] Trembling
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Urination
Number of times reported: [1]
[Sign:] Us-liver Abn
Number of times reported: [1]
[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Drug:] Butorphanol

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [15]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [15]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [14]

[Sign:] Anorexia

Number of times reported: [14]

[Sign:] Sedation

Number of times reported: [11]

[Sign:] Vomiting

Number of times reported: [11]

[Sign:] Convulsion(s)

Number of times reported: [10]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [10]

[Sign:] Death

Number of times reported: [8]

[Sign:] Death(euthanized)

Number of times reported: [7]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Hyperactivity

Number of times reported: [6]

[Sign:] Ataxia

Number of times reported: [5]

[Sign:] Bun Hi, Bld

Number of times reported: [5]

[Sign:] Aggression

Number of times reported: [4]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [4]

[Sign:] Icterus

Number of times reported: [4]

[Sign:] Nervousness

Number of times reported: [4]

[Sign:] Recumbency
Number of times reported: [4]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]

[Sign:] Wbc Hi, Bld
Number of times reported: [4]

[Sign:] Creatinine Hi, Bld
Number of times reported: [3]

[Sign:] Dyspnea
Number of times reported: [3]

[Sign:] Ineffect
Number of times reported: [3]

[Sign:] Pallor, Mucous Membran
Number of times reported: [3]

[Sign:] Polypnea
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Weight Loss
Number of times reported: [3]

[Sign:] Albumin Lo, Bld
Number of times reported: [2]

[Sign:] Anemia, Regen
Number of times reported: [2]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Culture/titer Data Abn
Number of times reported: [2]

[Sign:] Glucose Hi, Bld
Number of times reported: [2]

[Sign:] Melena
Number of times reported: [2]

[Sign:] P Hi, Bld
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Vomiting, Bloody
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Ammonia Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Ascites
Number of times reported: [1]

[Sign:] Balance Disorder
Number of times reported: [1]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bld, Sclera
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Ca Hi, Bld
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Death(stillborn)
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Eosinos Hi, Bld
Number of times reported: [1]

[Sign:] Erythema Multiforme
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hepatitis
Number of times reported: [1]

[Sign:] Hepatomegaly
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Incontinence, Urinary
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Infection, Urinary Tra
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld
Number of times reported: [1]

[Sign:] Miosis
Number of times reported: [1]

[Sign:] Monos Hi, Bld
Number of times reported: [1]

[Sign:] Monos Lo, Bld
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pain, Neck
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Pneumonia
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-whole Body, Lesion(
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Reluctant To Move
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Staring

Number of times reported: [1]

[Sign:] Ulcer(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Drug:] Butorphanol

Oral, Guinea Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Drug:] Butorphanol

Oral, Human

[Sign:] Dizziness

Number of times reported: [2]

[Sign:] Headache

Number of times reported: [2]

[Sign:] Nausea

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Pressure Hi, Bld

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Butorphanol

Oral, Other

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bloat

Number of times reported: [1]

[Sign:] Constipation

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Flatulence

Number of times reported: [1]

[Drug:] Butorphanol

Oral, Various

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Alpaca

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Cat

[Sign:] Death

Number of times reported: [66]

[Sign:] Arrest, Heart

Number of times reported: [38]

[Sign:] Apnea

Number of times reported: [36]

[Sign:] Ataxia

Number of times reported: [29]

[Sign:] Fever, Body

Number of times reported: [25]

[Sign:] Anesth Recov Prolonged

Number of times reported: [23]

[Sign:] Depression/lethargy

Number of times reported: [19]
[Sign:] Convulsion(s)
Number of times reported: [14]
[Sign:] Hyperactivity
Number of times reported: [14]
[Sign:] Blindness
Number of times reported: [13]
[Sign:] Mydriasis
Number of times reported: [13]
[Sign:] Anorexia
Number of times reported: [12]
[Sign:] Anesth Recov Turbulent
Number of times reported: [11]
[Sign:] Death(euthanized)
Number of times reported: [10]
[Sign:] Hypersalivation
Number of times reported: [10]
[Sign:] Dyspnea
Number of times reported: [9]
[Sign:] Recumbency
Number of times reported: [8]
[Sign:] Tachycardia
Number of times reported: [8]
[Sign:] Vocalization
Number of times reported: [8]
[Sign:] Vomiting
Number of times reported: [8]
[Sign:] Thrashing/paddling
Number of times reported: [7]
[Sign:] Bradycardia
Number of times reported: [6]
[Sign:] Confusion
Number of times reported: [6]
[Sign:] Nystagmus, Horizontal
Number of times reported: [6]
[Sign:] Pressure Lo, Bld
Number of times reported: [6]
[Sign:] Radiograph(s) Abn
Number of times reported: [6]
[Sign:] Cyanosis
Number of times reported: [5]
[Sign:] Sedation Prolonged

Number of times reported: [5]
[Sign:] Stupor
Number of times reported: [5]
[Sign:] Aggression
Number of times reported: [4]
[Sign:] Anemia
Number of times reported: [4]
[Sign:] Circling
Number of times reported: [4]
[Sign:] Creatinine Hi, Bld
Number of times reported: [4]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [4]
[Sign:] Head Bobbing
Number of times reported: [4]
[Sign:] Hypothermia
Number of times reported: [4]
[Sign:] Hypothermia, Body
Number of times reported: [4]
[Sign:] Nystagmus
Number of times reported: [4]
[Sign:] Pupil(s), Areflexia
Number of times reported: [4]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]
[Sign:] Vestibular Disorder
Number of times reported: [4]
[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Bun Hi, Bld
Number of times reported: [3]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Ineffect, Sedation
Number of times reported: [3]
[Sign:] Interaction, Drug(s)
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Polypnea

Number of times reported: [3]
[Sign:] Reflex(es) Abn
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Arrhythmia
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Blindness, Temp
Number of times reported: [2]
[Sign:] Effusion, Pleural
Number of times reported: [2]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Heart Failure
Number of times reported: [2]
[Sign:] Horner's Syndrome
Number of times reported: [2]
[Sign:] Hyperesthesia
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Inj Site Pain
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [2]
[Sign:] Pr-lung(s), Edema
Number of times reported: [2]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]
[Sign:] Sound Abn, Respiratory
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Unconscious
Number of times reported: [2]
[Sign:] Wbc Hi, Bld
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anesth Too Deep
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Retina
Number of times reported: [1]
[Sign:] Bld, Thorax

Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Death(tx Failure)
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Glucose Hi, Bld

Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ineffect, Analgesia
Number of times reported: [1]
[Sign:] Ineffect, Anesthesia
Number of times reported: [1]
[Sign:] Inj Site Neoplasm
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Miosis
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Nystagmus, Vertical
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Photosensitization
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Platelets Hi, Bld

Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Prolapse, Tongue
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin Abnormal
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]
[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Swelling, Feet/digit(s)

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Cattle

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Ineffect, Analgesia

Number of times reported: [1]

[Sign:] Pd-potency, Lo

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Dog

[Sign:] Death

Number of times reported: [46]

[Sign:] Vomiting

Number of times reported: [27]

[Sign:] Depression/lethargy

Number of times reported: [26]

[Sign:] Arrest, Heart

Number of times reported: [24]
[Sign:] Convulsion(s)
Number of times reported: [23]
[Sign:] Bradycardia
Number of times reported: [20]
[Sign:] Apnea
Number of times reported: [19]
[Sign:] Fever, Body
Number of times reported: [18]
[Sign:] Ataxia
Number of times reported: [16]
[Sign:] Polypnea
Number of times reported: [16]
[Sign:] Tachycardia
Number of times reported: [16]
[Sign:] Vocalization
Number of times reported: [14]
[Sign:] Anesth Recov Prolonged
Number of times reported: [13]
[Sign:] Anorexia
Number of times reported: [13]
[Sign:] Diarrhea
Number of times reported: [12]
[Sign:] Radiograph(s) Abn
Number of times reported: [12]
[Sign:] Anesth Recov Turbulent
Number of times reported: [11]
[Sign:] Death(euthanized)
Number of times reported: [11]
[Sign:] Dyspnea
Number of times reported: [11]
[Sign:] Ineffect, Sedation
Number of times reported: [11]
[Sign:] Trembling
Number of times reported: [11]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [10]
[Sign:] Hypersalivation
Number of times reported: [9]
[Sign:] Sedation
Number of times reported: [9]
[Sign:] Anaphylaxis/toid

Number of times reported: [8]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [8]
[Sign:] Pallor, Mucous Membran
Number of times reported: [8]
[Sign:] Recumbency
Number of times reported: [8]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [8]
[Sign:] Collapse
Number of times reported: [7]
[Sign:] Hyperactivity
Number of times reported: [7]
[Sign:] Shock
Number of times reported: [7]
[Sign:] Congestion, Skin
Number of times reported: [6]
[Sign:] Sedation Prolonged
Number of times reported: [6]
[Sign:] Thrashing/paddling
Number of times reported: [6]
[Sign:] Unconscious
Number of times reported: [6]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [5]
[Sign:] Bun Hi, Bld
Number of times reported: [5]
[Sign:] Confusion
Number of times reported: [5]
[Sign:] Creatinine Hi, Bld
Number of times reported: [5]
[Sign:] Glucose Hi, Bld
Number of times reported: [5]
[Sign:] Inj Site Pain
Number of times reported: [5]
[Sign:] Inj Site Swelling
Number of times reported: [5]
[Sign:] Albumin Lo, Bld
Number of times reported: [4]
[Sign:] Anemia
Number of times reported: [4]
[Sign:] Apprehension

Number of times reported: [4]
[Sign:] Cyanosis
Number of times reported: [4]
[Sign:] Edema
Number of times reported: [4]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] Ineffect, Analgesia
Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Pain
Number of times reported: [4]
[Sign:] P Hi, Bld
Number of times reported: [4]
[Sign:] Pressure Hi, Bld
Number of times reported: [4]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]
[Sign:] Twitch
Number of times reported: [4]
[Sign:] Urticaria
Number of times reported: [4]
[Sign:] Wbc Hi, Bld
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Arrhythmia
Number of times reported: [3]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [3]
[Sign:] Coughing
Number of times reported: [3]
[Sign:] Culture/titer Data Abn
Number of times reported: [3]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Gi, Abnormal
Number of times reported: [3]
[Sign:] Hypopnea

Number of times reported: [3]
[Sign:] Ineffect
Number of times reported: [3]
[Sign:] K Lo, Bld
Number of times reported: [3]
[Sign:] Melena
Number of times reported: [3]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Platelets Lo, Bld
Number of times reported: [3]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Skin, Necrosis
Number of times reported: [3]
[Sign:] Somnolence
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Arthritis
Number of times reported: [2]
[Sign:] Bld(petechiae)
Number of times reported: [2]
[Sign:] Chloride Lo, Bld
Number of times reported: [2]
[Sign:] Cns Disorder
Number of times reported: [2]
[Sign:] Defecation Abn
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Ggt Hi, Bld
Number of times reported: [2]
[Sign:] Globulin Lo, Bld
Number of times reported: [2]
[Sign:] Hematochezia

Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Icterus
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Ineffect, Anesthesia
Number of times reported: [2]
[Sign:] Inflamm, Skin
Number of times reported: [2]
[Sign:] Inj Site Edema
Number of times reported: [2]
[Sign:] Joint Disorder
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Necrosis
Number of times reported: [2]
[Sign:] Pallor
Number of times reported: [2]
[Sign:] Platelets Hi, Bld
Number of times reported: [2]
[Sign:] Pneumonia, Aspiration
Number of times reported: [2]
[Sign:] Polycythemia
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)

Number of times reported: [2]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]
[Sign:] Reflex(es) Abn
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Swelling, Head/face
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Albumin Hi, Urine
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anesth Induction Rapid
Number of times reported: [1]
[Sign:] Anus, Paralysis
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Azotemia

Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Discharge, Incision Site
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distress

Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Ecg Abn
Number of times reported: [1]
[Sign:] Edema, Brisket/chest
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Pharynx
Number of times reported: [1]
[Sign:] Effusion, Peritoneal
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Emphysema
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Froth, Nose
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Gastroenteritis

Number of times reported: [1]
[Sign:] Globulin Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Glucose, Urine
Number of times reported: [1]
[Sign:] Hallucination
Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Healing Impaired
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyposalivation
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Incision Site Infection
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Infarct
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Effusion
Number of times reported: [1]
[Sign:] Inj Site Inflamm
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] Intussusception

Number of times reported: [1]
[Sign:] Irritation, Esophagus
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Neoplasm, Liver
Number of times reported: [1]
[Sign:] Neoplasm, Spleen
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Obstruction, Intestine
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pain, Neck

Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pawing
Number of times reported: [1]
[Sign:] Pd-potency, Hi
Number of times reported: [1]
[Sign:] Perforation, Gi
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]
[Sign:] Pr-cerebellum, Lesion(
Number of times reported: [1]
[Sign:] Pr-esophagus, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-pericardial Effusio
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion

Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Rupture, Tumor
Number of times reported: [1]
[Sign:] Salivary Gland Abn
Number of times reported: [1]
[Sign:] Sedation Too Brief
Number of times reported: [1]
[Sign:] Sedation Too Deep
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Skin, Scab(s)
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stool, Muroid

Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Brisket/ches
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
[Sign:] Swelling, Tongue
Number of times reported: [1]
[Sign:] Tachycardia, Ventricul
Number of times reported: [1]
[Sign:] Tears, Abn
Number of times reported: [1]
[Sign:] Tech Error
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Urine Abn
Number of times reported: [1]
[Sign:] Us Abn
Number of times reported: [1]
[Sign:] Vasculitis
Number of times reported: [1]
[Sign:] Vision Disorder
Number of times reported: [1]
[Sign:] Wbc Lo, Bld
Number of times reported: [1]
[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Horse

[Sign:] Ataxia
Number of times reported: [8]

[Sign:] Death
Number of times reported: [8]

[Sign:] Collapse
Number of times reported: [5]

[Sign:] Twitch
Number of times reported: [5]

[Sign:] Hyperactivity
Number of times reported: [4]

[Sign:] Ineffect, Sedation
Number of times reported: [4]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Death(euthanized)
Number of times reported: [3]

[Sign:] Ineffect, Analgesia
Number of times reported: [3]

[Sign:] Recumbency
Number of times reported: [3]

[Sign:] Dyspnea
Number of times reported: [2]

[Sign:] Hyperpnea
Number of times reported: [2]

[Sign:] Ineffect, Tranquilizat
Number of times reported: [2]

[Sign:] Sedation Too Deep
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Anesth Duration Brief
Number of times reported: [1]

[Sign:] Anesth Induction Prolonged
Number of times reported: [1]

[Sign:] Anesth Recov Prolonged
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

- [Sign:] Breathing Abn
Number of times reported: [1]
- [Sign:] Circling
Number of times reported: [1]
- [Sign:] Depression/lethargy
Number of times reported: [1]
- [Sign:] Inj Site Phlebitis
Number of times reported: [1]
- [Sign:] Interaction, Drug(s)
Number of times reported: [1]
- [Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
- [Sign:] Sedation Delayed
Number of times reported: [1]
- [Sign:] Sedation Prolonged
Number of times reported: [1]
- [Sign:] Spasm
Number of times reported: [1]
- [Sign:] Sweating
Number of times reported: [1]
- [Sign:] Thrashing/paddling
Number of times reported: [1]
- [Sign:] Unconscious
Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Human

- [Sign:] Ataxia
Number of times reported: [1]
- [Sign:] Human Exposure, Inj
Number of times reported: [1]
- [Sign:] Inj Site Phlebitis
Number of times reported: [1]
- [Sign:] Stupor
Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Rabbit

- [Sign:] Death
Number of times reported: [1]
- [Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Drug:] Butorphanol

Parenteral, Various

[Sign:] Death

Number of times reported: [2]

[Sign:] Fever, Body

Number of times reported: [2]

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Bradycardia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Dementia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Drug:] Butorphanol

Unknown, Cat

[Sign:] Death

Number of times reported: [14]

[Sign:] Fever, Body
Number of times reported: [7]

[Sign:] Anorexia
Number of times reported: [4]

[Sign:] Anesth Recov Prolonged
Number of times reported: [3]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Mydriasis
Number of times reported: [3]

[Sign:] Nystagmus
Number of times reported: [3]

[Sign:] Aggression
Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Anesth Recov Turbulent
Number of times reported: [2]

[Sign:] Defecation Abn
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Glucose Hi, Bld
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anesth Induc Turbulent
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Head Bobbing
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Heart Disorder
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hyperactivity
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Incontinence
Number of times reported: [1]

[Sign:] Inj Site Alopecia
Number of times reported: [1]

[Sign:] Inj Site Inflamm
Number of times reported: [1]

[Sign:] Inj Site Necrosis
Number of times reported: [1]

[Sign:] Inj Site Slough
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]

[Sign:] Pancreatitis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]

[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Respiratory Disorder
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Urination
Number of times reported: [1]

[Sign:] Urine Abn
Number of times reported: [1]

[Sign:] Us-liver Abn
Number of times reported: [1]

[Sign:] Vestibular Disorder
Number of times reported: [1]

[Sign:] Vision Disorder
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Butorphanol

Unknown, Dog

[Sign:] Death
Number of times reported: [9]

[Sign:] Depression/lethargy
Number of times reported: [8]

[Sign:] Anorexia
Number of times reported: [7]

[Sign:] Vomiting
Number of times reported: [7]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [6]

[Sign:] Convulsion(s)

Number of times reported: [6]
[Sign:] Diarrhea
Number of times reported: [6]
[Sign:] Anemia
Number of times reported: [5]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]
[Sign:] Wbc Hi, Bld
Number of times reported: [4]
[Sign:] Bun Hi, Bld
Number of times reported: [3]
[Sign:] Dehydration
Number of times reported: [3]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Ggt Hi, Bld
Number of times reported: [3]
[Sign:] Recumbency
Number of times reported: [3]
[Sign:] Sedation Prolonged
Number of times reported: [3]
[Sign:] Weight Loss
Number of times reported: [3]
[Sign:] Anaphylaxis/toid
Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Hypothermia
Number of times reported: [2]
[Sign:] Lameness

Number of times reported: [2]
[Sign:] Melena
Number of times reported: [2]
[Sign:] Pain
Number of times reported: [2]
[Sign:] P Hi, Bld
Number of times reported: [2]
[Sign:] Pressure Lo, Bld
Number of times reported: [2]
[Sign:] Sedation
Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Tail Disorder
Number of times reported: [2]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [2]
[Sign:] Urination Abn
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anesth Recov Prolonged
Number of times reported: [1]
[Sign:] Anus, Paralysis
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld

Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Thorax
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Death(euthanized)

Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Dehiscence
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Incision Site
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Ear Disorder
Number of times reported: [1]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Glucose Hi, Bld
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hypoadrenocorticism
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Icterus

Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Inflamm
Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Inj Site Slough
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran

Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polydipsia
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Polyuria
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cerebellum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-midbrain, Lesion(s)
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Scrotum, Abn

Number of times reported: [1]

[Sign:] Sedation Too Deep

Number of times reported: [1]

[Sign:] Segs Hi, Bld

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Skin, Crust(s)

Number of times reported: [1]

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Scrotum

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Drug:] Butorphanol

Unknown, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect, Analgesia

Number of times reported: [1]

[Sign:] Ineffect, Sedation

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Reflex(es) Abn

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Butorphanol

Unknown, Rabbit

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Butorphanol

Unknown, Various

[Sign:] Anesth Recov Prolonged

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Butorphanol

Various, Cat

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anesth Recov Turbulent

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Bun Lo, Bld

Number of times reported: [1]
[Sign:] Co2 Hi, Bld
Number of times reported: [1]
[Sign:] Convulsion(s)
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Death
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Ineffect, Analgesia
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Staring
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Urination Abn
Number of times reported: [1]
[Sign:] Vocalization
Number of times reported: [1]

[Drug:] Butorphanol

Various, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Anesthesia

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Pacing

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Sedation Prolonged

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Butorphanol

Various, Horse

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Calcium

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Calcium

Oral, Other

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Calcium

Unknown, Bird

[Sign:] Death

Number of times reported: [1]

[Drug:] Calcium, Magnesium, Phosphorus, Dextrose

Parenteral, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Calcium, Magnesium, Phosphorus, Potassium

Parenteral, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Carbadox

Oral, Cattle

[Sign:] No Signs

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Sign:] Tech Error

Number of times reported: [1]

[Drug:] Carbadox

Oral, Horse

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Carbadox

Oral, Pig

[Sign:] Death
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Drug:] Carboplatin

Parenteral, Dog

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Segs Lo, Bld
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Albumin Hi, Bld
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Distress, Resp

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Glucose Hi, Bld

Number of times reported: [1]

[Sign:] Lymphs Lo, Bld

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Pt Prolonged, Bld

Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Carprofen

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn

Number of times reported: [344]

[Sign:] Pd-seal, Abn

Number of times reported: [110]

[Sign:] Pd-underfill, Package

Number of times reported: [77]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [76]

[Sign:] Pd-missing, Label(s)

Number of times reported: [29]

[Sign:] Pd-cap(s), Abn

Number of times reported: [28]

[Sign:] Pd-label(s), Abn

Number of times reported: [24]

[Sign:] Pd-odor, Abn

Number of times reported: [24]
[Sign:] Pd-product Defect
Number of times reported: [22]
[Sign:] Pd-color, Abn
Number of times reported: [17]
[Sign:] Unpalatable, Won't Eat
Number of times reported: [16]
[Sign:] No Signs
Number of times reported: [15]
[Sign:] Summary Review
Number of times reported: [14]
[Sign:] Pd-container(s), Damag
Number of times reported: [12]
[Sign:] Pd-container(s), Abn
Number of times reported: [11]
[Sign:] Pd-missing, Cap
Number of times reported: [11]
[Sign:] Pd-vial(s), Leaking
Number of times reported: [11]
[Sign:] Pd-unknown
Number of times reported: [10]
[Sign:] Pd-solution, Abn
Number of times reported: [8]
[Sign:] Pd-vial(s), Abn
Number of times reported: [7]
[Sign:] Unpalatable
Number of times reported: [6]
[Sign:] Pd-vial(s), Damaged
Number of times reported: [5]
[Sign:] Pd-contamination
Number of times reported: [4]
[Sign:] Pd-contam, Insects
Number of times reported: [3]
[Sign:] Pd-contam, Mold
Number of times reported: [2]
[Sign:] Odor
Number of times reported: [1]
[Sign:] Pd-potency, Lo
Number of times reported: [1]
[Sign:] Pd-tube(s), Abn
Number of times reported: [1]
[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Carprofen

Missing, Cat

[Sign:] Kidney Failure

Number of times reported: [1]

[Drug:] Carprofen

Missing, Dog

[Sign:] Anorexia

Number of times reported: [10]

[Sign:] Death

Number of times reported: [10]

[Sign:] Vomiting

Number of times reported: [10]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Recumbency

Number of times reported: [6]

[Sign:] Death(euthanized)

Number of times reported: [5]

[Sign:] Difficulty Rising

Number of times reported: [5]

[Sign:] Diarrhea, Bloody

Number of times reported: [4]

[Sign:] Polydipsia

Number of times reported: [4]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [3]

[Sign:] Bun Hi, Bld

Number of times reported: [3]

[Sign:] Convulsion(s)

Number of times reported: [3]

[Sign:] Creatinine Hi, Bld

Number of times reported: [3]

[Sign:] Melena

Number of times reported: [3]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [3]

[Sign:] Anemia

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Diarrhea
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Polypnea
Number of times reported: [2]
[Sign:] Polyuria
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]
[Sign:] Radiograph(s) Abn
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Incision Site
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Urine

Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Fly Biting
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Inflam, Skin

Number of times reported: [1]
[Sign:] Joint Disorder
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Monos Hi, Bld
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pancreas Disorder
Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Polycythemia
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Splenomegaly
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Twitch
Number of times reported: [1]
[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Carprofen

Not Applicable, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Carprofen

Ophthalmic, Dog

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Carprofen

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [47]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [21]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [17]

[Sign:] Vision Disorder

Number of times reported: [4]

[Sign:] Congestion

Number of times reported: [2]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Abrasion, Cornea(s)

Number of times reported: [1]

[Sign:] Bld, Eye(s)

Number of times reported: [1]

[Sign:] Conjunctivitis

Number of times reported: [1]

- [Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
- [Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
- [Sign:] Epiphora
Number of times reported: [1]
- [Sign:] Infection, Eye(s)
Number of times reported: [1]
- [Sign:] Photosensitization
Number of times reported: [1]
- [Sign:] Pruritis, Eye(s)
Number of times reported: [1]
- [Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Carprofen

Oral, Bird

- [Sign:] Anorexia
Number of times reported: [1]
- [Sign:] Ataxia
Number of times reported: [1]
- [Sign:] Balance Disorder
Number of times reported: [1]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Eye Disorder
Number of times reported: [1]
- [Sign:] Feathers, Abnormal
Number of times reported: [1]
- [Sign:] Lameness
Number of times reported: [1]
- [Sign:] Recumbency
Number of times reported: [1]
- [Sign:] Somnolence
Number of times reported: [1]
- [Sign:] Stumbling
Number of times reported: [1]
- [Sign:] Vocalization
Number of times reported: [1]

[Drug:] Carprofen

Oral, Cat

[Sign:] Vomiting
Number of times reported: [298]

[Sign:] Depression/lethargy
Number of times reported: [187]

[Sign:] Anorexia
Number of times reported: [168]

[Sign:] Bun Hi, Bld
Number of times reported: [149]

[Sign:] Creatinine Hi, Bld
Number of times reported: [138]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [64]

[Sign:] Death
Number of times reported: [56]

[Sign:] Dehydration
Number of times reported: [45]

[Sign:] P Hi, Bld
Number of times reported: [43]

[Sign:] Anemia
Number of times reported: [36]

[Sign:] Kidney Failure
Number of times reported: [35]

[Sign:] Diarrhea
Number of times reported: [33]

[Sign:] Vomiting, Bloody
Number of times reported: [31]

[Sign:] Fever, Body
Number of times reported: [21]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [20]

[Sign:] Death(euthanized)
Number of times reported: [19]

[Sign:] Azotemia
Number of times reported: [18]

[Sign:] Weight Loss
Number of times reported: [18]

[Sign:] Ataxia
Number of times reported: [15]

[Sign:] Glucose Hi, Bld
Number of times reported: [15]

[Sign:] Wbc Hi, Bld
Number of times reported: [15]

[Sign:] Weakness
Number of times reported: [15]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [14]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [14]

[Sign:] Polydipsia
Number of times reported: [14]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [14]

[Sign:] Accidental Exposure
Number of times reported: [13]

[Sign:] Icterus, Body
Number of times reported: [13]

[Sign:] Bld, Urine
Number of times reported: [12]

[Sign:] K Hi, Bld
Number of times reported: [12]

[Sign:] Convulsion(s)
Number of times reported: [11]

[Sign:] Hypersalivation
Number of times reported: [11]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [11]

[Sign:] Albumin Lo, Bld
Number of times reported: [10]

[Sign:] Trembling
Number of times reported: [10]

[Sign:] Dyspnea
Number of times reported: [9]

[Sign:] Hypothermia, Body
Number of times reported: [9]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [9]

[Sign:] Adipsia
Number of times reported: [8]

[Sign:] Behavior Disorder
Number of times reported: [8]

[Sign:] Hypothermia
Number of times reported: [8]

[Sign:] Pain, Abdomen
Number of times reported: [8]

[Sign:] Pallor, Mucous Membran
Number of times reported: [8]

[Sign:] Protein, Urine
Number of times reported: [8]

[Sign:] Recumbency
Number of times reported: [8]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [8]

[Sign:] Vocalization
Number of times reported: [8]

[Sign:] Diarrhea, Bloody
Number of times reported: [7]

[Sign:] Globulin Hi, Bld
Number of times reported: [7]

[Sign:] Kidney Disorder
Number of times reported: [7]

[Sign:] Melena
Number of times reported: [7]

[Sign:] Platelets Lo, Bld
Number of times reported: [7]

[Sign:] Hiding
Number of times reported: [6]

[Sign:] Hyperpnea
Number of times reported: [6]

[Sign:] Icterus
Number of times reported: [6]

[Sign:] Polyuria
Number of times reported: [6]

[Sign:] Ca Lo, Bld
Number of times reported: [5]

[Sign:] Coagulation Disorder
Number of times reported: [5]

[Sign:] Constipation
Number of times reported: [5]

[Sign:] Diarrhea, Mild
Number of times reported: [5]

[Sign:] Interaction, Drug(s)
Number of times reported: [5]

[Sign:] Na Lo, Bld
Number of times reported: [5]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [5]

[Sign:] Tachycardia
Number of times reported: [5]

[Sign:] Wbc Lo, Bld
Number of times reported: [5]

[Sign:] Albumin Hi, Bld
Number of times reported: [4]

[Sign:] Anuria
Number of times reported: [4]

[Sign:] Ca Hi, Bld
Number of times reported: [4]

[Sign:] Casts, Urine
Number of times reported: [4]

[Sign:] Chloride Lo, Bld
Number of times reported: [4]

[Sign:] Confusion
Number of times reported: [4]

[Sign:] Cpk Hi, Bld
Number of times reported: [4]

[Sign:] Gagging
Number of times reported: [4]

[Sign:] Mydriasis
Number of times reported: [4]

[Sign:] Polypnea
Number of times reported: [4]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [4]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [4]

[Sign:] Radiograph(s) Abn
Number of times reported: [4]

[Sign:] Twitch
Number of times reported: [4]

[Sign:] Ulcer(s), Gi
Number of times reported: [4]

[Sign:] Vomiting, Severe
Number of times reported: [4]

[Sign:] Amylase Hi, Bld
Number of times reported: [3]

[Sign:] Anemia, Regen
Number of times reported: [3]

[Sign:] Bun Lo, Bld
Number of times reported: [3]

[Sign:] Chemistry Abn
Number of times reported: [3]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [3]

[Sign:] Glucose, Urine
Number of times reported: [3]

[Sign:] Hepatomegaly
Number of times reported: [3]

[Sign:] Ill
Number of times reported: [3]

[Sign:] Monos Hi, Bld
Number of times reported: [3]

[Sign:] Odor, Mouth
Number of times reported: [3]

[Sign:] Pallor
Number of times reported: [3]

[Sign:] Perforation, Gi
Number of times reported: [3]

[Sign:] Segs Hi, Bld
Number of times reported: [3]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [3]

[Sign:] Abscess, Skin
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [2]

[Sign:] Alkaline Urine
Number of times reported: [2]

[Sign:] Anisocoria
Number of times reported: [2]

[Sign:] Apnea
Number of times reported: [2]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Arrhythmia
Number of times reported: [2]

[Sign:] Bld(ecchymoses)
Number of times reported: [2]

[Sign:] Bld, Gi
Number of times reported: [2]

[Sign:] Bld(hematoma)
Number of times reported: [2]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Bld, Rectum
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Congestion
Number of times reported: [2]

[Sign:] Congestion, Skin
Number of times reported: [2]

[Sign:] Diabetes Mellitus
Number of times reported: [2]

[Sign:] Edema, Head/face
Number of times reported: [2]

[Sign:] Gi, Abnormal
Number of times reported: [2]

[Sign:] Glucose Lo, Bld
Number of times reported: [2]

[Sign:] Hematochezia
Number of times reported: [2]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] Icterus, Serum
Number of times reported: [2]

[Sign:] K Lo, Bld
Number of times reported: [2]

[Sign:] Liver Failure
Number of times reported: [2]

[Sign:] Lymphs Hi, Bld
Number of times reported: [2]

[Sign:] Lymphs Lo, Bld
Number of times reported: [2]

[Sign:] Mass, Abdomen
Number of times reported: [2]

[Sign:] Moribund
Number of times reported: [2]

[Sign:] Murmur, Heart
Number of times reported: [2]

[Sign:] Neurological Disorder
Number of times reported: [2]

[Sign:] Pain
Number of times reported: [2]

[Sign:] Polycythemia
Number of times reported: [2]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Us Abn
Number of times reported: [2]

[Sign:] Wbc, Urine
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Anemia, Bld Loss
Number of times reported: [1]

[Sign:] Anemia, Heinz Body
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Bands Hi, Bld
Number of times reported: [1]

[Sign:] Bladder, Paralysis
Number of times reported: [1]

[Sign:] Bld
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bld, Anus
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Bradycardia
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]

[Sign:] Co2 Lo, Bld
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Congestion, Nose
Number of times reported: [1]

[Sign:] Cort/creat Hi, Urine
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Edema, Tongue
Number of times reported: [1]

[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Fibrinogen Lo, Bld
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Gingivitis
Number of times reported: [1]

[Sign:] Globulin Lo, Bld
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Heart Failure
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Incision Site Infection
Number of times reported: [1]

[Sign:] Incontinence
Number of times reported: [1]

[Sign:] Incontinence, Urinary
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]

[Sign:] Infection, Eye(s)
Number of times reported: [1]

[Sign:] Infection, Urinary Tra
Number of times reported: [1]

[Sign:] K Hi, Blood
Number of times reported: [1]

[Sign:] Lipase Hi, Bld
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Liver Profile Hi
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Mass
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Necrosis
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Oliguria
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Perforation, Stomach
Number of times reported: [1]

[Sign:] P Hi, Urine
Number of times reported: [1]

[Sign:] P Lo,bld
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Posture Abn
Number of times reported: [1]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Prostration
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]

[Sign:] Retina Abn
Number of times reported: [1]

[Sign:] Rupture
Number of times reported: [1]

[Sign:] Sedation
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Skin, Scab(s)
Number of times reported: [1]

[Sign:] Slough, Tongue
Number of times reported: [1]

[Sign:] Sore(s)
Number of times reported: [1]

[Sign:] Sound Abn, Respiratory
Number of times reported: [1]

[Sign:] Spasm
Number of times reported: [1]

[Sign:] Stomatitis
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Stool, Mucoid
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Stumbling
Number of times reported: [1]

[Sign:] Summary Review
Number of times reported: [1]

[Sign:] Swelling, Tongue
Number of times reported: [1]

[Sign:] Tenesmus, Rectal
Number of times reported: [1]

[Sign:] Tenesmus, Urinary
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]

[Sign:] Ulcer(s), Pylorus
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Ulcer(s), Tongue
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Unknown
Number of times reported: [1]

[Sign:] Urine Abn

Number of times reported: [1]

[Sign:] Urobilinogen Hi, Urine

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Drug:] Carprofen

Oral, Chicken

[Sign:] Egg Abn

Number of times reported: [1]

[Drug:] Carprofen

Oral, Dog

[Sign:] Vomiting

Number of times reported: [7,155]

[Sign:] Anorexia

Number of times reported: [6,486]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [5,591]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [5,313]

[Sign:] Depression/lethargy

Number of times reported: [4,933]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [2,811]

[Sign:] Diarrhea

Number of times reported: [2,392]

[Sign:] Death

Number of times reported: [2,341]

[Sign:] Bun Hi, Bld

Number of times reported: [2,237]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1,943]

[Sign:] Death(euthanized)

Number of times reported: [1,830]

[Sign:] Anemia

Number of times reported: [1,639]

[Sign:] Icterus, Body

Number of times reported: [1,512]

[Sign:] Wbc Hi, Bld
Number of times reported: [1,461]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1,422]

[Sign:] Polydipsia
Number of times reported: [1,386]

[Sign:] Ataxia
Number of times reported: [1,334]

[Sign:] Convulsion(s)
Number of times reported: [1,304]

[Sign:] Weight Loss
Number of times reported: [1,272]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1,241]

[Sign:] Platelets Lo, Bld
Number of times reported: [1,083]

[Sign:] Melena
Number of times reported: [1,055]

[Sign:] Polyuria
Number of times reported: [953]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [826]

[Sign:] Albumin Lo, Bld
Number of times reported: [807]

[Sign:] Interaction, Drug(s)
Number of times reported: [777]

[Sign:] Diarrhea, Bloody
Number of times reported: [774]

[Sign:] Weakness
Number of times reported: [754]

[Sign:] Bld, Urine
Number of times reported: [747]

[Sign:] Fever, Body
Number of times reported: [714]

[Sign:] Polypnea
Number of times reported: [686]

[Sign:] P Hi, Bld
Number of times reported: [679]

[Sign:] Vomiting, Bloody
Number of times reported: [631]

[Sign:] Ggt Hi, Bld
Number of times reported: [559]

[Sign:] Radiograph(s) Abn
Number of times reported: [529]

[Sign:] Dehydration
Number of times reported: [489]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [486]

[Sign:] Confusion
Number of times reported: [460]

[Sign:] Amylase Hi, Bld
Number of times reported: [458]

[Sign:] Us-liver Abn
Number of times reported: [450]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [448]

[Sign:] Incontinence, Urinary
Number of times reported: [433]

[Sign:] Protein, Urine
Number of times reported: [419]

[Sign:] Dyspnea
Number of times reported: [416]

[Sign:] Pain, Abdomen
Number of times reported: [413]

[Sign:] Recumbency
Number of times reported: [413]

[Sign:] Collapse
Number of times reported: [404]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [392]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [390]

[Sign:] Nervousness
Number of times reported: [356]

[Sign:] Icterus
Number of times reported: [351]

[Sign:] Kidney Failure
Number of times reported: [348]

[Sign:] Pallor, Mucous Membran
Number of times reported: [335]

[Sign:] Bilirubin, Urine
Number of times reported: [328]

[Sign:] Hematochezia
Number of times reported: [324]

[Sign:] Epistaxis
Number of times reported: [322]

[Sign:] Ineffect, Analgesia
Number of times reported: [322]

[Sign:] Segs Hi, Bld
Number of times reported: [321]

[Sign:] Us Abn
Number of times reported: [318]

[Sign:] Liver Disorder
Number of times reported: [315]

[Sign:] Pruritis
Number of times reported: [315]

[Sign:] Trembling
Number of times reported: [309]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [280]

[Sign:] Vocalization
Number of times reported: [278]

[Sign:] Ineffect, Antiinflam
Number of times reported: [276]

[Sign:] Hepatomegaly
Number of times reported: [274]

[Sign:] Aggression
Number of times reported: [267]

[Sign:] Hypersalivation
Number of times reported: [263]

[Sign:] Lipase Hi, Bld
Number of times reported: [262]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [250]

[Sign:] Adipsia
Number of times reported: [249]

[Sign:] Hyperactivity
Number of times reported: [243]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [239]

[Sign:] Alopecia
Number of times reported: [237]

[Sign:] Coagulation Disorder
Number of times reported: [229]

[Sign:] Glucose Hi, Bld
Number of times reported: [224]

[Sign:] Wbc Lo, Bld
Number of times reported: [223]

[Sign:] Ascites
Number of times reported: [206]

[Sign:] Glucose, Urine
Number of times reported: [206]

[Sign:] Behavior Disorder
Number of times reported: [199]

[Sign:] Glucose Lo, Bld
Number of times reported: [198]

[Sign:] Bld(petechiae)
Number of times reported: [196]

[Sign:] Head Tilt
Number of times reported: [195]

[Sign:] Distention, Abdomen
Number of times reported: [193]

[Sign:] Ulcer(s), Gi
Number of times reported: [193]

[Sign:] Abn Color, Urine
Number of times reported: [187]

[Sign:] Bld(ecchymoses)
Number of times reported: [186]

[Sign:] Ca Hi, Bld
Number of times reported: [185]

[Sign:] Inflamm, Skin
Number of times reported: [184]

[Sign:] Pancreatitis
Number of times reported: [180]

[Sign:] Diarrhea, Mild
Number of times reported: [173]

[Sign:] Difficulty Rising
Number of times reported: [171]

[Sign:] Tachycardia
Number of times reported: [167]

[Sign:] Vestibular Disorder
Number of times reported: [164]

[Sign:] Dermatitis, Moist
Number of times reported: [162]

[Sign:] K Hi, Bld
Number of times reported: [162]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [159]

[Sign:] Polycythemia
Number of times reported: [156]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [154]

[Sign:] Pain
Number of times reported: [152]

[Sign:] Globulin Hi, Bld
Number of times reported: [151]

[Sign:] Monos Hi, Bld
Number of times reported: [147]

[Sign:] Nystagmus
Number of times reported: [147]

[Sign:] Pacing
Number of times reported: [144]

[Sign:] Splenomegaly
Number of times reported: [143]

[Sign:] Staggering
Number of times reported: [141]

[Sign:] Liver Failure
Number of times reported: [140]

[Sign:] Lameness
Number of times reported: [139]

[Sign:] Hyperpnea
Number of times reported: [138]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [138]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [138]

[Sign:] Casts, Urine
Number of times reported: [135]

[Sign:] Kidney Disorder
Number of times reported: [135]

[Sign:] Wbc, Urine
Number of times reported: [135]

[Sign:] Swelling, Head/face
Number of times reported: [134]

[Sign:] Azotemia
Number of times reported: [132]

[Sign:] Circling
Number of times reported: [132]

[Sign:] Cpk Hi, Bld
Number of times reported: [132]

[Sign:] Infection, Urinary Tra
Number of times reported: [131]

[Sign:] Bun Lo, Bld
Number of times reported: [130]

[Sign:] Coughing
Number of times reported: [130]

[Sign:] Apprehension
Number of times reported: [129]

[Sign:] Peritonitis
Number of times reported: [129]

[Sign:] Proprioceptive Disorde
Number of times reported: [129]

[Sign:] Congestion, Skin
Number of times reported: [127]

[Sign:] Pt Prolonged, Bld
Number of times reported: [127]

[Sign:] Blindness
Number of times reported: [126]

[Sign:] K Lo, Bld
Number of times reported: [125]

[Sign:] Bld
Number of times reported: [123]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [123]

[Sign:] Urticaria
Number of times reported: [119]

[Sign:] Paresis
Number of times reported: [118]

[Sign:] Lesion(s), Skin
Number of times reported: [115]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [112]

[Sign:] Bands Hi, Bld
Number of times reported: [111]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [110]

[Sign:] Edema, Limb(s)
Number of times reported: [108]

[Sign:] Ulcer(s), Stomach
Number of times reported: [108]

[Sign:] Bld, Abdomen
Number of times reported: [103]

[Sign:] Hepatitis
Number of times reported: [101]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [100]

[Sign:] Infection, Skin
Number of times reported: [98]

[Sign:] Lymphs Lo, Bld
Number of times reported: [98]

[Sign:] Pallor
Number of times reported: [98]

[Sign:] Stumbling
Number of times reported: [98]

[Sign:] Perforation, Gi
Number of times reported: [97]

[Sign:] Neurological Disorder
Number of times reported: [95]

[Sign:] Incontinence, Fecal
Number of times reported: [94]

[Sign:] Shaking
Number of times reported: [93]

[Sign:] Arrest, Heart
Number of times reported: [92]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [92]

[Sign:] Urination Abn
Number of times reported: [92]

[Sign:] Constipation
Number of times reported: [91]

[Sign:] Na Lo, Bld
Number of times reported: [91]

[Sign:] Stupor
Number of times reported: [91]

[Sign:] Anuria
Number of times reported: [90]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [90]

[Sign:] Anemia, Regen
Number of times reported: [88]

[Sign:] Ca Lo, Bld
Number of times reported: [88]

[Sign:] Icterus, Serum
Number of times reported: [88]

[Sign:] Somnolence
Number of times reported: [87]

[Sign:] Edema, Head/face
Number of times reported: [86]

[Sign:] Perforation, Stomach
Number of times reported: [85]

[Sign:] Murmur, Heart
Number of times reported: [80]

[Sign:] Stool Abn
Number of times reported: [80]

[Sign:] Hair, Shedding
Number of times reported: [79]

[Sign:] Ill
Number of times reported: [79]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [78]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [78]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [77]

[Sign:] Locomotion Disorder
Number of times reported: [76]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [76]

[Sign:] Bld, Rectum
Number of times reported: [75]

[Sign:] Reluctant To Move
Number of times reported: [74]

[Sign:] Effusion, Peritoneal
Number of times reported: [73]

[Sign:] Shock
Number of times reported: [72]

[Sign:] Twitch
Number of times reported: [72]

[Sign:] Polyphagia
Number of times reported: [71]

[Sign:] Chemistry Abn
Number of times reported: [70]

[Sign:] Chloride Lo, Bld
Number of times reported: [68]

[Sign:] Diabetes Mellitus
Number of times reported: [68]

[Sign:] Eosinos Hi, Bld
Number of times reported: [68]

[Sign:] Globulin Lo, Bld
Number of times reported: [68]

[Sign:] Albumin Hi, Bld
Number of times reported: [67]

[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [66]

[Sign:] Anaphylaxis/toid
Number of times reported: [65]

[Sign:] Segs Lo, Bld
Number of times reported: [65]

[Sign:] Unconscious
Number of times reported: [65]

[Sign:] Crystals, Urine
Number of times reported: [64]

[Sign:] Skin Disorder
Number of times reported: [64]

[Sign:] Coombs Test Pos
Number of times reported: [63]

[Sign:] Gastroenteritis
Number of times reported: [62]

[Sign:] Hypothermia
Number of times reported: [62]

[Sign:] Cystitis
Number of times reported: [61]

[Sign:] Dic
Number of times reported: [60]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [60]

[Sign:] Ulcer(s), Skin
Number of times reported: [60]

[Sign:] Bld(hematoma)
Number of times reported: [59]

[Sign:] Gi, Abnormal
Number of times reported: [59]

[Sign:] Nausea
Number of times reported: [59]

[Sign:] Paralysis
Number of times reported: [59]

[Sign:] Apnea
Number of times reported: [58]

[Sign:] Diarrhea, Severe
Number of times reported: [58]

[Sign:] Reticulocytes Hi, Bld
Number of times reported: [58]

[Sign:] Urine Abn
Number of times reported: [58]

[Sign:] Microorganisms, Urine
Number of times reported: [57]

[Sign:] Neoplasm
Number of times reported: [57]

[Sign:] Deafness
Number of times reported: [56]

[Sign:] Discharge, Nose
Number of times reported: [56]

[Sign:] Hypothermia, Body
Number of times reported: [56]

[Sign:] Swelling, Limb(s)
Number of times reported: [56]

[Sign:] Mydriasis
Number of times reported: [55]

[Sign:] Rbc, Nucleated
Number of times reported: [53]

[Sign:] Skin, Crust(s)
Number of times reported: [53]

[Sign:] Skin, Necrosis
Number of times reported: [53]

[Sign:] Edema
Number of times reported: [52]

[Sign:] Na Hi, Bld
Number of times reported: [52]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [52]

[Sign:] Mass, Abdomen
Number of times reported: [51]

[Sign:] Diarrhea, Mucoid
Number of times reported: [50]

[Sign:] Flatulence
Number of times reported: [50]

[Sign:] Otitis
Number of times reported: [50]

[Sign:] Sedation
Number of times reported: [50]

[Sign:] Arrhythmia
Number of times reported: [48]

[Sign:] Culture/titer Data Abn
Number of times reported: [48]

[Sign:] Lymphs Hi, Bld
Number of times reported: [48]

[Sign:] Polycythemia(relative)
Number of times reported: [48]

[Sign:] Discomfort
Number of times reported: [47]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [47]

[Sign:] Gagging
Number of times reported: [46]

[Sign:] Necrosis
Number of times reported: [46]

[Sign:] Reflex(es) Abn
Number of times reported: [46]

[Sign:] Vomiting, Severe
Number of times reported: [46]

[Sign:] Accidental Exposure
Number of times reported: [45]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [45]

[Sign:] Gastritis
Number of times reported: [45]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [45]

[Sign:] Eye Disorder
Number of times reported: [44]

[Sign:] Rash
Number of times reported: [44]

[Sign:] Bld, Gi
Number of times reported: [43]

[Sign:] Chloride Hi, Bld
Number of times reported: [43]

[Sign:] Oliguria
Number of times reported: [43]

[Sign:] Urination
Number of times reported: [42]

[Sign:] Distress, Resp
Number of times reported: [40]

[Sign:] Odor, Mouth
Number of times reported: [40]

[Sign:] Anemia, Hemolytic
Number of times reported: [39]

[Sign:] Gall Bladder, Abn
Number of times reported: [39]

[Sign:] Hair, Abn
Number of times reported: [39]

[Sign:] Hiding
Number of times reported: [39]

[Sign:] Licking
Number of times reported: [39]

[Sign:] Vomiting, Unproductive
Number of times reported: [39]

[Sign:] Eruption(s)
Number of times reported: [37]

[Sign:] Neoplasm, Liver
Number of times reported: [37]

[Sign:] Platelets Hi, Bld
Number of times reported: [37]

[Sign:] P Lo, Bld
Number of times reported: [37]

[Sign:] Rbc Abn
Number of times reported: [37]

[Sign:] Stool, Mucoid
Number of times reported: [37]

[Sign:] Ulcer(s), Tongue
Number of times reported: [37]

[Sign:] Diarrhea, Watery
Number of times reported: [36]

[Sign:] Immune Disorder
Number of times reported: [36]

[Sign:] Pica
Number of times reported: [36]

[Sign:] Swelling, Joint(s)
Number of times reported: [36]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [35]

[Sign:] Infection
Number of times reported: [35]

[Sign:] Rbc, Aniso
Number of times reported: [35]

[Sign:] Skin, Scab(s)
Number of times reported: [35]

[Sign:] Tenesmus, Rectal
Number of times reported: [35]

[Sign:] Microorganisms, Urine
Number of times reported: [34]

[Sign:] Pustule(s)
Number of times reported: [34]

[Sign:] Rbc, Polychrom
Number of times reported: [34]

[Sign:] Weight Increase
Number of times reported: [34]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [33]

[Sign:] Biting/chewing
Number of times reported: [33]

[Sign:] Heart Disorder
Number of times reported: [33]

[Sign:] Incontinence
Number of times reported: [33]

[Sign:] Keratoconjunctivitis S
Number of times reported: [33]

[Sign:] Volvulus, Stomach
Number of times reported: [33]

[Sign:] Bld, Eye(s)
Number of times reported: [32]

[Sign:] Colitis
Number of times reported: [32]

[Sign:] Staring
Number of times reported: [32]

[Sign:] Cyanosis
Number of times reported: [31]

[Sign:] Nephritis
Number of times reported: [31]

[Sign:] Nystagmus, Horizontal
Number of times reported: [31]

[Sign:] Pressure Hi, Bld
Number of times reported: [31]

[Sign:] Sound Abn, Respiratory
Number of times reported: [31]

[Sign:] Anemia, Sphero
Number of times reported: [30]

[Sign:] Bloat
Number of times reported: [30]

[Sign:] Ketones, Urine
Number of times reported: [30]

[Sign:] Mass, Skin
Number of times reported: [30]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [30]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [30]

[Sign:] Pressure Lo, Bld
Number of times reported: [30]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [30]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [30]

[Sign:] Sneezing
Number of times reported: [30]

[Sign:] Borborygmi
Number of times reported: [29]

[Sign:] Cardiomegaly
Number of times reported: [29]

[Sign:] Cholesterol Lo, Bld
Number of times reported: [29]

[Sign:] Shaking, Head/face
Number of times reported: [29]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [28]

[Sign:] Distress
Number of times reported: [28]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [28]

[Sign:] Spasm
Number of times reported: [28]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [28]

[Sign:] Alkaline Urine
Number of times reported: [27]

[Sign:] Bld, Abn
Number of times reported: [27]

[Sign:] Bld, Skin
Number of times reported: [27]

[Sign:] Neoplasm, Spleen
Number of times reported: [27]

[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [27]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [27]

[Sign:] Sore(s)
Number of times reported: [27]

[Sign:] Conjunctivitis
Number of times reported: [26]

[Sign:] Scale(s), Skin
Number of times reported: [26]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [26]

[Sign:] Ulcer(s), Pylorus
Number of times reported: [26]

[Sign:] Vision Disorder
Number of times reported: [26]

[Sign:] Defecation Abn
Number of times reported: [25]

[Sign:] Effusion, Pleural
Number of times reported: [25]

[Sign:] Bld, Anus
Number of times reported: [24]

[Sign:] Bld, Incision Site
Number of times reported: [24]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [24]

[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [24]

[Sign:] Pulse Thready
Number of times reported: [24]

[Sign:] Retina Abn
Number of times reported: [24]

[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [23]

[Sign:] Bradycardia
Number of times reported: [23]

[Sign:] Breathing Abn
Number of times reported: [23]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [23]

[Sign:] Dysphagia
Number of times reported: [23]

[Sign:] Ineffect
Number of times reported: [23]

[Sign:] Pain, Joint(s)
Number of times reported: [23]

[Sign:] Posture Abn
Number of times reported: [23]

[Sign:] Bile Acids Abn, Bld
Number of times reported: [22]

[Sign:] Bld, Vagina
Number of times reported: [22]

[Sign:] Cachexia
Number of times reported: [22]

[Sign:] Capillary Refill Prolo
Number of times reported: [22]

[Sign:] Cns Infarct
Number of times reported: [22]

[Sign:] Dementia
Number of times reported: [22]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [22]

[Sign:] Mass
Number of times reported: [22]

[Sign:] Slough, Skin
Number of times reported: [22]

[Sign:] Stiffness
Number of times reported: [22]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [22]

[Sign:] Cort/creat Hi, Urine
Number of times reported: [21]

[Sign:] Edema, Ventral
Number of times reported: [21]

[Sign:] Incision Site Abn
Number of times reported: [21]

[Sign:] Insomnia
Number of times reported: [21]

[Sign:] Monos Lo, Bld
Number of times reported: [21]

[Sign:] Pain, Back
Number of times reported: [21]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [21]

[Sign:] Pneumonia, Aspiration
Number of times reported: [21]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [21]

[Sign:] Stranguria
Number of times reported: [21]

[Sign:] Wbc Abn
Number of times reported: [21]

[Sign:] Blindness, Partial
Number of times reported: [20]

[Sign:] Defecation
Number of times reported: [20]

[Sign:] Dysuria
Number of times reported: [20]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [20]

[Sign:] Odor
Number of times reported: [20]

[Sign:] Odor, Urine
Number of times reported: [20]

[Sign:] Platelets Abn
Number of times reported: [20]

[Sign:] Pneumonia
Number of times reported: [20]

[Sign:] Pollakiuria
Number of times reported: [20]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [20]

[Sign:] Vasculitis
Number of times reported: [20]

[Sign:] Dizziness
Number of times reported: [19]

[Sign:] Head Pressing
Number of times reported: [19]

[Sign:] Heart Failure
Number of times reported: [19]

[Sign:] Horner's Syndrome
Number of times reported: [19]

[Sign:] Hypoadrenocorticism
Number of times reported: [19]

[Sign:] Joint Disorder
Number of times reported: [19]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [19]

[Sign:] Pancreas Disorder
Number of times reported: [19]

[Sign:] Reaction, Unspecified
Number of times reported: [19]

[Sign:] Stomatitis
Number of times reported: [19]

[Sign:] Swelling
Number of times reported: [19]

[Sign:] Albumin Hi, Urine
Number of times reported: [18]

[Sign:] Anisocoria
Number of times reported: [18]

[Sign:] Balance Disorder
Number of times reported: [18]

[Sign:] Dehiscence
Number of times reported: [18]

[Sign:] Electrolyte Disorder
Number of times reported: [18]

[Sign:] Hyperesthesia
Number of times reported: [18]

[Sign:] Hyphema
Number of times reported: [18]

[Sign:] Sepsis
Number of times reported: [18]

[Sign:] Tongue, Abn
Number of times reported: [18]

[Sign:] Tox
Number of times reported: [18]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [18]

[Sign:] Uveitis
Number of times reported: [18]

[Sign:] Abscess, Skin
Number of times reported: [17]

[Sign:] Anemia, Bld Loss
Number of times reported: [17]

[Sign:] Blindness, Temp
Number of times reported: [17]

[Sign:] Elimination Abn
Number of times reported: [17]

[Sign:] Head Bobbing
Number of times reported: [17]

[Sign:] Ldh Hi, Bld
Number of times reported: [17]

[Sign:] Moribund
Number of times reported: [17]

[Sign:] Pupil(s), Areflexia
Number of times reported: [17]

[Sign:] Respiratory Disorder
Number of times reported: [17]

[Sign:] Skin Abnormal
Number of times reported: [17]

[Sign:] Sleep Abn
Number of times reported: [17]

[Sign:] Ammonia Hi, Bld
Number of times reported: [16]

[Sign:] Dilatation, Esophagus
Number of times reported: [16]

[Sign:] Effusion, Pericardial
Number of times reported: [16]

[Sign:] Enlargement(s)
Number of times reported: [16]

[Sign:] Eosinos Lo, Bld
Number of times reported: [16]

[Sign:] Fibrinogen Lo, Bld
Number of times reported: [16]

[Sign:] Fly Biting
Number of times reported: [16]

[Sign:] Gingiva, Abn
Number of times reported: [16]

[Sign:] Gingivitis
Number of times reported: [16]

[Sign:] Mg Hi, Bld
Number of times reported: [16]

[Sign:] Pr-brain, Lesion(s)
Number of times reported: [16]

[Sign:] Reluctant To Climb
Number of times reported: [16]

[Sign:] Bld, Sclera
Number of times reported: [15]

[Sign:] Congestion, Lung(s)
Number of times reported: [15]

[Sign:] Deafness, Partial
Number of times reported: [15]

[Sign:] Dilatation, Stomach
Number of times reported: [15]

[Sign:] Mucous Membr, Muddy
Number of times reported: [15]

[Sign:] Pain, Neck
Number of times reported: [15]

[Sign:] Papule(s)
Number of times reported: [15]

[Sign:] Pr-lung(s), Edema
Number of times reported: [15]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [15]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [15]

[Sign:] Wheezing
Number of times reported: [15]

[Sign:] Acid Urine
Number of times reported: [14]

[Sign:] Bld, Thorax
Number of times reported: [14]

[Sign:] Calculi, Bladder
Number of times reported: [14]

[Sign:] Creatinine Lo, Bld
Number of times reported: [14]

[Sign:] Encephalopathy
Number of times reported: [14]

[Sign:] Eructation
Number of times reported: [14]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [14]

[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [14]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [14]

[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [14]

[Sign:] Pr-colon, Lesion(s)
Number of times reported: [14]

[Sign:] Regurgitation
Number of times reported: [14]

[Sign:] Sediment, Urine
Number of times reported: [14]

[Sign:] Swelling, Ear(s)
Number of times reported: [14]

[Sign:] Abn Odor, Urine
Number of times reported: [13]

[Sign:] Basos Hi, Bld
Number of times reported: [13]

[Sign:] Discharge, Vulva
Number of times reported: [13]

[Sign:] Fibrosis
Number of times reported: [13]

[Sign:] Hemoglobin, Urine
Number of times reported: [13]

[Sign:] Hyperadrenocorticism
Number of times reported: [13]

[Sign:] Miosis
Number of times reported: [13]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [13]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [13]

[Sign:] Swelling, Neck
Number of times reported: [13]

[Sign:] Thrombus
Number of times reported: [13]

[Sign:] Uremia
Number of times reported: [13]

[Sign:] Acidosis
Number of times reported: [12]

[Sign:] Calculi, Urine
Number of times reported: [12]

[Sign:] Cellulitis
Number of times reported: [12]

[Sign:] Cns Disorder
Number of times reported: [12]

[Sign:] Co2 Lo, Bld
Number of times reported: [12]

[Sign:] Congestion, Ear(s)
Number of times reported: [12]

[Sign:] Deafness, Temp
Number of times reported: [12]

[Sign:] Diabetes
Number of times reported: [12]

[Sign:] Glaucoma
Number of times reported: [12]

[Sign:] Inflammation
Number of times reported: [12]

[Sign:] Lipids High, Blood
Number of times reported: [12]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [12]

[Sign:] Paralysis, All Limbs
Number of times reported: [12]

[Sign:] Pr-multiple Sites, Congestion
Number of times reported: [12]

[Sign:] Reticulocytes Low, Blood
Number of times reported: [12]

[Sign:] Skin, Dry
Number of times reported: [12]

[Sign:] Tenesmus, Urinary
Number of times reported: [12]

[Sign:] Bone, Abnormal
Number of times reported: [11]

[Sign:] Destructiveness
Number of times reported: [11]

[Sign:] Edema, Neck
Number of times reported: [11]

[Sign:] Magnesium Low, Blood
Number of times reported: [11]

[Sign:] Myositis
Number of times reported: [11]

[Sign:] Neoplasm, Lung(s)
Number of times reported: [11]

[Sign:] Pain, Mouth/lip(s)
Number of times reported: [11]

[Sign:] Prostatomegaly
Number of times reported: [11]

[Sign:] Blood, Penis
Number of times reported: [10]

[Sign:] Breathing, Periodic
Number of times reported: [10]

[Sign:] Edema, Brisket/chest
Number of times reported: [10]

[Sign:] Effusion
Number of times reported: [10]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [10]

[Sign:] Hypopnea
Number of times reported: [10]

[Sign:] Infarct
Number of times reported: [10]

[Sign:] Infection, Feet/digit(
Number of times reported: [10]

[Sign:] Liver Profile Hi
Number of times reported: [10]

[Sign:] Na:k Lo, Bld
Number of times reported: [10]

[Sign:] Pruritis, Ear(s)
Number of times reported: [10]

[Sign:] Saliva, Abn
Number of times reported: [10]

[Sign:] Sound Abn, Voice
Number of times reported: [10]

[Sign:] Spec Gravity Hi, Urine
Number of times reported: [10]

[Sign:] Trembling, Face
Number of times reported: [10]

[Sign:] Anemia, Aplastic
Number of times reported: [9]

[Sign:] Bld, Ear(s)
Number of times reported: [9]

[Sign:] Blepharospasm
Number of times reported: [9]

[Sign:] Congestion, Mucous Mem
Number of times reported: [9]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [9]

[Sign:] Ecg Abn
Number of times reported: [9]

[Sign:] Edema, Multiple Sites
Number of times reported: [9]

[Sign:] Enlargement(s), Skin
Number of times reported: [9]

[Sign:] Enteritis
Number of times reported: [9]

[Sign:] Erythema Multiforme
Number of times reported: [9]

[Sign:] Exercise Intolerance
Number of times reported: [9]

[Sign:] Fibrinogen Hi, Bld
Number of times reported: [9]

[Sign:] Hypomotility
Number of times reported: [9]

[Sign:] Loss Of Condition
Number of times reported: [9]

[Sign:] Neoplasm, Bone
Number of times reported: [9]

[Sign:] Nose Abn
Number of times reported: [9]

[Sign:] Pain, Spinal
Number of times reported: [9]

[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [9]

[Sign:] Protrusion, Eye(s)
Number of times reported: [9]

[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [9]

[Sign:] Septicemia
Number of times reported: [9]

[Sign:] Stiffness, Limb(s)
Number of times reported: [9]

[Sign:] Swelling, Brisket/ches
Number of times reported: [9]

[Sign:] Tenesmus
Number of times reported: [9]

[Sign:] Thrashing/paddling
Number of times reported: [9]

[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [9]

[Sign:] Arthritis
Number of times reported: [8]

[Sign:] Breathing, Difficult
Number of times reported: [8]

[Sign:] Diarrhea, Projectile
Number of times reported: [8]

[Sign:] Dysmetria
Number of times reported: [8]

[Sign:] Ear Disorder
Number of times reported: [8]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [8]

[Sign:] Healing Impaired
Number of times reported: [8]

[Sign:] Ineffect, Other Drug(s)
Number of times reported: [8]

[Sign:] Inj Site Bld
Number of times reported: [8]

[Sign:] Irritation, Skin
Number of times reported: [8]

[Sign:] Leg Disorder
Number of times reported: [8]

[Sign:] Mucous Membr, Red
Number of times reported: [8]

[Sign:] Nail Disorder
Number of times reported: [8]

[Sign:] Nystagmus, Rotary
Number of times reported: [8]

[Sign:] Nystagmus, Vertical
Number of times reported: [8]

[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [8]

[Sign:] Pr-mult Sites, Icterus
Number of times reported: [8]

[Sign:] Pr-pleural Effusion
Number of times reported: [8]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [8]

[Sign:] Syncope
Number of times reported: [8]

[Sign:] Teeth, Abn
Number of times reported: [8]

[Sign:] Transudate
Number of times reported: [8]

[Sign:] Ulcer(s)
Number of times reported: [8]

[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [8]

[Sign:] Aplasia, Bone Marrow
Number of times reported: [7]

[Sign:] Cataract(s)
Number of times reported: [7]

[Sign:] Congestion
Number of times reported: [7]

[Sign:] Diabetes M, Poor Regul
Number of times reported: [7]

[Sign:] Discharge, Ear(s)
Number of times reported: [7]

[Sign:] Dissociation
Number of times reported: [7]

[Sign:] Exfoliation, Skin
Number of times reported: [7]

[Sign:] Incision Site, Ecchymosis
Number of times reported: [7]

[Sign:] Jerking
Number of times reported: [7]

[Sign:] Opisthotonos
Number of times reported: [7]

[Sign:] Paralysis, Larynx
Number of times reported: [7]

[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [7]

[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [7]

[Sign:] Seborrhea
Number of times reported: [7]

[Sign:] Self-mutilation
Number of times reported: [7]

[Sign:] Slough, Feet/digit(s)
Number of times reported: [7]

[Sign:] Swelling, Scrotum
Number of times reported: [7]

[Sign:] Tech Error Administrat
Number of times reported: [7]

[Sign:] A/g Ratio Lo, Bld
Number of times reported: [6]

[Sign:] Ana Pos
Number of times reported: [6]

[Sign:] Bld, Retina
Number of times reported: [6]

[Sign:] Bronchitis
Number of times reported: [6]

[Sign:] Distention, Bladder
Number of times reported: [6]

[Sign:] Ecchymosis, Incision Site
Number of times reported: [6]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [6]

[Sign:] Effusion, Joint(s)
Number of times reported: [6]

[Sign:] Glossitis
Number of times reported: [6]

[Sign:] Hyperkeratosis
Number of times reported: [6]

[Sign:] Hypertonia
Number of times reported: [6]

[Sign:] Incision Site Infection
Number of times reported: [6]

[Sign:] Irritation
Number of times reported: [6]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [6]

[Sign:] Irritation, Perineum
Number of times reported: [6]

[Sign:] Leukoderma
Number of times reported: [6]

[Sign:] Neoplasm, Skin
Number of times reported: [6]

[Sign:] Nystagmus, Positional
Number of times reported: [6]

[Sign:] Pancytopenia
Number of times reported: [6]

[Sign:] Pr-ascites
Number of times reported: [6]

[Sign:] Pruritis, Eye(s)
Number of times reported: [6]

[Sign:] Reflux, Stomach
Number of times reported: [6]

[Sign:] Swelling, Tongue
Number of times reported: [6]

[Sign:] Tachycardia, Ventricul
Number of times reported: [6]

[Sign:] Urobilinogen Hi, Urine
Number of times reported: [6]

[Sign:] Acth Stim Abn
Number of times reported: [5]

[Sign:] Anemia, Heinz Body
Number of times reported: [5]

[Sign:] Anesth Recov Prolonged
Number of times reported: [5]

[Sign:] Anion Gap Hi, Bld
Number of times reported: [5]

[Sign:] Bld, Passing
Number of times reported: [5]

[Sign:] Cholecystitis
Number of times reported: [5]

[Sign:] Ecg, Abn
Number of times reported: [5]

[Sign:] Edema, Cornea(s)
Number of times reported: [5]

[Sign:] Hco3 Lo, Bld
Number of times reported: [5]

[Sign:] Incision Site Discharge
Number of times reported: [5]

[Sign:] Infection, Uterus
Number of times reported: [5]

[Sign:] K Hi, Urine
Number of times reported: [5]

[Sign:] Neoplasm, Kidney(s)
Number of times reported: [5]

[Sign:] Neoplasm, Pancreas
Number of times reported: [5]

[Sign:] Nocturia
Number of times reported: [5]

[Sign:] Pain, Limb(s)
Number of times reported: [5]

[Sign:] Pd-odor, Abn
Number of times reported: [5]

[Sign:] Perforation
Number of times reported: [5]

[Sign:] Periodontal, Abscess
Number of times reported: [5]

[Sign:] Sedation Prolonged
Number of times reported: [5]

[Sign:] Slough
Number of times reported: [5]

[Sign:] Stiffness, Neck
Number of times reported: [5]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [5]

[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [5]

[Sign:] Volvulus
Number of times reported: [5]

[Sign:] Adipose, Inflam
Number of times reported: [4]

[Sign:] Atony, Bladder
Number of times reported: [4]

[Sign:] Bladder, Paralysis
Number of times reported: [4]

[Sign:] Bld, Feet/digit(s)
Number of times reported: [4]

[Sign:] Bld, Joint(s)
Number of times reported: [4]

[Sign:] Bld, Sq
Number of times reported: [4]

[Sign:] Calculi, Kidney
Number of times reported: [4]

[Sign:] Choking
Number of times reported: [4]

[Sign:] Csf Abn
Number of times reported: [4]

[Sign:] Death(tx Failure)
Number of times reported: [4]

[Sign:] Digestion Disorder
Number of times reported: [4]

[Sign:] Discharge, Eye(s)/lid(
Number of times reported: [4]

[Sign:] Discharge, Incision Site
Number of times reported: [4]

[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [4]

[Sign:] Embolus
Number of times reported: [4]

[Sign:] Granuloma, Lick
Number of times reported: [4]

[Sign:] Improvement, Unexpect
Number of times reported: [4]

[Sign:] Inj Site Swelling
Number of times reported: [4]

[Sign:] Ketosis
Number of times reported: [4]

[Sign:] Neoplasm, Heart
Number of times reported: [4]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [4]

[Sign:] Pain, Head/face
Number of times reported: [4]

[Sign:] Pd-color, Abn
Number of times reported: [4]

[Sign:] Pr-esophagus, Lesion(s)
Number of times reported: [4]

[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [4]

[Sign:] Pr-mult Sites, Edema
Number of times reported: [4]

[Sign:] Prolapse, Disc
Number of times reported: [4]

[Sign:] Prostration
Number of times reported: [4]

[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [4]

[Sign:] Rupture
Number of times reported: [4]

[Sign:] Rupture, Stomach
Number of times reported: [4]

[Sign:] Stiffness, Front Limb(
Number of times reported: [4]

[Sign:] Swelling, Anus
Number of times reported: [4]

[Sign:] Swelling, Ventrum
Number of times reported: [4]

[Sign:] Tail Disorder
Number of times reported: [4]

[Sign:] Tech Error
Number of times reported: [4]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [4]

[Sign:] Unpalatable
Number of times reported: [4]

[Sign:] Adverse Drug Reaction
Number of times reported: [3]

[Sign:] Bld, Mult Sites
Number of times reported: [3]

[Sign:] Bld(purpura)
Number of times reported: [3]

[Sign:] Bld, Tumor
Number of times reported: [3]

[Sign:] Brain, Neoplasm
Number of times reported: [3]

[Sign:] Cat Scan Abn
Number of times reported: [3]

[Sign:] Cervical Spine Abn
Number of times reported: [3]

[Sign:] Death(newborn)
Number of times reported: [3]

[Sign:] Death(stillborn)
Number of times reported: [3]

[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Edema, Sclera
Number of times reported: [3]

[Sign:] Edema, Scrotum
Number of times reported: [3]

[Sign:] Endocrine Disorder
Number of times reported: [3]

[Sign:] Epiphora
Number of times reported: [3]

[Sign:] Estrus Behavior
Number of times reported: [3]

[Sign:] Estrus Cycle Abnormal
Number of times reported: [3]

[Sign:] Granuloma
Number of times reported: [3]

[Sign:] Grinding Teeth
Number of times reported: [3]

[Sign:] Hair, Abn Color
Number of times reported: [3]

[Sign:] Hallucination
Number of times reported: [3]

[Sign:] Hco3 Hi, Bld
Number of times reported: [3]

[Sign:] Hypermotility
Number of times reported: [3]

[Sign:] Hypersensitive, Sound
Number of times reported: [3]

[Sign:] Hyposalivation
Number of times reported: [3]

[Sign:] Hyposmia
Number of times reported: [3]

[Sign:] Immunosuppression
Number of times reported: [3]

[Sign:] Inj Site Alopecia
Number of times reported: [3]

[Sign:] Inj Site Necrosis
Number of times reported: [3]

[Sign:] Iris(bld)
Number of times reported: [3]

[Sign:] Irritation, Ear(s)
Number of times reported: [3]

[Sign:] Irritation, Esophagus
Number of times reported: [3]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [3]

[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [3]

[Sign:] K Lo, Blood
Number of times reported: [3]

[Sign:] Liver Disorder, Obstru
Number of times reported: [3]

[Sign:] Lockjaw
Number of times reported: [3]

[Sign:] Mri Scan Abn
Number of times reported: [3]

[Sign:] Myoglobin, Urine
Number of times reported: [3]

[Sign:] Neoplasm, Mult Sites
Number of times reported: [3]

[Sign:] Neuritis, Optic
Number of times reported: [3]

[Sign:] Neuropathy
Number of times reported: [3]

[Sign:] No Signs
Number of times reported: [3]

[Sign:] Obstruction, Intestine
Number of times reported: [3]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [3]

[Sign:] Photophobia
Number of times reported: [3]

[Sign:] Polycythemia(absolute)
Number of times reported: [3]

[Sign:] Pr-cecum, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-heartworm Disease
Number of times reported: [3]

[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [3]

[Sign:] Rbc, Micro
Number of times reported: [3]

[Sign:] Repetitive Movements
Number of times reported: [3]

[Sign:] Reproduction Disorder
Number of times reported: [3]

[Sign:] Scrotum, Abn
Number of times reported: [3]

[Sign:] Shock, Endotoxemia
Number of times reported: [3]

[Sign:] Strabismus
Number of times reported: [3]

[Sign:] Tears, Abn
Number of times reported: [3]

[Sign:] Testicle, Abn
Number of times reported: [3]

[Sign:] Torticollis
Number of times reported: [3]

[Sign:] Agranulocytosis, Bld
Number of times reported: [2]

[Sign:] A/g Ratio Hi, Bld
Number of times reported: [2]

[Sign:] Arrhythmia, Block
Number of times reported: [2]

[Sign:] Atrophy
Number of times reported: [2]

[Sign:] Cloudy Urine
Number of times reported: [2]

[Sign:] Co2 Hi, Bld
Number of times reported: [2]

[Sign:] Colon, Abn
Number of times reported: [2]

[Sign:] Congestion, Sinus
Number of times reported: [2]

[Sign:] Delirium
Number of times reported: [2]

[Sign:] Dry Mouth Syndrome
Number of times reported: [2]

[Sign:] Dry, Skin
Number of times reported: [2]

[Sign:] Edema, Larynx
Number of times reported: [2]

[Sign:] Edema, Prepuce
Number of times reported: [2]

[Sign:] Eosinos Hi, Body
Number of times reported: [2]

[Sign:] Erection, Abn
Number of times reported: [2]

[Sign:] Erythema, Scrotum
Number of times reported: [2]

[Sign:] Fever, Joint(s)
Number of times reported: [2]

[Sign:] Fibrillation, Atrial
Number of times reported: [2]

[Sign:] Infection, Eye(s)
Number of times reported: [2]

[Sign:] Inj Site Edema
Number of times reported: [2]

[Sign:] Laryngitis
Number of times reported: [2]

[Sign:] Lesion(s)
Number of times reported: [2]

[Sign:] Opacity, Cornea(s)
Number of times reported: [2]

[Sign:] Paraesthesia, Eye(s)/l
Number of times reported: [2]

[Sign:] Paresthesia, Mouth/lip
Number of times reported: [2]

[Sign:] P Hi, Urine
Number of times reported: [2]

[Sign:] Pr-adrenal(s), Lesion(
Number of times reported: [2]

[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-gi, Edema
Number of times reported: [2]

[Sign:] Pr-joint(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pr-nose, Lesion(s)
Number of times reported: [2]

[Sign:] Prolapse, Tongue
Number of times reported: [2]

[Sign:] Pr-pericardial Effusio
Number of times reported: [2]

[Sign:] Pr-pharynx, Lesion(s)
Number of times reported: [2]

[Sign:] Pruritis, Tail
Number of times reported: [2]

[Sign:] Pr-whole Body, Lesion(s)
Number of times reported: [2]

[Sign:] Rhinitis
Number of times reported: [2]

[Sign:] Rupture, Tumor
Number of times reported: [2]

[Sign:] Slough, Tongue
Number of times reported: [2]

[Sign:] Sperm Abn
Number of times reported: [2]

[Sign:] Steatitis
Number of times reported: [2]

[Sign:] Stool, Pale/gray
Number of times reported: [2]

[Sign:] Summary Review
Number of times reported: [2]

[Sign:] Swelling, Mammary
Number of times reported: [2]

[Sign:] Swelling, Mult Sites
Number of times reported: [2]

[Sign:] Swelling, Prepuce
Number of times reported: [2]

[Sign:] Swelling, Testicle
Number of times reported: [2]

[Sign:] Vaginitis
Number of times reported: [2]

[Sign:] Voice Disorder
Number of times reported: [2]

[Sign:] Xerostomia
Number of times reported: [2]

[Sign:] Abortion
Number of times reported: [1]

[Sign:] Abscess, Tumor
Number of times reported: [1]

[Sign:] Anorexia(not Nursing)
Number of times reported: [1]

[Sign:] Anus, Paralysis
Number of times reported: [1]

[Sign:] Asphyxia
Number of times reported: [1]

[Sign:] Birth Defect(s), Head/
Number of times reported: [1]

[Sign:] Birth Defect(s), Limb(
Number of times reported: [1]

[Sign:] Bld, Scrotum
Number of times reported: [1]

[Sign:] Bld, Semen
Number of times reported: [1]

[Sign:] Blindness, Night
Number of times reported: [1]

[Sign:] Ca/p Ratio Lo, Bld
Number of times reported: [1]

[Sign:] Chasing Tail
Number of times reported: [1]

[Sign:] Che Lo, Rbc
Number of times reported: [1]

[Sign:] Colitis, Ulcerative
Number of times reported: [1]

[Sign:] Congestion, Nose
Number of times reported: [1]

[Sign:] Diabetes Insipidus
Number of times reported: [1]

[Sign:] Edema, Mammary
Number of times reported: [1]

[Sign:] Edema, Tongue
Number of times reported: [1]

[Sign:] Enlargement, Joint(s)
Number of times reported: [1]

[Sign:] Enlargement(s), Head/f
Number of times reported: [1]

[Sign:] Enlargement(s), Neck
Number of times reported: [1]

[Sign:] Erg Abn
Number of times reported: [1]

[Sign:] Fe Hi, Bld
Number of times reported: [1]

[Sign:] Fertility, Lack Of
Number of times reported: [1]

[Sign:] Fibrillation, Ventricu
Number of times reported: [1]

[Sign:] G-hair, Abn Color
Number of times reported: [1]

[Sign:] Hair, Abnormal
Number of times reported: [1]

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Hypoesthesia, Feet/dig
Number of times reported: [1]

[Sign:] Hypoesthesia, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Incision Site, Bld
Number of times reported: [1]

[Sign:] Ineffect, Anesthesia
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Ineffect, Weight Loss
Number of times reported: [1]

[Sign:] Inflammation, Nose
Number of times reported: [1]

[Sign:] Inj Site Fibrosis
Number of times reported: [1]

[Sign:] Inj Site Infect
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Pruritis
Number of times reported: [1]

[Sign:] Inj Site Seroma
Number of times reported: [1]

[Sign:] Intussusception
Number of times reported: [1]

[Sign:] Iris, Inflam
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Kicking
Number of times reported: [1]

[Sign:] Mammary, Inflammation
Number of times reported: [1]

[Sign:] Neck, Ventroflexion
Number of times reported: [1]

[Sign:] Neoplasm, Mammary
Number of times reported: [1]

[Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Sign:] Pain, Muscle(s)
Number of times reported: [1]

[Sign:] Palpitations
Number of times reported: [1]

[Sign:] Pd-product Defect
Number of times reported: [1]

[Sign:] Phallitis
Number of times reported: [1]

[Sign:] Phlebitis
Number of times reported: [1]

[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [1]

[Sign:] Priapism
Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-joint(s), Sepsis
Number of times reported: [1]

[Sign:] Pr-mult Sites, Lesion(
Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Penis
Number of times reported: [1]

[Sign:] Pr-parathyroid, Lesion
Number of times reported: [1]

[Sign:] Pr-rectum, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-uterus, Lesion(s)
Number of times reported: [1]

[Sign:] Residue, Urine
Number of times reported: [1]

[Sign:] Scent Deficit
Number of times reported: [1]

[Sign:] Sinusitis
Number of times reported: [1]

[Sign:] Slough, Ear(s)
Number of times reported: [1]

[Sign:] Slough, Gingiva
Number of times reported: [1]

[Sign:] Spinal Cord, Neoplasm
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Swelling, Tendon(s)
Number of times reported: [1]

[Sign:] Tympanic Mem, Ruptured
Number of times reported: [1]

[Sign:] Udder, Agalactia
Number of times reported: [1]

[Sign:] Udder, Dysgalactia
Number of times reported: [1]

[Sign:] Udder, Milk Abn
Number of times reported: [1]

[Sign:] Uric Acid Hi, Bld
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Mou
Number of times reported: [1]

[Sign:] Vomiting, Projectile
Number of times reported: [1]

[Drug:] Carprofen

Oral, Fish

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-pharynx, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Drug:] Carprofen

Oral, Guinea Pig

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

[Sign:] Stumbling
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Carprofen

Oral, Horse

[Sign:] Bld

Number of times reported: [1]

[Drug:] Carprofen

Oral, Human

[Sign:] Nausea

Number of times reported: [16]

[Sign:] Vomiting

Number of times reported: [12]

[Sign:] Diarrhea

Number of times reported: [8]

[Sign:] Depression/lethargy

Number of times reported: [5]

[Sign:] Dizziness

Number of times reported: [4]

[Sign:] Human Exposure, Ingest

Number of times reported: [3]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Pain, Abdomen

Number of times reported: [3]

[Sign:] Abn Color, Urine

Number of times reported: [2]

[Sign:] Hyperesthesia

Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [2]

[Sign:] Trembling

Number of times reported: [2]

[Sign:] Xerostomia

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Acidosis

Number of times reported: [1]

[Sign:] Aggression

Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Apprehension
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Bld, Vagina
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Headache
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Myositis
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Sign:] Pain, Head/face
Number of times reported: [1]

[Sign:] Papule(s)
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]

- [Sign:] Rash
Number of times reported: [1]
- [Sign:] Sedation
Number of times reported: [1]
- [Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]
- [Sign:] Shaking
Number of times reported: [1]
- [Sign:] Somnolence
Number of times reported: [1]
- [Sign:] Stupor
Number of times reported: [1]
- [Sign:] Tachycardia
Number of times reported: [1]
- [Sign:] Taste Abnormality
Number of times reported: [1]
- [Sign:] Wbc Hi, Bld
Number of times reported: [1]
- [Sign:] Weakness
Number of times reported: [1]

[Drug:] Carprofen

Oral, Missing Information

- [Sign:] Behavior Disorder
Number of times reported: [1]
- [Sign:] Depression/lethargy
Number of times reported: [1]

[Drug:] Carprofen

Oral, Other

- [Sign:] Ataxia
Number of times reported: [2]
- [Sign:] Death(euthanized)
Number of times reported: [2]
- [Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
- [Sign:] Anemia
Number of times reported: [1]
- [Sign:] Anorexia
Number of times reported: [1]
- [Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Epistaxis
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Mass, Skin
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Proprioceptive Disorde
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Reflex(es) Abn
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]

[Sign:] Ulcer(s), Gi
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Increase
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Carprofen

Oral, Panda

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Drug:] Carprofen

Oral, Pig

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ineffect, Antiinflam

Number of times reported: [1]

[Drug:] Carprofen

Oral, Rabbit

[Sign:] Death

Number of times reported: [3]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Incontinence, Urinary

Number of times reported: [2]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [2]

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Edema, Scrotum

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Edema

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Drug:] Carprofen

Oral, Various

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld

Number of times reported: [1]

[Sign:] Neoplasm, Spleen
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Bird

[Sign:] Death
Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Cat

[Sign:] Depression/lethargy
Number of times reported: [29]

[Sign:] Anorexia
Number of times reported: [21]

[Sign:] Death
Number of times reported: [19]

[Sign:] Bun Hi, Bld
Number of times reported: [17]

[Sign:] Vomiting
Number of times reported: [17]

[Sign:] Creatinine Hi, Bld
Number of times reported: [14]

[Sign:] Death(euthanized)
Number of times reported: [10]

[Sign:] Hypothermia, Body
Number of times reported: [7]

[Sign:] Weight Loss
Number of times reported: [7]

[Sign:] Ataxia
Number of times reported: [6]

[Sign:] Dehydration
Number of times reported: [6]

[Sign:] P Hi, Bld
Number of times reported: [6]

[Sign:] Anemia
Number of times reported: [5]

[Sign:] Arrest, Heart
Number of times reported: [5]

[Sign:] Bld, Urine
Number of times reported: [5]

[Sign:] Hyperpnea
Number of times reported: [4]

[Sign:] Kidney Failure
Number of times reported: [4]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [4]

[Sign:] Vocalization
Number of times reported: [4]

[Sign:] Anesth Recov Prolonged
Number of times reported: [3]

[Sign:] Apnea
Number of times reported: [3]

[Sign:] Bradycardia
Number of times reported: [3]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Diarrhea
Number of times reported: [3]

[Sign:] Dyspnea
Number of times reported: [3]

[Sign:] Mydriasis
Number of times reported: [3]

[Sign:] Protein, Urine
Number of times reported: [3]

[Sign:] Recumbency
Number of times reported: [3]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [3]

[Sign:] Wbc Lo, Bld
Number of times reported: [3]

[Sign:] Weakness
Number of times reported: [3]

[Sign:] Anuria
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] Icterus, Body
Number of times reported: [2]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Incision Site Abn
Number of times reported: [2]

[Sign:] Inj Site Inflam
Number of times reported: [2]

[Sign:] Inj Site Necrosis
Number of times reported: [2]

[Sign:] Interaction, Drug(s)
Number of times reported: [2]

[Sign:] K Hi, Bld
Number of times reported: [2]

[Sign:] Pain
Number of times reported: [2]

[Sign:] Pain, Abdomen
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran
Number of times reported: [2]

[Sign:] Polydipsia
Number of times reported: [2]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]

[Sign:] Radiograph(s) Abn
Number of times reported: [2]

[Sign:] Skin, Necrosis
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]

[Sign:] Vomiting, Bloody
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Arrhythmia, Block
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin, Urine
Number of times reported: [1]

[Sign:] Bld(ecchymoses)
Number of times reported: [1]

[Sign:] Bld, Incision Site
Number of times reported: [1]

[Sign:] Cachexia
Number of times reported: [1]

[Sign:] Cellulitis
Number of times reported: [1]

[Sign:] Circulatory Disorder
Number of times reported: [1]

[Sign:] Congestion, Lung(s)
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Deafness
Number of times reported: [1]

[Sign:] Dehiscence
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hepatitis
Number of times reported: [1]

[Sign:] Hepatomegaly
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Hypertonia
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Inj Site Pruritis
Number of times reported: [1]

[Sign:] Inj Site Slough
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal
Number of times reported: [1]

[Sign:] Opacity, Cornea(s)
Number of times reported: [1]

[Sign:] Pacing
Number of times reported: [1]

[Sign:] Perforation, Gi
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Photosensitization
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Saliva, Abn
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Sedation Too Deep
Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Tracheitis
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Sign:] Us-liver Abn
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Dog

[Sign:] Vomiting
Number of times reported: [281]

[Sign:] Anorexia
Number of times reported: [248]

[Sign:] Depression/lethargy
Number of times reported: [220]

[Sign:] Death
Number of times reported: [147]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [146]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [139]
[Sign:] Diarrhea
Number of times reported: [94]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [91]
[Sign:] Wbc Hi, Bld
Number of times reported: [79]
[Sign:] Death(euthanized)
Number of times reported: [77]
[Sign:] Inj Site Swelling
Number of times reported: [71]
[Sign:] Bun Hi, Bld
Number of times reported: [70]
[Sign:] Anemia
Number of times reported: [66]
[Sign:] Inj Site Necrosis
Number of times reported: [61]
[Sign:] Platelets Lo, Bld
Number of times reported: [56]
[Sign:] Creatinine Hi, Bld
Number of times reported: [55]
[Sign:] Diarrhea, Bloody
Number of times reported: [52]
[Sign:] Icterus, Body
Number of times reported: [50]
[Sign:] Melena
Number of times reported: [48]
[Sign:] Fever, Body
Number of times reported: [47]
[Sign:] Ataxia
Number of times reported: [45]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [44]
[Sign:] Bld, Urine
Number of times reported: [43]
[Sign:] Dehydration
Number of times reported: [43]
[Sign:] Interaction, Drug(s)
Number of times reported: [42]
[Sign:] Albumin Lo, Bld

Number of times reported: [41]
[Sign:] Polydipsia
Number of times reported: [41]
[Sign:] Vomiting, Bloody
Number of times reported: [41]
[Sign:] Weight Loss
Number of times reported: [41]
[Sign:] P Hi, Bld
Number of times reported: [39]
[Sign:] Convulsion(s)
Number of times reported: [38]
[Sign:] Inj Site Abscess
Number of times reported: [37]
[Sign:] Anaphylaxis/toid
Number of times reported: [34]
[Sign:] Polypnea
Number of times reported: [32]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [32]
[Sign:] Pallor, Mucous Membran
Number of times reported: [30]
[Sign:] Bld, Incision Site
Number of times reported: [29]
[Sign:] Hypersalivation
Number of times reported: [28]
[Sign:] Inj Site Inflam
Number of times reported: [28]
[Sign:] Dyspnea
Number of times reported: [27]
[Sign:] Pain, Abdomen
Number of times reported: [27]
[Sign:] Peritonitis
Number of times reported: [26]
[Sign:] Inj Site Alopecia
Number of times reported: [25]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [25]
[Sign:] Weakness
Number of times reported: [25]
[Sign:] Perforation, Gi
Number of times reported: [23]
[Sign:] Polyuria

Number of times reported: [23]
[Sign:] Recumbency
Number of times reported: [22]
[Sign:] Coagulation Disorder
Number of times reported: [21]
[Sign:] Ulcer(s), Gi
Number of times reported: [21]
[Sign:] Inj Site Ulcer(s)
Number of times reported: [20]
[Sign:] Radiograph(s) Abn
Number of times reported: [20]
[Sign:] Us Abn
Number of times reported: [20]
[Sign:] Confusion
Number of times reported: [19]
[Sign:] Nervousness
Number of times reported: [19]
[Sign:] Skin, Scab(s)
Number of times reported: [19]
[Sign:] Tachycardia
Number of times reported: [19]
[Sign:] Arrest, Heart
Number of times reported: [18]
[Sign:] Incontinence, Urinary
Number of times reported: [18]
[Sign:] Inj Site Mass
Number of times reported: [18]
[Sign:] Inj Site Slough
Number of times reported: [18]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [18]
[Sign:] Trembling
Number of times reported: [18]
[Sign:] Apnea
Number of times reported: [17]
[Sign:] Collapse
Number of times reported: [17]
[Sign:] Congestion, Skin
Number of times reported: [17]
[Sign:] Inj Site Pain
Number of times reported: [17]
[Sign:] Bld(ecchymoses)

Number of times reported: [16]
[Sign:] Ggt Hi, Bld
Number of times reported: [16]
[Sign:] Inj Site Edema
Number of times reported: [16]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [16]
[Sign:] Segs Hi, Bld
Number of times reported: [16]
[Sign:] Skin, Necrosis
Number of times reported: [15]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [14]
[Sign:] Lesion(s), Skin
Number of times reported: [14]
[Sign:] Vocalization
Number of times reported: [14]
[Sign:] Edema, Head/face
Number of times reported: [13]
[Sign:] Monos Hi, Bld
Number of times reported: [13]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [13]
[Sign:] Swelling, Head/face
Number of times reported: [13]
[Sign:] Adipsia
Number of times reported: [12]
[Sign:] Aggression
Number of times reported: [12]
[Sign:] Amylase Hi, Bld
Number of times reported: [12]
[Sign:] Bilirubin, Urine
Number of times reported: [12]
[Sign:] Icterus
Number of times reported: [12]
[Sign:] Ineffect, Analgesia
Number of times reported: [12]
[Sign:] Perforation, Stomach
Number of times reported: [12]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [12]
[Sign:] Urticaria

Number of times reported: [12]
[Sign:] Glucose Hi, Bld
Number of times reported: [11]
[Sign:] Hematochezia
Number of times reported: [11]
[Sign:] Infection, Urinary Tra
Number of times reported: [11]
[Sign:] Inj Site Abn
Number of times reported: [11]
[Sign:] Inj Site Pruritis
Number of times reported: [11]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [11]
[Sign:] Pruritis
Number of times reported: [11]
[Sign:] Pt Prolonged, Bld
Number of times reported: [11]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [11]
[Sign:] Inj Site Seroma
Number of times reported: [10]
[Sign:] K Lo, Bld
Number of times reported: [10]
[Sign:] Protein, Urine
Number of times reported: [10]
[Sign:] Us-liver Abn
Number of times reported: [10]
[Sign:] Bld, Abdomen
Number of times reported: [9]
[Sign:] Bld(petechiae)
Number of times reported: [9]
[Sign:] Bradycardia
Number of times reported: [9]
[Sign:] Difficulty Rising
Number of times reported: [9]
[Sign:] Glucose Lo, Bld
Number of times reported: [9]
[Sign:] Inj Site Sterile Absce
Number of times reported: [9]
[Sign:] Kidney Failure
Number of times reported: [9]
[Sign:] Pain

Number of times reported: [9]
[Sign:] Reluctant To Move
Number of times reported: [9]
[Sign:] Wbc Lo, Bld
Number of times reported: [9]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [8]
[Sign:] Behavior Disorder
Number of times reported: [8]
[Sign:] Circling
Number of times reported: [8]
[Sign:] Epistaxis
Number of times reported: [8]
[Sign:] Hyperactivity
Number of times reported: [8]
[Sign:] Hyperpnea
Number of times reported: [8]
[Sign:] Hypothermia, Body
Number of times reported: [8]
[Sign:] Inj Site Infect
Number of times reported: [8]
[Sign:] Lameness
Number of times reported: [8]
[Sign:] Na Lo, Bld
Number of times reported: [8]
[Sign:] Pancreatitis
Number of times reported: [8]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [8]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [8]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [8]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [8]
[Sign:] Swelling, Limb(s)
Number of times reported: [8]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [7]
[Sign:] Bld
Number of times reported: [7]
[Sign:] Ca Lo, Bld

Number of times reported: [7]
[Sign:] Dehiscence
Number of times reported: [7]
[Sign:] Distention, Abdomen
Number of times reported: [7]
[Sign:] Effusion, Peritoneal
Number of times reported: [7]
[Sign:] Incision Site Abn
Number of times reported: [7]
[Sign:] Ineffect, Antiinflam
Number of times reported: [7]
[Sign:] Infection, Skin
Number of times reported: [7]
[Sign:] Inj Site Bld
Number of times reported: [7]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [7]
[Sign:] Ulcer(s), Stomach
Number of times reported: [7]
[Sign:] Abn Color, Urine
Number of times reported: [6]
[Sign:] Albumin Hi, Bld
Number of times reported: [6]
[Sign:] Alopecia
Number of times reported: [6]
[Sign:] Anuria
Number of times reported: [6]
[Sign:] Apprehension
Number of times reported: [6]
[Sign:] Arrhythmia
Number of times reported: [6]
[Sign:] Casts, Urine
Number of times reported: [6]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [6]
[Sign:] Dic
Number of times reported: [6]
[Sign:] Edema
Number of times reported: [6]
[Sign:] Hypothermia
Number of times reported: [6]
[Sign:] Inflamm, Skin

Number of times reported: [6]
[Sign:] Licking
Number of times reported: [6]
[Sign:] Lipase Hi, Bld
Number of times reported: [6]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [6]
[Sign:] Wbc, Urine
Number of times reported: [6]
[Sign:] Anemia, Regen
Number of times reported: [5]
[Sign:] Azotemia
Number of times reported: [5]
[Sign:] Bands Hi, Bld
Number of times reported: [5]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [5]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [5]
[Sign:] Bld, Rectum
Number of times reported: [5]
[Sign:] Chloride Lo, Bld
Number of times reported: [5]
[Sign:] Dermatitis, Moist
Number of times reported: [5]
[Sign:] Diarrhea, Watery
Number of times reported: [5]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [5]
[Sign:] Glucose, Urine
Number of times reported: [5]
[Sign:] Icterus, Serum
Number of times reported: [5]
[Sign:] Liver Failure
Number of times reported: [5]
[Sign:] Polycythemia
Number of times reported: [5]
[Sign:] Pressure Lo, Bld
Number of times reported: [5]
[Sign:] Shock
Number of times reported: [5]
[Sign:] Skin, Crust(s)

Number of times reported: [5]
[Sign:] Slough, Skin
Number of times reported: [5]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [5]
[Sign:] Ulcer(s), Pylorus
Number of times reported: [5]
[Sign:] Unconscious
Number of times reported: [5]
[Sign:] Vasculitis
Number of times reported: [5]
[Sign:] Anemia, Bld Loss
Number of times reported: [4]
[Sign:] Bld(hematoma)
Number of times reported: [4]
[Sign:] Blindness
Number of times reported: [4]
[Sign:] Bun Lo, Bld
Number of times reported: [4]
[Sign:] Ca Hi, Bld
Number of times reported: [4]
[Sign:] Congestion, Lung(s)
Number of times reported: [4]
[Sign:] Coughing
Number of times reported: [4]
[Sign:] Cpk Hi, Bld
Number of times reported: [4]
[Sign:] Crystals, Urine
Number of times reported: [4]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [4]
[Sign:] Distress
Number of times reported: [4]
[Sign:] Distress, Resp
Number of times reported: [4]
[Sign:] Edema, Limb(s)
Number of times reported: [4]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [4]
[Sign:] Globulin Hi, Bld
Number of times reported: [4]
[Sign:] Granuloma

Number of times reported: [4]
[Sign:] Hiding
Number of times reported: [4]
[Sign:] Inj Site Effusion
Number of times reported: [4]
[Sign:] Inj Site Fibrosis
Number of times reported: [4]
[Sign:] K Hi, Bld
Number of times reported: [4]
[Sign:] Liver Disorder
Number of times reported: [4]
[Sign:] Mydriasis
Number of times reported: [4]
[Sign:] Na Hi, Bld
Number of times reported: [4]
[Sign:] Necrosis
Number of times reported: [4]
[Sign:] Pacing
Number of times reported: [4]
[Sign:] Pallor
Number of times reported: [4]
[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [4]
[Sign:] Proprioceptive Disorde
Number of times reported: [4]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Rbc, Nucleated
Number of times reported: [4]
[Sign:] Reflex(es) Abn
Number of times reported: [4]
[Sign:] Reticulocytes Hi, Bld
Number of times reported: [4]
[Sign:] Swelling, Ear(s)
Number of times reported: [4]
[Sign:] Swelling, Scrotum
Number of times reported: [4]
[Sign:] Urination Abn
Number of times reported: [4]
[Sign:] Vomiting, Unproductive
Number of times reported: [4]
[Sign:] Anesth Recov Prolonged

Number of times reported: [3]
[Sign:] Anisocoria
Number of times reported: [3]
[Sign:] Ascites
Number of times reported: [3]
[Sign:] Bile Acids Abn, Bld
Number of times reported: [3]
[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [3]
[Sign:] Biting/chewing
Number of times reported: [3]
[Sign:] Bld, Vagina
Number of times reported: [3]
[Sign:] Chemistry Abn
Number of times reported: [3]
[Sign:] Culture/titer Data Abn
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Diarrhea, Severe
Number of times reported: [3]
[Sign:] Discharge, Incision Site
Number of times reported: [3]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Edema, Multiple Sites
Number of times reported: [3]
[Sign:] Edema, Ventral
Number of times reported: [3]
[Sign:] Enlargement(s), Skin
Number of times reported: [3]
[Sign:] Gall Bladder, Abn
Number of times reported: [3]
[Sign:] Gastritis
Number of times reported: [3]
[Sign:] Globulin Lo, Bld
Number of times reported: [3]
[Sign:] Head Tilt
Number of times reported: [3]
[Sign:] Heart Disorder
Number of times reported: [3]
[Sign:] Hepatomegaly

Number of times reported: [3]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [3]
[Sign:] Incontinence, Fecal
Number of times reported: [3]
[Sign:] Inj Site Induration
Number of times reported: [3]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [3]
[Sign:] Locomotion Disorder
Number of times reported: [3]
[Sign:] Murmur, Heart
Number of times reported: [3]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Pain, Neck
Number of times reported: [3]
[Sign:] Papule(s)
Number of times reported: [3]
[Sign:] Paralysis, All Limbs
Number of times reported: [3]
[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Paresis
Number of times reported: [3]
[Sign:] Polycythemia(relative)
Number of times reported: [3]
[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [3]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [3]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [3]
[Sign:] Sedation
Number of times reported: [3]
[Sign:] Shaking
Number of times reported: [3]
[Sign:] Splenomegaly
Number of times reported: [3]
[Sign:] Staggering

Number of times reported: [3]
[Sign:] Swelling
Number of times reported: [3]
[Sign:] Swelling, Ventrum
Number of times reported: [3]
[Sign:] Abscess, Skin
Number of times reported: [2]
[Sign:] Albumin Hi, Urine
Number of times reported: [2]
[Sign:] Bld, Skin
Number of times reported: [2]
[Sign:] Cellulitis
Number of times reported: [2]
[Sign:] Cervical Spine Abn
Number of times reported: [2]
[Sign:] Cns Disorder
Number of times reported: [2]
[Sign:] Constipation
Number of times reported: [2]
[Sign:] Cyanosis
Number of times reported: [2]
[Sign:] Deafness
Number of times reported: [2]
[Sign:] Death(stillborn)
Number of times reported: [2]
[Sign:] Defecation
Number of times reported: [2]
[Sign:] Dementia
Number of times reported: [2]
[Sign:] Diarrhea, Projectile
Number of times reported: [2]
[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Dysphagia
Number of times reported: [2]
[Sign:] Ecchymosis, Incision Site
Number of times reported: [2]
[Sign:] Ecg Abn
Number of times reported: [2]
[Sign:] Enlargement(s)

Number of times reported: [2]
[Sign:] Epiphora
Number of times reported: [2]
[Sign:] Gi, Abnormal
Number of times reported: [2]
[Sign:] Hallucination
Number of times reported: [2]
[Sign:] Hyperkeratosis
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Incision Site, Bld
Number of times reported: [2]
[Sign:] Incision Site Discharge
Number of times reported: [2]
[Sign:] Kidney Disorder
Number of times reported: [2]
[Sign:] Lymphs Hi, Bld
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Mucous Membr, Red
Number of times reported: [2]
[Sign:] Nystagmus, Horizontal
Number of times reported: [2]
[Sign:] Oliguria
Number of times reported: [2]
[Sign:] Pain, Back
Number of times reported: [2]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [2]
[Sign:] Pneumonia, Aspiration
Number of times reported: [2]
[Sign:] Pollakiuria
Number of times reported: [2]
[Sign:] Polyphagia
Number of times reported: [2]
[Sign:] Posture Abn
Number of times reported: [2]
[Sign:] Pressure Hi, Bld

Number of times reported: [2]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [2]
[Sign:] Pulse Thready
Number of times reported: [2]
[Sign:] Pustule(s)
Number of times reported: [2]
[Sign:] Rash
Number of times reported: [2]
[Sign:] Rbc, Polychrom
Number of times reported: [2]
[Sign:] Segs Lo, Bld
Number of times reported: [2]
[Sign:] Septicemia
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Stool Abn
Number of times reported: [2]
[Sign:] Stumbling
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Swelling, Neck
Number of times reported: [2]
[Sign:] Swelling, Pharynx/thro
Number of times reported: [2]
[Sign:] Swelling, Tongue
Number of times reported: [2]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [2]
[Sign:] Tox
Number of times reported: [2]
[Sign:] Trembling, Face

Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Urination
Number of times reported: [2]
[Sign:] Vestibular Disorder
Number of times reported: [2]
[Sign:] Wbc Abn
Number of times reported: [2]
[Sign:] Abn Odor, Urine
Number of times reported: [1]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Acidosis
Number of times reported: [1]
[Sign:] Acid Urine
Number of times reported: [1]
[Sign:] Agranulocytosis, Bld
Number of times reported: [1]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Ammonia Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anesth Recov Turbulent
Number of times reported: [1]
[Sign:] Arrhythmia, Block
Number of times reported: [1]
[Sign:] Arthritis
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Ear(s)
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Bld, Penis

Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Bld, Scrotum
Number of times reported: [1]
[Sign:] Blepharospasm
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Borborygmi
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Bronchitis
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Congestion, Mucous Mem
Number of times reported: [1]
[Sign:] Creatinine Lo, Bld
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Deafness, Temp
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Diarrhea, Mucoïd
Number of times reported: [1]
[Sign:] Discharge, Ear(s)
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Distention, Bladder
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Ear Disorder

Number of times reported: [1]
[Sign:] Ecg, Abn
Number of times reported: [1]
[Sign:] Edema, Larynx
Number of times reported: [1]
[Sign:] Edema, Mammary
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Pharynx
Number of times reported: [1]
[Sign:] Edema, Sclera
Number of times reported: [1]
[Sign:] Edema, Tongue
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Embolus
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eructation
Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Erythema Multiforme
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Head Bobbing

Number of times reported: [1]
[Sign:] Head Pressing
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hemoglobin, Urine
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Hypoesthesia
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Incision Site Infection
Number of times reported: [1]
[Sign:] Infarct
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Feet/digit(
Number of times reported: [1]
[Sign:] Infection, Joint(s)
Number of times reported: [1]
[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Inj Site Hair, Abn
Number of times reported: [1]
[Sign:] Insomnia
Number of times reported: [1]
[Sign:] Irritation, Esophagus
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] Irritation, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Irritation, Perineum
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)

Number of times reported: [1]
[Sign:] Macule(s)
Number of times reported: [1]
[Sign:] Mammary, Inflammation
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Microorganisms, Urine
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Mucous Membr, Muddy
Number of times reported: [1]
[Sign:] Myoglobin, Urine
Number of times reported: [1]
[Sign:] Na:k Lo, Bld
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Neurological Disorder
Number of times reported: [1]
[Sign:] Nose Abn
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Joint(s)
Number of times reported: [1]
[Sign:] Pancreas Disorder

Number of times reported: [1]
[Sign:] Paralysis
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-cartilage, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [1]
[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Prostration
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-prostate, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [1]
[Sign:] Pr-ureter(s), Lesion(s)
Number of times reported: [1]
[Sign:] Rbc Abn
Number of times reported: [1]
[Sign:] Rbc, Aniso
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Rupture, Tumor

Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Shock, Endotoxemia
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Strabismus
Number of times reported: [1]
[Sign:] Straining
Number of times reported: [1]
[Sign:] Stranguria
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Brisket/ches
Number of times reported: [1]
[Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Tachycardia, Ventricul
Number of times reported: [1]
[Sign:] Tenesmus, Rectal
Number of times reported: [1]
[Sign:] Thrombus
Number of times reported: [1]
[Sign:] Tongue, Abn
Number of times reported: [1]
[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]
[Sign:] Ulcer(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Pharynx/thro

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Urine Abn

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Voice Disorder

Number of times reported: [1]

[Sign:] Volvulus

Number of times reported: [1]

[Sign:] Volvulus, Stomach

Number of times reported: [1]

[Sign:] Vomiting, Severe

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Ferret

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Hematochezia

Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [3]

[Sign:] Inj Site Inflam

Number of times reported: [2]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Mouse

[Sign:] Inj Site Inflam

Number of times reported: [1]

[Sign:] Inj Site Pruritis

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Other

[Sign:] Death

Number of times reported: [1]

[Sign:] Inj Site Sterile Absce

Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Pig

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Carprofen

Parenteral, Rat

[Sign:] Death

Number of times reported: [1]

[Drug:] Carprofen

Suppository, Dog

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Carprofen

Topical, Cat

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Carprofen

Topical, Dog

[Sign:] Vomiting
Number of times reported: [3]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Anemia, Regen
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Platelets Lo, Bld
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Carprofen

Topical, Human

[Sign:] Congestion, Skin
Number of times reported: [2]

[Sign:] Pruritis
Number of times reported: [2]

[Sign:] Rash
Number of times reported: [2]

[Sign:] Unconscious
Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Carprofen

Unknown, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Emphysema, Sq

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Necrosis

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Carprofen

Unknown, Dog

[Sign:] Death

Number of times reported: [26]

[Sign:] Anorexia

Number of times reported: [22]

[Sign:] Depression/lethargy

Number of times reported: [18]
[Sign:] Vomiting
Number of times reported: [17]
[Sign:] Convulsion(s)
Number of times reported: [10]
[Sign:] Death(euthanized)
Number of times reported: [10]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [8]
[Sign:] Bun Hi, Bld
Number of times reported: [8]
[Sign:] Ataxia
Number of times reported: [7]
[Sign:] Diarrhea
Number of times reported: [7]
[Sign:] Diarrhea, Bloody
Number of times reported: [6]
[Sign:] Icterus, Body
Number of times reported: [6]
[Sign:] Kidney Failure
Number of times reported: [6]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [6]
[Sign:] Weakness
Number of times reported: [6]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [5]
[Sign:] Melena
Number of times reported: [5]
[Sign:] Polydipsia
Number of times reported: [5]
[Sign:] Polyuria
Number of times reported: [5]
[Sign:] Wbc Hi, Bld
Number of times reported: [5]
[Sign:] Adipsia
Number of times reported: [4]
[Sign:] Anemia
Number of times reported: [4]
[Sign:] Dyspnea
Number of times reported: [4]
[Sign:] Ill

Number of times reported: [4]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] P Hi, Bld
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Weight Loss
Number of times reported: [4]
[Sign:] Albumin Lo, Bld
Number of times reported: [3]
[Sign:] Bld, Urine
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [3]
[Sign:] Coughing
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Ggt Hi, Bld
Number of times reported: [3]
[Sign:] Hyperactivity
Number of times reported: [3]
[Sign:] Liver Failure
Number of times reported: [3]
[Sign:] Pancreatitis
Number of times reported: [3]
[Sign:] Paresis
Number of times reported: [3]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]
[Sign:] Aggression
Number of times reported: [2]
[Sign:] Anesth Recov Prolonged
Number of times reported: [2]
[Sign:] Arrest, Heart

Number of times reported: [2]
[Sign:] Behavior Disorder
Number of times reported: [2]
[Sign:] Bld(ecchymoses)
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Ca Hi, Bld
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [2]
[Sign:] Gastroenteritis
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Hypothermia, Body
Number of times reported: [2]
[Sign:] Ineffect, Antiinflam
Number of times reported: [2]
[Sign:] Interaction, Drug(s)
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Monos Hi, Bld
Number of times reported: [2]
[Sign:] Murmur, Heart
Number of times reported: [2]
[Sign:] Na Lo, Bld
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran
Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Sore(s)

Number of times reported: [2]
[Sign:] Stumbling
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Vomiting, Bloody
Number of times reported: [2]
[Sign:] Abn Odor, Urine
Number of times reported: [1]
[Sign:] Abscess, Skin
Number of times reported: [1]
[Sign:] Abscess, Tumor
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Capillary Refill Prolo
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Chloride Hi, Bld
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
[Sign:] Congestion, Skin

Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Pericardial
Number of times reported: [1]
[Sign:] Encephalopathy
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Glaucoma
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Heart Disorder
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Hyposalivation
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Incontinence, Fecal
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Inj Site Abscess

Number of times reported: [1]
[Sign:] Inj Site Necrosis
Number of times reported: [1]
[Sign:] Intussusception
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Neck, Ventroflexion
Number of times reported: [1]
[Sign:] Neoplasm, Kidney(s)
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Neck
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] Platelets Lo, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Radiograph(s) Abn
Number of times reported: [1]
[Sign:] Retina Abn
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]
[Sign:] Stomatitis
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
[Sign:] Syncope
Number of times reported: [1]
[Sign:] Tachycardia, Ventricul
Number of times reported: [1]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]
[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Uveitis

Number of times reported: [1]

[Sign:] Vasculitis

Number of times reported: [1]

[Sign:] Vestibular Disorder

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Carprofen

Unknown, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [2]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Pain, Brisket/chest

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Carprofen

Various, Dog

[Sign:] Death(newborn)

Number of times reported: [1]

[Drug:] Cefadroxil

Defect, Not Applicable

[Sign:] Pd-cap(s), Abn

Number of times reported: [24]

[Sign:] Pd-container(s), Damag

Number of times reported: [8]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [7]

[Sign:] Pd-label(s), Abn

Number of times reported: [6]

[Sign:] Pd-dispenser, Abn

Number of times reported: [5]

[Sign:] Pd-missing, Label(s)

Number of times reported: [5]

[Sign:] Pd-container(s), Abn

Number of times reported: [4]

[Sign:] Pd-odor, Abn

Number of times reported: [4]

[Sign:] Pd-seal, Abn

Number of times reported: [4]

[Sign:] Pd-underfill, Package

Number of times reported: [4]

[Sign:] Pd-missing, Cap

Number of times reported: [3]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [1]

[Drug:] Cefadroxil

Missing, Cat

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Effusion, Joint(s)
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Glucose Hi, Bld
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Lameness
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Cefadroxil

Oral, Cat

[Sign:] Vomiting

Number of times reported: [17]

[Sign:] Anorexia

Number of times reported: [7]

[Sign:] Depression/lethargy

Number of times reported: [7]

[Sign:] Congestion, Skin

Number of times reported: [6]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Pruritis

Number of times reported: [5]

[Sign:] Alopecia

Number of times reported: [3]

[Sign:] Death

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Glucose Hi, Bld

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Azotemia

Number of times reported: [1]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Breathing Abn

Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement(s), Neck
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gagging
Number of times reported: [1]
[Sign:] Grinding Teeth
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Oliguria
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Back

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] P Hi, Bld

Number of times reported: [1]

[Sign:] Pr-lung(s), Edema

Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest

Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Skin, Crust(s)

Number of times reported: [1]

[Sign:] Swelling

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Cefadroxil

Oral, Dog

[Sign:] Vomiting

Number of times reported: [9]

[Sign:] Depression/lethargy

Number of times reported: [6]

[Sign:] Death

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Fever, Body

Number of times reported: [3]

[Sign:] Albumin Lo, Bld

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Coughing
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Ineffect, Antibiotic
Number of times reported: [2]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [2]

[Sign:] Pruritis
Number of times reported: [2]

[Sign:] Scale(s), Skin
Number of times reported: [2]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [2]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]

[Sign:] Urticaria
Number of times reported: [2]

[Sign:] Wbc Hi, Bld
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Ascites
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Cachexia
Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Body
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Incontinence, Fecal
Number of times reported: [1]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]

[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lung(s), Edema
Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]

[Sign:] Shaking
Number of times reported: [1]

[Sign:] Skin, Crust(s)
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Drug:] Cefadroxil

Oral, Guinea Pig

[Sign:] Death
Number of times reported: [1]

[Drug:] Cefadroxil

Oral, Rabbit

[Sign:] Death
Number of times reported: [1]

[Drug:] Cefadroxil

Oral, Various

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Drug:] Cefadroxil

Unknown, Dog

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Cefazolin

Parenteral, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Swelling, Mult Sites

Number of times reported: [1]

[Sign:] Swelling, Tongue

Number of times reported: [1]

[Drug:] Cefovecin

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [42]

[Sign:] Pd-color, Abn

Number of times reported: [20]

[Sign:] Pd-cap(s), Abn

Number of times reported: [12]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [12]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [10]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [7]

[Sign:] Pd-vial(s), Abn

Number of times reported: [5]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [3]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-seal, Abn
Number of times reported: [1]

[Drug:] Cefovecin

Missing, Cat

[Sign:] Anorexia
Number of times reported: [7]

[Sign:] Depression/lethargy
Number of times reported: [5]

[Sign:] Anemia
Number of times reported: [3]

[Sign:] Pain
Number of times reported: [3]

[Sign:] Vomiting
Number of times reported: [3]

[Sign:] Ataxia
Number of times reported: [2]

[Sign:] Azotemia
Number of times reported: [2]

[Sign:] Constipation
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Shock
Number of times reported: [2]

[Sign:] Vocalization
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Behavior Disorder
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Colon, Abn
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Dyspnea
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Abn
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [1]
[Sign:] Pain, Limb(s)
Number of times reported: [1]
[Sign:] Pancytopenia
Number of times reported: [1]
[Sign:] Paralysis, All Limbs
Number of times reported: [1]
[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Polyphagia

Number of times reported: [1]

[Sign:] Pressure Lo, Bld

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Sneezing

Number of times reported: [1]

[Sign:] Staring

Number of times reported: [1]

[Sign:] Stiffness, Front Limb(

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Torticollis

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Urination

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Cefovecin

Missing, Dog

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Inj Site Abn

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Inj Site Mass

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Cefovecin

Missing, Guinea Pig

[Sign:] Death

Number of times reported: [1]

[Drug:] Cefovecin

Ophthalmic, Human

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Cefovecin

Oral, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Cat

[Sign:] Anorexia
Number of times reported: [335]

[Sign:] Depression/lethargy
Number of times reported: [275]

[Sign:] Vomiting
Number of times reported: [215]

[Sign:] Death
Number of times reported: [166]

[Sign:] Anemia
Number of times reported: [149]

[Sign:] Ataxia
Number of times reported: [139]

[Sign:] Diarrhea
Number of times reported: [131]

[Sign:] Bun Hi, Bld
Number of times reported: [102]

[Sign:] Fever, Body
Number of times reported: [102]

[Sign:] Anaphylaxis/toid
Number of times reported: [96]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [90]

[Sign:] Convulsion(s)
Number of times reported: [85]

[Sign:] Dyspnea
Number of times reported: [78]

[Sign:] Ineffect, Antibiotic
Number of times reported: [74]

[Sign:] Creatinine Hi, Bld
Number of times reported: [70]

[Sign:] Dehydration
Number of times reported: [69]

[Sign:] Weight Loss
Number of times reported: [69]

[Sign:] Wbc Hi, Bld
Number of times reported: [55]

[Sign:] Hypersalivation
Number of times reported: [53]

[Sign:] Platelets Lo, Bld
Number of times reported: [52]

[Sign:] Vocalization
Number of times reported: [52]

[Sign:] Behavior Disorder
Number of times reported: [51]

[Sign:] Glucose Hi, Bld
Number of times reported: [41]

[Sign:] Inj Site Abn
Number of times reported: [41]

[Sign:] Lesion(s), Skin
Number of times reported: [41]

[Sign:] Hypothermia, Body
Number of times reported: [40]

[Sign:] Adipsia
Number of times reported: [38]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [38]

[Sign:] Kidney Failure
Number of times reported: [38]

[Sign:] Mydriasis
Number of times reported: [36]

[Sign:] Neurological Disorder
Number of times reported: [35]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [32]

[Sign:] Pruritis
Number of times reported: [32]

[Sign:] Trembling
Number of times reported: [32]

[Sign:] Azotemia
Number of times reported: [29]

[Sign:] Blindness
Number of times reported: [29]

[Sign:] Recumbency
Number of times reported: [29]

[Sign:] Hiding
Number of times reported: [28]

[Sign:] Alopecia
Number of times reported: [27]

[Sign:] Congestion, Skin
Number of times reported: [27]

[Sign:] Death(euthanized)
Number of times reported: [27]

[Sign:] Inj Site Alopecia
Number of times reported: [27]

[Sign:] Pallor, Mucous Membran
Number of times reported: [27]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [27]

[Sign:] Unconscious
Number of times reported: [27]

[Sign:] Weakness
Number of times reported: [26]

[Sign:] P Hi, Bld
Number of times reported: [25]

[Sign:] Inflamm, Skin
Number of times reported: [24]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [24]

[Sign:] Segs Hi, Bld
Number of times reported: [24]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [24]

[Sign:] Bld, Urine
Number of times reported: [23]

[Sign:] Collapse
Number of times reported: [23]

[Sign:] Liver Disorder
Number of times reported: [23]

[Sign:] Wbc Lo, Bld
Number of times reported: [23]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [21]

[Sign:] Segs Lo, Bld
Number of times reported: [21]

[Sign:] Tachycardia
Number of times reported: [21]

[Sign:] Vestibular Disorder
Number of times reported: [21]

[Sign:] Head Tilt
Number of times reported: [20]

[Sign:] Hyperactivity
Number of times reported: [20]

[Sign:] Hyperpnea
Number of times reported: [20]

[Sign:] Inj Site Mass
Number of times reported: [20]

[Sign:] K Lo, Bld
Number of times reported: [20]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [20]

[Sign:] Radiograph(s) Abn
Number of times reported: [20]

[Sign:] Kidney Disorder
Number of times reported: [19]

[Sign:] Lymphs Lo, Bld
Number of times reported: [19]

[Sign:] Skin, Scab(s)
Number of times reported: [19]

[Sign:] Albumin Lo, Bld
Number of times reported: [18]

[Sign:] Confusion
Number of times reported: [17]

[Sign:] Interaction, Drug(s)
Number of times reported: [17]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [17]

[Sign:] Amylase Hi, Bld
Number of times reported: [16]

[Sign:] Diarrhea, Mild
Number of times reported: [16]

[Sign:] Pain
Number of times reported: [16]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [16]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [16]

[Sign:] Cpk Hi, Bld
Number of times reported: [15]

[Sign:] Icterus, Body
Number of times reported: [15]

[Sign:] Nystagmus
Number of times reported: [15]

[Sign:] Polypnea
Number of times reported: [15]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [15]

[Sign:] Swelling, Head/face
Number of times reported: [15]

[Sign:] Globulin Hi, Bld
Number of times reported: [14]

[Sign:] Inj Site Pain
Number of times reported: [14]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [14]

[Sign:] Ulcer(s), Skin
Number of times reported: [14]

[Sign:] Urination
Number of times reported: [14]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [13]

[Sign:] Diarrhea, Bloody
Number of times reported: [13]

[Sign:] Reflex(es) Abn
Number of times reported: [13]

[Sign:] Glucose, Urine
Number of times reported: [12]

[Sign:] Heart Disorder
Number of times reported: [12]

[Sign:] Murmur, Heart
Number of times reported: [12]

[Sign:] Nausea
Number of times reported: [12]

[Sign:] Arrest, Heart
Number of times reported: [11]

[Sign:] Edema, Head/face
Number of times reported: [11]

[Sign:] Ill
Number of times reported: [11]

[Sign:] Inj Site Swelling
Number of times reported: [11]

[Sign:] K Hi, Bld
Number of times reported: [11]

[Sign:] Pancreatitis
Number of times reported: [11]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [11]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [11]

[Sign:] Protein, Urine
Number of times reported: [11]

[Sign:] Sneezing
Number of times reported: [11]

[Sign:] Twitch
Number of times reported: [11]

[Sign:] Wbc, Urine
Number of times reported: [11]

[Sign:] Apnea
Number of times reported: [10]

[Sign:] Bilirubin, Urine
Number of times reported: [10]

[Sign:] Circling
Number of times reported: [10]

[Sign:] Constipation
Number of times reported: [10]

[Sign:] Inj Site Necrosis
Number of times reported: [10]

[Sign:] Inj Site Pruritis
Number of times reported: [10]

[Sign:] Polydipsia
Number of times reported: [10]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [10]

[Sign:] Skin Abnormal
Number of times reported: [10]

[Sign:] Anisocoria
Number of times reported: [9]

[Sign:] Cardiomegaly
Number of times reported: [9]

[Sign:] Eosinos Hi, Bld
Number of times reported: [9]

[Sign:] Hyperesthesia
Number of times reported: [9]

[Sign:] Hypothermia
Number of times reported: [9]

[Sign:] Incontinence, Urinary
Number of times reported: [9]

[Sign:] Inj Site Inflam
Number of times reported: [9]

[Sign:] Monos Hi, Bld
Number of times reported: [9]

[Sign:] Na Lo, Bld
Number of times reported: [9]

[Sign:] Pain, Abdomen
Number of times reported: [9]

[Sign:] Pressure Hi, Bld
Number of times reported: [9]

[Sign:] Pr-lung(s), Edema
Number of times reported: [9]

[Sign:] Retina Abn
Number of times reported: [9]

[Sign:] Ca Lo, Bld
Number of times reported: [8]

[Sign:] Chloride Lo, Bld
Number of times reported: [8]

[Sign:] Crystals, Urine
Number of times reported: [8]

[Sign:] Dermatitis, Moist
Number of times reported: [8]

[Sign:] Hematochezia
Number of times reported: [8]

[Sign:] Lameness
Number of times reported: [8]

[Sign:] Polyuria
Number of times reported: [8]

[Sign:] Posture Abn
Number of times reported: [8]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [8]

[Sign:] Scale(s), Skin
Number of times reported: [8]

[Sign:] Stupor
Number of times reported: [8]

[Sign:] Us Abn
Number of times reported: [8]

[Sign:] Aggression
Number of times reported: [7]

[Sign:] Albumin Hi, Bld
Number of times reported: [7]

[Sign:] Bld(ecchymoses)
Number of times reported: [7]

[Sign:] Distress, Resp
Number of times reported: [7]

[Sign:] Ear Disorder
Number of times reported: [7]

[Sign:] Gi, Abnormal
Number of times reported: [7]

[Sign:] Glucose Lo, Bld
Number of times reported: [7]

[Sign:] Licking
Number of times reported: [7]

[Sign:] Na Hi, Bld
Number of times reported: [7]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [7]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [7]

[Sign:] Reluctant To Move
Number of times reported: [7]

[Sign:] Skin, Crust(s)
Number of times reported: [7]

[Sign:] Vomiting, Bloody
Number of times reported: [7]

[Sign:] Bun Lo, Bld
Number of times reported: [6]

[Sign:] Ca Hi, Bld
Number of times reported: [6]

[Sign:] Coagulation Disorder
Number of times reported: [6]

[Sign:] Coughing
Number of times reported: [6]

[Sign:] Cyanosis
Number of times reported: [6]

[Sign:] Deafness
Number of times reported: [6]

[Sign:] Defecation
Number of times reported: [6]

[Sign:] Discharge, Nose
Number of times reported: [6]

[Sign:] Effusion, Pleural
Number of times reported: [6]

[Sign:] Eosinos Lo, Bld
Number of times reported: [6]

[Sign:] Exfoliation, Skin
Number of times reported: [6]

[Sign:] Miosis
Number of times reported: [6]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [6]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [6]

[Sign:] Pupil(s), Areflexia
Number of times reported: [6]

[Sign:] Shaking, Head/face
Number of times reported: [6]

[Sign:] Skin, Necrosis
Number of times reported: [6]

[Sign:] Slough, Skin
Number of times reported: [6]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [6]

[Sign:] Swelling, Tongue
Number of times reported: [6]

[Sign:] Urticaria
Number of times reported: [6]

[Sign:] Vasculitis
Number of times reported: [6]

[Sign:] Anemia, Hemolytic
Number of times reported: [5]

[Sign:] Bld
Number of times reported: [5]

[Sign:] Conjunctivitis
Number of times reported: [5]

[Sign:] Diabetes Mellitus
Number of times reported: [5]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [5]

[Sign:] Edema, Multiple Sites
Number of times reported: [5]

[Sign:] Eye Disorder
Number of times reported: [5]

[Sign:] Hypopnea
Number of times reported: [5]

[Sign:] Icterus, Serum
Number of times reported: [5]

[Sign:] Infection, Skin
Number of times reported: [5]

[Sign:] Inj Site Abscess
Number of times reported: [5]

[Sign:] Inj Site Edema
Number of times reported: [5]

[Sign:] Inj Site Neoplasm
Number of times reported: [5]

[Sign:] Inj Site Slough
Number of times reported: [5]

[Sign:] Locomotion Disorder
Number of times reported: [5]

[Sign:] Nail Disorder
Number of times reported: [5]

[Sign:] Pressure Lo, Bld
Number of times reported: [5]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [5]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [5]

[Sign:] Respiratory Disorder
Number of times reported: [5]

[Sign:] Sound Abn, Respiratory
Number of times reported: [5]

[Sign:] Stool Abn
Number of times reported: [5]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [5]

[Sign:] Us-liver Abn
Number of times reported: [5]

[Sign:] Abn Color, Urine
Number of times reported: [4]

[Sign:] Abscess, Skin
Number of times reported: [4]

[Sign:] Anesth Recov Prolonged
Number of times reported: [4]

[Sign:] Anuria
Number of times reported: [4]

[Sign:] Bld(petechiae)
Number of times reported: [4]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [4]

[Sign:] Dysphagia
Number of times reported: [4]

[Sign:] Edema, Limb(s)
Number of times reported: [4]

[Sign:] Globulin Lo, Bld
Number of times reported: [4]

[Sign:] Hair, Abn
Number of times reported: [4]

[Sign:] Hepatomegaly
Number of times reported: [4]

[Sign:] Horner's Syndrome
Number of times reported: [4]

[Sign:] Lipase Hi, Bld
Number of times reported: [4]

[Sign:] Microorganisms, Urine
Number of times reported: [4]

[Sign:] Monos Lo, Bld
Number of times reported: [4]

[Sign:] Otitis
Number of times reported: [4]

[Sign:] Pain, Spinal
Number of times reported: [4]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [4]

[Sign:] Proprioceptive Disorde
Number of times reported: [4]

[Sign:] Pr-pleural Effusion
Number of times reported: [4]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [4]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [4]

[Sign:] Rbc, Aniso
Number of times reported: [4]

[Sign:] Shock
Number of times reported: [4]

[Sign:] Somnolence
Number of times reported: [4]

[Sign:] Splenomegaly
Number of times reported: [4]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [4]

[Sign:] Tongue, Abn
Number of times reported: [4]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [4]

[Sign:] Urination Abn
Number of times reported: [4]

[Sign:] Vision Disorder
Number of times reported: [4]

[Sign:] Anemia, Aplastic
Number of times reported: [3]

[Sign:] Anemia, Regen
Number of times reported: [3]

[Sign:] Apprehension
Number of times reported: [3]

[Sign:] Arrhythmia
Number of times reported: [3]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [3]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Bld, Sclera
Number of times reported: [3]

[Sign:] Breathing Abn
Number of times reported: [3]

[Sign:] Cns Disorder
Number of times reported: [3]

[Sign:] Congestion, Lung(s)
Number of times reported: [3]

[Sign:] Dehiscence
Number of times reported: [3]

[Sign:] Diarrhea, Mucoïd
Number of times reported: [3]

[Sign:] Diarrhea, Watery
Number of times reported: [3]

[Sign:] Distention, Abdomen
Number of times reported: [3]

[Sign:] Edema
Number of times reported: [3]

[Sign:] Emphysema, Sq
Number of times reported: [3]

[Sign:] Gagging
Number of times reported: [3]

[Sign:] Gastroenteritis
Number of times reported: [3]

[Sign:] Head Pressing
Number of times reported: [3]

[Sign:] Hepatitis
Number of times reported: [3]

[Sign:] Hyphema
Number of times reported: [3]

[Sign:] Icterus
Number of times reported: [3]

[Sign:] Immune Disorder
Number of times reported: [3]

[Sign:] Incision Site Abn
Number of times reported: [3]

[Sign:] Infection, Incision Site
Number of times reported: [3]

[Sign:] Infection, Urinary Tra
Number of times reported: [3]

[Sign:] Inj Site Seroma
Number of times reported: [3]

[Sign:] Neoplasm, Skin
Number of times reported: [3]

[Sign:] Nervousness
Number of times reported: [3]

[Sign:] Nystagmus, Horizontal
Number of times reported: [3]

[Sign:] Pacing
Number of times reported: [3]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [3]

[Sign:] Pancreas Disorder
Number of times reported: [3]

[Sign:] Pancytopenia
Number of times reported: [3]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [3]

[Sign:] Polycythemia
Number of times reported: [3]

[Sign:] Pr-colon, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-mult Sites, Edema
Number of times reported: [3]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-thyroid, Lesion(s)
Number of times reported: [3]

[Sign:] Pruritis, Ear(s)
Number of times reported: [3]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [3]

[Sign:] Reticulocytes Hi, Bld
Number of times reported: [3]

[Sign:] Sedation
Number of times reported: [3]

[Sign:] Staring
Number of times reported: [3]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [3]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [3]

[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [3]

[Sign:] Trembling, Face
Number of times reported: [3]

[Sign:] Urine Abn
Number of times reported: [3]

[Sign:] Vomiting, Projectile
Number of times reported: [3]

[Sign:] Vomiting, Unproductive
Number of times reported: [3]

[Sign:] Anemia, Sphero
Number of times reported: [2]

[Sign:] Ascites
Number of times reported: [2]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [2]

[Sign:] Bands Hi, Bld
Number of times reported: [2]

[Sign:] Basos Hi, Bld
Number of times reported: [2]

[Sign:] Bld, Incision Site
Number of times reported: [2]

[Sign:] Bradycardia
Number of times reported: [2]

[Sign:] Brain, Neoplasm
Number of times reported: [2]

[Sign:] Breathing, Difficult
Number of times reported: [2]

[Sign:] Cachexia
Number of times reported: [2]

[Sign:] Chloride Hi, Bld
Number of times reported: [2]

[Sign:] Colon, Abn
Number of times reported: [2]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]

[Sign:] Cystitis
Number of times reported: [2]

[Sign:] Defecation Abn
Number of times reported: [2]

[Sign:] Dementia
Number of times reported: [2]

[Sign:] Dic
Number of times reported: [2]

[Sign:] Difficulty Rising
Number of times reported: [2]

[Sign:] Discomfort
Number of times reported: [2]

[Sign:] Edema, Tongue
Number of times reported: [2]

[Sign:] Epistaxis
Number of times reported: [2]

[Sign:] Granuloma
Number of times reported: [2]

[Sign:] Head Bobbing
Number of times reported: [2]

[Sign:] Incontinence, Fecal
Number of times reported: [2]

[Sign:] Infarct
Number of times reported: [2]

[Sign:] Inj Site Infect
Number of times reported: [2]

[Sign:] Inj Site Sterile Absce
Number of times reported: [2]

[Sign:] Inj Site Ulcer(s)
Number of times reported: [2]

[Sign:] Lesion(s)
Number of times reported: [2]

[Sign:] Liver Failure
Number of times reported: [2]

[Sign:] Lymphs Hi, Bld
Number of times reported: [2]

[Sign:] Melena
Number of times reported: [2]

[Sign:] Na:k Lo, Bld
Number of times reported: [2]

[Sign:] Necrosis
Number of times reported: [2]

[Sign:] Odor, Mouth
Number of times reported: [2]

[Sign:] Opacity, Cornea(s)
Number of times reported: [2]

[Sign:] Opisthotonos
Number of times reported: [2]

[Sign:] Pallor
Number of times reported: [2]

[Sign:] Paralysis
Number of times reported: [2]

[Sign:] Photosensitization
Number of times reported: [2]

[Sign:] Platelets Hi, Bld
Number of times reported: [2]

[Sign:] Pneumonia
Number of times reported: [2]

[Sign:] Pollakiuria
Number of times reported: [2]

[Sign:] Polyphagia
Number of times reported: [2]

[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [2]

[Sign:] Pt Prolonged, Bld
Number of times reported: [2]

[Sign:] Rbc, Polychrom
Number of times reported: [2]

[Sign:] Sepsis
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Slough, Ear(s)
Number of times reported: [2]

[Sign:] Sore(s)
Number of times reported: [2]

[Sign:] Sound Abn, Voice
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Staggering
Number of times reported: [2]

[Sign:] Stumbling
Number of times reported: [2]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [2]

[Sign:] Swelling, Limb(s)
Number of times reported: [2]

[Sign:] Teeth, Abn
Number of times reported: [2]

[Sign:] Tenesmus
Number of times reported: [2]

[Sign:] Thrashing/paddling
Number of times reported: [2]

[Sign:] Ulcer(s), Tongue
Number of times reported: [2]

[Sign:] Uveitis
Number of times reported: [2]

[Sign:] Weight Increase
Number of times reported: [2]

[Sign:] Wheezing
Number of times reported: [2]

[Sign:] Acidosis
Number of times reported: [1]

[Sign:] Acid Urine
Number of times reported: [1]

[Sign:] Alkaline Urine
Number of times reported: [1]

[Sign:] Anemia, Heinz Body
Number of times reported: [1]

[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Balance Disorder
Number of times reported: [1]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Bladder, Paralysis
Number of times reported: [1]

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Bld, Anus
Number of times reported: [1]

[Sign:] Bld, Eye(s)
Number of times reported: [1]

[Sign:] Bld, Skin
Number of times reported: [1]

[Sign:] Blepharospasm
Number of times reported: [1]

[Sign:] Blindness, Partial
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Bone, Abn
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Cns Infarct
Number of times reported: [1]

[Sign:] Co2 Lo, Bld
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Congestion, Sinus
Number of times reported: [1]

[Sign:] Creatinine Lo, Bld
Number of times reported: [1]

[Sign:] Diabetes M, Poor Regul
Number of times reported: [1]

[Sign:] Discharge, Ear(s)
Number of times reported: [1]

[Sign:] Discharge, Vulva
Number of times reported: [1]

[Sign:] Distention, Bladder
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Dry Mouth Syndrome
Number of times reported: [1]

[Sign:] Dry, Skin
Number of times reported: [1]

[Sign:] Dysmetria
Number of times reported: [1]

[Sign:] Dysrhythmia, Resp
Number of times reported: [1]

[Sign:] Ecg Abn
Number of times reported: [1]

[Sign:] Edema, Brisket/chest
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]

[Sign:] Edema, Neck
Number of times reported: [1]

[Sign:] Edema, Pharynx
Number of times reported: [1]

[Sign:] Effusion, Pericardial
Number of times reported: [1]

[Sign:] Elimination Abn
Number of times reported: [1]

[Sign:] Embolus
Number of times reported: [1]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [1]

[Sign:] Enteritis
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Gastritis
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Glaucoma
Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] Hair, Shedding
Number of times reported: [1]

[Sign:] Hallucination
Number of times reported: [1]

[Sign:] Hco3 Lo, Bld
Number of times reported: [1]

[Sign:] Heart Failure
Number of times reported: [1]

[Sign:] Hyperkeratosis
Number of times reported: [1]

[Sign:] Hypermotility
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Hypomotility
Number of times reported: [1]

[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]

[Sign:] Incision Site Infection
Number of times reported: [1]

[Sign:] Incontinence
Number of times reported: [1]

[Sign:] Infection, Feet/digit(
Number of times reported: [1]

[Sign:] Inj Site Bld
Number of times reported: [1]

[Sign:] Inj Site Effusion
Number of times reported: [1]

[Sign:] Inj Site Emphysema
Number of times reported: [1]

[Sign:] Iris, Inflammation
Number of times reported: [1]

[Sign:] Irritation, Perineum
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Ketones, Urine
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Leg Disorder
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Mass
Number of times reported: [1]

[Sign:] Mass, Abdomen
Number of times reported: [1]

[Sign:] Mass, Skin
Number of times reported: [1]

[Sign:] Mg Hi, Bld
Number of times reported: [1]

[Sign:] Microorganisms, Urine
Number of times reported: [1]

[Sign:] Moribund
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Neoplasm
Number of times reported: [1]

[Sign:] Neoplasm, Lung(s)
Number of times reported: [1]

[Sign:] Neoplasm, Pancreas
Number of times reported: [1]

[Sign:] Nephritis
Number of times reported: [1]

[Sign:] Neuropathy
Number of times reported: [1]

[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Nystagmus, Vertical
Number of times reported: [1]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [1]

[Sign:] Pain, Limb(s)
Number of times reported: [1]

[Sign:] Pain, Neck
Number of times reported: [1]

[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [1]

[Sign:] Papule(s)
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Pd-color, Abn
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Peritonitis
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Polycythemia(relative)
Number of times reported: [1]

[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-ear(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [1]

[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]

[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-nose, Lesion(s)
Number of times reported: [1]

[Sign:] Prolapse, Tongue
Number of times reported: [1]

[Sign:] Pr-pericardial Effusio
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Rbc Abn
Number of times reported: [1]

[Sign:] Rbc, Nucleated
Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]

[Sign:] Salivary Gland Abn
Number of times reported: [1]

[Sign:] Septicemia
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Stiffness
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Stool, Mucoid
Number of times reported: [1]

[Sign:] Stranguria
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Anus
Number of times reported: [1]

[Sign:] Swelling, Ear(s)
Number of times reported: [1]

[Sign:] Tail Disorder
Number of times reported: [1]

[Sign:] Tenesmus, Rectal
Number of times reported: [1]

[Sign:] Tenesmus, Urinary
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Gi
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneous
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Skin
Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Cougar

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] K Hi, Bld
Number of times reported: [1]

[Sign:] Lymphs Lo, Bld

Number of times reported: [1]

[Sign:] Mg Hi, Bld

Number of times reported: [1]

[Sign:] P Hi, Bld

Number of times reported: [1]

[Sign:] Polypnea

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Dog

[Sign:] Depression/lethargy

Number of times reported: [131]

[Sign:] Anorexia

Number of times reported: [114]

[Sign:] Vomiting

Number of times reported: [112]

[Sign:] Anaphylaxis/toid

Number of times reported: [69]

[Sign:] Death

Number of times reported: [55]

[Sign:] Anemia

Number of times reported: [45]

[Sign:] Diarrhea

Number of times reported: [44]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [39]

[Sign:] Convulsion(s)

Number of times reported: [39]

[Sign:] Ineffect, Antibiotic

Number of times reported: [38]

[Sign:] Urticaria

Number of times reported: [35]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [34]

[Sign:] Ataxia
Number of times reported: [32]

[Sign:] Pruritis
Number of times reported: [32]

[Sign:] Congestion, Skin
Number of times reported: [30]

[Sign:] Bun Hi, Bld
Number of times reported: [29]

[Sign:] Fever, Body
Number of times reported: [29]

[Sign:] Wbc Hi, Bld
Number of times reported: [29]

[Sign:] Platelets Lo, Bld
Number of times reported: [27]

[Sign:] Lesion(s), Skin
Number of times reported: [26]

[Sign:] Inj Site Pain
Number of times reported: [21]

[Sign:] Dehydration
Number of times reported: [20]

[Sign:] Creatinine Hi, Bld
Number of times reported: [18]

[Sign:] Inflam, Skin
Number of times reported: [18]

[Sign:] Liver Disorder
Number of times reported: [17]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [17]

[Sign:] Swelling, Head/face
Number of times reported: [17]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [16]

[Sign:] Trembling
Number of times reported: [16]

[Sign:] Edema, Head/face
Number of times reported: [14]

[Sign:] Hypersalivation
Number of times reported: [14]

[Sign:] Pallor, Mucous Membran
Number of times reported: [14]

[Sign:] Albumin Lo, Bld
Number of times reported: [13]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [12]

[Sign:] Neurological Disorder
Number of times reported: [12]

[Sign:] P Hi, Bld
Number of times reported: [12]

[Sign:] Behavior Disorder
Number of times reported: [11]

[Sign:] Diarrhea, Bloody
Number of times reported: [11]

[Sign:] Inj Site Abn
Number of times reported: [11]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [11]

[Sign:] Weakness
Number of times reported: [11]

[Sign:] Dyspnea
Number of times reported: [10]

[Sign:] Inj Site Swelling
Number of times reported: [10]

[Sign:] Pain, Abdomen
Number of times reported: [10]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [10]

[Sign:] Recumbency
Number of times reported: [10]

[Sign:] Segs Hi, Bld
Number of times reported: [10]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [10]

[Sign:] Unconscious
Number of times reported: [10]

[Sign:] Adipsia
Number of times reported: [9]

[Sign:] Azotemia
Number of times reported: [9]

[Sign:] Bld(ecchymoses)
Number of times reported: [9]

[Sign:] Collapse
Number of times reported: [9]

[Sign:] Hyperactivity
Number of times reported: [9]

[Sign:] Inj Site Mass
Number of times reported: [9]

[Sign:] Lipase Hi, Bld
Number of times reported: [9]

[Sign:] Polydipsia
Number of times reported: [9]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [9]

[Sign:] Vestibular Disorder
Number of times reported: [9]

[Sign:] Vomiting, Bloody
Number of times reported: [9]

[Sign:] Wbc Lo, Bld
Number of times reported: [9]

[Sign:] Weight Loss
Number of times reported: [9]

[Sign:] Alopecia
Number of times reported: [8]

[Sign:] Diarrhea, Mild
Number of times reported: [8]

[Sign:] Glucose Hi, Bld
Number of times reported: [8]

[Sign:] Melena
Number of times reported: [8]

[Sign:] Tachycardia
Number of times reported: [8]

[Sign:] Vocalization
Number of times reported: [8]

[Sign:] Bld
Number of times reported: [7]

[Sign:] Confusion
Number of times reported: [7]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [7]

[Sign:] Head Tilt
Number of times reported: [7]

[Sign:] Hypothermia, Body
Number of times reported: [7]

[Sign:] Immune Disorder
Number of times reported: [7]

[Sign:] Interaction, Drug(s)
Number of times reported: [7]

[Sign:] Kidney Failure
Number of times reported: [7]

[Sign:] Nausea
Number of times reported: [7]

[Sign:] Nystagmus
Number of times reported: [7]

[Sign:] Pain
Number of times reported: [7]

[Sign:] Polypnea
Number of times reported: [7]

[Sign:] Polyuria
Number of times reported: [7]

[Sign:] Pressure Lo, Bld
Number of times reported: [7]

[Sign:] Segs Lo, Bld
Number of times reported: [7]

[Sign:] Skin, Scab(s)
Number of times reported: [7]

[Sign:] Amylase Hi, Bld
Number of times reported: [6]

[Sign:] Arrest, Heart
Number of times reported: [6]

[Sign:] Bld, Urine
Number of times reported: [6]

[Sign:] Ggt Hi, Bld
Number of times reported: [6]

[Sign:] Icterus, Body
Number of times reported: [6]

[Sign:] Pancreatitis
Number of times reported: [6]

[Sign:] Skin, Crust(s)
Number of times reported: [6]

[Sign:] Anemia, Regen
Number of times reported: [5]

[Sign:] Bilirubin, Urine
Number of times reported: [5]

[Sign:] Bld(petechiae)
Number of times reported: [5]

[Sign:] Ca Lo, Bld
Number of times reported: [5]

[Sign:] Hematochezia
Number of times reported: [5]

[Sign:] Inj Site Abscess
Number of times reported: [5]

[Sign:] Inj Site Alopecia
Number of times reported: [5]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [5]

[Sign:] Monos Hi, Bld
Number of times reported: [5]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [5]

[Sign:] Protein, Urine
Number of times reported: [5]

[Sign:] Radiograph(s) Abn
Number of times reported: [5]

[Sign:] Reflex(es) Abn
Number of times reported: [5]

[Sign:] Shaking
Number of times reported: [5]

[Sign:] Skin Abnormal
Number of times reported: [5]

[Sign:] Slough, Skin
Number of times reported: [5]

[Sign:] Sore(s)
Number of times reported: [5]

[Sign:] Albumin Hi, Bld
Number of times reported: [4]

[Sign:] Apprehension
Number of times reported: [4]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [4]

[Sign:] Deafness
Number of times reported: [4]

[Sign:] Ear Disorder
Number of times reported: [4]

[Sign:] Hyperpnea
Number of times reported: [4]

[Sign:] Ill
Number of times reported: [4]

[Sign:] Locomotion Disorder
Number of times reported: [4]

[Sign:] Lymphs Lo, Bld
Number of times reported: [4]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [4]

[Sign:] Polycythemia(relative)
Number of times reported: [4]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [4]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]

[Sign:] Rash
Number of times reported: [4]

[Sign:] Reluctant To Move
Number of times reported: [4]

[Sign:] Shock
Number of times reported: [4]

[Sign:] Skin, Necrosis
Number of times reported: [4]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [4]

[Sign:] Twitch
Number of times reported: [4]

[Sign:] Ulcer(s), Skin
Number of times reported: [4]

[Sign:] Anemia, Sphero
Number of times reported: [3]

[Sign:] Apnea
Number of times reported: [3]

[Sign:] Ascites
Number of times reported: [3]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [3]

[Sign:] Bld(hematoma)
Number of times reported: [3]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Borborygmi
Number of times reported: [3]

[Sign:] Bradycardia
Number of times reported: [3]

[Sign:] Ca Hi, Bld
Number of times reported: [3]

[Sign:] Circling
Number of times reported: [3]

[Sign:] Coagulation Disorder
Number of times reported: [3]

[Sign:] Congestion, Lung(s)
Number of times reported: [3]

[Sign:] Diarrhea, Mucoid
Number of times reported: [3]

[Sign:] Dic
Number of times reported: [3]

[Sign:] Difficulty Rising
Number of times reported: [3]

[Sign:] Distention, Abdomen
Number of times reported: [3]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [3]

[Sign:] Gi, Abnormal
Number of times reported: [3]

[Sign:] Glucose Lo, Bld
Number of times reported: [3]

[Sign:] Hepatomegaly
Number of times reported: [3]

[Sign:] Hiding
Number of times reported: [3]

[Sign:] Incontinence, Urinary
Number of times reported: [3]

[Sign:] Infection, Skin
Number of times reported: [3]

[Sign:] Inj Site Infect
Number of times reported: [3]

[Sign:] Inj Site Necrosis
Number of times reported: [3]

[Sign:] Inj Site Pruritis
Number of times reported: [3]

[Sign:] Inj Site Seroma
Number of times reported: [3]

[Sign:] Kidney Disorder
Number of times reported: [3]

[Sign:] Liver Failure
Number of times reported: [3]

[Sign:] Nose Abn
Number of times reported: [3]

[Sign:] Pacing
Number of times reported: [3]

[Sign:] Pain, Neck
Number of times reported: [3]

[Sign:] Papule(s)
Number of times reported: [3]

[Sign:] Pr-cerebrum, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-lung(s), Edema
Number of times reported: [3]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [3]

[Sign:] Rbc, Aniso
Number of times reported: [3]

[Sign:] Rbc, Polychrom
Number of times reported: [3]

[Sign:] Shaking, Head/face
Number of times reported: [3]

[Sign:] Sound Abn, Respiratory
Number of times reported: [3]

[Sign:] Staggering
Number of times reported: [3]

[Sign:] Stiffness
Number of times reported: [3]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [3]

[Sign:] Swelling, Tongue
Number of times reported: [3]

[Sign:] Vasculitis
Number of times reported: [3]

[Sign:] Abscess, Skin
Number of times reported: [2]

[Sign:] Bands Hi, Bld
Number of times reported: [2]

[Sign:] Biting/chewing
Number of times reported: [2]

[Sign:] Bld, Gi
Number of times reported: [2]

[Sign:] Bld, Rectum
Number of times reported: [2]

[Sign:] Cardiomegaly
Number of times reported: [2]

[Sign:] Coughing
Number of times reported: [2]

[Sign:] Crystals, Urine
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Discharge, Nose
Number of times reported: [2]

[Sign:] Edema
Number of times reported: [2]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Effusion, Pleural
Number of times reported: [2]

[Sign:] Enlargement(s), Skin
Number of times reported: [2]

[Sign:] Eosinos Hi, Bld
Number of times reported: [2]

[Sign:] Eosinos Lo, Bld
Number of times reported: [2]

[Sign:] Epistaxis
Number of times reported: [2]

[Sign:] Erythema Multiforme
Number of times reported: [2]

[Sign:] Gingiva, Abn
Number of times reported: [2]

[Sign:] Globulin Hi, Bld
Number of times reported: [2]

[Sign:] Glucose, Urine
Number of times reported: [2]

[Sign:] Head Pressing
Number of times reported: [2]

[Sign:] Hyperesthesia
Number of times reported: [2]

[Sign:] Incision Site Abn
Number of times reported: [2]

[Sign:] Incision Site Discharge
Number of times reported: [2]

[Sign:] Inj Site Edema
Number of times reported: [2]

[Sign:] Inj Site Inflamm
Number of times reported: [2]

[Sign:] K Hi, Bld
Number of times reported: [2]

[Sign:] Lameness
Number of times reported: [2]

[Sign:] Monos Lo, Bld
Number of times reported: [2]

[Sign:] Murmur, Heart
Number of times reported: [2]

[Sign:] Na Lo, Bld
Number of times reported: [2]

[Sign:] Nervousness
Number of times reported: [2]

[Sign:] Opisthotonos
Number of times reported: [2]

[Sign:] Otitis
Number of times reported: [2]

[Sign:] Pain, Brisket/chest
Number of times reported: [2]

[Sign:] Pallor
Number of times reported: [2]

[Sign:] Pancytopenia
Number of times reported: [2]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [2]

[Sign:] Pica
Number of times reported: [2]

[Sign:] Platelets Hi, Bld
Number of times reported: [2]

[Sign:] P Lo, Bld
Number of times reported: [2]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [2]

[Sign:] Pressure Hi, Bld
Number of times reported: [2]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [2]

[Sign:] Proprioceptive Disorde
Number of times reported: [2]

[Sign:] Pruritis, Ear(s)
Number of times reported: [2]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [2]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [2]

[Sign:] Somnolence
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Stool Abn
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Swelling, Ear(s)
Number of times reported: [2]

[Sign:] Tongue, Abn
Number of times reported: [2]

[Sign:] Ulcer(s), Tongue
Number of times reported: [2]

[Sign:] Us Abn
Number of times reported: [2]

[Sign:] Wbc, Urine
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Anemia, Aplastic
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Basos Hi, Bld
Number of times reported: [1]

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Bld, Feet/digit(s)
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Sclera
Number of times reported: [1]

[Sign:] Bld, Skin
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Blindness, Partial
Number of times reported: [1]

[Sign:] Blindness, Temp
Number of times reported: [1]

[Sign:] Breathing Abn
Number of times reported: [1]

[Sign:] Bun Lo, Bld
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Casts, Urine
Number of times reported: [1]

[Sign:] Chloride Lo, Bld
Number of times reported: [1]

[Sign:] Cns Infarct
Number of times reported: [1]

[Sign:] Congestion, Ear(s)
Number of times reported: [1]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]

[Sign:] Congestion, Sinus
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Cpk Hi, Bld
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Dementia
Number of times reported: [1]

[Sign:] Dermatitis, Moist
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Dry Mouth Syndrome
Number of times reported: [1]

[Sign:] Edema, Cornea(s)
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Edema, Neck
Number of times reported: [1]

[Sign:] Edema, Ventral
Number of times reported: [1]

[Sign:] Effusion, Pericardial
Number of times reported: [1]

[Sign:] Eruption(s)
Number of times reported: [1]

[Sign:] Exfoliation, Skin
Number of times reported: [1]

[Sign:] Fly Biting
Number of times reported: [1]

[Sign:] Gall Bladder, Abn
Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] Hyperadrenocorticism
Number of times reported: [1]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]

[Sign:] Hypothermia
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Icterus, Serum
Number of times reported: [1]

[Sign:] Incision Site Infection
Number of times reported: [1]

[Sign:] Incontinence, Fecal
Number of times reported: [1]

[Sign:] Infection, Feet/digit(
Number of times reported: [1]

[Sign:] Inj Site Bld
Number of times reported: [1]

[Sign:] Inj Site Hair, Abn
Number of times reported: [1]

[Sign:] K Lo, Bld
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Leukoderma
Number of times reported: [1]

[Sign:] Licking
Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [1]

[Sign:] Liver Disorder, Obstru
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Mass, Skin
Number of times reported: [1]

[Sign:] Mg Lo, Bld
Number of times reported: [1]

[Sign:] Microorganisms, Urine
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Mucous Membr, Red
Number of times reported: [1]

[Sign:] Nephritis
Number of times reported: [1]

[Sign:] Nystagmus, Horizontal
Number of times reported: [1]

[Sign:] Odor, Mouth
Number of times reported: [1]

[Sign:] Pain, Back
Number of times reported: [1]

[Sign:] Pain, Joint(s)
Number of times reported: [1]

[Sign:] Pain, Spinal
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-gall Bladder, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]

[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [1]

[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]

[Sign:] Pt Prolonged, Bld
Number of times reported: [1]

[Sign:] Pupil(s), Areflexia
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Rbc Abn
Number of times reported: [1]

[Sign:] Rbc, Nucleated
Number of times reported: [1]

[Sign:] Regurgitation
Number of times reported: [1]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]

[Sign:] Rhinitis
Number of times reported: [1]

[Sign:] Scale(s), Skin
Number of times reported: [1]

[Sign:] Skin Disorder
Number of times reported: [1]

[Sign:] Sleep Abn
Number of times reported: [1]

[Sign:] Slough, Feet/digit(s)
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]

[Sign:] Splenomegaly
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [1]

[Sign:] Stumbling
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Swelling, Mammary
Number of times reported: [1]

[Sign:] Teeth, Abn
Number of times reported: [1]

[Sign:] Thrombus
Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [1]

[Sign:] Trembling, Face
Number of times reported: [1]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [1]

[Sign:] Ulcer(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneous
Number of times reported: [1]

[Sign:] Urine Abn
Number of times reported: [1]

[Sign:] Urobilinogen Hi, Urine
Number of times reported: [1]

[Sign:] Us-liver Abn
Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [1]

[Sign:] Vision Disorder
Number of times reported: [1]

[Sign:] Vomiting, Severe
Number of times reported: [1]

[Sign:] Wheezing
Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Ferret

[Sign:] Convulsion(s)

Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Guinea Pig

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Other

[Sign:] Death

Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Pig

[Sign:] Death

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Drug:] Cefovecin

Parenteral, Rabbit

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Shaking, Head/face

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Cefovecin

Topical, Human

[Sign:] Anaphylaxis/toid

Number of times reported: [2]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Edema, Multiple Sites

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Drug:] Cefovecin

Unknown, Bird

[Sign:] Death
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Drug:] Cefovecin

Unknown, Cat

[Sign:] Anorexia
Number of times reported: [20]

[Sign:] Depression/lethargy
Number of times reported: [13]

[Sign:] Death
Number of times reported: [9]

[Sign:] Behavior Disorder
Number of times reported: [7]

[Sign:] Vocalization
Number of times reported: [7]

[Sign:] Vomiting
Number of times reported: [7]

[Sign:] Convulsion(s)
Number of times reported: [6]

[Sign:] Ataxia
Number of times reported: [5]

[Sign:] Dyspnea
Number of times reported: [4]

[Sign:] Adipsia
Number of times reported: [3]

[Sign:] Diarrhea
Number of times reported: [3]

[Sign:] Fever, Body
Number of times reported: [3]

[Sign:] Hiding
Number of times reported: [3]

[Sign:] Urination
Number of times reported: [3]

[Sign:] Alopecia
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Anemia
Number of times reported: [2]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Blindness, Partial
Number of times reported: [2]

[Sign:] Bun Hi, Bld
Number of times reported: [2]

[Sign:] Confusion
Number of times reported: [2]

[Sign:] Constipation
Number of times reported: [2]

[Sign:] Creatinine Hi, Bld
Number of times reported: [2]

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Heart Failure
Number of times reported: [2]

[Sign:] Hyperactivity
Number of times reported: [2]

[Sign:] K Lo, Bld
Number of times reported: [2]

[Sign:] Lameness
Number of times reported: [2]

[Sign:] Lesion(s), Skin
Number of times reported: [2]

[Sign:] Pain
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran
Number of times reported: [2]

[Sign:] Radiograph(s) Abn
Number of times reported: [2]

[Sign:] Somnolence
Number of times reported: [2]

[Sign:] Stupor
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Wbc Hi, Bld
Number of times reported: [2]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Cachexia
Number of times reported: [1]

[Sign:] Calculi, Bladder
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Cardiomegaly
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Difficulty Rising
Number of times reported: [1]

[Sign:] Effusion, Pleural
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Ill
Number of times reported: [1]

[Sign:] Incision Site Abn
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Infection, Incision Site
Number of times reported: [1]

[Sign:] Inflammation, Skin
Number of times reported: [1]

[Sign:] Inj Site Abn
Number of times reported: [1]

[Sign:] Inj Site Mass
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Sign:] Inj Site Slough
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [1]

[Sign:] Mydriasis
Number of times reported: [1]

[Sign:] Na Hi, Bld
Number of times reported: [1]

[Sign:] Na Lo, Bld
Number of times reported: [1]

[Sign:] Neck, Ventroflexion
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Pustule(s)
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Shock
Number of times reported: [1]

[Sign:] Skin Abnormal
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Trembling, Face
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Cefovecin

Unknown, Dog

[Sign:] Depression/lethargy

Number of times reported: [7]
[Sign:] Fever, Body
Number of times reported: [4]
[Sign:] Anorexia
Number of times reported: [3]
[Sign:] Vomiting
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [2]
[Sign:] Death
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Anaphylaxis/toid
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Ineffect, Antibiotic
Number of times reported: [1]
[Sign:] Inj Site Edema
Number of times reported: [1]
[Sign:] Inj Site Pain
Number of times reported: [1]
[Sign:] Inj Site Swelling
Number of times reported: [1]
[Sign:] Pain

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Sleep Abn

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Cefovecin

Unknown, Guinea Pig

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Adipsia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Cefovecin

Unknown, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Keratoconjunctivitis S

Number of times reported: [1]

[Drug:] Cefovecin

Various, Human

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Cefoxitin

Parenteral, Dog

[Sign:] Epistaxis

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Drug:] Cefpodoxime

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn

Number of times reported: [14]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-contamination

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Drug:] Cefpodoxime

Oral, Cat

[Sign:] Vomiting

Number of times reported: [10]

[Sign:] Anorexia

Number of times reported: [8]

[Sign:] Diarrhea

Number of times reported: [6]

[Sign:] Death

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Weight Loss

Number of times reported: [3]

[Sign:] Bun Hi, Bld

Number of times reported: [2]

[Sign:] Creatinine Hi, Bld

Number of times reported: [2]

[Sign:] Dysphagia

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anuria
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Azotemia
Number of times reported: [1]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Constipation
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Edema
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Gingivitis
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Inflamm
Number of times reported: [1]

[Sign:] Inflammation, Skin
Number of times reported: [1]

[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Liver Disorder
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Segs Lo, Bld
Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Stomatitis
Number of times reported: [1]

[Drug:] Cefpodoxime

Oral, Dog

[Sign:] Vomiting
Number of times reported: [115]

[Sign:] Anorexia
Number of times reported: [113]

[Sign:] Depression/lethargy
Number of times reported: [101]

[Sign:] Diarrhea
Number of times reported: [41]

[Sign:] Convulsion(s)

Number of times reported: [37]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [31]
[Sign:] Ineffect, Antibiotic
Number of times reported: [31]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [30]
[Sign:] Polydipsia
Number of times reported: [28]
[Sign:] Anemia
Number of times reported: [26]
[Sign:] Death
Number of times reported: [23]
[Sign:] Fever, Body
Number of times reported: [22]
[Sign:] Polyuria
Number of times reported: [22]
[Sign:] Bun Hi, Bld
Number of times reported: [21]
[Sign:] Wbc Hi, Bld
Number of times reported: [21]
[Sign:] Ataxia
Number of times reported: [20]
[Sign:] Platelets Lo, Bld
Number of times reported: [20]
[Sign:] Pruritis
Number of times reported: [17]
[Sign:] Weight Loss
Number of times reported: [17]
[Sign:] Creatinine Hi, Bld
Number of times reported: [15]
[Sign:] Pallor, Mucous Membran
Number of times reported: [15]
[Sign:] Albumin Lo, Bld
Number of times reported: [14]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [14]
[Sign:] Death(euthanized)
Number of times reported: [14]
[Sign:] Anaphylaxis/toid
Number of times reported: [13]
[Sign:] Bld, Urine

Number of times reported: [13]
[Sign:] Bld(ecchymoses)
Number of times reported: [12]
[Sign:] Congestion, Skin
Number of times reported: [12]
[Sign:] Polypnea
Number of times reported: [12]
[Sign:] Weakness
Number of times reported: [12]
[Sign:] Radiograph(s) Abn
Number of times reported: [11]
[Sign:] Urticaria
Number of times reported: [11]
[Sign:] Alopecia
Number of times reported: [10]
[Sign:] Collapse
Number of times reported: [10]
[Sign:] Dyspnea
Number of times reported: [10]
[Sign:] Incontinence, Urinary
Number of times reported: [10]
[Sign:] P Hi, Bld
Number of times reported: [10]
[Sign:] Protein, Urine
Number of times reported: [10]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [10]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [10]
[Sign:] Swelling, Head/face
Number of times reported: [10]
[Sign:] Dehydration
Number of times reported: [9]
[Sign:] Hypersalivation
Number of times reported: [9]
[Sign:] Icterus, Body
Number of times reported: [9]
[Sign:] Lesion(s), Skin
Number of times reported: [9]
[Sign:] Trembling
Number of times reported: [9]
[Sign:] Anemia, Autoimmune Hem

Number of times reported: [8]
[Sign:] Bld(petechiae)
Number of times reported: [8]
[Sign:] Hyperactivity
Number of times reported: [8]
[Sign:] Nervousness
Number of times reported: [8]
[Sign:] Bilirubin, Urine
Number of times reported: [7]
[Sign:] Diarrhea, Bloody
Number of times reported: [7]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [7]
[Sign:] Confusion
Number of times reported: [6]
[Sign:] Inflam, Skin
Number of times reported: [6]
[Sign:] Proprioceptive Disorde
Number of times reported: [6]
[Sign:] Reluctant To Move
Number of times reported: [6]
[Sign:] Segs Hi, Bld
Number of times reported: [6]
[Sign:] Ulcer(s), Skin
Number of times reported: [6]
[Sign:] Vomiting, Bloody
Number of times reported: [6]
[Sign:] Adipsia
Number of times reported: [5]
[Sign:] Deafness
Number of times reported: [5]
[Sign:] Distention, Abdomen
Number of times reported: [5]
[Sign:] Glucose Lo, Bld
Number of times reported: [5]
[Sign:] Interaction, Drug(s)
Number of times reported: [5]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [5]
[Sign:] Abn Color, Urine
Number of times reported: [4]
[Sign:] Diarrhea, Mild

Number of times reported: [4]
[Sign:] Erythema Multiforme
Number of times reported: [4]
[Sign:] Head Tilt
Number of times reported: [4]
[Sign:] Hyperpnea
Number of times reported: [4]
[Sign:] Hypothermia, Body
Number of times reported: [4]
[Sign:] Icterus
Number of times reported: [4]
[Sign:] Immune Disorder
Number of times reported: [4]
[Sign:] Lameness
Number of times reported: [4]
[Sign:] Melena
Number of times reported: [4]
[Sign:] Pain
Number of times reported: [4]
[Sign:] Pain, Abdomen
Number of times reported: [4]
[Sign:] Polycythemia
Number of times reported: [4]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [4]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [4]
[Sign:] Rash
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Skin, Scab(s)
Number of times reported: [4]
[Sign:] Splenomegaly
Number of times reported: [4]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Wbc Lo, Bld
Number of times reported: [4]
[Sign:] Amylase Hi, Bld
Number of times reported: [3]
[Sign:] Anemia, Hemolytic

Number of times reported: [3]
[Sign:] Bld(hematoma)
Number of times reported: [3]
[Sign:] Difficulty Rising
Number of times reported: [3]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Eosinos Hi, Bld
Number of times reported: [3]
[Sign:] Eruption(s)
Number of times reported: [3]
[Sign:] Glucose Hi, Bld
Number of times reported: [3]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Incontinence, Fecal
Number of times reported: [3]
[Sign:] Infection, Feet/digit(
Number of times reported: [3]
[Sign:] Keratoconjunctivitis S
Number of times reported: [3]
[Sign:] K Lo, Bld
Number of times reported: [3]
[Sign:] Leukoderma
Number of times reported: [3]
[Sign:] Monos Hi, Bld
Number of times reported: [3]
[Sign:] Murmur, Heart
Number of times reported: [3]
[Sign:] Na Lo, Bld
Number of times reported: [3]
[Sign:] Odor
Number of times reported: [3]
[Sign:] Otitis
Number of times reported: [3]
[Sign:] Pain, Joint(s)
Number of times reported: [3]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]
[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [3]
[Sign:] Pupil(s), Areflexia

Number of times reported: [3]
[Sign:] Reflex(es) Abn
Number of times reported: [3]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]
[Sign:] Skin, Crust(s)
Number of times reported: [3]
[Sign:] Swelling, Ear(s)
Number of times reported: [3]
[Sign:] Swelling, Feet/digit(s)
Number of times reported: [3]
[Sign:] Tachycardia
Number of times reported: [3]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [3]
[Sign:] Vocalization
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Arrhythmia
Number of times reported: [2]
[Sign:] Ascites
Number of times reported: [2]
[Sign:] Bands Hi, Bld
Number of times reported: [2]
[Sign:] Biting/chewing
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Bld, Eye(s)
Number of times reported: [2]
[Sign:] Bld, Incision Site
Number of times reported: [2]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Bld, Rectum
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Chloride Lo, Bld

Number of times reported: [2]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [2]
[Sign:] Coagulation Disorder
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [2]
[Sign:] Deafness, Partial
Number of times reported: [2]
[Sign:] Deafness, Temp
Number of times reported: [2]
[Sign:] Diarrhea, Severe
Number of times reported: [2]
[Sign:] Discharge, Ear(s)
Number of times reported: [2]
[Sign:] Dysmetria
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Effusion, Peritoneal
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Gagging
Number of times reported: [2]
[Sign:] Gall Bladder, Abn
Number of times reported: [2]
[Sign:] Ggt Hi, Bld
Number of times reported: [2]
[Sign:] Gingiva, Abn
Number of times reported: [2]
[Sign:] Globulin Hi, Bld
Number of times reported: [2]
[Sign:] Globulin Lo, Bld
Number of times reported: [2]
[Sign:] Glucose, Urine
Number of times reported: [2]
[Sign:] Hepatomegaly
Number of times reported: [2]
[Sign:] Icterus, Serum

Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Kidney Failure
Number of times reported: [2]
[Sign:] Licking
Number of times reported: [2]
[Sign:] Licking, Feet/digit(s)
Number of times reported: [2]
[Sign:] Lipase Hi, Bld
Number of times reported: [2]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [2]
[Sign:] Lymphs Lo, Bld
Number of times reported: [2]
[Sign:] Mucous Membr, Red
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Nystagmus
Number of times reported: [2]
[Sign:] Pacing
Number of times reported: [2]
[Sign:] Pain, Limb(s)
Number of times reported: [2]
[Sign:] Papule(s)
Number of times reported: [2]
[Sign:] Pollakiuria
Number of times reported: [2]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Pr-joint(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)

Number of times reported: [2]
[Sign:] Pt Prolonged, Bld
Number of times reported: [2]
[Sign:] Ptt Prolonged, Bld
Number of times reported: [2]
[Sign:] Rbc, Aniso
Number of times reported: [2]
[Sign:] Retina Abn
Number of times reported: [2]
[Sign:] Segs Lo, Bld
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Shaking, Head/face
Number of times reported: [2]
[Sign:] Shock
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Skin, Necrosis
Number of times reported: [2]
[Sign:] Slough, Feet/digit(s)
Number of times reported: [2]
[Sign:] Sore(s)
Number of times reported: [2]
[Sign:] Stumbling
Number of times reported: [2]
[Sign:] Swelling, Limb(s)
Number of times reported: [2]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Feet/digit(s)
Number of times reported: [2]
[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [2]
[Sign:] Urination Abn
Number of times reported: [2]
[Sign:] Us-liver Abn

Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [2]
[Sign:] Wbc Abn
Number of times reported: [2]
[Sign:] Wbc, Urine
Number of times reported: [2]
[Sign:] Adverse Drug Reaction
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anemia, Regen
Number of times reported: [1]
[Sign:] Anemia, Sphero
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arrest, Heart
Number of times reported: [1]
[Sign:] Arthritis
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Behavior Disorder
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bld, Sclera
Number of times reported: [1]
[Sign:] Blindness, Temp
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Breathing, Difficult
Number of times reported: [1]
[Sign:] Bun Lo, Bld

Number of times reported: [1]
[Sign:] Ca Hi, Bld
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Casts, Urine
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Cns Infarct
Number of times reported: [1]
[Sign:] Congestion
Number of times reported: [1]
[Sign:] Coombs Test Pos
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Culture/titer Data Abn
Number of times reported: [1]
[Sign:] Cystitis
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Dilatation, Esophagus
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Discomfort
Number of times reported: [1]
[Sign:] Discomfort, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Edema

Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Effusion, Joint(s)
Number of times reported: [1]
[Sign:] Effusion, Pleural
Number of times reported: [1]
[Sign:] Electrolyte Disorder
Number of times reported: [1]
[Sign:] Enlargement(s), Skin
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Eye Disorder
Number of times reported: [1]
[Sign:] Fertility, Lack Of
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Heart Failure
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperadrenocorticism
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Incision Site Abn
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] Irritation, Skin
Number of times reported: [1]
[Sign:] Joint Disorder

Number of times reported: [1]
[Sign:] Ketones, Urine
Number of times reported: [1]
[Sign:] Kidney Disorder
Number of times reported: [1]
[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]
[Sign:] Liver Failure
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Mass
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Monos Lo, Bld
Number of times reported: [1]
[Sign:] Mri Scan Abn
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Na Hi, Bld
Number of times reported: [1]
[Sign:] Neoplasm
Number of times reported: [1]
[Sign:] Neuropathy
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Odor, Mouth
Number of times reported: [1]
[Sign:] Odor, Urine
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)

Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Paresis
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] Paresis, Fore Limb(s)
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Posture Abn
Number of times reported: [1]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [1]
[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spinal Cord, Lesion
Number of times reported: [1]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)

Number of times reported: [1]
[Sign:] Pulse Thready
Number of times reported: [1]
[Sign:] Pustule(s)
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Reluctant To Climb
Number of times reported: [1]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Sediment, Urine
Number of times reported: [1]
[Sign:] Self-mutilation
Number of times reported: [1]
[Sign:] Shock, Endotoxemia
Number of times reported: [1]
[Sign:] Skin Scraping Abnormal
Number of times reported: [1]
[Sign:] Sneezing
Number of times reported: [1]
[Sign:] Somnolence
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Stool, Pale/gray
Number of times reported: [1]
[Sign:] Sweating
Number of times reported: [1]
[Sign:] Swelling, Joint(s)
Number of times reported: [1]
[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
[Sign:] Synovial Fluid Abn

Number of times reported: [1]

[Sign:] Tablet(s), Undigest

Number of times reported: [1]

[Sign:] Tears, Abn

Number of times reported: [1]

[Sign:] Tenesmus

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Tox

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Ulcer(s), Mucocutaneou

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Sign:] Us Abn

Number of times reported: [1]

[Sign:] Vestibular Disorder

Number of times reported: [1]

[Sign:] Vomiting, Unproductive

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Drug:] Cefpodoxime

Oral, Horse

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Prolapse, Rectum

Number of times reported: [1]

[Drug:] Cefpodoxime

Topical, Human

[Sign:] Rash

Number of times reported: [2]

[Drug:] Cefpodoxime

Unknown, Dog

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Ceftiofur

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [302]

[Sign:] Pd-suspension, Abn

Number of times reported: [265]

[Sign:] Pd-color, Abn

Number of times reported: [101]

[Sign:] Pd-underfill, Package

Number of times reported: [35]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [27]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [20]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [20]

[Sign:] Pd-product Defect

Number of times reported: [17]

[Sign:] Pd-cap(s), Abn

Number of times reported: [10]

[Sign:] Pd-seal, Abn

Number of times reported: [10]

[Sign:] Pd-vial(s), Abn

Number of times reported: [9]

[Sign:] Pd-container(s), Abn

Number of times reported: [8]

[Sign:] Pd-contamination

Number of times reported: [8]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [6]

[Sign:] Pd-container(s), Damag
Number of times reported: [5]

[Sign:] Pd-label(s), Abn
Number of times reported: [4]

[Sign:] Pd-tube(s), Abn
Number of times reported: [4]

[Sign:] Pd-missing, Cap
Number of times reported: [3]

[Sign:] No Signs
Number of times reported: [2]

[Sign:] Pd-applicator, Abn
Number of times reported: [2]

[Sign:] Pd-dispenser, Abn
Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)
Number of times reported: [2]

[Sign:] Pd-contam, Insects
Number of times reported: [1]

[Sign:] Pd-contam, Mold
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Pd-syringe, Abn
Number of times reported: [1]

[Sign:] Pd-tube(s), Damaged
Number of times reported: [1]

[Drug:] Ceftiofur

Intramammary, Cattle

[Sign:] Residue, Milk
Number of times reported: [40]

[Sign:] Ineffect, Antibiotic
Number of times reported: [21]

[Sign:] Pd-suspension, Abn
Number of times reported: [11]

[Sign:] Residue, Application Site
Number of times reported: [7]

[Sign:] Udder, Hypogalactia
Number of times reported: [5]

[Sign:] Udder, Mastitis
Number of times reported: [5]

[Sign:] Udder, Milk Abn

Number of times reported: [5]
[Sign:] Death(slaughtered)
Number of times reported: [3]
[Sign:] Udder, Hard
Number of times reported: [2]
[Sign:] Udder, Teat(s) Disorde
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Fertility, Reduced
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Labor
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Residue, Meat
Number of times reported: [1]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Swelling, Head/face
Number of times reported: [1]
[Sign:] Tech Error Administrat
Number of times reported: [1]
[Sign:] Udder, Abn
Number of times reported: [1]
[Sign:] Udder, Agalactia
Number of times reported: [1]
[Sign:] Udder, Pain
Number of times reported: [1]
[Sign:] Udder, Swelling
Number of times reported: [1]
[Sign:] Urticaria
Number of times reported: [1]
[Sign:] Uveitis

Number of times reported: [1]

[Drug:] Ceftiofur

Intramammary, Goat

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Drug:] Ceftiofur

Intrauterine, Horse

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Ceftiofur

Missing, Cat

[Sign:] Death

Number of times reported: [1]

[Drug:] Ceftiofur

Missing, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [9]

[Sign:] Death(tx Failure)

Number of times reported: [6]

[Sign:] Residue, Milk

Number of times reported: [4]

[Sign:] Residue, Meat

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Drug:] Ceftiofur

Missing, Dog

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Pd-suspension, Abn
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Ceftiofur

Missing, Horse

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Drug:] Ceftiofur

Missing, Human

[Sign:] Inj Site Pain
Number of times reported: [3]

[Sign:] Inj Site Inflam
Number of times reported: [2]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Inj Site Bld
Number of times reported: [1]

[Sign:] Inj Site Swelling
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Swelling, Pharynx/thro
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Ceftiofur

Not Applicable, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Drug:] Ceftiofur

Not Applicable, Chicken

[Sign:] Death(newborn)

Number of times reported: [1]

[Sign:] Tech Error Administrat

Number of times reported: [1]

[Sign:] Tech Error, Mixing

Number of times reported: [1]

[Drug:] Ceftiofur

Not Applicable, Human

[Sign:] Inj Site Pain

Number of times reported: [1]

[Drug:] Ceftiofur

Ophthalmic, Horse

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Ceftiofur

Oral, Horse

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Discharge, Nose

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Alpaca

[Sign:] Pd-solution, Abn

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Cat

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Ineffect, Antibiotic
Number of times reported: [2]

[Sign:] Pd-solution, Abn
Number of times reported: [2]

[Sign:] Vomiting
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Anemia
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Arrest, Heart
Number of times reported: [1]

[Sign:] Arrhythmia
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Cyanosis
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]

[Sign:] Jerking
Number of times reported: [1]

[Sign:] Vision Disorder
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Cattle

[Sign:] Ineffect, Antibiotic
Number of times reported: [228]

[Sign:] Death

Number of times reported: [148]
[Sign:] Death(tx Failure)
Number of times reported: [103]
[Sign:] Residue, Milk
Number of times reported: [96]
[Sign:] Collapse
Number of times reported: [68]
[Sign:] Inj Site Swelling
Number of times reported: [63]
[Sign:] Anaphylaxis/toid
Number of times reported: [31]
[Sign:] Recumbency
Number of times reported: [24]
[Sign:] Residue, Meat
Number of times reported: [24]
[Sign:] Death(euthanized)
Number of times reported: [21]
[Sign:] Inj Site Abscess
Number of times reported: [21]
[Sign:] Culture/titer Data Abn
Number of times reported: [19]
[Sign:] Dyspnea
Number of times reported: [18]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [18]
[Sign:] Tech Error Administrat
Number of times reported: [14]
[Sign:] Ataxia
Number of times reported: [13]
[Sign:] Blindness
Number of times reported: [12]
[Sign:] Fever, Body
Number of times reported: [12]
[Sign:] Convulsion(s)
Number of times reported: [11]
[Sign:] Anorexia
Number of times reported: [10]
[Sign:] Depression/lethargy
Number of times reported: [10]
[Sign:] Inj Site Bld
Number of times reported: [9]
[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [9]
[Sign:] Respiratory Disorder
Number of times reported: [9]
[Sign:] Staggering
Number of times reported: [9]
[Sign:] Inj Site Edema
Number of times reported: [8]
[Sign:] Pd-suspension, Abn
Number of times reported: [8]
[Sign:] Swelling, Head/face
Number of times reported: [8]
[Sign:] Udder, Hypogalactia
Number of times reported: [8]
[Sign:] Blindness, Temp
Number of times reported: [7]
[Sign:] Inj Site Inflam
Number of times reported: [7]
[Sign:] Pneumonia
Number of times reported: [7]
[Sign:] Opacity, Cornea(s)
Number of times reported: [6]
[Sign:] Pr-ear(s), Lesion(s)
Number of times reported: [6]
[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [6]
[Sign:] Ear Disorder
Number of times reported: [5]
[Sign:] Head Tilt
Number of times reported: [5]
[Sign:] Hypersalivation
Number of times reported: [5]
[Sign:] Inj Site Seroma
Number of times reported: [5]
[Sign:] Pd-solution, Abn
Number of times reported: [5]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [5]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [5]
[Sign:] Pr-lung(s), Edema
Number of times reported: [5]
[Sign:] Trembling

Number of times reported: [5]
[Sign:] Blindness, Partial
Number of times reported: [4]
[Sign:] Death(slaughtered)
Number of times reported: [4]
[Sign:] Ineffect
Number of times reported: [4]
[Sign:] Inj Site Pain
Number of times reported: [4]
[Sign:] Neurological Disorder
Number of times reported: [4]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [4]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [4]
[Sign:] Circling
Number of times reported: [3]
[Sign:] Displaced Abomasum
Number of times reported: [3]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [3]
[Sign:] Epiphora
Number of times reported: [3]
[Sign:] Eye Disorder
Number of times reported: [3]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [3]
[Sign:] Inj Site Alopecia
Number of times reported: [3]
[Sign:] Nystagmus
Number of times reported: [3]
[Sign:] Paralysis
Number of times reported: [3]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [3]
[Sign:] Thrashing/paddling
Number of times reported: [3]
[Sign:] Uveitis
Number of times reported: [3]
[Sign:] Abortion
Number of times reported: [2]
[Sign:] Cellulitis

Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]
[Sign:] Discharge, Nose
Number of times reported: [2]
[Sign:] Distress, Resp
Number of times reported: [2]
[Sign:] Edema, Cornea(s)
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Emphysema, Sq
Number of times reported: [2]
[Sign:] Hyperactivity
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Ill
Number of times reported: [2]
[Sign:] Inj Site Abn
Number of times reported: [2]
[Sign:] Inj Site Necrosis
Number of times reported: [2]
[Sign:] Inj Site Pruritis
Number of times reported: [2]
[Sign:] Inj Site Sterile Absce
Number of times reported: [2]
[Sign:] Ketosis
Number of times reported: [2]
[Sign:] Kicking
Number of times reported: [2]
[Sign:] Lesion(s), Skin
Number of times reported: [2]
[Sign:] Liver Disorder
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Odor
Number of times reported: [2]
[Sign:] Posture Abn

Number of times reported: [2]
[Sign:] Pr-medulla, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-nerve(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]
[Sign:] Swelling, Brisket/ches
Number of times reported: [2]
[Sign:] Swelling, Joint(s)
Number of times reported: [2]
[Sign:] Swelling, Limb(s)
Number of times reported: [2]
[Sign:] Tachycardia
Number of times reported: [2]
[Sign:] Torticollis
Number of times reported: [2]
[Sign:] Udder, Mastitis
Number of times reported: [2]
[Sign:] Udder, Milk Abn
Number of times reported: [2]
[Sign:] Udder, Swelling
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Alopecia
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Arthritis, Septic
Number of times reported: [1]
[Sign:] Bld
Number of times reported: [1]
[Sign:] Bld, Abdomen

Number of times reported: [1]
[Sign:] Bld, Incision Site
Number of times reported: [1]
[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Bld, Thorax
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Breathing, Periodic
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Coagulation Disorder
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Conjunctivitis
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Death(newborn)
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Diarrhea, Bloody
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Discharge, Vulva
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Dystocia
Number of times reported: [1]
[Sign:] Edema
Number of times reported: [1]
[Sign:] Edema, Limb(s)

Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Enlargement(s)
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Horner's Syndrome
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hypoesthesia, Eye(s)/l
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Infection, Uterus
Number of times reported: [1]
[Sign:] Inject Site Sepsis
Number of times reported: [1]
[Sign:] Inj Site Infect
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Inj Site Neoplasm
Number of times reported: [1]
[Sign:] Injury
Number of times reported: [1]
[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Meat Abn
Number of times reported: [1]
[Sign:] Meat, abn Color

Number of times reported: [1]
[Sign:] Metritis
Number of times reported: [1]
[Sign:] Moribund
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Nervousness
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Opisthotonos
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Pd-contamination
Number of times reported: [1]
[Sign:] Pd-product Defect
Number of times reported: [1]
[Sign:] Pd-seal, Abn
Number of times reported: [1]
[Sign:] Pd-vial(s), Abn
Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] Poor Performance
Number of times reported: [1]
[Sign:] Pr-bronchi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]
[Sign:] Proprioceptive Disorde
Number of times reported: [1]
[Sign:] Pr-pericardial Effusio
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-spinal Cord, Lesion

Number of times reported: [1]
[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-uterus, Lesion(s)
Number of times reported: [1]
[Sign:] Pupil(s), Areflexia
Number of times reported: [1]
[Sign:] Reaction, Unspecified
Number of times reported: [1]
[Sign:] Reluctant To Move
Number of times reported: [1]
[Sign:] Scale(s), Skin
Number of times reported: [1]
[Sign:] Sedation Prolonged
Number of times reported: [1]
[Sign:] Shaking
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Skin, Crust(s)
Number of times reported: [1]
[Sign:] Slough, Skin
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Squinting
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Stupor
Number of times reported: [1]
[Sign:] Swelling, Ear(s)
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Swelling, Neck
Number of times reported: [1]
[Sign:] Tech Error

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Udder, Abn

Number of times reported: [1]

[Sign:] Udder, Dysgalactia

Number of times reported: [1]

[Sign:] Udder, Fever

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Unconscious

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Dog

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Vomiting

Number of times reported: [4]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [3]

[Sign:] Anemia

Number of times reported: [3]

[Sign:] Bun Hi, Bld

Number of times reported: [3]

[Sign:] Creatinine Hi, Bld

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Inj Site Swelling

Number of times reported: [3]

[Sign:] Pain
Number of times reported: [3]

[Sign:] Platelets Lo, Bld
Number of times reported: [3]

[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [3]

[Sign:] Amylase Hi, Bld
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [2]

[Sign:] Apprehension
Number of times reported: [2]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Casts, Urine
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Diarrhea, Bloody
Number of times reported: [2]

[Sign:] Eye Disorder
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Lipase Hi, Bld
Number of times reported: [2]

[Sign:] No Signs
Number of times reported: [2]

[Sign:] Us-liver Abn
Number of times reported: [2]

[Sign:] Wbc Hi, Bld
Number of times reported: [2]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Anemia, Regen
Number of times reported: [1]

[Sign:] Anisocoria
Number of times reported: [1]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Bands Hi, Bld
Number of times reported: [1]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin, Urine
Number of times reported: [1]

[Sign:] Bld(petechiae)
Number of times reported: [1]

[Sign:] Bld, Urine
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Chloride Lo, Bld
Number of times reported: [1]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Crystals, Urine
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Digestion Disorder
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Enlargement(s), Skin
Number of times reported: [1]

[Sign:] Enteritis
Number of times reported: [1]

[Sign:] Ggt Hi, Bld
Number of times reported: [1]

[Sign:] Gi, Abnormal
Number of times reported: [1]

[Sign:] Glucose Lo, Bld
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Inflamm, Skin
Number of times reported: [1]

[Sign:] Inj Site Edema
Number of times reported: [1]

[Sign:] Inj Site Inflamm
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Keratoconjunctivitis S
Number of times reported: [1]

[Sign:] Melena
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Perforation, Stomach
Number of times reported: [1]

[Sign:] P Hi, Bld
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Polydipsia
Number of times reported: [1]

[Sign:] Prostatomegaly
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Protein, Urine
Number of times reported: [1]

[Sign:] Protrusion, Eye(s)
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]

[Sign:] Staring
Number of times reported: [1]

[Sign:] Stool Abn
Number of times reported: [1]

[Sign:] Swelling
Number of times reported: [1]

[Sign:] Ulcer(s), Stomach
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Sign:] Wbc Lo, Bld
Number of times reported: [1]

[Sign:] Weight Increase
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Donkey

[Sign:] Death
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Goat

[Sign:] Death

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Lymphs Lo, Bld

Number of times reported: [1]

[Sign:] Monos Lo, Bld

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Nystagmus

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Sign:] Segs Lo, Bld

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Horse

[Sign:] Inj Site Swelling

Number of times reported: [114]

[Sign:] Inj Site Pain

Number of times reported: [51]

[Sign:] Fever, Body

Number of times reported: [42]

[Sign:] Death

Number of times reported: [29]
[Sign:] Depression/lethargy
Number of times reported: [24]
[Sign:] Inj Site Inflam
Number of times reported: [23]
[Sign:] Anorexia
Number of times reported: [18]
[Sign:] Diarrhea
Number of times reported: [17]
[Sign:] Us Abn
Number of times reported: [15]
[Sign:] Anaphylaxis/toid
Number of times reported: [14]
[Sign:] Inj Site Edema
Number of times reported: [14]
[Sign:] Pain, Abdomen
Number of times reported: [11]
[Sign:] Reluctant To Move
Number of times reported: [11]
[Sign:] Tachycardia
Number of times reported: [11]
[Sign:] Death(euthanized)
Number of times reported: [10]
[Sign:] Inj Site Fibrosis
Number of times reported: [10]
[Sign:] Diarrhea, Severe
Number of times reported: [9]
[Sign:] Inj Site Stiffness
Number of times reported: [9]
[Sign:] Collapse
Number of times reported: [8]
[Sign:] Laminitis
Number of times reported: [8]
[Sign:] Trembling
Number of times reported: [8]
[Sign:] Pain, Neck
Number of times reported: [7]
[Sign:] Urticaria
Number of times reported: [7]
[Sign:] Diarrhea, Mild
Number of times reported: [6]
[Sign:] Hyperpnea

Number of times reported: [6]
[Sign:] Ineffect, Antibiotic
Number of times reported: [6]
[Sign:] Swelling, Limb(s)
Number of times reported: [6]
[Sign:] Swelling, Neck
Number of times reported: [6]
[Sign:] Convulsion(s)
Number of times reported: [5]
[Sign:] Diarrhea, Watery
Number of times reported: [5]
[Sign:] Fibrinogen Hi, Bld
Number of times reported: [5]
[Sign:] Inj Site Alopecia
Number of times reported: [5]
[Sign:] Recumbency
Number of times reported: [5]
[Sign:] Anemia
Number of times reported: [4]
[Sign:] Dehydration
Number of times reported: [4]
[Sign:] Edema, Brisket/chest
Number of times reported: [4]
[Sign:] Pallor
Number of times reported: [4]
[Sign:] Segs Hi, Bld
Number of times reported: [4]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Bun Hi, Bld
Number of times reported: [3]
[Sign:] Congestion, Mucous Mem
Number of times reported: [3]
[Sign:] Creatinine Hi, Bld
Number of times reported: [3]
[Sign:] Dyspnea
Number of times reported: [3]
[Sign:] Edema, Head/face
Number of times reported: [3]
[Sign:] Edema, Neck
Number of times reported: [3]
[Sign:] Gi, Abnormal

Number of times reported: [3]
[Sign:] Inj Site Abscess
Number of times reported: [3]
[Sign:] Inj Site Phlebitis
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Pain, Feet/digit(s)
Number of times reported: [3]
[Sign:] Pallor, Mucous Membran
Number of times reported: [3]
[Sign:] Pd-solution, Abn
Number of times reported: [3]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [3]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [3]
[Sign:] Swelling, Brisket/ches
Number of times reported: [3]
[Sign:] Thrombus
Number of times reported: [3]
[Sign:] Wbc Hi, Bld
Number of times reported: [3]
[Sign:] Weakness
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Alopecia
Number of times reported: [2]
[Sign:] Bands Hi, Bld
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Coughing
Number of times reported: [2]
[Sign:] Culture/titer Data Abn
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Edema
Number of times reported: [2]
[Sign:] Eosinos Hi, Bld

Number of times reported: [2]
[Sign:] Granuloma
Number of times reported: [2]
[Sign:] Inj Site Abn
Number of times reported: [2]
[Sign:] Inj Site Hair, Abn
Number of times reported: [2]
[Sign:] Inj Site Necrosis
Number of times reported: [2]
[Sign:] Inj Site Sterile Absce
Number of times reported: [2]
[Sign:] Murmur, Heart
Number of times reported: [2]
[Sign:] Myositis
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Polycythemia
Number of times reported: [2]
[Sign:] Pr-colon, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Reaction, Unspecified
Number of times reported: [2]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Shock, Endotoxemia
Number of times reported: [2]
[Sign:] Sweating
Number of times reported: [2]
[Sign:] Wbc Lo, Bld
Number of times reported: [2]
[Sign:] Abn Color, Urine

Number of times reported: [1]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]
[Sign:] Anemia, Hemolytic
Number of times reported: [1]
[Sign:] Anorexia(not Nursing)
Number of times reported: [1]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]
[Sign:] Biting/chewing
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Chemistry Abn
Number of times reported: [1]
[Sign:] Colitis
Number of times reported: [1]
[Sign:] Colitis, Ulcerative
Number of times reported: [1]
[Sign:] Csf Abn
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Dehiscence
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Mucoid

Number of times reported: [1]
[Sign:] Diarrhea, Projectile
Number of times reported: [1]
[Sign:] Dic
Number of times reported: [1]
[Sign:] Distress
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Edema, Limb(s)
Number of times reported: [1]
[Sign:] Edema, Prepuce
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Emphysema
Number of times reported: [1]
[Sign:] Emphysema, Sq
Number of times reported: [1]
[Sign:] Enteritis
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Hair, Abn Color
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypopnea
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Inj Site Emphysema
Number of times reported: [1]
[Sign:] Inj Site Mass

Number of times reported: [1]
[Sign:] Inj Site Pruritis
Number of times reported: [1]
[Sign:] Irritation
Number of times reported: [1]
[Sign:] K Hi, Bld
Number of times reported: [1]
[Sign:] Kidney Failure
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lesion(s), Skin
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mucous Membr, Red
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] No Signs
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Off Feed
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Paresis, Forelimb(s)
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Pneumonia
Number of times reported: [1]
[Sign:] Pneumonia, Aspiration
Number of times reported: [1]
[Sign:] Pr-cecum, Lesion(s)

Number of times reported: [1]
[Sign:] Pr-gi, Lesion(s)
Number of times reported: [1]
[Sign:] Priapism
Number of times reported: [1]
[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Penis
Number of times reported: [1]
[Sign:] Prolapse, Tongue
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis
Number of times reported: [1]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin Disorder
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Spasm
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Stiffness, Front Limb(
Number of times reported: [1]
[Sign:] Stiffness, Limb(s)
Number of times reported: [1]
[Sign:] Stumbling
Number of times reported: [1]
[Sign:] Swelling
Number of times reported: [1]
[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Joint(s)

Number of times reported: [1]

[Sign:] Urine Abn

Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Human

[Sign:] Inj Site Pain

Number of times reported: [37]

[Sign:] Inj Site Swelling

Number of times reported: [29]

[Sign:] Inj Site Inflam

Number of times reported: [15]

[Sign:] Hypoesthesia

Number of times reported: [5]

[Sign:] Inj Site Abn

Number of times reported: [4]

[Sign:] Dizziness

Number of times reported: [3]

[Sign:] Nausea

Number of times reported: [3]

[Sign:] Congestion, Skin

Number of times reported: [2]

[Sign:] Ill

Number of times reported: [2]

[Sign:] Inj Site Bld

Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Irritation, Skin

Number of times reported: [1]

[Sign:] Lesion(s)

Number of times reported: [1]

- [Sign:] Pain, Brisket/chest
Number of times reported: [1]
- [Sign:] Pain, Limb(s)
Number of times reported: [1]
- [Sign:] Paresthesia
Number of times reported: [1]
- [Sign:] Rash
Number of times reported: [1]
- [Sign:] Stiffness, Hand(s)
Number of times reported: [1]
- [Sign:] Swelling
Number of times reported: [1]
- [Sign:] Swelling, Tongue
Number of times reported: [1]
- [Sign:] Weakness
Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Llama

- [Sign:] Ataxia
Number of times reported: [1]
- [Sign:] Convulsion(s)
Number of times reported: [1]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Hyperpnea
Number of times reported: [1]
- [Sign:] Inj Site Necrosis
Number of times reported: [1]
- [Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]
- [Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
- [Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]
- [Sign:] Recumbency
Number of times reported: [1]
- [Sign:] Shaking, Head/face
Number of times reported: [1]
- [Sign:] Trembling
Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Other

[Sign:] Inj Site Pain

Number of times reported: [2]

[Drug:] Ceftiofur

Parenteral, Pig

[Sign:] Death

Number of times reported: [9]

[Sign:] Anaphylaxis/toid

Number of times reported: [6]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Residue, Meat

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death(tx Failure)

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Effusion, Peritoneal

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Inj Site Bld

Number of times reported: [1]

[Sign:] No Signs

Number of times reported: [1]

[Sign:] Pr-lung(s), Edema

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Ceftiofur

Parenteral, Sheep

- [Sign:] Anaphylaxis/toid
Number of times reported: [1]
- [Sign:] Ataxia
Number of times reported: [1]
- [Sign:] Fever, Body
Number of times reported: [1]
- [Sign:] Hypersalivation
Number of times reported: [1]
- [Sign:] Polyuria
Number of times reported: [1]
- [Sign:] Trembling
Number of times reported: [1]

[Drug:] Cefotiofur

Topical, Human

- [Sign:] Rash
Number of times reported: [3]
- [Sign:] Congestion, Skin
Number of times reported: [2]
- [Sign:] Ill
Number of times reported: [2]
- [Sign:] Bld(ecchymoses)
Number of times reported: [1]
- [Sign:] Congestion, Eye(s)/lid
Number of times reported: [1]
- [Sign:] Fever, Body
Number of times reported: [1]
- [Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]
- [Sign:] Irritation, Skin
Number of times reported: [1]
- [Sign:] Pruritis, Eye(s)
Number of times reported: [1]
- [Sign:] Slough, Skin
Number of times reported: [1]
- [Sign:] Swelling
Number of times reported: [1]
- [Sign:] Swelling, Adm Site
Number of times reported: [1]
- [Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [1]

[Drug:] Ceftiofur

Unknown, Cat

[Sign:] Distress, Resp

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Effusion, Pleural

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Miosis

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Hi

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Ceftiofur

Unknown, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [25]

[Sign:] Death

Number of times reported: [21]
[Sign:] Residue, Milk
Number of times reported: [15]
[Sign:] Residue, Meat
Number of times reported: [9]
[Sign:] Culture/titer Data Abn
Number of times reported: [4]
[Sign:] Death(tx Failure)
Number of times reported: [4]
[Sign:] Respiratory Disorder
Number of times reported: [4]
[Sign:] Anaphylaxis/toid
Number of times reported: [3]
[Sign:] Death(slaughtered)
Number of times reported: [3]
[Sign:] Ill
Number of times reported: [3]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Hypopnea
Number of times reported: [2]
[Sign:] Staggering
Number of times reported: [2]
[Sign:] Abortion
Number of times reported: [1]
[Sign:] Bld, Gi
Number of times reported: [1]
[Sign:] Blindness, Partial
Number of times reported: [1]
[Sign:] Bloat
Number of times reported: [1]
[Sign:] Difficulty Rising
Number of times reported: [1]
[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Incision Site, Ecchymosis
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Inj Site Bld

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Paralysis, Facial Nerv

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Pneumonia

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Sign:] Twitch

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Drug:] Ceftiofur

Unknown, Dog

[Sign:] Convulsion(s)

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Chemistry Abn

Number of times reported: [1]

[Sign:] Cyanosis

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Drug:] Ceftiofur

Unknown, Goat

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Ceftiofur

Unknown, Horse

[Sign:] Inj Site Swelling

Number of times reported: [2]

[Sign:] Biting/chewing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Fibrosis

Number of times reported: [1]

[Sign:] Inj Site Inflamm

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Sterile Absce

Number of times reported: [1]

[Sign:] Pain, Limb(s)

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Stiffness, Neck
Number of times reported: [1]

[Sign:] Sweating
Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Us Abn
Number of times reported: [1]

[Drug:] Ceftriaxone

Unknown, Human

[Sign:] Inj Site Pain
Number of times reported: [18]

[Sign:] Inj Site Swelling
Number of times reported: [13]

[Sign:] Inj Site Inflammation
Number of times reported: [7]

[Sign:] Congestion, Skin
Number of times reported: [3]

[Sign:] Accidental Exposure
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Fever, Body
Number of times reported: [2]

[Sign:] Headache
Number of times reported: [2]

[Sign:] Human Exposure, Hand(s)
Number of times reported: [2]

[Sign:] Human Exposure, Inj
Number of times reported: [2]

[Sign:] Inj Site Abn
Number of times reported: [2]

[Sign:] Nausea
Number of times reported: [2]

[Sign:] Pain, Abdomen
Number of times reported: [2]

[Sign:] Swelling
Number of times reported: [2]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Hyperesthesia

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Inflammation, Skin

Number of times reported: [1]

[Sign:] Inj Site Blood

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Stiffness

Number of times reported: [1]

[Sign:] Laceration(s), Hand(s)

Number of times reported: [1]

[Sign:] Liver Disorder

Number of times reported: [1]

[Sign:] Liver Enzymes High, Blood

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Chest/Brisket

Number of times reported: [1]

[Sign:] Paraesthesia

Number of times reported: [1]

[Sign:] Stiffness, Hand(s)

Number of times reported: [1]

[Sign:] Syncope

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Ceftiofur

Unknown, Pig

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Drug:] Ceftiofur

Unknown, Turkey

[Sign:] Pd-solution, Abn

Number of times reported: [2]

[Drug:] Ceftiofur

Various, Cattle

[Sign:] Death

Number of times reported: [1]

[Sign:] Pr-brain, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-cerebrum, Lesion(s)

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Ceftiofur

Various, Horse

[Sign:] Death

Number of times reported: [2]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Diarrhea, Severe

Number of times reported: [1]

[Sign:] Enteritis

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Drug:] Cephalexin

Oral, Dog

[Sign:] Vomiting
Number of times reported: [4]

[Sign:] Anorexia
Number of times reported: [3]

[Sign:] Albumin Lo, Bld
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Death
Number of times reported: [2]

[Sign:] Death(euthanized)
Number of times reported: [2]

[Sign:] Depression/lethargy
Number of times reported: [2]

[Sign:] Pallor, Mucous Membran
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Alk Phos Hi, Bld
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Bands Hi, Bld
Number of times reported: [1]

[Sign:] Chloride Hi, Bld
Number of times reported: [1]

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Dehydration
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Monos Hi, Bld
Number of times reported: [1]

[Sign:] Moribund
Number of times reported: [1]

[Sign:] Na Hi, Bld
Number of times reported: [1]

[Sign:] Nervousness
Number of times reported: [1]

[Sign:] Nystagmus, Vertical
Number of times reported: [1]

[Sign:] Pain, Joint(s)
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [1]

[Sign:] Segs Hi, Bld
Number of times reported: [1]

[Sign:] Slough
Number of times reported: [1]

[Sign:] Stiffness, Limb(s)
Number of times reported: [1]

[Sign:] Stool, Mucoid
Number of times reported: [1]

[Sign:] Stupor
Number of times reported: [1]

[Sign:] Vocalization
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Sign:] Weakness
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Cephapirin Benzathine

Defect, Not Applicable

- [Sign:] Pd-tube(s), Leaking
Number of times reported: [34]
- [Sign:] Pd-tube(s), Damaged
Number of times reported: [28]
- [Sign:] Pd-cap(s), Abn
Number of times reported: [9]
- [Sign:] Pd-tube(s), Abn
Number of times reported: [9]
- [Sign:] Pd-underfill, Package
Number of times reported: [8]
- [Sign:] Pd-container(s), Damag
Number of times reported: [7]
- [Sign:] Pd-missing, Cap
Number of times reported: [6]
- [Sign:] Pd-syringe, Abn
Number of times reported: [6]
- [Sign:] Pd-underfill, Tube(s)
Number of times reported: [6]
- [Sign:] Pd-applicator, Abn
Number of times reported: [3]
- [Sign:] Pd-container(s), Abn
Number of times reported: [3]
- [Sign:] Pd-dispenser, Abn
Number of times reported: [3]
- [Sign:] Pd-contamination
Number of times reported: [2]
- [Sign:] Pd-seal, Abn
Number of times reported: [2]
- [Sign:] Pd-gel/paste, Abn
Number of times reported: [1]
- [Sign:] Pd-missing, Label(s)
Number of times reported: [1]

[Drug:] Cephapirin Benzathine

Intramammary, Cattle

- [Sign:] Residue, Milk
Number of times reported: [65]
- [Sign:] Udder, Swelling
Number of times reported: [35]
- [Sign:] Death

Number of times reported: [25]
[Sign:] Udder, Mastitis
Number of times reported: [23]
[Sign:] Fever, Body
Number of times reported: [10]
[Sign:] Udder, Milk Abn
Number of times reported: [9]
[Sign:] Udder, Abn
Number of times reported: [7]
[Sign:] Swelling, Mammary
Number of times reported: [6]
[Sign:] Udder, Hard
Number of times reported: [6]
[Sign:] Ineffect, Antibiotic
Number of times reported: [5]
[Sign:] Culture/titer Data Abn
Number of times reported: [4]
[Sign:] Depression/lethargy
Number of times reported: [4]
[Sign:] Recumbency
Number of times reported: [4]
[Sign:] Udder, Fever
Number of times reported: [4]
[Sign:] Abortion
Number of times reported: [3]
[Sign:] Udder, Milk Watery
Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Bld(petechiae)
Number of times reported: [2]
[Sign:] Mammary, Inflammation
Number of times reported: [2]
[Sign:] Pd-tube(s), Abn
Number of times reported: [2]
[Sign:] Pr-udder, Lesion(s)
Number of times reported: [2]
[Sign:] Udder, Pain
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [1]
[Sign:] Death(euthanized)

Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Diarrhea, Watery
Number of times reported: [1]
[Sign:] Discharge, Mammary
Number of times reported: [1]
[Sign:] Edema, Mammary
Number of times reported: [1]
[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]
[Sign:] Hypomotility
Number of times reported: [1]
[Sign:] Hypothermia
Number of times reported: [1]
[Sign:] Ineffect
Number of times reported: [1]
[Sign:] Infection
Number of times reported: [1]
[Sign:] Inflammation, Mammary
Number of times reported: [1]
[Sign:] Pd-cap(s), Abn
Number of times reported: [1]
[Sign:] Pd-missing, Cap
Number of times reported: [1]
[Sign:] Placenta, Retained
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Sepsis
Number of times reported: [1]
[Sign:] Septicemia
Number of times reported: [1]
[Sign:] Shaking, Head/face
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Sound Abn, Respiratory
Number of times reported: [1]
[Sign:] Stiffness
Number of times reported: [1]
[Sign:] Sweating

Number of times reported: [1]

[Sign:] Swelling, Adm Site

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Udder, Teat(s) Disorde

Number of times reported: [1]

[Drug:] Cephapirin Benzathine

Intramammary, Goat

[Sign:] Bld, Urine

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Udder, Abn

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

[Drug:] Cephapirin Benzathine

Missing, Cattle

[Sign:] Death

Number of times reported: [4]

[Sign:] Residue, Milk

Number of times reported: [4]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Difficulty Rising

Number of times reported: [1]

[Sign:] Hair, Shedding

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Skin, Dry

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Sign:] Udder, Fever

Number of times reported: [1]

[Drug:] Cephapirin Benzathine

Parenteral, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Cephapirin Benzathine

Parenteral, Sheep

[Sign:] Death

Number of times reported: [1]

[Sign:] Discharge, Mammary

Number of times reported: [1]

[Sign:] Udder, Milk Abn

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Drug:] Cephapirin Benzathine

Unknown, Cattle

[Sign:] Residue, Milk

Number of times reported: [3]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Sign:] Udder, Milk Watery

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Defect, Not Applicable

- [Sign:] Pd-tube(s), Leaking
Number of times reported: [21]
- [Sign:] Pd-tube(s), Abn
Number of times reported: [19]
- [Sign:] Pd-tube(s), Damaged
Number of times reported: [19]
- [Sign:] Pd-syringe, Abn
Number of times reported: [14]
- [Sign:] Pd-cap(s), Abn
Number of times reported: [9]
- [Sign:] Pd-dispenser, Abn
Number of times reported: [7]
- [Sign:] Pd-underfill, Package
Number of times reported: [7]
- [Sign:] Pd-applicator, Abn
Number of times reported: [6]
- [Sign:] Pd-container(s), Damag
Number of times reported: [5]
- [Sign:] Pd-missing, Cap
Number of times reported: [4]
- [Sign:] Pd-product Defect
Number of times reported: [4]
- [Sign:] Pd-container(s), Abn
Number of times reported: [3]
- [Sign:] Pd-underfill, Tube(s)
Number of times reported: [2]
- [Sign:] Pd-color, Abn
Number of times reported: [1]
- [Sign:] Pd-contam, Insects
Number of times reported: [1]
- [Sign:] Pd-seal, Abn
Number of times reported: [1]
- [Sign:] Pd-suspension, Abn
Number of times reported: [1]

[Drug:] Cephapirin Sodium

Intramammary, Cattle

- [Sign:] Residue, Milk
Number of times reported: [306]
- [Sign:] Ineffect, Antibiotic

Number of times reported: [8]

[Sign:] Ineffect

Number of times reported: [6]

[Sign:] Udder, Mastitis

Number of times reported: [4]

[Sign:] Death

Number of times reported: [2]

[Sign:] Udder, Dysgalactia

Number of times reported: [2]

[Sign:] Udder, Hard

Number of times reported: [2]

[Sign:] Udder, Swelling

Number of times reported: [2]

[Sign:] Hematochezia

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Stool, Muroid

Number of times reported: [1]

[Sign:] Udder, Agalactia

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Sign:] Udder, Teat(s) Disorde

Number of times reported: [1]

[Sign:] Wbc Hi, Milk

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Intramammary, Goat

[Sign:] Udder, Milk Abn

Number of times reported: [2]

[Sign:] Bld, Passing

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Intramammary, Horse

[Sign:] Udder, Abn

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Missing, Cattle

[Sign:] Residue, Milk

Number of times reported: [4]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Missing, Goat

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Oral, Cattle

[Sign:] Residue, Milk

Number of times reported: [5]

[Drug:] Cephapirin Sodium

Oral, Horse

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Oral, Human

[Sign:] Diarrhea

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Parenteral, Cattle

[Sign:] Residue, Milk

Number of times reported: [2]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Cephapirin Sodium

Unknown, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Chinese Herbal Products

Oral, Dog

[Sign:] Alk Phos Hi, Bld

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Bun Hi, Bld

Number of times reported: [1]

[Sign:] Cholesterol Hi, Bld

Number of times reported: [1]

[Sign:] Creatinine Hi, Bld

Number of times reported: [1]

[Sign:] Deafness

Number of times reported: [1]

[Sign:] Ggt Hi, Bld

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Nervousness

Number of times reported: [1]

[Sign:] Pacing

Number of times reported: [1]

[Sign:] P Hi, Bld

Number of times reported: [1]

[Sign:] Polydipsia

Number of times reported: [1]

[Sign:] Protein, Urine

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Chlorambucil

Oral, Dog

[Sign:] Death

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Drug:] Chloramphenicol

Defect, Not Applicable

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Sign:] Pd-seal, Abn

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Chloramphenicol

Ophthalmic, Cat

[Sign:] Conjunctivitis

Number of times reported: [3]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [3]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [2]

[Sign:] Application Site Hair, Abn Color

Number of times reported: [1]

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Congestion

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Squinting

Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)

Number of times reported: [1]

[Drug:] Chloramphenicol

Ophthalmic, Dog

[Sign:] Conjunctivitis

Number of times reported: [2]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Drug:] Chloramphenicol

Oral, Cat

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Chloramphenicol

Oral, Dog

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Papule(s)

Number of times reported: [2]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Estrus

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Drug:] Chloramphenicol

Oral, Human

[Sign:] Endocrine Disorder

Number of times reported: [1]

[Drug:] Chloramphenicol, Prednisolone

Ophthalmic, Cat

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pawing

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Chloramphenicol, Prednisolone, Squalene, Tetraca

Topical, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Balance Disorder

Number of times reported: [1]

[Drug:] Chloramphenicol, Prednisolone, Squalene, Tetraca

Topical, Dog

[Sign:] Deafness, Temp

Number of times reported: [3]

[Sign:] Deafness

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Chlorhexidine

Defect, Not Applicable

[Sign:] Pd-tube(s), Leaking

Number of times reported: [25]

[Sign:] Pd-container(s), Abn

Number of times reported: [14]

[Sign:] Pd-seal, Abn

Number of times reported: [14]

[Sign:] Pd-cap(s), Abn

Number of times reported: [12]

[Sign:] Pd-container(s), Damag

Number of times reported: [12]

[Sign:] Pd-missing, Cap

Number of times reported: [11]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [7]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [7]

[Sign:] Pd-syringe, Abn

Number of times reported: [4]

[Sign:] Pd-missing, Label(s)

Number of times reported: [3]

[Sign:] Pd-applicator, Abn

Number of times reported: [2]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-contam, Mold

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-lock, Abn

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [1]

[Drug:] Chlorhexidine

Inhalation, Human

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Chlorhexidine

Intramammary, Cattle

[Sign:] Residue, Milk

Number of times reported: [1]

[Drug:] Chlorhexidine

Intrauterine, Cattle

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Reproduction Disorder

Number of times reported: [1]

[Sign:] Residue, Milk

Number of times reported: [1]

[Sign:] Swelling, Uterus

Number of times reported: [1]

[Drug:] Chlorhexidine

Intrauterine, Horse

[Sign:] Pr-uterus, Lesion(s)

Number of times reported: [1]

[Sign:] Reproduction Disorder

Number of times reported: [1]

[Sign:] Vaginitis

Number of times reported: [1]

[Drug:] Chlorhexidine

Topical, Cat

[Sign:] Irritation, Skin

Number of times reported: [1]

[Drug:] Chlorhexidine

Topical, Dog

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Deafness

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Ear Disorder

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Edema, Neck

Number of times reported: [1]

[Sign:] Edema, Tongue

Number of times reported: [1]

[Sign:] Exfoliation, Skin

Number of times reported: [1]

[Sign:] Inflamm

Number of times reported: [1]

[Sign:] Irritation, Ear(s)

Number of times reported: [1]

[Sign:] Lesion(s)

Number of times reported: [1]

[Sign:] Nose Abn

Number of times reported: [1]

[Sign:] Phlebitis

Number of times reported: [1]

[Sign:] Scrotum, Abn

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Skin, Scab(s)

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Drug:] Chlorhexidine

Topical, Horse

[Sign:] Inflam, Skin

Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Drug:] Chlorhexidine

Topical, Human

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Inflam, Skin

Number of times reported: [1]

[Sign:] Lesion(s), Ringworm

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Wheezing

Number of times reported: [1]

[Drug:] Chlorhexidine

Topical, Various

[Sign:] Abscess, Skin

Number of times reported: [1]

[Sign:] Application Site Erythema

Number of times reported: [1]

[Sign:] Enlargement(s)

Number of times reported: [1]

[Sign:] Swelling, Scrotum

Number of times reported: [1]

[Drug:] Chlorpheniramine

Oral, Dog

[Sign:] Polypnea

Number of times reported: [1]

[Drug:] Chlorpheniramine, Dexamethasone, Dihydrostreptomycin, Penicillin G Procaine

Parenteral, Cat

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Chlorpheniramine, Dexamethasone, Dihydrostreptomycin, Penicillin G Procaine

Parenteral, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Drug:] Chlorpheniramine, Dexamethasone, Dihydrostreptomycin, Penicillin G Procaine

Parenteral, Horse

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Drug:] Chlorpheniramine, Dexamethasone, Dihydrostreptomycin, Penicillin G Procaine

Unknown, Horse

[Sign:] Reaction, Unspecified

Number of times reported: [1]

[Drug:] Chlorpheniramine, Dihydrostreptomycin, Diphepanil, Penicillin G Procaine

Parenteral, Dog

[Sign:] Death

Number of times reported: [8]

[Sign:] Arrhythmia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Chlorpheniramine, Dihydrostreptomycin, Diphemaniol, Penicillin G Procaine

Unknown, Dog

[Sign:] Death

Number of times reported: [2]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dry Mouth Syndrome

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Chlorpromazine

Unknown, Dog

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Drug:] Chlortetracycline

Defect, Not Applicable

[Sign:] Pd-container(s), Damag

Number of times reported: [57]

[Sign:] Pd-underfill, Package

Number of times reported: [21]

[Sign:] Pd-container(s), Abn

Number of times reported: [19]

[Sign:] Pd-seal, Abn

Number of times reported: [19]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [6]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [6]

[Sign:] Pd-color, Abn

Number of times reported: [5]

[Sign:] Pd-contam, Mold

Number of times reported: [2]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Pd-potency, Lo
Number of times reported: [1]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]

[Sign:] Tech Error, Mixing
Number of times reported: [1]

[Drug:] Chlortetracycline

Missing, Cattle

[Sign:] Death
Number of times reported: [2]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Drug:] Chlortetracycline

Oral, Cattle

[Sign:] Death
Number of times reported: [3]

[Sign:] Ineffect, Antibiotic
Number of times reported: [3]

[Sign:] Bloat
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Residue, Milk
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Drug:] Chlortetracycline

Oral, Pig

[Sign:] Death

Number of times reported: [1]

[Drug:] Chlortetracycline

Topical, Human

[Sign:] Skin Abnormal

Number of times reported: [1]

[Drug:] Chlortetracycline

Unknown, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Chlortetracycline, Sulfamethazine

Defect, Not Applicable

[Sign:] Pd-container(s), Damag

Number of times reported: [16]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Label(s)

Number of times reported: [1]

[Drug:] Chlortetracycline, Sulfamethazine

Oral, Cattle

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Death(slaughtered)

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Tenesmus, Rectal

Number of times reported: [1]

[Drug:] Chorionic Gonadotropin

Defect, Not Applicable

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-product Defect
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [1]

[Sign:] Pd-vial(s), Damaged
Number of times reported: [1]

[Drug:] Chorionic Gonadotropin

Missing, Horse

[Sign:] Anaphylaxis/toid
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Swelling, Neck
Number of times reported: [1]

[Drug:] Chorionic Gonadotropin

Parenteral, Horse

[Sign:] Anaphylaxis/toid
Number of times reported: [10]

[Sign:] Death
Number of times reported: [6]

[Sign:] Dyspnea
Number of times reported: [6]

[Sign:] Pain, Abdomen
Number of times reported: [6]

[Sign:] Sweating
Number of times reported: [6]

[Sign:] Urticaria
Number of times reported: [4]

[Sign:] Swelling, Head/face
Number of times reported: [3]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Convulsion(s)
Number of times reported: [2]

[Sign:] Diarrhea
Number of times reported: [2]

[Sign:] Hyperpnea
Number of times reported: [2]

[Sign:] Tachycardia
Number of times reported: [2]

[Sign:] Ataxia
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]

[Sign:] Pawing
Number of times reported: [1]

[Sign:] Polycythemia
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Sign:] Rolling
Number of times reported: [1]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [1]

[Sign:] Trembling
Number of times reported: [1]

[Drug:] Chorionic Gonadotropin

Parenteral, Other

[Sign:] Ineffect, Ovulation

Number of times reported: [1]

[Drug:] Chorionic Gonadotropin

Unknown, Fish

[Sign:] Birth Defect(s)

Number of times reported: [1]

[Sign:] Birth Defect(s), Head/

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Lesion(s), Skin

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Drug:] Chorionic Gonadotropion, Serum Gonadotropin

Defect, Not Applicable

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [2]

[Drug:] Chorionic Gonadotropion, Serum Gonadotropin

Not Applicable, Human

[Sign:] Hyperesthesia

Number of times reported: [1]

[Drug:] Chorionic Gonadotropion, Serum Gonadotropin

Oral, Pig

[Sign:] Ineffect, Estrus Synch

Number of times reported: [1]

[Drug:] Chorionic Gonadotropion, Serum Gonadotropin

Parenteral, Human

[Sign:] Menses, Abnormal

Number of times reported: [1]

[Drug:] Chorionic Gonadotropion, Serum Gonadotropin

Parenteral, Pig

[Sign:] Ineffect, Estrus Synch

Number of times reported: [2]

[Drug:] Ciprofloxacin

Oral, Dog

[Sign:] Apnea

Number of times reported: [1]

[Sign:] Arrest, Heart

Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr

Number of times reported: [1]

[Sign:] Dysphagia

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Incontinence

Number of times reported: [1]

[Sign:] K Lo, Bld

Number of times reported: [1]

[Sign:] K Lo, Blood

Number of times reported: [1]

[Sign:] Pallor, Mucous Membran

Number of times reported: [1]

[Sign:] Pancreatitis

Number of times reported: [1]

[Sign:] Paresis, Fore Limb(s)

Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Sound Abn, Voice

Number of times reported: [1]

[Sign:] Spasm

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Swelling, Head/face

Number of times reported: [1]

[Sign:] Swelling, Neck

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Cisapride

Oral, Cat

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Clenbuterol

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [15]

[Sign:] Pd-seal, Abn

Number of times reported: [14]

[Sign:] Pd-cap(s), Abn

Number of times reported: [5]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [3]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [2]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Drug:] Clenbuterol

Oral, Dog

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Clenbuterol

Oral, Horse

[Sign:] Sweating

Number of times reported: [18]

[Sign:] Tachycardia

Number of times reported: [8]

[Sign:] Death

Number of times reported: [6]
[Sign:] Nervousness
Number of times reported: [4]
[Sign:] Pain, Abdomen
Number of times reported: [4]
[Sign:] Trembling
Number of times reported: [4]
[Sign:] Discomfort
Number of times reported: [3]
[Sign:] Apprehension
Number of times reported: [2]
[Sign:] Ataxia
Number of times reported: [2]
[Sign:] Hypertonia
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Spasm
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Choking
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Discharge, Nose
Number of times reported: [1]
[Sign:] Dysphagia
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Fertility, Lack Of

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

[Sign:] Hyperactivity

Number of times reported: [1]

[Sign:] Hyperpnea

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Ineffect, Other Drug(s)

Number of times reported: [1]

[Sign:] Leukoderma

Number of times reported: [1]

[Sign:] Pacing

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Thrashing/paddling

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Clenbuterol

Oral, Human

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Breathing Abn

Number of times reported: [1]

[Sign:] Ecg Abn

Number of times reported: [1]

[Sign:] Fibrillation, Atrial

Number of times reported: [1]

[Sign:] Palpitations

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Clenbuterol

Unknown, Horse

[Sign:] Apprehension

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Clindamycin

Defect, Not Applicable

[Sign:] Pd-odor, Abn

Number of times reported: [4]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [4]

[Sign:] Pd-container(s), Damag

Number of times reported: [2]

[Sign:] Pd-dispenser, Abn

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-underfill, Package

Number of times reported: [1]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [1]

[Sign:] Unpalatable

Number of times reported: [1]

[Drug:] Clindamycin

Intranasal, Dog

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Clindamycin

Missing, Cat

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Clindamycin

Oral, Cat

[Sign:] Diarrhea

Number of times reported: [16]

[Sign:] Vomiting

Number of times reported: [14]

[Sign:] Anorexia

Number of times reported: [11]

[Sign:] Depression/lethargy

Number of times reported: [10]

[Sign:] Death

Number of times reported: [9]

[Sign:] Ataxia

Number of times reported: [5]

[Sign:] Convulsion(s)

Number of times reported: [5]

[Sign:] Dyspnea

Number of times reported: [5]

[Sign:] Fever, Body

Number of times reported: [5]

[Sign:] Platelets Lo, Bld

Number of times reported: [4]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Confusion

Number of times reported: [3]

[Sign:] Death(euthanized)

Number of times reported: [3]

[Sign:] Diarrhea, Mild

Number of times reported: [3]

[Sign:] Hypersalivation

Number of times reported: [3]

[Sign:] Pruritis

Number of times reported: [3]

[Sign:] Vocalization
Number of times reported: [3]

[Sign:] Behavior Disorder
Number of times reported: [2]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Bld(petechiae)
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [2]

[Sign:] Dehydration
Number of times reported: [2]

[Sign:] Gagging
Number of times reported: [2]

[Sign:] Pancytopenia
Number of times reported: [2]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Shaking
Number of times reported: [2]

[Sign:] Sneezing
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Weakness
Number of times reported: [2]

[Sign:] Weight Loss
Number of times reported: [2]

[Sign:] Adipsia
Number of times reported: [1]

[Sign:] Albumin Lo, Bld
Number of times reported: [1]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Aplasia, Bone Marrow
Number of times reported: [1]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Bilirubin, Urine
Number of times reported: [1]

[Sign:] Biting/chewing
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Bun Hi, Bld
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Congestion, Skin
Number of times reported: [1]

[Sign:] Coughing
Number of times reported: [1]

[Sign:] Creatinine Hi, Bld
Number of times reported: [1]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [1]

[Sign:] Defecation Abn
Number of times reported: [1]

[Sign:] Diarrhea, Bloody
Number of times reported: [1]

[Sign:] Diarrhea, Severe
Number of times reported: [1]

[Sign:] Diarrhea, Watery
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [1]

[Sign:] Edema, Limb(s)
Number of times reported: [1]

[Sign:] Exfoliation, Skin
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Hematochezia
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Hyperesthesia
Number of times reported: [1]

[Sign:] Hyperpnea
Number of times reported: [1]

[Sign:] Icterus
Number of times reported: [1]

[Sign:] Ineffect, Antibiotic
Number of times reported: [1]

[Sign:] Interaction, Drug(s)
Number of times reported: [1]

[Sign:] Kidney Failure
Number of times reported: [1]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Pallor, Mucous Membran
Number of times reported: [1]

[Sign:] Paresis
Number of times reported: [1]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]

[Sign:] Pr-pleural Effusion
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Self-mutilation
Number of times reported: [1]

[Sign:] Skin Abnormal
Number of times reported: [1]

[Sign:] Staggering
Number of times reported: [1]

- [Sign:] Stool, Mucoid
Number of times reported: [1]
- [Sign:] Stranguria
Number of times reported: [1]
- [Sign:] Swelling, Head/face
Number of times reported: [1]
- [Sign:] Swelling, Pharynx/thro
Number of times reported: [1]
- [Sign:] Twitch
Number of times reported: [1]
- [Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
- [Sign:] Unpalatable, Won't Swa
Number of times reported: [1]
- [Sign:] Urination Abn
Number of times reported: [1]
- [Sign:] Wbc Hi, Bld
Number of times reported: [1]
- [Sign:] Wheezing
Number of times reported: [1]

[Drug:] Clindamycin

Oral, Dog

- [Sign:] Depression/lethargy
Number of times reported: [21]
- [Sign:] Vomiting
Number of times reported: [20]
- [Sign:] Anorexia
Number of times reported: [16]
- [Sign:] Death
Number of times reported: [12]
- [Sign:] Diarrhea
Number of times reported: [12]
- [Sign:] Convulsion(s)
Number of times reported: [10]
- [Sign:] Alk Phos Hi, Bld
Number of times reported: [8]
- [Sign:] Ataxia
Number of times reported: [7]
- [Sign:] Platelets Lo, Bld
Number of times reported: [7]
- [Sign:] Wbc Hi, Bld

Number of times reported: [6]
[Sign:] Bld(petechiae)
Number of times reported: [5]
[Sign:] Diarrhea, Bloody
Number of times reported: [5]
[Sign:] Ineffect, Antibiotic
Number of times reported: [5]
[Sign:] Sgpt/alt Hi, Bld
Number of times reported: [5]
[Sign:] Bun Hi, Bld
Number of times reported: [4]
[Sign:] Confusion
Number of times reported: [4]
[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Aggression
Number of times reported: [3]
[Sign:] Alopecia
Number of times reported: [3]
[Sign:] Chemistry Abn
Number of times reported: [3]
[Sign:] Death(euthanized)
Number of times reported: [3]
[Sign:] Fever, Body
Number of times reported: [3]
[Sign:] Kidney Failure
Number of times reported: [3]
[Sign:] Liver Disorder
Number of times reported: [3]
[Sign:] Polyuria
Number of times reported: [3]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Radiograph(s) Abn
Number of times reported: [3]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [3]
[Sign:] Shaking

Number of times reported: [3]
[Sign:] Staggering
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Vomiting, Bloody
Number of times reported: [3]
[Sign:] Albumin Lo, Bld
Number of times reported: [2]
[Sign:] Anemia
Number of times reported: [2]
[Sign:] Anemia, Autoimmune Hem
Number of times reported: [2]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [2]
[Sign:] Bld
Number of times reported: [2]
[Sign:] Bld, Urine
Number of times reported: [2]
[Sign:] Colitis
Number of times reported: [2]
[Sign:] Collapse
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Creatinine Hi, Bld
Number of times reported: [2]
[Sign:] Culture/titer Data Abn
Number of times reported: [2]
[Sign:] Dyspnea
Number of times reported: [2]
[Sign:] Epistaxis
Number of times reported: [2]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Inflamm, Skin
Number of times reported: [2]
[Sign:] Joint Disorder

Number of times reported: [2]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [2]
[Sign:] Polydipsia
Number of times reported: [2]
[Sign:] Pr-heart, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [2]
[Sign:] Segs Hi, Bld
Number of times reported: [2]
[Sign:] Skin Abnormal
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Us Abn
Number of times reported: [2]
[Sign:] Vocalization
Number of times reported: [2]
[Sign:] Abn Color, Urine
Number of times reported: [1]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Alkaline Urine
Number of times reported: [1]
[Sign:] Amylase Hi, Bld
Number of times reported: [1]
[Sign:] Anuria
Number of times reported: [1]
[Sign:] Arthritis

Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Balance Disorder
Number of times reported: [1]
[Sign:] Bld(ecchymoses)
Number of times reported: [1]
[Sign:] Bld, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Breathing Abn
Number of times reported: [1]
[Sign:] Cellulitis
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [1]
[Sign:] Circling
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Constipation
Number of times reported: [1]
[Sign:] Coughing
Number of times reported: [1]
[Sign:] Cpk Hi, Bld
Number of times reported: [1]
[Sign:] Crystals, Urine
Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Dehydration
Number of times reported: [1]
[Sign:] Dermatitis, Moist
Number of times reported: [1]
[Sign:] Diarrhea, Mild
Number of times reported: [1]
[Sign:] Dic

Number of times reported: [1]
[Sign:] Dilitation, Stomach
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Effusion
Number of times reported: [1]
[Sign:] Eosinos Hi, Bld
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Fibrosis
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Gastritis
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Gingivitis
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Shedding
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hepatitis
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Icterus
Number of times reported: [1]
[Sign:] Icterus, Body
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Immune Disorder

Number of times reported: [1]
[Sign:] Incontinence
Number of times reported: [1]
[Sign:] Inflammation
Number of times reported: [1]
[Sign:] Interaction, Drug(s)
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Lameness
Number of times reported: [1]
[Sign:] Ldh Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Lymphs Lo, Bld
Number of times reported: [1]
[Sign:] Mass, Abdomen
Number of times reported: [1]
[Sign:] Melena
Number of times reported: [1]
[Sign:] Murmur, Heart
Number of times reported: [1]
[Sign:] Myositis
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Neoplasm, Skin
Number of times reported: [1]
[Sign:] Nephritis
Number of times reported: [1]
[Sign:] Nystagmus
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pallor, Mucous Membran

Number of times reported: [1]
[Sign:] Pancreatitis
Number of times reported: [1]
[Sign:] Perforation, Stomach
Number of times reported: [1]
[Sign:] P Hi, Bld
Number of times reported: [1]
[Sign:] Pollakiuria
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Parasitism
Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Pr-mult Sites, Edema
Number of times reported: [1]
[Sign:] Pr-muscle(s), Lesion(s)
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
[Sign:] Protein, Urine
Number of times reported: [1]
[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-thymus, Lesion(s)
Number of times reported: [1]
[Sign:] Pruritis, Ear(s)
Number of times reported: [1]
[Sign:] Pruritis, Eye(s)
Number of times reported: [1]
[Sign:] Pt Prolonged, Bld
Number of times reported: [1]
[Sign:] Rash
Number of times reported: [1]
[Sign:] Recumbency
Number of times reported: [1]
[Sign:] Reluctant To Climb

Number of times reported: [1]

[Sign:] Reluctant To Move

Number of times reported: [1]

[Sign:] Scrotum, Abn

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Septicemia

Number of times reported: [1]

[Sign:] Skin, Necrosis

Number of times reported: [1]

[Sign:] Slough, Skin

Number of times reported: [1]

[Sign:] Spec Gravity Lo, Urine

Number of times reported: [1]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Teeth, Abn

Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Ulcer(s), Gi

Number of times reported: [1]

[Sign:] Ulcer(s), Stomach

Number of times reported: [1]

[Sign:] Urination Abn

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Clindamycin

Oral, Human

[Sign:] Taste Abnormality

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [1]

[Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Drug:] Clindamycin

Parenteral, Human

[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Clindamycin

Topical, Human

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Drug:] Clindamycin

Unknown, Cat

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Drug:] Clindamycin

Various, Cat

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Blepharospasm
Number of times reported: [1]

[Drug:] Clomipramine

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn
Number of times reported: [140]

[Sign:] Pd-underfill, Package
Number of times reported: [32]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [24]

[Sign:] Pd-seal, Abn
Number of times reported: [5]

[Sign:] Pd-missing, Cap
Number of times reported: [4]

- [Sign:] Pd-product Defect
Number of times reported: [4]
- [Sign:] Pd-cap(s), Abn
Number of times reported: [2]
- [Sign:] Pd-container(s), Damag
Number of times reported: [2]
- [Sign:] Pd-missing, Label(s)
Number of times reported: [2]
- [Sign:] Pd-container(s), Abn
Number of times reported: [1]
- [Sign:] Pd-contamination
Number of times reported: [1]
- [Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Drug:] Clomipramine

Ophthalmic, Cat

- [Sign:] Blepharospasm
Number of times reported: [1]
- [Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Drug:] Clomipramine

Oral, Bird

- [Sign:] Ataxia
Number of times reported: [2]
- [Sign:] Albumin Lo, Bld
Number of times reported: [1]
- [Sign:] Ca Lo, Bld
Number of times reported: [1]
- [Sign:] Chloride Hi, Bld
Number of times reported: [1]
- [Sign:] Convulsion(s)
Number of times reported: [1]
- [Sign:] Cpk Hi, Bld
Number of times reported: [1]
- [Sign:] Death
Number of times reported: [1]
- [Sign:] Diarrhea, Severe
Number of times reported: [1]
- [Sign:] Globulin Lo, Bld
Number of times reported: [1]

- [Sign:] Glucose Lo, Bld
Number of times reported: [1]
- [Sign:] Hyperactivity
Number of times reported: [1]
- [Sign:] K Hi, Urine
Number of times reported: [1]
- [Sign:] Protein(tot) Lo, Bld
Number of times reported: [1]
- [Sign:] Sgot/ast Hi, Bld
Number of times reported: [1]
- [Sign:] Staggering
Number of times reported: [1]
- [Sign:] Uric Acid Hi, Bld
Number of times reported: [1]
- [Sign:] Vomiting
Number of times reported: [1]

[Drug:] Clomipramine

Oral, Cat

- [Sign:] Depression/lethargy
Number of times reported: [23]
- [Sign:] Mydriasis
Number of times reported: [15]
- [Sign:] Anorexia
Number of times reported: [12]
- [Sign:] Tachycardia
Number of times reported: [7]
- [Sign:] Vocalization
Number of times reported: [7]
- [Sign:] Vomiting
Number of times reported: [6]
- [Sign:] Anuria
Number of times reported: [5]
- [Sign:] Constipation
Number of times reported: [5]
- [Sign:] Distention, Bladder
Number of times reported: [5]
- [Sign:] Sgpt/alt Hi, Bld
Number of times reported: [5]
- [Sign:] Urination Abn
Number of times reported: [5]
- [Sign:] Alk Phos Hi, Bld

Number of times reported: [4]
[Sign:] Apprehension
Number of times reported: [4]
[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [4]
[Sign:] Confusion
Number of times reported: [4]
[Sign:] Hiding
Number of times reported: [4]
[Sign:] Aggression
Number of times reported: [3]
[Sign:] Ataxia
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [3]
[Sign:] Pain
Number of times reported: [3]
[Sign:] Residue, Urine
Number of times reported: [3]
[Sign:] Sedation
Number of times reported: [3]
[Sign:] Urine Abn
Number of times reported: [3]
[Sign:] Bun Hi, Bld
Number of times reported: [2]
[Sign:] Dehydration
Number of times reported: [2]
[Sign:] Elimination Abn
Number of times reported: [2]
[Sign:] Hyperpnea
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Icterus, Body
Number of times reported: [2]
[Sign:] Ineffect
Number of times reported: [2]
[Sign:] Nausea
Number of times reported: [2]
[Sign:] Nervousness
Number of times reported: [2]
[Sign:] Pallor, Mucous Membran

Number of times reported: [2]
[Sign:] Sediment, Urine
Number of times reported: [2]
[Sign:] Stranguria
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Tenesmus, Urinary
Number of times reported: [2]
[Sign:] Twitch
Number of times reported: [2]
[Sign:] Weight Loss
Number of times reported: [2]
[Sign:] Adipsia
Number of times reported: [1]
[Sign:] Albumin Lo, Bld
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Azotemia
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bld, Urine
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Chloride Lo, Bld
Number of times reported: [1]
[Sign:] Congestion, Nose
Number of times reported: [1]
[Sign:] Congestion, Pharynx
Number of times reported: [1]
[Sign:] Creatinine Hi, Bld
Number of times reported: [1]
[Sign:] Delirium
Number of times reported: [1]
[Sign:] Diarrhea
Number of times reported: [1]
[Sign:] Discomfort

Number of times reported: [1]
[Sign:] Dissociation
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Fever, Body
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hypothermia, Body
Number of times reported: [1]
[Sign:] Improvement, Unexpect
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Inflamm
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Mammary, Hyperplasia
Number of times reported: [1]
[Sign:] Mucous Membr, Abn Colo
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Nystagmus, Horizontal
Number of times reported: [1]
[Sign:] Pacing
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Pressure Hi, Bld
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Sign:] Prolapse, Penis

Number of times reported: [1]

[Sign:] Protein(tot) Hi, Bld

Number of times reported: [1]

[Sign:] Protein(tot) Lo, Bld

Number of times reported: [1]

[Sign:] Pr-uterus, Lesion(s)

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Sgot/ast Hi, Bld

Number of times reported: [1]

[Sign:] Somnolence

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Clomipramine

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [251]

[Sign:] Vomiting

Number of times reported: [132]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [115]

[Sign:] Anorexia

Number of times reported: [112]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [98]

[Sign:] Aggression

Number of times reported: [66]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [50]

[Sign:] Trembling
Number of times reported: [49]

[Sign:] Ataxia
Number of times reported: [47]

[Sign:] Diarrhea
Number of times reported: [44]

[Sign:] Convulsion(s)
Number of times reported: [43]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [41]

[Sign:] Vocalization
Number of times reported: [37]

[Sign:] Polydipsia
Number of times reported: [36]

[Sign:] Weight Loss
Number of times reported: [32]

[Sign:] Ggt Hi, Bld
Number of times reported: [31]

[Sign:] Mydriasis
Number of times reported: [29]

[Sign:] Hyperactivity
Number of times reported: [26]

[Sign:] Nervousness
Number of times reported: [26]

[Sign:] Polyuria
Number of times reported: [26]

[Sign:] Tachycardia
Number of times reported: [25]

[Sign:] Apprehension
Number of times reported: [24]

[Sign:] Confusion
Number of times reported: [19]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [18]

[Sign:] Us-liver Abn
Number of times reported: [18]

[Sign:] Polypnea
Number of times reported: [17]

[Sign:] Death
Number of times reported: [16]

[Sign:] Hypersalivation
Number of times reported: [15]

[Sign:] Interaction, Drug(s)
Number of times reported: [15]

[Sign:] Wbc Hi, Bld
Number of times reported: [15]

[Sign:] Ineffect
Number of times reported: [14]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [14]

[Sign:] Anemia
Number of times reported: [13]

[Sign:] Bradycardia
Number of times reported: [13]

[Sign:] Bun Hi, Bld
Number of times reported: [12]

[Sign:] Death(euthanized)
Number of times reported: [12]

[Sign:] Albumin Lo, Bld
Number of times reported: [11]

[Sign:] Behavior Disorder
Number of times reported: [11]

[Sign:] Diarrhea, Bloody
Number of times reported: [11]

[Sign:] Incontinence, Urinary
Number of times reported: [11]

[Sign:] Radiograph(s) Abn
Number of times reported: [11]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [10]

[Sign:] Fever, Body
Number of times reported: [10]

[Sign:] Icterus, Body
Number of times reported: [10]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [10]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [10]

[Sign:] Urination Abn
Number of times reported: [10]

[Sign:] Amylase Hi, Bld
Number of times reported: [9]

[Sign:] Creatinine Hi, Bld
Number of times reported: [9]

[Sign:] Lipase Hi, Bld
Number of times reported: [9]

[Sign:] Platelets Lo, Bld
Number of times reported: [9]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [9]

[Sign:] Us Abn
Number of times reported: [9]

[Sign:] Bld, Urine
Number of times reported: [8]

[Sign:] Segs Hi, Bld
Number of times reported: [8]

[Sign:] Somnolence
Number of times reported: [8]

[Sign:] Stupor
Number of times reported: [8]

[Sign:] Cpk Hi, Bld
Number of times reported: [7]

[Sign:] Globulin Hi, Bld
Number of times reported: [7]

[Sign:] Glucose Hi, Bld
Number of times reported: [7]

[Sign:] Hyperpnea
Number of times reported: [7]

[Sign:] K Lo, Bld
Number of times reported: [7]

[Sign:] Pruritis
Number of times reported: [7]

[Sign:] Shaking
Number of times reported: [7]

[Sign:] Alkaline Urine
Number of times reported: [6]

[Sign:] Arrhythmia
Number of times reported: [6]

[Sign:] Bilirubin, Urine
Number of times reported: [6]

[Sign:] Bun Lo, Bld
Number of times reported: [6]

[Sign:] Collapse
Number of times reported: [6]

[Sign:] Diarrhea, Mild
Number of times reported: [6]

[Sign:] Hepatitis
Number of times reported: [6]

[Sign:] Licking
Number of times reported: [6]

[Sign:] Pain
Number of times reported: [6]

[Sign:] Pain, Abdomen
Number of times reported: [6]

[Sign:] Pallor, Mucous Membran
Number of times reported: [6]

[Sign:] Polycythemia
Number of times reported: [6]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [6]

[Sign:] Recumbency
Number of times reported: [6]

[Sign:] Wbc Lo, Bld
Number of times reported: [6]

[Sign:] Weakness
Number of times reported: [6]

[Sign:] Albumin Hi, Bld
Number of times reported: [5]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [5]

[Sign:] Liver Disorder
Number of times reported: [5]

[Sign:] Na Hi, Bld
Number of times reported: [5]

[Sign:] Na Lo, Bld
Number of times reported: [5]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [5]

[Sign:] Protein, Urine
Number of times reported: [5]

[Sign:] Twitch
Number of times reported: [5]

[Sign:] Anisocoria
Number of times reported: [4]

[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [4]

[Sign:] Coughing
Number of times reported: [4]

[Sign:] Dehydration
Number of times reported: [4]

[Sign:] Destructiveness
Number of times reported: [4]

[Sign:] Flatulence
Number of times reported: [4]

[Sign:] Hepatomegaly
Number of times reported: [4]

[Sign:] Hiding
Number of times reported: [4]

[Sign:] Murmur, Heart
Number of times reported: [4]

[Sign:] Splenomegaly
Number of times reported: [4]

[Sign:] Staring
Number of times reported: [4]

[Sign:] Unconscious
Number of times reported: [4]

[Sign:] Urticaria
Number of times reported: [4]

[Sign:] Alopecia
Number of times reported: [3]

[Sign:] Biting/chewing
Number of times reported: [3]

[Sign:] Ca Lo, Bld
Number of times reported: [3]

[Sign:] Chemistry Abn
Number of times reported: [3]

[Sign:] Chloride Lo, Bld
Number of times reported: [3]

[Sign:] Congestion, Skin
Number of times reported: [3]

[Sign:] Constipation
Number of times reported: [3]

[Sign:] Crystals, Urine
Number of times reported: [3]

[Sign:] Diarrhea, Mucoid
Number of times reported: [3]

[Sign:] Eosinos Hi, Bld
Number of times reported: [3]

[Sign:] Exercise Intolerance
Number of times reported: [3]

[Sign:] Eye Disorder
Number of times reported: [3]

[Sign:] Gall Bladder, Abn
Number of times reported: [3]

[Sign:] Globulin Lo, Bld
Number of times reported: [3]

[Sign:] Glucose Lo, Bld
Number of times reported: [3]

[Sign:] Hair, Abn
Number of times reported: [3]

[Sign:] Hematochezia
Number of times reported: [3]

[Sign:] Icterus
Number of times reported: [3]

[Sign:] Icterus, Serum
Number of times reported: [3]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [3]

[Sign:] K Hi, Bld
Number of times reported: [3]

[Sign:] Lymphs Lo, Bld
Number of times reported: [3]

[Sign:] Monos Hi, Bld
Number of times reported: [3]

[Sign:] Pacing
Number of times reported: [3]

[Sign:] Pancreatitis
Number of times reported: [3]

[Sign:] Paresis
Number of times reported: [3]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Peritonitis
Number of times reported: [3]

[Sign:] P Hi, Bld
Number of times reported: [3]

[Sign:] Pica
Number of times reported: [3]

[Sign:] Pt Prolonged, Bld
Number of times reported: [3]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [3]

[Sign:] Reflex(es) Abn
Number of times reported: [3]

[Sign:] Sedation
Number of times reported: [3]

[Sign:] Segs Lo, Bld
Number of times reported: [3]

[Sign:] Stiffness
Number of times reported: [3]

[Sign:] Urination
Number of times reported: [3]

[Sign:] Urine Abn
Number of times reported: [3]

[Sign:] Wbc, Urine
Number of times reported: [3]

[Sign:] Weight Increase
Number of times reported: [3]

[Sign:] Adipsia
Number of times reported: [2]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Anemia, Regen
Number of times reported: [2]

[Sign:] Anion Gap Hi, Bld
Number of times reported: [2]

[Sign:] Arrest, Heart
Number of times reported: [2]

[Sign:] Arrhythmia, Block
Number of times reported: [2]

[Sign:] Bloat
Number of times reported: [2]

[Sign:] Ca Hi, Bld
Number of times reported: [2]

[Sign:] Casts, Urine
Number of times reported: [2]

[Sign:] Chloride Hi, Bld
Number of times reported: [2]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [2]

[Sign:] Congestion, Mucous Mem
Number of times reported: [2]

[Sign:] Culture/titer Data Abn
Number of times reported: [2]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [2]

[Sign:] Discomfort
Number of times reported: [2]

[Sign:] Distention, Bladder
Number of times reported: [2]

[Sign:] Elimination Abn
Number of times reported: [2]

[Sign:] Epistaxis
Number of times reported: [2]

[Sign:] Fly Biting
Number of times reported: [2]

[Sign:] Gagging
Number of times reported: [2]

[Sign:] Gi, Abnormal
Number of times reported: [2]

[Sign:] Hair, Shedding
Number of times reported: [2]

[Sign:] Hallucination
Number of times reported: [2]

[Sign:] Head Bobbing
Number of times reported: [2]

[Sign:] Head Tilt
Number of times reported: [2]

[Sign:] Hyperesthesia
Number of times reported: [2]

[Sign:] Hypothermia
Number of times reported: [2]

[Sign:] Ill
Number of times reported: [2]

[Sign:] Ineffect, Other Drug(s)
Number of times reported: [2]

[Sign:] Keratoconjunctivitis S
Number of times reported: [2]

[Sign:] Lameness
Number of times reported: [2]

[Sign:] Leukoderma
Number of times reported: [2]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [2]

[Sign:] Melena
Number of times reported: [2]

[Sign:] Mg Hi, Bld
Number of times reported: [2]

[Sign:] Monos Lo, Bld
Number of times reported: [2]

[Sign:] Mucous Membr, Red
Number of times reported: [2]

[Sign:] Necrosis
Number of times reported: [2]

[Sign:] Neoplasm, Liver
Number of times reported: [2]

[Sign:] Pain, Back
Number of times reported: [2]

[Sign:] Perforation, Stomach
Number of times reported: [2]

[Sign:] Platelets Hi, Bld
Number of times reported: [2]

[Sign:] Pneumonia, Aspiration
Number of times reported: [2]

[Sign:] Pressure Hi, Bld
Number of times reported: [2]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [2]

[Sign:] Proprioceptive Disorde
Number of times reported: [2]

[Sign:] Pupil(s), Areflexia
Number of times reported: [2]

[Sign:] Spasm
Number of times reported: [2]

[Sign:] Sperm Abn
Number of times reported: [2]

[Sign:] Stool Abn
Number of times reported: [2]

[Sign:] Swelling, Head/face
Number of times reported: [2]

[Sign:] Tachycardia, Ventricul
Number of times reported: [2]

[Sign:] Thrashing/paddling
Number of times reported: [2]

[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [2]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [2]

[Sign:] Vomiting, Bloody
Number of times reported: [2]

[Sign:] Abn Color, Urine
Number of times reported: [1]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Acth Stim Abn
Number of times reported: [1]

[Sign:] A/g Ratio Lo, Bld
Number of times reported: [1]

[Sign:] Ammonia Hi, Bld
Number of times reported: [1]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [1]

[Sign:] Anemia, Hemolytic
Number of times reported: [1]

[Sign:] Anemia, Sphero
Number of times reported: [1]

[Sign:] Anuria
Number of times reported: [1]

[Sign:] Apnea
Number of times reported: [1]

[Sign:] Ascites
Number of times reported: [1]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]

[Sign:] Bands Hi, Bld
Number of times reported: [1]

[Sign:] Bld, Abn
Number of times reported: [1]

[Sign:] Bld, Sclera
Number of times reported: [1]

[Sign:] Bld, Thorax
Number of times reported: [1]

[Sign:] Blindness
Number of times reported: [1]

[Sign:] Borborygmi
Number of times reported: [1]

[Sign:] Calculi, Urine
Number of times reported: [1]

[Sign:] Capillary Refill Prolo
Number of times reported: [1]

[Sign:] Cholesterol Lo, Bld
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Coagulation Disorder
Number of times reported: [1]

[Sign:] Colitis
Number of times reported: [1]

[Sign:] Congestion, Tongue
Number of times reported: [1]

[Sign:] Conjunctivitis
Number of times reported: [1]

[Sign:] Coombs Test Pos
Number of times reported: [1]

[Sign:] Creatinine Lo, Bld
Number of times reported: [1]

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Defecation
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Diarrhea, Projectile
Number of times reported: [1]

[Sign:] Dic
Number of times reported: [1]

[Sign:] Dilatation, Esophagus
Number of times reported: [1]

[Sign:] Discharge, Nose
Number of times reported: [1]

[Sign:] Dissociation
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Distress
Number of times reported: [1]

[Sign:] Dyspnea
Number of times reported: [1]

[Sign:] Dysuria
Number of times reported: [1]

[Sign:] Ecg Abn
Number of times reported: [1]

[Sign:] Edema, Head/face
Number of times reported: [1]

[Sign:] Edema, Neck
Number of times reported: [1]

[Sign:] Effusion
Number of times reported: [1]

[Sign:] Effusion, Peritoneal
Number of times reported: [1]

[Sign:] Eosinos Lo, Bld
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Eructation
Number of times reported: [1]

[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]

[Sign:] Fibrosis
Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Gastroenteritis
Number of times reported: [1]

[Sign:] Glaucoma
Number of times reported: [1]

[Sign:] Glucose, Urine
Number of times reported: [1]

[Sign:] Grinding Teeth
Number of times reported: [1]

[Sign:] Horner's Syndrome
Number of times reported: [1]

[Sign:] Hypersensitive, Sound
Number of times reported: [1]

[Sign:] Hypopnea
Number of times reported: [1]

[Sign:] Incontinence
Number of times reported: [1]

[Sign:] Incontinence, Fecal
Number of times reported: [1]

[Sign:] Ineffect, Delayed Effe
Number of times reported: [1]

[Sign:] Insomnia
Number of times reported: [1]

[Sign:] Kidney Disorder
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Lesion(s), Skin
Number of times reported: [1]

[Sign:] Lipids Hi, Bld
Number of times reported: [1]

[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Locomotion Disorder
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Lymphs Hi, Bld
Number of times reported: [1]

[Sign:] Mass
Number of times reported: [1]

[Sign:] Mass, Skin
Number of times reported: [1]

[Sign:] Mucous Membr, Muddy
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Neoplasm, Mammary
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Sign:] Nose Abn
Number of times reported: [1]

[Sign:] Oliguria
Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [1]

[Sign:] Pain, Joint(s)
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Pancreas Disorder
Number of times reported: [1]

[Sign:] Photophobia
Number of times reported: [1]

[Sign:] Platelets Abn
Number of times reported: [1]

[Sign:] P Lo, Bld
Number of times reported: [1]

[Sign:] Pollakiuria
Number of times reported: [1]

[Sign:] Polyphagia
Number of times reported: [1]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [1]

[Sign:] Pressure Lo, Bld
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [1]

[Sign:] Pr-mesentery, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Prolapse, Tongue
Number of times reported: [1]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [1]

[Sign:] Pruritis, Eye(s)
Number of times reported: [1]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [1]

[Sign:] Pulse Thready
Number of times reported: [1]

[Sign:] Rash
Number of times reported: [1]

[Sign:] Rbc Abn
Number of times reported: [1]

[Sign:] Rbc, Aniso
Number of times reported: [1]

[Sign:] Rbc, Nucleated
Number of times reported: [1]

[Sign:] Rbc, Polychrom
Number of times reported: [1]

[Sign:] Reaction, Unspecified
Number of times reported: [1]

[Sign:] Repetitive Movements
Number of times reported: [1]

[Sign:] Rolling
Number of times reported: [1]

[Sign:] Seborrhea
Number of times reported: [1]

[Sign:] Sedation Prolonged
Number of times reported: [1]

[Sign:] Septicemia
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] Skin, Dry
Number of times reported: [1]

[Sign:] Skin, Necrosis
Number of times reported: [1]

[Sign:] Sleep Abn
Number of times reported: [1]

[Sign:] Slough, Skin
Number of times reported: [1]

[Sign:] Sneezing
Number of times reported: [1]

[Sign:] Spec Gravity Hi, Urine
Number of times reported: [1]

[Sign:] Stomatitis
Number of times reported: [1]

[Sign:] Stool, Pale/gray
Number of times reported: [1]

- [Sign:] Swelling, Feet/digit(s)
Number of times reported: [1]
- [Sign:] Swelling, Tongue
Number of times reported: [1]
- [Sign:] Swelling, Vagina/vulva
Number of times reported: [1]
- [Sign:] Syncope
Number of times reported: [1]
- [Sign:] Tenesmus
Number of times reported: [1]
- [Sign:] Tenesmus, Rectal
Number of times reported: [1]
- [Sign:] Ulcer(s), Gi
Number of times reported: [1]
- [Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [1]
- [Sign:] Ulcer(s), Pylorus
Number of times reported: [1]
- [Sign:] Vestibular Disorder
Number of times reported: [1]
- [Sign:] Vision Disorder
Number of times reported: [1]
- [Sign:] Vomiting, Severe
Number of times reported: [1]
- [Sign:] Vomiting, Unproductive
Number of times reported: [1]

[Drug:] Clomipramine

Oral, Human

- [Sign:] Depression/lethargy
Number of times reported: [131]
- [Sign:] Nausea
Number of times reported: [66]
- [Sign:] Dizziness
Number of times reported: [37]
- [Sign:] Vomiting
Number of times reported: [33]
- [Sign:] Xerostomia
Number of times reported: [17]
- [Sign:] Diarrhea
Number of times reported: [13]
- [Sign:] Headache

Number of times reported: [11]
[Sign:] Nervousness
Number of times reported: [8]
[Sign:] Somnolence
Number of times reported: [6]
[Sign:] Tachycardia
Number of times reported: [6]
[Sign:] Apprehension
Number of times reported: [5]
[Sign:] Taste Abnormality
Number of times reported: [4]
[Sign:] Weakness
Number of times reported: [4]
[Sign:] Hyperesthesia
Number of times reported: [3]
[Sign:] Insomnia
Number of times reported: [3]
[Sign:] Pain, Abdomen
Number of times reported: [3]
[Sign:] Shaking
Number of times reported: [3]
[Sign:] Anorexia
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Hot Flush
Number of times reported: [2]
[Sign:] Mydriasis
Number of times reported: [2]
[Sign:] Paraesthesia
Number of times reported: [2]
[Sign:] Pressure Hi, Bld
Number of times reported: [2]
[Sign:] Vision Disorder
Number of times reported: [2]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Ataxia
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Dissociation

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Gagging

Number of times reported: [1]

[Sign:] Gi, Abnormal

Number of times reported: [1]

[Sign:] Glucose Lo, Bld

Number of times reported: [1]

[Sign:] Hot Flash

Number of times reported: [1]

[Sign:] Hypoesthesia

Number of times reported: [1]

[Sign:] Hyposalivation

Number of times reported: [1]

[Sign:] Paresis

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Sign:] Sedation

Number of times reported: [1]

[Sign:] Sleep Abn

Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Trembling, Face

Number of times reported: [1]

[Sign:] Uterus, Contractions

Number of times reported: [1]

[Sign:] Voice Disorder

Number of times reported: [1]

[Drug:] Clomipramine

Unknown, Dog

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Platelets Lo, Bld

Number of times reported: [1]

[Sign:] Wbc Lo, Bld

Number of times reported: [1]

[Drug:] Clopidogrel

Oral, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Bld

Number of times reported: [1]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Bld(hematoma)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Cloprostenol

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [3]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [3]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [3]

[Sign:] Pd-color, Abn

Number of times reported: [2]

[Sign:] Pd-seal, Abn

Number of times reported: [2]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Drug:] Cloprostenol

Inhalation, Human

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Human Exposure

Number of times reported: [1]

[Drug:] Cloprostenol

Missing, Human

[Sign:] Erection, Abn

Number of times reported: [1]

[Drug:] Cloprostenol

Oral, Cattle

[Sign:] Ineffect, Estrus Synch

Number of times reported: [1]

[Drug:] Cloprostenol

Parenteral, Cattle

[Sign:] Ineffect, Estrus Synch

Number of times reported: [18]

[Sign:] Ineffect

Number of times reported: [9]

[Sign:] Death

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Estrus Cycle Abnormal

Number of times reported: [1]

[Sign:] Ineffect, Abortion

Number of times reported: [1]

[Sign:] Ineffect, Expul Placen

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Reproduction Disorder
Number of times reported: [1]

[Sign:] Udder, Hypogalactia
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Cloprostenol

Parenteral, Dog

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Discomfort
Number of times reported: [1]

[Sign:] Hypersalivation
Number of times reported: [1]

[Sign:] Pallor
Number of times reported: [1]

[Sign:] Polypnea
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Cloprostenol

Parenteral, Horse

[Sign:] Convulsion(s)
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Drug:] Cloprostenol

Parenteral, Human

[Sign:] Inj Site Bld
Number of times reported: [1]

[Sign:] Inj Site Pain
Number of times reported: [1]

[Drug:] Cloprostenol

Topical, Human

[Sign:] Respiratory Disorder
Number of times reported: [3]

- [Sign:] Pain, Abdomen
Number of times reported: [2]
- [Sign:] Abortion
Number of times reported: [1]
- [Sign:] Accidental Exposure
Number of times reported: [1]
- [Sign:] Anemia
Number of times reported: [1]
- [Sign:] Behavior Disorder
Number of times reported: [1]
- [Sign:] Fertility, Lack Of
Number of times reported: [1]
- [Sign:] Human Exposure, Topica
Number of times reported: [1]
- [Sign:] Menses, Abnormal
Number of times reported: [1]
- [Sign:] Nervousness
Number of times reported: [1]
- [Sign:] Tachycardia
Number of times reported: [1]

[Drug:] Cloprostenol

Unknown, Cattle

- [Sign:] Ineffect, Estrus Synchron
Number of times reported: [7]
- [Sign:] Death
Number of times reported: [2]
- [Sign:] Anaphylaxis/toid
Number of times reported: [1]
- [Sign:] Ineffect
Number of times reported: [1]
- [Sign:] Infection
Number of times reported: [1]
- [Sign:] Reluctant To Move
Number of times reported: [1]
- [Sign:] Vesicle(s)/bullae, Skin
Number of times reported: [1]

[Drug:] Cloprostenol

Unknown, Horse

- [Sign:] Pain, Abdomen
Number of times reported: [1]

[Sign:] Sweating

Number of times reported: [1]

[Drug:] Cloprostenol

Unknown, Human

[Sign:] Abortion

Number of times reported: [1]

[Drug:] Clorsulon

Defect, Not Applicable

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Drug:] Clorsulon

Oral, Cattle

[Sign:] Ineffect, Flukes

Number of times reported: [2]

[Drug:] Clorsulon

Oral, Horse

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Clorsulon

Oral, Sheep

[Sign:] Death

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Defect, Not Applicable

[Sign:] Pd-seal, Abn

Number of times reported: [87]

[Sign:] Pd-cap(s), Abn

Number of times reported: [27]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [18]

[Sign:] Pd-container(s), Abn

Number of times reported: [10]

[Sign:] Pd-vial(s), Abn
Number of times reported: [10]

[Sign:] Pd-solution, Abn
Number of times reported: [6]

[Sign:] Pd-color, Abn
Number of times reported: [4]

[Sign:] Pd-underfill, Package
Number of times reported: [4]

[Sign:] Pd-underfill, Vial(s)
Number of times reported: [3]

[Sign:] Pd-container(s), Damag
Number of times reported: [2]

[Sign:] Pd-dispenser, Abn
Number of times reported: [2]

[Sign:] Pd-vial(s), Damaged
Number of times reported: [2]

[Sign:] Pd-contamination
Number of times reported: [1]

[Sign:] Pd-label(s), Abn
Number of times reported: [1]

[Sign:] Pd-product Defect
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Missing, Cattle

[Sign:] Ineffect, Lice
Number of times reported: [2]

[Sign:] Death
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Ineffect, Parasite(s)
Number of times reported: [1]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [1]

[Sign:] Recumbency
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Missing, Dog

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypopnea

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Stupor

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Oral, Cat

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Mydriasis

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Oral, Dog

[Sign:] Ataxia

Number of times reported: [3]

[Sign:] Depression/lethargy

Number of times reported: [3]

[Sign:] Vomiting

Number of times reported: [3]

[Sign:] Death

Number of times reported: [2]

[Sign:] Hypersalivation

Number of times reported: [2]

[Sign:] Mydriasis

Number of times reported: [2]

[Sign:] Tachycardia

Number of times reported: [2]

- [Sign:] Trembling
Number of times reported: [2]
- [Sign:] Aggression
Number of times reported: [1]
- [Sign:] Arrest, Heart
Number of times reported: [1]
- [Sign:] Biting/chewing
Number of times reported: [1]
- [Sign:] Blindness
Number of times reported: [1]
- [Sign:] Collapse
Number of times reported: [1]
- [Sign:] Congestion, Skin
Number of times reported: [1]
- [Sign:] Conjunctivitis
Number of times reported: [1]
- [Sign:] Neurological Disorder
Number of times reported: [1]
- [Sign:] Pallor, Mucous Membran
Number of times reported: [1]
- [Sign:] Polypnea
Number of times reported: [1]
- [Sign:] Recumbency
Number of times reported: [1]
- [Sign:] Reflex(es) Abn
Number of times reported: [1]
- [Sign:] Stupor
Number of times reported: [1]
- [Sign:] Vocalization
Number of times reported: [1]
- [Sign:] Vomiting, Unproductive
Number of times reported: [1]
- [Sign:] Weakness
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Oral, Horse

- [Sign:] Alk Phos Hi, Bld
Number of times reported: [1]
- [Sign:] Bld, Urine
Number of times reported: [1]
- [Sign:] Diarrhea

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Ldh Hi, Bld

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Oral, Sheep

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Blindness

Number of times reported: [1]

[Sign:] Posture Abn

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Tracheitis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Buffalo

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Cat

[Sign:] Anemia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Culture/titer Data Abn

Number of times reported: [1]

[Sign:] Locomotion Disorder

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Cattle

[Sign:] Ineffect, Parasite(s)

Number of times reported: [16]

[Sign:] Death

Number of times reported: [11]

[Sign:] Ineffect, Lice

Number of times reported: [6]

[Sign:] Inj Site Swelling

Number of times reported: [5]

[Sign:] Anaphylaxis/toid

Number of times reported: [3]

[Sign:] Collapse

Number of times reported: [3]

[Sign:] Ineffect, Ascarids

Number of times reported: [3]

[Sign:] Ineffect, Strongyles

Number of times reported: [3]

[Sign:] Loss Of Condition

Number of times reported: [3]

[Sign:] Abortion

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [2]

[Sign:] Death(euthanized)

Number of times reported: [2]

[Sign:] Diarrhea

Number of times reported: [2]

[Sign:] Inj Site Abscess

Number of times reported: [2]

[Sign:] Inj Site Slough

Number of times reported: [2]

[Sign:] Shaking

Number of times reported: [2]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Diarrhea, Watery

Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Neck
Number of times reported: [1]
[Sign:] Edema, Ventral
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Hypersalivation
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Flukes
Number of times reported: [1]
[Sign:] Ineffect, Large Strong
Number of times reported: [1]
[Sign:] Ineffect, Lice Sucking
Number of times reported: [1]
[Sign:] Inj Site Alopecia
Number of times reported: [1]
[Sign:] Inj Site Inflam
Number of times reported: [1]
[Sign:] Inj Site Mass
Number of times reported: [1]
[Sign:] Polypnea
Number of times reported: [1]
[Sign:] Poor Performance
Number of times reported: [1]
[Sign:] Pr-cecum, Lesion(s)
Number of times reported: [1]
[Sign:] Pr-gi, Parasitism
Number of times reported: [1]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [1]
[Sign:] Protein(tot) Lo, Bld

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Staggering

Number of times reported: [1]

[Sign:] Udder, Swelling

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Dog

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Confusion

Number of times reported: [1]

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dyspnea

Number of times reported: [1]

[Sign:] Edema

Number of times reported: [1]

[Sign:] Effusion, Pleural

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Swelling, Limb(s)
Number of times reported: [1]

[Sign:] Unconscious
Number of times reported: [1]

[Sign:] Wbc Hi, Bld
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Goat

[Sign:] Death
Number of times reported: [1]

[Sign:] Distention, Abdomen
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Guinea Pig

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Death
Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Human

[Sign:] Inj Site Pain
Number of times reported: [8]

[Sign:] Headache
Number of times reported: [2]

[Sign:] Inj Site Bld
Number of times reported: [2]

[Sign:] Inj Site Swelling
Number of times reported: [2]

[Sign:] Nausea
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Bld(ecchymoses)

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Hot Flash/flush

Number of times reported: [1]

[Sign:] Human Exposure, Inj

Number of times reported: [1]

[Sign:] Inj Site Edema

Number of times reported: [1]

[Sign:] Inj Site Inflamm

Number of times reported: [1]

[Sign:] Pain

Number of times reported: [1]

[Sign:] Pain, Back

Number of times reported: [1]

[Sign:] Paresthesia

Number of times reported: [1]

[Sign:] Rash

Number of times reported: [1]

[Sign:] Swelling, Limb(s)

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Mule

[Sign:] Inj Site Inflamm

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Other

[Sign:] Death

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Parenteral, Sheep

[Sign:] Off Feed

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Topical, Cattle

[Sign:] Ineffect, Parasite(s)
Number of times reported: [2]

[Sign:] Hair, Abn
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Topical, Human

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Neurological Disorder
Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Unknown, Cattle

[Sign:] Death
Number of times reported: [4]

[Sign:] Ineffect
Number of times reported: [3]

[Sign:] Ineffect, Parasite(s)
Number of times reported: [3]

[Sign:] Ineffect, Lice
Number of times reported: [2]

[Sign:] Paralysis
Number of times reported: [2]

[Sign:] Weight Loss
Number of times reported: [2]

[Sign:] Collapse
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Hair, Abn
Number of times reported: [1]

[Sign:] Ineffect, Ascarids
Number of times reported: [1]

[Sign:] Ineffect, Flukes
Number of times reported: [1]

[Sign:] Ineffect, Mites
Number of times reported: [1]

[Sign:] Ineffect, Stomach Worm
Number of times reported: [1]

[Sign:] Loss Of Condition
Number of times reported: [1]

[Sign:] Pd-color, Abn

Number of times reported: [1]

[Sign:] Pr-bld Vessel(s), Lesi

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Unknown, Goat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Regurgitation

Number of times reported: [1]

[Sign:] Rumen, Abn

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Drug:] Clorsulon, Ivermectin

Unknown, Human

[Sign:] Irritation, Pharynx/th

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Drug:] Closantel, Mebendazole

Unknown, Human

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Vision Disorder

Number of times reported: [1]

[Drug:] Clotrimazole

Topical, Cat

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Skin Disorder

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Defect, Not Applicable

[Sign:] Pd-missing, Cap

Number of times reported: [59]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [17]

[Sign:] Pd-applicator, Abn

Number of times reported: [14]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [9]

[Sign:] Pd-underfill, Vial(s)

Number of times reported: [6]

[Sign:] Pd-product Defect

Number of times reported: [5]

[Sign:] Pd-cap(s), Abn

Number of times reported: [2]

[Sign:] Pd-missing, Label(s)

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-solution, Abn

Number of times reported: [1]

[Sign:] Pd-tube(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Abn

Number of times reported: [1]

[Sign:] Pd-vial(s), Leaking

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Missing, Dog

[Sign:] Deafness

Number of times reported: [2]

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Inflamm

Number of times reported: [1]

[Sign:] Pruritis

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Ophthalmic, Dog

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Oral, Dog

[Sign:] Vomiting

Number of times reported: [10]

[Sign:] Polyuria

Number of times reported: [6]

[Sign:] Depression/lethargy

Number of times reported: [5]

[Sign:] Deafness

Number of times reported: [3]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Polydipsia

Number of times reported: [3]

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Ataxia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Diarrhea, Mild

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Mucous Membr, Red

Number of times reported: [1]

[Sign:] Trembling

Number of times reported: [1]

[Sign:] Vomiting, Bloody

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Parenteral, Dog

[Sign:] Deafness

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Suppository, Dog

[Sign:] Urination Abn

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Topical, Camel

[Sign:] Deafness, Temp

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Topical, Cat

[Sign:] Deafness

Number of times reported: [3]

[Sign:] Polydipsia

Number of times reported: [3]

[Sign:] Ataxia

Number of times reported: [2]

[Sign:] Congestion, Ear(s)

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Pruritis, Ear(s)

Number of times reported: [2]

[Sign:] Alopecia

Number of times reported: [1]

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Calculi, Kidney
Number of times reported: [1]

[Sign:] Circling
Number of times reported: [1]

[Sign:] Deafness, Partial
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Diabetes Mellitus
Number of times reported: [1]

[Sign:] Hair, Abn
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Ineffect
Number of times reported: [1]

[Sign:] Irritation, Ear(s)
Number of times reported: [1]

[Sign:] Murmur, Heart
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Pancreatitis
Number of times reported: [1]

[Sign:] Polyuria
Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [1]

[Sign:] Radiograph(s) Abn
Number of times reported: [1]

[Sign:] Tachycardia
Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]

[Sign:] Urination Abn
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Sign:] Vomiting, Bloody
Number of times reported: [1]

[Sign:] Weight Loss
Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Topical, Dog

[Sign:] Deafness
Number of times reported: [237]

[Sign:] Deafness, Temp
Number of times reported: [141]

[Sign:] Deafness, Partial
Number of times reported: [35]

[Sign:] Ineffect
Number of times reported: [19]

[Sign:] Vomiting
Number of times reported: [19]

[Sign:] Application Site Erythema
Number of times reported: [14]

[Sign:] Congestion, Skin
Number of times reported: [14]

[Sign:] Depression/lethargy
Number of times reported: [11]

[Sign:] Anorexia
Number of times reported: [10]

[Sign:] Congestion, Ear(s)
Number of times reported: [10]

[Sign:] Convulsion(s)
Number of times reported: [10]

[Sign:] Ineffect, Antibiotic
Number of times reported: [10]

[Sign:] Polyuria
Number of times reported: [10]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [10]

[Sign:] Diarrhea
Number of times reported: [9]

[Sign:] Head Tilt
Number of times reported: [9]

[Sign:] Application Site Lesion(s)
Number of times reported: [8]

[Sign:] Discharge, Ear(s)

Number of times reported: [8]
[Sign:] Ataxia
Number of times reported: [7]
[Sign:] Ear Disorder
Number of times reported: [7]
[Sign:] Polydipsia
Number of times reported: [7]
[Sign:] Urticaria
Number of times reported: [7]
[Sign:] Pruritis
Number of times reported: [6]
[Sign:] Application Site Inflammation
Number of times reported: [5]
[Sign:] Circling
Number of times reported: [5]
[Sign:] Death
Number of times reported: [5]
[Sign:] Irritation, Ear(s)
Number of times reported: [5]
[Sign:] Vestibular Disorder
Number of times reported: [5]
[Sign:] Anaphylaxis/toxic
Number of times reported: [4]
[Sign:] Nystagmus
Number of times reported: [4]
[Sign:] Pain
Number of times reported: [4]
[Sign:] Polypnea
Number of times reported: [4]
[Sign:] Pruritis, Ear(s)
Number of times reported: [4]
[Sign:] Staggering
Number of times reported: [4]
[Sign:] Swelling, Ear(s)
Number of times reported: [4]
[Sign:] Ulcer(s), Ear(s)
Number of times reported: [4]
[Sign:] Application Site Pruritis
Number of times reported: [3]
[Sign:] Behavior Disorder
Number of times reported: [3]
[Sign:] Ineffect, Antiinflammation

Number of times reported: [3]
[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Shaking, Head/face
Number of times reported: [3]
[Sign:] Swelling, Head/face
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Alk Phos Hi, Bld
Number of times reported: [2]
[Sign:] Application Site Pain
Number of times reported: [2]
[Sign:] Blindness
Number of times reported: [2]
[Sign:] Confusion
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Dermatitis, Moist
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Diarrhea, Mild
Number of times reported: [2]
[Sign:] Edema, Head/face
Number of times reported: [2]
[Sign:] Fever, Body
Number of times reported: [2]
[Sign:] Hiding
Number of times reported: [2]
[Sign:] Hypersalivation
Number of times reported: [2]
[Sign:] Inflammation
Number of times reported: [2]
[Sign:] Inflammation, Skin
Number of times reported: [2]
[Sign:] Irritation, Skin
Number of times reported: [2]
[Sign:] Lameness
Number of times reported: [2]
[Sign:] Nervousness

Number of times reported: [2]
[Sign:] Neurological Disorder
Number of times reported: [2]
[Sign:] Pain, Neck
Number of times reported: [2]
[Sign:] Skin, Scab(s)
Number of times reported: [2]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [2]
[Sign:] Torticollis
Number of times reported: [2]
[Sign:] Tympanic Mem, Ruptured
Number of times reported: [2]
[Sign:] Vesicle(s)/bullae, Mou
Number of times reported: [2]
[Sign:] Adipose, Inflam
Number of times reported: [1]
[Sign:] Anemia
Number of times reported: [1]
[Sign:] Bld, Rectum
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Hi, Bld
Number of times reported: [1]
[Sign:] Cataract(s)
Number of times reported: [1]
[Sign:] Cns Disorder
Number of times reported: [1]
[Sign:] Death(euthanized)
Number of times reported: [1]
[Sign:] Defecation Abn
Number of times reported: [1]
[Sign:] Diabetes
Number of times reported: [1]
[Sign:] Diabetes Mellitus
Number of times reported: [1]
[Sign:] Distention, Abdomen
Number of times reported: [1]
[Sign:] Dysuria
Number of times reported: [1]
[Sign:] Enlargement, Lymph Nod

Number of times reported: [1]
[Sign:] Eruption(s)
Number of times reported: [1]
[Sign:] Exfoliation, Skin
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Hematochezia
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hyperpigmentation, Ski
Number of times reported: [1]
[Sign:] Hypertonia
Number of times reported: [1]
[Sign:] Ill
Number of times reported: [1]
[Sign:] Ineffect, Other Drug(s)
Number of times reported: [1]
[Sign:] Infection, Urinary Tra
Number of times reported: [1]
[Sign:] Leukoderma
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Locomotion Disorder
Number of times reported: [1]
[Sign:] Mass, Skin
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Otitis
Number of times reported: [1]
[Sign:] Pain, Back
Number of times reported: [1]
[Sign:] Papule(s)
Number of times reported: [1]
[Sign:] Paralysis, Facial Nerv
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Proprioceptive Disorde

Number of times reported: [1]

[Sign:] Pustule(s)

Number of times reported: [1]

[Sign:] Radiograph(s) Abn

Number of times reported: [1]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Skin, Crust(s)

Number of times reported: [1]

[Sign:] Sore(s)

Number of times reported: [1]

[Sign:] Stumbling

Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Ulcer(s), Skin

Number of times reported: [1]

[Sign:] Us-liver Abn

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Sign:] Wbc Hi, Bld

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Topical, Human

[Sign:] Deafness, Partial

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Unknown, Dog

[Sign:] Deafness

Number of times reported: [1]

[Drug:] Clotrimazole, Gentamicin, Mometasone

Various, Dog

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Drug:] Cloxacillin Benzathine

Defect, Not Applicable

[Sign:] Pd-tube(s), Damaged

Number of times reported: [18]

[Sign:] Pd-tube(s), Abn

Number of times reported: [14]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [7]

[Sign:] Pd-dispenser, Abn

Number of times reported: [5]

[Sign:] Pd-suspension, Abn

Number of times reported: [4]

[Sign:] Pd-syringe, Abn

Number of times reported: [4]

[Sign:] Pd-product Defect

Number of times reported: [3]

[Sign:] Pd-solution, Abn

Number of times reported: [3]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [3]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-applicator, Abn

Number of times reported: [1]

[Sign:] Pd-cap(s), Abn

Number of times reported: [1]

[Sign:] Pd-container(s), Damag

Number of times reported: [1]

[Sign:] Pd-label(s), Abn

Number of times reported: [1]

[Sign:] Pd-lock, Abn
Number of times reported: [1]

[Sign:] Pd-missing, Cap
Number of times reported: [1]

[Sign:] Pd-seal, Abn
Number of times reported: [1]

[Drug:] Cloxacillin Benzathine

Intramammary, Cattle

[Sign:] Residue, Milk
Number of times reported: [21]

[Sign:] Death
Number of times reported: [17]

[Sign:] Udder, Mastitis
Number of times reported: [13]

[Sign:] Ineffect, Antibiotic
Number of times reported: [8]

[Sign:] Udder, Swelling
Number of times reported: [6]

[Sign:] Abortion
Number of times reported: [5]

[Sign:] Ill
Number of times reported: [4]

[Sign:] Anaphylaxis/toid
Number of times reported: [2]

[Sign:] Recumbency
Number of times reported: [2]

[Sign:] Septicemia
Number of times reported: [2]

[Sign:] Alopecia
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Culture/titer Data Abn
Number of times reported: [1]

[Sign:] Death(euthanized)
Number of times reported: [1]

[Sign:] Emphysema
Number of times reported: [1]

[Sign:] Hypothermia, Body
Number of times reported: [1]

[Sign:] Infection

Number of times reported: [1]

[Sign:] Pr-lung(s), Lesion(s)

Number of times reported: [1]

[Sign:] Pr-spleen, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-udder, Lesion(s)

Number of times reported: [1]

[Sign:] Residue, Meat

Number of times reported: [1]

[Sign:] Udder, Abn

Number of times reported: [1]

[Sign:] Udder, Agalactia

Number of times reported: [1]

[Sign:] Udder, Fever

Number of times reported: [1]

[Sign:] Wbc Hi, Milk

Number of times reported: [1]

[Drug:] Cloxacillin Benzathine

Missing, Cattle

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Sign:] Udder, Mastitis

Number of times reported: [1]

[Drug:] Cloxacillin Benzathine

Unknown, Cattle

[Sign:] Death

Number of times reported: [3]

[Sign:] Udder, Mastitis

Number of times reported: [3]

[Sign:] Ineffect, Antibiotic

Number of times reported: [2]

[Sign:] Abortion

Number of times reported: [1]

[Sign:] Culture/titer Data Abn

Number of times reported: [1]

[Sign:] Ill

Number of times reported: [1]

[Sign:] Pd-product Defect

Number of times reported: [1]

[Sign:] Recumbency

Number of times reported: [1]

[Sign:] Wbc Hi, Milk

Number of times reported: [1]

[Drug:] Cloxacillin Sodium

Defect, Not Applicable

[Sign:] Pd-tube(s), Abn

Number of times reported: [23]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [6]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [4]

[Sign:] Pd-dispenser, Abn

Number of times reported: [3]

[Sign:] Pd-missing, Label(s)

Number of times reported: [2]

[Sign:] Pd-underfill, Package

Number of times reported: [2]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [2]

[Sign:] Pd-applicator, Abn

Number of times reported: [1]

[Sign:] Pd-missing, Cap

Number of times reported: [1]

[Drug:] Cloxacillin Sodium

Intramammary, Cattle

[Sign:] Residue, Milk

Number of times reported: [15]

[Sign:] Ineffect

Number of times reported: [2]

[Sign:] Death

Number of times reported: [1]

[Sign:] Ineffect, Antibiotic

Number of times reported: [1]

[Drug:] Cloxacillin Sodium

Unknown, Unknown

[Sign:] Pd-dispenser, Abn

Number of times reported: [1]

[Drug:] Competitive Exclusion Products

Inhalation, Human

- [Sign:] Congestion, Lung(s)
Number of times reported: [2]
- [Sign:] Coughing
Number of times reported: [2]
- [Sign:] Headache
Number of times reported: [2]
- [Sign:] Pharyngitis
Number of times reported: [2]
- [Sign:] Congestion, Mucous Mem
Number of times reported: [1]
- [Sign:] Dyspnea
Number of times reported: [1]
- [Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
- [Sign:] Epistaxis
Number of times reported: [1]
- [Sign:] Nausea
Number of times reported: [1]
- [Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Drug:] Copper Disodium Edetate

Parenteral, Cattle

- [Sign:] Death
Number of times reported: [7]
- [Sign:] Pr-liver, Lesion(s)
Number of times reported: [3]
- [Sign:] Depression/lethargy
Number of times reported: [2]
- [Sign:] Neurological Disorder
Number of times reported: [1]

[Drug:] Copper Disodium Edetate

Various, Cattle

- [Sign:] Ataxia
Number of times reported: [1]
- [Sign:] Blindness
Number of times reported: [1]

[Sign:] Collapse

Number of times reported: [1]

[Sign:] Death

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-inj Site, Lesion(s)

Number of times reported: [1]

[Sign:] Pr-liver, Lesion(s)

Number of times reported: [1]

[Drug:] Copper Glycinate

Parenteral, Cattle

[Sign:] Anorexia

Number of times reported: [2]

[Sign:] Death

Number of times reported: [2]

[Sign:] Depression/lethargy

Number of times reported: [2]

[Sign:] Anestrus

Number of times reported: [1]

[Sign:] Dehydration

Number of times reported: [1]

[Sign:] Fertility, Reduced

Number of times reported: [1]

[Sign:] Icterus, Body

Number of times reported: [1]

[Sign:] Inj Site Abscess

Number of times reported: [1]

[Sign:] Inj Site Pain

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Weight Loss

Number of times reported: [1]

[Drug:] Copper Glycinate

Unknown, Cattle

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Stiffness

Number of times reported: [1]

[Drug:] Copper Glycinate

Various, Cattle

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Fever, Body

Number of times reported: [1]

[Sign:] Inj Site Swelling

Number of times reported: [1]

[Sign:] Udder, Hypogalactia

Number of times reported: [1]

[Drug:] Copper Naphthenate

Defect, Not Applicable

[Sign:] Pd-vial(s), Leaking

Number of times reported: [212]

[Sign:] Pd-seal, Abn

Number of times reported: [83]

[Sign:] Pd-cap(s), Abn

Number of times reported: [69]

[Sign:] Pd-container(s), Damag

Number of times reported: [14]

[Sign:] Pd-product Defect

Number of times reported: [14]

[Sign:] Pd-vial(s), Damaged

Number of times reported: [10]

[Sign:] Pd-vial(s), Abn

Number of times reported: [9]

[Sign:] Pd-missing, Label(s)

Number of times reported: [8]

[Sign:] Pd-container(s), Abn

Number of times reported: [6]

[Sign:] Pd-dispenser, Abn

Number of times reported: [4]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [4]

[Sign:] Pd-label(s), Abn
Number of times reported: [3]

[Sign:] Pd-missing, Cap
Number of times reported: [2]

[Sign:] No Signs
Number of times reported: [1]

[Sign:] Pd-defect Unknown
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Pd-tube(s), Abn
Number of times reported: [1]

[Drug:] Copper Naphthenate

Inhalation, Human

[Sign:] Headache
Number of times reported: [1]

[Drug:] Copper Naphthenate

Intranasal, Human

[Sign:] Headache
Number of times reported: [1]

[Sign:] Pd-container(s), Damag
Number of times reported: [1]

[Sign:] Pd-odor, Abn
Number of times reported: [1]

[Sign:] Taste Abnormality
Number of times reported: [1]

[Drug:] Copper Naphthenate

Missing, Human

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Hypoesthesia
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Shaking

Number of times reported: [1]

[Drug:] Copper Naphthenate

Not Applicable, Human

[Sign:] Conjunctivitis

Number of times reported: [1]

[Drug:] Copper Naphthenate

Ophthalmic, Goat

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Copper Naphthenate

Ophthalmic, Horse

[Sign:] Blepharospasm

Number of times reported: [1]

[Drug:] Copper Naphthenate

Ophthalmic, Human

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Drug:] Copper Naphthenate

Oral, Dog

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Dysrhythmia, Resp

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Licking

Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Prolapse, Tongue

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Copper Naphthenate

Oral, Goat

[Sign:] Udder, Swelling

Number of times reported: [1]

[Drug:] Copper Naphthenate

Oral, Horse

[Sign:] Application Site Alopecia

Number of times reported: [1]

[Sign:] Application Site Hair, Abn Color

Number of times reported: [1]

[Drug:] Copper Naphthenate

Topical, Cat

[Sign:] Anorexia

Number of times reported: [1]

[Sign:] Death(euthanized)

Number of times reported: [1]

[Sign:] Hypothermia, Body

Number of times reported: [1]

[Sign:] Kidney Failure

Number of times reported: [1]

[Sign:] Polyuria

Number of times reported: [1]

[Drug:] Copper Naphthenate

Topical, Dog

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Discomfort

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Inflamm, Skin

Number of times reported: [1]

[Drug:] Copper Naphthenate

Topical, Goat

[Sign:] Application Site Inflamm

Number of times reported: [1]

[Sign:] Application Site Pain

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Drug:] Copper Naphthenate

Topical, Horse

[Sign:] Alopecia

Number of times reported: [2]

[Sign:] Inflammation, Skin

Number of times reported: [2]

[Sign:] Irritation, Skin

Number of times reported: [2]

[Sign:] Slough, Skin

Number of times reported: [2]

[Sign:] Behavior Disorder

Number of times reported: [1]

[Sign:] Lameness

Number of times reported: [1]

[Drug:] Copper Naphthenate

Topical, Human

[Sign:] Accidental Exposure

Number of times reported: [1]

[Sign:] Dizziness

Number of times reported: [1]

[Sign:] Eructation

Number of times reported: [1]

[Sign:] Headache

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Respiratory Disorder

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Sign:] Taste Abnormality

Number of times reported: [1]

[Drug:] Copper Naphthenate

Topical, Rabbit

[Sign:] Death

Number of times reported: [1]

[Drug:] Copper Naphthenate

Unknown, Human

[Sign:] Taste Abnormality

Number of times reported: [1]

[Drug:] Copper Naphthenate

Various, Cat

[Sign:] Bld

Number of times reported: [1]

[Drug:] Copper Naphthenate

Various, Human

[Sign:] Coughing

Number of times reported: [1]

[Sign:] Discomfort, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Nausea

Number of times reported: [1]

[Sign:] Odor

Number of times reported: [1]

[Sign:] Skin Abnormal

Number of times reported: [1]

[Drug:] Corticotropin (acth)

Parenteral, Dog

[Sign:] Congestion, Skin

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Hypothermia

Number of times reported: [1]

[Sign:] Ineffect

Number of times reported: [1]

[Sign:] Pain, Abdomen

Number of times reported: [1]

[Sign:] Polycythemia(relative)

Number of times reported: [1]

[Sign:] Shock

Number of times reported: [1]

[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Coumaphos

Oral, Cattle

[Sign:] Death

Number of times reported: [1]

[Drug:] Cyclosporine

Defect, Not Applicable

[Sign:] Pd-tablet(s), Abn

Number of times reported: [144]

[Sign:] Pd-solution, Abn

Number of times reported: [86]

[Sign:] Pd-underfill, Package

Number of times reported: [84]

[Sign:] Pd-tube(s), Abn

Number of times reported: [74]

[Sign:] Pd-underfill, Tube(s)

Number of times reported: [69]

[Sign:] Pd-tube(s), Damaged

Number of times reported: [31]

[Sign:] Pd-cap(s), Abn

Number of times reported: [23]

[Sign:] Pd-tube(s), Leaking

Number of times reported: [23]

[Sign:] Pd-container(s), Abn

Number of times reported: [12]

[Sign:] Pd-defect Unknown

Number of times reported: [11]

[Sign:] Pd-product Defect

Number of times reported: [9]

[Sign:] Pd-container(s), Damag

Number of times reported: [6]

[Sign:] Pd-color, Abn

Number of times reported: [4]

[Sign:] Pd-seal, Abn

Number of times reported: [4]

[Sign:] Pd-label(s), Abn

Number of times reported: [3]

[Sign:] Pd-suspension, Abn

Number of times reported: [3]

[Sign:] Pd-gel/paste, Abn

Number of times reported: [2]

[Sign:] Pd-potency, Hi

Number of times reported: [2]

[Sign:] Pd-granules/powder, Abn

Number of times reported: [1]

[Drug:] Cyclosporine

Missing, Dog

[Sign:] Infection, Skin

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Sign:] Vocalization

Number of times reported: [1]

[Drug:] Cyclosporine

Ophthalmic, Cat

[Sign:] Blepharospasm

Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Cyclosporine

Ophthalmic, Dog

[Sign:] Ineffect, Kcs

Number of times reported: [30]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [15]

[Sign:] Congestion, Eye(s)/lid

Number of times reported: [10]

[Sign:] Conjunctivitis

Number of times reported: [7]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [7]

[Sign:] Swelling, Eye(s)/lid(s)

Number of times reported: [6]

[Sign:] Alopecia
Number of times reported: [5]

[Sign:] Blepharospasm
Number of times reported: [4]

[Sign:] Convulsion(s)
Number of times reported: [3]

[Sign:] Depression/lethargy
Number of times reported: [3]

[Sign:] Blindness
Number of times reported: [2]

[Sign:] Discharge, Nose
Number of times reported: [2]

[Sign:] Eye Disorder
Number of times reported: [2]

[Sign:] Hypersalivation
Number of times reported: [2]

[Sign:] Ineffect
Number of times reported: [2]

[Sign:] Inflamm, Skin
Number of times reported: [2]

[Sign:] Pd-tube(s), Abn
Number of times reported: [2]

[Sign:] Trembling
Number of times reported: [2]

[Sign:] Uveitis
Number of times reported: [2]

[Sign:] Aggression
Number of times reported: [1]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Ca Lo, Bld
Number of times reported: [1]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Dissociation
Number of times reported: [1]

[Sign:] Dry, Skin
Number of times reported: [1]

[Sign:] Edema, Cornea(s)
Number of times reported: [1]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [1]

[Sign:] Epiphora
Number of times reported: [1]

[Sign:] Fever, Body
Number of times reported: [1]

[Sign:] G-hair, Abn Color
Number of times reported: [1]

[Sign:] Glaucoma
Number of times reported: [1]

[Sign:] Hair, Abn Color
Number of times reported: [1]

[Sign:] Head Tilt
Number of times reported: [1]

[Sign:] Hiding
Number of times reported: [1]

[Sign:] Horner's Syndrome
Number of times reported: [1]

[Sign:] Infection, Skin
Number of times reported: [1]

[Sign:] Irritation, Skin
Number of times reported: [1]

[Sign:] Miosis
Number of times reported: [1]

[Sign:] Nystagmus
Number of times reported: [1]

[Sign:] Opacity, Cornea(s)
Number of times reported: [1]

[Sign:] Paresthesia, Eye(s)/l
Number of times reported: [1]

[Sign:] Pd-solution, Abn
Number of times reported: [1]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]

[Sign:] Shaking, Head/face
Number of times reported: [1]

[Sign:] S-irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Swelling, Head/face
Number of times reported: [1]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [1]

[Drug:] Cyclosporine

Ophthalmic, Human

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [1]

[Drug:] Cyclosporine

Oral, Cat

[Sign:] Vomiting

Number of times reported: [57]

[Sign:] Anorexia

Number of times reported: [56]

[Sign:] Depression/lethargy

Number of times reported: [40]

[Sign:] Weight Loss

Number of times reported: [34]

[Sign:] Diarrhea

Number of times reported: [32]

[Sign:] Death(euthanized)

Number of times reported: [20]

[Sign:] Anemia

Number of times reported: [13]

[Sign:] Bilirubin(tot) Hi, Bld

Number of times reported: [13]

[Sign:] Bun Hi, Bld

Number of times reported: [13]

[Sign:] Glucose Hi, Bld

Number of times reported: [12]

[Sign:] Polydipsia

Number of times reported: [12]

[Sign:] Wbc Lo, Bld

Number of times reported: [12]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [11]

[Sign:] Death

Number of times reported: [10]

[Sign:] Dyspnea

Number of times reported: [10]

[Sign:] Radiograph(s) Abn

Number of times reported: [10]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [8]

[Sign:] Creatinine Hi, Bld

Number of times reported: [8]
[Sign:] Lymphs Lo, Bld
Number of times reported: [8]
[Sign:] Polyuria
Number of times reported: [8]
[Sign:] Us Abn
Number of times reported: [8]
[Sign:] Ataxia
Number of times reported: [7]
[Sign:] Infection
Number of times reported: [7]
[Sign:] Pallor, Mucous Membran
Number of times reported: [7]
[Sign:] Bld, Urine
Number of times reported: [6]
[Sign:] Culture/titer Data Abn
Number of times reported: [6]
[Sign:] Dehydration
Number of times reported: [6]
[Sign:] Diabetes Mellitus
Number of times reported: [6]
[Sign:] Gingival Hyperplasia
Number of times reported: [6]
[Sign:] Inflamm, Skin
Number of times reported: [6]
[Sign:] Pr-liver, Lesion(s)
Number of times reported: [6]
[Sign:] Wbc Hi, Bld
Number of times reported: [6]
[Sign:] Alopecia
Number of times reported: [5]
[Sign:] Fever, Body
Number of times reported: [5]
[Sign:] Hypersalivation
Number of times reported: [5]
[Sign:] Pneumonia
Number of times reported: [5]
[Sign:] Segs Lo, Bld
Number of times reported: [5]
[Sign:] Vomiting, Bloody
Number of times reported: [5]
[Sign:] Albumin Lo, Bld

Number of times reported: [4]
[Sign:] Behavior Disorder
Number of times reported: [4]
[Sign:] Cholesterol Hi, Bld
Number of times reported: [4]
[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [4]
[Sign:] Enlargement, Lymph Nod
Number of times reported: [4]
[Sign:] Glucose, Urine
Number of times reported: [4]
[Sign:] Hypothermia, Body
Number of times reported: [4]
[Sign:] Liver Disorder
Number of times reported: [4]
[Sign:] Neoplasm
Number of times reported: [4]
[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [4]
[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [4]
[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [4]
[Sign:] Sgot/ast Hi, Bld
Number of times reported: [4]
[Sign:] Us-liver Abn
Number of times reported: [4]
[Sign:] Adipsia
Number of times reported: [3]
[Sign:] Amylase Hi, Bld
Number of times reported: [3]
[Sign:] Ca Hi, Bld
Number of times reported: [3]
[Sign:] Constipation
Number of times reported: [3]
[Sign:] Convulsion(s)
Number of times reported: [3]
[Sign:] Coughing
Number of times reported: [3]
[Sign:] Diarrhea, Mild
Number of times reported: [3]
[Sign:] Discharge, Nose

Number of times reported: [3]
[Sign:] Globulin Hi, Bld
Number of times reported: [3]
[Sign:] Hair, Abn Color
Number of times reported: [3]
[Sign:] Hair, Shedding
Number of times reported: [3]
[Sign:] Hiding
Number of times reported: [3]
[Sign:] Hyperpnea
Number of times reported: [3]
[Sign:] Icterus, Body
Number of times reported: [3]
[Sign:] Ineffect, Atopy Control
Number of times reported: [3]
[Sign:] Lameness
Number of times reported: [3]
[Sign:] Lesion(s), Skin
Number of times reported: [3]
[Sign:] Otitis
Number of times reported: [3]
[Sign:] Platelets Lo, Bld
Number of times reported: [3]
[Sign:] Polycythemia
Number of times reported: [3]
[Sign:] Polypnea
Number of times reported: [3]
[Sign:] Protein(tot) Hi, Bld
Number of times reported: [3]
[Sign:] Protein, Urine
Number of times reported: [3]
[Sign:] Pruritis
Number of times reported: [3]
[Sign:] Segs Hi, Bld
Number of times reported: [3]
[Sign:] Sneezing
Number of times reported: [3]
[Sign:] Trembling
Number of times reported: [3]
[Sign:] Twitch
Number of times reported: [3]
[Sign:] Weakness

Number of times reported: [3]
[Sign:] Calculi, Kidney
Number of times reported: [2]
[Sign:] Chloride Lo, Bld
Number of times reported: [2]
[Sign:] Circling
Number of times reported: [2]
[Sign:] Congestion, Skin
Number of times reported: [2]
[Sign:] Conjunctivitis
Number of times reported: [2]
[Sign:] Cpk Hi, Bld
Number of times reported: [2]
[Sign:] Diarrhea, Bloody
Number of times reported: [2]
[Sign:] Diarrhea, Watery
Number of times reported: [2]
[Sign:] Ear Disorder
Number of times reported: [2]
[Sign:] Effusion, Pleural
Number of times reported: [2]
[Sign:] Eosinos Hi, Bld
Number of times reported: [2]
[Sign:] Gingivitis
Number of times reported: [2]
[Sign:] Glucose Lo, Bld
Number of times reported: [2]
[Sign:] Hematochezia
Number of times reported: [2]
[Sign:] Icterus
Number of times reported: [2]
[Sign:] Infection, Urinary Tra
Number of times reported: [2]
[Sign:] K Hi, Bld
Number of times reported: [2]
[Sign:] Mass
Number of times reported: [2]
[Sign:] Microorganisms, Urine
Number of times reported: [2]
[Sign:] Monos Hi, Bld
Number of times reported: [2]
[Sign:] Murmur, Heart

Number of times reported: [2]
[Sign:] Na Hi, Bld
Number of times reported: [2]
[Sign:] Neoplasm, Skin
Number of times reported: [2]
[Sign:] Odor, Mouth
Number of times reported: [2]
[Sign:] Pancreas Disorder
Number of times reported: [2]
[Sign:] Pancreatitis
Number of times reported: [2]
[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [2]
[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-pleura, Lesion(s)
Number of times reported: [2]
[Sign:] Pr-skin, Lesion(s)
Number of times reported: [2]
[Sign:] Recumbency
Number of times reported: [2]
[Sign:] Skin, Crust(s)
Number of times reported: [2]
[Sign:] Somnolence
Number of times reported: [2]
[Sign:] Stomatitis
Number of times reported: [2]
[Sign:] Stupor
Number of times reported: [2]
[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [2]
[Sign:] Urination Abn
Number of times reported: [2]
[Sign:] Uveitis
Number of times reported: [2]
[Sign:] Vomiting, Severe
Number of times reported: [2]
[Sign:] Wbc Abn
Number of times reported: [2]
[Sign:] Wheezing
Number of times reported: [2]
[Sign:] Anemia, Regen

Number of times reported: [1]
[Sign:] Anisocoria
Number of times reported: [1]
[Sign:] Apnea
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Arrhythmia
Number of times reported: [1]
[Sign:] Ascites
Number of times reported: [1]
[Sign:] Atrophy, Muscle(s)
Number of times reported: [1]
[Sign:] Bands Hi, Bld
Number of times reported: [1]
[Sign:] Basos Hi, Bld
Number of times reported: [1]
[Sign:] Bile Acids Hi, Bld
Number of times reported: [1]
[Sign:] Bilirubin, Urine
Number of times reported: [1]
[Sign:] Bld, Abn
Number of times reported: [1]
[Sign:] Bld(hematoma)
Number of times reported: [1]
[Sign:] Blindness
Number of times reported: [1]
[Sign:] Bradycardia
Number of times reported: [1]
[Sign:] Bun Lo, Bld
Number of times reported: [1]
[Sign:] Calculi, Bladder
Number of times reported: [1]
[Sign:] Ca Lo, Bld
Number of times reported: [1]
[Sign:] Cardiomegaly
Number of times reported: [1]
[Sign:] Confusion
Number of times reported: [1]
[Sign:] Congestion, Lung(s)
Number of times reported: [1]
[Sign:] Congestion, Sinus

Number of times reported: [1]
[Sign:] Deafness
Number of times reported: [1]
[Sign:] Diarrhea, Severe
Number of times reported: [1]
[Sign:] Distress, Resp
Number of times reported: [1]
[Sign:] Edema, Cornea(s)
Number of times reported: [1]
[Sign:] Edema, Head/face
Number of times reported: [1]
[Sign:] Edema, Lung(s)/trachea
Number of times reported: [1]
[Sign:] Elimination Abn
Number of times reported: [1]
[Sign:] Eosinos Lo, Bld
Number of times reported: [1]
[Sign:] Epiphora
Number of times reported: [1]
[Sign:] Epistaxis
Number of times reported: [1]
[Sign:] Estrus Behavior
Number of times reported: [1]
[Sign:] Flatulence
Number of times reported: [1]
[Sign:] Froth, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Gall Bladder, Abn
Number of times reported: [1]
[Sign:] Gastroenteritis
Number of times reported: [1]
[Sign:] Gi, Abnormal
Number of times reported: [1]
[Sign:] Gingiva, Abn
Number of times reported: [1]
[Sign:] Globulin Lo, Bld
Number of times reported: [1]
[Sign:] Hair, Abn
Number of times reported: [1]
[Sign:] Head Bobbing
Number of times reported: [1]
[Sign:] Head Pressing

Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hepatomegaly
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperesthesia
Number of times reported: [1]
[Sign:] Hyphema
Number of times reported: [1]
[Sign:] Incontinence, Urinary
Number of times reported: [1]
[Sign:] Ineffect, Loss Of Effe
Number of times reported: [1]
[Sign:] Infection, Skin
Number of times reported: [1]
[Sign:] K Lo, Bld
Number of times reported: [1]
[Sign:] Licking
Number of times reported: [1]
[Sign:] Lipase Hi, Bld
Number of times reported: [1]
[Sign:] Liver Disorder, Obstru
Number of times reported: [1]
[Sign:] Lymphs Hi, Bld
Number of times reported: [1]
[Sign:] Mammary, Hyperplasia
Number of times reported: [1]
[Sign:] Mg Lo, Bld
Number of times reported: [1]
[Sign:] Mydriasis
Number of times reported: [1]
[Sign:] Na Lo, Bld
Number of times reported: [1]
[Sign:] Necrosis
Number of times reported: [1]
[Sign:] Neoplasm, Kidney(s)
Number of times reported: [1]
[Sign:] Neoplasm, Spleen
Number of times reported: [1]
[Sign:] Nystagmus

Number of times reported: [1]
[Sign:] Nystagmus, Rotary
Number of times reported: [1]
[Sign:] Opacity, Cornea(s)
Number of times reported: [1]
[Sign:] Pain, Abdomen
Number of times reported: [1]
[Sign:] Pain, Head/face
Number of times reported: [1]
[Sign:] Pain, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Paresis, Hind Limb(s)
Number of times reported: [1]
[Sign:] Peritonitis
Number of times reported: [1]
[Sign:] Photophobia
Number of times reported: [1]
[Sign:] Pica
Number of times reported: [1]
[Sign:] Platelets Abn
Number of times reported: [1]
[Sign:] Platelets Hi, Bld
Number of times reported: [1]
[Sign:] P Lo, Bld
Number of times reported: [1]
[Sign:] Pollakiuria
Number of times reported: [1]
[Sign:] Polycythemia(relative)
Number of times reported: [1]
[Sign:] Polyphagia
Number of times reported: [1]
[Sign:] Postural Rxn(s) Abn
Number of times reported: [1]
[Sign:] Pr-ascites
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Pressure Lo, Bld
Number of times reported: [1]
[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [1]
[Sign:] Pr-heart, Lesion(s)

Number of times reported: [1]
[Sign:] Pr-lung(s), Edema
Number of times reported: [1]
[Sign:] Pr-meninges, Lesion(s)
Number of times reported: [1]
[Sign:] Prolapse, Third Eyelid
Number of times reported: [1]
[Sign:] Pr-peritoneal Effusion
Number of times reported: [1]
[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [1]
[Sign:] Pr-pleural Effusion
Number of times reported: [1]
[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [1]
[Sign:] Rbc, Nucleated
Number of times reported: [1]
[Sign:] Reticulocytes Lo, Bld
Number of times reported: [1]
[Sign:] Sedation
Number of times reported: [1]
[Sign:] Shock
Number of times reported: [1]
[Sign:] Skin, Dry
Number of times reported: [1]
[Sign:] Skin, Necrosis
Number of times reported: [1]
[Sign:] Spec Gravity Lo, Urine
Number of times reported: [1]
[Sign:] Staggering
Number of times reported: [1]
[Sign:] Steatorrhea
Number of times reported: [1]
[Sign:] Stool Abn
Number of times reported: [1]
[Sign:] Swelling, Limb(s)
Number of times reported: [1]
[Sign:] Swelling, Mammary
Number of times reported: [1]
[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [1]
[Sign:] Tachycardia

Number of times reported: [1]

[Sign:] Thyroid Hormone(s) Lo

Number of times reported: [1]

[Sign:] Tongue, Abn

Number of times reported: [1]

[Sign:] Ulcer(s), Feet/digit(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Mouth/lip(s)

Number of times reported: [1]

[Sign:] Ulcer(s), Tongue

Number of times reported: [1]

[Sign:] Vasculitis

Number of times reported: [1]

[Sign:] Vesicle(s)/bullae, Ski

Number of times reported: [1]

[Sign:] Wbc, Urine

Number of times reported: [1]

[Sign:] Weight Increase

Number of times reported: [1]

[Drug:] Cyclosporine

Oral, Dog

[Sign:] Vomiting

Number of times reported: [3,108]

[Sign:] Diarrhea

Number of times reported: [1,369]

[Sign:] Depression/lethargy

Number of times reported: [1,142]

[Sign:] Anorexia

Number of times reported: [834]

[Sign:] Pruritis

Number of times reported: [790]

[Sign:] Alk Phos Hi, Bld

Number of times reported: [429]

[Sign:] Interaction, Drug(s)

Number of times reported: [316]

[Sign:] Sgpt/alt Hi, Bld

Number of times reported: [311]

[Sign:] Polypnea

Number of times reported: [287]

[Sign:] Trembling

Number of times reported: [277]

[Sign:] Gingival Hyperplasia
Number of times reported: [260]

[Sign:] Convulsion(s)
Number of times reported: [259]

[Sign:] Polydipsia
Number of times reported: [254]

[Sign:] Ineffect, Atopy Control
Number of times reported: [239]

[Sign:] Hyperactivity
Number of times reported: [235]

[Sign:] Polyuria
Number of times reported: [234]

[Sign:] Weight Loss
Number of times reported: [213]

[Sign:] Diarrhea, Mild
Number of times reported: [207]

[Sign:] Mass, Skin
Number of times reported: [206]

[Sign:] Congestion, Skin
Number of times reported: [194]

[Sign:] Nervousness
Number of times reported: [183]

[Sign:] Alopecia
Number of times reported: [170]

[Sign:] Diarrhea, Bloody
Number of times reported: [166]

[Sign:] Bun Hi, Bld
Number of times reported: [150]

[Sign:] Death(euthanized)
Number of times reported: [147]

[Sign:] Infection, Skin
Number of times reported: [139]

[Sign:] Wbc Hi, Bld
Number of times reported: [137]

[Sign:] Inflamm, Skin
Number of times reported: [129]

[Sign:] Albumin Lo, Bld
Number of times reported: [125]

[Sign:] Ataxia
Number of times reported: [109]

[Sign:] Glucose Hi, Bld
Number of times reported: [109]

[Sign:] Hair, Shedding
Number of times reported: [107]

[Sign:] Fever, Body
Number of times reported: [106]

[Sign:] Radiograph(s) Abn
Number of times reported: [106]

[Sign:] Anemia
Number of times reported: [103]

[Sign:] Collapse
Number of times reported: [103]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [102]

[Sign:] Bld, Urine
Number of times reported: [100]

[Sign:] Enlargement, Lymph Nod
Number of times reported: [97]

[Sign:] Vocalization
Number of times reported: [97]

[Sign:] Pain, Abdomen
Number of times reported: [95]

[Sign:] Neoplasm, Skin
Number of times reported: [94]

[Sign:] Incontinence, Urinary
Number of times reported: [92]

[Sign:] Protein, Urine
Number of times reported: [91]

[Sign:] Spec Gravity Lo, Urine
Number of times reported: [89]

[Sign:] Creatinine Hi, Bld
Number of times reported: [88]

[Sign:] Pr-skin, Lesion(s)
Number of times reported: [85]

[Sign:] Hyperpnea
Number of times reported: [84]

[Sign:] Otitis
Number of times reported: [84]

[Sign:] Pallor, Mucous Membran
Number of times reported: [83]

[Sign:] Shaking
Number of times reported: [79]

[Sign:] Infection, Urinary Tra
Number of times reported: [78]

[Sign:] Apprehension
Number of times reported: [77]

[Sign:] Weakness
Number of times reported: [77]

[Sign:] Behavior Disorder
Number of times reported: [75]

[Sign:] Us Abn
Number of times reported: [75]

[Sign:] Wbc Lo, Bld
Number of times reported: [73]

[Sign:] Aggression
Number of times reported: [72]

[Sign:] Death
Number of times reported: [72]

[Sign:] Globulin Hi, Bld
Number of times reported: [71]

[Sign:] Segs Hi, Bld
Number of times reported: [70]

[Sign:] Lesion(s), Skin
Number of times reported: [69]

[Sign:] Dyspnea
Number of times reported: [68]

[Sign:] Ggt Hi, Bld
Number of times reported: [67]

[Sign:] Neoplasm
Number of times reported: [67]

[Sign:] Diabetes Mellitus
Number of times reported: [65]

[Sign:] Vomiting, Bloody
Number of times reported: [65]

[Sign:] Lipase Hi, Bld
Number of times reported: [64]

[Sign:] Cholesterol Hi, Bld
Number of times reported: [61]

[Sign:] Urticaria
Number of times reported: [61]

[Sign:] Anaphylaxis/toid
Number of times reported: [60]

[Sign:] Confusion
Number of times reported: [59]

[Sign:] Amylase Hi, Bld
Number of times reported: [58]

[Sign:] Sgot/ast Hi, Bld
Number of times reported: [56]

[Sign:] Platelets Lo, Bld
Number of times reported: [55]

[Sign:] Tachycardia
Number of times reported: [55]

[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [55]

[Sign:] Nausea
Number of times reported: [52]

[Sign:] Paresis, Hind Limb(s)
Number of times reported: [50]

[Sign:] Twitch
Number of times reported: [49]

[Sign:] Hypersalivation
Number of times reported: [48]

[Sign:] Dehydration
Number of times reported: [47]

[Sign:] Hair, Abn
Number of times reported: [47]

[Sign:] Hiding
Number of times reported: [47]

[Sign:] Lameness
Number of times reported: [46]

[Sign:] Protein(tot) Hi, Bld
Number of times reported: [46]

[Sign:] Neoplasm, Lymph Node(s)
Number of times reported: [45]

[Sign:] P Hi, Bld
Number of times reported: [45]

[Sign:] Skin, Crust(s)
Number of times reported: [45]

[Sign:] Enlargement(s), Skin
Number of times reported: [44]

[Sign:] Gingivitis
Number of times reported: [42]

[Sign:] Recumbency
Number of times reported: [42]

[Sign:] Coughing
Number of times reported: [41]

[Sign:] Pancreatitis
Number of times reported: [41]

[Sign:] Pr-lymph Node(s), Lesi
Number of times reported: [41]

[Sign:] Flatulence
Number of times reported: [40]

[Sign:] Gingiva, Abn
Number of times reported: [40]

[Sign:] Glucose, Urine
Number of times reported: [40]

[Sign:] Us-liver Abn
Number of times reported: [39]

[Sign:] Mass
Number of times reported: [37]

[Sign:] Pacing
Number of times reported: [37]

[Sign:] Polyphagia
Number of times reported: [37]

[Sign:] Culture/titer Data Abn
Number of times reported: [35]

[Sign:] Hyperkeratosis
Number of times reported: [35]

[Sign:] Triglycerides Hi, Bld
Number of times reported: [35]

[Sign:] Discomfort
Number of times reported: [34]

[Sign:] Tenesmus, Rectal
Number of times reported: [34]

[Sign:] Vomiting, Severe
Number of times reported: [34]

[Sign:] Wbc, Urine
Number of times reported: [34]

[Sign:] Dermatitis, Moist
Number of times reported: [33]

[Sign:] Crystals, Urine
Number of times reported: [32]

[Sign:] Hematochezia
Number of times reported: [32]

[Sign:] Microorganisms, Urine
Number of times reported: [32]

[Sign:] Diarrhea, Mucoid
Number of times reported: [31]

[Sign:] Hepatomegaly
Number of times reported: [31]

[Sign:] Diarrhea, Watery
Number of times reported: [30]

[Sign:] Pain
Number of times reported: [30]

[Sign:] Rash
Number of times reported: [30]

[Sign:] Congestion, Ear(s)
Number of times reported: [29]

[Sign:] Diarrhea, Severe
Number of times reported: [29]

[Sign:] Constipation
Number of times reported: [28]

[Sign:] Hyperpigmentation, Ski
Number of times reported: [28]

[Sign:] Stupor
Number of times reported: [28]

[Sign:] Polycythemia
Number of times reported: [27]

[Sign:] Distention, Abdomen
Number of times reported: [26]

[Sign:] Platelets Hi, Bld
Number of times reported: [26]

[Sign:] Urination Abn
Number of times reported: [26]

[Sign:] Vomiting, Unproductive
Number of times reported: [26]

[Sign:] Weight Increase
Number of times reported: [26]

[Sign:] Glucose Lo, Bld
Number of times reported: [25]

[Sign:] Hair, Abn Color
Number of times reported: [25]

[Sign:] K Lo, Bld
Number of times reported: [25]

[Sign:] Liver Enzymes Hi, Bld
Number of times reported: [25]

[Sign:] Melena
Number of times reported: [25]

[Sign:] Pr-liver, Lesion(s)
Number of times reported: [25]

[Sign:] Conjunctivitis
Number of times reported: [24]

[Sign:] Licking
Number of times reported: [24]

[Sign:] Sneezing
Number of times reported: [24]

[Sign:] Cystitis
Number of times reported: [23]

[Sign:] Incontinence, Fecal
Number of times reported: [23]

[Sign:] Licking, Feet/digit(s)
Number of times reported: [23]

[Sign:] Na Lo, Bld
Number of times reported: [23]

[Sign:] Ca Hi, Bld
Number of times reported: [22]

[Sign:] Calculi, Bladder
Number of times reported: [22]

[Sign:] Icterus, Body
Number of times reported: [22]

[Sign:] K Hi, Bld
Number of times reported: [22]

[Sign:] Monos Hi, Bld
Number of times reported: [22]

[Sign:] Murmur, Heart
Number of times reported: [22]

[Sign:] Odor
Number of times reported: [22]

[Sign:] Protein(tot) Lo, Bld
Number of times reported: [22]

[Sign:] Scale(s), Skin
Number of times reported: [22]

[Sign:] Somnolence
Number of times reported: [22]

[Sign:] Ulcer(s), Cornea(s)
Number of times reported: [22]

[Sign:] Pruritis, Ear(s)
Number of times reported: [21]

[Sign:] Defecation
Number of times reported: [20]

[Sign:] Lesion(s), Mouth/lip(s)
Number of times reported: [20]

[Sign:] Lymphs Lo, Bld
Number of times reported: [20]

[Sign:] Segs Lo, Bld
Number of times reported: [20]

[Sign:] Keratoconjunctivitis S
Number of times reported: [19]

[Sign:] Mydriasis
Number of times reported: [19]

[Sign:] Pica
Number of times reported: [19]

[Sign:] Reluctant To Move
Number of times reported: [19]

[Sign:] Pallor
Number of times reported: [18]

[Sign:] Papule(s)
Number of times reported: [18]

[Sign:] Pr-mouth/lip(s), Lesio
Number of times reported: [18]

[Sign:] Swelling, Head/face
Number of times reported: [18]

[Sign:] Borborygmi
Number of times reported: [17]

[Sign:] Cataract(s)
Number of times reported: [17]

[Sign:] Gastroenteritis
Number of times reported: [17]

[Sign:] Infection, Feet/digit(
Number of times reported: [17]

[Sign:] Polycythemia(relative)
Number of times reported: [17]

[Sign:] Pustule(s)
Number of times reported: [17]

[Sign:] Shaking, Head/face
Number of times reported: [17]

[Sign:] Staring
Number of times reported: [17]

[Sign:] Swelling, Feet/digit(s)
Number of times reported: [17]

[Sign:] Abn Color, Urine
Number of times reported: [16]

[Sign:] Adipsia
Number of times reported: [16]

[Sign:] Bands Hi, Bld
Number of times reported: [16]

[Sign:] Bilirubin, Urine
Number of times reported: [16]

[Sign:] Discharge, Eye(s)/lid(s)
Number of times reported: [16]

[Sign:] Head Tilt
Number of times reported: [16]

[Sign:] Ketones, Urine
Number of times reported: [16]

[Sign:] Alkaline Urine
Number of times reported: [15]

[Sign:] Biting/chewing
Number of times reported: [15]

[Sign:] Circling
Number of times reported: [15]

[Sign:] Discharge, Nose
Number of times reported: [15]

[Sign:] Epistaxis
Number of times reported: [15]

[Sign:] Gagging
Number of times reported: [15]

[Sign:] Hypothermia, Body
Number of times reported: [15]

[Sign:] Pollakiuria
Number of times reported: [15]

[Sign:] Proprioceptive Disorde
Number of times reported: [15]

[Sign:] Seborrhea
Number of times reported: [15]

[Sign:] Splenomegaly
Number of times reported: [15]

[Sign:] Ulcer(s), Skin
Number of times reported: [15]

[Sign:] Bile Acids Hi, Bld
Number of times reported: [14]

[Sign:] Ca Lo, Bld
Number of times reported: [14]

[Sign:] Chloride Lo, Bld
Number of times reported: [14]

[Sign:] Deafness
Number of times reported: [14]

[Sign:] Ear Disorder
Number of times reported: [14]

[Sign:] Epiphora
Number of times reported: [14]

[Sign:] Globulin Lo, Bld
Number of times reported: [14]

[Sign:] Mg Lo, Bld
Number of times reported: [14]

[Sign:] Neoplasm, Liver
Number of times reported: [14]

[Sign:] Blindness
Number of times reported: [13]

[Sign:] Eosinos Hi, Bld
Number of times reported: [13]

[Sign:] Infection
Number of times reported: [13]

[Sign:] Odor, Mouth
Number of times reported: [13]

[Sign:] Shock
Number of times reported: [13]

[Sign:] Skin Disorder
Number of times reported: [13]

[Sign:] Stranguria
Number of times reported: [13]

[Sign:] Urination
Number of times reported: [13]

[Sign:] Albumin Hi, Bld
Number of times reported: [12]

[Sign:] Bun Lo, Bld
Number of times reported: [12]

[Sign:] Defecation Abn
Number of times reported: [12]

[Sign:] Difficulty Rising
Number of times reported: [12]

[Sign:] Elimination Abn
Number of times reported: [12]

[Sign:] Eye Disorder
Number of times reported: [12]

[Sign:] Lymphs Hi, Bld
Number of times reported: [12]

[Sign:] Neurological Disorder
Number of times reported: [12]

[Sign:] Pain, Back
Number of times reported: [12]

[Sign:] Spasm
Number of times reported: [12]

[Sign:] Stool Abn
Number of times reported: [12]

[Sign:] Stool, Mucoid
Number of times reported: [12]

[Sign:] Swelling, Ear(s)
Number of times reported: [12]

[Sign:] Anemia, Autoimmune Hem
Number of times reported: [11]

[Sign:] Bld(petechiae)
Number of times reported: [11]

[Sign:] Cardiomegaly
Number of times reported: [11]

[Sign:] Cpk Hi, Bld
Number of times reported: [11]

[Sign:] Edema, Head/face
Number of times reported: [11]

[Sign:] Eruption(s)
Number of times reported: [11]

[Sign:] Mass, Abdomen
Number of times reported: [11]

[Sign:] Na Hi, Bld
Number of times reported: [11]

[Sign:] Pressure Hi, Bld
Number of times reported: [11]

[Sign:] Pruritis, Feet/digit(s)
Number of times reported: [11]

[Sign:] Rbc, Nucleated
Number of times reported: [11]

[Sign:] Swelling, Eye(s)/lid(s)
Number of times reported: [11]

[Sign:] Teeth, Abn
Number of times reported: [11]

[Sign:] Abscess, Skin
Number of times reported: [10]

[Sign:] Albumin Hi, Urine
Number of times reported: [10]

[Sign:] Cyanosis
Number of times reported: [10]

[Sign:] Hypertonia
Number of times reported: [10]

[Sign:] Ineffect
Number of times reported: [10]

[Sign:] Kidney Failure
Number of times reported: [10]

[Sign:] Stiffness
Number of times reported: [10]

[Sign:] Thyroid Hormone(s) Hi
Number of times reported: [10]

[Sign:] Trembling, Face
Number of times reported: [10]

[Sign:] Vesicle(s)/bullae, Ski
Number of times reported: [10]

[Sign:] Anemia, Regen
Number of times reported: [9]

[Sign:] Apnea
Number of times reported: [9]

[Sign:] Bld, Mouth/lip(s)
Number of times reported: [9]

[Sign:] Edema, Limb(s)
Number of times reported: [9]

[Sign:] Hyperadrenocorticism
Number of times reported: [9]

[Sign:] Ineffect, Loss Of Effe
Number of times reported: [9]

[Sign:] Neoplasm, Mammary
Number of times reported: [9]

[Sign:] Retina Abn
Number of times reported: [9]

[Sign:] Skin Abnormal
Number of times reported: [9]

[Sign:] Skin, Dry
Number of times reported: [9]

[Sign:] Skin Scraping Abnormal
Number of times reported: [9]

[Sign:] Urine Abn
Number of times reported: [9]

[Sign:] Vision Disorder
Number of times reported: [9]

[Sign:] Arrhythmia
Number of times reported: [8]

[Sign:] Bradycardia
Number of times reported: [8]

[Sign:] Chemistry Abn
Number of times reported: [8]

[Sign:] Congestion, Lung(s)
Number of times reported: [8]

[Sign:] Cort/creat Hi, Urine
Number of times reported: [8]

[Sign:] Distress
Number of times reported: [8]

[Sign:] Gi, Abnormal
Number of times reported: [8]

[Sign:] Hypothermia
Number of times reported: [8]

[Sign:] Lesion(s), Ringworm
Number of times reported: [8]

[Sign:] Loss Of Condition
Number of times reported: [8]

[Sign:] Opacity, Cornea(s)
Number of times reported: [8]

[Sign:] P Lo, Bld
Number of times reported: [8]

[Sign:] Pr-heart, Lesion(s)
Number of times reported: [8]

[Sign:] Pr-kidney(s), Lesion(s)
Number of times reported: [8]

[Sign:] Pr-lung(s), Lesion(s)
Number of times reported: [8]

[Sign:] Skin, Scab(s)
Number of times reported: [8]

[Sign:] Sound Abn, Respiratory
Number of times reported: [8]

[Sign:] Staggering
Number of times reported: [8]

[Sign:] Swelling, Limb(s)
Number of times reported: [8]

[Sign:] Acth Stim Abn
Number of times reported: [7]

[Sign:] Atrophy, Muscle(s)
Number of times reported: [7]

[Sign:] Bld(ecchymoses)
Number of times reported: [7]

[Sign:] Bld(hematoma)
Number of times reported: [7]

[Sign:] Blepharospasm
Number of times reported: [7]

[Sign:] Blindness, Partial
Number of times reported: [7]

[Sign:] Casts, Urine
Number of times reported: [7]

[Sign:] Chloride Hi, Bld
Number of times reported: [7]

[Sign:] Congestion, Eye(s)/lid
Number of times reported: [7]

[Sign:] Discharge, Vulva
Number of times reported: [7]

[Sign:] Dysuria
Number of times reported: [7]

[Sign:] Edema, Eye(s)/lid(s)
Number of times reported: [7]

[Sign:] Eosinos Lo, Bld
Number of times reported: [7]

[Sign:] Exercise Intolerance
Number of times reported: [7]

[Sign:] Heart Failure
Number of times reported: [7]

[Sign:] Irritation, Perineum
Number of times reported: [7]

[Sign:] Neoplasm, Lung(s)
Number of times reported: [7]

[Sign:] Neoplasm, Spleen
Number of times reported: [7]

[Sign:] Nose Abn
Number of times reported: [7]

[Sign:] Pain, Hind Limb(s)
Number of times reported: [7]

[Sign:] Paralysis, Facial Nerv
Number of times reported: [7]

[Sign:] Pneumonia
Number of times reported: [7]

[Sign:] Posture Abn
Number of times reported: [7]

[Sign:] Pr-bladder, Lesion(s)
Number of times reported: [7]

[Sign:] Pr-spleen, Lesion(s)
Number of times reported: [7]

[Sign:] Reflex(es) Abn
Number of times reported: [7]

[Sign:] Regurgitation
Number of times reported: [7]

[Sign:] Reluctant To Climb
Number of times reported: [7]

[Sign:] Sediment, Urine
Number of times reported: [7]

[Sign:] Stiffness, Hind Limb(s)
Number of times reported: [7]

[Sign:] Tenesmus
Number of times reported: [7]

[Sign:] Tongue, Abn
Number of times reported: [7]

[Sign:] Vestibular Disorder
Number of times reported: [7]

[Sign:] Arrest, Heart
Number of times reported: [6]

[Sign:] Basos Hi, Bld
Number of times reported: [6]

[Sign:] Bile Acids Abn, Bld
Number of times reported: [6]

[Sign:] Bld
Number of times reported: [6]

[Sign:] Bld, Skin
Number of times reported: [6]

[Sign:] Enlargement(s)
Number of times reported: [6]

[Sign:] Eructation
Number of times reported: [6]

[Sign:] Fly Biting
Number of times reported: [6]

[Sign:] Gall Bladder, Abn
Number of times reported: [6]

[Sign:] Hypoadrenocorticism
Number of times reported: [6]

[Sign:] Insomnia
Number of times reported: [6]

[Sign:] Irritation, Ear(s)
Number of times reported: [6]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [6]

[Sign:] Lipids Hi, Bld
Number of times reported: [6]

[Sign:] Locomotion Disorder
Number of times reported: [6]

[Sign:] Odor, Urine
Number of times reported: [6]

[Sign:] Pain, Joint(s)
Number of times reported: [6]

[Sign:] Pain, Neck
Number of times reported: [6]

[Sign:] Pancreas Enzymes Hi, B
Number of times reported: [6]

[Sign:] Pressure Lo, Bld
Number of times reported: [6]

[Sign:] Stomatitis
Number of times reported: [6]

[Sign:] Swelling, Joint(s)
Number of times reported: [6]

[Sign:] Uveitis
Number of times reported: [6]

[Sign:] Vaginitis
Number of times reported: [6]

[Sign:] Arthritis
Number of times reported: [5]

[Sign:] Bilirubin(dir) Hi, Bld
Number of times reported: [5]

[Sign:] Bld, Ear(s)
Number of times reported: [5]

[Sign:] Breathing Abn
Number of times reported: [5]

[Sign:] Cholesterol Lo, Bld
Number of times reported: [5]

[Sign:] Colitis
Number of times reported: [5]

[Sign:] Csf Abn
Number of times reported: [5]

[Sign:] Deafness, Temp
Number of times reported: [5]

[Sign:] Diabetes M, Poor Regul
Number of times reported: [5]

[Sign:] Dilatation, Esophagus
Number of times reported: [5]

[Sign:] Dissociation
Number of times reported: [5]

[Sign:] Dysphagia
Number of times reported: [5]

[Sign:] Gastritis
Number of times reported: [5]

[Sign:] Granuloma, Lick
Number of times reported: [5]

[Sign:] Healing Impaired
Number of times reported: [5]

[Sign:] Hyperesthesia
Number of times reported: [5]

[Sign:] Hypomotility
Number of times reported: [5]

[Sign:] Joint Disorder
Number of times reported: [5]

[Sign:] Kidney Disorder
Number of times reported: [5]

[Sign:] Microorganisms, Urine
Number of times reported: [5]

[Sign:] Neoplasm, Heart
Number of times reported: [5]

[Sign:] Neoplasm, Mult Sites
Number of times reported: [5]

[Sign:] Nystagmus
Number of times reported: [5]

[Sign:] Paresis
Number of times reported: [5]

[Sign:] Pr-bone Marrow, Lesion
Number of times reported: [5]

[Sign:] Pr-nose, Lesion(s)
Number of times reported: [5]

[Sign:] Rbc Abn
Number of times reported: [5]

[Sign:] Reticulocytes Hi, Bld
Number of times reported: [5]

[Sign:] Skin, Necrosis
Number of times reported: [5]

[Sign:] Swelling, Anus
Number of times reported: [5]

[Sign:] Ulcer(s), Mouth/lip(s)
Number of times reported: [5]

[Sign:] Ulcer(s), Tongue
Number of times reported: [5]

[Sign:] Unconscious
Number of times reported: [5]

[Sign:] Wheezing
Number of times reported: [5]

[Sign:] Anuria
Number of times reported: [4]

[Sign:] Ascites
Number of times reported: [4]

[Sign:] Azotemia
Number of times reported: [4]

[Sign:] Choking
Number of times reported: [4]

[Sign:] Coagulation Disorder
Number of times reported: [4]

[Sign:] Congestion, Mucous Mem
Number of times reported: [4]

[Sign:] Ecg Abn
Number of times reported: [4]

[Sign:] Edema, Cornea(s)
Number of times reported: [4]

[Sign:] Edema, Feet/digit(s)
Number of times reported: [4]

[Sign:] Edema, Lung(s)/trachea
Number of times reported: [4]

[Sign:] Effusion, Peritoneal
Number of times reported: [4]

[Sign:] Granuloma
Number of times reported: [4]

[Sign:] Grinding Teeth
Number of times reported: [4]

[Sign:] Hepatitis
Number of times reported: [4]

[Sign:] Ill
Number of times reported: [4]

[Sign:] Miosis
Number of times reported: [4]

[Sign:] Monos Lo, Bld
Number of times reported: [4]

[Sign:] Mucous Membr, Muddy
Number of times reported: [4]

[Sign:] Nail Disorder
Number of times reported: [4]

[Sign:] Pain, Head/face
Number of times reported: [4]

[Sign:] Pain, Mouth/lip(s)
Number of times reported: [4]

[Sign:] Pd-tablet(s), Abn
Number of times reported: [4]

[Sign:] Peritonitis
Number of times reported: [4]

[Sign:] Pr-gi, Lesion(s)
Number of times reported: [4]

[Sign:] Prostatomegaly
Number of times reported: [4]

[Sign:] Pruritis, Eye(s)
Number of times reported: [4]

[Sign:] Pulse Thready
Number of times reported: [4]

[Sign:] Pupil(s), Areflexia
Number of times reported: [4]

[Sign:] Rbc, Aniso
Number of times reported: [4]

[Sign:] Rbc, Polychrom
Number of times reported: [4]

[Sign:] Reaction, Unspecified
Number of times reported: [4]

[Sign:] Repetitive Movements
Number of times reported: [4]

[Sign:] Sedation
Number of times reported: [4]

[Sign:] Self-mutilation
Number of times reported: [4]

[Sign:] Slough, Skin
Number of times reported: [4]

[Sign:] Sore(s)
Number of times reported: [4]

[Sign:] Spec Gravity Hi, Urine
Number of times reported: [4]

[Sign:] Stiffness, Limb(s)
Number of times reported: [4]

[Sign:] Stumbling
Number of times reported: [4]

[Sign:] Swelling, Mammary
Number of times reported: [4]

[Sign:] Syncope
Number of times reported: [4]

[Sign:] Anemia, Aplastic
Number of times reported: [3]

[Sign:] Anemia, Sphero
Number of times reported: [3]

[Sign:] Bld, Abn
Number of times reported: [3]

[Sign:] Bld, Anus
Number of times reported: [3]

[Sign:] Bld, Sclera
Number of times reported: [3]

[Sign:] Bloat
Number of times reported: [3]

[Sign:] Bone, Abn
Number of times reported: [3]

[Sign:] Breathing, Difficult
Number of times reported: [3]

[Sign:] Bronchitis
Number of times reported: [3]

[Sign:] Capillary Refill Prolo
Number of times reported: [3]

[Sign:] Coprophagia
Number of times reported: [3]

[Sign:] Cyanosis, Mucous Membr
Number of times reported: [3]

[Sign:] Deafness, Partial
Number of times reported: [3]

[Sign:] Dementia
Number of times reported: [3]

[Sign:] Diarrhea, Projectile
Number of times reported: [3]

[Sign:] Digestion Disorder
Number of times reported: [3]

[Sign:] Distention, Bladder
Number of times reported: [3]

[Sign:] Dizziness
Number of times reported: [3]

[Sign:] Dry Mouth Syndrome
Number of times reported: [3]

[Sign:] Effusion, Joint(s)
Number of times reported: [3]

[Sign:] Effusion, Pericardial
Number of times reported: [3]

[Sign:] Effusion, Pleural
Number of times reported: [3]

[Sign:] Glaucoma
Number of times reported: [3]

[Sign:] Heart Disorder
Number of times reported: [3]

[Sign:] Icterus
Number of times reported: [3]

[Sign:] Immunosuppression
Number of times reported: [3]

[Sign:] Incision Site Infection
Number of times reported: [3]

[Sign:] Infarct
Number of times reported: [3]

[Sign:] Infection, Joint(s)
Number of times reported: [3]

[Sign:] Inflammation
Number of times reported: [3]

[Sign:] Irritation, Mouth/lip(
Number of times reported: [3]

[Sign:] Irritation, Skin
Number of times reported: [3]

[Sign:] Ketosis
Number of times reported: [3]

[Sign:] Kidney Values Hi, Bld
Number of times reported: [3]

[Sign:] Liver Disorder
Number of times reported: [3]

[Sign:] Mri Scan Abn
Number of times reported: [3]

[Sign:] Mucous Membr, Red
Number of times reported: [3]

[Sign:] Myositis
Number of times reported: [3]

[Sign:] Necrosis
Number of times reported: [3]

[Sign:] Pain, Limb(s)
Number of times reported: [3]

[Sign:] Paralysis, Hind Limb(s)
Number of times reported: [3]

[Sign:] Pr-colon, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-mult Sites, Lesion(s)
Number of times reported: [3]

[Sign:] Prolapse, Third Eyelid
Number of times reported: [3]

[Sign:] Protrusion, Eye(s)
Number of times reported: [3]

[Sign:] Pr-pancreas, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-stomach, Lesion(s)
Number of times reported: [3]

[Sign:] Pr-tongue, Lesion(s)
Number of times reported: [3]

[Sign:] Saliva, Abn
Number of times reported: [3]

[Sign:] Swelling
Number of times reported: [3]

[Sign:] Swelling, Mouth/lip(s)
Number of times reported: [3]

[Sign:] Swelling, Vagina/vulva
Number of times reported: [3]

[Sign:] Tenesmus, Urinary
Number of times reported: [3]

[Sign:] Vomiting, Projectile
Number of times reported: [3]

[Sign:] Wbc Abn
Number of times reported: [3]

[Sign:] Acidosis
Number of times reported: [2]

[Sign:] Adipose, Inflam
Number of times reported: [2]

[Sign:] Anisocoria
Number of times reported: [2]

[Sign:] Aplasia, Bone Marrow
Number of times reported: [2]

[Sign:] Bilirubin(ind) Hi, Bld
Number of times reported: [2]

[Sign:] Bld, Eye(s)
Number of times reported: [2]

[Sign:] Blindness, Temp
Number of times reported: [2]

[Sign:] Brain, Neoplasm
Number of times reported: [2]

[Sign:] Calculi, Kidney
Number of times reported: [2]

[Sign:] Cholecystitis
Number of times reported: [2]

[Sign:] Cloudy Urine
Number of times reported: [2]

[Sign:] Congestion, Sinus
Number of times reported: [2]

[Sign:] Creatinine Lo, Bld
Number of times reported: [2]

[Sign:] Destructiveness
Number of times reported: [2]

[Sign:] Edema
Number of times reported: [2]

[Sign:] Edema, Multiple Sites
Number of times reported: [2]

[Sign:] Enlargement, Salivary Gland
Number of times reported: [2]

[Sign:] Enteritis
Number of times reported: [2]

[Sign:] Erg Abn
Number of times reported: [2]

[Sign:] Exfoliation, Skin
Number of times reported: [2]

[Sign:] Froth, Mouth/lip(s)
Number of times reported: [2]

[Sign:] Hco3 Lo, Bld
Number of times reported: [2]

[Sign:] Head Bobbing
Number of times reported: [2]

[Sign:] Hemoglobin, Urine
Number of times reported: [2]

[Sign:] Horner's Syndrome
Number of times reported: [2]

[Sign:] Hot Flash/flush
Number of times reported: [2]

[Sign:] Hypersensitive, Sound
Number of times reported: [2]

[Sign:] Hypopnea
Number of times reported: [2]

[Sign:] Immune Disorder
Number of times reported: [2]

[Sign:] Incision Site Discharge
Number of times reported: [2]

[Sign:] Jerking
Number of times reported: [2]

[Sign:] Kicking
Number of times reported: [2]

[Sign:] Leukoderma
Number of times reported: [2]

[Sign:] Mg Hi, Bld
Number of times reported: [2]

[Sign:] Neoplasm, Pancreas
Number of times reported: [2]

[Sign:] Nystagmus, Horizontal
Number of times reported: [2]

[Sign:] Pain, Feet/digit(s)
Number of times reported: [2]

[Sign:] Pain, Spinal
Number of times reported: [2]

[Sign:] Pancreas Disorder
Number of times reported: [2]

[Sign:] Paresis, Forelimb(s)
Number of times reported: [2]

[Sign:] Paresis, Fore Limb(s)
Number of times reported: [2]

[Sign:] Pawing
Number of times reported: [2]

[Sign:] Pd-odor, Abn
Number of times reported: [2]

[Sign:] Periodontal, Abscess
Number of times reported: [2]

[Sign:] Photophobia
Number of times reported: [2]

[Sign:] Photosensitization
Number of times reported: [2]

[Sign:] Pr-adrenal(s), Lesion(s)
Number of times reported: [2]

[Sign:] Pr-eye(s)/lid(s), Lesi
Number of times reported: [2]

[Sign:] Pr-lung(s), Edema
Number of times reported: [2]

[Sign:] Pr-mult Sites, Bld
Number of times reported: [2]

[Sign:] Pr-peritoneum, Lesion(
Number of times reported: [2]

[Sign:] Pt Prolonged, Bld
Number of times reported: [2]

[Sign:] Ptt Prolonged, Bld
Number of times reported: [2]

[Sign:] Reflux, Stomach
Number of times reported: [2]

[Sign:] Residue, Urine
Number of times reported: [2]

[Sign:] Respiratory Disorder
Number of times reported: [2]

[Sign:] Reticulocytes Lo, Bld
Number of times reported: [2]

[Sign:] Salivary Gland Abn
Number of times reported: [2]

[Sign:] Swelling, Tongue
Number of times reported: [2]

[Sign:] Tail Disorder
Number of times reported: [2]

[Sign:] Thrombus
Number of times reported: [2]

[Sign:] Ulcer(s), Mucocutaneou
Number of times reported: [2]

[Sign:] Volvulus, Stomach
Number of times reported: [2]

[Sign:] Accidental Exposure
Number of times reported: [1]

[Sign:] Acid Urine
Number of times reported: [1]

[Sign:] A/g Ratio Hi, Bld
Number of times reported: [1]

[Sign:] Ana Pos
Number of times reported: [1]

[Sign:] Anemia, Hemolytic
Number of times reported: [1]

[Sign:] Application Site Alopecia
Number of times reported: [1]

[Sign:] Arrhythmia, Block
Number of times reported: [1]

[Sign:] Atrophy, Testicle(s)
Number of times reported: [1]

[Sign:] Bld, Abdomen
Number of times reported: [1]

[Sign:] Bld, Gi
Number of times reported: [1]

[Sign:] Bld, Lung(s)/trachea
Number of times reported: [1]

[Sign:] Bld, Mult Sites
Number of times reported: [1]

[Sign:] Bld, Rectum
Number of times reported: [1]

[Sign:] Bld, Vagina
Number of times reported: [1]

[Sign:] Blindness, Night
Number of times reported: [1]

[Sign:] Calculi, Urine
Number of times reported: [1]

[Sign:] Cellulitis
Number of times reported: [1]

[Sign:] Cervical Spine Abn
Number of times reported: [1]

[Sign:] Cns Disorder
Number of times reported: [1]

[Sign:] Colon, Abn
Number of times reported: [1]

[Sign:] Congestion
Number of times reported: [1]

[Sign:] Congestion, Pharynx
Number of times reported: [1]

[Sign:] Congestion, Tongue
Number of times reported: [1]

[Sign:] Coombs Test Pos
Number of times reported: [1]

[Sign:] Dehiscence
Number of times reported: [1]

[Sign:] Diabetes
Number of times reported: [1]

[Sign:] Diabetes Insipidus
Number of times reported: [1]

[Sign:] Dic
Number of times reported: [1]

[Sign:] Dilatation, Stomach
Number of times reported: [1]

[Sign:] Discharge, Ear(s)
Number of times reported: [1]

[Sign:] Discharge, Incision Site
Number of times reported: [1]

[Sign:] Discharge, Mammary
Number of times reported: [1]

[Sign:] Discharge, Mouth/lip(s)
Number of times reported: [1]

[Sign:] Distress, Resp
Number of times reported: [1]

[Sign:] Dry, Skin
Number of times reported: [1]

[Sign:] Ecg, Abn
Number of times reported: [1]

[Sign:] Edema, Larynx
Number of times reported: [1]

[Sign:] Edema, Sclera
Number of times reported: [1]

[Sign:] Edema, Ventral
Number of times reported: [1]

[Sign:] Edema, Vulva
Number of times reported: [1]

[Sign:] Effusion
Number of times reported: [1]

[Sign:] Embolus
Number of times reported: [1]

[Sign:] Enlargement(s), Head/f
Number of times reported: [1]

[Sign:] Estrus Cycle Abnormal
Number of times reported: [1]

[Sign:] Fertility, Reduced
Number of times reported: [1]

[Sign:] Fever, Joint(s)
Number of times reported: [1]

[Sign:] Fibrosis
Number of times reported: [1]

[Sign:] Glossitis
Number of times reported: [1]

[Sign:] Hco3 Hi, Bld
Number of times reported: [1]

[Sign:] Hot Flush
Number of times reported: [1]

[Sign:] Hypermotility
Number of times reported: [1]

[Sign:] Hyphema
Number of times reported: [1]

[Sign:] Hypothermia, Ear(s)
Number of times reported: [1]

[Sign:] Incision Site Abn
Number of times reported: [1]

[Sign:] Incontinence
Number of times reported: [1]

[Sign:] Infection, Eye(s)
Number of times reported: [1]

[Sign:] Infection, Uterus
Number of times reported: [1]

[Sign:] Inflammation, Mammary
Number of times reported: [1]

[Sign:] Inflammation, Nose
Number of times reported: [1]

[Sign:] Injury
Number of times reported: [1]

[Sign:] Irritation
Number of times reported: [1]

[Sign:] Irritation, Esophagus
Number of times reported: [1]

[Sign:] Irritation, Pharynx/th
Number of times reported: [1]

[Sign:] K Hi, Urine
Number of times reported: [1]

[Sign:] Laryngitis
Number of times reported: [1]

[Sign:] Ldh Hi, Bld
Number of times reported: [1]

[Sign:] Leg Disorder
Number of times reported: [1]

[Sign:] Lesion(s)
Number of times reported: [1]

[Sign:] Leukotrichia
Number of times reported: [1]

[Sign:] Liver Failure
Number of times reported: [1]

[Sign:] Na:k Lo, Bld
Number of times reported: [1]

[Sign:] Neck, Ventroflexion
Number of times reported: [1]

[Sign:] Neoplasm, Bone
Number of times reported: [1]

[Sign:] Neoplasm, Kidney(s)
Number of times reported: [1]

[Sign:] Nystagmus, Vertical
Number of times reported: [1]

[Sign:] Obstruction, Intestine
Number of times reported: [1]

[Sign:] Off Feed
Number of times reported: [1]

[Sign:] Oliguria
Number of times reported: [1]

[Sign:] Pain, Brisket/chest
Number of times reported: [1]

[Sign:] Pain, Muscle(s)
Number of times reported: [1]

[Sign:] Pain, Testicle
Number of times reported: [1]

[Sign:] Paralysis
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]

[Sign:] Pd-product Defect
Number of times reported: [1]

[Sign:] P Hi, Urine
Number of times reported: [1]

[Sign:] Platelets Abn
Number of times reported: [1]

[Sign:] Pneumonia, Aspiration
Number of times reported: [1]

[Sign:] Pr-bld Vessel(s), Lesi
Number of times reported: [1]

[Sign:] Pr-bone(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-cecum, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-esophagus, Lesion(s)
Number of times reported: [1]

[Sign:] Priapism
Number of times reported: [1]

[Sign:] Pr-intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-joint(s), Sepsis
Number of times reported: [1]

[Sign:] Pr-mult Sites, Congest
Number of times reported: [1]

[Sign:] Prolapse, Penis
Number of times reported: [1]

[Sign:] Prolapse, Tongue
Number of times reported: [1]

[Sign:] Prostration
Number of times reported: [1]

[Sign:] Protrusion, Tongue
Number of times reported: [1]

[Sign:] Pr-parathyroid, Lesion
Number of times reported: [1]

[Sign:] Pr-rectum, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-sm Intest, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-testicle(s), Lesion(s)
Number of times reported: [1]

[Sign:] Pr-thyroid, Lesion(s)
Number of times reported: [1]

[Sign:] Pr-trachea, Lesion(s)
Number of times reported: [1]

[Sign:] Regurgitation, Food
Number of times reported: [1]

[Sign:] Rhinitis
Number of times reported: [1]

[Sign:] Rolling
Number of times reported: [1]

[Sign:] Septicemia
Number of times reported: [1]

[Sign:] Sinusitis
Number of times reported: [1]

[Sign:] S-irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Sleep Abn
Number of times reported: [1]

[Sign:] Slough, Ear(s)
Number of times reported: [1]

[Sign:] Sound Abn, Voice
Number of times reported: [1]

[Sign:] Squinting
Number of times reported: [1]

[Sign:] Stiffness, Front Limb(
Number of times reported: [1]

[Sign:] Stiffness, Neck
Number of times reported: [1]

[Sign:] Sweating
Number of times reported: [1]

[Sign:] Swelling, Ventrum
Number of times reported: [1]

[Sign:] Tablet(s), Undigest
Number of times reported: [1]

[Sign:] Tail Chasing
Number of times reported: [1]

[Sign:] Tears, Abn
Number of times reported: [1]

[Sign:] Tech Error Administrat
Number of times reported: [1]

[Sign:] Testicle, Abn
Number of times reported: [1]

[Sign:] Thrashing/paddling
Number of times reported: [1]

[Sign:] Tissue, Granulation
Number of times reported: [1]

[Sign:] Torticollis
Number of times reported: [1]

[Sign:] Tox
Number of times reported: [1]

[Sign:] Tracheitis
Number of times reported: [1]

[Sign:] Tympanic Mem, Ruptured
Number of times reported: [1]

[Sign:] Ulcer(s), Ear(s)
Number of times reported: [1]

[Sign:] Unpalatable
Number of times reported: [1]

[Sign:] Unpalatable, Won't Eat
Number of times reported: [1]

[Sign:] Unpalatable, Won't Swa
Number of times reported: [1]

[Sign:] Vasculitis
Number of times reported: [1]

[Sign:] Xerostomia
Number of times reported: [1]

[Drug:] Cyclosporine

Oral, Human

[Sign:] Nausea
Number of times reported: [6]

[Sign:] Confusion
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Dysphagia
Number of times reported: [1]

[Sign:] Irritation, Esophagus
Number of times reported: [1]

[Sign:] Pain, Abdomen
Number of times reported: [1]

[Drug:] Cyclosporine

Parenteral, Dog

[Sign:] Ineffect, Atopy Control
Number of times reported: [2]

[Sign:] Anorexia
Number of times reported: [1]

[Sign:] Diarrhea, Mild
Number of times reported: [1]

[Sign:] Gingiva, Abn
Number of times reported: [1]

[Sign:] Incontinence, Urinary
Number of times reported: [1]

[Sign:] Inflamm, Skin
Number of times reported: [1]

[Sign:] Interaction, Drug(s)

Number of times reported: [1]

[Sign:] Licking, Feet/digit(s)

Number of times reported: [1]

[Sign:] Odor, Mouth

Number of times reported: [1]

[Sign:] Skin, Crust(s)

Number of times reported: [1]

[Drug:] Cyclosporine

Topical, Dog

[Sign:] Ineffect

Number of times reported: [4]

[Sign:] Irritation, Eye(s)/lid

Number of times reported: [4]

[Sign:] Conjunctivitis

Number of times reported: [1]

[Sign:] Depression/lethargy

Number of times reported: [1]

[Sign:] Hypersalivation

Number of times reported: [1]

[Sign:] Ineffect, Kcs

Number of times reported: [1]

[Sign:] Pain, Eye(s)/lid(s)

Number of times reported: [1]

[Sign:] Pd-odor, Abn

Number of times reported: [1]

[Sign:] Pd-suspension, Abn

Number of times reported: [1]

[Sign:] Urticaria

Number of times reported: [1]

[Sign:] Vomiting

Number of times reported: [1]

[Drug:] Cyclosporine

Topical, Human

[Sign:] Pruritis

Number of times reported: [2]

[Sign:] Anaphylaxis/toid

Number of times reported: [1]

[Sign:] Congestion, Nose

Number of times reported: [1]

[Sign:] Depression/lethargy
Number of times reported: [1]

[Sign:] Dizziness
Number of times reported: [1]

[Sign:] Inflammation, Skin
Number of times reported: [1]

[Sign:] Irritation, Eye(s)/lid
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Sign:] Pain
Number of times reported: [1]

[Sign:] Pain, Muscle(s)
Number of times reported: [1]

[Sign:] Paresthesia, Mouth/lip
Number of times reported: [1]

[Sign:] Taste Abnormality
Number of times reported: [1]

[Sign:] Tongue, Abn
Number of times reported: [1]

[Sign:] Urticaria
Number of times reported: [1]

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Cyclosporine

Unknown, Cat

[Sign:] Vomiting
Number of times reported: [1]

[Drug:] Cyclosporine

Unknown, Dog

[Sign:] Vomiting
Number of times reported: [3]

[Sign:] Bilirubin(tot) Hi, Bld
Number of times reported: [1]

[Sign:] Diarrhea
Number of times reported: [1]

[Sign:] Nausea
Number of times reported: [1]

[Drug:] Cyclosporine

Unknown, Human

[Sign:] Urticaria

Number of times reported: [1]

[Drug:] Cythioate

Oral, Cat

[Sign:] Death

Number of times reported: [2]

[Sign:] Vomiting

Number of times reported: [2]

[Sign:] Convulsion(s)

Number of times reported: [1]

[Sign:] Diarrhea, Bloody

Number of times reported: [1]

[Sign:] Epiphora

Number of times reported: [1]

[Sign:] Froth, Mouth/lip(s)

Number of times reported: [1]

[Sign:] Gastroenteritis

Number of times reported: [1]

[Sign:] Weakness

Number of times reported: [1]

[Drug:] Cythioate

Oral, Dog

[Sign:] Vomiting

Number of times reported: [5]

[Sign:] Convulsion(s)

Number of times reported: [4]

[Sign:] Death

Number of times reported: [4]

[Sign:] Depression/lethargy

Number of times reported: [4]

[Sign:] Hypersalivation

Number of times reported: [4]

[Sign:] Diarrhea

Number of times reported: [3]

[Sign:] Behavior Disorder

Number of times reported: [2]

[Sign:] Dyspnea

Number of times reported: [2]

[Sign:] Mydriasis

Number of times reported: [2]
[Sign:] Shaking
Number of times reported: [2]
[Sign:] Trembling
Number of times reported: [2]
[Sign:] Weakness
Number of times reported: [2]
[Sign:] Aggression
Number of times reported: [1]
[Sign:] Anorexia
Number of times reported: [1]
[Sign:] Apprehension
Number of times reported: [1]
[Sign:] Che Lo, Serum
Number of times reported: [1]
[Sign:] Congestion, Skin
Number of times reported: [1]
[Sign:] Cyanosis
Number of times reported: [1]
[Sign:] Glucose Lo, Bld
Number of times reported: [1]
[Sign:] Head Tilt
Number of times reported: [1]
[Sign:] Hyperactivity
Number of times reported: [1]
[Sign:] Hyperpnea
Number of times reported: [1]
[Sign:] Pr-brain, Lesion(s)
Number of times reported: [1]
[Sign:] Thyroid Hormone(s) Lo
Number of times reported: [1]
[Sign:] Wbc Hi, Bld
Number of times reported: [1]