


got angina?

TAKE ONE



DO YOU TAKE
NITROGLYCERIN
TABLETS?

THERE'S ANOTHER
WAY TO GET
FAST RELIEF!



Nitrolingual[®]
Pumpspray
(nitroglycerin lingual spray)
0.4 mg nitroglycerin per spray

Works fast. Made to last.
www.anginaspray.com



Please see Important Safety Information on back.

Indications and Usage: Nitrolingual Pumpspray is indicated for acute relief of an attack or prophylaxis of angina pectoris due to coronary artery disease. Use this product as directed by your physician. Do not share or give your medication to others. Before using your Nitrolingual Pumpspray, please read the directions for use.

Nitroglycerin is absorbed by the tongue and lining of the mouth, producing a prompt therapeutic effect. It is recommended to use Nitrolingual Pumpspray in a seated position.

Important Safety Information: Nitrolingual Pumpspray should not be used while taking phosphodiesterase inhibitors which are used for the treatment of erectile dysfunction. Nitrolingual Pumpspray should be used with caution if patients have low systolic blood pressure, are undergoing diuretic therapy, or show hypersensitivity to this and other nitrates or nitrites. Headache is the most commonly reported side effect with nitroglycerin. Patients may also experience episodes of dizziness, weakness, and other related side effects.

Please see full Prescribing Information.

Your healthcare professional can give you more information about Nitrolingual Pumpspray or call 1-800-849-9707 ext. 1454. Ask your healthcare professional if Nitrolingual Pumpspray may be right for you.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.FDA.gov/medwatch or call 1-800-FDA-1088.

Nitrolingual is a registered trademark of G. Pohl-Boskamp GMBH & Co. Sciele's use of Nitrolingual is under license from G. Pohl-Boskamp GMBH & Co.

Copyright © 2009 Sciele Pharma, Inc., a Shionogi company. All rights reserved.

NLPS.12.09.79B.00

Sciele
Pharma, Inc.
A SHIONOGI COMPANY

RE



THINK
Angina Treatment

Nitrolingual[®]
Pumpspray

(nitroglycerin lingual spray)
0.4 mg nitroglycerin per spray

Works fast. Made to last.



Please see inserted full Prescribing Information.

RE



THINK

The Need for Stability

YOUR FORMULATION MATTERS

Nitroglycerin is inherently unstable

Nitroglycerin tablets pose potential challenges

- Potency of tablets may decrease due to
 - Frequent opening of the container^{1,2}
 - Improper storage; nitroglycerin should be kept in the original glass container, tightly capped³⁻⁵
- Patients prescribed nitroglycerin tablets frequently carry a potentially subpotent medication⁶
 - In one study, more than one-third of CHD patients who used tablets carried medication that was older than 6 months⁶

NITROLINGUAL® PUMPSPRAY MAINTAINS STABILITY AND POTENCY

- Long shelf life: 24 months from the time of manufacture⁴
- Remains potent; minimizes concerns regarding light, moisture, or handling



*Not affected by light, moisture,
or handling**

*Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) [see USP Controlled Room Temperature].

NITROLINGUAL® PUMPSPRAY IS A PATIENT-FRIENDLY CHOICE^{5,7}

A delivery system that provides reliable relief^{2,4}

- Ensures consistent dosing with each metered spray⁸
- Eliminates hard-to-open prescription bottles and the need to fumble with small tablets⁹
- Convenient and easy-to-use^{5,7}
- Not affected by dry mouth or diminished salivary secretions
- Available in 2 bottle sizes: 60- and 200-spray bottles⁸
- A confident choice in emergency settings⁹

Indications and Usage

Nitrolingual Pumpspray is indicated for acute relief of an attack or prophylaxis of angina pectoris due to coronary artery disease.

Important Safety Information

Nitrolingual Pumpspray should not be used while taking phosphodiesterase inhibitors which are used for the treatment of erectile dysfunction. Nitrolingual Pumpspray should be used with caution if patients have low systolic blood pressure, are undergoing diuretic therapy, or show hypersensitivity to this and other nitrates or nitrites. Headache is the most commonly reported side effect with nitroglycerin. Patients may also experience episodes of dizziness, weakness, and other related side effects.



Actual size

Nitrolingual®
Pumpspray
(nitroglycerin lingual spray)
0.4 mg nitroglycerin per spray



Works fast. Made to last.

Please see inserted full Prescribing Information.

RE




THINK

The Need for Speed

NITROLINGUAL® PUMPSPRAY OFFERS MORE RAPID RELIEF THAN TABLETS⁴


Relief Within 60 Seconds in One Study⁴



Results of an 8-week, randomized study comparing the efficacy and tolerability of nitroglycerin spray vs tablets in patients with a clinical history of angina pectoris.

- Relief within 60 seconds in 69% of patients receiving Nitrolingual Pumpspray vs 38% of patients receiving tablets ($P<0.001$)⁴
- Speed to relief is a critical advantage for patients in the midst of an attack

Nitrolingual Pumpspray Demonstrated Statistically Significant Brachial Artery Vasodilatory Response vs Tablets at 2, 4, and 15 Minutes^{10*}



Results of a randomized study comparing the efficacy of Nitrolingual Pumpspray vs sublingual tablets in healthy subjects ($n=20$; 8 women, 12 men), mean age 33 years (range, 23-45), by brachial artery vasodilatory response. Response was measured by rapidity of onset, magnitude of effect, and duration of effect using brachial artery ultrasound. P values stated apply to percent dilation of brachial artery compared with tablets.

*The average maximum vasodilation induced by the 2 formulations, irrespective of the time occurrence, was similar.

The effect of these results on the relief of angina is unknown.

- Rapidity, magnitude, and duration of vasodilatory action is greater with spray than with tablets, as assessed by brachial artery ultrasound in healthy volunteers¹⁰

NITROLINGUAL® PUMPSPRAY IS EFFECTIVE FOR BOTH RELIEF AND PREVENTION OF ANGINA

- Delays or prevents attacks in patients with documented coronary artery disease (CAD)²
 - In this randomized, crossover trial involving treadmill exercise testing, the prophylactic antianginal efficacy of nitroglycerin spray vs placebo was assessed in 20 patients with angiographically documented CAD and stable angina pectoris
 - Delayed the onset of angina pain during exercise by a mean of 100 seconds ($P<0.001$)
 - Prevented angina pain entirely in 7 of 20 patients
 - Abolished or delayed the onset of exercise-induced ST-segment depression ($P<0.001$)
 - Significantly reduced maximal exercise-induced ST-segment depression ($P<0.001$)

NITROLINGUAL PUMPSPRAY IS WELL TOLERATED

- Lower incidence of headache with spray than with tablets⁴
 - In one 8-week, randomized study of patients with a history of angina, 58% of patients using nitroglycerin lingual spray reported no headache vs 39% of patients using nitroglycerin tablets (n=352; $P<0.001$)

Indications and Usage

Nitrolingual Pumpspray is indicated for acute relief of an attack or prophylaxis of angina pectoris due to coronary artery disease.

Important Safety Information

Nitrolingual Pumpspray should not be used while taking phosphodiesterase inhibitors which are used for the treatment of erectile dysfunction. Nitrolingual Pumpspray should be used with caution if patients have low systolic blood pressure, are undergoing diuretic therapy, or show hypersensitivity to this and other nitrates or nitrites. Headache is the most commonly reported side effect with nitroglycerin. Patients may also experience episodes of dizziness, weakness, and other related side effects.



Nitrolingual®
Pumpspray
(nitroglycerin lingual spray)
0.4 mg nitroglycerin per spray

Works fast. Made to last.

Please see inserted full Prescribing Information.

RE




THINK

Angina Treatment

NITROLINGUAL® PUMPSPRAY

- Maintains stability and potency⁴
 - Shelf life of 24 months from the time of manufacture
 - Not affected by light, moisture, or handling
- Provides a patient-friendly choice^{5,7}
- Convenient and easy-to-use^{5,7}
- Offers rapid relief
 - In one study⁴
 - Relief within 60 seconds for most patients
 - More rapid relief than tablets
- Relieves *AND* prevents angina attacks



THE PUMPSPRAY PROMISESM

Only Nitrolingual Pumpspray offers the Pumpspray PromiseSM, a program to ensure patient and prescriber satisfaction.

References

1. Erb R, Stoltman W. Evaluation of two nitroglycerin dosage forms: a metered spray and a soft gelatin capsule. *J Pharmacokinetic Biopharm.* 1983;11:611-621.
2. Kimchi A, Lee G, Amsterdam E, et al. Increased exercise tolerance after nitroglycerin oral spray: a new and effective therapeutic modality in angina pectoris. *Circulation.* 1983;67:124-127.
3. Chien K-L, Sung F-C, Chao C-L, et al. A randomized crossover evaluation of antianginal efficacy and safety of nitrolingual-spray and nitroglycerin tablet form in coronary artery disease patients. *Cardiology.* 2000;93:137-141.
4. VandenBurg MJ, Wight LJ, Griffiths GK, et al. Sublingual nitroglycerin or spray in the treatment of angina. *Br J Clin Pract.* 1986;40:524-527.
5. Wight LJ, VandenBurg MJ, Potter CE, et al. A large scale comparative study in general practice with nitroglycerin spray and tablet formulations in elderly patients with angina pectoris. *Eur J Clin Pharmacol.* 1992;42:341-342.
6. Zimmerman FH, Fass AE, Katz DR, et al. Nitroglycerin prescription and potency in patients participating in exercise-based cardiac rehabilitation. *J Cardiopulm Rehabil Prev.* 2009;29:376-379.
7. Wight LJ, Potter CE, VandenBurg MJ, et al. Experience with Nitrolingual spray in general practice. *Br J Clin Pract.* 1990;44:55-57.
8. Nitrolingual® Pumpspray (nitroglycerin lingual spray) prescribing information. Atlanta, GA: Sciele Pharma, Inc; 2008.
9. Glyceryl trinitrate for angina: tablet or spray? *Drug Ther Bull.* 1992;30:93-95.
10. Ducharme A, Dupuis J, McNicoll S, et al. Comparison of nitroglycerin lingual spray and sublingual tablet on time of onset and duration of brachial artery vasodilation in normal subjects. *Am J Cardiol.* 1999;84:952-954, A8.

Please see inserted full Prescribing Information.

Nitrolingual is a registered trademark of G. Pohl-Boskamp GMBH & Co.
Sciele's use of Nitrolingual is under license from G. Pohl-Boskamp GMBH & Co.



©2009 Sciele Pharma, Inc., a Shionogi company, Atlanta, GA 30328
NLPS.11.09.074.04 12/09

All rights reserved.

Nitrolingual[®]
Pumpspray
(nitroglycerin lingual spray)
0.4 mg nitroglycerin per spray



Works fast. Made to last.

www.anginaspray.com

Don't let chest pain from
angina pectoris slow you down.

What is angina pectoris?

Angina pectoris is the medical term for chest pain or discomfort usually due to coronary artery disease (CAD). This occurs when the heart muscle doesn't get as much blood or oxygen as it needs. Angina attacks are most often characterized by²:

- Pain, pressure, or squeezing in the chest
- Shortness of breath
- Discomfort in the neck, jaw, shoulder, back or arm
- Nausea, dizziness or tiredness

What can trigger an angina attack?

There are many activities that can trigger an angina attack. Here are some of the more common triggers²:

- Exercise
- Sudden physical activity – like running to catch a bus
- Mental or emotional stress
- Eating a rich or heavy meal

Are you at risk?

Stable angina is typically a symptom of CAD. Certain behaviors, circumstances, or disorders – called risk factors – can increase the likelihood of this disease. Some risk factors for CAD can be controlled or changed such as³:

- Smoking
- Physical inactivity
- Excess weight
- Diet
- Conditions such as high blood pressure, diabetes and high cholesterol

Other factors are out of your control or non-modifiable. These include³:

- Age
- Family history of developing CAD before age 50
- Race
- Gender

If you feel you may be at risk, or have experienced chest pains, talk to your doctor.

Introducing the Pumpspray PromiseSM Savings and Confidence

Instant savings card covers 100% of your Co-Pay

Try Nitrolingual[®] Pumpspray. Ask your doctor for more details or visit

www.anginaspray.com to print out your money-saving coupon that covers 100% of your Co-Pay. Cash paying patients are not eligible for this program but may visit

www.anginaspray.com for a cost-savings offer.

Savings is just part of our Pumpspray PromiseSM.



Be confident in your choice

We believe you will be pleased with the benefits of Nitrolingual Pumpspray. That's why we offer you the Pumpspray PromiseSM. If for any reason you are not completely satisfied, Sciele will provide a refund for your out of pocket expense for your prescription of Nitrolingual Pumpspray. Please visit www.anginaspray.com for more information. **Confidence is just part of our Pumpspray PromiseSM.**

Indications and Usage

Nitrolingual Pumpspray is indicated for acute relief of an attack or prophylaxis of angina pectoris due to coronary artery disease.

Important Safety Information

Nitrolingual Pumpspray should not be used while taking phosphodiesterase inhibitors which are used for treatment of erectile dysfunction. Nitrolingual Pumpspray should be used with caution if patients have low systolic blood pressure, are undergoing diuretic therapy, or show hypersensitivity to this and other nitrates or nitrites. Headache is a commonly reported side effect with nitroglycerin. Patients may also experience episodes of dizziness, weakness, and other related side effects.

References: 1. Vandenburg MJ, Wright LG, Griffiths GK, et al. Sublingual nitroglycerin or spray in the treatment of angina. Br J Clin Pract. 1986;40:524-527. 2. American Heart Association. What is angina? Available at <http://www.americanheart.org/presenter.jhtml?identifier=3007460>. 3. American Heart Association. Risk factors and coronary heart disease. Available at <http://www.americanheart.org/presenter.jhtml?identifier=4726>. 4. Data on file. Sciele Pharma, Inc.

Please see enclosed full Prescribing Information.

Nitrolingual is a registered trademark of G. Pohl-Boskamp GMBH & Co. Sciele's use of Nitrolingual is under license from G. Pohl-Boskamp GMBH & Co

Sciele
Pharma, Inc.


A SHIONOGI COMPANY

©2009 Sciele Pharma, Inc., a Shionogi company
www.sciele.com

NLPS.12.09.78A.01

Atlanta, Georgia 30328
All rights reserved.

REV. 12/09



There's another way to get
fast relief.



Nitrolingual[®]
Pumpspray
(nitroglycerin lingual spray)
0.4 mg nitroglycerin per spray



Works fast. Made to last.

www.anginaspray.com

Please see enclosed full Prescribing Information.



Tablets aren't the only choice for relief from acute angina pectoris


When an angina attack strikes, you want relief and you want it fast. When every second counts, you can count on Nitrolingual Pumpspray for fast, potent relief from angina.

Nitrolingual® Pumpspray (nitroglycerin lingual spray) can provide relief within 60 seconds.¹

With Nitrolingual Pumpspray, most patients experienced relief in just a minute.

- In one study, results showed that 69% of patients reported relief within 60 seconds vs 38% of patients who used tablets¹

Fast pain relief



Results of an 8-week, randomized study to compare the efficacy and tolerability of nitroglycerin spray vs tablets in patients (n=352) with a clinical history of angina pectoris.

Please see enclosed full Prescribing Information.

Stability and potency for 24 months from time of manufacture⁴

- A long shelf life from time of manufacture helps ensure that Nitrolingual Pumpspray works when you need it
- Unlike tablets, you don't need to worry about loss of potency due to light, moisture or handling



Simple and easy to use

At the onset of an attack, spray one or two metered sprays onto or under the tongue. If your pain is unrelieved 5 minutes after taking the first dose, call Emergency Medical Services (9-1-1).

No more than 3 metered sprays are recommended within a 15-minute period.

Note: Before using the spray for the first time, spray 5 times into the air, which will prime the pumpspray for effective administration. You should prime the spray every 6 weeks if you have not used it within that time.

Ask your healthcare professional if Nitrolingual Pumpspray may be right for you. Your healthcare professional can give you more information about Nitrolingual Pumpspray. Visit www.anginaspray.com or call 1-800-849-9707 ext. 1454.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.FDA.gov/medwatch or call 1-800-FDA-1088.

Ready when you need it at home and on the go

Nitrolingual Pumpspray comes in two sizes – 60-metered and 200-metered spray bottles.

Some patients prefer to have two bottles prescribed to them – one bottle to keep at home in a key location and one to use when traveling or on the go. This way, they are fully prepared with the Nitrolingual Pumpspray primed and available at all times.

In one study, more patients reported no headache

Headaches are a common side effect of nitroglycerin medication. However, it has been shown that patients with a history of angina pectoris using nitroglycerin lingual spray did not experience headaches as often as tablet users.

- 58% of patients using nitroglycerin lingual spray reported no headache vs 39% of patients who used tablets (n=352; P<0.001)¹

Ask your doctor about Nitrolingual Pumpspray today and receive a \$20 savings card.

Check with your doctor to see if Nitrolingual Pumpspray is an appropriate alternative for treating your angina. If it is, ask for a prescription today.

Nitrolingual®
Pumpspray
 (nitroglycerin lingual spray)
 0.4 mg nitroglycerin per spray
Works fast. Made to last.

